

8/21

DATE: 8/15/2018

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00123935

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: **BASIC SUPPLY, LLC**

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.


JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>2-3 WEEKS</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
 NUMBER: _____
 NUMBER: _____
 NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: BASIC SUPPLY, LLC	
SIGNATURE: (Must be signed here) 	TITLE: MANAGER
PRINT OR TYPE NAME: JOHN ATKINSON	
ADDRESS: PO BOX 63066	
CITY, STATE: LAFAYETTE, LA	ZIP: 70596
TELEPHONE: () 337-769-0122	FAX: () 337-247-7699
EMAIL ADDRESS: charlotte@basicsupply.com	

TOTAL PRICE OF ALL BID ITEMS: \$ 18219.72

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123935

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	5.00	EA	VARIOUS SUPPLIES FOR THE JEFFERSON PARISH PUBLIC WORKS CENTRAL WAREHOUSE 0010 BIT, WHIRLYBIT, 5/8 INCH X 24 INCH OVERALL LENGTH, 4-1/4 INCH SHANK, BRUNNER, & LAY #X31616, TO FIT A MINNICH BRAND HORIZONTAL DRILL MODEL A-1-48 STK. # 020008B	NO BID	NO BID
2	36.00	EA	0020 SHACKLE, ANCHOR, 3/8 IN, WITH ALLOY SCREW PIN, HOT DIP GALVANIZED, 2 TON LOAD LIMIT, CROSBY #G-209-A STK. # 0271060	NO BID	NO BID
3	144.00	EA	0030 HOOK, CLEVIS GRAB, 3/8 IN, 7100# WORKING LOAD LIMIT, TEMPERED ALLOY STEEL, CROSBY A-330 #1027285 OR EQUAL STK. # 0272320	15.30	2203.20
4	50.00	FT	0040 TUBING, COPPER, 1/4 INCH OD X 50 FOOT STK # 0304400	.65	\$32.50
5	2.00	EA	0050 FLOWMETER FOR ARGON GAS, VICTOR BRAND STK. #030699A 3-7150	62.00	124.00
6	1.00	EA	0060 HOSE, WELDER'S TWIN LINE, GREEN OXYGEN AND RED ACETYLENE GAS LINES, 1/4 IN ID, 200 WORKING PRESSURE, 50 FT LONG, GRADE RM, TYPE VD, TO MEET RMA/CGA IP-7 STANDARD, WITH FITTINGS, RADNOR #RAD64003311 STK. # 0307440 3-7490	40.00	40.00
7	4.00	EA	0070 SUPPORT, BACK, XXXX-LARGE, LUMBAR PAD, REFLECTIVE ORANGE, DECADE CADET #46587 OR ERGODYNE #11888 STK. # 0477170	NO BID	NO BID
8	48.00	EA	0080 VEST, SAFETY, XX-LARGE, 100% POLYESTER MESH, FLATWEAVE 7 OZ, REFLECTIVE STRIPES, ORANGE FLUORESCENT, OCCULUX PART #LUX-SSFULLG STK. # 047910D CORDOVA VB230P	7.10	340.80
9	96.00	EA	0090 VEST, SAFETY, 1X-L/54 IN D X 21 IN L, 4-1/2 OZ MESH W/ZIPPER & SEWN SIDES, CORDOVA VZ241P	5.15	494.40

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123935

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	96.00	EA	<p>FLUORESCENT LIME W/2 VERT & 2 HORIZ IN WHITE REFLECTIVE STRIPES OF 3M SCOTCHLITE 6160R, ANSI CLASS III, IRON HORSE #M3261L/SZ STK. # 047910U</p> <p>0100 VEST, SAFETY, 4X-L, 4-1/2 OZ MESH W/ZIPPER & SEWN SIDES, FLUORESCENT LIME</p>	5.15	494.40
11	20.00	EA	<p>W/2 VERT & 2 HORIZ 2 IN WHITE REFLECTIVE STRIPES OF 3M SCOTCHLITE 6160R, ANSI CLASS II, IRON HORSE #M3287L/4X-L STK. # 047910X</p> <p>CORDOVA VZ241P</p> <p>0110 TARPULIN, 10 FT X 12 FT, PROPYLENE, WITH GROMMETS</p> <p>STK. # 0480040</p> <p>T1012BB70</p>	5.00	100.00
12	180.00	EA	<p>0120 STRAP, RATCHET, CARGO, 8 FT X 1 IN WIDTH, S-HOOK ON EACH END, 833 LB</p> <p>WORKING LOAD LIMIT, 2500 LB BREAKING STRENGTH, SNAPLOC #GR-LS18RSR-PU STK. # 048005C</p> <p>SMART STRAPS 149</p>	6.80	1224.00
13	50.00	EA	<p>0130 FRAME, PAINT ROLLER, MINI, 4 INCH, 3/8 NAP, 16 INCH HANDLE, BLP PART</p> <p>#9718-103, MUST FIT DYNAMIC BRAND #HM005315 MINI TRIM ROLLER COVERS STK. # 0480430</p>	NO BID	NO BID
14	180.00	EA	<p>0140 LIDS WITH SPOUT FOR 5 GALLON WHITE POLYETHYLENE BUCKETS WITH HANDLE</p> <p>STK. # 048098A</p>	NO BID	NO BID
15	15.00	EA	<p>0150 NOZZLE, FIRE HOSE, 1 IN X 8 IN, 100 PSI, DOMESTIC SATIN BRASS, NPSH</p> <p>THREAD, DIXON #BN10 STK. # 0482030</p>	NO BID	NO BID
16	24.00	EA	<p>0160 LUBRICANT, OPEN GEAR AND WIRE ROPE 14 OUNCE AEROSOL CAN, EXTRA HEAVY,</p> <p>LUBRIPLATE # L0152-063 STK. # 0483710</p>	11.70	280.80
17	60.00	EA	<p>0170 LUBRICANT, ANTI-SEIZE, AEROSOL SPRAY, 12 OZ CAN, REGULAR GRADE, BOSTIK</p>	18.50	1110.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123935

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
18	200.00	EA	{NEVER SEIZE} #NSA-16, MUST BE THIS BRAND, NO SUBSTITUTES STK. # 0483870 0180 VISOR, FACESHIELD, CLEAR, 8 IN X 15 .5 IN X .040 PETG, SHAPE E, JACKSON #29104	1.20	240.00
19	40.00	EA	MSC #81300600 RV40815EPCLF STK. # 048406A 0190 CLEANER, HAND, 1 GALLON PUMP CONTAINER, PERMETEX #25218 STK. # 0484480	20.90	836.00
20	120.00	EA	0200 INSECTICIDE, FOGGER, DEEP REACH, CYPERMETHRIN 1.716%, 1.5 OZ CAN, RAID STK. # 048457A Raid 81590	3.00	360.00
21	90.00	PK	0210 BLADE REFILL, SINGLE EDGE, 5 PER PACK, HYDE BRAND #42100 FOR STANLEY #10-175 UTILITY KNIFE STK. #0589650	1.25	112.50
22	432.00	EA	0220 TAPE, TEFLON, PIPE THREAD SEAL, 1/2 IN X 250 FT, DOMESTIC GRADE, NATIONAL #513W STK.#0484250 TEFLON 1/2X520!	.95	410.40
23	600.00	EA	0230 WHEEL, ABRASIVE, CUTS METAL, 4-1/2 IN DIA X .04 IN THICK X 7/8 IN ARBOR, 13580 MAX RPM, NORTON #076607-01617-1 (FOR USE ON ANGLE GRINDER), STK. # 0488410 80321	1.00	600.00
24	50.00	EA	0240 LINE WEED EATER, .095 DIAMETER, APPROXIMATELY 285 FT PER 1 LB ROLL STK. # 0490060 Arnold WLS-195	5.70	285.00
25	48.00	EA	0250 SEALANT & VALVE LUBRICANT, DOW #111 14.1 OZ. CARTRIDGE STK.#0491110 NC111	12.24	587.52
26	50.00	EA	0260 PRY BAR, 24 IN WTH HANDLE, 11/16 IN TIP WIDTH, 31-7/8 IN OVERALL LENGTH, DOMESTIC, PROTO #J2148 STK. # 0581110	35.40	1770.00
27	48.00	EA	0270 CUTTER, COPPER TUBING, 1/4 IN TO 1-5/8 IN, QUICK ACTING, RIGID BRAND	47.50	2280.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123935

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
28	6.00	EA	#31632, GRAINGER #4A514 STK. # 0582900 0280 SCREWDRIVER, TORX, HANDLE STORES T-8, T-9, T-10, T-15, T-20, T-25 BITS, WIHA #38004 STK. #0584520	NO BID	NO BID
29	60.00	EA	0290 TOOL, SHUT-OFF, FOR 3/4 IN TO 1 IN POLYETHYLENE WATER SERVICE TUBING, DOMESTIC, REED #PESO-1 STK. # 0585220	NO BID	NO BID
30	60.00	EA	0300 SPOTLIGHT, LED, 12VOLT, 550/40 LUMENS MINIMUM, BATTERY OPERATED, STREAMLIGHT #44900, DORCY #41-4296 STK. # 0588090 DORCY 41-4296	27.70	1662.00
31	432.00	EA	0310 BATTERY, ALKALINE, INDUSTRIAL, SIZE C, 1.5 VOLTS, DURACELL PROCELL #PC1400 STK. # 0588130	1.00	432.00
32	5.00	EA	0320 GRIP, WIRE, SIZE RANGE 3/4 TO 1 IN, 24 IN LONG, FOR PULLING PLASTIC PIPE, 1360# WORKING STRENGTH, DOUBLE WEAVE MESH FOR GREATER PULLING STRENGTH, KLEIN #KP-075-24 STK. #0590810	NO BID	NO BID
33	600.00	FT	0330 CHAIN, 3/8 INCH, GRADE 70 TRANSPORT 6600# WORKING LOAD LIMIT, SYSTEM 7, YELLOW ZINC PLATED, 200 FT PER DRUM CAMPBELL #0510610 STK. #0596820 085-3526-544-55	3.5	2100.00
34	3.00	ROLL	0340 CLOTH, ABRASIVE, 2 IN X 50 YDS, 120 GRIT, ALUMINUM OXIDE, NORTON #66261126297 ARCH ABRASIVES #73167 STK. # 0597670 12-120	18.65	55.95
35	3.00	EA	0350 SQUARE, COMBINATION, 16 INCH, ALUMINUM, STANLEY #45-900 STK.# 0968830 Johnson 420EM	14.75	44.25

3-7150
KT INDUSTRIES ARGON FLOWMETER



3-7490
KT INDUSTRIES 1/4" X 50' TWINLINE HOSE
K-T hose is manufactured with intense quality control that far exceeds industry standards. The twin hose exceeds RMA & CGA specifications for type S grade R. Size 1/4" x 50'



SMART STRAPS 149 Padded Ratchet, 1000 lb,
10 ft L, Orange
Load Capacity:1000 lb
Length:10 ft
Features
Secure almost any size load
3000 lb breaking strength



ProSource 2617934 Light Duty Tarp with
Aluminum Grommets, 12 ft L x 10 ft W, 6 x 7 in
Mesh, Polyethylene





PRODUCT SPECIFICATIONS

Item Number	VB230P																														
Description	Class II Mesh Safety Vest 5 Point Breakaway, One Inside Chest Pocket and One Outside Pocket																														
Fabric	100% Polyester																														
Fabric Color	Orange																														
Retro-Reflective Stripe	2" Silver, 2 Horizontal Stripes																														
Closure	Hook & Loop																														
<p>ANSI/ISEA 107-2010 Class II Compliant</p> <table border="1"> <thead> <tr> <th>Size</th> <th>Chest (in.)</th> <th>Length (in.)</th> </tr> </thead> <tbody> <tr><td>M</td><td>46</td><td>30</td></tr> <tr><td>L</td><td>48</td><td>30</td></tr> <tr><td>XL</td><td>52</td><td>28.5</td></tr> <tr><td>2XL</td><td>56</td><td>29</td></tr> <tr><td>3XL</td><td>60</td><td>30</td></tr> <tr><td>4XL</td><td>63</td><td>31</td></tr> <tr><td>5XL</td><td>67</td><td>31.5</td></tr> <tr><td>6XL</td><td>71</td><td>31.5</td></tr> <tr><td>7XL</td><td>75</td><td>32.5</td></tr> </tbody> </table> <p>Certificate of Compliance is attached</p>		Size	Chest (in.)	Length (in.)	M	46	30	L	48	30	XL	52	28.5	2XL	56	29	3XL	60	30	4XL	63	31	5XL	67	31.5	6XL	71	31.5	7XL	75	32.5
Size	Chest (in.)	Length (in.)																													
M	46	30																													
L	48	30																													
XL	52	28.5																													
2XL	56	29																													
3XL	60	30																													
4XL	63	31																													
5XL	67	31.5																													
6XL	71	31.5																													
7XL	75	32.5																													
Unit of Sale	Each (Individually Bagged)																														
Case Pack	24 Each																														
Country of Origin	China																														
Other Similar Style	VB231P																														

Part #	Color	Each UPC	Case UPC	Case HT	Case WD	Case LG	Case WT
VB230PM	ORANGE	796326309421	50796326309426	7.9	10.6	16.2	10
VB230PL	ORANGE	796326309438	50796326309433	7.9	10.6	16.2	10
VB230PXL	ORANGE	796326309445	50796326309440	7.9	10.6	16.2	11
VB230P2XL	ORANGE	796326309452	50796326309457	10.2	10.6	16.2	12
VB230P3XL	ORANGE	796326309469	50796326309464	10.2	10.6	16.2	13
VB230P4XL	ORANGE	796326309476	50796326309471	11.8	10.6	16.2	13
VB230P5XL	ORANGE	796326309483	50796326309488	11.8	10.6	16.2	13
VB230P6XL	ORANGE	796326309490	50796326309495	11.8	10.6	16.2	14
VB230P7XL	ORANGE	796326309506	50796326309501	11.8	10.6	16.2	14

Last Modified: Aug 7, 2015

Corporate Headquarters:
4025 Viscount Ave.
Memphis, TN. 38118
Phone 901-458-5030
Fax 901-458-3343



West Coast Office:
4451 Eucalyptus Avenue
Chino, CA 91710
Phone 877.264.9832
Fax 877.264.9833

www.cordovaisc.com



May 20, 2015

ANSI/ISEA 107-2010 Apparel and Headwear Compliance Certificate: #CSPB230052015

Cordova Safety Products certifies that Model **VB230P** meets all set requirements as stated in ANSI/ISEA 107-2010 as compliant High-Visibility safety items for Performance Class 2. All relevant materials have been third-party certified with documents referenced under this certificate number. The manufacturer certifies that these items meet all design requirements and have been measured for the appropriate amount of visible reflective material and background material for the smallest size offered for this product.

Amount of visible background material (smallest size offered):

821 square inches
(ANSI Class 2 Minimum 775 sq. in.)

Amount of visible retroreflective material (smallest size offered):

271 square inches
(ANSI Class 2 Minimum 201 sq. in.)

Company:	Cordova Safety Products
Address:	4025 Viscount Ave.
City, State, Zip	Memphis, TN 38118
Phone	901-458-5030
Models:	VB230P
Class:	2

The undersigned hereby warrants that he/she is authorized to legally bind the organization identified above.

Name: Bill Greeneisen

Title: Product Manager



VEST SPECIFICATIONS

Item Number	VZ240P/VZ241P/V241P
Product Group	Class II Safety Vests
Description	Class II Mesh Safety Vests, Available in Orange (VZ240P) and Lime (VZ241P), Zipper Closure, Silver Reflective Stripes (2 vertical & 2 horizontal), One Inside Pocket. V241P=Lime with Velcro® Closure
<p>ANSI/ISEA 107-2004 Class II Compliant</p> <p>Fabric and Retroreflective Material is 3rd Party Certified:</p> <p>Orange Mesh Fabric Certificate 1211322 Dated 2/27/09 TexTest Laboratory Valley, Alabama</p> <p>Lime Mesh Fabric Certificate #1211324 Dated 2/27/09 TexTest Laboratory Valley, Alabama</p> <p>Retroreflective Material Certificate #051114-01A Dated 2/10/06 Calcoast Testing Laboratory Emeryville, California</p> <p>Please see accompanying Certificate of Compliance #CSP240050809</p>	
Unit of Sale	One Each
Case Pack	Twenty Four Each
Country of Origin	China
Available Sizes	S-7XL

Corporate Headquarters:
2085 W.E. Freeman Drive
Memphis, TN. 38114
Phone 901-458-5030
Fax 901-458-3343



www.cordovaisc.com

West Coast Office:
15147 Don Julian Drive
City of Industry, CA 91746
Phone 877.264.9832
Fax 877.264.9833



May 8, 2009

ANSI/ISEA 107-2004 Apparel and Headwear Compliance Certificate: #CSP240050809

Cordova Safety Products certifies that Models **VZ240P/VZ241P/V241P** meet all set requirements as stated in ANSI/ISEA 107-2004 as compliant High-Visibility safety items for Performance Class 2. All relevant materials have been third-party certified with documents referenced under this certificate number. The manufacturer certifies that these items meet all design requirements and have been measured for the appropriate amount of visible reflective material and background material for the smallest size offered for these products.

Amount of visible background material (smallest size offered):

914.50 square inches

Amount of visible retroreflective material (smallest size offered):

279.00 square inches

Company:	Cordova Safety Products
Address:	2085 W.E. Freeman Drive
City, State, Zip	Memphis, TN 38114
Phone	901-458-5030
Models:	VZ240P/VZ241P/V241P
Class:	2

The undersigned hereby warrants that he/she is authorized to legally bind the organization identified above.

Name: Scott M. Laxton

Title: Marketing Director


Raid 81590 Concentrated Indoor Fogger, 1.5 oz, Aerosol Can, Aerosol, Clear Amber, Pleasant, 625 sq-ft Coverage
 Non-staining and leaves no residue. Has a pleasant outdoor fresh scent. Kills roaches, fleas, ants, and a variety of other insects. Clear color. Main Active: Cypemethrin. Pack contains three 1.5 ounce cans.



Arnold WLS-195 Universal Trimmer Line, For Use With Most Gas String Trimmers, Polymer Product Details
 Material: Polymer
 Special Features: 10 Refills
 Specifications: 0.095 in Diameter X 220 ft Length
 Suitable for Use With: Most Gas String Trimmers
 Type: Universal




3057
 Dab-A-Do heavy duty industrial strength hand cleaner with pumice in 1 gallon plastic pump container. 4 containers per case. Mfr. #3057 cherry.



G70 Transport Chain

- Grade 70 is a high strength chain made from quenched and tempered steel
- Transport tie downs
- Tow & Binder chains
- Meets D.O.T. specs
- Finish: Gold Chromart

Item/Desc	Price	UM	Avail
085-3526-544-55			(please login)
3/8" Chain Gold Chromate (200'/drum)			



Liquid-O-Ring®*

YOUR SUPER CENTER FOR OVER 1,000 TOP PERFORMANCE PRODUCTS SERVING INDUSTRIES WORLDWIDE

WWW.OILCENTER.COM

NC111

SILICONE NON-CONDUCTIVE GREASE

- GEAR OILS
- MOTOR OILS
- HYDRAULIC OILS
- PIPE COATINGS
- THREAD SEALANTS
- BEARING GREASES
- SPECIALTY GREASES
- THREAD COMPOUNDS
- SUCKER ROD COATINGS
- OUTSIDE PRESERVATIVES
- WIRELINE GREASE SEALS
- CLEANERS & DEGREASERS
- PIPE STORAGE COMPOUNDS
- RUST & CORROSION INHIBITORS
- THREAD LOCKING COMPOUNDS
- VALVE LUBRICANTS & SEALANTS
- TOOL JOINT & DRILL COLLAR COMPOUNDS



PRODUCT DESCRIPTION

NC111 Silicone Non-Conductive Grease is a high viscosity, silicone-based grease that is used where non-conductive performance is required. It is thermally stable, chemically inert, and will not affect rubber or plastics. It is resistant to numerous organic and inorganic chemicals including CO₂, moisture, and oxidation. This odorless grease is non-toxic and non-melting and does not dry out during service. NC111 services temperatures from -50°F to +400°F (-45°C to +204°C).

NC111 is an excellent valve lubricant and sealant. NC111 is also recommended for use in downhole tools or equipment and allows ease of operation and disassembly.

BENEFITS

- Resists CO₂ (Carbon Dioxide)
- Temperature range of -50°F to +400°F (-45°C to +204°C)
- Excellent rubber lubricant
- Insoluble in water, oilfield brine, and hydrochloric acid
- Non-melting
- Non-separating
- Resistant to wide variety of chemicals
- Odorless
- Excellent leak resistance
- Contains no bentonite or soaps
- Non-conductive grease
- Resistant to oxidation
- Moisture resistant
- Does not dry out
- Non-volatile

RELATED PRODUCTS

- 101S CO₂ Resistant Film Forming Lubricant
- 161 Resist-All Silicone Compound
- 161L Resist-All Silicone Compound with LIQUILON®*
- 230 Extended Life Non-Conductive Grease
- 230L Extended Life Non-Conductive Grease with LIQUILON®*
- 974 Long Life Silicone Fluid
- 979 Silicone Oil
- NC112 Silicone Non-Conductive Grease

TYPICAL OBSERVATIONS

Color	White
Texture	Smooth Paste
Density, lb/gal @ 77°F (25°C)	8.0
g/ml @ 77°F (25°C)	1.0
Specific Gravity, @ 77°F (25°C)	0.959
Dropping Point, ASTM D-2265	>500°F (>260°C)
Flash Point, ASTM D-92 based on oil	>500°F (>260°C)
Penetration,	
unworked	170-230
worked, 60 strokes	250-260
Corrosion Preventive Properties,	
ASTM D-1743 @ 125°F (51°C)	Pass
Water Washout Characteristics,	
ASTM D-1264 @ 100°F (37°C)	Nil
Evaporation Loss, ASTM D-972	
@ 210°F (98°C)	0.21%
Oil Separation, ASTM D-1742 @ 77°F (25°C)	Nil
Oxidation Stability, ASTM D-942	
210°F (98°C), 72 hrs. psi loss	3
Shelf Life (unopened container)	Two years

APPLICATION

NC111 is recommended for the following industries: Electric Wireline, Valve Manufacturers, Pipe Line Companies, Utilities, Gathering Systems, Valve Rebuilders, Chemical Processing and Refineries.

Apply NC111 to perforating guns, wireline tools, plug valves, ball valves, and gate valves in high or low pressure operations.

NC111 may be used to seal outdoor equipment, as a chemical barrier, a lubricant for rubber and plastic O-rings, a valve stem lubricant, on gaskets to prevent sticking to metal, a lubricant for valves, and to lubricate rubber and plastic.

Apply NC111 by hand, brushing, or wiping, or by injecting with a high pressure grease gun,

© 2012, BALMAR LLC Made in U.S.A.

WARRANTY Because the conditions of use and the supervision of application are beyond our control, we assume no liability for any product failure or other damage beyond the purchase price of the material furnished by us. No agent, representative, or employee of this Company is authorized to change this provision, which relates to all goods delivered, whether sold, delivered as samples, or otherwise. Each user should independently determine the suitability of this product based on their specific application.

Manufactured by

BALMAR LLC

616 WEST PONT DES MOUTON ROAD | LAFAYETTE, LA 70507

Sales Locations:

LAFAYETTE, LA | HOUSTON, TX | LONGVIEW, TX | MIDLAND, TX | OKLAHOMA CITY, OK

*Registered trade name of Oil Center Research, Inc. 07/18/16

The product information and specifications listed in this publication are constantly being updated to keep up with government regulations and technology changes. Please visit our web site, www.oilcenter.com, or contact your Account Representative for the most current information relating to this product.



Thin Cutting Wheels



Metal

The wheel that set the Standard! Excellent thin cutting wheel for all types of metal, sheet metal, gratings, tubes, conduit, etc.

For use with Angle Grinders

Special **thin cutting wheels** for use on angle grinders. Double reinforced for safety, premium materials combined with German technology ensures top quality.



TYPE 1 - 25 wheels per box

PART #	SIZE	MAX RPM
80321	4-1/2 x .040 x 7/8	13,300

Johnson 420EM Professional Combination Square, 16 in L, 1/8 in, 1/16 in, 1 mm, Steel Blade



TRU-VISION PLASTICS
RV40815EPCLF
VISOR 8X15.5X.040 CLEAR

