

DATE: 8/15/2018

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00123935

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

57 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>I.W.S. GAS AND SUPPLY</u>	
SIGNATURE: (Must be signed here)	TITLE:
<u>Jimmy Gibbs</u>	<u>SALES</u>
PRINT OR TYPE NAME: <u>JIMMY GIBBS</u>	
ADDRESS: <u>111 BURAS DR.</u>	
CITY, STATE: <u>BELLE CHASSE, LA.</u>	ZIP: <u>70037</u>
TELEPHONE: <u>504 392-2400</u>	FAX: <u>504 392-1500</u>
EMAIL ADDRESS: <u>JIMMY.GIBBS@GASANDSUPPLY.COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 23,061.56

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123935

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			VARIOUS SUPPLIES FOR THE JEFFERSON PARISH PUBLIC WORKS CENTRAL WAREHOUSE		
1	5.00	EA	0010 BIT, WHIRLYBIT, 5/8 INCH X 24 INCH OVERALL LENGTH, 4-1/4 INCH SHANK, BRUNNER, & LAY #X31616, TO FIT A MINNICH BRAND HORIZONTAL DRILL MODEL A-1-48 STK. # 020008B	107.32	536.60
2	36.00	EA	0020 SHACKLE, ANCHOR, 3/8 IN, WITH ALLOY SCREW PIN, HOT DIP GALVANIZED, 2 TON CM M648AG LOAD LIMIT, CROSBY #G-209-A STK. # 0271060	5.69	204.84
3	144.00	EA	0030 HOOK, CLEVIS GRAB, 3/8 IN, 7100# WORKING LOAD LIMIT, TEMPERED ALLOY CM M806A STEEL, CROSBY A-330 #1027285 OR EQUAL STK. # 0272320	6.85	986.40
4	50.00	FT	0040 TUBING, COPPER, 1/4 INCH OD X 50 FOOT STK # 0304400	.66	33.00
5	2.00	EA	0050 FLOWMETER FOR ARGON GAS, VICTOR BRAND STK. #030699A	60.00	120.00
6	1.00	EA	0060 HOSE, WELDER'S TWIN LINE, GREEN OXYGEN AND RED ACETYLENE GAS LINES, 1/4 IN ID, 200 WORKING PRESSURE, 50 FT LONG, GRADE RM, TYPE VD, TO MEET RMA/CGA IP-7 STANDARD, WITH FITTINGS, RADNOR #RAD64003311 STK. # 0307440	26.44	26.44
7	4.00	EA	0070 SUPPORT, BACK, XXXX-LARGE, LUMBAR PAD, REFLECTIVE ORANGE, DECADE CADET #46587 OR ERGODYNE #11888 STK. # 0477170	14.31	57.24
8	48.00	EA	0080 VEST, SAFETY, XX-LARGE, 100% POLYESTER MESH, FLATWEAVE 7 OZ, RADIANS SV802XL REFLECTIVE STRIPES, ORANGE FLUORESCENT, OCCULUX PART #LUX-SSFULLG STK. # 047910D	6.90	331.20
9	96.00	EA	0090 VEST, SAFETY, 1X-L/54 IN D X 21 IN L, 4-1/2 OZ MESH W/ZIPPER & SEWN SIDES, RADIANS SV836XL	7.26	696.60

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500


jimmy.gibbs@gasandsupply.com

SV8

Standard Class 2 Vest

TYPE R / CLASS 2

ANSI/ISEA 107-2015



Standard Class 2 vest for enhanced night time visibility. Basic pockets and zip front closure for increased functionality.

MESH		SOLID	
GREEN	ORANGE	GREEN	ORANGE
SV8GMM	SV80MM	SV8GSM	SV8GSM
SV8GML	SV80ML	SV8GSL	SV8GSL
SV8GMXL	SV80MXL	SV8GSXL	SV8GSXL
SV8GM2X	SV80M2X	SV8GS2X	SV8GS2X
SV8GM3X	SV80M3X	SV8GS3X	SV8GS3X
SV8GM4X	SV80M4X	SV8GS4X	SV8GS4X
SV8GM5X	SV80M5X	SV8GS5X	SV8GS5X

FEATURES:

- Zipper Closure
- 2" Silver Tape Reflective Material
- 1 Horizontal Stripe
- Mic Tabs on Both Shoulders

4 POCKETS:

- 2ea Upper Outside Pockets
- 2ea Lower Inside Pockets
- 2ea Upper Inside Pockets

MATERIALS:

- 100% Polyester Mesh
- 100% Polyester Solid Knit

COLORS:

- High-Visibility Green
- High-Visibility Orange

25 Wash Max



Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

SIZES AVAILABLE

S, M, L, XL, 2X, 3X, 4X, 5X



CUSTOM IMPRINTING

Left Chest Pocket
Back Center



SV8-SSH REV02_05162017

HEADQUARTERS

5305 Distriplex Farms Drive
Memphis, Tennessee 38141

Toll Free: 877-723-4267

Phone: 901-388-7776 / Fax: 901-266-2558

www.radians.com




RADICALLY
VISIBLE™

SV83

STANDARD CLASS 3 VEST

TYPE R / CLASS 3

ANSI/ISEA 107-2015



Short sleeved Standard Class 3 vest for enhanced night time visibility. Basic pockets and zip front closure for increased functionality. Class 3 safety vests are designed to protect the worker with maximum visibility. These vests are designed with the most Hi-Viz material coverage and reflective stripes for workers exposed to complex work environments. Class 3 vests are required in environments with high speed traffic, high-risk environments and where the worker must be visible through a full range of motions at a minimum of 1280 feet (390 meters).

SOLID		MESH	
GREEN	ORANGE	GREEN	ORANGE
SV83GSM	SV83OSM	SV83GMM	SV83OMM
SV83GSL	SV83OSL	SV83GML	SV83OML
SV83GSXL	SV83OSXL	SV83GMXL	SV83OMXL
SV83GS2X	SV83OS2X	SV83GM2X	SV83OM2X
SV83GS3X	SV83OS3X	SV83GM3X	SV83OM3X
SV83GS4X	SV83OS4X	SV83GM4X	SV83OM4X
SV83GS5X	SV83OS5X	SV83GM5X	SV83OM5X

FEATURES:

- Zipper Closure
- 2" Silver Reflective Tape
- 2 Horizontal Stripes

POCKETS:

- 2ea Upper Outside
- 2ea Lower Inside
- 2ea Upper Inside

MATERIALS:

- 100% Polyester Solid Knit
- 100% Polyester Mesh

COLORS:

- High-Visibility Green
- High-Visibility Orange



Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

SIZES AVAILABLE

M, L, XL, 2X, 3X, 4X, 5X

25 Wash Max



CUSTOM IMPRINTING

Left Chest Pocket
Back Center



SV83-SSH REV02_05-17-17

HEADQUARTERS

5305 Distriplex Farms Drive
Memphis, Tennessee 38141

Toll Free: 877-723-4267

Phone: 901-388-7776 / Fax: 901-266-2558

www.radians.com



**RADICALLY
VISIBLE™**



ALLOY ANCHOR SHACKLES

WORKING LOAD LIMIT: 2 TO 120 TONS

CM Alloy Shackles are designed with a 5:1 design factor and have a strength rating approximately 50% higher than a comparable-sized carbon shackle and about 25% stronger than super strong shackles. Anchor shackles can be side loaded or used for multiple connections.

BENEFITS & FEATURES

- Made of Special Bar Quality (SBQ) steel having fine grain, reduced sulfur and phosphorus. (See our full shackle material comparison on page 44)
- Shackles show major deformation before failure
- Working load limit and traceability codes shown as permanent markings on body
- All shackles have alloy quenched and tempered pins
- Available in sizes 3/8" to 3"
- Available finishes include powder coated, galvanized or self-colored
- Shackles meet dimensional and performance requirements of RR-C-271
- Special testing and certification is available upon request at the time of the order.
- Design factor 5:1
- CM Smart ID RFID technology is available as an option on screw pin anchor shackles sizes 1/2" to 1-3/4" and bolt, nut & cotter shackles sizes 3/4" to 1-3/4".




Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

my.gibbs@gasandsupply.com




Screw Pin



Round Pin



Bolt, Nut & Cotter



STYLES: Screw Pin, Round Pin, Bolt/Nut/Cotter

FINISHES: Self Colored, Galvanized, Orange Powder Coated

Size D (in.)	Working Load Limit (Ton)	Std. Pkg.	Weight (lbs.)	Product Code									Dimensions (in.)					
				Screw Pin			Round Pin			Bolt, Nut & Cotter			P	E	W	R	L	B min
				Self Colored	Galva- nized	Orange Powder Coated	Self Colored	Galva- nized	Orange Powder Coated	Self Colored	Galva- nized	Orange Powder Coated						
3/8	2	50	0.30	M648A	M648AG	M648AP	-	-	-	M848A	M848AG	M848AP	0.44	0.52	0.66	1.00	1.40	1.00
7/16	2.6	50	0.50	M649A	M649AG	M649AP	-	-	-	M849A	M849AG	M849AP	0.50	0.58	0.72	1.15	1.69	1.19
1/2	3.3	50	0.75	M650A	M650AG	M650AP	M350A	M350AG	M350AP	M850A	M850AG	M850AP	0.63	0.70	0.84	1.34	1.94	1.38
5/8	5	25	1.30	M651A	M651AG	M651AP	M351A	M351AG	M351AP	M851A	M851AG	M851AP	0.75	0.83	1.06	1.66	2.41	1.63
3/4	7	10	2.30	M652A	M652AG	M652AP	M352A	M352AG	M352AP	M852A	M852AG	M852AP	0.88	0.95	1.28	1.94	2.84	1.89
7/8	9.5	10	3.50	M653A	M653AG	M653AP	M353A	M353AG	M353AP	M853A	M853AG	M853AP	1.00	1.09	1.44	2.14	3.31	2.06
1	12.5	5	5.00	M654A	M654AG	M654AP	M354A	M354AG	M354AP	M854A	M854AG	M854AP	1.13	1.22	1.72	2.44	3.75	2.52
1-1/8	15	Bulk	7.00	M655A	M655AG	M655AP	M355A	M355AG	M355AP	M855A	M855AG	M855AP	1.25	1.36	1.84	2.66	4.02	2.69
1-1/4	18	Bulk	9.50	M656A	M656AG	M656AP	M356A	M356AG	M356AP	M856A	M856AG	M856AP	1.38	1.52	2.03	3.15	4.63	2.88
1-3/8	21	Bulk	12.50	M666A	M666AG	M666AP	M366A	M366AG	M366AP	M866A	M866AG	M866AP	1.50	1.65	2.25	3.25	5.19	3.25
1-1/2	25	Bulk	17.20	M657A	M657AG	M657AP	M357A	M357AG	M357AP	-	-	-	1.63	1.77	2.41	3.50	5.63	3.50
1-1/2	30	Bulk	17.20	-	-	-	-	-	-	M857A	M857AG	M857AP	1.63	1.77	2.41	3.50	5.63	3.50
1-5/8	29	Bulk	23.50	M685A	M685AG	M685AP	M385A	M385AG	M385AP	-	-	-	1.75	1.88	2.66	3.91	6.13	4.13
1-5/8	35	Bulk	23.50	-	-	-	-	-	-	M885A	M885AG	M885AP	1.75	1.88	2.66	3.91	6.13	4.13
1-3/4	34	Bulk	27.70	M677A	M677AG	M677AP	M377A	M377AG	M377AP	-	-	-	2.00	2.13	2.94	4.06	6.97	4.75
1-3/4	40	Bulk	27.70	-	-	-	-	-	-	M877A	M877AG	M877AP	2.00	2.13	2.94	4.06	6.97	4.75
2	43	Bulk	39.00	M658A	M658AG	M658AP	M358A	M358AG	M358AP	-	-	-	2.25	2.38	3.28	4.51	7.44	5.50
2	50	Bulk	39.00	-	-	-	-	-	-	M858A	M858AG	M858AP	2.25	2.38	3.28	4.51	7.44	5.50
2-1/2	85	Bulk	90.50	-	-	-	-	-	-	MC860A	MC860AG	-	2.75	2.91	4.13	6.25	10.48	6.75
3	120	Bulk	137.00	-	-	-	-	-	-	MC862A	MC862AG	-	3.25	3.41	5.00	6.75	13.00	7.38

Check with your sales rep for a list of models eligible for our In-Stock Guarantee. To order products with CM Smart ID RFID technology add "-RF" after the product number in the chart above. RFID-equipped rigging products are not eligible for our In-Stock Guarantee.


CLEVIS GRAB HOOK GRADE 80

WORKING LOAD LIMIT: 3,500 TO 18,100 LBS.



BENEFITS & FEATURES

- Not recommended for overhead lifting
- Quenched and tempered alloy steel
- Durable orange powder coated finish
- Design factor 4:1



Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

Size (in.)	Working Load Limit (lbs.)	Standard Package	Product Code	Dimensions (in.)						Weight (lbs.)
				W	D	H	L	R	P	
1/4	3,500	30	M804A	0.31	2.06	0.38	3.32	1.88	0.33	0.56
5/16	4,500	30	M805A	0.38	2.57	0.44	4.08	2.34	0.39	0.88
3/8	7,100	30	M806A	0.46	2.66	0.50	4.50	2.64	0.50	1.10
7/16	6,900	20	M807A†	0.51	2.94	0.57	5.02	3.00	0.50	1.50
1/2	12,000	10	M808A	0.59	3.38	0.68	5.64	3.31	0.59	2.36
5/8	18,100	10	M810A	0.75	4.31	0.81	6.86	3.95	0.75	4.00

† Hook is marked Grade 63


CLEVIS GRAB HOOK GRADE 70

WORKING LOAD LIMIT: 4,700 TO 6,600 LBS.



BENEFITS & FEATURES

- Designed specifically for transport Grade 70 chain
- Design factor 4:1
- Yellow chromate finish
- Not recommended for overhead lifting



Size (in.)	Working Load Limit (lbs.)	Standard Package	Product Code (Yellow Chromate)	Dimensions (in.)						Weight (lbs.)
				W	D	H	L	R	P	
5/16	4,700	10	62273	0.42	2.40	0.44	3.52	2.18	0.38	0.75
3/8	6,600	10	62373	0.52	2.94	0.54	4.17	2.53	0.44	1.10

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123935

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	96.00	EA	FLUORESCENT LIME W/2 VERT & 2 HORIZ IN WHITE REFLECTIVE STRIPES OF 3M SCOTCHLITE 6160R, ANSI CLASS III, IRON HORSE #M3261L/SZ STK. # 047910U	6.90	662.40
11	20.00	EA	0100 VEST, SAFETY, 4X-L, 4-1/2 OZ MESH W/ZIPPER & SEWN SIDES, FLUORESCENT LIME <i>RADIANS SV86m4XL</i> W/2 VERT & 2 HORIZ 2 IN WHITE REFLECTIVE STRIPES OF 3M SCOTCHLITE 6160R, ANSI CLASS II, IRON HORSE #M3287L/4X-L STK. # 047910X	3.99	79.80
12	180.00	EA	0110 TARPAULIN, 10 FT X 12 FT, PROPYLENE, WITH GROMMETS STK. # 0480040	6.64	1195.20
13	50.00	EA	0120 STRAP, RATCHET, CARGO, 8 FT X 1 IN WIDTH, S-HOOK ON EACH END, 833 LB WORKING LOAD LIMIT, 2500 LB BREAKING STRENGTH, SNAPLOC #GR-LS18RSR-PU STK. # 048005C	1.41	70.50
14	180.00	EA	0130 FRAME, PAINT ROLLER, MINI, 4 INCH, 3/8 NAP, 16 INCH HANDLE, BLP PART #9718-103, MUST FIT DYNAMIC BRAND #HM005315 MINI TRIM ROLLER COVERS STK. # 0480430	1.33	239.40
15	15.00	EA	0140 LIDS WITH SPOUT FOR 5 GALLON WHITE POLYETHYLENE BUCKETS WITH HANDLE STK. # 048098A	20.36	305.40
16	24.00	EA	0150 NOZZLE, FIRE HOSE, 1 IN X 8 IN, 100 PSI, DOMESTIC SATIN BRASS, NPSH THREAD, DIXON #BN10 STK. # 0482030	11.72	281.28
17	60.00	EA	0160 LUBRICANT, OPEN GEAR AND WIRE ROPE 14 OUNCE AEROSOL CAN, EXTRA HEAVY, LUBRIPLATE # L0152-063 STK. # 0483710	13.03	781.80
			0170 LUBRICANT, ANTI-SEIZE, AEROSOL SPRAY, 12 OZ CAN, REGULAR GRADE, BOSTIK		

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123935

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
18	200.00	EA	{NEVER SEIZE} #NSA-16, MUST BE THIS BRAND, NO SUBSTITUTES STK. # 0483870 0180 VISOR, FACESHIELD, CLEAR, 8 IN X 15 .5 IN X .040 PETG, SHAPE E, JACKSON #29104 MSC #81300600 STK. # 048406A	1.26	252.00
19	40.00	EA	0190 CLEANER, HAND, 1 GALLON PUMP CONTAINER, PERMETEX #25218 STK. # 0484480	11.06	442.40
20	120.00	EA	0200 INSECTICIDE, FOGGER, DEEP REACH, CYPERMETHRIN 1.716%, 1.5 OZ CAN, RAID <i>HOT SHOT FOGGER 6</i> STK. # 048457A <i>2 ounces</i>	2.99	358.80
21	90.00	PK	0210 BLADE REFILL, SINGLE EDGE, 5 PER PACK, HYDE BRAND #42100 FOR STANLEY #10-175 UTILITY KNIFE STK. #0589650	.87	78.30
22	432.00	EA	0220 TAPE, TEFLON, PIPE THREAD SEAL, 1/2 IN X 250 FT, DOMESTIC GRADE, NATIONAL #513W STK. #0484250	.30	129.60
23	600.00	EA	0230 WHEEL, ABRASIVE, CUTS METAL, 4-1/2 IN DIA X .04 IN THICK X 7/8 IN ARBOR, 13580 MAX RPM, NORTON #076607-01617-1 (FOR USE ON ANGLE GRINDER), STK. # 0488410	.92	552.00
24	50.00	EA	0240 LINE WEED EATER, .095 DIAMETER, APPROXIMATELY 285 FT PER 1 LB ROLL <i>ECHO BLACK DIAMOND</i> STK. # 0490060 <i>253'</i>	22.00	1100.00
25	48.00	EA	0250 SEALANT & VALVE LUBRICANT, DOW #111 14.1 OZ. CARTRIDGE STK. #0491110	32.87	1577.76
26	50.00	EA	0260 PRY BAR, 24 IN WTH HANDLE, 11/16 IN TIP WIDTH, 31-7/8 IN OVERALL LENGTH, DOMESTIC, PROTO #J2148 STK. # 0581110	24.67	1233.50
27	48.00	EA	0270 CUTTER, COPPER TUBING, 1/4 IN TO 1-5/8 IN, QUICK ACTING, RIGID BRAND	39.63	1902.24

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com



Home / PRODUCTS / GENERAL INSECT CONTROL / FOGGER6 WITH ODOR NEUTRALIZER



FOGGER6 WITH ODOR NEUTRALIZER

Hot Shot® Fogger6 with Odor Neutralizer creates a fine, penetrating mist that reaches deep into cracks and crevices to flush out and kill hidden bugs on contact. When used as directed, the clear, non-staining formula will not harm drapes, upholstery, fabrics, carpeting, bedspreads, floor tiles, wood floors, linens, furniture, walls, clothing, ceilings, shades or blinds. Kills both flying and crawling insects on contact.

- Kills on contact
- Keeps killing for up to 2 months
- Kills hidden bugs
- Penetrates into cracks, crevices & carpet fibers
- Won't leave a wet, messy residue
- One can treats up to 2,000 cu ft
- Kills roaches, fleas, ants (except fire ants), spiders and other listed insects

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

IMPORTANT INFO

ACTIVE INGREDIENTS

WHERE TO BUY

AVAILABLE SIZES

- 3-2 oz



ECHO Cross-Fire
0.095 Nylon

ECHO⁽¹⁶⁵⁾

Black Diamond 0.095 in. Dia x 253 ft. Trimmer Line

\$14.94



Live Chat

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

Click or Tap Image to Zoom Out

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123935

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
28	6.00	EA	#31632, GRAINGER #4A514 STK. # 0582900 0280 SCREWDRIVER, TORX, HANDLE STORES T-8, T-9, T-10, T-15, T-20, T-25 BITS, WIHA #38004 STK. #0584520	18.06	108.36
29	60.00	EA	0290 TOOL, SHUT-OFF, FOR 3/4 IN TO 1 IN POLYETHYLENE WATER SERVICE TUBING, DOMESTIC, REED #PESO-1 STK. # 0585220	55.06	3303.60
30	60.00	EA	0300 SPOTLIGHT, LED, 12VOLT, 550/40 LUMENS MINIMUM, BATTERY OPERATED, STREAMLIGHT #44900, DORCY #41-4296 STK. # 0588090	53.62	3217.20
31	432.00	EA	0310 BATTERY, ALKALINE, INDUSTRIAL, SIZE C, 1.5 VOLTS, DURACELL PROCELL #PC1400 <i>RAYOVAC AL-C</i> STK. # 0588130	.48	207.36
32	5.00	EA	0320 GRIP, WIRE, SIZE RANGE 3/4 TO 1 IN, 24 IN LONG, FOR PULLING PLASTIC PIPE, 1360# WORKING STRENGTH, DOUBLE WEAVE MESH FOR GREATER PULLING STRENGTH, KLEIN #KP-075-24 STK. #0590810	86.41	432.05
33	600.00	FT	0330 CHAIN, 3/8 INCH, GRADE 70 TRANSPORT 6600# WORKING LOAD LIMIT, SYSTEM 7, <i>CM 679023</i> YELLOW ZINC PLATED, 200 FT PER DRUM CAMPBELL #0510610 STK. #0596820	2.41	1446.00
34	3.00	ROLL	0340 CLOTH, ABRASIVE, 2 IN X 50 YDS, 120 GRIT, ALUMINUM OXIDE, NORTON #66261126297 ARCH ABRASIVES #73167 STK. # 0597670	28.05	84.15
35	3.00	EA	0350 SQUARE, COMBINATION, 16 INCH, ALUMINUM, STANLEY #45-900 STK. # 0968830 <i>IRWIN 1794450</i>	9.38	28.14

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

TRANSPORT (BINDING) CHAIN GRADE 70


STANDARD & SHORT LINK



WORKING LOAD LIMIT: 3,150 TO 11,300 LBS.

BENEFITS & FEATURES


- Do not use for overhead lifting
- High-carbon steel, heat treated
- Zinc plated with gold chromate finish
- Meets ASTM & NACM standards
- Meets FMCSA & CVSA requirements
- Thermal heat treated using advanced technology
- Heat treated for superior wear and toughness
- 100% proof tested
- Permanent identification on chain (embossed with G70, plus 3 letter trace code)
- Full weld trim
- Design factor 4:1



Chain Size (in.)	Working Load Limit (lbs.)	Nominal Chain Dimensions (in.)			Per Foot			Per Drum				Per Pail	
		Material Diameter A	Inside Length B	Inside Width C	Product Code	Weight (lbs./ft.)	Approximate Number of Links (per ft.)	Full Drum		Half Drum		Product Code	Length (ft.)
								Product Code	Length (ft.)	Product Code	Length (ft.)		
1/4	3,150	0.28	0.84	0.47	608927	0.76	14.30	678531	800	678521	400	678517	130
5/16	4,700	0.33	0.98	0.46	608935	1.01	12.20	678532	550	678522	275	678518	90
5/16**	4,700	0.33	1.10	0.50	609035	0.97	10.90	679032	550	679022	275	679018	90
3/8	6,600	0.39	1.14	0.54	608941	1.46	10.50	678533	400	678523	200	678519	60
3/8**	6,600	0.39	1.38	0.60	609041	1.37	8.73	679033	400	679023	200	679019	60
1/2	11,300	0.53	1.56	0.73	608954	2.70	7.70	678535	200	678525	100	-	-

** Standard Link Grade 70 Chain





Irwin® 1794450 Aluminum Carpenters Square, 24 Inch Body, 16 Inch Tongue

Our Id: IRW1794450
Manufacturer Id: 1794450

Quantity:
each

14 in stock.
[Check Store Inventory](#)

[Add To Cart](#)

[Add To List](#)

Detailed Description

The comprehensive squares line from Irwin® includes a variety of versatile tools with easy-to-read measurement scales and durable engineering to meet the demands of the jobsite. The line-up includes hi-contrast rafter squares and framing squares for easy, accurate readings when cutting rafters and marking a multitude of angles. The combination squares with durable cast zinc bodies and precision etched scales provide accurate 90 deg and 45 deg readings, and the T-bevel is ideal as a depth gauge and for transferring angles.

- Permanent deep stampings for durability
- Durable, rust-proof aluminum body

Irwin® 1794450 Carpenters Square, Body Size: 24 Inch, Tongue Size: 16 Inch, Aluminum

Technical Details

Body Size	24 Inch
Material	Aluminum
Tongue Size	16 Inch

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com