

DATE: 7/17/2017

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00120333

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: **BASIC SUPPLY, LLC**

BUYER: DMEVANS

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.


JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

|  |                  |
|--|------------------|
| <b>DELIVERY: FOB JEFFERSON PARISH</b>                    |                  |
| INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES         | <u>2-3 WEEKS</u> |
| INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK   | _____            |
| INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK | _____            |

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

|   |                              |
|---|------------------------------|
| <b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>  |                              |
| FIRM NAME: <b>BASIC SUPPLY, LLC</b>   |                              |
| SIGNATURE: <br>(Must be signed here) | TITLE: <b>MANAGER</b>        |
| PRINT OR TYPE NAME: <b>JOHN ATKINSON</b>  |                              |
| ADDRESS: <b>PO BOX 63066</b>  |                              |
| CITY, STATE: <b>LAFAYETTE, LA</b>   | ZIP: <b>70596</b>            |
| TELEPHONE: ( ) <b>337-769-0122</b>  | FAX: ( ) <b>337-247-7699</b> |
| EMAIL ADDRESS: <b>charlotte@basicsupply.com</b>   |                              |

TOTAL PRICE OF ALL BID ITEMS: \$ 251.15

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120333

SEALED BID

| ITEM NUMBER | QUANTITY | U/M | DESCRIPTION OF ARTICLES  | UNIT PRICE QUOTED | TOTALS |
|-------------|----------|-----|--|-------------------|--------|
| 1           | 4.00     | EA  | various recreational items<br>0001-Item # 1392983-Fisher Tackle Wheel<br>36" outside diameter, 22" inside  | NO BID            | NO BID |
| 2           | 1.00     | EA  | diameter, 8" thick foam, constructed of<br>9 lb rebound foam, 22 ounce coated vinyl<br>in center and outside. 19 ounce vinyl on<br>faces of wheel. Green<br>0002-Item # 1271249- Unique forward<br>slant blocking head with release  | NO BID            | NO BID |
| 3           | 1.00     | EA  | mechanism allows an individual player to<br>engage, control, drive, and extend<br>upwards all in the same drill. The pad<br>drives in 8", then releases upward ,<br>stimulating real time game action for<br>your players. Wider 55" base keeps sled<br>stable and extended pad allows players<br>to react off pad and get up field.<br>Adjustable spring tension on the release<br>mechanism of the sled. Powder coated<br>steel for maximum weather resistance and<br>durability. Gold- Fisher Man Pad<br>0003-Item # 0795XXXX- Athletic Field<br>Striper, for use on grass, dirt,concrete | 89.00             | 89.00  |
| 4           | 1.00     | EA  | , pavement, or gravel. Sturdy steel<br>construction with 4 large, easy rolling<br>wheels and collapsible handle for easy<br>storage. Lightweight housing includes<br>windscreen, fingertip on/off lever,<br>storage for 12 extra cans and simple 2"-<br>4" line width adjustment. Non-toxic<br>aerosol spray goes straight downward for<br>complete coverage.<br>8267908   | 124.20            | 124.20 |
| 5           | 1.00     | EA  | 0004-Item # 0792PACK, Case Pack<br>including 36 cans of white field marking<br>paint, water resistant, extremely<br>durable aerosol field and traffic<br>marking paint visible on grass for weeks<br>will not flake or wash away, cans are 17<br>ounces by weight.<br>5434725  | 37.95             | 37.95  |
| 6           | 5.00     | EA  | 0005-Item # 0792CXXX Case Pack<br>including 12 cans of green field marking<br>paint, water resistant, extremely<br>durable aerosol field and traffic<br>marking paint visible on grass for weeks<br>will not flake or wash away cans are 17<br>ounces by weight.<br>7674591<br>0006-Item # 1384303 Pro Down Football<br>Man Shield, Material: Foam, Nylon, Vinyl   | NO BID            | NO BID |

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120333

SEALED BID

| ITEM NUMBER | QUANTITY | U/M | DESCRIPTION OF ARTICLES   | UNIT PRICE QUOTED | TOTALS |
|-------------|----------|-----|---|-------------------|--------|
|             |          |     | <p>Number of handles:4, Product Height:5inch<br/>                     Product Length:26 inch, Product Weight:5<br/>                     pounds, Product Width: 22 inch,<br/>                     22"W X 26"L X 5"H - 5 lbs; 4 reinforced<br/>                     handles.</p> <p>Needed for Athletics Dept. Contact Seth<br/>                     Simpson at 736-6999 Ext. 101</p> |                   |        |

**Athletic Field Striping Machine | # 8267908**

## **Rust-Oleum 206346 Striping Machine, AF1600 Athletic Field Striping Paint, Steel, Steel, 30-3/4 In L**

Creates 3-6" straight lines. Covers a larger area in shorter time. Storage compartment holds 12 extra cans. Sturdy steel construction. Collapsible handle for easy storage. Large diameter wheels to accommodate high grass conditions.



**Product Information**

**Ordering Specifications**

**Pricing**

**Vendor Information**

**Available**

**Codes**

**Similar Items**

**Order History**

**Item Restriction**

**PRODUCT OVERVIEW:** Creates 3-6" Straight Lines. Covers A Larger Area In Shorter Time. Storage Compartment Holds 12 Extra Cans. Sturdy Steel Construction. Collapsible Handle For Easy Storage. Large Diameter Wheels To Accommodate High Grass Conditions.


**Descripción Español:** MAQUINA PARA PINTAR LINEAS DE CAMPO ATLETICO

- Brand:"INDUSTRIAL CHOICE"

### **PRODUCT DETAILS**

#### **FEATURES**

- Adjustable For 3-6 In-Wide Lines
- Storage Compartment Holds-Up To 12 Extra Cans
- Sturdy Steel Construction



Marking Spray|# 5434725

Rustoleum M1800 System Precision Line Inverted Water Based Marking Spray Paint, White

Use For Marking Concrete, Pavement, Gravel, Grass, And More. Use To Mark The Location Of Underground Utilities At Construction And Excavation Sites Where Identification Is Desired. Features A Precision-Line Spray Tip For Easy-To-Read, Bright, Vivid Markings. Can Be Applied Down To 25-Degree Fahrenheit. Dries In Less Than 5 Minutes. Spray-Through Cap. Tip Keeps Paint Off Fingers. Use With Sku# 826.4608. Can Be Used In USDA Facilities Based On FSIS Directive 11,000.4 (Rev. 1), November 24, 1995. Covers Approximately 600-700 Linear Feet At 1 In. Wide.

Applicable Materials: Concrete, Grass, Gravel And Pavements

Application Method: Marking Wand, Marking Pistol, Marking Wheel

Capacity: 17 Oz

Coverage: 600 - 700 Ft Linear

Flash Point: -105 Deg C

Form: Aerosolized Mist, Liquid

Odor/ Scent: Mild

Packing Type: Aerosol Can

Pigment: Varies With Color

Resists: Chalking And Fading

Series: Industrial Choice, M1800 System, Precision Line

Specific Gravity: 0.864

Standards: NIOSH/MSHA Approved, OSHA 1910.134, ANSI Z88.2

Temperature Rating: 40 - 90 Deg F

Thinners: Acetone, Xylene, Toluene

Type: Inverted, Water Based

Usage: For Marking Concrete, Pavement, Gravel And Grass

Vehicles: Modified Alkyd

V O C Content: 552 G/L

#### FEATURES

Marks Up To 250% More Linear Feet Than Other Brands, Precision Tip Virtually No Overspray

No Mess Spray Tip Keeps Paint Off Fingers

Guaranteed Not To Clog

Convenient Spray-Through Cap

Adheres To Hot Surfaces, Can Be Sprayed In The Cold (To 25 Deg F)



Marking Spray|# 7674591 This item has shipping restrictions. It may be an Oversized, Hazardous, Liquid, or Fragile item. Please see the Specifications for allowed shipment methods.  
Rustoleum Industrial Choice M1600 System Inverted Solvent Based Marking Spray Paint, 17 Oz, Green

**PRODUCT OVERVIEW:** Use For Marking Concrete, Pavement, Gravel, Grass, And More. Use To Mark The Location Of Underground Utilities At Construction And Excavation Sites Where Identification Is Desired. Features A Precision-Line Spray Tip For Easy-To-Read, Bright, Vivid Markings. Can Be Applied Down To 25-Degree Fahrenheit. Dries In Less Than 5 Minutes. Spray-Through Cap. Tip Keeps Paint Off Fingers. Use With Sku#826.4608. Can Be Used In USDA Facilities Based On FSIS Directive 11,000.4 (Rev. 1), November 24, 1995. Covers Approximately 600-700 Linear Feet At 1 In. Wide.

#### **PRODUCT DETAILS**

**Applicable Materials:** Concrete, Grass, Gravel And Pavements  
**Application Method:** Marking Wand, Marking Pistol, Marking Wheel  
**Capacity:** 17 Oz  
**Coverage:** 600 - 700 Ft Linear  
**Flash Point:** -105 Deg C  
**Form:** Aerosolized Mist, Liquid  
**Odor/ Scent:** Solvent Like  
**Packing Type:** Aerosol Can  
**Pigment:** Varies With Color  
**Resists:** Chipping And Fading  
**Series:** Industrial Choice, M1600 System, SB Precision Line  
**Specific Gravity:** 0.836  
**Standards:** NIOSH/MSHA Approved, OSHA 1910.134, ANSI Z88.2  
**Temperature Rating:** 40 - 90 Deg F  
**Thinners:** Acetone, Xylene, Toluene  
**Type:** Inverted, Solvent Based  
**Usage:** For Interior And Exterior  
**Vehicles:** Modified Alkyd  
**V O C Content:** 548 G/L

#### **FEATURES**

**Marks Up To 250% More Linear Feet Than Other Brands, Precision Tip Virtually No Overspray**  
**No Mess Spray Tip Keeps Paint Off Fingers**  
**Guaranteed Not To Clog**  
**Convenient Spray-Through Cap**  
**Adheres To Hot Surfaces, Can Be Sprayed In The Cold (To 25 Deg F)**