



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000134736 TWO YEAR CONTRACT FOR A SUPPLY OF VARIOUS
ELECTRICAL SUPPLIES TO BE ORDERED ON AN AS NEEDED BASIS
FOR JEFFERSON PARISH DEPARTMENT OF PARKS & RECREATION
AND ALL JEFFERSON PARISH MUNICIPALITIES AND AGENCIES.**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com

10-Jun-2021 10:38:31 AM



Bid Number 50-00134736

**TWO YEAR CONTRACT FOR A SUPPLY OF VARIOUS ELECTRICAL
SUPPLIES TO BE ORDERED ON AN AS NEEDED BASIS FOR JEFFERSON
PARISH DEPARTMENT OF PARKS AND RECREATION AND ALL JEFFERSON
PARISH MUNICIPALITIES AND AGENCIES.**

BID DUE: JUNE 10, 2021 AT 2:00 PM

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received on the Purchasing
Department's eProcurement site, www.jeffparishbids.net, by the bid due date
and time. Late bids will not be accepted.**

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Donna Reamey
Email: Dreamey@jeffparish.net
Phone: 504-364-2684**

DATE: 5/26/2021
BID NO.: 50-00134736

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

BUYER: DREAMEY@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 6/10/2021 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETN, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

DATE: 5/26/2021

BID NO.: 50-00134736

Page: 2

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

DATE: 5/26/2021

BID NO.: 50-00134736

Page: 3

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10,12,13,15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

DATE: 5/26/2021
BID NO.: 50-00134736

Page: 6

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF TERMS OF CONTRACT

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

PER TERMS OF CONTRACT

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

N/A

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: CED dba I.C. ELECTRIC SUPPLY

ADDRESS: 3321 WESTBANK EXPRESSWAY

CITY, STATE: HARVEY, LA

ZIP: 70058

TELEPHONE: (504) 341-4281

FAX: (504) 340-3400

EMAIL ADDRESS: RHEMENWAY@CED-ICELECTRIC.COM

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 456,285.12

AUTHORIZED

SIGNATURE: Ronald J. Hemenway

RONALD J. HEMENWAY

Printed Name

TITLE: OUTSIDE SALES

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.



CONSOLIDATED ELECTRICAL DISTRIBUTORS, INC.

COUNTY OF DALLAS

STATE OF TEXAS

David T. Bradford being duly sworn disposes and says that he is the Vice President and Secretary of Consolidated Electrical Distributors, Inc. a corporation organized and existing under and by virtue of the laws of the state of Delaware and having its principal office at 1920 Westridge Drive, Irving, Texas 75038. Affiant further says that he is familiar with the records, minute books and by-laws of Consolidated Electric Distributors, Inc. dba I.C. Electric Supply. Affiant further says that **Ronald Hemenway** is duly authorized to sign bid proposals and contracts for said Corporation for the period of **two years from the date hereof** to supply to the **Parish of Jefferson** with electrical materials.

Given under my hand and seal as of this 6th day of May 2021.

David T. Bradford, Vice President, Secretary


Corporate Seal

State of Texas
County of Dallas

Subscribed and sworn to before me this 6th day of May 2021, by David T. Bradford proved to me on the basis of satisfactory evidence to be the person who appeared before me.

Angela Wilson, Notary Public

My Commission expires May 19, 2023



Non-Public Works Bid

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF JEFFERSON

BEFORE ME, the undersigned authority, personally came and appeared: RONALD
HENENWAY, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized OUTSIDE SALES of CED/IC ELECTRIC ^{SUPPLY} (Entity),
50-00134736
the party who submitted a bid in response to Bid Number _____, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B X There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.


Signature of Affiant

RONALD J HEMENWAY

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 10th DAY OF June, 2021.


Notary Public

NANCY C CHACHERE
Printed Name of Notary

17266
Notary/Bar Roll Number

My commission expires at death.

Nancy C. Chachere
Notary Public
State of Louisiana
Bar No. 17266
My Commission is for life.



CERTIFICATE OF LIABILITY INSURANCE

11/1/2021

DATE (MM/DD/YYYY)

11/1/2020

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Lockton Insurance Brokers, LLC 777 S. Figueroa Street, 52nd Fl. CA License #0F15767 Los Angeles CA 90017 (213) 689-0065	CONTACT NAME:	FAX (A/C, No):	
	PHONE (A/C, No, Ext):	E-MAIL ADDRESS:	
INSURED 1320194 Consolidated Electrical Distributors, Inc. PC2895 dba: I.C. Electric Supply 3321 Westbank Expressway Harvey LA 70058	INSURER(S) AFFORDING COVERAGE		NAIC #
	INSURER A: Travelers Property Casualty Co of America		25674
	INSURER B: The Travelers Indemnity Company		25658
	INSURER C:		
	INSURER D:		
	INSURER E:		
INSURER F:			

COVERAGES CONEL07 **CERTIFICATE NUMBER:** 13620166 **REVISION NUMBER:** XXXXXXXX

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> Contractual Liab. GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:	Y	N	TC2JGLSA-4252B431-20	11/1/2020	11/1/2021	EACH OCCURRENCE \$ 2,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 1,000,000 MED EXP (Any one person) \$ Excluded PERSONAL & ADV INJURY \$ 2,000,000 GENERAL AGGREGATE \$ 8,000,000 PRODUCTS - COMP/OP AGG \$ 4,000,000 \$
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY	Y	N	TC2J-CAP-4252B443-TIL-20	11/1/2020	11/1/2021	COMBINED SINGLE LIMIT (Ea accident) \$ 3,000,000 BODILY INJURY (Per person) \$ XXXXXXXX BODILY INJURY (Per accident) \$ XXXXXXXX PROPERTY DAMAGE (Per accident) \$ XXXXXXXX \$ XXXXXXXX
	<input type="checkbox"/> UMBRELLA LIAB <input type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input type="checkbox"/> RETENTION \$			NOT APPLICABLE			EACH OCCURRENCE \$ XXXXXXXX AGGREGATE \$ XXXXXXXX \$ XXXXXXXX
A B B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N N	N/A	UB-OR372280-20-51-K UB-OR294586-20-51-R (AZ/MA/WI)	11/1/2020 11/1/2020	11/1/2021 11/1/2021	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Evidence of Insurance as respects operations of the Named Insured. The Parish of Jefferson, its Districts, Departments and Agencies under the direction of the Parish President and the Parish Council are named as Additional Insured to the extent provided by the policy language or endorsement issued or approved by the insurance carrier.

CERTIFICATE HOLDER**CANCELLATION** See Attachments

13620166

The Parish of Jefferson, its Districts, Department and Agencies under the direction of the Parish President and the Parish Council
c/o Recreation Department
6921 Saints Drive
Metairie LA 70003

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TWO YEAR CONTRACT FOR A SUPPLY OF VARIOUS ELECTRICAL SUPPLIES TO BE ORDERED ON AN AS NEEDED BASIS FOR JEFF. PARISH PARKS & REC. & ALL JEFF. PARISH MUNICIPALITIES AND AGENCIES.		
1	25.00	ROLL	0010 - TAPE, SPLICING - 3M 3/4 INCH X 30 FEET BRAND: 3M NO. 130C-3/4	\$ 14.457	361.43
2	500.00	ROLL	0020 - TAPE, ELECTRICAL- NO. 33, 3M PLASTIC ELECTRICAL TAPE 3/4 INCH X 66 FEET BRAND: 3M NO. 33	5.214	2607.14
3	500.00	ROLL	0030 - TAPE, ELECTRICAL- NO. 35 3M CODING ELECTRICAL TAPE 3/4 INCH X 66 FEET BRAND: 3M NO. 35 ALL COLORS ARE TO BE AVAILABLE ON THE CONTRACT.	5.043	2521.43
4	750.00	BX	0040 - WIRE NUTS, GRAY 100 PER BOX BRAND: IDEAL NO. 30071	8.000	6000.00
5	100.00	BX	0050 - WIRE NUTS, SMALL BLUE 100 PER BOX BRAND: IDEAL NO. 30072	8.571	857.14
6	100.00	BX	0060 - WIRE NUTS, ORANGE 100 PER BOX BRAND: IDEAL NO. 30073	10.000	1000.00
7	75.00	BX	0070 - WIRE NUTS, YELLOW 100 PER BOX BRAND: IDEAL NO. 30074	11.286	846.43
8	50.00	BX	0080 - WIRE NUTS, RED 100 PER BOX	17.000	850.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
9	150.00	BX	BRAND: IDEAL NO. 30076 0090 - WIRE NUTS, GREEN 100 PER BOX	23.571	3535.71
10	50.00	JAR	BRAND: IDEAL NO. 30092 0100 - WIRE NUTS, TAN 500 PER JAR	65.10	3255.00
11	50.00	BX	BRAND: IDEAL NO. 30641 0110 - WIRE CONNECTORS, RED B-CAP 100 PER BOX	21.014	1050.71
12	25.00	BX	BRAND: IDEAL NO. B2-1 0120 - WIRE NUT COMBO, BIG BLUE/GRAY 50 PER BOX	17.143	428.57
13	30.00	BX	BRAND: 3M NO. BG 0130 - WIRE NUT COMBO, RED/YELLOW 100 PER BOX	14.286	428.57
14	60.00	EA	BRAND: 3M NO. RY 0140 - ANCHOR KIT NO. 10 SCREWS	12.174	730.46
15	2.00	EA	BRAND: BLACKBURN NO. 51212 0150 - ANCHOR KIT NO. 10 SCREWS	12.174	24.35
16	250.00	EA	BRAND: BLACKBURN NO. 51404 0160 - CLAMP, BEAM, 1/4-20 - MINER BRAND: MINERALLAC NO. 600	0.961	240.36
17	100.00	EA	0170 - UNISTRUT STRAP, EMT 1/2 INCH	0.886	88.57

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
18	75.00	EA	BRAND: B-LINE NO. B2001PAZN 0180 - UNISTRUT STRAP, RIGID 1-1/4 INCH	0.986	73.93
19	2.00	EA	BRAND: B-LINE NO. B20011ZN 0190 - UNISTRUT STRAP, RIGID, 2 INCH BRAND: B-LINE NO. B2013PAZN	1.186	2.37
20	2.00	EA	0200 - UNISTRUT STRAP, 3 INCH BRAND: B-LINE NO. B2015PAZN	1.714	3.43
21	150.00	FT	0210 - UNISTRUT - PRE-GALVANIZED 1-5/8 INCH COMES IN 10 FOOT LENGTHS BRAND: B-LINE NO. B22GALV	3.441	516.21
22	500.00	FT	0220 - UNISTRUT - HOT DIP GALVANIZED 1-5/8 INCH COMES IN 10 FOOT LENGTHS BRAND: B-LINE NO. B22HDG	5.387	2693.57
23	100.00	EA	0230 - SPRING NUT, 1/4 INCH BRAND: B-LINE NO. N224ZN	0.690	69.00
24	250.00	EA	0240 - SPRING NUT, 3/8 INCH BRAND: B-LINE NO. N228ZN	0.743	185.71
25	2.00	EA	0250 - CRIMP, BUTTSPLICE, 6 AWG BRAND: BURNDY NO. YS6CLBOX	2.000	4.00
26	2.00	EA	0260 - CRIMP, BUTTSPLICE, 8 AWG BRAND: BURNDY NO. YS8CLBOX CORRECT PART # IS YS8CLBOX	1.343	2.69

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
27	25.00	EA	0270 - COPPER SPLIT BOLT CONNECTORS NO. 8 AWG - NO. 6 AWG BRAND: BURNDY NO. KS17	1.243	31.07
28	25.00	EA	0280 - COPPER SPLIT BOLT CONNECTORS NO. 8 AWG - NO. 4 AWG BRAND: BURNDY NO. KS20	1.514	37.86
29	10.00	EA	0290 - COPPER SPLIT BOLT CONNECTORS NO. 6 AWG - NO. 4 AWG BRAND: BURNDY NO. KS23	2.386	23.86
30	10.00	EA	0300 - COOPER SPLIT BOLT CONNECTORS NO. 4 AWG - 1/0 AWG BRAND: BURNDY NO. KS25	3.143	31.43
31	10.00	EA	0310 - COOPER SPLIT BOLT CONNECTORS NO. 1 AWG - 3/0 AWG BRAND: BURNDY NO. KS27	7.457	74.57
32	2.00	PK	0320 - CONNECTOR, COMPRESSION, RG6 PACKAGE OF 50 BRAND: IDEAL NO. 92-650	40.857	81.71
33	700.00	FT	0330 - CONDUIT, 1 INCH ALUMINUM COMES IN 10 FOOT LENGTHS NO. AL1	2.407	1685.02
34	700.00	FT	0340 - CONDUIT, 1/2 INCH ALUMINUM COMES IN 10 FOOT LENGTHS NO. AL1/2	1.241	868.82
35	2.00	FT	0350 - CONDUIT, 1-1/2 INCH ALUMINUM COMES IN 10 FOOT LENGTHS No. AL1-1/2	3.918	7.84
36	2.00	FT	0360 - CONDUIT, 1-1/4 INCH ALUMINUM COMES IN 10 FOOT LENGTHS	3.162	6.32

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
37	500.00	FT	No. AL1-1/4 0370 - CONDUIT, 2 INCH ALUMINUM COMES IN 10 FOOT LENGTHS	5.234	2616.92
38	2.00	FT	NO. AL2 0380 - CONDUIT, 2-1/2 INCH ALUMINUM COMES IN 10 FOOT LENGTHS	8.281	16.56
39	1,500.00	FT	No. AL2-1/2 0390 - CONDUIT, 3/4 INCH ALUMINUM COMES IN 10 FOOT LENGTHS	1.652	2477.75
40	500.00	FT	No. AL3/4 0400 - CONDUIT, 1 INCH EMT COMES IN 10 FOOT LENGTHS	2.63	1315.00
41	500.00	FT	No. EMT1 0410 - CONDUIT, 1/2 INCH EMT COMES IN 10 FOOT LENGTHS	0.862	430.83
42	100.00	FT	No. EMT1/2 0420 - CONDUIT, 1-1/2 INCH EMT COMES IN 10 FOOT LENGTHS	5.234	523.38
43	1,500.00	FT	No. EMT1-1/2 0430 - CONDUIT, 3/4 INCH EMT COMES IN 10 FOOT LENGTHS	1.527	2291.00
44	2.00	FT	No. EMT3/4 0441 - CONDUIT, ELECTRICAL, ALUMINUM, 1-1/2 INCH, THREADED AND COUPLED COMES IN 10 FOOT LENGTHS	3.918	7.84
45	500.00	FT	0450 CONDUIT, 1-1/4 INCH EMT COMES IN 10 FOOT LENGTHS	4.277	2138.42
46	100.00	FT	0460 - CONDUIT, RIGID GALVANIZED, 2 INCH THREADED AND COUPLED COMES IN 10 FOOT LENGTHS	13.206	1320.57
47	100.00	FT	0470 - CONDUIT, 2 INCH EMT COMES IN 10 FOOT LENGTHS	6.124	612.35

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
48	2.00	FT	0480 - CONDUIT, RIGID GALVANIZED, 2-1/2 INCH, THREADED AND COUPLED. COMES IN 10 FOOT LENGTHS	24.884	49.77
49	100.00	FT	0490 CONDUIT, RIGID STEEL, 1/2 INCH COMES IN 10 FOOT LENGTHS	3.972	397.20
50	2.00	FT	0500 CONDUIT, RIGID STEEL, 3/4 INCH COMES IN 10 FOOT LENGTHS	4.077	8.15
51	2.00	FT	0510 CONDUIT, RIGID STEEL, 1 INCH COMES IN 10 FOOT LENGTHS	6.496	12.99
52	2.00	FT	0520 CONDUIT, RIGID STEEL, 1-1/4 INCH COMES IN 10 FOOT LENGTHS	9.565	19.13
53	2.00	FT	0530 CONDUIT, RIGID STEEL, 1-1/2 INCH COMES IN 10 FOOT LENGTHS	10.764	21.53
54	2.00	FT	0540 CONDUIT, RIGID STEEL, 2 INCH COMES IN 10 FOOT LENGTHS	13.206	26.41
55	20.00	EA	0550 - CONNECTOR, 1/2 INCH CORD GRIP .250 - .370 Brand: Woodhead No. 5524	5.90	118.00
56	8.00	EA	0560 - SWITCH, HEAVY DUTY SAFETY 30A, 600V, FUSED NEMA 3R DISCONNECT Brand: Eaton No. DH361NRK	403.943	3231.54
57	500.00	EA	0570 - STRAP, 1/2 INCH EMT, 1 HOLE Brand: Minerallac No. 130	0.123	61.43
58	500.00	EA	0580 - STRAP, 3/4 INCH EMT, 1 HOLE Brand: Minerallac	0.154	77.14

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
59	50.00	EA	No. 145 0590 - STRAP, 1 INCH EMT, 1 HOLE Brand: Minerallac	0.221	11.07
60	50.00	EA	No. 155 0600 - STRAP, STAND OFF, 1 INCH Brand: Minerallac	0.663	33.14
61	200.00	EA	No. 2B 0610 - STRAP, 1-1/4 INCH EMT, 1 HOLE Brand: Minerallac	0.340	68.00
62	50.00	EA	No. 165 0620 - STRAP, 1-1/2 INCH EMT, 1 HOLE Brand: Minerallac	0.633	31.64
63	50.00	EA	No. MED75 0630 - STRAP, 1/2 INCH EMT, 2 HOLE Brand: Minerallac	0.109	5.43
64	50.00	EA	No. 230 0640 - STRAP, 3/4 INCH EMT, 2 HOLE Brand: Minerallac	0.130	6.50
65	50.00	EA	No. 245 0650 - STRAP, 2 INCH CONDUIT, 2 HOLE Brand: Minerallac	0.636	31.79
66	500.00	EA	No. 290 0660 - BOX, HANDY, SUPPORT (F STRAPS) Brand: EGS	0.369	184.62
67	50.00	EA	No. 896 0670 - BOX, HANDY, DUPLEX OUTLET COVER GALVANIZED ZINC, LENGTH 4 INCH, WIDTH 2-1/8 INCH, DEPTH 1-7/8 INCH, 1/2 INCH KNOCKOUTS Brand: EGS No. 2510	0.512	25.62
68	200.00	EA	0680 - BOX, SWITCH, FOR EMT FLEXIBLE CONDUIT, 2-1/2 INCH D GANGABLE BOX WITH	2.331	466.15

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
69	50.00	EA	MTD EARS Brand: EGS No. 222 0690 - BOX, HANDY, SWITCH COVER GALVANIZED ZINC, LENGTH 4-3/16 INCH, WIDTH 2-5/16 INCH, RAISED 1/4 INCH Brand: EGS No. 2594	0.598	29.92
70	50.00	EA	0700 - BOX, HANDY, BLANK COVER GALVANIZED ZINC, LENGTH 4-3/16 INCH, WIDTH 2-5/16 INCH, RAISED 1/4 INCH Brand: EGS No. 2540	0.500	25.00
71	20.00	EA	0710 - COVER, INDUSTRIAL METAL WITH 1 SWITCH, GANG 4 INCH Brand: EGS No. 8361	1.88	37.60
72	20.00	EA	0720 - COVER, INDUSTRIAL METAL FOR SINGLE GFCI OUTLET Brand: EGS No. 8364	6.274	125.48
73	50.00	EA	0730 - COVER, OCTAGON, BLANK Brand: EGS No. 8413	0.671	33.54
74	2.00	EA	0740 - COVER, INDUSTRIAL METAL, SWITCH WITH 2 SWITCHES, GANG 4 INCH Brand: EGS No. 8367	1.397	2.79
75	150.00	EA	0750 - COVER, 4 INCH, SQUARE, BLANK Brand: EGS No. 8465	0.549	82.38
76	2.00	EA	0760 - COVER, BLANK, 4-11/16 INCH Brand: EGS No. 8487	1.026	2.05
77	50.00	EA	0770 - BOX, HANDY, WITH 1/2 INCH HOLES Brand: EGS	1.446	72.31

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
78	150.00	EA	No. 4CS-1/2 0780 - BOX, 4 INCH SQUARE 2-1/8 INCH DEEP WITH 1/2 INCH AND 3/4 INCH COMBINATION KNOCKOUTS EGS 4SDSPL	2.831	424.62
79	75.00	EA	0790 - BOX, OCTAGON, 1-1/2 INCH DEEP WITH 1/2 INCH AND 3/4 INCH KNOCKOUTS Brand: EGS No. 4SDSPL	2.713	203.50
80	400.00	EA	0800 - BOX, OCTAGON, 2-1/8 INCH DEEP WITH 1/2 INCH AND 3/4 INCH COMBINATION KNOCKOUTS Brand: EGS No. 4SDSPL	2.785	1,113.85
81	200.00	EA	0810 - RING, EXTENSION, SQUARE, 4 INCH WITH 1/2 INCH KNOCKOUTS Brand: EGS No. 4SES	2.815	563.08
82	2.00	EA	0820 - BOX, 4 SQUARE 2-1/8 INCH DEEP WITH 1 INCH KNOCKOUTS Brand: EGS No. 4SD1	3.277	6.55
83	2.00	EA	0830 - RING, EXTENSION, 4-11/16 INCH, 2-1/8 INCH DEEP Brand: EGS No. 4SJDE1/2-3/4	5.385	10.77
84	2.00	EA	0840 - RING, EXTENSION, 4-11/16 INCH WITH 1/2 INCH AND 3/4 INCH KNOCKOUTS BOX Brand: EGS No. 4SJDEK	3.123	6.25
85	2.00	EA	0850 - RING, EXTENSION, HANDY BOX, 1/2 INCH Brand: EGS No. 4SSLE	3.015	6.03
86	100.00	EA	0860 - BOX, SQUARE, 4 INCH, WITH 1-1/2 INCH DEEP WITH 1/2 INCH AND	1.123	112.31

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
87	20.00	EA	3/4 INCH KNOCKOUTS Brand: EGS No. 4SSPLDR 0870 - COVER, INDUSTRIAL, 4 INCH WITH 1 DUPLEX OUTLET Brand: EGS No. 8365N	1.154	23.08
88	20.00	EA	0880 - COVER, INDUSTRIAL, 4 INCH FOR 2 DUPLEX OUTLET Brand: EGS No. 8371N	1.969	39.38
89	100.00	EA	0890 - NIPPLE, CHASE, 1/2 INCH Brand: EGS No. CNN100	0.346	34.62
90	50.00	EA	0900 - NIPPLES, CHASE, 3/4 INCH EGS CNN200	0.705	35.23
91	2.00	EA	0910 - NIPPLES, CHASE, 1 INCH EGS CNN300	1.334	2.67
92	2.00	EA	0920 - NIPPLES, CHASE, 1-1/4 INCH EGS CNN400	2.409	4.82
93	2.00	EA	0930 - NIPPLES, CHASE, 1-1/2 INCH EGS CNN500	3.234	6.47
94	2.00	EA	0940 NIPPLES, CHASE, 2 INCH EGS CNN600	5.286	10.57
95	2.00	EA	0950 - CONNECTOR, THREADLESS, RIGID, 1-1/2 INCH Brand: OZ GEDNEY No. 31150	22.735	45.47
96	100.00	EA	0960 - CONNECTOR, COMPRESSION, THREADLESS, 1/2 INCH Brand: OZ GEDNEY	3.160	316.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
97	50.00	EA	No. 31-050 0970 - CONNECTOR, COMPRESSION, THREADLESS, 3/4 INCH Brand: OZ GEDNEY No. 31-075	4.597	229.85
98	50.00	EA	0980 - CONNECTOR, COMPRESSION, THREADLESS, 1 INCH Brand: OZ GEDNEY No. 31-100	6.483	324.15
99	2.00	EA	0990 - CONNECTOR, COMPRESSION THREADLESS, 1-1/4 INCH Brand: OZ GEDNEY No. 31-125	11.640	23.28
100	10.00	EA	1000 - CONNECTOR, COMPRESSION THREADLESS, 2 INCH Brand: OZ GEDNEY No. 31-200	32.160	321.60
101	400.00	EA	1010 - CONNECTOR, 1/2 INCH EMT SET SCREW Brand: EGS No. TC501	0.291	116.31
102	2.00	EA	1020 - CONNECTOR, 3/4 INCH EMT SET SCREW Brand: EGS No. TC502	0.365	0.73
103	20.00	EA	1030 - CONNECTOR, 1 INCH EMT SET SCREW Brand: EGS No. TC503	0.902	18.03
104	2.00	EA	1040 - COUPLING, 3/4 INCH EMT SET SCREW Brand: EGS No. TC512	0.420	0.84
105	500.00	EA	1050 - CONNECTOR, COMPRESSION, EMT, 1/2 INCH Brand: EGS No. TC601	0.474	236.92
106	150.00	EA	1060 - CONNECTOR, COMPRESSION, EMT 3/4 INCH	0.863	129.46

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
107	50.00	EA	Brand: EGS No. TC602 1070 - CONNECTOR, COMPRESSION, EMT, 1 INCH	1.395	69.77
108	50.00	EA	Brand: EGS No. TC603 1080 - CONNECTOR, COMPRESSION, EMT 1-1/4 INCH	1.797	89.85
109	2.00	EA	Brand: EGS No. TC604 1090 - CONNECTOR, COMPRESSION, EMT 1-1/2 INCH	2.626	5.25
110	400.00	EA	Brand: EGS No. TC605 1100 - COUPLING, COMPRESSION, EMT 1/2 INCH	0.692	276.92
111	2.00	EA	Brand: EGS No. TC611 1110 - COUPLING, COMPRESSION, EMT 3/4 INCH	0.974	1.95
112	50.00	EA	Brand: EGS No. TC612 1120 - COUPLING, COMPRESSION, EMT 1 INCH	1.258	62.92
113	50.00	EA	Brand: EGS No. TC613 1130 - COUPLING, COMPRESSION, EMT 1-1/4 INCH	2.246	112.31
114	2.00	EA	Brand: EGS No. TC614 1140 - COUPLING, COMPRESSION, EMT 1-1/2 INCH	3.368	6.74
115	20.00	EA	Brand: EGS No. TC615 1150 - BUSHING, GROUNDING, 2 INCH Brand: EGS	7.674	153.48

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
116	2.00	EA	No. GBL600 1160 - HUB MYERS, 1/2 INCH Brand: Thomas and Betts	3.077	6.15
117	40.00	EA	No. H050TB 1170 - HUB MYERS, 3/4 INCH Brand: Thomas And Betts	3.569	142.77
118	2.00	EA	No. H075TB 1180 - HUB MYERS, 1 INCH Brand: Thomas And Betts	4.723	9.45
119	10.00	EA	No. H100TB 1190 - HUB MYERS, 1-1/4 INCH Brand: Thomas And Betts	5.877	58.77
120	20.00	EA	No. H125TB 1200 - HUB MYERS, 1-1/2 INCH Brand: Thomas And Betts	6.769	135.38
121	50.00	EA	No. H150TB 1210 - HUB MYERS, 2 INCH Brand: Thomas And Betts	9.477	473.85
122	200.00	EA	No. H200TB 1220 - LOCKNUT, DIECAST, 1/2 INCH Brand: EGS	0.108	21.54
123	50.00	EA	No. L100D 1230 - LOCKNUT, DIECAST, 2 INCH Brand: EGS	0.680	34.00
124	50.00	EA	No. L600D 1240 - RING, MUD, 4 INCH SQUARE, 1 GANG, 1/2 INCH Brand: EGS No. 8468A	0.762	38.08
125	100.00	EA	1250 - RING, MUD, 4 INCH SQUARE, 1 GANG, 5/8 INCH	0.822	82.15

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
126	50.00	EA	Brand: EGS No. 8468C 1260 - RING, MUD, 4 INCH SQUARE, 2 GANG, 1/2 INCH	1.528	76.38
127	2.00	EA	Brand: EGS No. 8470A 1270 - RING, MUD, 4 INCH SQUARE, 2 GANG, 5/8 INCH	1.209	2.42
128	2.00	EA	Brand: EGS No. 8470C 1280 - RING, MUD, 4 INCH SQUARE, 1 GANG PVC, 1/2 INCH	2.945	5.89
129	2.00	EA	Brand: CROUSE HINDS No. TP1013 1290 - RING, MUD, 4 INCH SQUARE 1 GANG PVC, 5/8 INCH	2.967	5.93
130	2.00	EA	Brand: Crouse-Hinds No. TP1014 1300 - RING, MUD, 4 INCH SQUARE, 2 GANG PVC, 1/2 INCH	3.948	7.90
131	2.00	EA	Brand: Crouse-Hinds No. TP1023 1310 - RING, MUD, 4 INCH SQUARE, 2 GANG PVC, 5/8 INCH	4.033	8.07
132	2.00	EA	Brand: Crouse-Hinds No. TP1024 1320 - BUSHING, PLASTIC, 1-1/4 INCH Brand: EGS	0.178	0.36
133	2.00	EA	No. PB400D 1330 - BUSHING, PLASTIC, 3/4 INCH Brand: EGS	0.088	0.18
134	2.00	EA	No. PB200D 1340 - BUSHING, PLASTIC, 1 INCH Brand: EGS	0.171	0.34
			No. PB300D		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
135	2.00	EA	1350 - BUSHING, PLASTIC, 1-1/2 INCH Brand: EGS No. PB500D	0.271	0.54
136	50.00	EA	1360 - BUSHING, PLASTIC, 2 INCH Brand: EGS No. PB600D	0.472	23.62
137	2.00	EA	1370 - BUSHING, REDUCER 1-1/2 INCH TO 1-1/4 INCH Brand: EGS No. RB11	2.922	5.84
138	10.00	EA	1380 - BUSHING, REDUCER 2 INCH TO 1-1/2 INCH Brand: EGS No. RB16	6.203	62.03
139	250.00	EA	1390 - BUSHING, REDUCER 3/4 INCH TO 1/2 INCH Brand: EGS No. RB2	0.532	133.08
140	50.00	EA	1400 - CONNECTOR, SEALTITE, STRAIGHT, 2 INCH Brand: EGS No. LMM61	18.117	905.85
141	50.00	EA	1410 - BUSHING, REDUCER 1 INCH TO 3/4 INCH Brand: EGS No. RB4	1.002	50.08
142	2.00	EA	1420 - BUSHING, REDUCER 1-1/4 INCH TO 1 INCH Brand: EGS No. RB7	2.403	4.81
143	250.00	EA	1430 - WASHER, REDUCER 3/4 INCH TO 1/2 INCH Brand: EGS No. RWN503	0.100	25.00
144	50.00	EA	1440 - WASHER, REDUCER 1 INCH TO 1/2 INCH	0.194	9.69

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
145	50.00	EA	Brand: EGS No. RWN504 1450 - WASHER, REDUCER 1 INCH TO 3/4 INCH	0.194	9.69
146	2.00	EA	Brand: EGS No. RWN505 1460 - WASHER, REDUCER 1-1/4 INCH TO 3/4 INCH	0.338	0.68
147	2.00	EA	Brand: EGS No. RWN507 1470 - WASHER, REDUCER 1-1/4 INCH TO 1 INCH	0.338	0.68
148	2.00	EA	Brand: EGS No. RWN508 1480 - CONDULET, COMPLETE, LR FITTING 3/4 INCH	10.277	20.55
149	2.00	EA	Brand: OZ GEDNEY No. LR75A, SGN75, BS75A 1490 - WASHER, REDUCER 1-1/2 INCH TO 1 INCH	0.408	0.82
150	2.00	EA	Brand: EGS No. RWN511 1500 - WASHER, REDUCER 1-1/2 INCH TO 1-1/4	0.408	0.82
151	2.00	EA	Brand: EGS No. RWN512 1510 - WASHER, REDUCER 2 INCH TO 1-1/2 INCH	0.546	1.09
152	2.00	EA	Brand: EGS No. RWN517 1520 - WASHER, REDUCER 2-1/2 INCH TO 2 INCH	2.623	5.25
153	100.00	EA	Brand: Steele City No. WA176 1530 - STRAP, STANDOFF, 3/4 INCH Brand: Minerallac	0.611	61.08

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
154	50.00	EA	No. 1B 1540 - STRAP, STANDOFF, EMT 1-1/2 INCH Brand: Minerallac No. 3B	0.848	42.38
155	100.00	EA	1550 - STRAP, STANDOFF, 1/2 INCH Brand: Minerallac No. OB	0.528	52.77
156	50.00	EA	1560 - ENCLOSURE 6 X 6 4 NEMA 3R Brand: B-Line No. 664RTSC	27.923	1396.15
157	2.00	EA	1570 - BOX, BELL, 2 GANG WITH 1/2 INCH HOLES Brand: EGS No. WDP250	14.931	29.86
158	100.00	EA	1580 - BOX, BELL, 1/2 INCH, 3 HOLE WEATHER PROOF Brand: EGS No. WSM150	3.217	321.69
159	50.00	EA	1590 - BOX, BELL, 3/4 INCH, 3 HOLE WEATHER PROOF Brand: EGS No. WSM175	3.514	175.69
160	10.00	EA	1600 - BOX, BELL, 1/2 INCH, 5 HOLE WEATHER PROOF Brand: EGS No. WSP150	4.452	44.52
161	50.00	EA	1610 - BOX, BELL, 3/4 INCH, 5 HOLE WEATHER PROOF Brand: EGS No. WSP175	5.406	270.31
162	20.00	EA	1620 - WEATHERPROOF BOX, 10 INCH X 10 INCH X 4 INCH NEMA 3R	47.338	946.77

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
163	50.00	EA	BLINE 10104RTSC 1630 - BOX, JUNCTION 12 INCH X 12 INCH X 6 INCH NEMA 3R ENCLOSURE OUTDOOR, 16-GAUGE STEEL, REMOVABLE CONCENTRIC KNOCKOUTS BLINE 12126RTSC	68.231	3411.54
164	20.00	EA	1640 - BOX, JUNCTION 6 INCH X 6 INCH X 4 INCH PVC NEMA 6P AND TYPE 4/4x RATING THERMOPLASTIC MATERIAL, WITH LID AND STAINLESS TEEL SCREWS JB664 (5133710)	20.339	406.78
165	20.00	EA	1650 - BOX, JUNCTION 8 INCH X 8 INCH X 4 INCH NEMA TYPE 6P AND TYPE 4/4 RATINGS THERMOPLASTIC MATERIAL JB884 (5133712)	35.593	711.86
166	2.00	EA	1660 - BOX, BELL. 1 INCH, 3 HOLE WEATHER PROOF Brand: EGS No. WSM110	3.814	7.63
167	75.00	EA	1670 - COVER, BLANK, 1 GANG WEATHER PROOF Brand: EGS No. WCB1	0.758	56.88
168	100.00	EA	1680 - COVER, PLASTIC, 1 GANG IN USE Brand: Intermatic No. WP3100C	6.938	693.85
169	50.00	EA	1690 - COVER, GRAY, VERTICAL, GFCI, WEATHER PROOF Brand: EGS No. WVG1	5.615	280.77
170	40.00	EA	1700 - COVER, RECEPTACLE, HORIZONTAL, GFCI, WEATHER PROOF Brand: EGS No. WHG1	8.146	325.85

DATE: 5/26/2021

Page 25

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
171	200.00	EA	1710 - CORD,EXTENSION, 50 FOOT RED 14/3SJTW Brand: Coleman No. 02408-88-04	49.63	9926.00
172	100.00	EA	1720 - CORD,EXTENSION, 100 FOOT YELLOW 12/3SJTW Brand: Coleman No. 02579-88-03	86.60	8660.00
173	10.00	EA	1730 - CORD,EXTENSION, 25 FOOT ORANGE 14/3 Brand: Coleman No. PT#0528	33.283	332.83
174	100.00	EA	1740 - CORD,EXTENSION, 15 FOOT WHITE 3 OUTLET Brand: Coleman No. PT#09414	6.633	663.33
175	2.00	EA	1750 - CORD,EXTENSION, 15 FOOT BROWN 3 OUTLET, 16/3 Brand: Coleman 03520-07	6.633	13.27
176	2.00	EA	1760 - ELBOW, 1-1/2 INCH EMT 45 DEGREE No. ELLEMT1-1/2-45D	6.345	12.69
177	2.00	EA	1770 - ELBOW, 1-1/2 INCH EMT 90 DEGREE No. ELLEMT1-1/2-90D	6.175	12.35
178	2.00	EA	1780 - ELBOW, 1-1/4 INCH EMT 45 DEGREE No. ELLEMT1-1/4-45D	5.455	10.91
179	2.00	EA	1790 - ELBOW, 1-1/4 INCH EMT 90 DEGREE No. ELLEMT1-1/4-90D	6.345	12.69
180	20.00	EA	1800 - CONDULET, COMPLETE, LB FITTING 1 INCH Brand: OZ GEDNEY	14.477	289.54

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
181	10.00	EA	No. LB100A, SGN100, BS100A 1810 - CONDULET, COMPLETE, LB 1-1/2 INCH Brand: OZ GEDNEY No. LB150A, BS125A, SGN125	25.277	252.77
182	10.00	EA	1820 - CONDULET, COMPLETE, LB FITTING 2 INCH Brand: OZ GEDNEY No. LB200A, SGN200, BS200A	42.538	425.38
183	50.00	EA	1830 - CONDULET, COMPLETE, LB FITTING 1/2 INCH Brand: OZ GEDNEY No. LB50A, SGN50, BS50A	7.800	390.00
184	50.00	EA	1840 - CONDULET, COMPLETE, LB FITTING 3/4 INCH Brand: OZ GEDNEY No. LB75A, SGN75, BS75A	10.262	513.08
185	2.00	EA	1850 - CONDULET, COMPLETE, LL FITTING, 1/2 INCH Brand: OZ GEDNEY No. LL50A, SCN50, BS50A	7.80	15.60
186	2.00	EA	1860 - CONDULET, COMPLETE, LL FITTING, 3/4 INCH Brand: OZ GEDNEY No. LL75A, SGN75, BS75A	10.262	20.52
187	2.00	EA	1870 - CONDULET, COMPLETE, LR FITTING 1/2 INCH Brand: OZ GEDNEY No. LR50A, SGN50, BS50A	7.800	15.60
188	2.00	EA	1880 - CONDULET, COMPLETE, LR FITTING 3/4 INCH Brand: OZ GEDNEY No. LR75A, SGN75, BS75A	10.262	20.52
189	2.00	EA	1890 - NIPPLE, GALVANIZED 1/2 INCH X CLOSE	0.782	1.56

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
190	2.00	EA	No. NIPGALV-1/2XCL 1900 - NIPPLE, GALVANIZED 1-1/4 INCH X CLOSE	1.923	3.85
191	2.00	EA	No. NIPGALV1-1/4XCL 1910 - NIPPLE, GALVANIZED 2 INCH X CLOSE	3.138	6.28
192	2.00	EA	No. NIPGALV2XCL 1920 - NIPPLE, GALVANIZED 3/4 INCH X CLOSE	1.092	2.18
193	2.00	EA	No. NIPGALV-3/4XCL 1930 - CONDULET, COMPLETE, TEE FITTING, 1/2 INCH	9.092	18.18
194	2.00	EA	Brand: OZ GEDNEY No. T50A, SGN50, BS50A 1940 - CONDULET, COMPLETE, TEE FITTING 3/4 INCH	11.615	23.23
195	2.00	EA	Brand: OZ GEDNEY No. T75A, SGN75, BS75A 1950 - FUSES - BUSSMAN 250V, 10A No. FNM10	3.300	6.60
196	30.00	EA	1960 - FUSES - BUSSMAN 250V, 5A No. FNM5	3.243	97.29
197	2.00	EA	1970 - FUSES - BUSSMAN 500V, 10A No. FNQ10	9.014	18.03
198	2.00	EA	1980 - FUSES - BUSSMAN 500V, 2A No. FNQ2	9.014	18.03
199	2.00	EA	1990 - FUSES - BUSSMAN 500V, 5A No. FNQ5	9.014	18.03
200	2.00	EA	2000 - FUSES - BUSSMAN RK5 250V, 100A No. FRNR100	13.30	26.60

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
201	2.00	EA	2010 - FUSES - BUSSMAN RK5 250V, 15A No. FRNR15	3.214	6.43
202	2.00	EA	2020 - FUSES - BUSSMAN RK5 250V, 20A No. FRNR20	3.214	6.43
203	50.00	EA	2030 - FUSES - BUSSMAN RK5 250V, 30A No. FRNR30	3.214	160.71
204	2.00	EA	2040 - FUSES - BUSSMAN RK5 250V, 40A No. FRNR40	5.871	11.74
205	50.00	EA	2050 - FUSES - BUSSMAN RK5 250V, 50A No. FRNR50	5.871	293.57
206	50.00	EA	2060 - FUSES - BUSSMAN RK5 250V, 60A No. FRNR60	5.871	293.57
207	2.00	EA	2070 - FUSES - BUSSMAN RK5 600V, 15A No. FRSR15	7.129	14.26
208	50.00	EA	2080 - FUSES - BUSSMAN RK5 600V, 20A No. FRSR20	7.129	356.43
209	50.00	EA	2090 - FUSES - BUSSMAN RK5 600V, 30 A TRS 30R 600V No. FRSR30	7.129	356.43
210	2.00	EA	2100 - FUSES - BUSSMAN 600V, 20A No. KTK20	7.800	15.60
211	75.00	EA	2110 - FUSES - BUSSMAN 600V, 10A No. KTKR10	7.800	585.00
212	2.00	EA	2120 - FUSES - BUSSMAN 600V, 15A No. KTKR15	7.800	15.60

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
213	2.00	EA	2130 - FUSES - BUSSMAN 600V, 20A No. KTKR20	7.800	15.60
214	100.00	EA	2140 - FUSES - BUSSMAN 600V, 5A No. KTKR5	7.800	780.00
215	2.00	EA	2150 - CLAMP, WATER PIPE, 1/2 INCH - 1 INCH Brand: Burndy No. C5	2.385	4.77
216	50.00	EA	2160 - CLAMP, GROUND ROD, 5/8 INCH Brand: Burndy No. GRC58	2.569	128.46
217	5.00	EA	2170 - CLAMP, GROUND ROD, 3/4 INCH Brand: Burndy No. GRC34	3.600	18.00
218	50.00	EA	2180 - ROD, GROUND, COPPER 5/8 INCH X 8 FOOT No. 615833	15.077	753.85
219	2.00	EA	2190 - ROD, GROUND, COPPER 3/4 INCH X 10 FOOT	25.769	51.54
220	4.00	PK	2200 - HEX NUTS,ZINC, 10/24 NO. 10/24" NUTS Comes in packs of 100	2.908	11.63
221	4.00	PK	2210 - HEX NUTS,ZINC, 10/32 NO. 10/32" NUTS Comes in packs of 100	2.908	11.63
222	4.00	PK	2220 - HEX NUTS,ZINC, 6/32 NO. 6/32" NUTS Comes in packs of 100	2.446	9.78
223	4.00	PK	2230 - HEX NUTS,ZINC, 8/32 NO. 8/32" NUTS	2.738	10.95

DATE: 5/26/2021

Page 30

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
224	4.00	PK	Comes in packs of 100 2240 - HEX NUT, 1/4", GRADE 2 NO. HN14	3.462	13.85
225	4.00	PK	Comes in packs of 100 2250 - HEX NUT 5/16", GRADE 2 NO. HN516	3.954	15.82
226	10.00	PK	Comes in packs of 100 2260 - SCREW, MACHINE, ZINC 1/4-20X3/8 INCH	4.215	42.15
227	2.00	PK	Comes in packs of 100 Brand: Dottie No. RMC1438 2270 - SCREW, MACHINE, ZINC 10/24 X 2 INCH	9.862	19.72
228	2.00	PK	Package of 100 2280 - SCREW, MACHINE, ZINC 10/32 X 2 INCH	9.862	19.72
229	2.00	PK	Package of 100 2290 - SCREW, MACHINE, ZINC 6/32 X 2 INCH	8.154	16.31
230	2.00	PK	Comes in packs of 100 2300 - SCREW, MACHINE, ZINC 6/32 X 6 INCH	273.462	546.92
231	10.00	PK	Package of 100 500 2310 - SCREW, MACHINE, ZINC 8/32 X 2 INCH	9.046	90.46
232	10.00	PK	Package of 100 2320 SCREW, MACHINE, LONG 8/32 X 6 INCH PK 300	134.092	1340.92
233	2.00	EA	2330 - LIGHT, FLOOD, 400 WATT, HPS, MT Brand: Cooper NEW PART # NFFLD-C40-T	550.769	1101.54

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
234	2.00	EA	No. WS40 2340 - LIGHT, THERMOPLASTIC, EMERGENCY, LIGHTOLIER Brand: Cooper No. AA1 NEW PART # SELM60R4SD	135.385	270.77
235	80.00	EA	2350 - LIGHT, EMERGENCY, LIGHTOLIER WITH BATTERY BACK-UP 120/277 VOLT INPUT Brand: Cooper No. SEL17	38.462	3076.92
236	2.00	EA	2360 - BALLAST, EMERGENCY, 600 LUMENS 120/277 VOLT, 3.5 INPUT WATTS Brand: Cooper No. EBP700X NEW PART # EBPLED7W	207.692	415.38
237	2.00	EA	2370 - SIGN, EXIT, DUAL SIDED, BLACK THERMOPLASTIC LED EXIT SIGN 120/277V, 6 VOLT Brand: EXITRONICS No. VEX-U-BP-WB-BL	46.154	92.31
238	20.00	EA	2380 - SIGN, EXIT, DUAL SIDES, WHITE THERMOPLASTIC LED EXIT SIGN 120/277V, 6 VOLT Brand: Cooper No. APX7R	26.154	523.08
239	2.00	EA	2390 - SIGN, EXIT, 2 CIRCUIT, WHITE THERMOPLASTIC LED EXIT SIGN Brand: EXITRONICS No. VEX-U-BP-LB-WH-2CI	76.923	153.85
240	2.00	EA	2400 - FIXTURE, WIRE GUARD LIGHTOLIER Brand: Cooper No. WG1	52.308	104.62
241	60.00	EA	2410 - LIGHT, COMBO EMERGENCY/EXIT 120/277 VOLT INPUT BRAND: COOPER NO. APC7R	60.00	3600.00
242	2.00	EA	2420 - FIXTURE, 8 FOOT, T8 STRIP Brand: Cooper	106.154	212.31

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
243	2.00	EA	No. SSF296UNVEB81U 2430 - FIXTURE, 4 FOOT T8 STRIP 2 LAMP 32 WATT ELECTRONIC BALLAST Brand: Cooper No. APSNS232	46.00	80.00
244	2.00	EA	2440 - FIXTURE, 2 LAMP, T8, 2 X 2 PARABOLIC TROFFER 9 CELL LIGHTOLIER Brand: Cooper No. 2EP3GAX-2-U6T8S33I-UNV-EB81U	112.308	224.62
245	2.00	EA	2450 - FIXTURE, 3 LAMP T8 2 X 4 PARABOLIC TROFFER 18 CELL LIGHTOLIER Brand: Cooper No. 2EP3GAX-332S36I-UNV-EB81I	112.308	224.62
246	2.00	EA	2460 - FIXTURE, 2 X 4 TROFFER 2 - T8 LAMPS WITH WHIPS Brand: Cooper No. 2GC-232A125-UNV-EB81-A3/8-2/18G-U	103.077	206.15
247	2.00	EA	2470 - FIXTURE, 2 X 2 TROFFER 2 - T8 U-BEND WITH WHIPS Brand: Cooper No. 2GC-2U6T8A125-UNV-EB81-A3/8-2/18G-U	103.077	206.15
248	2.00	EA	2480 - FIXTURE, 2 X 2 TROFFER 3 - T8 LAMPS Brand: Cooper No. 2GC-332A125-UNV-EB81	95.385	190.77
249	2.00	EA	2490 - FIXTURE, 4 FOOT WRAP AROUND 2 LAMP T8 Brand: Cooper No. APWGPW232	46.154	92.31
250	10.00	EA	2500 - FIXTURE, 4 FOOT WRAP AROUND 4 LAMP T8 Brand: Cooper No. APWGPW432	64.615	646.15
251	10.00	EA	2510 - POWER OUTLET (panel) TEMPORARY POWER OUTLET SINGLE	76.769	767.69

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
252	2.00	EA	RECEPTACLE Brand: Milbank No. P-54 2520 - ADAPTER, SINGLE TO TRIPLE OUTLET Brand: P & S No. 697-RI	5.477	10.95
253	50.00	EA	2530 - PLATE, BLANK, 1 GANG, STAINLESS STEEL Brand: Hubbell No. SS13	3.462	173.08
254	100.00	EA	2540 - PLATE, SWITCH, 1 GANG STAINLESS STEEL Brand: Hubbell No. SS1	1.800	180.00
255	150.00	EA	2550 - PLATE, DUPLEX, 1 GANG STAINLESS STEEL Brand: Hubbell No. SS8	1.800	270.00
256	50.00	EA	2560 - COVER, BLANK, 1 GANG, IVORY Brand: P & S No. TP13I	0.397	19.85
257	50.00	EA	2570 - PLATE, SWITCH, 1 GANG, IVORY Brand: P & S No. TP1I	0.397	19.85
258	2.00	EA	2580 - PLATE, SWITCH, 1 GANG, WHITE Brand: P & S No. TP1W	0.397	0.79
259	2.00	EA	2590 - PLATE, GFCI, 1 GANG, IVORY Brand: P & S No. TP26I	0.397	0.79
260	2.00	EA	2600 - PLATE, GFCI, 1 GANG, WHITE Brand: P & S No. TP26W	0.397	0.79
261	2.00	EA	2610 - PLATE, SWITCH, 2 GANG, IVORY Brand: P & S	0.785	1.57

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			No. TP2I		
262	2.00	EA	2620 - PLATE, SWITCH, 2 GANG, WHITE Brand: P & S	0.785	1.57
			No. TP2W		
263	2.00	EA	2630 - PLATE, SWITCH, 2 GANG, IVORY Brand: P & S	1.174	2.35
			No. TP3I		
264	2.00	EA	2640 - PLATE, SWITCH, 3 GANG, WHITE Brand: P & S	1.174	2.35
			No. TP3W		
265	2.00	EA	2650 - PLATE, SWITCH, 4 GANG, IVORY Brand: P & S	1.538	3.08
			No. TP4I		
266	2.00	EA	2660 - PLATE, SWITCH, 4 GANG, WHITE Brand: P & S	1.538	3.08
			No. TP4W		
267	10.00	EA	2670 - PLATE, OUTLET, 2 GANG, WHITE Brand: P & S	0.785	7.85
			No. TP82W		
268	140.00	EA	2680 - PLATE, OUTLET, DUPLEX, 1 GANG, IVORY	0.397	55.57
			Brand: P & S No. TP8I		
269	20.00	EA	2690 - PLATE, OUTLET, 1 GANG, WHITE Brand: P & S	0.397	7.94
			No. TP8W		
270	10.00	EA	2700 - OUTLET, 4-WIRE, 50 AMP, 3 POLE Brand: P & S	4.615	46.15
			No. 3894		
271	2.00	EA	2710 - OUTLET, DUPLEX, 15 AMP, WHITE Brand: P & S	3.277	6.55

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
272	50.00	EA	No. 5252AW 2720 - OUTLET, DUPLEX, HOSPITAL GRADE 20A 125V, IVORY Brand: P & S No. 8300HI	10.231	511.54
273	40.00	EA	2730 - OUTLET, DUPLEX, TAMPER PROOF, 15A, WHITE Brand: P & S No. 3232TRW	1.415	56.62
274	100.00	EA	2740 - OUTLET, DUPLEX, TAMPER PROOF, 15A, IVORY Brand: P & S No. 3232TRI	1.462	146.15
275	200.00	EA	2750 - OUTLET, DUPLEX, 20A, IVORY Brand: Hubbell No. CR20I <i>CORRECT PART # 3232TRI</i>	1.692	338.40
276	300.00	EA	2760 - OUTLET, DUPLEX, TAMPER PROOF 20 AMP, IVORY Brand: PSTR20I <i>CORRECT PART # TR20I</i>	4.369	1310.77
277	300.00	EA	2770 - OUTLET, DUPLEX, TAMPER PROOF, 20 AMP, WHITE Brand: PSTR20W <i>CORRECT PART # TR20W</i>	4.369	1310.77
278	275.00	EA	2780 - OUTLET, GFCI, IVORY 20A, 120V Brand: Hubbell No. GFRST20I	18.077	4971.15
279	150.00	EA	2790 - OUTLET, GFCI, WHITE, 20A Brand: Hubbell No. GFRST20W	18.077	2711.54
280	100.00	EA	2800 - OUTLET, DUPLEX, GFCI, WHITE, 20 AMP, ISOLATED GROUND, TAMPER PROOF Brand: P & S Number: 20971GHGTRRED	44.615	4461.54
281	20.00	EA	2810 - SOCKET, MOGUL Brand: P & S	16.385	327.69

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
282	2.00	EA	No. 8694 2820 - SURGE STRIP WITH 6 OUTLETS Brand: Levington	27.277	54.55
283	80.00	EA	No. S1000PS 2830 - SWITCH, SINGLE POLE, 20A, IVORY 120/277	3.154	252.31
284	20.00	EA	Brand: Hubbell No. CS120I 2840 - SWITCH, 3 WAY, 20A, IVORY Brand: Hubbell	4.154	83.08
285	20.00	EA	No. CS320I 2850 - SWITCH, SINGLE POLE, 15A, WHITE Brand: Hubbell	2.831	56.62
286	20.00	EA	No. CS115W 2860 - SWITCH, 3 WAY, 120/277, 20A, WHITE	4.154	83.08
287	20.00	EA	Brand: Hubbell No. CS320W 2870 - SWITCH, WALL, SINGLE POLE, 20A, 120/277, WHITE	3.154	63.08
288	20.00	EA	Brand: Hubbell No. CS120W 2880 - CEMENT, PVC, CLEAR, 1 QUART No. CEMENTCLR1QT	17.442	348.83
289	2.00	FT	2890 - CONDUIT, PVC, SCHEDULE 40 1-1/2 INCH COMES IN 10 FOOT LENGTHS No. COND1-1/2SCH40	3.028	6.06
290	250.00	FT	2900 - CONDUIT, PVC, SCHEDULE 40 1-1/4 INCH COMES IN 10 FOOT LENGTHS No. COND1-1/4SCH40	2.612	653.00
291	350.00	FT	2910 - CONDUIT, PVC, SCHEDULE 40, 1 INCH	1.814	634.84

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
292	500.00	FT	COMES IN 10 FOOT LENGTHS No. COND1SCH40 2920 - CONDUIT, PVC, SCHEDULE 40 2 INCH	3.775	1887.73
293	500.00	FT	COMES IN 10 FOOT LENGTHS No. COND2SCH40 2930 - CONDUIT, PVC, SCHEDULE 40 3/4 INCH	1.243	621.27
294	30.00	EA	COMES IN 10 FOOT LENGTHS No. COND-3/4SCH40 2940 - COUPLING, PVC, SCHEDULE 40, 1 INCH NO. CPL1	0.243	7.30
295	2.00	EA	2950 - COUPLING, PVC, SCHEDULE 40 1/2 INCH No. CPL-1/2	0.128	0.26
296	2.00	EA	2960 - COUPLING, PVC, SCHEDULE 40, 1-1/2 INCH No. CPL1-1/2	0.450	0.90
297	10.00	EA	2970 - COUPLING, PVC, SCHEDULE 40 1-1/4 INCH No. CPL1-1/4	0.325	3.25
298	10.00	EA	2980 - COUPLING, PVC, SCHEDULE 40, 2 INCH No. CPL2	0.590	5.90
299	10.00	EA	2990 - COUPLING, PVC, SCHEDULE 40, 3/4 INCH No. CPL-3/4	0.158	1.58
300	10.00	EA	3000 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 1/2 INCH No. ELL-1/2-90D	0.577	5.77
301	2.00	EA	3010 - ELBOW, PVC, 45 DEGREE, SCHEDULE 40, 1-1/2 INCH	1.800	3.60

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
302	40.00	EA	No. ELL1-1/2-45D 3020 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 1-1/2 INCH	1.928	77.13
303	40.00	EA	No. ELL1-1/2-90D 3030 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 1-1/4 INCH	1.450	58.00
304	2.00	EA	No. ELL1-1/4-90D 3040 - ELBOW, PVC, 45 DEGREE, SCHEDULE 40, 1 INCH	0.943	1.89
305	80.00	EA	No. ELL-1-45D 3050 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 1 INCH	1.007	80.53
306	40.00	EA	No. ELL1-90D 3060 - ELBOW, PVC, 90 DEGREE SCHEDULE 40, 2 INCH	2.637	105.47
307	20.00	EA	No. ELL2-90D 3070 - ELBOW, PVC, 45 DEGREE, SCHEDULE 40, 3/4 INCH	0.593	11.87
308	20.00	EA	No. ELL-3/4-45D 3080 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 3/4 INCH	0.647	12.93
309	2.00	EA	No. ELL-3/4-90D 3090 - EXPANSION JOINT, PVC, 1/2 INCH	12.333	24.67
310	2.00	EA	- 3100 - EXPANSION JOINT, PVC, 3/4 INCH	12.150	24.30
311	2.00	EA	- 3110 - EXPANSION JOINT, PVC, 1 INCH	12.750	25.50
312	2.00	EA	- 3120 - EXPANSION JOINT, PVC, 1-1/4 INCH	12.850	25.70

DATE: 5/26/2021

Page 39

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
313	2.00	EA	3130 - EXPANSION JOINT, PVC, 1-1/2 INCH -	13.150	26.30
314	2.00	EA	3140 - EXPANSION JOINT, PVC, 2 INCH -	14.000	28.00
315	2.00	EA	3150 - ADAPTER, FEMALE, PVC, SCHEDULE 40 1 INCH No. FA1	0.433	0.87
316	2.00	EA	3160 - ADAPTER, FEMALE, PVC, SCHEDULE 40 1/2 INCH No. FA-1/2	0.203	0.41
317	2.00	EA	3170 - ADAPTER, FEMALE, PVC, SCHEDULE 40 1-1/2 INCH No. FA1-1/2	0.842	1.68
318	2.00	EA	3180 - ADAPTER, FEMALE, PVC, SCHEDULE 40 1-1/4 INCH No. FA1-1/4	0.580	1.16
319	2.00	EA	3190 - ADAPTER, FEMALE, PVC, SCHEDULE 40 3/4 INCH No. FA-3/4	0.322	0.64
320	20.00	EA	3200 - ADAPTER, MALE, PVC, SCHEDULE 40, 1 INCH No. TA1	0.380	7.60
321	2.00	EA	3210 - ADAPTER, MALE, PVC, SCHEDULE 40, 1/2 INCH No. TA-1/2	0.170	0.34
322	2.00	EA	3220 - ADAPTER, MALE, PVC, SCHEDULE 40, 1-1/2 INCH No. TA1-1/2	0.590	1.18
323	10.00	EA	3230 - ADAPTER, MALE, PVC, SCHEDULE 40, 1-1/4 INCH	0.488	4.88

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
324	200.00	EA	No. TA1-1/4 3240 - ADAPTER, MALE, PVC, SCHEDULE 40, 2 INCH	0.848	169.67
325	20.00	EA	No. TA2 3250 - ADAPTER, MALE, PVC, SCHEDULE 40, 3/4 INCH	0.302	6.03
326	50.00	EA	No. TA-3/4 3260 - CONNECTOR, SEALTITE, 90 DEGREE, 1/2 INCH	4.015	200.77
327	80.00	EA	Brand: EGS No. LML11 3270 - CONNECTOR, SEALTITE, 90 DEGREE, 3/4 INCH	4.898	391.88
328	80.00	EA	Brand: EGS No. LML21 3280 - CONNECTOR, SEALTITE, STRAIGHT, 1/2 INCH	2.269	181.54
329	100.00	EA	Brand: EGS No. LMM11 3290 - CONNECTOR, SEALTITE, STRAIGHT, 3/4 INCH	2.902	290.15
330	2.00	EA	Brand: EGS No. LMM21 3300 - CONNECTOR, SEALTITE, STRAIGHT, 2 INCH	18.117	36.23
331	400.00	FT	Brand: EGS No. LMM61 3310 - SEALTITE, 1/2 INCH Brand: Anaconda No. UAG-1/2	1.431	572.49
332	200.00	FT	3320 - SEALTITE, 3/4 INCH Brand: Anaconda No. UAG-3/4	1.947	389.48
333	200.00	FT	3330 - CONDUIT, COREFLEX, 1/2 INCH Brand: Anaconda	0.565	113.05

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
334	200.00	FT	No. NMUAG-1/2 3340 - CONDUIT, COREFLEX, 3/4 INCH Brand: Anaconda	0.789	157.85
335	20.00	EA	No. NMUAF-3/4 CORRECT PART # NMUAG-3/4 3350 - CONNECTOR, COREFLEX, STRAIGHT, 1/2 INCH	0.862	17.23
336	2.00	EA	Brand: Peco No. NMLT50 3360 - CONNECTOR, COREFLEX, STRAIGHT, 3/4 INCH	1.246	2.49
337	2.00	EA	Brand: Peco No. NLT75 3370 - CONNECTOR, COREFLEX, 90 DEGREE, 1/2 INCH	1.585	3.17
338	2.00	EA	Brand: Peco No. NMLT9050 3380 - CONNECTOR, COREFLEX, 90 DEGREE, 3/4 INCH	2.323	4.65
339	2.00	EA	Brand: Sylvania No. QTP2X26/32/42CF/UNV 3390 - BALLAST KIT 26W, 32W, 42W 2 LAMP 120V-277V (51843)	26.534	53.07
340	2.00	EA	Brand: Sylvania No. QTP2X26/32/42CF/UNV/DM 3400 - BALLAST CFL 2 LAMP 120/277V (51843)	26.534	53.07
341	2.00	PK	3410 - BALLAST DISCONNECT FEATURES 3-PORT PACKAGE OF 100 Brand: Ideal No. 30/353XJ	238.414	476.83
342	2.00	PK	3420 - BALLAST DISCONNECT FEATURES 2-PORT	129.949	259.90

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
343	2.00	EA	Brand: Ideal No. 30-352J 3430 - BALLAST 120/277V 3 LAMP (49430) Brand: Sylvania No. QHE3X40DL/UNV/ICN-SC	20.297	40.59
344	100.00	EA	3440 - BALLAST 2 LAMP 4 FOOT T8 120-277V .49 LINE AMPS (49906) Brand: Sylvania No. QTP2X32T8/UNVISN-SC	11.308	1130.77
345	40.00	EA	3450 - BALLAST 2 LAMP 4 FOOT T12 120-277V, .63 LINE AMPS (50314) Brand: Sylvania No. QTP2X40T12UNVRS-SC	16.923	676.92
346	30.00	EA	3460 - BALLAST 2 LAMP T8 8 FOOT 120-277V (49590) Brand: Sylvania No. QTP2X59T8/UNVISN-SC	23.469	704.08
347	2.00	EA	3470 - BALLAST 2 LAMP 8 FOOT T12 120-277V (75305) Brand: Sylvania No. QTP2X96T12UNVIS	23.074	46.15
348	100.00	EA	3480 - BALLAST 3 LAMP 4 FOOT T8 120-277V (49907) Brand: Sylvania No. QTP3X32T8/UNVISN-SC	12.925	1292.46
349	100.00	EA	3490 - BALLAST 4 LAMP 4 FOOT T8 120-277V (49908) Brand: Sylvania No. QTP4X32T8/UNVISN-SC	14.532	1453.23
350	10.00	EA	3500 - BALLAST KIT 150W HPS, 480V ADVANCE ONLY NO. 71A8142001D NOTE: ADVANCE ONLY, FUNCTIONING EQUAL, HAS TO MATCH EXISTING FIXTURES.	184.831	1848.31
351	2.00	EA	3510 - CAPACITOR, 480V, 24 MFD RATING (47982)	30.754	61.51

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
352	2.00	EA	NO. CAP24MFD480VAC 3520 - IGNITOR, LAMP TYPE HIGH PRESSURE SODIUM (47844) Brand: Sylvania No. HPS/200-420	32.138	64.28
353	20.00	EA	3530 - BALLAST 100 HPS 120-277V (47316) Brand: Sylvania No. LU100/MULTI/KIT	38.885	777.69
354	10.00	EA	3540 - BALLAST 1000W HPS 120-480V (47659) Brand: Sylvania No. LU1000/SUPER5-KIT	154.309	1543.09
355	25.00	EA	3550 - BALLAST 150W HPS 120-277V (47335) Brand: Sylvania No. LU150/MULTI-KIT	41.891	1047.27
356	10.00	EA	3560 - BALLAST 400W HPS 120-480V (47647) Brand: Sylvania No. LU400/SUPER5-KIT	73.492	734.92
357	140.00	EA	3570 - BALLAST 1000W METAL HALIDE 120-480V (47427) Brand: Sylvania No. M1000/SUPER5-KIT	107.982	15,117.42
358	10.00	EA	3580 - BALLAST 1500W METAL HALIDE 480V (47095) Brand: Sylvania No. M1500/480/KIT	175.740	1757.40
359	20.00	EA	3590 - BALLAST 175W METAL HALIDE 120-480V (47243) Brand: Sylvania No. M175/SUPER5-KIT	51.525	1030.49
360	5.00	EA	3600 - BALLAST 250W METAL HALIDE 120-480V (47265)	54.835	274.18

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
361	10.00	EA	Brand: Sylvania No. M250/SUPER5-KIT 3610 - BALLAST 400 W METAL HALIDE 120V/277V	55.714	557.14
362	40.00	EA	M400/MULTIKIT (47739) 3620 - BALLAST 400W METAL HALIDE 120-480V (47338)	58.135	2325.42
363	100.00	EA	Brand: Sylvania No. M400/SUPER5-KIT 3630 - LAMP 13W CFL MEDIUM BASE (29727) 29727 26371 DISCONTINUED NEW PART # Brand: Sylvania No. CF13EL/MICRO/827 CF13EL/SPIRAL/827	3.405	340.46
364	50.00	EA	3640 - LAMP 19W COMPACT FLUORESCENT MEDIUM BASE (26349) Brand: Sylvania No. CF20EL/SPIRAL/830	4.785	239.23
365	180.00	EA	3650 - LAMP 26W COMPACT FLUORESCENT DT DIMMABLE 3500K PLUG-IN (24445) 24445 21114 Brand: Sylvania No. CR26DD/835/ECO	4.311	775.94
366	40.00	EA	3660 - LAMP 26W COMPACT FLUORESCENT LAMP, DT DIMMABLE 4100K PLUG-IN (21114) 21114 21115 Brand: Sylvania No. CF26DD/841/ECO	4.311	172.43
367	1,000.00	EA	3670 - LAMP 26W DT CFL DIMMABLE 4-PIN 3500K SCREW-IN (20673) Brand: Sylvania No. CF26DD/E/835/ECO	4.202	4201.54
368	50.00	EA	3680 - LAMP 26W CFL TT DIMMABLE (20882) Brand: Sylvania	4.677	233.85

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
369	100.00	EA	No. CF26DT/E/IN/841 3690 - LAMP 42W TT CFL DIMMABLE 3500K (20871) Brand: Sylvania No. CF42DT/E/IN/835	4.785	478.46
370	2,500.00	EA	3700 - LAMP 32W T8 FT FLUORESCENT (22437) Brand: Sylvania No. F032/V35/ECO	1.663	4157.69
371	500.00	EA	3710 - LAMP 34W T12 FLUORSCENT (24588) Brand: Sylvania No. F34/CWX/SS	1.646	823.08
372	500.00	EA	3720 - LAMP 40W T12 FLUORSCENT (24441) Brand: Sylvania No. F40/CWX	1.646	823.08
373	100.00	EA	3730 - LAMP 32W T8 U-BEND FLUORSCENT (21671) Brand: Sylvania No. FB032/841/6/ECO	5.060	506.00
374	100.00	EA	3740 - LAMP 34W T12 U-BEND FLUORSCENT (24004) Brand: Sylvania No. FB40/CWX/6	7.277	727.69
375	200.00	EA	3750 - LAMP 32W T8 U-BEND FLUORSCENT (22051) Brand: Sylvania No. FBO32/735/6/ECO	4.894	978.77
376	1,000.00	EA	3760 - LAMP 32 W T8 FLUORSCENT 4100K (22438) Brand: Sylvania No. F032/V41/ECO	1.663	1663.08
377	4,000.00	EA	3770 - LAMP 32W T8 XP FLUORSCENT (21767)	3.654	14,615.38

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
378	100.00	EA	Brand: Sylvania No. FO32/841/XP/ECO 3780 - LAMP 59W T8 8 FOOT FLUORSCENT (22149)	6.462	646.15
379	2.00	EA	Brand: Sylvania No. FO96/841/ECO 3790 - LAMP 24W T5 HO FLUORSCENT (20928)	5.105	10.21
380	2.00	EA	Brand: Sylvania No. FP24/830/HO/ECO 3800 - LAMP 39W T5 HO FLUORSCENT (20932)	5.105	10.21
381	2.00	EA	Brand: Sylvania No. FP39/830/HO/ECO 3810 - LAMP 54W T5 HO FLUORSCENT 3000K (20903)	3.468	6.94
382	2.00	EA	Brand: Sylvania No. FP54/830/HO/ECO 3820 - LAMP 54W T5 HO FLUORSCENT 3500K (20904)	3.468	6.94
383	50.00	EA	Brand: Sylvania No. FP54/835/HO/ECO 3830 - LAMP 100W HPS MEDIUM BASE (67506)	13.315	665.77
384	40.00	EA	Brand: Sylvania No. LU100/MED/ECO 3840 - LAMP 1000W HPS MOGUL BASE (67307)	20.211	808.43
385	100.00	EA	Brand: Sylvania No. LU1000/ECO 3850 - LAMP 250W HPS MOGUL BASE (67578)	11.782	1178.15
386	100.00	EA	Brand: Sylvania No. LU250/ECO 3860 - LAMP 400W HPS MOGUL BASE (67533)	11.885	1188.46

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
387	10.00	EA	Brand: Sylvania No. LU400/ECO 3870 - LAMP 50W HPS MEDIUM BASE (67502)	18.018	180.18
388	100.00	EA	Brand: Sylvania No. LU50/MED 3880 - LAMP 75W RS (12586)	2.077	207.69
389	2.00	EA	Brand: Sylvania No. 75A/RS/VS/130V 3890 - LAMP 2W GBF LED Brand: Sylvania No. LE2WGBF V2	28.462	56.92
390	2.00	EA	3900 - LAMP 11W LED A19 DIMMABLE (74436) 74687	1.492	2.98
391	2.00	EA	Brand: Sylvania No. LED9A19/DIM/O/827U RP 3910 - LAMP 14W R40 LED DIMMABLE Brand: Sylvania (79624) No. LED13/BR40DIM85010YVRP2	7.196	14.39
392	2.00	EA	3920 - LAMP 13W LED A19 DIMMABLE (74437) 74685	4.80	9.60
393	2.00	EA	Brand: Sylvania No. LED12A19/DIM/O/827U RP 3930 - LAMP 15W LED BR40 DIMMABLE (79175)	9.154	18.31
394	50.00	EA	Brand: Sylvania No. LED15BR40/DIM/HO827/G4 3940 - LAMP 17W LED A21 DIMMABLE (74438)	8.138	406.92
395	50.00	EA	Brand: Sylvania No. LED16A21DIMO827U 3950 - LAMP 17W LED PAR38 DIMMABLE (78464) 78356 LED16.5 PAR38/HO/DIM/930/NFL25	22.046	1102.31

DATE: 5/26/2021

Page 48

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
396	100.00	EA	Brand: Sylvania No. LED17PAR38/PRO/930NFL25/P3 3960 - LAMP 7W LED A19 DIMMABLE (74435)	3.978	397.80
397	400.00	EA	Brand: Sylvania No. LED5.5A19DIM0827U 3970 - LAMP 1000W MH MOGUL BASE (64468)	26.655	10,662.15
398	140.00	EA	Brand: Sylvania No. M1000/U 3980 - LAMP 1500W MH HOR BURN MOGUL (64431)	32.875	4602.55
399	60.00	EA	Brand: Sylvania No. M1500/BU-HOR 3990 - LAMP 175W MH MOGUL BASE (64030)	11.386	683.17
400	100.00	EA	Brand: Sylvania No. M175/U/ED28 4000 - LAMP 250W MH MOGUL BASE (64032)	11.985	1198.46
401	100.00	EA	Brand: Sylvania No. M250/U/ED28 4010 - LAMP 400W MH MOGUL BASE (64036)	12.595	1259.54
402	100.00	EA	Brand: Sylvania No. M400/U/ED37 4020 - LAMP 400W MH BT28 MOGUL (64034)	12.231	1223.08
403	400.00	EA	Brand: Sylvania No. M400/U/ED28 4030 - LAMP 3W120V MINIATURE BAYONET (34503)	1.308	523.08
404	2,000.00	EA	Brand: Sylvania No. 120MB 4040 BULB, JAMES ZY-T81200B1XX FROSTED 4 FOOT T8 5000K 18 WATT CL	10.833	21,666.67

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			100-277V 180 BS 1930 LM DLC MUST HAVE INTERNAL DRIVER TO WORK WITHOUT BALLAST. BULB SHOULD ALSO BE ABLE TO WORK WITH T-8 BALLAST		
405	20.00	EA	4050 - TAPE, FISH, 100 FOOT Brand: Ideal No. 31056	47.973	959.47
406	2.00	EA	4060 - TAPE, FISH, 50 FOOT Brand: Ideal No. 31059	63.587	127.17
407	20.00	EA	4070 - PHOTOCONTROL, SPST 208/277V Brand: Tork No. 2104 NEW PART # 2129A	23.071	461.43
408	50.00	EA	4080 - PHOTOCONTROL, 2000W 120/277V Brand: Tork No. 2107 NEW PART # 2129A	23.071	1153.55
409	50.00	EA	4090 - PHOTOCONTROL, SPST 120V Brand: Tork No. 3000	13.386	669.29
410	2.00	EA	4100 - PHOTOCONTROL, SPST 277V W/P Brand: Tork No. 3002	16.000	32.00
411	20.00	EA	4110 - PHOTO CELL, TWIST LOCK 120-277V Brand: Tork NEW PART # No. 2007A 5237-UL	13.50	270.00
412	200.00	EA	4120 - PHOTOCELL, TWIST LOCK 480V, 1000W Brand: Tork Number: 2008B	47.729	9545.71
413	40.00	EA	4130 - MOUNTING BRACKET FOR PHOTOCELL 120-480V TLRCPTW/MTG Brand: Tork	25.10	1004.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
414	40.00	EA	Number: 2421 4140 - TIMER, DPST 120V 40A NEMA 1 Brand: Tork No. 1103 NEW PART # 1103B	97.371	3894.86
415	20.00	EA	4150 - TIMER DPST 120V 40 AMP NEMA 3R ENCLOSURE TORK 1103BPC NEW PART# 1109APC	118.714	2374.29
416	50.00	EA	4160 - TIMER ELECTRONIC TIME CLOCK Brand: Tork Number: EWZ201C	260.529	13,026.43
417	2.00	PK	4170 - TY-RAP, HD, 7 INCH INDOOR 100 PER PACKAGE Brand: Thomas & Betts No. TY525M	17.292	34.58
418	2.00	PK	4180 - TY-RAP, HD, 18 INCH INDOOR 50 PER PACKAGE Brand: Thomas & Betts No. TY5275M	9.962	19.92
419	2.00	PK	4190 - TY-RAP, HD, 14 INCH INDOOR 50 PER PACKAGE Brand: Thomas & Betts No. TY527M	22.062	44.12
420	2.00	PK	4200 - TY-RAP, HD, 30 INCH INDOOR 50 PER PACKAGE Brand: Thomas & Betts No. TY529M	36.123	72.25
421	2,000.00	PK	4210 - TY-RAP, 14 INCH OUTDOOR 100 IN A PACK Brand: Thomas & Betts No. L141200C	12.431	24,861.54
422	2.00	PK	4220 - TY-RAP, 14 INCH INDOOR 100 IN A PACK Brand: Thomas & Betts No. L141209C	10.938	21.88

DATE: 5/26/2021

Page 51

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
423	2.00	PK	4230 - TY-RAP, 14 INCH INDOOR 100 PER PACKAGE Brand: Thomas & Betts No. L14509C	5.892	11.78
424	100.00	PK	4240 - TY-RAP, 4 INCH OUTDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L4180C	1.892	189.23
425	2.00	PK	4250 - TY-RAP, 4 INCH INDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L4189C	1.677	3.35
426	2.00	PK	4260 - TY-RAP, 48 INCH OUTDOOR 50 IN A PACKAGE Brand: Thomas & Betts No. L481750L	37.154	74.31
427	2.00	PK	4270 - TY-RAP, 48 INCH INDOOR 50 IN A PACKAGE Brand: Thomas & Betts No. L481759L	24.877	49.75
428	2.00	PK	4280 - TY-RAP, 6 INCH INDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L6189C	1.80	3.60
429	6,000.00	PK	4290 - TY-RAP, 7-1/2 INCH OUTDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L7500C	3.600	21,600.00
430	2.00	PK	4300 - TY-RAP, 7-1/2 INCH INDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L7509C	2.954	5.91
431	20.00	PK	4310 - TY-RAP, 8 INCH OUTDOOR 100 IN A PACKAGE Brand: Thomas & Betts	12.954	259.08

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
432	2.00	PK	No. L81200C 4320 - TY-RAP, 8 INCH INDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L81209C	7.662	15.32
433	10.00	PK	4330 - TY-RAP, 8 INCH INDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L8189C	4.246	42.46
434	2.00	PK	4340 - TY-RAP, CABLE TIE 7.80 IN LENGTH, NYLON GRADE 6/6, BLACK, 2% CARBON FOR OUTDOOR UV RESISTANTS, .184 WIDTH, 1.75 INCH DIA BUNDLE, 50LB TENSILE STRENGTH, 100 PER 100 PER PACKAGE Brand: Thomas & Betts No. TY535MX	37.462	74.92
435	125.00	PK	4350 - TY-RAP, CABLE TIE 24 INCH LENGTH, HEAVY DUTY, BLACK OUTDOOR U.V. RESISTANT, 120 LB TENSILE STRENGTH 50 IN A PACKAGE Brand: Pico No. L24-120-0-L	13.131	1641.35
436	150.00	PK	4360 - TY-RAP, CABLE TIE 35 IN LENGTH, NYLON GRADE 6/6, BLACK, 2% CARBON FOR OUTDOOR UV RESISTANTS, STAINLESS STEEL LOCKING DEVICE, .320 WIDTH, 10IN DIA, 175LB TENSILE STRENGTH 50 IN A PACKAGE Brand: Thomas & Betts No. TY53510MX	72.269	10,840.38
437	10.00	PK	4370 - BASE, MOUNTING, ADHESIVE BACKED, PRESSURE SENSITIVE USE WITH TIES .140" WIDE MAX SIZE: 3/4" SQUARE X 3/16" HIGH BASE MATERIAL: NYLON ADHESIVE: ACRYLIC BASED FOAM TYPE 100 IN A PACKAGE Brand: Thomas & Betts No. MPNY-750A-9-C	26.892	268.92
438	20.00	PK	4380 - CRADLE, CABLE TIE MOUNTING, NATU- RAL NYLON, ADHESIVE/SCREW ATTACHMENT,	128.846	2576.92

DATE: 5/26/2021

Page 53

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			BASE 0285 IN H X 1.250 IN L X 1.000 IN W, SLOT 0.090 IN H X 0.300 IN W, PKG. 100 Brand: Thomas & Betts No. MCNY-1250-0-C		
439	2.00	EA	4390 - CEILING MOTION LIGHT AND CONTROL UNIT Brand: Hubbell No. ATU500C/CU300A	293.269	587.54
440	10.00	EA	4400 - SENSOR, OCCUPANCY TIME DELAY SELF-ADJUSTING 120/277 VOLT, WATTS AT 120 V 1800, WATTS AT 277V 4000 VA Brand: Wattstopper No. PW-100-W	87.308	873.08
441	10.00	EA	4410 - SWITCH, TIMER, PROGRAMMABLE Brand: Wattstopper No. TS-400-W	65.871	658.71
442	1,000.00	FT	4420 - BARE 6 AWG SOLID COPPER No. BARE6SDSOL	1.165	1,165.00
443	2,000.00	FT	4430 - BARE NO. 4 COPPER SOLID GROUND WIRE	1.906	3812.00
444	2.00	BG	4440 - BUSHINGS, 12/2 M/C CABLE RED DEVIL PECO 383	1.642	3.28
445	2.00	EA	4450 - CONNECTOR, MC, 1/2 INCH, 90D Brand: EGS No. AC90	0.868	1.74
446	1,000.00	EA	4460 - CONNECTOR, MC, 1/2 INCH, STR Brand: EGS No. C510	0.555	555.00
447	7,000.00	FT	4470 - CABLE, 12/2 WITH GROUND MC No. MCAL 12/2WGRNG	0.892	6244.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
448	1,000.00	FT	4480 - CABLE, 12/3 WITH GROUND MC No. MCAL 12/3WGRNG	1.574	1574.00
449	100.00	FT	4490 - CABLE, 10/3 SOOW No. 10/3SO	1.667	1666.70
450	1,000.00	FT	4500 - CABLE, 10/4 SOOW No. 10/4SO	2.217	2217.00
451	2,000.00	FT	4510 - CABLE, CORD 12/3 SOOW No. 12/3SO	1.233	2466.00
452	400.00	FT	4520 - CABLE, 12/4 SOOW No. 12/4SO	1.667	6666.80
453	4,000.00	FT	4530 - CABLE, 14/3 SOOW No. 14/3SO	1.000	4,000.00
454	2,000.00	FT	4540 - CABLE, 6/4 SOOW No. 6/4SO	3.300	6,600.00
455	500.00	FT	4550 - THHN 1/0 AWG COPPER No. THHN1/0STRBLACK	3.771	1885.50
456	50.00	SPL	4560 - THHN 10 AWG COPPER 500 FOOT SPOOL ALL COLORS ARE AVAILABLE NO. thhn10str	236.900	11,845.00
457	100.00	SPL	4570 - THHN 12 AWG COPPER 500 FOOT SPOOL ALL COLORS ARE AVAILABLE No. THHN12STR	154.908	15,490.80
458	20.00	SPL	4580 - THHN 14 AWG COPPER 500 FOOT SPOOL ALL COLORS ARE AVAILABLE	104.825	2096.50

DATE: 5/26/2021

Page 55

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134736

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			No. THHN14STR		
459	100.00	FT	4590 - THHN 1 AWG COPPER No. THHN1STRBLACK	3.575	357.50
460	300.00	FT	4600 - THHN 2/0 AWG COPPER No. THHN2/0STRBLACK	5.392	1617.60
461	1,000.00	FT	4610 - THHN 3/0 STRANDED WIRE, No. THHN3/0STRBLACK	6.805	6805.00
462	2,000.00	FT	4620 - THHN 2 AWG COPPER COLORS: BLACK, BLUE, RED, GREEN No. THHN2STR	3.197	6394.00
463	2.00	FT	4630 - THHN 300MCM AWG COPPER No. THHN300MCMSTRBLACK	11.804	23.61
464	2,000.00	FT	4640 - THHN 3 AWG COPPER No. THHN3STRBLACK	2.591	5108.00
465	1,000.00	FT	4650 - THHN 4 AWG COPPER COLORS: BLACK, GREEN No. THHN4STR	2.025	2025.00
466	15,000.00	FT	4660 - THHN 6 AWG COPPER COLORS: BLACK, WHITE, GREEN, RED No. THHN6STR	1.323	19,845.00
467	12,000.00	FT	4670 - THHN 8 AWG COPPER COLORS: BLACK, GREEN, RED, WHITE No. THHN8STR	0.86	10,320.00

LINE ITEM # 2330

Lumarl

DESCRIPTION

The Night Falcon™ LED floodlight luminaire combines high-efficiency optics, superior thermal management and energy efficiency in a cost-effective solution. The compact, robust design incorporates a separate driver compartment for maximum heat dissipation to insure longevity of both the fixture and the LEDs. The Night Falcon luminaire uses precision engineered optics delivering superior uniformity and excellent illumination to the targeted application. Typical applications include area lighting for security, building facade lighting, accent and signage lighting in both commercial and industrial applications. The Night Falcon luminaire is UL/cUL listed for wet locations and is IP66 rated.

SPECIFICATION FEATURES

Construction

Heavy-duty, die-cast aluminum housing, driver compartment and driver housing door. A separate driver compartment and external fins provide optimal thermal management that result in longer LED and driver life. The housing, driver compartment and optical chamber are IP66 rated. Access to the driver for maintenance is achieved with a removable driver door using pan head screws. A one-piece silicone gasket seals the door to the fixture housing. The fixture is 3G vibration rated (ANSI C136.31) to ensure durability in area and site lighting applications. Suitable for mounting within 4' (1.2m) of the ground.

Optics

The LED chamber incorporates a vacuum metalized reflector that provides high-efficiency illumination. Optics are precisely designed to shape the the NEMA 6H x 6V wide distribution and the 3H x 3V spot distribution, maximizing efficiency and application spacing. Clear glass tempered lens with full circumference form-in-place silicone gasket protects the optics from damage. Offered standard in 4000K (+/- 275K) CCT and minimum 70 CRI. Optional 5700K, 5000K and 3000K CCT and minimum 70 CRI are available.

Electrical

LED driver is mounted to the removable die-cast aluminum door for optimal heat sinking and ease of maintenance. 120-277V 50/60Hz, 347V 60Hz or 480V 60Hz operation. Integral 6kV surge is standard. 10kV/10kA common- and differential- mode surge protection available as an option. 0-10V dimming driver is available to accommodate controls capability such as dimming and occupancy. Standard NEMA 3-PIN twistlock photocontrol receptacle and NEMA 7-PIN twistlock photocontrol receptacles are available as options. Suitable for ambient temperatures from -40°C to 40°C. Optional 50°C HA (high ambient) available. 92% lumen maintenance greater than 60,000 hours per IESNA TM-21 at 25°C.

Accessories

Heavy-duty steel top and side visors control glare and spill light. 1/8" thick UV stabilized vandal guard shields glass lens from impact when mounted at low levels. Easy to install wire guard features a heavy-gauge welded construction with corrosion resistant polyester powder coat finish to protect glass from projected objects.

Mounting


Mounting options include an integral die-cast aluminum slipfitter that is preset to a tilt of 45°. The knuckle base is supplied with a tooth lock adjustment that can be adjusted in 5° increments to provide flexibility in aiming the fixture from a variety of surfaces. Visual 15° adjustment indicators on the knuckle allow for 180° field rotation of the floodlight assembly. The slipfitter fits standard 2-3/8"-3" O.D. tenon. The trunnion mounting includes a 3/16" polyester powder coated galvanized steel trunnion with a 16/3 SOW cord. The trunnion mount uses an interlocking slide adjustment that is locked into place with a set screw.

Finish

Housing and cast parts finished in five-stage super TGIC polyester powder coat paint, 2.5 mil nominal thickness for superior protection against fade and wear. Standard color is carbon bronze. Additional colors available in summit white, white, grey, bronze, black, dark platinum and graphite metallic. Consult your lighting representative at Cooper Lighting Solutions for a complete selection of standard colors.

Warranty

Five-year warranty.



NFFLC NIGHT FALCON

Solid State LE

FLOODLIGHT



CERTIFICATION DATA

UL/cUL Wet Location Listed
IP66 Fixture and Optical Chamber
LM79/LM80 Compliant
3G Vibration Rated
RoHS Compliant
DesignLights Consortium® Qualified*

ENERGY DATA

Electronic LED Driver

> 0.9 Power Factor
< 20% Total Harmonic Distortion
120V 50/60Hz, 347V/60Hz and 480V/60Hz
-40°C Minimum Ambient Temperature Rating
+40°C Maximum Ambient Temperature Rating

EPA


Effective Projected Area (Sq. Ft.): 1.25

SHIPPING DATA


Approximate Net Weight:
20 lbs. (9.09 kgs.)

DIMENSIONS


Slipfitter Mount



Trunnion Mount



Yoke Mount



POWER AND LUMENS

	6x6				3x3			
C25 LED	NFFLD-C25	NFFLD-C25-7030	NFFLD-C25-7050	NFFLD-C25-7060	NFFLD-C25	NFFLD-C25-7030	NFFLD-C25-7050	NFFLD-C25-7060
Delivered Lumens	10,530	10,122	10,383	10,217	10,272	9,874	10,128	9,967
CCT (Kelvin)	4000K	3000K	5000K	5700K	4000K	3000K	5000K	5700K
CRI (Color Rendering Index)	70	70	70	70	70	70	70	70
Power Consumption (Watts)	85W	85W	85W	85W	93W	93W	93W	93W
C40 LED	NFFLD-C40	NFFLD-C40-7030	NFFLD-C40-7050	NFFLD-C40-7060	NFFLD-C40	NFFLD-C40-7030	NFFLD-C40-7050	NFFLD-C40-7060
Delivered Lumens	16,932	16,268	16,686	16,421	14,113	13,567	13,916	13,694
CCT (Kelvin)	4000K	3000K	5000K	5700K	4000K	3000K	5000K	5700K
CRI (Color Rendering Index)	70	70	70	70	70	70	70	70
Power Consumption (Watts)	128W	128W	128W	128W	143W	143W	143W	143W
C55 LED	NFFLD-C55	NFFLD-C55-7030	NFFLD-C55-7050	NFFLD-C55-7060				
Delivered Lumens	19,943	19,407	20,144	20,285				
CCT (Kelvin)	4000K	3000K	5000K	5700K				
CRI (Color Rendering Index)	70	70	70	70				
Power Consumption (Watts)	145W	145W	145W	145W				
C70 LED	NFFLD-C70	NFFLD-C70-7030	NFFLD-C70-7050	NFFLD-C70-7060				
Delivered Lumens	23,797	23,157	24,037	24,205				
CCT (Kelvin)	4000K	3000K	5000K	5700K				
CRI (Color Rendering Index)	70	70	70	70				
Power Consumption (Watts)	184W	184W	184W	184W				

CURRENT DRAW







Voltage (V)	Model Series					
	6x6				3x3	
	NFFLD-C25	NFFLD-C40	NFFLD-C55	NFFLD-C70	NFFLD-C25	NFFLD-C40
	Current (A)	Current (A)	Current (A)	Current (A)	Current (A)	Current (A)
120V	0.708	1.070	1.2299	1.5695	0.778	1.190
277V	0.340	0.465	0.535	0.6726	0.340	0.531
347V	0.251	0.377	0.4213	0.5334	0.271	0.419
480V	0.195	0.273	0.3044	0.3831	0.207	0.320

LUMEN MAINTENANCE

Ambient Temperature	TM-21 Lumen Maintenance (60,000 Hours)	Theoretical L70 (Hours)
6H x 6V (Wide)		
25°C	> 94.55%	> 388,000
40°C	> 93.58%	> 327,000
50°C	--	--
3H x 3V (Spot)		
25°C	>92.18%	>262,000
40°C	>91.81%	>249,000

LUMEN MULTIPLIER

Ambient Temperature	Lumen Multiplier
10°C	1.03
15°C	1.02
25°C	1.00
40°C	0.97
50°C	0.96

DRILLING PATTERNS**Trunnion Mount****Yoke Mount****OPTIONAL INTEGRATED SENSOR****ACCESSORIES****Top and Side Visors****Wire Guard****Vandal Shield****CONTROL OPTIONS****0-10V (D)**

This fixture is offered standard with 0-10V dimming driver(s). The DIM option provides 0-10V dimming wire leads for use with a lighting control panel or other control method.



Photocontrol (PER and PER7)

Photocontrol receptacles (PER and PER7) provide a flexible solution to enable "dusk-to-dawn" lighting by sensing light levels. Advanced control systems compatible with NEMA 7-pin standards can be utilized with the PER7 receptacle.

Dimming Occupancy Sensor (MSP/DIM-LXX and MSP-LXX)

These sensors are factory installed in the luminaire housing. When the MSP/DIM-LXX sensor option is selected, the occupancy sensor is connected to a dimming driver and the entire luminaire dims when there is no activity detected. When activity is detected, the luminaire returns to full light output. The MSP/DIM sensor is factory preset to dim down to approximately 50 percent power with a time delay of five minutes. The MSP-LXX sensor is factory preset to turn the luminaire off after five minutes of no activity.

These occupancy sensors includes an integral photocell that can be activated with the ISHH-01 accessory for "dusk-to-dawn" control or daylight harvesting -- the factory preset is OFF. The ISHH-01 is a wireless tool utilized for changing the dimming level, time delay, sensitivity and other parameters. A variety of sensor lens are available to optimize the coverage pattern for mounting heights from 8'-30'.

**WaveLinx Wireless Outdoor Lighting Control Module (WOLC-7P-10A)**

The 7-pin wireless outdoor lighting control module enables WaveLinx to control outdoor area, site and flood lighting. WaveLinx controls outdoor lighting using schedules to provide ON, OFF and dimming controls based on astronomic or time schedules based on a 7 day week.

ORDERING INFORMATION

Sample Number: NFFLD-C40-E-UNV-66-S-CB-PER

Product Family ¹	Light Engine ²	Driver ³	Voltage	Distribution	Mounting	Color
NFFLD=Night Falcon LED Floodlight	C25=10,500 Nominal Lumens C40=16,900 Nominal Lumens C55=20,000 Nominal Lumens C70=24,000 Nominal Lumens	E=Non-Dimming D=Dimming (0-10V)	UNV=120-277V 347=347V ⁴ 480=480V ⁴	66=NEMA 6H x 6V Wide 33=NEMA 3H x 3V Spot ⁵	S=Slipfitter ⁶ T=Trunnion Y=Yoke	CB=Carbon Bronze (Standard) BK=Black BZ=Bronze AP=Grey WH=White WHT=Summit White DP=Dark Platinum GM=Graphite Metallic
Options (Add as Suffix)				Accessories (Order Separately) ¹²		
7030=70 CRI / 3000K ⁷ 7050=70 CRI / 5000K ⁷ 7060=70 CRI / 5700K ⁷ PER=NEMA 3-PIN Twistlock Photocontrol Receptacle PER7=NEMA 7-PIN Twistlock Photocontrol Receptacle ⁸ 10K=10kV/10kA UL 1449 Surge Protective Device D10=External 0-10V Dimming Leads ⁹ HA=50°C High Ambient Temperature ⁹ MSP/DIM-L12=Integrated Sensor for Dimming Operation, 8' - 12' Mounting Height ^{10, 11} MSP/DIM-L30=Integrated Sensor for Dimming Operation, 12' - 30' Mounting Height ^{10, 11} MSP-L12=Integrated Sensor for ON/OFF Operation, 8' - 12' Mounting Height ^{10, 11} MSP-L30=Integrated Sensor for ON/OFF Operation, 12' - 30' Mounting Height ^{10, 11}				FA63=3" O.D. Surface Mount Bracket ¹³ OA1223=10kV/10kA UL 1449 Surge Protective Device Replacement OA/RA1013=Photocontrol Shorting Cap OA/RA1014=NEMA Photocontrol - 120V OA/RA1016=NEMA Photocontrol - Multi-Tap OA/RA1027=NEMA Photocontrol - 480V OA/RA1201=NEMA Photocontrol - 347V RAB-XX=Right Angle Pipe Bracket for Slipfitter SAB-XX=Steel Angle Bracket for Trunnion TYS-XX=Slipfitter Adapter for 2-3/8", 3" or 3-1/2" O.D. Tenon ¹⁴ TS2/NFFLD-XX=Top and Side Visors ¹⁵ VS/NFFLD=Vandal Shield ¹⁵ WG/NFFLD=Wire Guard ¹⁵ ISHH-01=Integrated Sensor Programming Remote WOLC-7P-10A=WaveLinx Outdoor Control Module (7-pin) ¹⁶		

NOTES:

- DesignLights Consortium¹ Qualified. Refer to www.designlights.org Qualified Products List under Family Models for details.
- Standard 4000K CCT and minimum 70 CRI. Consult IES file for actual lumen output.
- Consult factory for driver surge protection values.
- Not recommended for use with ungrounded, delta configured systems.
- Only available in C25 and C40 light engines.
- Fits 2-3/8" to 3" O.D. tenon, wire leads run through slipfitter.
- Extended lead times apply. Use dedicated IES files for 3000K and 5700K when performing layouts. These files are published on the Night Falcon luminaire product page on the website.
- Must order with dimming driver.
- Not available with 3H x 3V spot distribution.
- 0-10V dimming driver required. Integrated sensor option only available in slipfitter mounting.
- Not available with Photocontrol.
- Replace XX with color designation. Additional brackets and adaptors available on the poles product page on the website.
- Not available with tenon mount.
- Not available with slipfitter mount.
- Cannot combine TS2 (Top and Side Visor), VS (Vandal Shield), or WG (Wire Guard), limited to one external guard per fixture.
- Requires 7-pin NEMA twistlock photocontrol receptacle. The WOLC-7 cannot be used in conjunction with additional sensors or controls.

STOCK ORDERING INFORMATION

Stock Sample Number: NFFLD-C40-S

Series	Light Engine	Mounting	Voltage
NFFLD=Night Falcon	C25=10,500 Nominal Lumens C40=16,900 Nominal Lumens	S=Slipfitter T=Trunnion	[BLANK]=120-277V 347=347V

NOTES: Options not available with stock products. Order accessories as separate items for field installation. Refer to standard ordering information to add options. Refer to In-Stock Guide for availability. Stock fixture is 4000K, non-dimming, 120-277V or 347V 6Hx6V, carbon bronze only.

LINE # 2340

Sure-Lites

DESCRIPTION

The Sure-Lites Emergency Light SELM series is designed to reduce egress system cost and maintenance as well as improve reliability. Key features include long life LED's, proprietary adjustable accuLED optics, a nickel cadmium battery and a rugged sheet metal housing. SELM is available with two or three 300 lumen heads that create up to 80 feet of emergency egress coverage. The Patented external battery disconnect and EZ Hang features reduce installation time and cost. The self-diagnostic capability automatically performs NFPA required testing. This product is City of Chicago compliant and New York City compliant.

SPECIFICATION FEATURES

ELECTRICAL

- Dual Voltage Input
120/277 VAC, 60Hz
- EZ Key external battery disconnect
- Brownout circuit
- Low-voltage disconnect
- Overload / Short Circuit protection
- 4.8V Battery back-up
- Minimum 90 minute runtime
- LED source with 300 lumens of output
- Self-diagnostics standard with Laser test capability

- 20 gauge sheet metal housing
- White finish
- Universal J-box mounting pattern
- Keyhole mounting slots
- Knockouts for conduit entry

BATTERY

- Sealed Nickel Cadmium
- Full Recharge Time, 24 hours (max.)
- 0° to 40°C (32° to 104°F)

WARRANTY

- Five-year fixture warranty
- Prorated seven-year battery warranty

CODE COMPLIANCE



- UL924 Listed
- Damp Location
- Life Safety NFPA 101
- NEC/OSHA
- Most State & Local Codes
- City of Chicago Compliant
- NYC Compliant
- California Energy Code Compliant

HOUSING CONSTRUCTION


HOW TO SPECIFY

Sure-Lites LED emergency light with nickel cadmium battery, EZ Key external battery disconnect, EZ Hang installation, adjustable optics, 300 Lumens/per head, up to 80 feet of emergency egress coverage, sheet metal housing with self-diagnostics, and four watts of remote capacity.

DIMENSIONS



SELM60R4SD



SELM80SD

SELM Emergency Light

**LED Emergency Light
Metal Housing
Adjustable Optic
SELM
Remote Capacity**

**City of Chicago Compliant
New York City Compliant**

ORDERING INFORMATION

SAMPLE NUMBER: SELM60R4SD

Series	Housing	Spacing	Remote Capacity	Self-Diagnostics
SEL= LED Emergency Light	M=Sheet Metal	60=60 Feet	R4=4 Watts	SD=Self-Diagnostics (Standard)

SAMPLE NUMBER: SELM80SD

Series	Housing	Spacing	Self-Diagnostics
SEL= LED Emergency Light	M=Sheet Metal	80 = 80 feet	SD=Self-Diagnostics (Standard)

SAMPLE NUMBER: SELMR13SD

Series	Housing	Spacing	Remote Capacity	Self-Diagnostics
SEL= LED Emergency Light	M=Sheet Metal	NA	R13=13 Watts	SD=Self-Diagnostics (Standard)



T20 Certified to California Title 20 Appliance Database

ENERGY DATA

	Input Power	Current
120V	1.7W	.25A
277V	1.6W	.21A

Emergency Egress Coverage; fixture spacing					
Catalog Number	Output Lumens	0.1fc minimum		1fc minimum	
		7.5 foot height	20 foot height	7.5 foot height	20 foot height
SELM60	2x309	60 feet	52 feet	24 feet	30 feet
SELM80	3x309	80 feet	60 feet	35 feet	36 feet

TECHNICAL DATA

LED Heads

All metal formed aluminum lampheads. The die cast metal three dimensional swivel assembly permits approximate aiming adjustment from 80° vertical and 358° rotation. The placement is secured with a lockable pivot mounted on a rotating base ring.

Housing

The rugged 20-gauge die-formed cold rolled steel housing is finished with white corrosion resistant polyester powder coat paint. Cabinet has keyhole mounting slots and knockouts in rear and side for wiring connections and has universal mounting pattern.

SELMR13SD

The SELM series also features a headless version with 13 watts of remote capacity. This enables maximum design flexibility for indoor and outdoor egress.

EZ Key – External Power Disconnect

Prevents the battery from cycling during the construction phase and ensures battery is not drained from power cycling.

Low-Voltage Disconnect

The low-voltage circuitry disconnects the lighting load to protect the battery after run times in excess of the 90-minute UL limit. The disconnect remains in effect until normal utility power is restored preventing deep battery discharge.

Self-Diagnostics

The self-diagnostic software will automatically perform all tests required by UL924, and NFPA101. The system indicates the status of the emergency light at all times using the LED indicator. A 90 minute battery power (emergency mode) simulation test will occur once every 12 months. A 30 second battery power simulation test will occur every 30 days.


The Solid-State microprocessor based system has the ability to accurately detect and warn of system failures, plus it incorporates all of the standard electronic features that sets Sure-Lites apart from its competition. Self diagnostic software automatically performs all testing required by the NFPA 101 Life Safety Code and systematically calibrates itself in the field, reducing installation labor and eliminating manual calibration errors.

Brownout Circuit


The brownout circuit on the SELM series emergency light monitors the flow of AC current to the unit and activates the emergency light heads when a predetermined reduction of AC power occurs.

Warranty


The SELM series is backed by a five-year warranty on the fixtures.



EZ Key



EZ Hang



Laser tester

Part Number = LASER
(sold separately)



REMOTE CAPACITY

SEL Series Remotes

		Single Head Remotes			Double Head Remotes		
		SRP/SRM13	SRP/SRM25	SRP/SRM30	SRP25D/SRM25D	SRP50D/SRM50D	SRP60D/SRM60D
Watts Consumed		1.25	2.5	4.1	2.5	5	8.2
Catalog number	Remote Watts Available	# of SRP/SRM13 remotes fixture will power	# of SRP/SRM25 remotes fixture will power	# of SRP/SRM30 remotes fixture will power	# of SRP25D/SRM25D remotes fixture will power	# of SRP50D/SRM50D remotes fixture will power	# of SRP60D/SRM60D remotes fixture will power
SELM60R4SD	4	3	1	NA	1	NA	NA
SELMR13SD	13	10	5	3	5	2	1


PHOTOMETRY

SELM60R4SD



X	Y	Z	Orient	Tilt
-0.25	0.5	7.5	170	57
0.25	0.5	7.5	10	57
120.25	0.5	7.5	10	57
119.75	0.5	7.5	170	57
59.75	0.5	7.5	170	57
60.25	0.5	7.5	10	57
180.25	0.5	7.5	10	57
179.75	0.5	7.5	170	57

SELM80SD



X	Y	Z	Orient	Tilt
-0.8	0.8	7.5	173.35	63.7
0	0.8	7.5	13.69	67.5
0.8	0.8	7.5	6.14	68.1
79.2	0.8	7.5	173.35	63.7
80	0.8	7.5	13.69	67.5
80.8	0.8	7.5	6.14	68.1

***The "Rule of Thumb" spacing guidelines are designed to achieve 1 foot-candle average and 0.1 foot-candle minimum with a 40:1 maximum/minimum ratio. The corridor used is 100 feet long, 9 foot ceiling with a 6 foot wide walkway and 3 foot path of egress. The reflectances are 80% ceiling, 50% walls and 20% floors. The fixture mounting height is 7.5 feet. Cooper Lighting Solutions assumes no responsibility for local requirements or specific project variables. This is a guideline to be used as a design aid, not as guarantee of any code compliance.

SELF-DIAGNOSTIC TESTING OPERATION

The Sure-Lites Self-Diagnostics is continuously monitoring your emergency fixture, and will signal any failure through the 3 color indicator LED.

Initial Operation:

When the unit is first powered up it will go into a 24 hour fast charge and the indicator LED will pulse green. Once the unit has fully charged it will perform a self calibration. After self calibration, the LED will change to steady green indicating the unit is fully charged and float charging the battery to maintain readiness.

Automatic Testing:

The unit will perform a battery capacity, lamp/LED, and charge circuit test every 30 days for 30 seconds. During this time, the indicator LED will change to a steady yellow. It will perform a full battery capacity (90 minute) test once per year. During this time, the indicator LED will change to a blinking yellow.

Manual Testing:

- 10 Second "Installation" test – Press and release the test button once during fast charge (blinking green) to initiate a 10 second quick test. The sign will switch to emergency mode for 10 seconds allowing the installer to verify proper installation of the unit, and the LED indicator will turn solid yellow.
- 30 Second Test - Press and release the test button once during float charge (steady green). The indicator LED will turn steady yellow to indicate the unit is performing a 30 second test of the batteries and lamps/LEDs.
- 90 Minute Test - Press and release the test button a second time during a 30 second test (steady yellow) to change to a 90 minute test. During this test, the LED indicator will change to blinking yellow, and the circuit will perform a full battery capacity, charge circuit, and LED test.
- Canceling Test – Press and release the test button during the 90 minute test (flashing yellow) to return the fixture to its original state (fast charge or float charge)

Laser Test:

The SEL SD products are equipped with a Laser Test function that allows the unit to be manually tested without the need to physically press the test button. Shining a laser pointer in the hole marked "LASER TEST" on the bottom of the unit has the same effect as a press and release of the test button.

Clearing Failure Codes:

- A battery failure (LED two blink red) can be cleared by replacing the battery. Disconnecting the battery and AC power, or performing a full 90 minute discharge will reset the error code, however, it will return if the battery is faulty
- Charge Circuit (LED three blink red) and lamp/LED failure (LED four blink red) will clear when the unit successfully passes a manual or automatic 30 second test.


SELF-DIAGNOSTIC TESTING OPERATIONS

Indicators:

- LED Off - No power to unit, emergency mode.
- LED Steady Green - Unit is fully charged and is float charging the battery to maintain readiness.
- LED Green Pulse - Unit is in a 24 hour fast charge of the battery.
- LED Two Blink Red - Battery has failed a capacity test, or the battery is disconnected. See "Clearing Failure Codes" above.
- LED Three Blink Red - Battery charge circuit has failed. See "Clearing Failure Codes" above.
- LED Four Blink Red - Lamps have burned out, or on an EXIT/Combo, 50% or more of the LEDs have failed. See "Clearing Failure Codes" above.
- LED Steady Yellow - 30 second test or 10 second quick test (Fast Charge only).
- LED Blinking Yellow - 90 minute test.

Maintenance:

None required. Replace the batteries as needed according to ambient conditions. However, we recommend that the equipment be tested regularly in accordance with local codes.



LINE # 23600

Sure-Lite

DESCRIPTION

When AC power fails, the Sure-Lites Emergency Battery Pack LED (EBP) automatically switches to emergency mode. The EBP maintains illumination of an LED fixture for a minimum of 90 minutes. The product line is UL924 classified for field retrofit installation and has guaranteed compatibility with Cooper Lighting Solutions LED fixtures with accessible LED drivers. The constant power feature ensures consistent light output of the fixture for 90 minutes minimum. The EZ Key and laser test features simplify maintenance and installation. These products are not for use with sealed and gasketed fixtures.

Catalog #		Type
Project		
Comments		Date
Prepared by		

SPECIFICATION FEATURES

ELECTRONIC

- Universal voltage input 120 through 277 VAC, 50/60Hz
- Constant power output of 7 Watts or 14 Watts depending on model
- Automatically senses voltage required within these ranges: EBPLED7W from 8 V to 55 V EBPLED7W-3H from 16 V to 55 V EBPLED14W from 16 V to 55 V
- Low-voltage disconnect to protect battery life
- Test Button/Indicator Light/laser test/external battery disconnect
- 0°C to 55°C operation

CONSTRUCTION

- Steel housing
- EBPLED7W = 10.06 inches
- EBPLED14W = 14.56 inches
- Plenum rated test button cable
- Lead wires and 24" flexible metallic conduit provided

BATTERY

- Sealed Nickel Cadmium
- Maintenance-free, Long-life
- Full Recharge Time, 24 hours (max.)

- 90 minute run time EBPLED7W/ EBPLED14W
- 180 minute run time EBPLED7W-3H

WARRANTY

- Five-year warranty

CODE COMPLIANCE

- UL 924 Classified
- Life Safety NFPA 101
- NEC/OSHA
- Most State and Local Codes
- California Energy Code


T20 Certified to California Title 20 Appliance Database

HOW TO SPECIFY


Sure-Lites LED field installable emergency battery back with automatic voltage sensing, constant wattage output, external battery disconnect, laser test capability and nickel cadmium battery.

DIMENSIONS

EBPLED7W




EBPLED14W / EBPLED7W-3H




ORDERING INFORMATION

SAMPLE NUMBER: EBPLED7W


Series	Output	Run time
EBPLED= LED Emergency Battery Pack	7W=7 Watt	_=90 minute -3H=180 minute
	14W=14 Watt	_=90 minute



EBPLED7W



EBPLED14W



EBPLED7W-3H

**EBPLED
Emergency Battery
Packs**

LED

Sure-Lites

EBPLED Series

TECHNICAL DATA

Universal Voltage Charger

Unit is supplied with a constant current, switch mode charging circuit which automatically detects the voltage level of the AC input (120V through 277V) and adjusts accordingly. This simplifies and mistake proof's the wiring.

Automatic Switching

The switching circuitry is designed to detect an absence of AC power and automatically switch into emergency operation. Upon restoration of AC power the lamps will automatically switch back to operating from the AC ballast.

Automatic detection of LED load forward voltage

Unit detects the LED forward voltage required (from 8V to 55V for 7W unit, 16V to 55V for 14W unit) and adjusts output current to provide constant wattage to the fixture, ensuring compatibility with a wide range of LED fixtures.

Constant Wattage Output

Unit provides constant power which ensures a consistent illumination while in emergency mode. Fixture lumen output is easily calculated by multiplying the unit wattage by the fixture efficacy (ie lumens/watt) from DLC data.

www.designlights.org

Example:

EBPLED	= 14W
DLC EFF	= 100 lumens/watt
EM Lumens	= 14W x 100 lumens/watt
	= 1400 lumens

Test Button/Indicator Light

Simulates interruption of AC power and illuminates LED fixture. LED charge indicator light indicates battery charger operation.

Laser Test

Enables remote testing by utilizing a laser pointer to simulate AC power loss and engagement of emergency operation. Can be mechanically activated by pushing the button or by optically activating with a laser tester.

EZ Key External Battery Disconnect

Prevents the battery from cycling during the construction phase and ensures a full battery charge for C.O. inspection.

Battery


High temperature nickel cadmium battery pack is standard.

Warranty


All Sure-Lites EBP products are backed by a firm five-year warranty against defects in material and workmanship.

FEMA Requirement


EBP7W-3H provides a 3 hour run time to meet and exceed the FEMA tornado safe room requirement of two hours of operation.



EZ key




Test button



Laser tester

Part Number = LASER
(sold separately)

WIRING DIAGRAM



Cooper Lighting Solutions is a registered trademark.

All other trademarks are property of their respective owners.

Product availability,

1/23/2018

Product Details

LINE ITEM #
3450

**IMAGE
COMING
SOON**

Product 75304
Number:

Order QTP2X40T12UNVRS-SC
Abbreviation:

General 2-lamp,Rapid Start electronic ballast for 4 ft. T12, universal input voltage lamp,
Description: 4 pack

*** Full Case Required**

Product Information

Abbrev. With Packaging Info.

QTP2X40T12UNVRSSC 4/CS 1/SKU

Family Brand Name

QUICKTRONIC

Nominal Voltage (V)

120.00

Total Maximum Wattage

71

Quick Search

Search

[Exit](#)[MY ORDERS](#)[PRODUCT CATALOG](#)[SEARCH CATALOG](#)[Browse Catalog](#)

MICROMINI

[Previous Page](#)**Packaging Information**

Product Number: 26371
Order Abbreviation: CF13ELSPIRAL827 18/CS
3/SKU
General Description: T2 13W Compact
Fluorescent Full Half
Spiral with integral 120V
ballast medium screw
base, color temperature
2700K 80 CRI, 10,000 life

Description

SKU Qty
SKU's/Case
Case Qty
Case Length (in)
Case Width (in)
Case Depth (in)
Case Cube (ft)
Case Weight (lbs)
SKU UPC
Pallet Qty
SKU's/Pallet
Cases/Pallet

Information

3
6
18
12.126
5.752
4.791
0.193
2.749
046135263712
4320
1440
240

Please note: Case dimensions are outside dimensions.

LINE ITEM
3630

LINE ITEM # 3890



LED Elevator Lamps


LED

25,000 Hours average rated life, 12 Volts

Applications:


+ Low Voltage Elevator Lighting

Replaces 20 watt 1383 and GBF incandescent lamps.



Features and Benefits


- **Energy Efficient:** 90% less energy than standard incandescent replacements
- **Long life:** 25,000 hours (lasts at least 15 times longer than alternative)
- **More Light:** More overall light output compared to incandescent
- **Very Durable:** Solid state lighting technology significantly reduces lighting service & maintenance due to robust lighting design. LEDs perform exceptionally well in rough service lighting applications.
- Exceptional ON/OFF cycling capability that is compatible with occupancy control systems
- Very low heat generation in cab as compared to incandescent lamps.
- No need for shatter resistant coatings. Polycarbonate lens is shatter resistant.



Catalog Number

Notes

Type



Specifications

Input Line Voltage: 12V VAC/DC
 Input Power..... 2W
 Input Line Frequency 50/60HZ
 Lamp Life (Rated)..... 25,000 hrs
 Minimum Starting Temp..... -20°C
 Maximum Operating Temp..... 40°C
 CCT 2700K
 CRI 80

Warranties and Certifications:	Item #	Description	Wattage	Lumens	Base Type	CRI	Lamp Life	Voltage	CCT
3 YEAR WARRANTY 	LED2W1383V2	2W 1383 Elevator Lamp - 2700K, Frosted	2	150	BA15S	80	25,000	12V	2700K
	LED2WGBFV2	2W GBF Elevator Lamp - 2700K, Frosted	2	150	BA15D	80	25,000	12V	2700K
For the most up-to-date specs, please visit www.tcp.com									

5/10/2021

Product Details

LINE #
3900



Product Number: 74687

Order Abbreviation: LED9A19DIMO827URP

General Description: LED A19, 9W, Dimmable, 80CRI, 800 Lumen, 2700K, 15000 Life, E26 Medium Base, FROSTED Finish
Price:

Quantity:

1
EA

* Full Case Required * Not for Sale/Purchase in California

Product Information

Life Time (L70)	15000
Operating Temperature (°C)	-20 to +45
Dimming	Yes
Abbrev. With Packaging Info.	LED9A19DIMO827URP 6/CS 1/SKU
Average Rated Life (hr)	15000
Base	E26 Medium
Bulb	A19
Family Brand Name	ULTRA
Color Temperature/CCT (K)	2700
Color Rendering Index (CRI)	80
Lumens	800
Approx. Lumens	800
Nominal Voltage (V)	120.00
Nominal Wattage (W)	9.00
Language Strategy	ENGLISH/FRENCH/SPANISH
Ordering Abbreviation	LED9A19DIMO827URP
UPC Code	UPC046135746871
Lamp Finish	Frosted

5/10/2021

Product Details

LINE #
3920



Product Number: 74685

Order Abbreviation: LED12A19DIMO827URP

General Description: LED A19, 12W, Dimmable, 80CRI, 1100 Lumen, 2700K, 15000 Life, E26 Medium Base.
Price: FROSTED Finish

Quantity:

1

EA

* Full Case Required * Not for Sale/Purchase in California

Product Information

Life Time (L70)	15000
Operating Temperature (°C)	-20 to +45
Dimming	Yes
Abbrev. With Packaging Info.	LED12A19DIMO827URP 6/CS 1/SKU
Average Rated Life (hr)	15000
Base	E26 Medium
Bulb	A19
Family Brand Name	ULTRA
Color Temperature/CCT (K)	2700
Color Rendering Index (CRI)	80
Lumens	1100
Approx. Lumens	1100
Nominal Voltage (V)	120.00
Nominal Wattage (W)	12.00
Language Strategy	ENGLISH/FRENCH/SPANISH
Ordering Abbreviation	LED12A19DIMO827URP
UPC Code	UPC046135746857
Lamp Finish	Frosted

5/10/2021

Product Details

LINE #
3950

**Product
Number:** 78356

**Order
Abbreviation:** LED16.5PAR38/HD/DIM/930/NFL25

**General
Description:** LED PAR38, 16.5W, Dimmable, 91CRI, 1350 Lumen, 3000K, 25000 life
Price: 14.33 USD



Quantity: 1
EA



Product Information

Centerbeam Candlepower (cp)	5800
Life Time (L70)	25000
Dimming	Yes
Abbrev. With Packaging Info.	LED16.5PAR38HDDIM930NFL25 6/CS 1/SKU
Average Rated Life (hr)	25000
Base	Medium
Bulb	PAR38
Family Brand Name	Renaissance?
Color Temperature/CCT (K)	3000
Color Rendering Index (CRI)	91
Lumens	1350
Approx. Lumens	1350
Nominal Voltage (V)	120.00
Nominal Wattage (W)	16.50
Language Strategy	ENGLISH/FRENCH/SPANISH
Ordering Abbreviation	LED16.5PAR38/HD/DIM/930/NFL25
UPC Code	UPC046135783562
Lamp Finish	not relevant

TORK[®] nsi INDUSTRIES

SPECIFICATION SHEET

LINE #

4070 +

4080

Project Info:	Type:
Job Ref:	Catalog Number:
Approvals:	Date:

2129A

Specification Grade 1/2" Conduit Mount Die Cast Zinc.



Applications


- Parking lots.
- Building perimeter lighting.
- Outdoor signage.

FEATURES

- **Sensor:** Filtered IR non-drifting silicon sensor designed for human eye response.
- **Operation:** On and Off 1.5fc instant/ 2.2fc 2-5 second delay.
- **Standards:** Meets ANSI/UL773A.
- **Housing:** Heavy Duty die cast zinc housing and base. Gasketed for maximum weather protection
- **Energy Savings:** Works with CFL, LED.
- **Surge Protection:** 190 joules MOV

SPECIFICATIONS

- **Voltage:** 120/208-277.
- **Tungsten:** 2000W/3470-4620W.
- **Ballast:** 1800VA/2080-2770VA.
- **LED:** 600VA/1040-1385VA.
- **Turn ON/OFF Light Level:** Turn on is 1 to 5fc, Turn OFF is 3 to 15fc, without the slide in position. ON/OFF adjustment is easily made by moving slide cover no tool required.
- **Time Delay:** ON and Off.
- **Operating Temperature:** -40°F to 158°F (-40°C to 70°C).
- **Fail Mode:** ON.
- **Power Consumption:** 1 Watt.



2129A

1/2" Conduit Mount Specification Grade, Die Cast Zinc

REGULATORY LISTINGS

- ANSI
- UL773A

LIMITED WARRANTY

- 5-year manufacturer's warranty

TORK[®] nsi INDUSTRIES

SPECIFICATION SHEET

LINE
4110

Project Info:	Type:
Job Ref:	Catalog Number:
Approvals:	Date:

5200-UL ELECTRONIC SERIES

Electronic Instant Response LED Photocontrol



OVERVIEW

The 5200-UL Electronic Series Photocontrol is designed to meet local utility standards for street and highway LED luminaires.

APPLICATIONS & FEATURES

- All LED, CFL, Induction, HPS and HID lighting fixtures requiring instant response dusk-to-dawn control.
- Ideal for roadway, area, parking, flood and security type lighting fixtures.
- Enhanced 360 Joule MOV surge device provides protection against unpredictable line voltage spikes.
- Superior light sensing technology driven by a Non-Drifting Filtered Silicon Sensor designed for extreme accuracy and Human Eye Response.
- Circuit Board protection enhanced with conformal coating to protect against extreme weather elements and moisture.
- Long life components exceeding the 20 year long life requirement found on most LED fixtures.
- Life testing results exceed 10,000 ON/OFF operations.


SPECIFICATIONS

- **Voltage:** 105-305VAC, 50/60Hz.
- **Tungsten:** 1000 Watts.
- **Ballast:** 1800VA (U.S.) or 1000VA (Canada).
- **LED Electronic Ballast:** 4A or Totaling 1000W@277VAC.
- **Dielectric Strength:** 2500VAC.
- **Turn ON Light Level:** 1.5 fc +/- 0.2 fc Instant ON.
- **Turn OFF light Level:** 1.5:1 (2.25 fc) with 2-5 second delay.
- **Operating Temperature:** -40°F to 158°F (-40°C to 70°C).
- **Fail Mode:** ON.
- **Surge Protection:** 360 Joule MOV.
- **Power Consumption:** <.5 Watts.



5237-UL
Electronic LED Photocontrol Mounting Turn-Lock

DIMENSIONS



REGULATORY LISTINGS

- ANSI C136.10-2010
- UL773 & CSA TIL A15



LIMITED WARRANTY

- 8-year manufacture's warranty

ORDERING INFO

5237-UL PHOTOCONTROL

TECHNOLOGY & TYPE		VOLTAGE	COVER COLOR	TURN-ON LEVEL (fc)	FAIL MODE	MOV RATING	TUNGSTEN/BALLAST	LED RATING
5237-UL	ELECTRONIC TURN-LOCK	105-305VAC	BLUE	1.5 ANSI STD.	ON	360J	1000W/1800VA	4A or 1000W

SPECIFICATION SHEET

1100 SERIES 24 HOUR TIME SWITCH SAME ON/OFF TIMES EACH DAY

APPLICATIONS

- Lighting, pumps
- Signs, fans
- Air conditioning
- Water heaters
- Automatic ON/OFF control when operation is required at the same time every day.

FEATURES

SCHEDULING:

Minimum ON is setting 20 minutes with a minimum OFF setting of 75 minutes. Dial accommodates up to 12 pairs of trippers. One pair included.

MANUAL OVERRIDE:

Until the next regularly scheduled ON or OFF automatic operation then resumes.

ENCLOSED MOTOR:

Protects gears to extend life.

SPECIFICATIONS

INPUT VOLTAGE:

120 or 208-277 VAC
60 Hz, varies by model.

TIMING ACCURACY:

Line frequency.

TERMINAL RANGE:

#8 - #14 AWG.

OPERATING TEMPERATURE:

-40 °F to 165 °F (-40 °C to 74 °C).

POWER CONSUMPTION:

3 watts maximum.

ENCLOSURE:

Lockable hasp. Type varies by model.

OTHER MOUNTINGS:

Adaptor Plate model #IAP allows any 1100 series to fit into an Intermatic® case.



ORDERING INFO

CAT. NO.	UPC CODE	INPUT SUPPLY (VAC) 60Hz	OUTPUT CONTACTS	ENCLOSURE TYPE
1101B	10064	120	SPST	Metal Indoor NEMA 1
1101B-P	10068	120	SPST	Polycarbonate Indoor/Outdoor NEMA 3R
1101B-PC	10095	120	SPST	Polycarbonate Outdoor w/ clear cover NEMA 3R
1101BM-IAP	10073	120	SPST	Mechanism and retrofit plate
1101-7 *	10033	347	SPST	Metal Indoor NEMA 1
1102B	10065	208-277	SPST	Metal Indoor NEMA 1
1103B	10066	120	DPST	Metal Indoor NEMA 1
1103B-P	10069	120	DPST	Polycarbonate Indoor/Outdoor NEMA 3R
1103B-PC	10096	120	DPST	Polycarbonate Outdoor w/ clear cover NEMA 3R
1103B-O	10098	120	DPST	Metal Indoor/Outdoor NEMA 3
1104B	10067	208-277	DPST	Metal Indoor NEMA 1
1104B-P	10070	208-277	DPST	Polycarbonate Indoor/Outdoor NEMA 3R
1104B-PC	10097	208-277	DPST	Polycarbonate Outdoor w/ clear cover NEMA 3R
1104B-O	10075	208-277	DPST	Metal Indoor/Outdoor NEMA 3
1104BM-MB	10076	208-277	DPST	Mechanism and surface mounting bracket
1104BM-IAP	10074	208-277	DPST	Mechanism and retrofit plate
Replacement Trippers		Order #P47 for a pair of ON/OFF trippers		
Replacement Motor		#101 (120V) & #201 (208-277V)		

SunSet Conversion

Astronomic dial. Consult factory for correct number for your latitude.

* 1101-7 CSA only




SPECIFICATION SHEET

1100 SERIES 24 HOUR TIME SWITCH SAME ON/OFF TIMES EACH DAY


WIRING DIAGRAMS

1101 & 1102





For separate motor terminals remove bridge from terminal L & 1.

1103



1104



CONTACT RATINGS

TYPE	VOLTAGE (VAC)	CONTACT RATING
General Purpose	120-277	40A
Resistive	120-277	40A
Tungsten	120	40A
Ballast	120-277	20A
LED Driver	120-277	20A
Pilot Duty	120	1000VA
	240	2000VA
Motor	120	2HP
	240	5HP
277VAC Single Phase		

TORK®

SPECIFICATION SHEET

1109A & 1109A-O

Same ON/OFF Times Each Day

APPLICATIONS

- Lighting, pumps, signs.
- Air conditioning, water heaters, fans.
- Automatic ON/OFF control when operation is required at the same time every day.

FEATURES

- **Scheduling:** Minimum ON is setting 20 minutes with a minimum OFF setting of 75 minutes. Dial accommodates up to 12 pairs of trippers. One pair included.
- **Manual Override:** Until the next regularly scheduled ON or OFF automatic operation then resumes.
- **Standards:** Listed UL/CSA 60730.
- **Enclosed Motor:** Protects gears for extended life.


SPECIFICATIONS

- **Timing Accuracy:** Line Frequency.
- **Input Voltage:** 120/208-277VAC, 50/60Hz
- **Terminal Range:** #8 - #14AWG.
- **Operating Temperature:** -40 °F to 149 °F (-40 °C to 65 °C).
- **Power Consumption:** 3 Watts Max.
- **Enclosure:** Metal Indoor NEMA 1. Suffix -O Metal Indoor/Outdoor NEMA 3R. All with lockable hasp.

CONTACT RATINGS

- **General Purpose:** 120/208-277VAC 40A.
- **Resistive:** 120/208-277VAC 40A.
- **Tungsten:** 120VAC 40A.
- **Ballast:** 120/208-277VAC 20A.
- **Electronic Ballast (LED):** 120/208-277VAC 16A.
- **Pilot Duty:** 120VAC 1000VA, 240VAC 2000VA.
- **Motor:** 120VAC 2HP, 240VAC 5HP.
- **Short Circuit Rating:** 5KA (when protected by a Class T Fuse Rated 60A).

Project Info:	Type:
Job Ref:	Catalog Number:
Approvals:	Date:



ORDERING INFO




CAT. NO.	CERTIFICATION	UPC CODE	INPUT SUPPLY (VAC) 60Hz	OUTPUT CONTACTS	ENCLOSURE TYPE
1109A	cULus	10105	120/208-277	SPST/DPST	Metal Indoor NEMA 1
1109A-O	cULus	10106	120/208-277	SPST/DPST	Metal Indoor/Outdoor NEMA 3

LINE # 4150

TORK[®]

SPECIFICATION SHEET

WIRING DIAGRAMS



ENCLOSURE

