

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

10/25/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer any rights to the certificate holder in lieu of such endorsement(s).


PRODUCER USI Insurance Services, LLC 8000 Norman Center Drive Suite 400 Bloomington, MN 55437	CONTACT NAME: Jordan Helland PHONE (A/C, No, Ext): 612 509-1001 FAX (A/C, No): 610-537-1954 E-MAIL ADDRESS: INSURER(S) AFFORDING COVERAGE INSURER A: Fireman's Fund Insurance Company INSURER B: American Automobile Insurance Company INSURER C: INSURER D: INSURER E: INSURER F:	NAIC # 21873 21849
--	---	---------------------------------

COVERAGES	CERTIFICATE NUMBER:	REVISION NUMBER:
------------------	----------------------------	-------------------------

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input checked="" type="checkbox"/> LOC OTHER:			USC013471230	03/01/2023	03/01/2024	EACH OCCURRENCE \$1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$100,000 MED EXP (Any one person) \$20,000 PERSONAL & ADV INJURY \$1,000,000 GENERAL AGGREGATE \$2,000,000 PRODUCTS - COMP/OP AGG \$2,000,000 \$
B	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS NON-OWNED AUTOS ONLY			SCV0092802301	03/01/2023	03/01/2024	COMBINED SINGLE LIMIT (Ea accident) \$1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
A	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$			USC00887523U	03/01/2023	03/01/2024	EACH OCCURRENCE \$25,000,000 AGGREGATE \$25,000,000 \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N Y	N/A	SCW0246732301	03/01/2023	03/01/2024	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$500,000 E.L. DISEASE - EA EMPLOYEE \$500,000 E.L. DISEASE - POLICY LIMIT \$500,000
B	Garagekeepers			SCV0092802301	03/01/2023	03/01/2024	2,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER Thibodaux Vol. Fire Dept. 800 Parish Rd. Thibodaux, LA 70301	CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE 
---	--

© 1988-2015 ACORD CORPORATION. All rights reserved.

License No. SV-2023-00108
DPS Code: SLRA

2023

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

Rosenbauer South Dakota, LLC
100 Third Street
Lyons, SD 57041
Allison Niendiek, Dealer-Operator

is duly licensed as a

Specialty Vehicle Dealer

of the following

Conversion(s): Rosenbauer Emergency Vehicles

For the period ending December 31, 2023, unless license is sooner revoked.

In Witness whereof, LOUISIANA MOTOR VEHICLE COMMISSION, under and by virtue of the authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal imprinted hereon.



LOUISIANA MOTOR VEHICLE COMMISSION

Dated January 1, 2023
Signed, Sealed and Attested


Executive Director

(To be prominently displayed in place of business)

License No. CV-2023-00139

2023

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

Rosenbauer South Dakota, LLC
100 Third Street
Lyons, SD 57041

is duly licensed as a

Converter/Secondary Manufacturer

of the following

Conversion(s): Rosenbauer Emergency Vehicles (Rescue, Tankers, Pumps
Fire Fighting Aerials)



For the period ending December 31, 2023, unless license is sooner revoked.

In Witness whereof, LOUISIANA MOTOR VEHICLE COMMISSION, under and by virtue of the authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal imprinted hereon.

LOUISIANA MOTOR VEHICLE COMMISSION

Dated January 1, 2023

Signed, Sealed and Attested

Executive Director

(To be prominently displayed in place of business)

License No. SV-2022-00151
DPS Code: SRBC

2022-2024

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

Bonaventure Co., Inc.
162 Industrial Drive
Rayne, LA 70578

Nolan J. LeBlanc, Dealer - Operator

is duly licensed as a
Specialty Vehicle Dealer

of the following

Conversion(s): Rosenbauer Emergency Vehicles

For the period ending September 30, 2024, unless license is sooner revoked.

In Witness whereof, LOUISIANA MOTOR VEHICLE COMMISSION, under and by virtue of the authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal imprinted hereon.



LOUISIANA MOTOR VEHICLE COMMISSION

Dated October 1, 2022

Signed, Sealed and Attested

Executive Director

(To be prominently displayed in place of business)

License No. SV-2022-00116

2022-2024

Not Transferable

Louisiana Motor Vehicle Commission

This Certifies that

Nolan J. LeBlanc of Rayne, LA

has been licensed by this Commission as a

MOTOR VEHICLE SALESMAN, AUTHORIZED TO SELL SPECIALTY VEHICLES ONLY

Employed by Specialty Vehicle Dealer Licensee

SV-2022-00151

Bonaventure Co., Inc.

162 Industrial Drive

Rayne, LA 70578

pursuant to the laws of the State of Louisiana for the period ending September 30, 2024.

Louisiana Motor Vehicle Commission

Dated October 1, 2022



Executive Director

NOTE: This Certificate is to be retained by the Employer.
It is to be returned by the Employer to the Commission
Office at 3017 Kingman Street, Metairie, LA 70006, within
ten days of the termination of the Salesman's employment.

Termination Date:

Louisiana Motor Vehicle Commission

License No. SV-2022-00116

2022-2024

This is to Certify that

Nolan J. LeBlanc of Rayne, LA

has been duly licensed by this Commission as a

MOTOR VEHICLE SALESMAN.

AUTHORIZED TO SELL SPECIALTY VEHICLES ONLY

Employed by Specialty Vehicle Dealer Licensee

SV-2022-00151 Bonaventure Co., Inc.

Rayne, LA 70578

For the period ending 9/30/2024.

Louisiana Motor Vehicle Commission

Executive Director

(OVER)

Dated: 10/01/2022



NFPA - AMP LOAD RATING

Version Date: 8/8/2020

TRUCK: Thibodaux Vol. Fire Dept.
CITY: Thibodaux, LA
DATE: 11/7/2023

QTY	1 IF NO	ITEM	AMPS USED			NFPA TOTAL AMPS		SHED TOTAL	
			GROSS	MAX	MIN	MAX	MIN	MAX	MIN
1	1	Rosenbauer Chassis +engine +transmission -Vmux 49, P2P 30	49	49	49	49	49	0	0
1		AC- Chassis- Rosenbauer std -54, low pro 61	54	54	54	0	0	54	54
1	1	Brake Jacobs Cummins	3.7			0	0	0	0
1	1	Alarm- Back-up Electronic	0.8			0	0	0	0
1	1	Fast Idle Electronic Engine	0.2	0.2	0.2	0.2	0.2	0	0
2		Light- Chassis- Engine Maintenance	0.6	0.6	0.6	0	0	1.2	1.2
1	1	Light- Chassis- License	0.59	0.59	0.59	0.59	0.59	0	0
1	1	Light- Chassis- Marker- LED (7 on body standard)	0.14	0.14	0.14	0.14	0.14	0	0
1		Light- High Beam Wig-Wag	6	6	6	0	0	6	6
4		Light- USB	4.8	4.8	0	0	0	19.2	0
1	1	Light- OK to Pump	0.2	0.2	0.2	0.2	0.2	0	0
1	1	Light- Open Compartment- Flashing	2.1	2.1	2.1	2.1	2.1	0	0
1	1	Light- Warning- Alternator	0.1	0.1	0.1	0.1	0.1	0	0
2		Mirror- Ramco- Heated	1	1	1	0	0	2	2
1	1	PTO Engage	0.1	0.1	0.1	0.1	0.1	0	0
1	1	Radio (default)	5	5	5	5	5	0	0
1	1	BU camera system	0.25	0.25	0	0.25	0	0	0
1	1	Trans- Temp Light & Buzzer	0.1			0	0	0	0
1	1	Voltmeter W/Low Voltage Warning	0.4	0.4	0.4	0.4	0.4	0	0
1	1	Windshield Wiper	5	5		5	0	0	0
1	1	Siren- Q2B	100	100		100	0	0	0
1	1	Siren- Whelen 295- 100 watt	10	10	8	10	8	0	0
3	1	Light- Package- Upper Whelen Mini Freedom IV	8	8	3.2	24	9.6	0	0
8	1	Light - Whelen LED (each) - C6L, M6, M7 - Linear		2.25	0.9	18	7.2	0	0
6	1	Light - Whelen LED (each) - M9 - Linear		2.8	1	16.8	6	0	0
6	1	Light- Package- Upper Whelen RB6T Rotators (pair)	4.5	4.5	4.5	27	27	0	0
1	1	Governor- Pressure	1.8	1.8	1.8	1.8	1.8	0	0
32	1	Light- LED Compartment Amdor	0.2	0.2	0.2	6.4	6.4	0	0
1		Light- Pumphouse worklight	0.6	0.6	0.6	0	0	0.6	0.6
10	1	Light - Ground - EW-3SC0CDCR - Whelen 3" ROUND	0.3	0.3	0.3	3	3	0	0
6	1	Light- Panel (each light)	1.44	1.44	1.44	8.64	8.64	0	0
6		Light- Scene- Whelen M9LZC	6	6	6	0	0	36	36
2		Light- Scene- Whelen Pioneer PFH2 (dual lamp) (each)	12.5	12.5	12.5	0	0	25	25
2		Light- Scene- Whelen S091MB	1.8	1.8	1.8	0	0	3.6	3.6
2		Light-Scene Akron Scene Star ELSS-XLDC, ELSS-XLDC-BL	18	18	18	0	0	36	36
10	1	Light- Step- Flush - Tecniq E10	0.44	0.44	0.36	4.4	3.6	0	0
1		Pump- Gauge Package	5	5	5	5	5	0	0
2	1	Reel- Cable	35			0	0	0	0
7		Rcptcl 120V 20A	20	20		0	0	140	0

TOTAL 288.12 144.07 323.6 164.4

NOTE: No value in a row indicates an intermittent load and is not used in calculating total loads (NPFA 13.3.4.2)

Max. continous amp load 611.72 (includes MAX shed items)
Minimum NFPA amp load 144.07

ALTERNATOR		AMPS		MAX	MIN
		Rated	Idle		
1	Alternator- Rosenbauer- LEECE- 320	320	180	320	180

(Positive number indicates power reserve)

ALTERNATOR RESERVE 31.88 35.93
SHEDABLE AMPS 323.60 164.40
AMPS TO SHED 291.72 128.47

(Negative number indicates power reserve)

ADEQUATE ALTERNATOR AT IDLE	YES
LOAD MANAGEMENT REQUIRED	YES

DEPARTMENT: THIBODAUX, LA
PROJECT: 429-D

Wheel Base	153
C A	120
Cab to Pump Compartment	3
Pump Compartment	0
Tank Length Lower	210
Tank Length Upper	210
Body Length	210
Total Tank Capacity	0
Aerial Size	0



Percent of Weight to Front Axle		
Water (& Foam) Lower	Body	Pump
7.84%	7.84%	76.47%
Water (& Foam) Upper	Aerial	Hose
7.84%	NA	8.50%

	TOTAL WT	FRONT WT	REAR WT
Water (& Foam) Lower	4,194	329	3,865
Water (& Foam) Upper	-4,194	-329	-3,865
Body	5,460	428	5,032
Pump	0	0	0
Aerial	NA	0	0
Chassis	17,554	12,898	4,656
Miscellaneous Equipment	12,855	1,020	11,835
SUB TOTAL	35,869	14,347	21,522
NFPA 1901 Equipment Allowance	6,000	161	5,839
Additional Equipment Allowance	0	0	0
NFPA Personnel Load 2	500	500	0
Hose Load	0	0	0
Ground Ladders	0	0	0
	0	0	0
TOTAL	42,369	15,007	27,362
		35.42%	64.58%

NOTE: Weights shown are approximate

Proposed chassis information:		Brand:	COMMANDER	Crew Doors:	2
			2 Wheel Drive		GVWR
Axle Capacities:	Front:	18,000	Rear:	31,000	49,000
Estimated Chassis Weight: (includes +5% variance)	Front:	12898	Rear:	4656	
NOTE: Chassis weights MUST BE VERIFIED by the DEALER . Dealer will be responsible for confirming the axles are adequate for the proposed apparatus. 1000# extra capacity per axle is recommended.					

Approximate Center of Gravity Calculated

City Name: THIBODAUX, LA

Chassis Vertical Center of Gravity From Ground		
Tilt Table		From Manufacture
Chassis Track Width-	0.00	41
Degree to Tip Over-	1.00	
Chassis CG (inches)-	0.00	

Ground to Top of Frame-	41
Rear Axle Track Width-	72

	Overall Height of Load	Top of Frame Rails to Bottom of Load	CG Above Frame	Weight	Vertical Moment (Inch Lbs)
Tank & Water (& Foam)- Lower	12	1.5	7.5	4194	31457.04545
Tank & Water (& Foam)- Upper	-7.36	13.5	9.818182	-4194	-41180.13223
Hose	46.61	7.89	31.19318	0	0
Pump	18	10	19	0	0
Body	71.5	-17	18.75	5460	102375
Ground Ladders	28	13.5	27.5	0	0
Chassis	See Above		0.00	17553.9	0
Personnel (If 0 included in Chassis Weight)	56	4	32	500	16000
Equipment	63	-16.5	15	18855	282825
Aerial Device	See Drawing			0	0
		Total	9.24	42368.9	391476.9132

CG Above Ground **50.24**

Verticle Center Of Gravity
Height Compared To Track
Width **69.78%**
(To Be Less Than 80%)

Horizontal Center of Gravity
(From Rear Axle) **54.19**