

DATE: 6/11/2019

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00126970

## JEFFERSON PARISH

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR:

BUYER: MBUTTERY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

## DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

5-7 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_  
NUMBER: \_\_\_\_\_

Gas And Supply  
Jimmy Gibbs  
Phone 504-392-2400  
Fax 504-392-1500  
jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

## \*\*\* ALL BIDDERS MUST COMPLETE SECTION BELOW \*\*\*

FIRM NAME:	
I.W.S. GAS AND SUPPLY	
SIGNATURE:	TITLE:
(Must be signed here) Jimmy Gibbs	SALES
PRINT OR TYPE NAME:	
Jimmy Gibbs	
ADDRESS:	
111 BURAS DR.	
CITY, STATE:	ZIP:
BELLE CHASSE, LA.	70037
TELEPHONE:	FAX:
504-392-2400	504-392-1500
EMAIL ADDRESS:	
Jimmy.Gibbs@GASANDSUPPLY.COM	

TOTAL PRICE OF ALL BID ITEMS: \$ 5339.80

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126970

SEALED BID


ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF MISCELLANEOUS STOCK ITEMS FOR THE EASTBANK PUBLIC WORKS WAREHOUSE		
1	36.00	EA	0010 SEALANT PIPE THREAD, WITH PTFE, BRUSHABLE PASTE, SLOW SETTING, 4 OZ.  BRUSHTOP JAR, LOCTITE #30534, FASTENAL #0481701 STK. # 0501810	12.27	441.72
2	3.00	EA	0020 EXTENSION, 1/4 IN DRIVE X 3 IN LONG INDUSTRIAL, CHROME, DOMESTIC, MEETS ANSI  SPEC. B107.10M, PROTO #4760 STK. # 0600000	5.29	15.87
3	60.00	EA	0030 REPELLENT, INSECT, 6 OZ. PUMP SPRAY 40% DEET, REPEL BRAND #HG-94101 OR  EQUAL, GRAINGER #48WK01 STK. # 0484980	5.41	330.60
4	432.00	EA	0040 GLOVE, NITRILE PALM WITH SEAMLESS KNIT LINER, SMALL, SIZE 7, BOSS CORDOVA 6892-S #1UH7800S STK. # 058048E	.47	203.04
5	12.00	EA	0050 SCREWDRIVER, #2 PHILLIPS TIP, 4 IN LONG, MADE IN U.S.A., ALLOY STEEL ROUND  SHANK, NON-SLIP HANDLE, INDUSTRIAL, CRESCENT #25024, PROTO #J88324, MSC #53420980 STK. # 0584340	7.55	90.60
6	2.00	EA	0060 WRENCH, METER, 1 IN, 19 IN LONG, 3/4 IN ROUND #836 TOOL STEEL OD  CONSTRUCTION, 3/8 IN THICK HEAD STK. # 0591610	N/B	—
7	10.00	EA	0070 BLADE, DIAMOND TIP, 18 IN X .125 IN X 1 IN ARBOR, TYPE H53 FOR CURED PEARL LW1812 CPS CONCRETE, FOR USE ON WALK-BEHIND SAW, TARGET #TAR580618 STK. # 048846A	345.55	3455.50
8	168.00	EA	0080 HE LAUNDRY DETERGENT, 50 OZ. BOTTLE PUREX DIA 04789 TRIPLE ACTION, 6/50 OZ.  PER CASE OR EQUAL STK. # 048484A	4.74	796.32
9	3.00	EA	0090 TAP, TAPER, 5/16-18, HAND, NC/UNC THREAD, HIGH SPEED STEEL, WIDIA GTD  NORSEMAN 55290	2.05	6.15

Gas And Supply  
Jimmy Gibbs  
Phone 504-392-2400  
Fax 504-392-1500  
jimmy.gibbs@gasandsupply.com





### GLOVE SPECIFICATIONS

Item Number	6892			
Product Group	Coated Machine Knits			
Description	Cor-Touch II™, 13-Gauge, White, Polyester Machine Knit Shell with Gray Flat Nitrile Palm Coating			
6892	<div style="display: flex; align-items: center;"> <div style="flex: 1;"> <p><b><u>Food Contact:</u></b> Component Materials comply with all federal regulations for food contact.</p> <p><b><u>CE EN 388</u></b> Abrasion Resistance: Level 3 Blade Cut Resistance: Level 1 Tear Resistance: Level 2 Puncture Resistance: Level 1</p> <p><b><u>Washing Instructions:</u></b> Wash using warm water and commercial laundry detergent. Water temperature not to exceed 50°C/122°F. Air-dry or tumble-dry with low heat.</p> </div> <div style="flex: 1; text-align: center;">  </div> <div style="flex: 1;">  </div> </div>			
Unit of Sale	One Dozen			
Case Pack	Twelve Dozen			
Country of Origin	China			
Available Sizes	S	M	L	XL
Case Weight (lbs.)	10.0	10.0	11.0	13.0



[www.cordovaisc.com](http://www.cordovaisc.com)

**Corporate Headquarters:**  
2085 W.E. Freeman Drive  
Memphis, TN 38114  
Phone 800.458.8763  
Fax 901.458.3343

**Gas And Supply**  
**Jimmy Gibbs**  
Phone 504-392-2400  
Fax 504-392-1500  
[jimmy.gibbs@gasandsupply.com](mailto:jimmy.gibbs@gasandsupply.com)

**West Coast Office:**  
15147 Don Julian Drive  
City of Industry, CA 91746  
Phone 877.264.9832  
Fax 877-264.9833




# SEGMENTED BLADES

Gas And Supply  
Jimmy Gibbs  
Phone 504-392-2400  
Fax 504-392-1500  
jimmy.gibbs@gasandsupply.com

## PROFESSIONAL WET CONCRETE BLADES

Pearl's Professional Wet Cutting Concrete Blades are designed for cutting concrete and overlay. Recommended for 20 - 72 HP.



### MEDIUM BOND


PT. NUMBER	SPECS	MAX RPM
LW1412CPM*	14 x .125 x 1	4,365
LW1414CPM	14 x .145 x 1	4,365
LW1415CPM	14 x .155 x 1	4,365
LW1418CPM	14 x .187 x 1	4,365
LW1425CPM*	14 x .250 x 1	4,365
LW1437CPM	14 x .375 x 1	4,365
LW1450CPM	14 x .500 x 1	4,365
LW1612CPM	16 x .125 x 1	3,820
LW1614CPM	16 x .145 x 1	3,820
LW1615CPM	16 x .155 x 1	3,820
LW1812CPM*	18 x .125 x 1	3,395
LW1814CPM	18 x .145 x 1	3,395
LW1815CPM	18 x .155 x 1	3,395
LW1818CPM	18 x .187 x 1	3,395
LW2012CPM	20 x .125 x 1	3,055
LW2014CPM*	20 x .145 x 1	3,055
LW2015CPM	20 x .155 x 1	3,055
LW2018CPM	20 x .187 x 1	3,055
LW2412CPM*	24 x .125 x 1	2,550
LW2414CPM	24 x .145 x 1	2,550
LW2415CPM*	24 x .155 x 1	2,550
LW2418CPM	24 x .187 x 1	2,550
LW2615CPM	26 x .155 x 1	2,359
LW2618CPM	26 x .187 x 1	2,359
LW3015CPM	30 x .155 x 1	2,040
LW3018CPM	30 x .187 x 1	2,040
LW3615CPM	36 x .155 x 1	1,700
LW3618CPM	36 x .187 x 1	1,700
LW3637CPM	36 x .375 x 1	1,700

### SOFT BOND

PT. NUMBER	SPECS	MAX RPM
LW1412CPS	14 x .125 x 1	4,365
LW1414CPS	14 x .145 x 1	4,365
LW1415CPS	14 x .155 x 1	4,365
LW1418CPS	14 x .187 x 1	4,365
LW1425CPS	14 x .250 x 1	4,365
LW1437CPS	14 x .375 x 1	4,365
LW1450CPS	14 x .500 x 1	4,365
LW1612CPS	16 x .125 x 1	3,820
LW1614CPS	16 x .145 x 1	3,820
LW1615CPS	16 x .155 x 1	3,820
LW1812CPS	18 x .125 x 1	3,395
LW1814CPS	18 x .145 x 1	3,395
LW1815CPS	18 x .155 x 1	3,395
LW1818CPS	18 x .187 x 1	3,395
LW2012CPS	20 x .125 x 1	3,055
LW2014CPS	20 x .145 x 1	3,055
LW2015CPS	20 x .155 x 1	3,055
LW2018CPS	20 x .187 x 1	3,055
LW2412CPS	24 x .125 x 1	2,550
LW2414CPS	24 x .145 x 1	2,550
LW2415CPS	24 x .155 x 1	2,550
LW2418CPS	24 x .187 x 1	2,550
LW2615CPS	26 x .155 x 1	2,359
LW2618CPS	26 x .187 x 1	2,359
LW3015CPS*	30 x .155 x 1	2,040
LW3018CPS*	30 x .187 x 1	2,040
LW3615CPS	36 x .155 x 1	1,700
LW3618CPS	36 x .187 x 1	1,700
LW3637CPS	36 x .375 x 1	1,700

## PROFESSIONAL WET ASPHALT BLADES

Pearl's Professional Wet Cutting Asphalt Blades are designed for cutting asphalt and green concrete. Recommended for 20 - 72 HP.



### MEDIUM BOND

PT. NUMBER	SPECS	MAX RPM
LW1412APM	14 x .125 x 1	4,365
LW1414APM	14 x .145 x 1	4,365
LW1415APM	14 x .155 x 1	4,365
LW1418APM	14 x .187 x 1	4,365
LW1425APM	14 x .250 x 1	4,365
LW1437APM*	14 x .375 x 1	4,365
LW1612APM	16 x .125 x 1	3,820
LW1614APM	16 x .145 x 1	3,820
LW1812APM	18 x .125 x 1	3,395
LW1814APM	18 x .145 x 1	3,395
LW1815APM	18 x .155 x 1	3,395
LW1818APM	18 x .187 x 1	3,395
LW2012APM	20 x .125 x 1	3,055
LW2014APM	20 x .145 x 1	3,055
LW2412APM	24 x .125 x 1	2,550
LW2414APM	24 x .145 x 1	2,550
LW2415APM	24 x .155 x 1	2,550
LW2418APM*	24 x .187 x 1	2,550
LW2615APM	26 x .155 x 1	2,359
LW2618APM	26 x .187 x 1	2,359
LW3015APM	30 x .155 x 1	2,040
LW3018APM	30 x .187 x 1	2,040
LW3615APM	36 x .155 x 1	1,700
LW3618APM	36 x .187 x 1	1,700

### SOFT BOND

PT. NUMBER	SPECS	MAX RPM
LW1412APS	14 x .125 x 1	4,365
LW1414APS	14 x .145 x 1	4,365
LW1415APS	14 x .155 x 1	4,365
LW1418APS	14 x .187 x 1	4,365
LW1425APS	14 x .250 x 1	4,365
LW1612APS	16 x .125 x 1	3,820
LW1614APS	16 x .145 x 1	3,820
LW1812APS*	18 x .125 x 1	3,395
LW1814APS	18 x .145 x 1	3,395
LW2012APS	20 x .125 x 1	3,055
LW2014APS	20 x .145 x 1	3,055
LW2412APS	24 x .125 x 1	2,550
LW2414APS	24 x .145 x 1	2,550
LW2415APS	24 x .155 x 1	2,550
LW3015APS	30 x .155 x 1	2,040

Gas And Supply  
Jimmy Gibbs  
Phone 504-392-2400  
Fax 504-392-1500  
jimmy.gibbs@gasandsupply.com



**GAS  
POWERED  
CONCRETE  
SAWS**

**DEARI**

(\*) Indicates a special order item. Short lead times on most items. Please call for availability.  
To order, call: U.S.A. 800-969-5561 • Canada 800-387-0008 • PearlAbrasive.com

**WARNING:** Cancer and reproductive harm  
www.P65Warnings.ca.gov



# Hi-Carbon Steel Taps

## HI-CARBON STEEL TAPS - U.S. SIZES ( PLUG & TAPER )

Type 720 -Plug -Fractional , Type 721 -Plug -Machine Screw

Type 740 -Taper -Fractional , Type 741 -Taper -Machine Screw

- Made of super tough carbon steel, these taps are ideal for hand tapping and re-threading applications.

Gas And Supply  
Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com



Plug - Type 721



Taper-Type 741

### TYPE 720 -PLUG FRACTIONAL

Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
55010	3/16x24	26	3	3
55020	3/16x32	22	3	3
55030	1/4x20	7	3	3
55040	1/4x28	3	3	3
55050	5/16x18	17/64	4	3
55060	5/16x24	17/64	4	3
55070	3/8x16	5/16	4	3
55080	3/8x24	21/64	4	3
55090	7/16x14	3/8	4	3
55100	7/16x20	25/64	4	3
55110	1/2x13	27/64	4	3
55120	1/2x20	29/64	4	3
55130	9/16x12	31/64	4	1
55140	9/16x18	33/64	4	1
55150	5/8x11	17/32	4	1
55720	5/8x18	37/64	4	1
55730	11/16x11	19/32	4	1
55740	11/16x16	5/8	4	1
55160	3/4x10	21/32	4	1
55890	3/4x16	11/16	4	1
55170	7/8x9	49/64	4	1
55180	7/8x14	13/16	4	1
55190	1x8	7/8	4	1
55200	1x12	29/32	4	1
55210	1x14	15/16	4	1

### TYPE 740 -TAPER FRACTIONAL

Part No.	Size	Tap Drill Size	No. of Flutes	per
55250	3/16x24	26	3	
55260	3/16x32	22	3	
55270	1/4x20	7	3	
55280	1/4x28	3	3	
55290	5/16x18	17/64	4	
55300	5/16x24	17/64	4	
55310	3/8x16	5/16	4	
55320	3/8x24	21/64	4	
55330	7/16x14	3/8	4	
55340	7/16x20	25/64	4	
55350	1/2x13	27/64	4	
55360	1/2x20	29/64	4	
55370	9/16x12	31/64	4	
55380	9/16x18	33/64	4	
55390	5/8x11	17/32	4	
55460	5/8x18	37/64	4	
55470	11/16x11	19/32	4	
55480	11/16x16	5/8	4	
55400	3/4x10	21/32	4	
55710	3/4x16	2/3	4	
55410	7/8x9	11/16	4	
55420	7/8x14	13/16	4	
55430	1x8	7/8	4	
55440	1x12	29/32	4	
55450	1x14	15/16	4	


### TYPE 721 -PLUG MACHINE SCREW

Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
54860	0x80	3/64	3	3
54870	1x64	53	3	3
54880	1x72	53	3	3
54890	2x56	50	3	3
54900	2x64	50	3	3
54910	3x48	47	3	3
54920	3x56	46	3	3
55750	4x36	43	3	3
55760	4x40	44	3	3
55770	5x40	38	3	3
55780	6x32	36	3	3
55790	6x40	34	3	3
55800	6x48	32	3	3
55810	8x32	29	3	3
55820	8x36	29	3	3
55830	8x40	28	3	3
55840	10x24	25	3	3
55850	10x32	21	3	3
55860	12x24	16	3	3
55870	12x28	16	3	3
55880	14x20	10	3	3

### TYPE 741 -TAPER MACHINE SCREW

Part No.	Size	Tap Drill Size	No. of Flutes	p
54790	0X80	3/64	3	
54800	1X64	53	3	
54810	1X72	53	3	
54820	2X56	50	3	
54830	2X64	50	3	
54840	3X48	47	3	
54850	3X56	46	3	
55900	4x36	43	3	
55910	4x40	44	3	
55920	5x40	38	3	
55930	6x32	36	3	
55940	6x40	34	3	
55950	6x48	32	3	
55960	8x32	29	3	
55970	8x36	29	3	
55980	8x40	28	3	
55990	10x24	25	3	
56000	10x32	21	3	
56010	12x24	16	3	
56020	12x28	16	3	
56030	14x20	10	3	


Hi-Carbon Taps & Dies - U.S. Sizes Plug & Taper



#### PLUG - Type 720 & 721

Three to five threads chamfered. For general use when tapping into the bottom of the hole is not critical.

(This is the most widely used style.)



#### TAPER - Type 740 &

Eight to ten threads chamfered. For easy use thread starting materials.



## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126970

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>#14092, OSG #1120600, GRAINGER #4AHP6 OR #2TRU6 STK. # 0190180</p> <p><b>Gas And Supply</b> <b>Jimmy Gibbs</b> <b>Phone 504-392-2400</b> <b>Fax 504-392-1500</b> <b><a href="mailto:jimmy.gibbs@gasandsupply.com">jimmy.gibbs@gasandsupply.com</a></b></p>		