



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

November 3, 2023

ADDENDUM #1

Bid Number: 50-00143802


Bid Opening Date: November 16, 2023
Postponed Bid Opening Date: December 5, 2023

Three (3) Year Contract for Janitorial Supplies, Provided on an as needed basis for All Jefferson Parish Departments (Parish-wide)

Revision:

This addendum #1 is to Postpone this Bid Opening at the Departments Request until 2:00 pm on December 5, 2023.

Sincerely,



Mark Buttery Purchasing
Specialist II

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form by indicating the addendum number listed above. Failure to list each addenda number on the bid form will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

New 11/6 @ 2pm



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000143802 Three (3) Year Contract for Janitorial Supplies, Provided on
an as needed basis for All Jefferson Parish Departments (Parish-wide)
Jefferson Parish Government**

Project documents obtained from www.CentralBidding.com

01-Nov-2023 01:06:46 PM



Bid Number 50-00143802

Three (3) Year Contract for Janitorial Supplies, provided on an as needed basis for All Jefferson Parish Departments (Parish-Wide)

Bid Due: November 16, 2023 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Purchasing Specialist II, Mark BATTERY
Email: MBattery@jeffparish.net
Phone: 504-364-2810**

DATE: 11/1/2023

BID NO.: 50-00143802

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

PURCHASING SPECIALIST:
MBUTTERY@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 11/16/2023 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 136353 and/or Resolution No. 141125 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the Purchasing Specialist's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge any Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.

This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 136353 or 141125 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted as per the appendix instructions. Failure to submit applicable certifications per the appendix instructions will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO ✓MAXIMUM ESCALATION PERCENTAGE REQUESTED N/A %INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF 12/5/2026

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

Stock to 3 DaysLOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) N/A**THIS SECTION MUST BE COMPLETED BY BIDDER:**FIRM NAME: Economical Janitorial AND Paper Supplies LLCADDRESS: P.O. Box 23601 1420 F Sams AvenueCITY, STATE: New Orleans, LA ZIP: 70183-3607TELEPHONE: (504) 464-7166 x3110 FAX: (504) 465-9563EMAIL ADDRESS: Suzie@EconomicalJanitorial.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: #1 11/3/2023

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 15,677.73AUTHORIZED SIGNATURE: Suzie MiglioreTITLE: PresidentSuzie Migliore
Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			Three (3) Year Contract for Janitorial Supplies, provided on an as needed basis for All Jefferson Parish Departments (Parish-Wide)		
1	1.00	CS	0010 - C-FOLD PAPER TOWELS, WHITE, 12.75" X 9.625" BRAND: NITTANY PRODUCT NO. NP-102400 CASE: 2400 (10 PACKS OF 240 TOWELS)	\$ 21.64 CASCADCS CTG-H190	\$ 21.64 PK 2400
2	1.00	CS	0020 - TALL-FOLD DISPENSER NAPKINS, 1-PLY, WHITE, 6" X 13.5", BRAND: ESSITY PRODUCT NO. D3052B CASE: 10,000	\$ 40.69 MARCAI TFN10000	\$ 40.69 PK10000
3	1.00	CS	0030 - DINNER NAPKIN, 1/8 FOLD, 2-PLY, 15" X 17", EMBOSSED, WHITE BRAND: ESSITY PRODUCT NO. NP310 CASE: 3,000	\$ 43.73 MARCAI DN3000	\$ 43.73 PK3000
4	1.00	CS	0040 - NON-PERFORATED, HAND ROLL TOWEL, 7.75" X 350' (12 ROLLS/CASE) BRAND: ESSITY PRODUCT NO. RK350A COLOR: NATURAL PACK: 12/350'	\$ 24.98 CASCADCS CTG-H035	\$ 24.98 PK12/350'
5	1.00	CS	0050 - MULTI-FOLD PAPER TOWELS, 1-PLY, 9.25" X 9.5", 250/PACK, 16 PACK/CASE BRAND: ESSITY PRODUCT NO. MB540A COLOR: WHITE CASE: 4,000	\$ 22.28 CASCADCS CTG-H170	\$ 22.28 PK4000
6	1.00	CS	0060 - PAPER TOWEL, ROLL, 7.875" X 350', 1-PLY, WHITE BRAND: CASCADE PRO SELECT PRODUCT NO. H230 CASE: 12 ROLLS	\$ 21.42 CASCADCS CTG-H030	\$ 21.42 PK 12/350'
7	1.00	CS	0070 - HYDROSPUN PAPER TOWEL WIPERS, NO GLUE/ADHESIVES, 9" X 16.5", WHITE,	\$ 52.86 Essity SCA 192121	\$ 52.86 PK10/100

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
8	1.00	CS	QUARTERFOLS, 100/PACK, 10 PACKS/CASE BRAND: TORK PRODUCT NO. 192127 CASE: 1000 RAGS 0080 - WYPALL L20, QUARTERFOLD WIPES, 12.5" X 14.4", 1-PLY, 100% RECYCLED PAPER, SOFT SIDE & TEXTURED SIDE, NO GLUE/ADHESIVES, 68/PACK, 12 PACKS/CASE BRAND: KIMBERLY-CLARK PRODUCT NO. KC47011 COLOR: TAN CASE: 816 TOWELS	\$ 45.55 Hospital Specialty HO-N-E025	\$ 45.55 PK 18/50's (400) QPW
9	1.00	CS	0090 - LUNCHEON NAPKINS, 1/4 FOLD, 1-PLY 12" X 12", 500/PACK, 12 PACKS/CASE, WHITE BRAND: NITTANY PRODUCT NO. NP-LN6000 CASE: 6,000/CS	\$ 62.25 NITANY NP-LN6000	\$ 62.25 PK 6000
10	1.00	CS	0100 - TOWELS, 2 PLY, CENTER PULL, 600' 6 ROLLS/CASE, WHITE BRAND: HITECH PRODUCT NO. EJ-2CP600 CASE: 6/600' ROLLS	\$ 37.28 Hitech EJ-2CP600	\$ 37.28 PK 6/600'
11	1.00	CS	0110 - PAPER TOWEL ROLL, WHITE, 10" x 800' BRAND: HITECH PRODUCT NO. NP-680010E CASE: 6 ROLLS	\$ 59.19 Hitech NP-680010E	\$ 59.19 PK 6/800'
12	1.00	CS	0120 - JUMBO, ROLL PAPER TOWELS, WHITE, 7.87" x 1000' BRAND: HITECH PRODUCT NO. EJ-1000W CASE: 6 ROLLS	\$ 54.00 Hitech EJ-1000W	\$ 54.00 PK 6/1000'
13	1.00	CS	0130 - SINGLE FOLD PAPER TOWELS, 1-PLY, 9.1" X 10.25", 250/PACK, 16 PACK/CASE BRAND: ESSITY PRODUCT NO. SK1850A	\$ 22.76 CASCADIS CTG-H115	\$ 22.76 PK 4000

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
14	1.00	CS	COLOR: NATURAL CASE: 4,000 TOWELS 0140 - ROLL PAPER TOWELS, NONPERFORATED, 1-PLY, 7.75" X 350', 12 ROLLS/CASE BRAND: ESSITY PRODUCT NO. RK350A COLOR: NATURAL BROWN CASE: 12 ROLLS	\$ 24.98 CASADES CTG-H035	\$ 24.98 PK12/350'
15	1.00	CS	0150 - ROLL TOWEL, WHITE, 10" X 800' BRAND: HITECH PRODUCT NO. NP-680010E CASE: 6 ROLLS	\$ 59.19 Hitech NP-680010E	\$ 59.19 PK6/800'
16	1.00	EA	0160 - ENMOTION, AUTOMATED TOUCHLESS ROLL TOWEL DISPENSER 14.8" X 9.75" X 16.75" BRAND: GEORGIA PACIFIC PRODUCT NO. GP59462 COLOR: TRANSLUCENT SMOKE PACK: EACH	\$ 26.75 Georgia Pacific GP-59462	\$ 26.75 EACH
17	1.00	CS	0170 - PAPER TOWELS, ROLL CONTROL CENTER PULL, WHITE, 70 SHEETS/ROLL. 700' BRAND: KIMBERLY CLARK PRODUCT NO. KC-01032 CASE: 6 ROLLS	\$ 99.64 Kimberly Clark KC-01032	\$ 99.64 PK6/700'
18	1.00	CS	0180 - PAPER TOWELS, PERFORATED, 2-PLY, 11" X 8.5", 100 SHEET/ROLL, 30 ROLL/CASE BRAND: ESSITY PRODUCT NO. 421900 COLOR: WHITE CASE: 3000 SHEETS	\$ 45.30 Essity 421900	\$ 45.30 PK30/100
19	1.00	CS	0190 - TOWEL, BLUE SHOP, POP-UP BOX, KIMTECH, TRACEL FABRIC, 8-4/5" X 16-4/5", 100/BOX, 5 BOXES/CASE BRAND: KIMBERLY CLARK PRODUCT NO. KC33570 CASE: 500	\$ 112.95 Kimberly Clark KC33570	\$ 112.95 PK5/100
20	1.00	CS	0200 - WIPES, HAND SANITIZING ANTISEPTIC (70% ETHYL ALCOHOL, ALOE & VITAMIN E)	\$ 83.90 Claire CMC-C913	\$ 83.90 PK6/70

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
21	1.00	CS	<p>6" X 8", 70 WIPES PER DISPENSER, SANA-WIPE</p> <p>BRAND: CLAIRE PRODUCT NO. CMC-C973 CASE: 6</p> <p>0210 - HAND SANITIZER WIPES, DYMON SCRUB 6" X 8", 85 PERFORATED WIPES PER</p> <p>CONTAINER, HIGH EFFECTIVE ANTIMICROBIAL, LOW-ALCOHOL FORMULA, DISSOLVES CONTAMINATED BIOFILM, KILLS, ABSORBS & REMOVES 99.9% OF DISEASE CAUSING GERMS & BACTERIA FROM THE SKIN, INCLUDING E.COLI PSEUDOMONAS, SALMONELLA, STAPH & STREPH, CONTROLS INFECTION, PREVENTS CROSS- CONTAMINATION, CONDITIONS & MOISTURIZES SKIN, USDA CLASSIFICATION E4</p> <p>BRAND: DYMON PRODUCT NO. DYM 90985 CASE: 6 CONTAINERS</p>	<p>\$ 91.65</p> <p>Dymon Dym 90985</p>	<p>\$ 91.65</p> <p>PK 6/85</p>
22	1.00	CS	<p>0220 - WIPES, HAND, PREMOISTENED, HEAVY DUTY, NON-ABRASIVE PUMICE,</p> <p>REMOVES LATEX OR OIL BASED PAINT, VARNISH, GREASE, OIL, GLUE, ADHESIVE, AND RESIDUE FROM HANDS, ORANGE D-LIMONENE, CITRUS SCENT, 72 SHEETS PER DISPENSER, 10.5" X 2.25"</p> <p>BRAND: GOJO PRODUCT NO. GJ-6396-06 CASE: 6 DISPENSERS</p>	<p>\$ 81.95</p> <p>GOJO GJ-6396-06</p>	<p>\$ 81.95</p> <p>PK 6/72</p>
23	1.00	CS	<p>0230 - BATHROOM TISSUE, 1-PLY, WHITE, 4.3" X 3.25", 1,210 SHEETS/ROLL</p> <p>BRAND: CASCADES PRO PRODUCT NO. CTG-B150 CASE: 80 ROLLS</p>	<p>\$ 54.95</p> <p>ATLAS Resolute APM-115</p>	<p>\$ 54.95</p> <p>PK 96/1000</p>
24	1.00	CS	<p>0240 - BATHROOM TISSUE, 2-PLY, WHITE, 4" X 3.1", INDIVIDUALLY WRAPPED ROLLS, 500 SHEETS/ROLL</p> <p>BRAND: ATLAS PRODUCT NO. APM-276 CASE: 96 ROLLS</p>	<p>\$ 43.54</p> <p>ATLAS Resolute APM-276</p>	<p>\$ 43.54</p> <p>PK 96/500</p>
25	1.00	CS	<p>0250 - FACIAL TISSUE, 8" X 8", 2-PLY, WHITE, 100/BOX, 30 BOXES/CASE</p>	<p>\$ 18.44</p> <p>NIHANY NP-5101</p>	<p>\$ 18.44</p> <p>PK 30/100</p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
26	1.00	CS	BRAND: NITTANY PRODUCT NO. NP-5701 CASE: 3000 0260 - BATHROOM TISSUE, 2-PLY, WHITE, JR. JUMBO, 9", 1,000 FEET/ROLL	\$ 30.30 Hitech EJ-JT92	\$ 30.30 PK13/1000'
27	1.00	EA	BRAND: HITECH PRODUCT NO. EJ-JT92 CASE: 12 ROLLS 0270 - REPLACEMENT ROLLER FOR TISSUE DISPENSER, BLACK, PLASTIC	\$ 3.39 BOBRICK BW-4288-9	\$ 3.39 EACH
28	1.00	CS	BRAND: BOBRICK PRODUCT NO. BW-4288-9 PACK: EACH 0280 - TOILET SEAT COVERS, NETWORK HALF-FOLD COVERS, FIT ALL POPULAR SEAT COVER DISPENSERS, MADE FROM QUICK- DISSOLVING TISSUE, 100% BIODEGRADABLE, 250 COVERS/PACK, 20 PACKS/CASE	\$ 33.19 NETWORK NW-00521	\$ 33.19 PK5000
29	1.00	EA	BRAND: NETWORK PRODUCT NO. NW-00521 CASE: 5,000 COVERS 0290 - TOILET SEAT COVER DISPENSERS	\$ 55.91 BOBRICK BW-221	\$ 55.91 EACH
30	1.00	CS	BRAND: BOBRICK PRODUCT NO. BW-221 PACK: EACH 0300 - HAND SOAP, FOAMING, 1200 ML, DISPENSER REFILL	\$ 52.10 KUTOL KU-69050	\$ 52.10 PK6/1200ml
* 31	1.00	CS	0310 - HAND SOAP, PINK LIQUID, 1-GALLON BOTTLE * 10% LA Preference BRAND: HITECH MFG Transguif PRODUCT NO. EJ-5988 HAVAHAN, LA CASE: 4	\$ 33.63 Hitech EJ-5988	\$ 33.63 PK4/1gal
* 32	1.00	CS	0320 - LIQUID, HI-TECH, ANTIBACTERIAL HAND SOAP FOR SENSITIVE SKIN, NO HARSH * 10% LA Preference BRAND: HITECH MFG Transguif PRODUCT NO. EJ-10023 HAVAHAN, LA	\$ 45.64 Hitech EJ-10023	\$ 45.64 PK4/1gal

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			FRAGRANCES OR DYES, HYPOALLERGENIC, 1-GALLON BRAND: HITECH PRODUCT NO. EJ-100023 CASE: 4		
33	1.00	CS	0330 - BETCO, FOAM ANTIBACTERIAL SOAP, SCENT: FRESH, 1000ML BAGS, COLOR: GOLD BRAND: BETCO PRODUCT NO. BC-75129 CASE: 6 BAGS	\$ 56.54 Betco BC-75129	\$ 56.54 PK 6/1000ml
34	1.00	CS	0340 - KUTOL, SANTI-GEL INSTANT HAND SANITIZER, ADVANCED, UNSCENTED, 16 OZ. PUMP BOTTLE, MEETS OR EXCEEDS FDA HEALTHCARE PERSONNEL HANDWASH REQUIREMENT, KILLS 99.99% OF GERMS ON HANDS, DYE FREE BRAND: KUTOL PRODUCT NO. KU-5630 CASE: 12 BOTTLES	\$ 58.88 KUTOL KU-5630	\$ 58.88 PK 12/16oz.
35	1.00	CS	0350 - KUTOL, HAND SANITIZER REFILL, ORIGINAL FORMULA, ECONOMY SIZE, 64 OZ. BOTTLE BRAND: KUTOL PRODUCT NO. KU-5679 CASE: 4 BOTTLES	\$ 53.85 KUTOL KU-5679	\$ 53.85 PK 4/64oz.
36	1.00	CS	0360 - HAND SOAP, GO JO, 800 ML REFILL FOR DISPENSERS, FLORAL SCENT BRAND: GOJO PRODUCT NO. 9128-12 CASE: 12 REFILLS	\$ 57.48 GOJO GJ-9106-12	\$ 57.48 PK 12/800ml
37	1.00	CS	0370 - HEAVY DUTY HAND CLEANER, CREME TYPE, GOJO, WATERLESS, 4-1/2 LB CAN BRAND: GOJO PRODUCT NO. GJ-1115-06 CASE: 6 CANS	\$ 121.10 GOJO GJ-1135-06	\$ 121.10 PK 6/4.5#
38	1.00	CS	0380 - GLOVES, NON-STERILE DISPOSAL, LATEX-FREE, POWDER FREE, VINYL, SMALL,	\$ 23.80 TRADEX VSM S201 VMD S201 VLY S201 VXL S201	\$ 23.80 PK 10/100

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MEDIUM, LARGE, AND X-LARGE, 100/BOX, 10 BOX/CASE		
			TRADEX PACK 10/100 VSM5201 VMD5201 VLG5201 VXL5201		
39	1.00	CS	0390 - GLOVES, DISPOSABLE, FOODSERVICE, CLEAR POLYETHYLENE, POWDER FREE, SMALL, 100/BOX, 10 BOX/CASE BRAND: INTEPLAST PRODUCT NO. IG-GL-SMALL SIZE: SMALL PACK: 10/100	\$ 5.18 INTEPLAST IG-GL- SMALL	\$ 5.18 PK10/100
40	1.00	CS	0400 - GLOVES, DISPOSABLE, FOOD SERVICE, CLEAR POLYETHYLENE, POWDER FREE, MEDIUM, 100/BOX, 10 BOX/CASE BRAND: INTEPLAST PRODUCT NO. IG-GL-MEDIUM SIZE: MEDIUM PACK: 10/100	\$ 5.18 INTEPLAST IG-GL- MEDIUM	\$ 5.18 PK10/100
41	1.00	CS	0410 - GLOVES, DISPOSABLE, FOODSERVICE, CLEAR POLYETHYLENE, POWDER FREE, LARGE, 100/BOX, 10 BOX/CASE BRAND: INTEPLAST PRODUCT NO. IG-GL-LARGE SIZE: LARGE PACK: 10/100	\$ 5.18 INTEPLAST IG-GL- LARGE	\$ 5.18 PK10/100
42	1.00	PR	0420 - GLOVES, TRADEX, INDUSTRIAL, TWO-TONE, DOUBLE-DIPPED NEOPRENE/NATURAL LATEX-FREE, FLOCK LINED, USDA ACCEPTED, SIZE: 10 - 10-1/2 BRAND: JOHNSON PRODUCT NO. JW-94510 PACK: PAIR	\$ 1.28 Johnson JW-94510	\$ 1.28 PAIR
43	1.00	BX	0430 - GLOVES, BLUE NITRILE, DISPOSABLE, AMBIDEXTROUS, TEXTURED, X-SMALL, 6 MIL.,	\$ 3.54 INTEPLAST IG-NFX5001	\$ 3.54 100/Box

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
44	1.00	BX	9-1/2" LENGTH, POWDER FREE, 100 GLOVES PER DISPENSER BOX. BRAND: INTEPLAST PRODUCT NO. IG-NFX5001 PACK: 1 BOX 0440 - GLOVES, BLUE NITRILE, DISPOSABLE, AMBIDEXTROUS, TEXTURED, SMALL, 6 MIL., 9-1/2" LENGTH, POWDER FREE, 100 GLOVES PER DISPENSER BOX BRAND: INTEPLAST PRODUCT NO. IG-NF201 PACK: 1 BOX	\$ 3.54 INTEPLAST IG-NF201	\$ 3.54 100/Box
45	1.00	BX	0450 - GLOVES, BLUE NITRILE, DISPOSABLE, AMBIDEXTROUS, TEXTURED, X-LARGE, 6 MIL., 9-1/2" LENGTH, POWDER FREE, 100 GLOVES PER DISPENSER BOX BRAND: INTEPLAST PRODUCT NO. IG-NF204 PACK: 1 BOX	\$ 3.54 INTEPLAST IG-NF204	\$ 3.54 100/Box
46	1.00	PR	0460 - GLOVES, NITRILE PALM WITH SEAMLESS KNIT LINER, SIZE:10, JOHNSON, NITRI-FLEX PLUS, WILSHIRE PALM DIPPED NITRILE COATED. BRAND: JOHNSON PRODUCT NO. JW-1683XL PACK: 1 PAIR	\$ 1.02 Johnson JW-1683XL	\$ 1.02 PAIR
47	1.00	BX	0470 - GLOVES, BLUE NITRILE, DISPOSABLE, AMBIDEXTROUS, TEXTURED, LARGE, 6 MIL., 9-1/2" LENGTH, POWDER FREE, 100 GLOVES PER DISPENSER BOX BRAND: INTEPLAST PRODUCT NO. IG-NF203 PACK: 1 BOX	\$ 3.54 INTEPLAST IG-NF203	\$ 3.54 100/Box
* 48	1.00	CS	0480 - HI-TECH ONE-STEP GERMICIDAL NEUTRAL CLEANER & DEODORANT, CONCENTRATE 1-GALLON BRAND: HITECH PRODUCT NO.: EJ-5138 CASE: 4	\$ 52.05 Hitech EJ-5138 *10% LA Preference* TRANSGUIF HARAHAN, LA.	\$ 52.05 PK4/1gal
* 49	1.00	CS	0490 - AIR FRESHNER, LEMON CONCENTRATE, 4 - (1)GALLON/CASE *10% LA Preference* TRANSGUIF HARAHAN, LA.	\$ 36.83 Hitech EJ-5983	\$ 36.83 PK4/1gal.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
50	1.00	CS	BRAND: HITECH PRODUCT NO. EJ-5983 CASE: 4 - GALLONS 0500 - LIQUID BLEACH, PURE BRIGHT, GERMICIDAL ULTRA, UNSCENTED, 3 - (1)GALLON BOTTLES/CASE BRAND: BRITE PRODUCT NO. 5BC-8638431 CASE: 3 - GALLONS	\$ 17.35 Brite SBC- 8638431	\$ 17.35 PK 3/1 gal
* 51	1.00	CS	0510 - HI-TECH SIMPLY CLEAN CLEANER & DEGREASER, CONCENTRATION CAN BE DILUTED WITH UP TO 100 PARTS WATER FOR GENERAL MAINTENANCE - FLOORS, WALLS, MACHINERY, ENGINES CONVEYORS, DUCTS, KITCHEN OVEN & GRILLS, AIR FILTERS, ETC. 4 - (1)GALLON CANS/CASE *10% LA Preference BRAND: HITECH PRODUCT NO. EJ-3741 CASE: 4- GALLONS Transguif Harahan, LA	* \$ 42.20 Hitech EJ-3741	\$ 42.20 PK 4/1 gal
* 52	1.00	DRUM	0520 - HI-TECH DETERGENT DISINFECTANT, 55 GALLON DRUM W/PUMPS INCLUDED, MIXES READILY WITH WATER, NON-CORROSIVE & NON-STAINING ON PAINTED SURFACES, PLASTIC, TILES, GLASS, AND MOST METALS, DILUTION 4 OZ TO GALLON OF WATER *10% LA Preference BRAND: HITECH PRODUCT NO. EJ-5951-SS/CN440 PACK: 55 GAL DRUM Transguif Harahan, LA	* \$ 741.64 Hitech EJ-5951-55 w/CN440	\$ 741.64 55gal Drum
53	1.00	CS	0530 - CLEANING PADS, 20", 5 PADS/CASE BRAND: 3M PRODUCT NO. 3MC-35043 COLOR: BLUE CASE: 5 PADS	\$ 15.28 3mc- 35043	\$ 15.28 PK 5/case
54	1.00	CS	0540 - SCOURING PADS, SCRUBBLE, GENERAL PURPOSE, 6" X 9", NO METAL, 10/PACK, 6 PACKS/CASE BRAND: ACS PRODUCT NO. ACS-S096	\$ 17.72 ACS- S096	\$ 17.72 PK 6/10 case

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
55	1.00	PK	COLOR: GREEN CASE: 60 0550 - PAD, DOODLEBUG, BROWN, FOR HEAVY DUTY CLEANING, 4-5/8" X 10", 5/PACK BRAND: 3M PRODUCT NO. 3MC-35094 PACK: 5	\$ 8.37 3mc- 35094	\$ 8.37 PACK 5
56	1.00	CS	0560 - SPONGE SCRUBBER, GREEN ITEM NO. RP-S740C/20 BRAND: 3M PRODUCT NO. 3MC-35336 CASE: 20	\$ 15.44 3mc- 35336	\$ 15.44 PK 20 case
57	1.00	CS	0570 - SULFURIC ACID, LIQUID DRAIN OPENER, CONCENTRATED, LIGHT PINK LIQUID W/ACIDIC ODOR, CORROSIVE MATERIAL FOR PROFESSIONAL, INDUSTRIAL & INSTITUTIONAL USE ONLY. GREATER THAN 85% SULFURIC ACID, COMPOUND CLEANING LIQUID, DISSOLVES GREASE, HAIR, PAPER, & SLUDGE. WILL NOT INTERFERE WITH NORMAL ACTIVITY IN SEPTIC TANKS. MAY ALSO BE DILUTED/NEUTRALIZED, NO NTP, IARC PUNO, 32 OUNCE. INSTITUTIONAL FORMULA BRAND: DRANO PRODUCT NO. SJN-318593 CASE: 12 - 32 OZ BOTTLES	\$ 62.14 Drano SJN- 318593	\$ 62.14 PK 12/32 oz.
58	1.00	EA	0580 - METERED AIR FRESHENER, 7 OZ. FRAGRANCE: MANGO BRAND: HITECH PRODUCT NO. EJ-MT116 CASE: 12 CANS	\$ 3.53 Hitech EJ-MT116	\$ 3.53 PK 12/7 oz.
59	1.00	EA	0590 - METERED AIR FRESHENER DISPENSER BRAND: HITECH PRODUCT NO. EJ-CL7MADISP-C PACK: EACH	\$ 23.20 Hitech EJ-CL7MA	\$ 23.20 EACH DISP-C
* 60	1.00	CS	0600 - DEODORANT, CHERRY ORCHARD SCENT Item Number: TG-5275 * 10% LA Preference Trans Gulf (MFG) Havahum LA.	\$ 52.29 Hitech TG-5275	\$ 52.29 PK 4/1 gal

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
* 61	1.00	CS	BRAND: HITECH PRODUCT NO. TG5275 CASE: 4/1 GALLON 0610 - MULBERRY DEODORANT, 1 GALLON *	\$ 36.83	\$ 36.83
			BRAND: HITECH PRODUCT NO. EJ-5533 CASE: 4 - GALLONS <i>* 10% LA Preference TRANSGUIF HARRAHAN, LA</i>	Hitech EJ-5533	PK 4/1 gal.
62	1.00	PL	0620 - BETCO GLARE FLOOR FINISH, LOW MAINTENANCE HIG High Traffic Floor Wax	\$ 64.65	\$ 64.65
			PRODUCT: BETCO GLARE PRODUCT NO. BC-60505 PACK: 5 GAL PAIL -Low maintenance -High traffic floor finish -Ultra high speed burnishing -Self sealing finish -User friendly	Betco BC-60505	5 gal Pail
63	1.00	CS	0630 - AEROSOL FURNITURE POLISH, HI-TECH 17.7 OZ. CAN, 12 CANS/CASE.	\$ 47.55	\$ 47.55
			BRAND: HITECH PRODUCT NO. EJ-811 CASE: 12 CANS	Hitech EJ-811	PK 12/20 cs
* 64	1.00	EA	0640 - CLEANER, ALL PURPOSE, LAVENDER SCENT, FABULOSO, READY TO USE, 128 OZ. BOTTLE. *	\$ 9.50	\$ 9.50
			BRAND: HITECH PRODUCT NO. LAVULOSO EJ-5270 PACK: 1 GALLON <i>* 10% LA Preference TRANSGUIF HARRAHAN, LA</i>	Hitech EJ-5270	Gallon
65	1.00	CS	0650 - ALL PURPOSE CLEANER, FORMULA 409, PLASTIC TRIGGER SPRAY BOTTLES, READY TO USE (NOT CONCENTRATE) 32 OZ.	\$ 66.15	\$ 66.15
			PRODUCT NO. CX-35306 409 CASE: 12 BOTTLES	CX-35306 409	PK 12/32 g.
66	1.00	CS	0660 - FORMULA 409 REFILL, 128 OZ.	\$ 66.58	\$ 66.58
				CX-35300 409	PK 4/1 gal

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
67	1.00	EA	PRODUCT NO. CX-35300 409 CASE: 4/1 GALLON 0670 - CLEANER, COMET, 21 OUNCE BRAND: COMET PRODUCT NO. PG-032987 PACK: 21 OZ	\$ 1.95 PG-032987 Comet	\$ 1.95 213 can
* 68	1.00	CS	0680 - CITRUS DISINFECTANT CLEANER WITH NEUTRAL PH, 128 OZ., WILL NOT DULL, HAZE OR LEAVE FILM, KILLS HIV-1 ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS, PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS CITRUS BOUGUET FRAGRANCE, CONCENTRATE 1:26, CLEANS DEODORIZES AND DISINFECTS. BRAND: HITECH PRODUCT NO. EJ-1LTFB PACK: 4/1 GALLON	* \$ 52.05 Hitech EJ-1LTFB * 10% LA Preference TRANSGUIF HARRAHAN, LA	\$ 52.05 4/1 gal
69	1.00	EA	0690 - CLEANER, HAND, PUMP CONTAINER, BRAND: GOJO PRODUCT NO. 0955-04 PACK: 1 GALLON	\$ 20.64 GOJO GJ-0955 04	\$ 20.64 GALLON
70	1.00	CS	0700 - CARPET DEODORIZER, POWDERED, ARM AND HAMMER, 42.6 OZ., SHAKER BOX. BRAND: CDC PRODUCT NO. 84113 CASE: 9/42.6 OZ	\$ 47.05 CDC- 84113	\$ 47.05 9/42.63
71	1.00	CS	0710 - HI-TECH CLEANSER, CREME, 32 OZ., ALL PLASTIC, NO METAL TOP. BRAND: HITECH PRODUCT NO. EJ-77 FRAGRANCE: FRESH MINT CASE: 12/32 OZ	\$ 37.53 Hitech EJ-77	\$ 37.53 PK12/323
* 72	1.00	CS	0720 - HI-TECH, NON-ACID GERMICIDAL HEAVY-DUTY TOILET BOWL CLEANER, 32 OZ. BRAND: HITECH PRODUCT NO. EJ-1063 CASE: 12/32 OZ	* \$ 27.50 Hitech EJ-1063 * 10% LA Preference TRANSGUIF HARRAHAN, LA	\$ 27.50 PK12/323
73	1.00	CS	0730 - HOUSEHOLD POWDER CLEANER, SPIC & SPAN, 27 OZ. BOX.	\$ 133.95 PG-31973 SPICNSPAN	\$ 133.95 PK12/273

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
74	1.00	CS	BRAND: SPIC N SPAN PRODUCT NO. PG-31973 CASE: 12 BOXES 0740 - FABRIC SOFTNER SHEETS, BOUNCE, REGULAR SCENT, 9" x 11" SHEETS, 15 SHEET PER BOX. BRAND: BOUNCE PRODUCT NO. PG95860 CASE: 15 BOXES	\$ 17.11 PG-95860 Bounce	\$ 17.11 PK 15/15
75	1.00	CS	0750 - LAUNDRY DETERGENT, HI-TECH, LEMON FRESH, LOW SUDS, 50 LB. (Box) BRAND: HITECH PRODUCT NO. EJ-EC0002 PACK: 50#	\$ 35.98 Hitech EJ-EC0002	\$ 35.98 50#
76	1.00	CS	0760 - HE LAUNDRY DETERGENT, 50 OUNCE BOTTLE, TRIPLE ACTION, 6 BOTTLES/CASE. BRAND: PUREX PRODUCT NO. DIA-01120CT CASE: 6 BOTTLES	\$ 66.19 Dial Purex DIA-01120CT	\$ 66.19 PK 6/503
77	1.00	CS	0770 - DETERGENT, HE LIQUID, 50 OUNCE BOTTLES, 6 BOTTLES/CASE. BRAND: AJAX PRODUCT NO. PBC-AJAXX41 CASE: 6 BOTTLES	\$ 68.65 ARM+HAMMER CDC-33200 50026	\$ 68.65 PK 8/503
78	1.00	CS	0780 - LAUNDRY DETERGENT, TIDE, 95 OZ. BRAND: TIDE PRODUCT NO. PG-84997 CASE: 3 BOTTLES	\$ 62.05 PG-84997 Tide	\$ 62.05 PK 3/953
79	1.00	CS	0790 - HI-TECH, AEROSOL DISINFECTANT SPRAY, 20 OZ. CAN. BRAND: HITECH PRODUCT NO. EJ-015 CASE: 12 CANS	\$ 44.95 Hitech EJ-015	\$ 44.95 PK 12/203
80	1.00	CS	0800 - GLASS CLEANER, AEROSOL SPRAY CANS, HI-TECH, 20 OZ. CAN.	\$ 35.95 Hitech EJ-750	\$ 35.95 PK 12/203

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
81	1.00	CS	BRAND: HITECH PRODUCT NO. EJ-750 CASE: 12 CANS 0810 - ROOM DEODORANT, AEROSOL, ELIMINATES MUSTY STALE SMELL IN SECONDS, 13.8 OZ. CAN, VARIOUS SCENTS. BRAND: GLADE PRODUCT NO. SJN682262 FRAGRANCE: SPRING FRESH CASE: 12 CANS	\$ 45.15 Hitech EJ-163	\$ 45.15 PK12/203
* 82	1.00	CS	0820 - HI-TECH FOAMING SHOWER ROOM CLEANSER, REMOVES SOAP SCUM, MOLD AND MILDEW, PLEASANT RESIDUAL FRAGRANCE, LEAVES SURFACES SMELLING CLEAN, 1 GALLON BRAND: HITECH PRODUCT NO. EJ-1FSRCL CASE: 4/1 GALLON CONTAINERS <i>* 10% LA Preference TransGuif Harahan, LA.</i>	\$ 56.05 Hitech EJ-1FSRCL	\$ 56.05 PK4/1gal
83	1.00	CS	0830 - DEODORIZERS FOR TOILETS WITH PALSTIC HANGER, 4 oz. BRAND: FRESH PRODUCT NO. FRE-12-4BB FRAGRANCE: CHERRY CASE: 144 BLOCKS	\$ 184.55 Hospital Specialty HO-08411	\$ 184.55 PK12/12's
84	1.00	5GAP	0840 - HI-TECH LIQUIFIER, STRIPPER, NO RINSE/NO SCRUB LIQUIFYING STRIPPER, LOW FOAMING, CAN BE USED THROUGH AUTOMATIC SCRUBBERS, SAFE FOR PERSONAL & FLOORING, SAVES TIME BY ELIMINATING, NEUTRALIZING, AND RINSING, REDUCES EQUIPMENT COSTS, CAN BE USED IN HARD TO GET PLACES. PRODUCT: HITECH LIQUIFIER PRODUCT NO. EJ-15405 PACK: 5 GAL PAIL	\$ 70.53 Hitech EJ-15405	\$ 70.53 5gal Pail
* 85	1.00	5GAP	0850 - UNDER SEAL FLOOR SEALER, HARD, CLEAR, BRILLIANT PRIMER, KEEPS WATER, DIRT, AND ABRASIVE WEAR FROM PENETRATING FLOORS, STAYS CLEAR AND ELIMINATES FREQUENT STRIPPING, MINIMIZES HEEL MARKING AND SCUFFING, USE ON CONCRETE, TERRAZZO, AND ALL RESILIENT FLOORS. <i>* 10% LA Preference TransGuif Harahan, LA</i>	\$ 81.58 Hitech EJ-5417- 05	\$ 81.58 5gal Pail

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
86	1.00	CS	PRODUCT: HITECH PRODUCT NO. EJ-5417-05 PACK: 5 GAL PAIL 0860 - MANGO BAY CLIP DEODORIZER, ELIMINATES ODORS, KEEPS IT FRESH, FRESHENS THE AIR 30 DAYS, EASY TO USE. BRAND: HOSPITAL SPECIALTY PRODUCT NO. HO-AWBC007-BX CASE: 12	\$ 22.18 Hospital Specialty HO-AWBC007BX	\$ 22.18 PK 12
87	1.00	CS	0870 - MANGO WAVE URINAL SCREEN DEODORIZER. BRAND: BIG D PRODUCT NO. BD-626 CASE: 6/10	\$ 121.85 BIG D BD-626	\$ 121.85 PK 6/10's
88	1.00	PK	0880 - MAT, P-SHIELD URINAL BRAND: FRESH PRODUCT NO. FRE-PSUM PACK: 6	\$ 37.50 BIG D BD-6669	\$ 37.50 PK 6
89	1.00	CS	0890 - URINAL DEODORIZER BLOCKS, ROUND DEODORIZERS, 4 OZ., INDIVIDUALLY WRAPPED 12 BLOCKS/BOX, 12 BOXES/CASE. BRAND: HOSPITAL SPECIALTY PRODUCT NO. HO-06411 FRAGRANCE: CHERRY CASE: 144 BLOCKS	\$ 108.44 Hospital Specialty HO-06411	\$ 108.44 PK 12/12's
90	1.00	EA	0900 - DEODORANT BLOCK WITH MESH HANGER, PARADICHLOROBENZENE, 20 LB., CHERRY, FRESH PRODUCTS NO. 2-1-20-C-F BRAND: BIGD PRODUCT NO. BD990 PACK: EACH	\$ 71.74 BIGD BD-990	\$ 71.74 EACH
91	1.00	CS	0910 - STILLBRITE, STAINLESS STEEL CLEANER, 1 GALLON BRAND: STILLBRITE PRODUCT NO. MID-073600-41 CASE: 4/1 GALLON	\$ 81.95 StillBrite MID-073600-41	\$ 81.95 PK 4/1gal
92	1.00	CS	0920 - HI-TECH, VANDALISM & STAIN MARK REMOVER, AEROSOL SPRAY CANS, 20 OZ.,	\$ 59.20 Hitech EJ-870	\$ 59.20 PK 12/20's

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			REMOVES LIPSTICK, BALL POINT INKS, CRAYONS, ETC. BRAND: HITECH PRODUCT NO.: EJ-870 CASE: 12 CANS		
93	1.00	CS	0930 - HI-TECH, GUM OFF REMOVER III, 7 OZ. CANS, FREEZES ON CONTACT. BRAND: HITECH PRODUCT NO. EJ-813 CASE: 12 CANS	\$ 43.94 Hitech EJ-813	\$ 43.94 PK 12/123
94	1.00	CS	0940 - 3M NIAGARA, CLEANING PADS, 19", 5 PADS/CASE. BRAND: 3M PRODUCT NO. 3MC-35042 COLOR: BLUE CASE: 5 PADS	\$ 14.65 3M 3MC 35042	\$ 14.65 PK 5/CASE
* 95	1.00	CS	0950 - HI-TECH FRESH ODOR BAN, 1 GALLON * BRAND: HITECH PRODUCT NO. EJ-5138FL CASE: 4/1 GALLON FRESH LINEN SCENT *10% LA Preference TRANSGUIF HARRAHAN LA	\$ 48.44 Hitech EJ-5138FL	\$ 48.44 PK 4/1 GAL
96	1.00	EA	0960 - SPRAY BOTTLES, 32 OZ., MIX AND DISPENSE, CONCENTRATED CLEANING PRODUCTS TRANSLUCENT, BOTTLES HAVE QUANTITY GRADUATIONS BRAND: TOLCO PRODUCT NO. TOL-120125 COLOR: NATURAL PACK: EACH	\$.99 TOLCO TOL-120125	\$.99 EACH
97	1.00	EA	0970 - TRIGGER SPRAYER, TOLCO DIP TUBE, 10", FITS 32 OZ. BOTTLES BRAND: TOLCO PRODUCT NO. TOL-110414 PACK: EACH	\$.75 TOLCO TOL-110414	\$.75 EACH
98	1.00	CS	0980 - STAINLESS STEEL CLEANER, LUSTER SHINE, 20 OZ. CAN	\$ 50.69 Hitech EJ-841	\$ 50.69 PK 12/2003

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
* 99	1.00	CS	BRAND: HITECH PRODUCT NO. EJ-841 LUSTER SHINE SCENT: NEUTRAL CASE: 12 CANS 0990 - NEUTRAL FRESH DISINFECTANT, 2 OZ. PER GALLON DILUTION, FRESH FRAGRANCE, NEUTRAL PH, HOSPITAL-GRADE, GERMICIDAL DETERGENT & DEODORANT, REMOVES GROSS FILTH & HEAVY SOIL DEPOSITS BRAND: HITECH *10% LA Preference PRODUCT NO. EJ-5138 TransGulf CASE: 4/1 GALLON Harahan, LA SCENT: NEUTRAL FRESH	\$ 52.05 Hitech EJ-5138	\$ 52.05 PK 4/1 GAL
100	1.00	CS	1000 - BETCO TOILET BOWL AND SHOWER TILE CLEANER, 32 OZ. BRAND: BETCO PRODUCT NO. BC-76 CASE: 12 BOTTLES	\$ 35.65 Betco BC-76	\$ 35.65 PK 12/32 B
* 101	1.00	GL	1010 - GLASS CLEANER, SPARKLE, 1 GALLON REFILL, BLUE FORMULA, EASILY CUTS THROUGH GREASE, GRIME, AND WINDOW FILM WITHOUT STREAKING, ALCOHOL & AMMONIA FREE FORMULA, WILL NOT HARM, ETCH, DRY OUT OR PIT SURFACES, PERFECT FOR USE ON WINDOWS, MIRRORS, PLEXIGLASS, CHROME, COUNTERTOPS AND STAINLESS STEEL. BRAND: HITECH *10% LA Preference PRODUCT NO. EJ-108 TransGulf SCENT: UNSCENTED Harahan, LA PACK: 1 GALLON	\$ 6.80 Hitech EJ-108	\$ 6.80 GALLON
102	1.00	CS	1020 - URINAL SCREEN W/PARA BLOCK, PROTECTS URINAL FROM DEBRIS WHILE THE BLOCK PROVIDES TOTAL DEODORIZATION, FLUSHES WILL NOT AFFECT THE LIFE OF THE BLOCK, SCENT: CHERRY. BRAND: HOSPITAL SPECIALTY PRODUCT NO. HO-01991 PACK: 12/CASE	\$ 18.66 Hospital Specialty HO-01991	\$ 18.66 PK 12
103	1.00	EA	1030 - TOY BROOM, ABCO, 7 LB., HANDLE 24" X 3/4", 100% CORN, STITCH 2 ROWS, FIBER BLENDED BRAND: ABCO	\$ 2.76 ABCO AB-BR10018	\$ 2.76 EACH

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
104	1.00	EA	PRODUCT NO. AB-BR10018 PACK: EACH 1040 - SUPER JAW GRIP-IT HANDLE, 160" FIBERGLASS BRAND: ABCO PRODUCT NO. AB-01208NB PACK: EACH	\$ 11.54 ABCO AB-01208NB	\$ 11.54 EACH
105	1.00	EA	1050 - GENERAL MAINTENANCE BLUE MOP, SMALL, COTTON/RAYON/SYNTHETIC BLEND, CLEANS 2 TO 3 TIMES THE AREA WITH UP TO 6 TIMES THE LIFE OF A CONVENTIONAL CUT-END MOP. BRAND: ABCO PRODUCT NO. CLM-303SWB PACK: EACH	\$ 5.02 ABCO CLM-303SWB	\$ 5.02 EACH
106	1.00	EA	1060 - DUST PANS, CONTINENTAL, LOBBY SIZE: 12" X 36-3/4", BLACK BRAND: CONTINENTAL PRODUCT NO. CN-912 PACK: EACH	\$ 9.35 M2 DP-L801	\$ 9.35 EACH
107	1.00	EA	1070 - RUBBERMAID, MOP WRINGERS FOR MOP BUCKETS, 26 QUART CAPACITY, MUST BE ABLE TO HANDLE MOPSS SIZE 12 TO 32 OZ, YELLOW BRAND: RUBBERMAID PRODUCT NO. FG612788 (2064915) PACK: EACH (5 year warranty)	\$ 85.45 RUBBERMAID 2064915	\$ 85.45 EACH
108	1.00	EA	1080 - MOP WRINGER, RUBBERMAID, DOWNWARD PRESSURE MOP WRINGER, CAPACITY: 16-32 OZ BRAND: RUBBERMAID PRODUCT NO. FG757588 (2064959) COLOR: YELLOW PACK: EACH (5 year warranty)	\$ 140.55 RUBBERMAID 2064959	\$ 140.55 EACH
109	1.00	ST	1090 - MOPPING COMBO, RUBBERMAID INSTITUTIONAL, YELLOW, 38 QUART BRAND: RUBBERMAID PRODUCT NO. RM-759088YCL PACK: SET (5 year warranty)	\$ 143.20 RUBBERMAID RM-7590 88YCL	\$ 143.20 SET
110	1.00	CS	1100 - DUST PANS, RUBBERMAID, HEAVY DUTY 4" X 12-1/4" X 12", 12 PER CASE BRAND: RUBBERMAID PRODUCT NO. RM-FG2005 PACK: CASE (5 year warranty)	\$ 62.50 RUBBERMAID RM-FG2005 DOCHAR	\$ 62.50 PK12/CASE

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
111	1.00	EA	BRAND: RUBBERMAID PRODUCT NO. RM-FG200500CHAR CASE: 12 DUST PANS 1110 - MOP BUCKET WITHOUT WRINGER, RUBBERMAID, 20.1"L X 17.4"H X 16"W, 35 QUART, YELLOW. BRAND: RUBBERMAID PRODUCT NO. RM-FG7570-88 (2064914) PACK: EACH (5 year warranty)	\$ 122.20 RUBBERMAID 2064914	\$ 122.20 Each
112	1.00	EA	1120 - BROOM, PLASTIC, BRISTLE LARGE ANGLE, BLUE. BRAND: ABCO PRODUCT NO. AB-00402-12 PACK: EACH	\$ 4.93 ABCO AB-00402-12	\$ 4.93 Each
113	1.00	DZ	1130 - ABCO BROOM, HEAVY DUTY WOODEN HANDLE, STRAW, NO WIRE. BRAND: ROYAL PRODUCT NO. RB-9920NW PACK: DOZEN	\$ 94.18 ROYAL RB-9920NW	\$ 94.18 Dozen
114	1.00	EA	1140 - HANDLE, BROOM, 5' X 15/16" DIA, WITH THREADED METAL TIP, ADVANCE #35107 BRAND: ABCO PRODUCT NO. AB-01104 PACK: EACH	\$ 4.92 ABCO AB-01104	\$ 4.92 Each
115	1.00	DZ	1150 - BROOM, STREET, BROWN POLYBASS STRAW, 16" LONG BLOCK, 6-1/4" LONG TRIM BRAND: ABCO PRODUCT NO. AB-BH13003 PACK: DOZEN	\$ 126.63 ABCO AB-BH13003	\$ 126.63 Dozen
116	1.00	DZ	1160 - BROOM, PUSH, FLOOR, 24" WIDTH, SCREW TYPE, GRAY, POLYPROPYLENE, 3" TRIM FLAGGED BRISTLES. BRAND: ABCO PRODUCT NO. AB-00321NB PACK: DOZEN	\$ 103.54 ABCO AB-BH11008	\$ 103.54 Dozen
117	1.00	EA	1170 - PLASTIC LOBBY BRROM, BLACK, POLYPROPYLENE FILL, 2.00" X 35" X 7.5"	\$ 3.37 ABCO AB-00321NB	\$ 3.37 Each

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
118	1.00	DZ	BRAND: ABCO PRODUCT NO. AB-00321NB PACK: EACH 1180 - BROOM, PUSH, 24" WIDE X 4" TRIM, NATURAL PALMYRA, SCREW TYPE, GRAINGER #1A845. BRAND: ABCO PRODUCT NO. AB-BH12003 PACK: DOZEN	\$ 97.84 ABCO AB- BH12003	\$ 97.84 Dozen
119	1.00	DZ	1190 - BROOM, PUSH, 16" WIDE X 4" TRIM NATURAL PALMYRA, SCREW TYPE WEILER MODEL 42032 BRAND: MAGNOLIA PRODUCT NO. MB1416 PACK: DOZEN	\$ 174.05 ABCO AB- BH13001	\$ 174.05 Dozen
120	1.00	DZ	1200 - HANDLE, PUSH BROOM/SQUEEGE, WOODEN, TAPERED TYPE, 1-1/8" DIAMETER, 60" LONG, BOLT ON, GRAINGER #3A326 BRAND: ABCO PRODUCT NO. AB-01113 PACK: DOZEN	\$ 60.95 ABCO AB-01113	\$ 60.95 Dozen
121	1.00	DZ	1210 - HANDLE, BROOM, 5' X 15/16" WITH THREADED METAL TIP, ADVANCE #35107 BRAND: ABCO PRODUCT NO. AB-01104 PACK: DOZEN	\$ 59.25 ABCO AB-01104	\$ 59.25 Dozen
122	1.00	DZ	1220 - ABCO MOP HANDLE, NO WAXES, SCREW ON TYPE, WOODEN, 54 INCH. BRAND: ABCO PRODUCT NO. AB-01209NB PACK: DOZEN	\$ 51.77 ABCO AB- 01209NB	\$ 51.77 Dozen
123	1.00	DZ	1230 - LAY FLAT MOP HEADS, 20 OZ. SIZE, CLIP-IN TYPE, COTTON. BRAND: HITECH PRODUCT NO. EJ-CW20 PACK: DOZEN	\$ 49.02 Hitech EJ-CW20	\$ 49.02 Dozen

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
124	1.00	DZ	1240 - LAY FLAT MOP HEADS, 20 OZ. SIZE, SCREW IN TYPE, RAYON. BRAND: HITECH PRODUCT NO. EJ-RLM20 PACK: DOZEN	\$ <u>69.03</u> Hitech EJ-RLM20	\$ <u>69.03</u> Dozen
125	1.00	DZ	1250 - LAY FLAT MOP HEADS, 20 OZ. SIZE, SCREW IN TYPE, COTTON. BRAND: HITECH PRODUCT NO. EJ-CL20 PACK: DOZEN	\$ <u>64.20</u> Hitech EJ-CL20	\$ <u>64.20</u> Dozen
126	1.00	DZ	1260 - HEAD, DUST MOP, COTTON, 24" X 5" BRAND: ACS PRODUCT NO. M9124 PACK: DOZEN	\$ <u>59.80</u> ACS m9124	\$ <u>59.80</u> Dozen
127	1.00	DZ	1270 - MOP HANDLE, LAY FLAT SCREW IN TYPE 60" LONG BRAND: ABCO PRODUCT NO. AB-01210NB PACK: DOZEN	\$ <u>68.15</u> ABCO AB-01210NB	\$ <u>68.15</u> Dozen
128	1.00	DZ	1280 - MOP, 32 OZ., HEAVY DUTY HANDLE, COTTON HEAD, NO WIRE. BRAND: ROYAL PRODUCT NO. RB-832CNW PACK: DOZEN	\$ <u>108.65</u> ROYAL RB-832CNW	\$ <u>108.65</u> Dozen
129	1.00	DZ	1290 - MOP, FOUR PLY, 24 OZ. COTTON HEAD WITH WIRE BAND, 58" HARDWOOD HANDLE, EDS #2209 BRAND: ABCO PRODUCT NO. AB-CD50024 PACK: DOZEN	\$ <u>69.08</u> ABCO AB-CD50024	\$ <u>69.08</u> Dozen
130	1.00	DZ	1300 - MOP, TOY, 24 INCH BRAND: ABCO PRODUCT NO. AB-BR10018 PACK: DOZEN	\$ <u>20.03</u> ROYAL RB803C	\$ <u>20.03</u> Dozen

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
131	1.00	DZ	1310 - MOP HANDLE, CLIP-IN TYPE, 60", FIBERGLASS BRAND: ABCO PRODUCT NO. AB-01206NB PACK: DOZEN	\$ 135.51 ABCO AB- 01206NB	\$ 135.51 Dozen
132	1.00	EA	1320 - SQUEEGEE, FLOOR, 36", STRAIGHT BLACK RUBBER BRAND: MAGNOLIA PRODUCT NO. MB4136TP PACK: EACH	\$ 33.20 MAGNOLIA MB4136TP	\$ 33.20 Each
133	1.00	DZ	1330 - ABCO UTILITY BRUSHES, SHORT HANDLE, PLASTIC, WHITE NYLON BRISTLES, 2-1/2" TRIM, 8.5" OVERALL LENGTH, 5.5" BRUSH FACE BRAND: ABCO PRODUCT NO. AB-HB08001 PACK: DOZEN	\$ 58.35 ABCO AB- HB08001	\$ 58.35 Dozen
134	1.00	EA	1340 - BRUSH, WHITEWASH, 7"W X 2-5/8"L, TAMPICO SYNTHETIC FIBRE BRAND: MAGNOLIA PRODUCT NO. MB577 PACK: EACH	\$ 4.37 MAGNOLIA MB577	\$ 4.37 Each
135	1.00	EA	1350 - BRUSH, UTILITY, 20" HANDLE 2", TRIM LENGTH, TAMPICO FILL, ADVANCE #015 BRAND: WILEN PRODUCT NO. WI-I301120 PACK: EACH	\$ 5.35 WILEN WI-I301120	\$ 5.35 Each
136	1.00	DZ	1360 - WAX MOP HEAD, MEDIUM FINISH MOP HEAD, SSS, WHITE WITH BLUE STRIPES BRAND: ABCO PRODUCT NO. AB-LM203MCS PACK: DOZEN	\$ 80.32 ABCO AB- LM203MCS	\$ 80.32 Dozen
137	1.00	DZ	1370 - WET MOP HEAD, 16 OZ., SCREW ON TYPE, 4-PLY, 500 STRANDS, COTTON END	\$ 55.02 Hitech EJ-CL16	\$ 55.02 Dozen

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
138	1.00	DZ	BRAND: HITECH PRODUCT NO. EJ-CL16 PACK: DOZEN 1380 - WET MOP HEADS, 24 OZ., SCREW ON TYPE, 4-PLY, 600 STRANDS, COTTON	\$ 72.68 Hitech EJ-CL24	\$ 72.68 Dozen
139	1.00	PK	BRAND: HITECH PRODUCT NO. EJ-CL24 PACK: DOZEN 1390 - NORTON, STRIPPER PADS, 18 INCH	\$ 13.54 3M 3MC-35021	\$ 13.54 PK 5
140	1.00	PK	BRAND: 3M PRODUCT NO. 3MC-35021 COLOR: BLACK PACK: 5 PADS 1400 - NORTON, BUFFER PADS, 18"	\$ 13.54 3M 3MC-35051	\$ 13.54 PK 5
141	1.00	PK	BRAND: 3M PRODUCT NO. 3MC-35051 COLOR: RED PACK: 5 PADS 1410 - NORTON, BUFFER PADS, 19"	\$ 14.95 3M 3MC-35052	\$ 14.95 PK 5
142	1.00	PK	BRAND: 3M PRODUCT NO. 3MC-35052 COLOR: RED PACK: 5 PADS 1420 - NORTON, BUFFING PADS, 20"	\$ 15.25 3M 3MC-35053	\$ 15.25 PK 5
143	1.00	PK	BRAND: 3M PRODUCT NO. 3MC-35053 COLOR: RED PACK: 5 PADS 1430 - NORTON, FLOOR PADS, HIGH PERFORMANCE STRIPPING PADS, 20"	\$ 15.25 3M 3MC-35023	\$ 15.25 PK 5
144	1.00	PK	BRAND: 3M PRODUCT NO. 3MC-35023 COLOR: BLACK PACK: 5 PADS 1440 - POLISHER PADS, 18"	\$ 13.54 3M 3MC-35061	\$ 13.54 PK 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
145	1.00	PK	BRAND: 3M PRODUCT NO. EMC-35061 COLOR: WHITE PACK: 5 PADS 1450 - ULTRA HIGH SPEED POLISHING PADS, 19", FOR OPERATION BETWEEN 1500-3000 RPM	\$ 15.25 3m 3mc-35061	\$ 15.25 PK5
146	1.00	PK	BRAND: 3M PRODUCT NO. 3MC-35067 COLOR: AQUA PACK: 5 PADS 1460 - WHITE POLISHING PADS, 20"	\$ 15.25 3m 3mc-35063	\$ 15.25 PK5
147	1.00	PK	BRAND: 3M PRODUCT NO. 3MC-35063 COLOR: WHITE PACK: 5 PADS 1470 - BUFFER PADS, 13"	\$ 8.45 3m 3mc-35046	\$ 8.45 PK5
148	1.00	PK	BRAND: 3M PRODUCT NO. 3MC-35046 COLOR: RED PACK: 5 PADS 1480 - HIGH SPEED STRIPPING PAD, 20"	\$ 15.25 3m 3mc-35023	\$ 15.25 PK5
149	1.00	EA	BRAND: 3M PRODUCT NO. 3MC-35023 PACK: 5 PADS 1490 - WET FLOOR SIGNS, CLOSED: 26", OPEN: 11" X 1-1/2" X 25", 2 SIDED	\$ 7.95 Hitech EJ-wet	\$ 7.95 EACH
150	1.00	DZ	BRAND: HITECH PRODUCT NO. EJ-WET COLOR: YELLOW PACK: EACH 1500 - WILEN J.W. ATOMIC LOOP MOP, MEDIUM, BLUD, 1.25", COTTON/RAYON/ SYNTHETIC BLEND MOP, CLEANS 2 TO 3 TIMES THE AREA WITH UP TO 6 TIMES THE LIFE OF A CONVENTIONAL CUT-END MOP, MOP IS NOT PRE-SHRUNK, LAUNDER WITH CARE. BRAND: ABCO	\$ 60.28 ABCO AB- CLM303MB	\$ 60.28 Dozen

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
151	1.00	CS	PRODUCT NO. AB-CCM 303MB PACK: 12 1510 - ABCO, TOILET BOWL BRUSH, PLASTIC HANDLE, POLYPROPYLENE FILL, STAIN & ODOR RESISTANT, 14.5" LENGTH, 1-1/8" TRIM, WHITE PRODUCT: ABCO PRODUCT NO. AB-00017 PACK: 24/CASE	\$ 30.50 ABCO AB-00017	\$ 30.50 PK 24
152	1.00	EA	1520 - BRUSH, TOILET BOWL, SYNTHETIC & NYLON FILL, 21" LONG GRAINGER #1VAE9 BRAND: RUBBERMAID PRODUCT NO. RM-6310WHT PACK: EACH	\$ 2.70 Rubbermaid RM- 6310WHT	\$ 2.70 EACH
153	1.00	EA	1530 - ABCO, THREADED WOOD BROOM HANDLE, 1-5/16" X 60", CLEAR LACQUERED BRAND: ABCO PRODUCT NO. AB-01102 PACK: EACH	\$ 3.40 ABCO AB-01102	\$ 3.40 EACH
154	1.00	CS	1540 - WILEN, FLOOR SCRUB BRUSH, 10", POLYPROPYLENE BI LEVEL, PLASTIC BLOCKS RESIST SPLITTING OR DELAMINATING, FLAGGED SYNTHETIC FIBERS TO HELP AVOID SCRATCHING, IDEAL FOR DELICATE SURFACES, LONG LASTING STAIN RESISTANT POLYPROPYLENE BRISTLES BRAND: WILEN PRODUCT NO. WI-1004000 PACK: 6/CASE COLOR: BLUE	\$ 50.16 Wilen WI- 1004000	\$ 50.16 PK 6
155	1.00	CS	1550 - ACS/SCRUBBLE HEAVY DUTY UTILITY CLEANING PADS, BROWN, 4-1/2" X 10" X 1" 5 PADS/PACK, 4 PACKS/CASE BRAND: ACS PRODUCT NO. ACS-631 CASE: 20 PADS	\$ 18.63 ACS 631	\$ 18.63 PK 20
156	1.00	PK	1560 - PADS, HOG HAIR, 20", NATURAL, 3500N	\$ 16.57 3M 3MC-31629	\$ 16.57 PK 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
157	1.00	PK	BRAND: 3M PRODUCT NO. 3MC-31629 PACK: 5 1570 - PADS, SURFACE PREP, 20", MCO 29592-CS	\$ <u>51.14</u> ACS 57-FPP-20	\$ <u>51.14</u> PK10
158	1.00	PK	BRAND: ACS PRODUCT NO. 57-FPP-20 PACK: 10 1580 - NORTON, 13" FLOOR SCRUBBING PAD, GREEN, 5400N	\$ <u>8.45</u> 3M 3MC-35026	\$ <u>8.45</u> PK5
159	1.00	EA	BRAND: 3M PRODUCT NO. 3MC-35026 PACK: 5 1590 - PAIL, 2-1/2 GALLON, WHITE, HIGH DENSITY POLYETHYLENE, .065 MIL THICKNESS NO LID, WITH WIRE HANDLE BRAND: CONTINENTAL PRODUCT NO. TBC-46509 PACK: EACH	\$ <u>7.58</u> CONTINENTAL TBC-46509	\$ <u>7.58</u> EACH
160	1.00	EA	1600 - LID WITH SPOUT, FOR 5 GALLON BUCKET, WHITE, POLYETHYLENE, MUST FIT 48098 PAIL BRAND: CONTINENTAL PRODUCT NO. TBC-CS-04 PACK: EACH	\$ <u>2.31</u> CONTINENTAL TBC-CS-04	\$ <u>2.31</u> EACH
161	1.00	EA	1610 - PAIL, 5 GALLON, WHITE, HIGH DENSITY POLYETHYLENE, .090 MIL THICKNESS NO LID, WITH WIRE HANDLE BRAND: CONTINENTAL PRODUCT: TBC-46500 PACK: EACH	\$ <u>7.93</u> CONTINENTAL TBC-46500	\$ <u>7.93</u> EACH
162	1.00	CS	1620 - ELKAY, UMBRELLA BAGS, 35" BRAND: ELKAY PRODUCT NO. LK-UB0735 CASE: 1,000 BAGS	\$ <u>55.93</u> ELKAY LK-UB0735	\$ <u>55.93</u> PK1000/CASE
163	1.00	CS	1630 - ELKAY, MINI, UMBRELLA BAGS, 24"	\$ <u>38.28</u> ELKAY LK-UB0724	\$ <u>38.28</u> PK1000/CASE

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
164	1.00	CS	<p>BRAND: ELKAY PRODUCT NO. LK-UB0724 CASE: 1,000 BAGS</p> <p>1640 - NUANCE MICROFIBER CLOTH, GREEN, 16" X 16", FOR DUSTING & CLEANING, SPLIT</p> <p>FIBERS CREATE A POSITIVE CHARGE THAT GRABS ONTO DUST & DIRT WITHOUT DAMAGING SURFACES, SAFE FOR DRY DUSTING HARDWOODS & FOR DUSTING & CLEANING WITHOUT CHEMICALS OR OILS, FOR ANY SURFACE INCLUDING COUNTER TOPS, PORCELAIN, CHROME, GLASS & WOOD</p> <p>PRODUCT: NUANCE PRODUCT NO. NU-NFC16GREA PACK: 12/CASE</p>	<p>\$ 7.92</p> <p>NUANCE NU- NFC16g-GR</p>	<p>\$ 7.92</p> <p>PK12</p>
165	1.00	PK	<p>1650 - NUANCE MICROFIBER CLOTH, BLUE, 16" X 6", FOR DUSTING & CLEANING, SPLIT</p> <p>FIBERS CREATE POSITIVE CHARGE THAT GRABS ONTO DUST & DIRT WITHOUT DAMAGING SURFACES, SAFE FOR DRY DUSTING HARDWOODS AND FOR CLEANING WITHOUT CHEMICALS OR OILS, CLEANING FOR ANY SURFACE INCLUDING COUNTER TOPS, PORCELAIN, CHROME, GLASS, AND WOOD.</p> <p>PRODUCT: NUANCE PRODUCT NO. NU-NFCL16BUEA PACK: 12/PACK</p>	<p>\$ 7.92</p> <p>Nuance NU- NFCL16Buea</p>	<p>\$ 7.92</p> <p>PK12</p>
166	1.00	PK	<p>1660 - IMPACT LAYFLAT HIGH DUSTER, 28" X 3", MULTI USE TOOL DESIGNATED TO</p> <p>CLEAN HARD TO REACH AREAS SUCH AS OVERHEAD PIPES, LEDGES, CEILING FANS, & BEHIND FURNITURE, STAINLESS STEEL SWORD EMBEDDED IN FOAM CAN BE BENT IN ANY SHAPE, SNAP CONNECTION ALLOWS QUICK TRANSFER TO AN ADJUSTABLE HANDLE TO PERMIT HIGH DUSTING.</p> <p>PRODUCT: IMPACT PRODUCT NO. IM-HDCOMP PACK: 12/PACK</p>	<p>\$ 223.50</p> <p>IMPACT IM- HDcomp</p>	<p>\$ 223.50</p> <p>PK12</p>
167	1.00	CS	<p>1670 - PURELL, FOODSERVICE SURFACE SANITIZER, 32 OZ. CAPPED BOTTLE WITH</p> <p>SPRAY TRIGGER BANDED TO BOTTLE.</p> <p>NO RINSE CONTACT SURFACE SANITIZER AND CLEANER, ELIMINATES NOROVIRUS, E.COLI, SALMONELLA, AND LISTERIA IN 30 SECONDS,</p>	<p>\$ 52.34</p> <p>6050 65- 3341-12</p>	<p>\$ 52.34</p> <p>PK12/32g</p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			NSF D2 REGISTERED, FRAGRANCE-FREE FORMULA, REQUIRES NO RINSE ON FOOD CONTACT SURFACES, NO PRECAUTIONARY STATEMENTS, NO HAND WASHING REQUIRED AFTER USE, PROVEN EFFECTIVE ACROSS MOST HARD AND SOFT SURFACES, AWARDED THE U.S. EPA DESIGN FOR THE ENVIRONMENT CERTIFICATION (DFE)		
			BRAND: GOJO PRODUCT NO. 3341-12 PACK: 12/32 OZ		
168	1.00	CS	1680 - CASCADE, AUTOMATIC DISH-WASHING, 120 OZ. BOTTLE, LEMON SCENT, GEL	\$ 42.25 PG-28193 CASCADeS	\$ 42.25 PK 4/1203
			BRAND: CASCADE PRODUCT NO. PG-28193 CASE: 4 BOTTLES		
* 169	1.00	CS	1690 - KLINGON OVEN & HOOD CELANER, PROFESSIONAL, READY TO USE, 32 OUNCE	* \$ 50.45 Hitech EJ-5502	\$ 50.45 PK 12/323
			BOTTLES, CONVENIENT POUR BOTTLE, NSF AB, 12 BOTTLES/CASE.		
			* 1076 LA Preference Transguif HARRAHAN, LA		
170	1.00	BX	1700 - STRAWS, JUMBO, INDIVIDUALLY WRAPPED, TRANSLUCENT, PLASTIC, 7.75 LENGTH, 500/BOX, 24 BOXES/CASE	\$ 2.97 CARDINAL S10025	\$ 2.97 PK 500/Box
			BRAND: CARDINAL PRODUCT NO. S10025 CASE: 12,000 STRAWS		
171	1.00	CS	1710 - BOUFFANT DISPOSABLE CAPS, 100/BOX, 5 BOXES/CASE	\$ 18.55 Johnson Jw- 6524gr	\$ 18.55 PK 5/100
			BRAND: JOHNSON PRODUCT NO. JW-6524GR, SIZE: 24" COLOR: GREEN CASE: 500		
172	1.00	ROLL	1720 - BUTCHER PAPER, WHITE, 18" X 1000' (UNWAXED)	\$ 36.64 DURO Du-72851	\$ 36.64 1000' Roll
			BRAND: DURO PRODUCT NO. DU-72851		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
173	1.00	ROLL	PACK: 1,000' ROLL 1730 - FREEZER PAPER, WAXED, 18" X 1100' ROLL BRAND: DURABLE PRODUCT NO. DPI-FL18110 COLOR: WHITE PACK: 1,100'	\$ <u>69.90</u> DURABLE DPI - FL18110	\$ <u>69.90</u> 1100' Roll
174	1.00	ROLL	1740 - ALUMINUM FOIL, HEAVY DUTY, REYNOLDS, 18" X 1,000'. BRAND: REYNOLDS PRODUCT NO. RY-625M PACK: 1,000'	\$ <u>13.55</u> Reynolds RY-625M	\$ <u>13.55</u> 1000' Roll
175	1.00	CS	1750 - POP-UP FOIL SHEETS, 12" X 10.75", 500 SHEETS/BOX, 6 BOXES/CASE BRAND: WESTERN PRODUCT NO. WP-635 CASE: 6 POP-UP BOXES PER CASE	\$ <u>96.65</u> Western WP-635	\$ <u>96.65</u> PK 6/500
176	1.00	ROLL	1760 - ALUMINUM FOIL, HEAVY DUTY, REYNOLDS, 24" X 1,000'. BRAND: REYNOLDS PRODUCT NO. RY-627 PACK: 1,000'	\$ <u>99.05</u> Reynolds RY-627	\$ <u>99.05</u> 1000' Roll
177	20.00	CS	1770 - WRAP, PRESS-N-SEAL, 70' ROLL, 12 ROLLS/CASE BRAND: CLOROX PRODUCT NO. CX-70441 CASE: 12 ROLLS	\$ <u>67.65</u> Clorox CX-70441	\$ <u>1353.00</u> 12/70'
178	1.00	ROLL	1780 - WRAP, PLASTIC FILM, INTEPLAST, WITH CUTTER BOX, 18" X 2,000'. BRAND: INTEPLAST PRODUCT NO. IG-FSW1802K PACK: 2,000'	\$ <u>19.00</u> INTEPLAST IG-FSW1802K	\$ <u>19.00</u> 2000'
179	1.00	PK	1790 - BAGS, BROWN PAPER, 1 LB., 3-1/2" X 1-3/4" X 7", 500 BAGS/PACK	\$ <u>10.36</u> DURD DU-18401	\$ <u>10.36</u> PK 500

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
180	1.00	PK	BRAND: DURO PRODUCT NO. DU-18401 COLOR: BROWN KRAFT PACK: 500 BAGS 1800 - BAGS, BROWN PAPER, 5 LB., 5-1/4" X 3-7/16" X 10-15/16", 500 BAGS PER PACK BRAND: DURO PRODUCT NO. DU-18405 COLOR: BROWN KRAFT PACK: 500 BAGS	\$ 19.20 DURO DU-18405	\$ 19.20 PK 500
181	1.00	PK	1810 - BAGS, BROWN PAPER, 10 LB, 6-1/8" X 4-1/6" X 12-7/16", 500 BAGS PER PACK BRAND: DURO PRODUCT NO. DU-18410 COLOR: BROWN KRAFT PACK: 500 BAGS	\$ 29.95 DURO DU-18410	\$ 29.95 PK 500
182	1.00	PK	1820 - BAGS, BROWN GROCERY PAPER, 52 LB., 12" X 7" X 17" BRAND: DURO PRODUCT NO. DU-800705 PACK: 500 BAGS	\$ 90.93 DURO DU-800705	\$ 90.93 PK 500
183	1.00	CS	1830 - FOOD STORAGE BAGS, CLEAR, PLASTIC DOUBLE ZIPPER, 2 GALLON CAPACITY, 1.75 MIL., 15-5/8" X 13", 100 PER CASE. BRAND: INTEPLAST PRODUCT NO. IG-RZIP2GAL CASE: 100	\$ 14.25 INTEPLAST IG- RZipGal	\$ 14.25 PK 100
184	1.00	CS	1840 - LIFT OFF PAN LINERS, DURABLE QUILON GREASEPROOF BAKERY PAN LINERS, 16-3/8" X 24-3/8" BRAND: DURABLE PRODUCT NO. DPI-QPL25 PACK: 1,000/CASE	\$ 69.30 DURABLE DPI- QPL25	\$ 69.30 1000/CASE
185	1.00	CS	1850 - FREEZER BAGS, PLASTIC, SUPER EXTRA HEAVY, 1 GALLON CAPCITY, 2.7 MIL, 10-9/16"W X 11"H, 250/CASE	\$ 29.22 INTEPLAST IG- GFRZipGal	\$ 29.22 PK 250/CASE

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
186	100.00	CS	<p>BRAND: INTEPLAST PRODUCT NO. IG-GFRZIPGAL COLOR: CLEAR PACK: 250</p> <p>1860 - SANDWICH BAGS, PLASTIC, 1.2 MIL, RESEALABLE, 6-1/2"W X 5-7/8"L, 500/CASE.</p>	<p>\$ 11.22</p> <p>INTEPLAST IG- RZIPGAL</p>	<p>\$ 11.22</p> <p>PK500</p>
187	1.00	CS	<p>1870 - DART, FOOD CONTAINER, 12 OZ., HOT OR COLD INSULATED FOAM, WHITE, (USE AN 20 SERIES LID).</p> <p>BRAND: DART PRODUCT NO. DA-12SJ20 CASE: 500</p>	<p>\$ 52.45</p> <p>DART DA-12SJ20</p>	<p>\$ 52.45</p> <p>PK500</p>
188	1.00	CS	<p>1880 - FOOD CONTAINER LID, TRANSLUCENT, VENTED, FITS 12 OZ. FOOD CONTAINER.</p> <p>BRAND: DART PRODUCT NO. DA-20JL CASE: 1,000</p>	<p>\$ 54.75</p> <p>DART DA-20JL</p>	<p>\$ 54.75</p> <p>PK1000</p>
189	1.00	CS	<p>1890 - DART/CONEX, 7 OZ. TRANSLUCENT CUP MADE WITH HIGH IMPACT POLYSTYRENE</p> <p>FLEXIBLE, SHATTERPROOF, WITH NO SLIP GRIPPING SURFACE, CLEAR.</p> <p>BRAND: DART PRODUCT NO. DA-Y7 CASE: 2,500</p>	<p>\$ 102.80</p> <p>DART DA-Y7</p>	<p>\$ 102.80</p> <p>PK2500</p>
190	1.00	EA	<p>1900 - COMMERCIAL INSULATED BEVERAGE CONTAINER, WATER COOLER, 10 GALLON,</p> <p>HEAVILY INSULATED CONTAINER KEEPS BEVERAGES COLD FOR HOURS, THUMB-TRIGGER SPIGOT FEATURES A RECESSED DESIGN MINIMIZING THE POTENTIAL FOR KNOCK AND BUMP RELATED DAMAGE, WEIGHT: 12 LB, CUBE: 2.37600.</p> <p>BRAND: RUBBERMAID PRODUCT NO. RHP-1610-ORG COLOR: ORANGE</p>	<p>\$ 134.64</p> <p>RUBBERMAID RHP- 1610-ORG</p>	<p>\$ 134.64</p> <p>EACH</p>
191	1.00	EA	<p>1910 - COMMERCIAL INSULATED BEVERAGE CONTAINER, WATER COOLER, 5 GALLON,</p>	<p>\$ 99.90</p> <p>RUBBERMAID RHP- 1685-ORG</p>	<p>\$ 99.90</p> <p>EACH</p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
192	1.00	CS	<p>CRACK RESISTANT POLYETHYLENE FOR LONG LIFE, SCREW TOP LID FOR TIGHT SEAL, RECESSED, DRIPLESS SPIGOT, CARRY HANDLES FOR COLD BEVERAGES, WEIGHT: 7.45, CUBE: 2.26000 SIZE: 18-7/8 X 12-7/8 X 14-3/4</p> <p>BRAND: RUBBERMAID PRODUCT NO. RHP-1685ORG (1840999) COLOR: ORANGE</p> <p>1920 - CUPS, DRINKING, PLASTIC, CLEAR, 10 OZ., 100 CUPS/BAG, 2,500 CUPS/CASE</p> <p>BRAND: DART PRODUCT NO. DA-Y10 CASE: 2,500 CUPS</p>	<p>\$ 121.70</p> <p>DART DA-Y10</p>	<p>\$ 121.70</p> <p>PK 2500/cs</p>
193	1.00	CS	<p>1930 - BOWLS, DESSERT, LAMINATED FOAM, SMOOTH RIM, ROUND, PUNCTURE RESISTANT, 5 OZ., 125 CUPS PER SLEEVE, 1,000 CUPS PER CASE.</p> <p>BRAND: DART PRODUCT NO. DA-5BWWQ COLOR: WHITE CASE: 1,000 CUPS</p>	<p>\$ 32.50</p> <p>DART DA-5BWWQ</p>	<p>\$ 32.50</p> <p>PK 1000/cs</p>
194	1.00	CS	<p>1940 - BOWLS, SOUP, STYROFOAM, 12 OZ., (USES ANY 32 SERIES LID)</p> <p>BRAND: DART PRODUCT NO. DA-12B32 COLOR: WHITE CASE: 1,000 BOWLS</p>	<p>\$ 104.69</p> <p>DART DA-12B32</p>	<p>\$ 104.69</p> <p>PK 1000/cs</p>
195	100.00	CS	<p>1950 - FORKS, PLASTIC, HEABY WEIGHT POLYSTYRENE, FULL SIZE, 100/PACK, 10 PACKS/CASE.</p> <p>BRAND: WALLACE PRODUCT NO. WAL-7480 COLOR: WHITE CASE: 1,000 FORKS</p>	<p>\$ 21.40</p> <p>WALLACE WAL-7480</p>	<p>\$ 21.40</p> <p>PK 1000</p>
196	1.00	CS	<p>1960 - SPOON, PLASTIC, HEAVYWEIGHT, FULL SIZE, 100/PACK, 10 PACK/CASE.</p> <p>BRAND: WALLACE PRODUCT NO. WAL-7482 COLOR: WHITE</p>	<p>\$ 21.40</p> <p>WALLACE WAL-7482</p>	<p>\$ 21.40</p> <p>PK 1000</p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
197	1.00	CS	CASE: 1,000 FORKS 1970 - SPOON, SOUP, PLASTIC, HEAVYWEIGHT 100/PACK, 10 PACKS/CASE. BRAND: WALLACE PRODUCT NO. WAL-3653 CASE: 1,000 SPOONS	\$ <u>24.08</u> WALLACE WAL-3653	\$ <u>24.08</u> PK1000
198	1.00	CS	1980 - KNIVES, PLASTIC, HEAVYWEIGHT, FULL SIZE, SERRATED EDGE, 100/PACK, 10 PACKS/CASE. BRAND: WALLACE PRODUCT NO. WAL-7481 COLOR: WHITE CASE: 1,000	\$ <u>21.40</u> WALLACE WAL-7481	\$ <u>21.40</u> PK1000
199	1.00	ROLL	1990 - TABLE COVER, WHITE, PLASTIC, BANQUET ROLL, 40" X 300" BRAND: ROYAL PRODUCT NO. RP-TCO PACK: 300'	\$ <u>34.75</u> Royal RP-TCO	\$ <u>34.75</u> 300'
200	1.00	CS	2000 - CUPS, STYROFOAM, 4 OZ., 50/PACK, 20 PACKS/CASE BRAND: DART PRODUCT NO. DA-4J4 COLOR: WHITE CASE: 1,000	\$ <u>39.80</u> DART DA-4J4	\$ <u>39.80</u> PK1000
201	1.00	CS	2010 - CUPS, STYROFOAM, 6 OZ., 25/PACK, 40 PACK/CASE. BRAND: DART PRODUCT NO. DA-6J6 COLOR: WHITE CASE: 1,000 CUPS	\$ <u>37.32</u> DART DA-6J6	\$ <u>37.32</u> PK1000
202	1.00	CS	2020 - CUPS, PLASTIC, 5 OZ. BRAND: DART PART NUMBER DA-Y5 CASE: 2,500 CUPS	\$ <u>82.14</u> DART DA-Y5	\$ <u>82.14</u> PK2500
203	1.00	CS	2030 - CUPS, PLASTIC, 12 OZ., CLEAR, SOFT PLASTIC, SMOOTH ROUND, 50/PACK,	\$ <u>67.93</u> DART DA-Y125	\$ <u>67.93</u> PK1000

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			20 PACKS/CASE. BRAND: DART PRODUCT NO. DA-Y125 CASE: 1,000 CUPS		
204	1.00	CS	2040 - CUPS, STYROFOAM, 8 OZ., WHITE, 25 CUPS/PACK, 40 PACKS/CASE. BRAND: DART PRODUCT NO. DA-8J8 CASE: 1,000	\$ 43.65 DART DA-8J8	\$ 43.65 PK1000/CS
205	1.00	CS	2050 - CUPS, STYROFOAM, 10 OZ. BRAND: DART PRODUCT NO. DA-10J10 CASE: 1,000 CUPS	\$ 55.59 DART DA-10J10	\$ 55.59 PK1000/CS
206	1.00	CS	2060 - TRAYS, STYROFOAM, FOOD TRAYS, CONVENTIONAL HINGED LID, 3 SECTION, LARGE, 9" X 9" X 3-1/2", WHITE. BRAND: PACTIV PRODUCT NO. PT-YTD1-9903ECN CASE: 150 TRAYS	\$ 25.78 PACTIV PT-YTD1- 9903ECN	\$ 25.78 PK150/CS
207	1.00	CS	2070 - PLATES, STYROFOAM, 6 INCH, WHITE BRAND: DART PRODUCT NO. DA-6PWCR CASE: 1,000 PLATES	\$ 33.30 DART DA-6PWCR	\$ 33.30 PK1000/CS
208	1.00	CS	2080 - PLATE, STYROFOAM, 10-1/4 INCH, NON-LAMINATED PRODUCT NO. DA-10PWCR CASE: 500 PLATES	\$ 50.55 DART DA-10PWCR	\$ 50.55 PK500/CS
209	1.00	CS	2090 - PLATE, DESSERT, 6 INCH, LAMINATE, WHITE. BRAND: DART PRODUCT NO. DA-6PWQR CASE: 1,000 PLATES	\$ 47.15 DART DA-6PWQR	\$ 47.15 PK1000/CS
210	1.00	CS	2100 - PLATES, STYROFOAM, LUNCH, ROUND, 10-1/4 INCH, 3 COMPARTMENT, PUNCTURE	\$ 37.55 Form Packaging FP5500	\$ 37.55 PK500/CS

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			RESISTANT, LAMINTED, COLOR: HONEY, 125/CASE, 4 PACKS/CASE.		
			BRAND: FOAM PACK PRODUCT NO. FP5500 CASE: 500 PLATES		
211	1.00	CS	2110 - LID FOR 1 OZ. SOUFFLE CUP	\$ 24.78	\$ 24.78
			BRAND: DART PRODUCT NO. SO-PL100N CASE: 2,500 LIDS	DART SO-PL100N	PK2500/CS
212	1.00	CS	2120 - CUPS, 1 OZ, PLASTIC, SOUFFLE	\$ 31.80	\$ 31.80
			BRAND: DART PRODUCT NO. SO-P100N CASE: 2,500 CUPS	DART SO-P100N	PK2500/CS
213	1.00	CS	2130 - CUP, PLASTIC, SOUFFLE, 2 OUNCE	\$ 35.36	\$ 35.36
			BRAND: DART PRODUCT NO. SO-P200N CASE: 2,500 CUPS	DART SO-P200N	PK2500/CS
214	1.00	CS	2140 - LID FOR SOUFFLE, 2 OUNCE	\$ 38.39	\$ 38.39
			BRAND: DART PRODUCT NO. SO-PL200N CASE: 2,500 LIDS	DART SO-PL200N	PK2500/CS
215	1.00	CS	2150 - CUP, SOUFFLE, PLASTIC, 4 OUNCE	\$ 60.80	\$ 60.80
			BRAND: DART PRODUCT NO. DA-P400N CASE: 2,500 CUPS	DART DA-P400N	PK2500/CS
216	1.00	CS	2160 - LIDS, FOR SOUFFLE CUP, 4 OUNCE	\$ 53.52	\$ 53.52
			PRODUCT NO. DA-PL4N CASE: 2,500 LIDS	DART DA-PL4N	PK2500/CS
217	1.00	CS	2170 - CUPS, HOT, PLY LINED, 6.25 OZ., 50/PACK, 20 PACK/CASE.	\$ 89.55	\$ 89.55
			BRAND: LIGHTHOUSE LOUISIANA PRODUCT NO. LHB-3PCH0006	LightHouse LHB- 3PCH	PK1000/CS

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
218	1.00	CS	<p>CASE: 1,000 CUPS</p> <p>2180 - LIDS, TRANSLUCENT, VENTED, FOR 12 OZ. FOAM BOWL, (FITS 0360 DART 12B32)</p> <p>BRAND: DART PRODUCT NO. DA-32JL CASE: 500 LIDS</p>	<p>\$ 81.95</p> <p>DART DA-32JL</p>	<p>\$ 81.95</p> <p>PK500/CS</p>
219	1.00	CS	<p>2190 - CUPS, CONE SHAPED, 4 OZ., WHITE, 200/PACK, 25 PACKS/CASE.</p> <p>BRAND: DART PRODUCT NO. SO-4R-2050 CASE: 5,000 CUPS</p>	<p>\$ 100.65</p> <p>DART SO-4R-2050</p>	<p>\$ 100.65</p> <p>PK5000/CS</p>
220	1.00	CS	<p>2200 - CUPS, PAPER, COLD, 5 OZ., SMOOTH, ROUND EDGES, 100/PACK, 30 PACKS/CASE.</p> <p>BRAND: LIGHTHOUSE LOUISIANA PRODUCT NO. LHB-6 CASE: 1,000 CUPS</p>	<p>\$ 89.55</p> <p>Lighthouse LHB-6</p>	<p>\$ 89.55</p> <p>PK1000/CS</p>
221	1.00	CS	<p>2210 - LIDS, PLASTIC, TRANSLUCENT, VENTED, FOR 4 OZ. CUPS.,</p> <p>(FITS ITEM 0420 DART 4J4) 100/PACK, 10 PACKS/CASE</p> <p>BRAND: DART PRODUCT NO. DA-4JL CASE: 1,000 LIDS</p>	<p>\$ 27.63</p> <p>DART DA-4JL</p>	<p>\$ 27.63</p> <p>PK1000/CS</p>
222	1.00	CS	<p>2220 - LIDS, TRANSLUCENT, STRAW SLOTTED, DART, FOR 8 OZ. STYROFOAM CUPS,</p> <p>100/PACK, 10 PACKS/CASE.</p> <p>BRAND: DART Product: DA-8SL CASE: 1,000 LIDS</p>	<p>\$ 32.59</p> <p>DART DA-8SL</p>	<p>\$ 32.59</p> <p>PK1000/CS</p>
223	1.00	PR	<p>2230 - SILICONE OVEN MITTENS, 17" LENGTH KITCHEN TYPE.</p> <p>BRAND: BEST VALUE PRODUCT NO. BV-801SG17 PACK: PAIR</p>	<p>\$ 12.70</p> <p>Best Value BV-801SG17</p>	<p>\$ 12.70</p> <p>PAIR</p>
224	1.00	CS	<p>2240 - MERCANTILE X80, FOODSERVICE WIPERS, 13" X 21.5", 150 TOWELS/BOX</p>	<p>\$ 23.35</p> <p>Hospital Specialty HO-N-F310</p>	<p>\$ 23.35</p> <p>PK150/CS QCLBA</p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
225	1.00	CS	BRAND: TORK PRODUCT NO. 192192 COLOR: WHITE/BLUE PACK: 150 2250 - WIPES, FOOD SERVICE, 150/CASE	\$ 68.00	\$ 68.00
			KIMBERLY CLARK KC 6280 150 TO A CASE Kimberly CLARK KC6280	PK150/CS	
* 226	1.00	CS	2260 - DISHWASHING LIQUID, LEMON FRESH, 32 OZ. *10% LA Preference Trans Gulf HAVANA, LA BRAND: HITECH PRODUCT NO. EJ-5898-32 CASE: 12/32 OZ	\$ 56.45	\$ 56.45
			Hitech EJ-5898-32	PK12/323 case	
227	1.00	CS	2270 - DISHWASHING DETERGENT, LIQUID, LEMON, 38 OUNCE BOTTLE. BRAND: LEMON JOY PRODUCT NO. 43606CR CASE: 8/38 OZ	\$ 69.30	\$ 69.30
			Joy 43606CR	PK8/383 case	
228	1.00	EA	2280 - DETERGENT, DAWN, GALLON. (USED ON ANIMALS AT ANIMAL SHELTER) PART NUMBER: PG-57445	\$ 20.09	\$ 20.09
			DAWN PG-57445	Gallon	
229	1.00	CS	2290 - BIBS, PLASTIC WITH CRUST CATCHER (500/CASE) BRAND: CELLUCAP PRODUCT NO. B800AGR PACK: 500	\$ 51.73	\$ 51.73
			CELLUCAP B800AGR	PK500/CS	
230	1.00	CS	2300 - CAN LINERS, 17" X 18", HI-DENSITY 6 MICRONS, 4 TO 7 GALLON, COLOR: NATURAL BRAND: INTEPLAST PRODUCT NO. EC171806N PACK: 2,000	\$ 19.38	\$ 19.38
			INTEPLAST EC171806N	PK2000/case	
231	1.00	CS	2310 - GRABBER, TRASH, UNGER NIFTY NABBER PRO - 36", 10 PER CASE,	\$ 151.65	\$ 151.65
			ABCO AB-90001	PK10/case	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ITEM #: UNG-NN90, MANUFACTURER #: NN900 BRAND: ABCO PRODUCT NO. AB-90001 CASE: 10		
232	1.00	CS	2320 - BAGS, DOGI POT LITTER BAGS, LITTER PICK-UP BAGS, 10 BAGS/PACK, 200 PACKS/CASE. (USED BY PARKS & RECREATION) DOG-1402-10	\$ <u>131.13</u> Dogi Pot Dog-1402-10	\$ <u>131.13</u> PK 200/10PK case
233	1.00	CS	2330 - DOGIPOT LINER WITH DRAWSTRING, 10 - 15 GALLON, 50/PACK. ITEM #: DOG-1404	\$ <u>66.90</u> Dogi Pot Dog-1404	\$ <u>66.90</u> PK 2/50PK case
234	1.00	EA	2340 - GARBAGE CONTAINERS, 32 GALLON, RUBBERMAID, GREY BRAND: RUBBERMAID PRODUCT NO. FG2632GRY PACK: EACH (10 Year Warranty)	\$ <u>41.94</u> RUBBERMAID FG2632GRY	\$ <u>41.94</u> EACH
235	1.00	EA	2350 - DOME TOP COVER TO FIT 32 GALLON RUBBERMAID GARBAGE CONTAINERS, GREY BRAND: RUBBERMAID PRODUCT NO. FG263788GRY PACK: EACH (10 Year Warranty)	\$ <u>83.70</u> RUBBERMAID FG263788GRY	\$ <u>83.70</u> EACH
236	30.00	CS	2360 - ANT AND ROACH KILLER, HI-TECH QUICK-ACTING FORMULA KILLS ROACHES, WATER BUGS, ANTS, SILVERFISH, CRICKETS, AND SPIDERS, RESIDUAL KILLS FOR UP TO FOUR WEEKS, NO CFC, EPA REGISTERED 20 OZ. AEROSOL CAN BRAND: HITECH PRODUCT NO. EJ-301 FRAGRANCE: MILD SOLVEND ODOR CASE: 12 CANS	\$ <u>13.35</u> Hitech EJ-301	\$ <u>13.35</u> PK 12/203 case
237	1.00	EA	2370 - FIRE ANT BAIT POWDER, 1 POUND CONTAINER, 0.05 PERCENT DELTAMETHRIN ZEP BRAND OR EQUAL BRAND: HIYIELD	\$ <u>10.59</u> Defense MTB2479	\$ <u>10.59</u> 1# container

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
238	1.00	CN	PRODUCT NO. 32058 PACK: 1 POUND 2380 - SPRAY, WASP & HORNET, 0.150% TETRAMETHRIN, 0.375% PERMETHRIN, 0.750% PIPERONYL BUTOXIDE TECHNICAL, 20 FT SPRAY, 49,500 DIELECTRIC STRENGTH, NO CFS, 20 OZ. CAN BRAND: AERO PRODUCT NO. 472320PA PACK: EACH	\$ 6.70 Aero 472320PA	\$ 6.70 20.3 CAN
* 239	1.00	BALE	2390 - OIL ABSORBANT PAD, 15" WIDE X 18" LONG X 3/8" THICK, BALE OF 100, SK# 00-0491200, CAJUN SORB #47131901 BRAND: ACADIANA PRODUCT NO. SH-L100 PACK: 100 PADS <i>* 1070 LA Preference Transguif Harahan, LA</i>	\$ 28.84 ACADIANA SH-L100	\$ 28.84 PK100/BALC
240	1.00	CS	2400 - BATH SIZE, DEODORANT BAR SOAP, WRAPPED, 3 OZ., NEW WORLD, WHITE. BRAND: NEW WORLD PRODUCT NO. NW-S3 CASE: 72 BARS	\$ 31.20 New World NW-S3	\$ 31.20 PK12/case
241	1.00	CS	2410 - BATH SOAP, IVORY, 3.1 OZ., 3 BARS/PACK, 24 PACK/CASE BRAND: IVORY SCENT: NATURAL PRODUCT NO. PG-12364 CASE: 72 BARS	\$ 48.95 Ivory PG12364	\$ 48.95 PK12/case
242	1.00	CS	2420 - DISPOSABLE RAZORS, 72 PER CASE BRAND: NEW WORLD PRODUCT NO. NWI-RAZ-1BOX CASE: 72 RAZORS	\$ 8.68 New World NWI-RAZ-1Box	\$ 8.68 PK100/case
243	1.00	CS	2430 - FRESH TOOTHPASTE, 1.5 OZ., MUST CONTAIN FLUORIDE. BRAND: NEW WORLD PRODUCT NO. TP15NB CASE: 144 TUBES	\$ 40.15 New World TP15NB	\$ 40.15 PK144/case
244	1.00	CS	2440 - TOOTHBRUSH, NEW WORLD, FULL-SIZE HEAD, ADULT SOFT, INDIVIDUALLY BOXED.	\$ 52.00 New World TB-BX	\$ 52.00 PK288/case

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
245	1.00	CS	BRAND: NEW WORLD PRODUCT NO. TB-BX CASE: 288 TOOTHBRUSHES 2450 - TOOTHPASTE, 4.6 OZ., FRESH MINT, NEW WORLD.	\$ 50.74 New World TP46	\$ 50.74 PK 60/case
246	1.00	CS	BRAND: NEW WORLD PRODUCT NO. TP46 CASE: 60 TUBES 2460 - DISPOSABLE DOUCHE, SUMMER'S EVE, 4.5 OZ. (VINEGAR AND WATER) 12 PER CASE.	\$ 25.20 Summers Eve SE-312090	\$ 25.20 PK 12/4.5 oz. case
247	1.00	CS	2470 - PERSONAL HYGIENE - SHAVING POWDER ROYAL CROWN BLUE MAGIC, MINIMUM 5 OZ., 12 PER CASE. BRAND: ROYAL PRODUCT NO. 7540768 CASE: 12/5 OZ	\$ 82.20 Royal 7540768	\$ 82.20 PK 12/5 oz. case
248	1.00	CS	2480 - JOHNSON, SUAVE HAND LOTION WITH COCOA SHEA BUTTER, WITH DISPENSER, 10 OZ 6 PER CASE. BRAND: SUAVE PRODUCT NO. CB-072489 CASE: 6/10 OZ	\$ 28.70 Suave CB-072489	\$ 28.70 PK 6/10 oz case
249	1.00	CS	2490 - SUAVE, DEODORANT, AEROSOL SPRAY CANS, 6 OZ. CANS, 12 CANS/CASE, FRAGRANCE - SHOWER FRESH BRAND: SUAVE PRODUCT NO. 4331914 CASE: 12/6 OZ CANS	\$ 96.00 Gw194345 Sure	\$ 96.00 PK 12/6 oz. case
250	1.00	CS	2500 - SUAVE SHAMPOO, 15 OZ. BOTTLE. BRAND: SUAVE PRODUCT NO. CB-462739 CASE: 6/15 OZ BOTTLES	\$ 15.20 Suave CB-462739	\$ 15.20 PK 6/15 oz case
251	1.00	CS	2510 - SUAVE BODY LOTION, VARIOUS FORMULAS, 10 OZ., 6 PER CASE.	\$ 28.70 Suave CB-072724	\$ 28.70 PK 6/10 oz case

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
252	1.00	CS	BRAND: SUAVE PRODUCT NO. CB-072724 CASE: 6/10 OZ 2520 - FEMININE HYGIENE PRODUCTS, HOSPECO TAMPONS, REGULAR, NO BULK PACKS.	\$ 49.50 Hospital Specialty HO-311220	\$ 49.50 PK 20/12's case
253	1.00	CS	2530 - MAXI SANITARY NAPKINS, NO. 8, GARD, INDIVIDUALLY BOXED, 250 PADS/CASE BRAND: HOSPITAL SPECIALTY PRODUCT NO. HO-311220 PACKED: 20/12'S	\$ 23.20 Hospital Specialty HO-250IM	\$ 23.20 PK 250/case
254	1.00	CS	2540 - MAXI PADS, NO. 4, GARDS, 250 PADS PER CASE. BRAND: HOSPITAL SPECIALTY PRODUCT NO. HO-0147A CASE: 250 PADS	\$ 51.85 Hospital Specialty HO-0147A-	\$ 51.85 PK 250/case MT4
255	1.00	CS	2550 - HAND BAR SOAP, LAVA, 4 OZ. BAR, 48 BARS/CASE, INDIVIDUALLY WRAPPED. BRAND: LAVA PRODUCT NO. JS-29004 SCENT: FRESH CASE: 48 BARS	\$ 76.25 LAVA JS-290004	\$ 76.25 PK 48/43 case
256	1.00	EA	2560 - SANITARY NAPKIN RECEPTACLE, SATIN-FINISH STAINLESS STEEL, COVER IS DRAWN, ONE-PIECE CONSTRUCTION, SECURED TO CABINET WITH FULL-LENGTH STAINLESS STEEL PIANO-HINGE, CAPACITY: 1.0 GALLON (3.8-L), UNIT: 7-1/2"W X 10"H X 3-13/16"D (190 X 255 X 95MM) BRAND: BOBRICK PRODUCT NO. BW-270 PACK: EACH	\$ 55.39 BOBRICK BW-270	\$ 55.39 EACH
257	1.00	CS	2570 - HOSPECO, KRAFT WAXED FEMININE HYGIENE DISPOSAL BAGS WITH GUSSET, 7-1/2" X 3-1/2" X 10-1/4"	\$ 23.20 Hospital Specialty HO-260	\$ 23.20 PK 500/case

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
258	1.00	CS	BRAND: HOSPITAL SPECIALTY PRODUCT NO. HO-260 CASE: 500 BAGS 2580 - BATH SOAP, NEW WORLD, 3/4 OZ. INDIVIDUALLY WRAPPED, 1,000 PER CASE	\$ 85.10 New World NW-534	\$ 85.10 PK1000/CASE
259	1.00	CS	BRAND: NEW WORLD PRODUCT NO. NW-S34 CASE: 1,000 2590 - OVEN CLEANER, HI-TECH OVEN BUSTER, FUME FREE, MAX AEROSOL SPRAY CANS, HEAVY DUTY INSTITUTIONAL FORMULA, CONTAINS SODIUM HYDROXIDE, 20 OZ. CAN. BRAND: HITECH PRODUCT NO. EJ-826 CASE: 12 CANS	\$ 53.50 Hitech EJ-826	\$ 53.50 PK12/1203 CASE
260	1.00	CS	2600 - HAND SOAP, CLARIO ANTIBACTERIAL FOAMING SKIN CLEANSER, REFILL BAG BRAND: BETCO PRODUCT NO: BET7512900 CASE: 6 BAGS	\$ 56.54 Betco BET-75129	\$ 56.54 PK6/1000ml CASE
261	1.00	PR	2610 - COATED GLOVES, FOAM NITRILE, ROUGH, DIPPED, ANSI ABRASION LEVEL 4 BRAND: HYFLEX PRODUCT NO: 48-101 SIZE: X-LARGE	\$ 2.35 HYFLEX 48-101XL	\$ 2.35 PAIR
262	1.00	PR	2620 - COATED GLOVES, FOAM NITRILE, ROUGH, DIPPED, ANSI ABRASION LEVEL 4 BRAND: HYFLEX PRODUCT NO: 48-101 SIZE: LARGE	\$ 2.35 HYFLEX 48-101L	\$ 2.35 PAIR
263	1.00	PR	2630 - COATED GLOVES, FOAM NITRILE, ROUGH, DIPPED, ANSI ABRASION LEVEL 4 BRAND: HYFLEX PRODUCT NO: 48-101 SIZE: MEDIUM	\$ 2.35 HYFLEX 48-101M	\$ 2.35 PAIR
264	1.00	CS	2640 - HAND GUARD INSTANT FOAM ALCOHOL HAND SANITIZER, REFILL BAG	\$ 77.65 Betco BC-79529	\$ 77.65 PK6/1000ml CASE

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00143802

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
265	1.00	EA	BRAND: WEICHEM 2650 - MOP BUCKET WITH WRINGER SYSTEM & WAVE BRAKE	\$ 134.05	\$ 134.05
266	1.00	CS	BRAND: RUBBERMAID PRODUCT NO: 7580 5 year warranty 2660 - DISINFECTING WIPES, FRESH SCENT, 75 WIPES PER CONTAINER	RUBBERMAID RM-7580	5ct
267	1.00	CS	BRAND: CLOROX PRODUCT NO: CX-15949 CASE: 6 CONTAINERS 2670 - HAND SANITIZER, 20 OZ PUMP BOTTLE FRUITY, CLEAR LIGHT-BLUE	Clorox CX-15949	PK 6/15ct case
268	1.00	CS	BRAND: PURELL PRODUCT NO: GJ302312 CASE: 12 BOTTLES 2680 - PROTECTIVE FACE MASK, DISPOSABLE, 3-PLY NON-WOVEN POLYPROPYLENE, 50/BOX	6050 GJ-302312	PK 12/30ct case
269	1.00	CS	2690 - PAPER PLATE, 8.5", MOISTURE AND GREASE RESISTANT, 125 PER PACK BRAND: DIXIE PRODUCT NO: SXP9PATH CASE: 3 PACKS	\$ 1.69 PLY MASK 4813	\$ 1.69 PK 50/Box
270	1.00	CONT	2700 - PROFESSIONAL CHOICE CITRA LAUNDRY DETERGENT, 15 GALLON CONTAINER	\$ 330.40	\$ 330.40
271	1.00	CONT	2710 - PROFESSIONAL CHOICE NEUTRAL SOFT, 15 GALLON CONTAINER Simplicity Detergent 200	Beto BC-47177-00	15gal cont
272	1.00	CONT	2720 - PROFESSIONAL CHOICE FAST BREAK, 15 GALLON CONTAINER Simplicity Softener Simplicity Breaker 100	Beto BC-48277-00	15gal cont
				\$ 263.65	\$ 263.65
				BC-47077-00	15gal cont

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
Economical Janitorial AND Paper Supplies LLC
INCORPORATED.

AT THE MEETING OF DIRECTORS OF Economical Janitorial AND Paper Supplies LLC
INCORPORATED, DULY NOTICED AND HELD ON December 1, 2023,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT Suzie Migliore, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.


SECRETARY-TREASURER

12/01/2023
DATE

Non-Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF Jefferson

BEFORE ME, the undersigned authority, personally came and appeared: Suzie
Migliore, (Affiant) who after being by me duly sworn, deposed and said that
he~~(she)~~ is the fully authorized President of Economical Janitorial AND
PAPER SUPPLIES LLC (Entity),
the party who submitted a bid in response to Bid Number 50-00143802, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required
attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including
the date and amount of each contribution, made to current or
former elected officials of the Parish of Jefferson by Entity,
Affiant, and/or officers, directors and owners, including
employees, owning 25% or more of the Entity during the two-year
period immediately preceding the date of this affidavit or the
current term of the elected official, whichever is greater. Further,
Entity, Affiant, and/or Entity Owners have not made any
contributions to or in support of current or former members of the
Jefferson Parish Council or the Jefferson Parish President through
or in the name of another person or legal entity, either directly or
indirectly.

Choice B ✓ there are NO campaign contributions made which would require
disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.


Choice B ✓ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.


Signature of Affiant

Suzie Migliore
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 29 DAY OF Nov., 2023


Notary Public

Donald P. Di Maggio
Printed Name of Notary

33195
Notary/Bar Roll Number

My commission expires on my death

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

☒ WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being

rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☒ **COMMERCIAL GENERAL LIABILITY**

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

☒ **COMPREHENSIVE AUTOMOBILE LIABILITY**

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required if selected below. Such insurance is due upon contract execution.

☐ **OWNER'S PROTECTIVE LIABILITY**

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

☐ **BUILDER'S RISK INSURANCE**

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

ECONOMICAL JANITORIAL & PAPER SUPPLIES, LLC

P.O. BOX 23607
NEW ORLEANS, LA 70183-3607
(504) 464-7166
FAX (504) 465-9563
www.economicaljanitorial.com

December 1, 2023


Special Meeting of the Board of Directors of
Economical Janitorial & Paper Supplies LLC

A special meeting of the Board of Directors was called on Friday December 1, 2023 at the offices of Economical Janitorial & Paper Supplies, LLC located at:

1420 Sams Avenue
Suite F
Harahan, LA 70123

Suzie Migliore was appointed chairperson of the meeting and a waiver of notice and of the reading of the previous meeting minutes was approved by all present which included all directors. The purpose of this meeting was to authorize Suzie Migliore, President of Economical Janitorial & Paper Supplies, LLC to Bid Number: 50-00143802 – Three (3) Year Contract for Janitorial Supplies, Provided on an as needed basis for all Jefferson Parish Departments (Parish Wide) Jefferson Parish Government.

All present voted to authorize the above and being no further business the chairperson adjourned the meeting.

A handwritten signature in cursive script, reading "Suzie Migliore", is written over a solid horizontal line.

Suzie Migliore

State of
Louisiana
Secretary of
State



COMMERCIAL DIVISION
225.925.4704

Fax Numbers
225.932.5317 (Admin. Services)
225.932.5314 (Corporations)
225.932.5318 (UCC)

Name	Type	City	Status
ECONOMICAL JANITORIAL & PAPER SUPPLIES, L.L.C.	Limited Liability Company	HARAHAN	Active

Previous Names

ECONOMICAL JANITORIAL SUPPLIES, INC. (Changed: 12/20/2012)

Business: ECONOMICAL JANITORIAL & PAPER SUPPLIES, L.L.C.

Charter Number: 34103134K

Registration Date: 1/5/1983

Domicile Address

1420 SAMS AVE., STE. F
HARAHAN, LA 70123

Mailing Address

1420 SAMS AVENUE
SUITE F
HARAHAN, LA 70123

Status

Status: Active

Annual Report Status: In Good Standing

File Date: 1/5/1983

Last Report Filed: 1/11/2023

Type: Limited Liability Company

Registered Agent(s)

Agent: SUZIE R. MIGLIORE
Address 1: 4208 LEMON STREET
City, State, Zip: METAIRIE, LA 70002
Appointment Date: 1/5/1983

Officer(s)

Additional Officers: No

Officer: SUZIE R. MIGLIORE
Title: Member, Manager
Address 1: 4208 LEMON STREET
City, State, Zip: METAIRIE, LA 70002

Amendments on File (5)

Description	Date
Amendment	12/30/1998
Domicile, Agent Change or Resign of Agent	1/7/1999
Conversion	12/20/2012
Name Change	12/20/2012
Domestic LLC Agent/Domicile Change	8/6/2018

Print

ACORD™

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

12/01/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer any rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Marsh & McLennan Agency LLC 360 East Vine Street, Ste 200 Lexington, KY 40588	CONTACT NAME: Brenda S Stickrod AAI PHONE (A/C, No, Ext): 859-244-7684 FAX (A/C, No): 859-254-8020 E-MAIL ADDRESS: Brenda.Stickrod@MarshMMA.com	
	INSURER(S) AFFORDING COVERAGE INSURER A: Zurich American Insurance Company INSURER B: Federal Insurance Company INSURER C: INSURER D: INSURER E: INSURER F:	
INSURED Economical Janitorial & Paper Supplies, LLC; P. O. Box 23607 New Orleans, LA 70183	NAIC # 16535 20281	

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INS LTR	TYPE OF INSURANCE	ADDL SUBR INSR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:		GLO435382711	01/01/2023	01/01/2024	EACH OCCURRENCE \$1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$500,000 MED EXP (Any one person) \$10,000 PERSONAL & ADV INJURY \$1,000,000 GENERAL AGGREGATE \$2,000,000 PRODUCTS - COMP/OP AGG \$2,000,000 \$
A	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS NON-OWNED AUTOS ONLY		BAP435382811	01/01/2023	01/01/2024	COMBINED SINGLE LIMIT (Ea accident) \$1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
B	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> DED <input checked="" type="checkbox"/> RETENTION \$0		79894197	01/01/2023	01/01/2024	EACH OCCURRENCE \$5,000,000 AGGREGATE \$5,000,000 \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? <input checked="" type="checkbox"/> Y/N (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	N/A	WC435382611	01/01/2023	01/01/2024	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$1,000,000 E.L. DISEASE - EA EMPLOYEE \$1,000,000 E.L. DISEASE - POLICY LIMIT \$1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

** Workers Comp Information **

USLH ; Voluntary Compensation ; Other States Coverage

Stop Gap Coverage Lmt-1,000,000

Foreign Voluntary Comp & EL; Incl \$20,000 Repatriation Cov

Lmt-1,000,000

(See Attached Descriptions)

CERTIFICATE HOLDER

CANCELLATION

Jefferson Parish Purchasing
 Department
 200 Derbigny Street, Suite 400
 Gretna, LA 70053-0000

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Chris P. Bennett

DESCRIPTIONS (Continued from Page 1)

90 Day Notice to Cancel
Waiver of Subrogation
Terrorism Coverage
Pending Rate Change Endorsement Where Applicable
Experience Rating Mod Factor
Domestic Terrorism
U.S. Longshoremen & Harbor Workers
30 Day Written NOC - Golden Nugget Lake Charles

RE: Bid No: 50-00143802

Jefferson Parish Purchasing Department The Jefferson Parish, its Districts, Departments and Agencies are included as Additional Insured when required by written contract, agreement or permit but only with respect to the Auto Liability and General Liability insurance and subject to the provisions and limitations of the policy.



WOMEN'S BUSINESS ENTERPRISE
NATIONAL COUNCIL

JOIN FORCES. SUCCEED TOGETHER.

hereby grants

National Women's Business Enterprise Certification

to

Economical Janitorial & Paper Supplies, LLC

who has successfully met WBENC's standards as a Women's Business Enterprise (WBE).

This certification affirms the business is woman-owned, operated and controlled and is valid through the date herein.

WBENC National WBE Certification was processed and validated by Women's Business Enterprise Council - South, a WBENC Regional Partner Organization.

Certification Granted: September 30, 1998
Expiration Date: September 30, 2024
WBENC National Certification Number: 2005108408

Authorized by Phala Mire, President Women's
Business Enterprise Council - South

WBENC SOUTH
WOMEN'S BUSINESS ENTERPRISE COUNCIL
OUR FORCES. SUCCESS PARTNER.

NAICS: 424130, 423850
UNSPSC: 14000000, 14110000, 14111700, 47130000, 47131600, 47131604





WOMEN'S BUSINESS ENTERPRISE
NATIONAL COUNCIL

JOIN FORCES. SUCCEED TOGETHER.

**HEREBY GRANTS
WOMAN OWNED SMALL BUSINESS (WOSB) CERTIFICATION TO**

Economical Janitorial & Paper Supplies, LLC

The identified small business is an eligible WOSB for the WOSB Program, as set forth in 13 C.F.R. part 127 and has been certified as such by an SBA approved Third Party Certifier pursuant to the Third Party Agreement, dated June 30, 2011, and available at www.sba.gov/wosb.

The WOSB Certification expires on the date herein unless there is a change to the SBA's regulation that makes the WOSB ineligible or there is a change in the WOSB that makes the WOSB ineligible. If either occurs, this WOSB Certification is immediately invalid. The WOSB must not misrepresent its certification status to any other party, including any local or State government or contracting official or the Federal government or any of its contracting officials.

Majority Female Owner: Suzie Migliore
NAICS: 424130, 423850 UNSPSC: 14000000, 14110000, 14111700, 47130000, 47131600, 47131604
Certification Number: W080245
Renewal Date: September 30, 2024
WOSB Regulation Expiration Date: 9/30/2026

WBENC SOUTH
WOMEN'S BUSINESS ENTERPRISE COUNCIL
JOIN FORCES. SUCCEED TOGETHER.

Phala Mire, Women's Business Enterprise
Council - South President

Pamela Prince-Easton, WBENC President & CEO

LaKesha White, Vice President, Certification

/

Cascades PRO



Cascades PRO
Select®

C-Fold Paper Towel, 10 × 13

SKU : H180

- Sustainable and cost-wise solution.
- 100% recycled fiber.

- Effectively dry hands.



Description

Cascades PRO Select® Paper Towels are a cost-effective choice for drying hands. Made from 100% recycled fibre, including 50% post-consumer recycled material, they are reliable and absorbent, offering great value at an affordable price. This product was designed with consumer and environmental concerns in mind so everyone can reduce their environmental footprint. It's the perfect product for restrooms, kitchens and offices. These hand towels exceed EPA standards.

Product Specifications

Ply:	1
Open Width (in):	10
Open Length (in):	13
Folded Width (in):	10
Folded Length (in):	3,75
Color:	White

Shipping Specifications

Items/Package:	200
Items/Shipping unit:	2400
Packages/Shipping unit:	12
Case Width (in):	12,813
Case Length (in):	15,563
Case Height (in):	10,125
Volume of shipping unit:	1.24 ft³ (0.04 m³)
Weight:	16.8 lb (7.6 kg)
Cases/Unit load:	72 (8 per row)

Codes

UPC Code:	0-67220-65180-1
SCC Code:	1-00-67220-65180-8

Download PDF

JP-TFN10000

#2

Tall Fold Napkin



Brand	<u>Etiquette, Nittany Paper</u>
Paper Type	<u>White</u>
Ply	<u>1-Ply</u>
Fold Type	<u>Tall Fold</u>
Quantity / Pack	<u>500 Sheets</u>
Units / Case	<u>20</u>
Total Quantity / Case	<u>10,000 Sheets</u>
Pallet Quantity	<u>36 Cases</u>
Case Dimensions (L * W * H)	<u>18.5" x 14.5" x 16.5"</u>
Cube	<u>2.56</u>
Ti-Hi	<u>6-6</u>
UPC	057845103854

JP-DN3000


White Dinner Napkin

#3



Brand	<u>Etiquette</u>
Paper Type	<u>White</u>
Ply	<u>2-Ply</u>
Fold Type	<u>1/8 Fold</u>
Quantity / Pack	<u>150 Sheets</u>
Units / Case	<u>20</u>
Total Quantity / Case	<u>3,000 Sheets</u>
Pallet Quantity	<u>42 Cases</u>
Case Dimensions (L * W * H)	<u>21" x 10" x 15"</u>
Cube	<u>2.01</u>
Ti-Hi	<u>8-4</u>
UPC (Inner Unit)	804879603221
UPC (Outer Case)	804879603870

Cascades PRO



Cascades PRO

Select

Roll Paper Towel

SKU : H035

- Smaller roll combining value and affordability.
- 100% recycled fiber.

- Effectively dry hands.



Description

Cascades PRO Select® 350-Foot Roll Paper Towel may be small, but it’s absorbent and produced from 100% recycled fibre, making it an environmentally friendly choice. This paper towel is ideal for the everyday needs of restrooms, breakrooms and kitchens and perfectly suited for all educational, industrial, foodservice and retail settings.

Product Specifications

Ply:	1
Feet:	350
Roll width (in):	5,3
Open Width (in):	7,875
Open Length (in):	4200
Color:	Natural
Replaces item:	H235

Shipping Specifications

Items/Shipping unit:	12
Case Width (in):	16,375
Case Length (in):	21,625
Case Height (in):	8,375
Volume of shipping unit:	1.72 ft³ (0.05 m³)
Weight:	20.3 lb (9.2 kg)
Cases/Unit load:	55 (5 per row)


Codes

UPC Code:	0-67220-65035-4
SCC Code:	0-00-67220-65035-4



#5

Cascades PRO



Cascades PRO

Select

Multifold Paper Towel, 9 × 9.45

SKU : H170

- Sustainable and cost-wise solution.
- 100% recycled fiber.

- Effectively dry hands.



Description

Cascades PRO Select® Multifold Paper Towels combine green cleaning and environmental performance. They offer quality and affordability, providing an ideal solution for industrial, educational, foodservice and retail locations. These hand towels exceed EPA standards. This product contains 100% recycled material, including 50% post-consumer recycled material.

Product Specifications

Ply:	1
Open Width (in):	9,125
Open Length (in):	9,5
Folded Width (in):	9,125
Folded Length (in):	3,166
Color:	White
Replaces item:	H120, H124

Shipping Specifications

Items/Package:	250
Items/Shipping unit:	4000
Packages/Shipping unit:	16
Case Width (in):	13,5
Case Length (in):	21,25
Case Height (in):	9,875
Volume of shipping unit:	1.64 ft³ (0.05 m³)
Weight:	17.9 lb (7.71 kg)
Cases/Unit load:	63 (CAN) / 70 (US) (7 per row)

Codes

UPC Code:	0-67220-65170-2
SCC Code:	1-00-67220-65170-9

Download PDF

#6

Cascades PRO



Roll Paper Towel

SKU : H030

- Smaller roll combining value and affordability.
- 100% recycled fiber.

- Effectively dry hands.



Description

Cascades PRO Select® 350-Foot Roll Paper Towel may be small, but it’s absorbent and produced from 100% recycled fibre, making it an environmentally friendly choice. This paper towel is ideal for the everyday needs of restrooms, breakrooms and kitchens and perfectly suited for all educational, industrial, foodservice and retail settings.

Product Specifications

Ply:	1
Feet:	350
Roll width (in):	5,3
Open Width (in):	7,875
Open Length (in):	4200
Color:	White
Replaces item:	H230

Shipping Specifications

Items/Shipping unit:	12
Case Width (in):	16,375
Case Length (in):	21,625
Case Height (in):	8,375
Volume of shipping unit:	1.75 ft³ (0.05 m³)
Weight:	20.3 lb (9.2 kg)
Cases/Unit load:	55 (5 per row)

Codes

UPC Code:	0-67220-65030-9
SCC Code:	0-00-67220-65030-9

Download PDF

TaskBrand® E25 Scrim Reinforced QF Wiper

Key Features


SKU	N-E025QPW
Brand	TaskBrand®
Case Height (inches)	8.00
Case Length (inches)	21.00
Case Weight (lbs.)	14.70
Case Width (inches)	14.25
Chemical Resistant	No
Color	White
Construction	4 Ply
Count of Inner Packs	18
Country of Origin	US
Duty	4 Ply
Format	1/4 Fold
Full Product Description	TaskBrand® E25 Economy Series 4 Ply Scrim Reinforced Wiper, White, 12"x13", 1/4 Fold, 50/bg, 18 bgs/cs
Grade	E25 Economy Series
Green (Eco Friendly)	Yes
GTIN ITF-14	10075289551465
GTIN UPC	075289551468
Hazmat / DOT	N
HTS CODE	5603.11.00.90
Inner Packaging	Poly Bag
Inner Quantity	50
Is Private Label Available	Yes
Lot coding	Yes
LTL Only	No
Material	Scrim Reinforced Tissue
NMFC	149080S3
Packaging Put/Up	50/bg, 18 bgs/cs
Pallet Hi	4
Pallet Ti	15
Product Width Tolerance	0.25
Qty per Pallet	60
Refrigerated	No
Sell UOM Height (inches)	8.20
Sell UOM Length (inches)	20.50



TaskBrand® E25 Scrim Reinforced QF Wiper

Sell UOM Weight (lbs.)	13.80
Sell UOM Width (inches)	14.00
Selling UOM	Case
Size	12" x 13"
Sterile	No
Type	Dry
Yield	900.00

Cascades PRO



Cascades PRO
Select®

Singlefold Paper Towel, 9 × 9.45 in

SKU : H115

- Sustainable and cost-wise solution.
- 100% recycled fiber.

- Quick absorption.



Description

The one-at-a-time dispensing of Cascades PRO Select® Singlefold Paper Towels helps reduce waste and their 100% recycled fibre makes the towels an eco-friendly choice at an economic price. Each absorbent towel dries hands well. Ideal for a wide range of uses in educational, industrial, foodservice and retail establishments.

Product Specifications

Ply:	1
Open Width (in):	9,125
Open Length (in):	10,25
Folded Width (in):	9,125
Folded Length (in):	5,125
Color:	Natural

Shipping Specifications

Items/Package:	250
Items/Shipping unit:	4000
Packages/Shipping unit:	16
Case Width (in):	15,875
Case Length (in):	22,25
Case Height (in):	10
Volume of shipping unit:	1.87 ft³ (0.05 m³)
Weight:	17.4 lb (7.71 kg)
Cases/Unit load:	60 (6 per row)


Codes

UPC Code:	0-67220-65115-3
SCC Code:	1-00-67220-65115-0

Download PDF

#14

Cascades PRO



Cascades PRO
Select®

Roll Paper Towel

SKU : H035

- Smaller roll combining value and affordability.
- 100% recycled fiber.

- Effectively dry hands.



Description

Cascades PRO Select® 350-Foot Roll Paper Towel may be small, but it's absorbent and produced from 100% recycled fibre, making it an environmentally friendly choice. This paper towel is ideal for the everyday needs of restrooms, breakrooms and kitchens and perfectly suited for all educational, industrial, foodservice and retail settings.

Product Specifications

Ply:	1
Feet:	350
Roll width (in):	5,3
Open Width (in):	7,875
Open Length (in):	4200
Color:	Natural
Replaces item:	H235


Shipping Specifications

Items/Shipping unit:	12
Case Width (in):	16,375
Case Length (in):	21,625
Case Height (in):	8,375
Volume of shipping unit:	1.72 ft³ (0.05 m³)
Weight:	20.3 lb (9.2 kg)
Cases/Unit load:	55 (5 per row)

Codes

UPC Code:	0-67220-65035-4
SCC Code:	0-00-67220-65035-4

Download PDF



1.



2.

Single Roll Bath Tissue 115

SKU: 115

Green Heritage® Pro 1-ply, white single roll tissue delivers value and sustainability.
1000 sheets/roll 4" x 3.1". With SFI® Certified Sourcing label.

green®
heritage
pro



Certified Sourcing

www.forests.org

SFI 01867



-
- **Features**
- Specifications
- Resources
 - Fast Flush® Septic Safe
 - White, 1-ply
 - 4" x 3.1" sheet size
 - 1000 sheets per roll
 - 96 rolls per case
 - SFI® Certified Sourcing

UPC (UPC-14)

00036196101153

Items Per Case

96

TI x HI

5 x 6

Cases Per Pallet

30

Pallets Per Truckload

26

Cases Per Truckload

780

Shipping Unit Dimensions LxWxH

25.81 X 17.56 X 16.75

Case Weight (lbs)

32.8

Cube of Shipping Unit (ft)





fast flus

resolute tissue



**Bringing the comforts of home to your facility with
our trusted, sustainable brands.**

green
heritage
pro

Green Heritage® Pro

WE HAVEN'T GONE GREEN. WE WERE BORN GREEN.

Green Heritage Pro tissue and towel products deliver value and sustainability. Our products have the visual appeal, softness and strength customers need all at a great value.

Harmony
pro

Harmony® Pro

PREMIUM TISSUE. SUPERIOR COMFORT.


Our premium paper towels and bath tissue couple upscale softness with strength and absorbency.

Harmony

Harmony®

PREMIUM NAPKINS FOR EVERYDAY USE

Our soft, strong and absorbent napkins have a thicker sheet for better performance.



Most internally manufactured Green Heritage Pro and Harmony Pro products carry the SFI® Certified Sourcing label on the packaging.



100% recycled products carry the Green Seal® certification.

Resolute Tissue AFH Spec Sheet



GOJO® Premium Lotion Soap

800 mL Refill for GOJO® Bag-in-Box Dispenser

A high-performance, mild lotion soap for general handwashing

0.0

No Reviews | [Write the First Review](#)

SKU: 9106-12
Size: 800 mL
SDS Downloads
English Spanish

- Gently removes dirt & germs
- Meets USDA BioPreferred® Program standards for Hand Cleaners
- Dye Free with Waterfall fragrance
- Naturally-derived moisturizer

SKU	9106-12
Size	800 mL
Case Pack	12
Case Weight	24.0 lbs
Overall Case Dimensions	6.25 h x 11.38 w x 15.5 d
Overall Unit Dimensions	5.75 h x 3.62 w x 3.62 l
Case Cu. Ft.	0.64 ft ³
Cases Per Layer	10
Cases Per Pallet	70
Layers Per Pallet	7
Dispensing System	Accent
Product Type Packaging	Dispenser Refills
Refill Type	Refill for 800 mL dispensing system
Refill Material	Film bag, polypropylene collar, mixed material plastic pump.
Refill Features	SANITARY SEALED™ refills are hygienic locking out germs.
UPC (Each)	073852297171
Case UPC (GTIN)	10073852297178

Refills and Related Products



**GOJO® Premium Lotion Soap**

Version 1.0

SDS Number: 400000006008

Revision Date: 01/05/2022

SECTION 1. IDENTIFICATION

Product name : GOJO® Premium Lotion Soap

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500
Akron, Ohio 44311

Telephone : 1 (330) 255-6000

Emergency telephone : CHEMTREC 1-800-424-9300
number CHEMTREC +1-703-527-3887: Outside USA & CANADA**Recommended use of the chemical and restrictions on use**

Recommended use : Skin-care

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Not a hazardous substance or mixture.

GHS label elements

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Hazardous components**

Chemical name	CAS-No.	Concentration (%)
Sodium Laureth Sulfate	68585-34-2	>= 1 - < 5
Cocamidopropyl Betaine	61789-40-0	>= 1 - < 5
Glycerin	56-81-5	>= 1 - < 5

SECTION 4. FIRST AID MEASURES

**GOJO® Premium Lotion Soap**

Version 1.0

SDS Number: 400000006008

Revision Date: 01/05/2022

General advice	: In the case of accident or if you feel unwell, seek medical advice immediately. When symptoms persist or in all cases of doubt seek medical advice.
If inhaled	: If inhaled, remove to fresh air. If symptoms persist, call a physician.
In case of skin contact	: Get medical attention if irritation develops and persists.
In case of eye contact	: Immediately flush eye(s) with plenty of water. If easy to do, remove contact lens, if worn. Seek medical advice.
If swallowed	: If swallowed, DO NOT induce vomiting. Rinse mouth with water. Obtain medical attention.
Most important symptoms and effects, both acute and delayed	: Causes eye irritation.
Protection of first-aiders	: First Aid responders should pay attention to self-protection and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	: None known.
Hazardous combustion products	: Sulphur oxides Carbon oxides Nitrogen oxides (NOx) Metal oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions.
Environmental precautions	: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for	: Contain spillage, and then collect with non-combustible

**GOJO® Premium Lotion Soap**

Version 1.0

SDS Number: 400000006008

Revision Date: 01/05/2022

containment and cleaning up absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).
 Keep in suitable, closed containers for disposal.
 Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8.
 : Do not swallow.
 : Avoid contact with eyes.
 : Keep container closed when not in use.
 Conditions for safe storage : Keep in properly labelled containers.
 : Keep container tightly closed in a dry and well-ventilated place.
 : Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**Components with workplace control parameters**

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Glycerin	56-81-5	TWA (mist, respirable fraction)	5 mg/m ³	OSHA Z-1
		TWA (mist, total dust)	15 mg/m ³	OSHA Z-1

Hazardous components without workplace control parameters

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Eye protection : No special measures necessary provided product is used correctly.
 : Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : No special measures necessary provided product is used correctly.

Protective measures : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
 : Ensure that eye flushing systems and safety showers are located close to the working place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
 : Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : viscous liquid

**GOJO® Premium Lotion Soap**

Version 1.0

SDS Number: 400000006008

Revision Date: 01/05/2022

Colour	: clear, colourless
Odour	: pleasant, like fruit
Odour Threshold	: No data available
pH	: 4.4 - 6.2
Solidification / Setting point	: 0.80 °C
Initial boiling point and boiling range	: 98 °C
Flash point	: > 100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.973 g/cm ³
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: not determined
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity	
Viscosity, dynamic	: No data available
Viscosity, kinematic	: 2000 - 11000 mm ² /s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions. Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reaction known under conditions of normal use.
Incompatible materials	: Strong oxidizing agents

**GOJO® Premium Lotion Soap**

Version 1.0

SDS Number: 400000006008

Revision Date: 01/05/2022

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Skin Absorption

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Components:**Sodium Laureth Sulfate:**

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

Cocamidopropyl Betaine:

Acute oral toxicity : LD50 : > 5,000 mg/kg
Method: OECD Test Guideline 401
Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 402
Assessment: The substance or mixture has no acute dermal toxicity
Remarks: Based on data from similar materials

Glycerin:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Sodium Laureth Sulfate:**

Result: Skin irritation

Cocamidopropyl Betaine:

Result: Skin irritation

Glycerin:

Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Sodium Laureth Sulfate:**

Result: Eye irritation

**GOJO® Premium Lotion Soap**

Version 1.0

SDS Number: 400000006008

Revision Date: 01/05/2022

Remarks: Severe eye irritation

Cocamidopropyl Betaine:

Result: Eye irritation

Remarks: Severe eye irritation

Glycerin:

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Components:**Cocamidopropyl Betaine:**

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Components:**Cocamidopropyl Betaine:**

- Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative
Remarks: Based on data from similar materials
- Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay)
Test species: Mouse
Application Route: Ingestion
Result: negative
Remarks: Based on data from similar materials
- Glycerin:**
Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Glycerin:**

Species: Rat

Application Route: Ingestion

Exposure time: 2 Years

Result: negative

IARC

No component of this product present at levels greater than or

**GOJO® Premium Lotion Soap**

Version 1.0

SDS Number: 400000006008

Revision Date: 01/05/2022

equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:**Cocamidopropyl Betaine:**

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 414
Result: negative
Remarks: Based on data from similar materials

Glycerin:

Effects on fertility : Test Type: Two-generation reproduction toxicity study
Species: Rat
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rabbit
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Cocamidopropyl Betaine:**

Species: Rat
NOAEL: 250 mg/kg
Application Route: Ingestion
Exposure time: 90 d
Method: OECD Test Guideline 408
Remarks: Based on data from similar materials

Glycerin:

Species: Rat
NOAEL: 167 mg/m3
LOAEL: 660 mg/m3
Application Route: inhalation (dust/mist/fume)

**GOJO® Premium Lotion Soap**

Version 1.0

SDS Number: 400000006008

Revision Date: 01/05/2022

Exposure time: 13 w
Symptoms: Local irritation

Aspiration toxicity

Not classified based on available information.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Cocamidopropyl Betaine:**

Toxicity to fish : LC50: > 1 - 10 mg/l
Exposure time: 96 h
Method: ISO 7346/2
Remarks: Based on data from similar materials

Toxicity to bacteria : EC50: > 100 mg/l
Method: OECD Test Guideline 209
Remarks: Based on data from similar materials

Glycerin:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l
Exposure time: 48 h

Toxicity to bacteria : NOEC (Pseudomonas putida): > 10,000 mg/l
Exposure time: 16 h

Persistence and degradability**Components:****Sodium Laureth Sulfate:**

Biodegradability : Result: Readily biodegradable.

Cocamidopropyl Betaine:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 60 %
Exposure time: 28 d
Method: OECD Test Guideline 301
Remarks: Based on data from similar materials

Glycerin:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 94 %
Exposure time: 1 d

Bioaccumulative potential**Components:****Glycerin:**

Partition coefficient: n- : log Pow: -1.76

**GOJO® Premium Lotion Soap**

Version 1.0

SDS Number: 400000006008

Revision Date: 01/05/2022

octanol/water

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.
Contaminated packaging : Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION**International Regulation****IATA-DGR**

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

National Regulations**49 CFR**

Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION**EPCRA - Emergency Planning and Community Right-to-Know Act****SARA 304 Extremely Hazardous Substances Reportable Quantity**

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard**SARA 302** : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.**Clean Air Act**

**GOJO® Premium Lotion Soap**

Version 1.0

SDS Number: 400000006008

Revision Date: 01/05/2022

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM/ Intermediate or Final VOC's (40 CFR 60.489):

Glycerin	56-81-5	1 %
----------	---------	-----

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

California Prop 65

This product does not require a warning label under California Proposition 65.

The components of this product are reported in the following inventories:

REACH	: On the inventory, or in compliance with the inventory
TSCA	: On TSCA Inventory
AICS	: On the inventory, or in compliance with the inventory
DSL	: All components of this product are on the Canadian DSL.
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**GOJO® Premium Lotion Soap**

Version 1.0

SDS Number: 400000006008

Revision Date: 01/05/2022

SECTION 16. OTHER INFORMATION**Further Information****NFPA:****HMIS III:**

HEALTH	0
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 01/05/2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Economical
Janitorial & Paper Supplies, LLC

GOJO Original Pumice Hand Cleaner **Waterless Crème Hand Cleaner in 4.5lb Canister** Item # GJ-1135-06



Crème-style hand cleaner with pumice scrubbers for removing difficult soils.

- Contains pumice scrubbers to help loosen dirt
- Cleans with or without water
- No harsh solvents
- Effective on grease, tar, oil and asphalt



GOJO, MAKERS OF PURELL

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

SECTION 1. IDENTIFICATION

Product name : GOJO® Original Pumice Hand Cleaner

Manufacturer or supplier's details

Company name of supplier : GOJO Industries, Inc.

Address : One GOJO Plaza, Suite 500
Akron, Ohio 44311

Telephone : 1 (330) 255-6000

Emergency telephone : CHEMTREC 1-800-424-9300
number CHEMTREC +1-703-527-3887: Outside USA & CANADA

Recommended use of the chemical and restrictions on use

Recommended use : Skin-care

Restrictions on use : This is a personal care or cosmetic product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and consumer products, specifically defined by regulations around the world, are exempt from the requirement of an SDS for the consumer. While this material is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposures such as large spills. This SDS should be retained and available for employees and other users of this product. For specific intended-use guidance, please refer to the information provided on the package or instruction sheet.

SECTION 2. HAZARDS IDENTIFICATION**GHS Classification**

Serious eye damage : Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : H318 Causes serious eye damage.

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

Precautionary statements : **Prevention:**
P280 Wear eye protection/ face protection.
Response:
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**Hazardous components**

Chemical name	CAS-No.	Concentration (%)
Mineral Oil (Paraffinum Liquidum)	8042-47-5	>= 30 - < 50
Trideceth-9	24938-91-8	>= 1 - < 5
Propylene Glycol	57-55-6	>= 1 - < 5
Sodium Hydroxymethylglycinate	70161-44-3	>= 0.1 - < 1
Chloroxylenol	88-04-0	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.

If inhaled : If inhaled, remove to fresh air.
If symptoms persist, call a physician.

In case of skin contact : Wash with water and soap as a precaution.
Get medical attention if irritation develops and persists.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.
If easy to do, remove contact lens, if worn.
Seek medical advice.

If swallowed : If swallowed, DO NOT induce vomiting.
Rinse mouth with water.
Obtain medical attention.

Most important symptoms and effects, both acute and delayed : Causes serious eye damage.

Protection of first-aiders : First Aid responders should pay attention to self-protection and use the recommended protective clothing

SECTION 5. FIREFIGHTING MEASURES

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

Suitable extinguishing media	: Water spray Alcohol-resistant foam Dry chemical Carbon dioxide (CO2)
Unsuitable extinguishing media	: None known.
Hazardous combustion products	: Carbon oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers.
Further information	: Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
Special protective equipment for firefighters	: In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Material can create slippery conditions.
Environmental precautions	: Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil barriers). Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Keep in suitable, closed containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	: For personal protection see section 8. Do not swallow. Avoid contact with eyes. Keep container closed when not in use.
-------------------------	---


GOJO® Original Pumice Hand Cleaner

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

Conditions for safe storage : Keep in properly labelled containers.
 Keep container tightly closed in a dry and well-ventilated place.
 Store in accordance with the particular national regulations.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Mineral Oil (Paraffinum Liquidum)	8042-47-5	TWA (Mist)	5 mg/m3	OSHA Z-1
		TWA (Inhalable fraction)	5 mg/m3	ACGIH
		TWA (Mist)	5 mg/m3	NIOSH REL
		ST (Mist)	10 mg/m3	NIOSH REL
		TWA (Mist)	5 mg/m3	OSHA P0
Propylene Glycol	57-55-6	TWA	10 mg/m3	US WEEL

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally required.

Hand protection
Remarks : No special protective equipment required.

Eye protection : Wear face-shield and protective suit for abnormal processing problems.

Skin and body protection : No special measures necessary provided product is used correctly.

Protective measures : Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place.
 Ensure that eye flushing systems and safety showers are located close to the working place.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice.
 Avoid contact with eyes.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Colour : opaque, yellow

Odour : like fruit

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

Odour Threshold	: No data available
pH	: 7 - 8, (20 °C)
Melting point/freezing point	: No data available
Initial boiling point and boiling range	: 98 °C
Flash point	: > 100 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: Not applicable
Flammability (liquids)	: No data available
Upper explosion limit	: No data available
Lower explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Density	: 0.883 g/cm ³
Solubility(ies)	
Water solubility	: soluble
Partition coefficient: n-octanol/water	: Not applicable
Auto-ignition temperature	: No data available
Thermal decomposition	: The substance or mixture is not classified self-reactive.
Viscosity	
Viscosity, kinematic	: > 100000 mm ² /s (20 °C)
Explosive properties	: Not explosive
Oxidizing properties	: The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Not classified as a reactivity hazard.
Chemical stability	: Stable under normal conditions.
Conditions to avoid	: No data available
Incompatible materials	: Strong oxidizing agents

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

Hazardous decomposition products : No hazardous decomposition products are known.

SECTION 11. TOXICOLOGICAL INFORMATION**Information on likely routes of exposure**

Inhalation
Eye contact
Skin contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg
Method: Calculation method

Components:**Mineral Oil (Paraffinum Liquidum):**

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rat): > 5 mg/l
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Trideceth-9:

Acute oral toxicity : LD50 (Rat): > 500 - < 2,000 mg/kg

Propylene Glycol:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC50 (Rabbit): > 159 mg/l, > 51091 ppm
Exposure time: 4 h
Test atmosphere: dust/mist
Assessment: The substance or mixture has no acute inhalation toxicity

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: The substance or mixture has no acute dermal toxicity

Sodium Hydroxymethylglycinate:

Acute oral toxicity : LD50 (Rat): 1,050 mg/kg

Chloroxylenol:

Acute oral toxicity : Acute toxicity estimate : 500 mg/kg
Method: Expert judgement
Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

Acute inhalation toxicity : LC50 (Rat): > 6.29 mg/l
Test atmosphere: dust/mist

Acute dermal toxicity : LD50 (Rat): > 2,000 mg/kg

Skin corrosion/irritation

Not classified based on available information.

Components:**Mineral Oil (Paraffinum Liquidum):**

Species: Rabbit

Result: No skin irritation

Trideceth-9:

Species: Rabbit

Result: No skin irritation

Propylene Glycol:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation

Sodium Hydroxymethylglycinate:

Species: Rabbit

Result: Skin irritation

Chloroxylenol:

Result: Skin irritation

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Serious eye damage/eye irritation

Causes serious eye damage.

Components:**Mineral Oil (Paraffinum Liquidum):**

Species: Rabbit

Result: No eye irritation

Trideceth-9:

Species: Rabbit

Result: Irreversible effects on the eye

Propylene Glycol:

Species: Rabbit

Result: No eye irritation

Method: OECD Test Guideline 405

Sodium Hydroxymethylglycinate:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

Chloroxylenol:

Result: Irreversible effects on the eye

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

Product:

Result: Does not cause skin sensitisation.

Remarks: Patch test on human volunteers did not demonstrate sensitisation properties.

Components:**Mineral Oil (Paraffinum Liquidum):**

Test Type: Buehler Test

Exposure routes: Skin contact

Species: Guinea pig

Result: negative

Propylene Glycol:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Result: negative

Sodium Hydroxymethylglycinate:

Test Type: Maximisation Test (GPMT)

Exposure routes: Skin contact

Species: Guinea pig

Result: positive

Assessment: Probability or evidence of skin sensitisation in humans

Chloroxylenol:

Assessment: Probability or evidence of skin sensitisation in humans

Remarks: Based on harmonised classification in EU regulation 1272/2008, Annex VI

Germ cell mutagenicity

Not classified based on available information.

Components:**Mineral Oil (Paraffinum Liquidum):**Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test
Result: negativeGenotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo
cytogenetic assay)
Test species: Mouse
Application Route: Intraperitoneal injection
Method: OECD Test Guideline 474
Result: negative
Remarks: Based on data from similar materials**Propylene Glycol:**Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negativeGenotoxicity in vivo : Test Type: In vivo micronucleus test
Test species: Mouse

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

Application Route: Intraperitoneal injection
Result: negative

Sodium Hydroxymethylglycinate:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with
mammalian liver cells in vivo
Test species: Rat
Result: negative

Chloroxyleneol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Mineral Oil (Paraffinum Liquidum):**

Species: Rat
Application Route: Ingestion
Exposure time: 24 Months
Result: negative

Propylene Glycol:

Species: Rat
Application Route: Ingestion
Exposure time: 2 Years
Result: negative

IARC

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

NTP

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:**Mineral Oil (Paraffinum Liquidum):**

Effects on fertility : Test Type: One-generation reproduction toxicity study
Species: Rat
Application Route: Skin contact
Result: negative

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

Effects on foetal development : Test Type: Embryo-foetal development
Species: Rat
Application Route: Ingestion
Result: negative

Propylene Glycol:
Effects on fertility : Species: Mouse
Application Route: Ingestion
Result: negative

Effects on foetal development : Test Type: Embryo-foetal development
Species: Mouse
Application Route: Ingestion
Result: negative

Sodium Hydroxymethylglycinate:
Effects on foetal development : Species: Rat
Application Route: Ingestion
Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Repeated dose toxicity**Components:****Mineral Oil (Paraffinum Liquidum):**

Species: Rat
LOAEL: 160 mg/kg
Application Route: Ingestion
Exposure time: 90 d

Species: Rat
LOAEL: ≥ 1 mg/l
Application Route: inhalation (dust/mist/fume)
Exposure time: 4 w
Method: OECD Test Guideline 412

Propylene Glycol:

Species: Rat
NOAEL: 1,700 mg/kg
Application Route: Ingestion
Exposure time: 2 y

Chloroxylonol:

Species: Rabbit
LOAEL: 180 mg/kg
Application Route: Skin contact
Exposure time: 90 d

Aspiration toxicity

Not classified based on available information.

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

Components:**Mineral Oil (Paraffinum Liquidum):**

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12. ECOLOGICAL INFORMATION**Ecotoxicity****Components:****Mineral Oil (Paraffinum Liquidum):**

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 100 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l
aquatic invertebrates Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae : NOEC (Pseudokirchneriella subcapitata (green algae)): 100
mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic : NOEC (Oncorhynchus mykiss (rainbow trout)): 1,000 mg/l
toxicity) Exposure time: 28 d

Toxicity to daphnia and other : NOEC (Daphnia magna (Water flea)): 1,000 mg/l
aquatic invertebrates Exposure time: 21 d
(Chronic toxicity)

Trideceth-9:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 1 - 10 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50: > 1 - 10 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae : EC50: > 1 - 10 mg/l
Exposure time: 72 h

Propylene Glycol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 40,613 mg/l
Exposure time: 96 h

Toxicity to daphnia and other : EC50 (Ceriodaphnia Dubia (water flea)): 18,340 mg/l
aquatic invertebrates Exposure time: 48 h

Toxicity to algae : EC50 (Skeletonema costatum (marine diatom)): 19,000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 201

Toxicity to fish (Chronic : Chronic Toxicity Value: 2,500 mg/l
toxicity) Exposure time: 30 d

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC (Ceriodaphnia Dubia (water flea)): 29,000 mg/l
Exposure time: 7 d

Toxicity to bacteria : NOEC (Pseudomonas putida): > 20,000 mg/l
Exposure time: 18 h

Sodium Hydroxymethylglycinate:

Toxicity to fish : LC50: > 10 - 100 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): > 10 - 100 mg/l
Exposure time: 48 h

Toxicity to algae : ErC50 (Desmodesmus subspicatus (Scenedesmus subspicatus)): > 10 - 100 mg/l
Exposure time: 72 h

Toxicity to bacteria : EC50: > 100 mg/l
Exposure time: 120 h

Chloroxylonol:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.76 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 7.7 mg/l
Exposure time: 48 h

M-Factor (Acute aquatic toxicity) : 1

Persistence and degradability**Components:****Mineral Oil (Paraffinum Liquidum):**

Biodegradability : Result: Not readily biodegradable.
Biodegradation: 31 %
Exposure time: 28 d

Trideceth-9:

Biodegradability : Result: Readily biodegradable.
Biodegradation: > 60 %
Exposure time: 28 d

Propylene Glycol:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 98.3 %
Exposure time: 28 d
Method: OECD Test Guideline 301F

Sodium Hydroxymethylglycinate:

Biodegradability : Result: Readily biodegradable.

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

Bioaccumulative potential**Components:****Propylene Glycol:**

Partition coefficient: n-octanol/water : log Pow: -1.07

Sodium Hydroxymethylglycinate:

Partition coefficient: n-octanol/water : log Pow: < 3

Chloroxylenol:

Partition coefficient: n-octanol/water : log Pow: 3.27

Mobility in soil

No data available

Other adverse effects

No data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances

Remarks

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal methods**

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging : Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14. TRANSPORT INFORMATION**International Regulation****IATA-DGR**

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

National Regulations**49 CFR**

Not regulated as a dangerous good


GOJO® Original Pumice Hand Cleaner

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

SECTION 15. REGULATORY INFORMATION
EPCRA - Emergency Planning and Community Right-to-Know Act
CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
Sodium Hydroxide	1310-73-2	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards : Acute Health Hazard

SARA 302 : No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

Clean Air Act

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

The following chemical(s) are listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489):

Propylene Glycol	57-55-6	1.8603 %
------------------	---------	----------

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

US State Regulations
Massachusetts Right To Know

Mineral Oil (Paraffinum Liquidum)	8042-47-5	30 - 50 %
Sodium Hydroxymethylglycinate	70161-44-3	0.1 - 1 %

Pennsylvania Right To Know

Mineral Oil (Paraffinum Liquidum)	8042-47-5	30 - 50 %
Water (Aqua)	7732-18-5	30 - 50 %
Oleic Acid	112-80-1	5 - 10 %
Pumice	1332-09-8	5 - 10 %
Trideceth-9	24938-91-8	1 - 5 %
Propylene Glycol	57-55-6	1 - 5 %
Sodium Hydroxide	1310-73-2	0.1 - 1 %
Sodium Hydroxymethylglycinate	70161-44-3	0.1 - 1 %

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

New Jersey Right To Know

Mineral Oil (Paraffinum Liquidum)	8042-47-5	30 - 50 %
Water (Aqua)	7732-18-5	30 - 50 %
Oleic Acid	112-80-1	5 - 10 %
Pumice	1332-09-8	5 - 10 %
Trideceth-9	24938-91-8	1 - 5 %
Propylene Glycol	57-55-6	1 - 5 %
Sodium Hydroxymethylglycinate	70161-44-3	0.1 - 1 %

California Prop 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TSCA	: On TSCA Inventory
AICS	: On the inventory, or in compliance with the inventory
DSL	: On the inventory, or in compliance with the inventory
ENCS	: On the inventory, or in compliance with the inventory
ISHL	: On the inventory, or in compliance with the inventory
KECI	: On the inventory, or in compliance with the inventory
PICCS	: On the inventory, or in compliance with the inventory
IECSC	: On the inventory, or in compliance with the inventory
NZIoC	: On the inventory, or in compliance with the inventory

Inventories


AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

**GOJO® Original Pumice Hand Cleaner**

Version 1.1

SDS Number: 400000005409

Revision Date: 02/28/2018

SECTION 16. OTHER INFORMATION**Further information****NFPA:****HMIS III:**

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0

0 = not significant, 1 =Slight,
2 = Moderate, 3 = High
4 = Extreme, * = Chronic

Revision Date : 02/28/2018

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

ECONOMICAL JANITORIAL & PAPER SUPPLIES, LLC

#77

P.O. BOX 23607
NEW ORLEANS, LA 70183-3607
(504) 464-7166
FAX (504) 465-9563
www.economicaljanitorial.com

tem # CDC3320050026



CDC3320050026 CHURCH & DWIGHT CO., INC

HE Compatible Liquid Detergent, Unscented, 50 Loads, 50 oz. Bottle, 8/Carton




3320050026

Economical


Janitorial & Paper Supplies, LLC

Hi-Tech Fresh Linen Air Freshener & Deodorizer

Item # EJ-163



This V.O.C. compliant air freshener incorporates state-of-the-art technology in particle dispersion while eliminating excess volatile organic compounds in present day "dry" air fresheners. Provides immediate deodorization of malodors in the air. Atomized mist quickly travels throughout the area sprayed, releasing the fragrance to provide complete deodorization. Leaves no residue or stain. Eliminates stale tobacco odors. Packed 12/20 oz.





SAFETY DATA SHEET

1. Identification

Product Identifier: FRESH LINEN AIR FRESHENER AND DEORORIZER

Other means of identification

SDS number: RE1000000035

Recommended restrictions

Product Use: Air Freshener

Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: CLAIRE MANUFACTURING COMPANY

Address: 1000 Integram Dr
Pacific, MO 63069

Telephone: 1-630-543-7600

Fax:

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification

Physical Hazards

Flammable aerosol Category 1

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A

Toxic to reproduction Category 2

Specific Target Organ Toxicity - Category 3¹
Single Exposure

Target Organs

1. Narcotic effect.

Environmental Hazards

Acute hazards to the aquatic environment Category 3

Label Elements

Hazard Symbol:





Signal Word:	Danger
Hazard Statement:	Extremely flammable aerosol. Causes serious eye irritation. Suspected of damaging fertility or the unborn child. May cause drowsiness or dizziness. Harmful to aquatic life.
Precautionary Statements	
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Avoid release to the environment.
Response:	IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Call a POISON CENTER/doctor if you feel unwell.
Storage:	Protect from sunlight. Do not expose to temperatures exceeding 50 oC/122oF. Store locked up. Store in a well-ventilated place. Keep container tightly closed.
Disposal:	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Hazard(s) not otherwise classified (HNOC):	None.

3. Composition/information on ingredients
--



Mixtures

Chemical Identity	CAS number	Content in percent (%)*
2-Propanone	67-64-1	50 - <100%
Propane	74-98-6	10 - <20%
Butane	106-97-8	10 - <20%
Benzoic acid, 2-hydroxy-, phenylmethyl ester	118-58-1	0.1 - <1%
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	1222-05-5	0.1 - <1%
Benzenepropanal, 4-(1,1-dimethylethyl)- α -methyl-	80-54-6	0.1 - <1%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion:	Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.
Inhalation:	Move to fresh air.
Skin Contact:	Wash skin thoroughly with soap and water. If skin irritation occurs: Get medical advice/attention.
Eye contact:	Immediately flush with plenty of water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing media: Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical: Vapors may travel considerable distance to a source of ignition and flash back.



Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

Methods and material for containment and cleaning up: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. Dike far ahead of larger spill for later recovery and disposal.

Notification Procedures: Dike for later disposal. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

Environmental Precautions: Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water sources or sewer.

7. Handling and storage

Precautions for safe handling: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use. Use personal protective equipment as required.

Conditions for safe storage, including any incompatibilities: Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Store locked up. Aerosol Level 3

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
2-Propanone	STEL	1,000 ppm 2,400 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	750 ppm 1,780 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	PEL	1,000 ppm 2,400 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	AN ESL	2,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)



	TWA	250 ppm	US. ACGIH Threshold Limit Values (03 2015)
	TWA	750 ppm 1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	3,000 ppm	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	STEL	500 ppm	US. ACGIH Threshold Limit Values (03 2015)
	TWA PEL	500 ppm 1,200 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	ST ESL	7,800 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	4,800 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	TWA	750 ppm 1,800 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	ST ESL	3,300 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	REL	250 ppm 590 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm 2,400 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
Propane	REL	1,000 ppm 1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA PEL	1,000 ppm 1,800 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	TWA	1,000 ppm 1,800 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	TWA	1,000 ppm 1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
Butane	REL	800 ppm 1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	TWA	800 ppm 1,900 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
	STEL	1,000 ppm	US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm 1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	AN ESL	3,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	AN ESL	7,100 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	TWA PEL	800 ppm 1,900 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (09 2006)
	ST ESL	66,000 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)
	ST ESL	28,000 ppb	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (11 2016)

Biological Limit Values

Chemical Identity	Exposure Limit Values	Source
2-Propanone (acetone: Sampling time: End of shift.)	25 mg/l (Urine)	ACGIH BEL (03 2015)

Appropriate Engineering
Controls

No data available.



Individual protection measures, such as personal protective equipment

General information:	Provide easy access to water supply and eye wash facilities. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Eye/face protection:	Wear safety glasses with side shields (or goggles).
Skin Protection	
Hand Protection:	No data available.
Other:	No data available.
Respiratory Protection:	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
Hygiene measures:	Avoid contact with eyes. Observe good industrial hygiene practices. When using do not smoke. Do not handle until all safety precautions have been read and understood. Obtain special instructions before use.

9. Physical and chemical properties

Appearance

Physical state:	liquid
Form:	Spray Aerosol
Color:	No data available.
Odor:	No data available.
Odor threshold:	No data available.
pH:	No data available.
Melting point/freezing point:	No data available.
Initial boiling point and boiling range:	No data available.
Flash Point:	-104.44 °C
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	3,447.3786 - 4,826.3301 hPa (20 °C)
Vapor density:	No data available.
Density:	No data available.
Relative density:	No data available.
Solubility(ies)	



Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	Avoid heat or contamination.
Incompatible Materials:	No data available.
Hazardous Decomposition Products:	No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation:	No data available.
Skin Contact:	No data available.
Eye contact:	No data available.
Ingestion:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral Product:	Not classified for acute toxicity based on available data.
----------------------	--



Specified substance(s):

2-Propanone LD 50 (Rat): 5,800 mg/kg

Benzoic acid, 2-hydroxy-,
phenylmethyl ester LD 50 (Rat): 3,031 mg/kg
LD 50 (Rat): 3,339 mg/kg

Cyclopenta[g]-2-
benzopyran, 1,3,4,6,7,8-
hexahydro-4,6,6,7,8,8-
hexamethyl- LD 50 (Rat): > 4,640 mg/kg

Benzenepropanal, 4-(1,1-
dimethylethyl)- α -methyl- LD 50 (Rat): 1,390 mg/kg

Dermal

Product:

Not classified for acute toxicity based on available data.

Specified substance(s):

2-Propanone LD 50 (Rabbit): > 7,426 mg/kg

Benzoic acid, 2-hydroxy-,
phenylmethyl ester LD 50 (Rabbit): > 2,000 mg/kg

Cyclopenta[g]-2-
benzopyran, 1,3,4,6,7,8-
hexahydro-4,6,6,7,8,8-
hexamethyl- LD 50 (Rat): > 10,000 mg/kg

Benzenepropanal, 4-(1,1-
dimethylethyl)- α -methyl- LD 50 (Rat): > 2,000 mg/kg

Inhalation

Product:

Not classified for acute toxicity based on available data.

Specified substance(s):

2-Propanone LC 50 (Rat): 50.1 mg/l

Propane LC 50 (Mouse): 1,237 mg/l

Butane LC 50 (Mouse): 1,237 mg/l

Cyclopenta[g]-2-
benzopyran, 1,3,4,6,7,8-
hexahydro-4,6,6,7,8,8-
hexamethyl- LC 50: > 20 mg/l

Repeated dose toxicity

Product:

No data available.



Specified substance(s):

2-Propanone	NOAEL (Rat(Male), Oral, 13 Weeks): 10,000 ppm(m) Oral Experimental result, Key study
Propane	NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
Butane	NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study
Benzoic acid, 2-hydroxy-, phenylmethyl ester	NOAEL (Rat(Female), Oral, 102 - 131 d): 360 mg/kg Oral Read-across from supporting substance (structural analogue or surrogate), Key study
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	NOAEL (Rat(Female, Male), Oral, 13 Weeks): 150 mg/kg Oral Experimental result, Key study
Benzenepropanal, 4-(1,1-dimethylethyl)- α -methyl-	NOAEL (Rat(Female, Male), Oral, 30 d): 5 mg/kg Oral Other, Key study NOAEL (Rat(Female, Male), Oral, 90 d): 25 mg/kg Oral Experimental result, Key study NOAEL (Rat(Male), Dermal, 5 d): 1,000 mg/kg Dermal Other, Key study NOAEL (Rat(Female, Male), Oral, 30 d): 25 mg/kg Oral Other, Key study

Skin Corrosion/Irritation

Product:

No data available.

Specified substance(s):

2-Propanone	in vivo (Rabbit): Not irritant Experimental result, Supporting study
Benzoic acid, 2-hydroxy-, phenylmethyl ester	in vivo (Rabbit): Not irritant Experimental result, Weight of Evidence study
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	in vivo (Rabbit): Irritating Experimental result, Key study
Benzenepropanal, 4-(1,1-dimethylethyl)- α -methyl-	in vivo (Rabbit): Irritating Experimental result, Key study

Serious Eye Damage/Eye Irritation

Product:

No data available.

Specified substance(s):

2-Propanone	Irritating. Rabbit, 24 hrs: Minimum grade of severe eye irritant
-------------	---

Respiratory or Skin Sensitization

Product:

No data available.



Specified substance(s):

2-Propanone
Cyclopenta[g]-2-
benzopyran,
1,3,4,6,7,8-hexahydro-
4,6,6,7,8-hexamethyl-
Benzenepropanal, 4-
(1,1-dimethylethyl)- α -
methyl-

Skin sensitization:, in vivo (Guinea pig): Non sensitising

Skin sensitization:, in vivo (Guinea pig): Non sensitising

Skin sensitization:, in vivo (Guinea pig): Sensitising

Carcinogenicity

Product: No data available.

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specified substance(s):

Benzenepropanal, 4-(1,1-
dimethylethyl)- α -methyl-

Suspected of damaging fertility or the unborn child.

Specific Target Organ Toxicity - Single Exposure

Product: No data available.

Specified substance(s):

2-Propanone

Inhalation - vapor: Narcotic effect. - Category 3 with narcotic effects.

Specific Target Organ Toxicity - Repeated Exposure

Product: No data available.

Target Organs

Specific Target Organ Toxicity - Single Exposure: Narcotic effect.

Aspiration Hazard

Product: No data available.

Other effects: No data available.



12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

2-Propanone	LC 50 (Oncorhynchus mykiss, 96 h): 5,540 mg/l Experimental result, Key study
Propane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Butane	LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study
Benzoic acid, 2-hydroxy-, phenylmethyl ester	LC 0 (Danio rerio, 96 h): 0.8 mg/l Experimental result, Key study LC 50 (Danio rerio, 96 h): 1.03 mg/l Experimental result, Key study LC 100 (Danio rerio, 96 h): 1.35 mg/l Experimental result, Key study
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	LC 50 (Lepomis macrochirus, 96 h): 1.36 mg/l Experimental result, Key study
Benzenepropanal, 4-(1,1-dimethylethyl)- α -methyl-	NOAEL (Danio rerio, 96 h): 1.28 mg/l Experimental result, Key study EC 50 (Danio rerio, 96 h): 2.04 mg/l Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

2-Propanone	LC 50 (Daphnia pulex, 48 h): 8,800 mg/l Experimental result, Key study
Butane	LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study
Benzoic acid, 2-hydroxy-, phenylmethyl ester	LC 50 (Daphnia magna, 48 h): 2.25 mg/l Experimental result, Key study NOAEL (Daphnia magna, 48 h): 0.894 mg/l Experimental result, Key study EC 50 (Daphnia magna, 48 h): 1.16 mg/l Experimental result, Key study EC 50 (Daphnia magna, 24 h): 1.21 mg/l Experimental result, Key study LC 50 (Daphnia magna, 24 h): 4.34 mg/l Experimental result, Key study
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	EC 50 (Daphnia magna, 48 h): 0.885 mg/l Experimental result, Not specified
Benzenepropanal, 4-(1,1-dimethylethyl)- α -methyl-	EC 50 (Daphnia magna, 48 h): 9.84 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish



Product: No data available.

Specified substance(s):

Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-

LC 50 (Lepomis macrochirus): 0.452 mg/l Experimental result, Key study
LOAEL (Pimephales promelas): 0.14 mg/l Experimental result, Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

2-Propanone

LOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study
NOAEL (Daphnia magna): 2,212 mg/l Experimental result, Key study

Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-

NOAEL (Daphnia magna): 111 µg/l Experimental result, Key study
EC 50 (Daphnia magna): 282 µg/l Experimental result, Key study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

2-Propanone

90.9 % (28 d) Detected in water. Experimental result, Key study

Propane

100 % (385.5 h) Detected in water. Experimental result, Key study
50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Butane

100 % (385.5 h) Detected in water. Experimental result, Key study
50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Benzoic acid, 2-hydroxy-phenylmethyl ester

93 % (28 d) Detected in water. Experimental result, Key study

Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-

60 % (28 d) Sediment Experimental result, Key study

Benzenepropanal, 4-(1,1-dimethylethyl)-α-methyl-

80.7 % (28 d) Detected in water. Experimental result, Key study

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.



Specified substance(s):

2-Propanone	Haddock, adult, Bioconcentration Factor (BCF): 0.69 Aquatic sediment Experimental result, Not specified
Benzoic acid, 2-hydroxy-, phenylmethyl ester	Bioconcentration Factor (BCF): 202 Aquatic sediment QSAR, Supporting study Bioconcentration Factor (BCF): 311 Aquatic sediment QSAR, Supporting study Danio rerio, Bioconcentration Factor (BCF): 600 - 900 Aquatic sediment Read-across from supporting substance (structural analogue or surrogate), Key study Danio rerio, Bioconcentration Factor (BCF): 1,170 Aquatic sediment Read- across from supporting substance (structural analogue or surrogate), Key study Danio rerio, Bioconcentration Factor (BCF): 1,136 Aquatic sediment Read- across from supporting substance (structural analogue or surrogate), Key study
Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethyl-	Lepomis macrochirus, Bioconcentration Factor (BCF): 1,550 Aquatic sediment Experimental result, Key study
Benzenepropanal, 4-(1,1- dimethylethyl)- α -methyl-	Bioconcentration Factor (BCF): 274.3 Aquatic sediment Estimated by calculation, Key study

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

2-Propanone	No data available.
Propane	No data available.
Butane	No data available.
Benzoic acid, 2-hydroxy-, phenylmethyl ester	No data available.
Cyclopenta[g]-2- benzopyran, 1,3,4,6,7,8- hexahydro-4,6,6,7,8,8- hexamethyl-	No data available.
Benzenepropanal, 4-(1,1- dimethylethyl)- α -methyl-	No data available.

Other adverse effects: Harmful to aquatic organisms.

13. Disposal considerations

Disposal instructions: Discharge, treatment, or disposal may be subject to national, state, or local laws.

Contaminated Packaging: No data available.



14. Transport information

DOT

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	—
Packing Group:	II
Marine Pollutant:	No
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

IMDG

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2
Label(s):	—
EmS No.:	
Packing Group:	—
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

IATA

UN Number:	UN 1950
Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es):	
Class:	2.1
Label(s):	—
Packing Group:	—
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

15. Regulatory information

US Federal Regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.



CERCLA Hazardous Substance List (40 CFR 302.4):

<u>Chemical Identity</u>	<u>Reportable quantity</u>
2-Propanone	lbs. 5000
Propane	lbs. 100
Butane	lbs. 100

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard
Immediate (Acute) Health Hazards
Delayed (Chronic) Health Hazard
Flammable aerosol
Serious Eye Damage/Eye Irritation
Toxic to reproduction
Specific Target Organ Toxicity - Single Exposure

SARA 302 Extremely Hazardous Substance

<u>Chemical Identity</u>	<u>Reportable quantity</u>	<u>Threshold Planning Quantity</u>
2-Propanone		

SARA 304 Emergency Release Notification

<u>Chemical Identity</u>	<u>Reportable quantity</u>
2-Propanone	lbs. 5000
Propane	lbs. 100
Butane	lbs. 100

SARA 311/312 Hazardous Chemical

<u>Chemical Identity</u>	<u>Threshold Planning Quantity</u>
2-Propanone	10000 lbs
Propane	10000 lbs
Butane	10000 lbs
Benzoic acid, 2-hydroxy-, phenylmethyl ester	10000 lbs
Cyclopenta[g]-2-benzopyran, 1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethyl-	10000 lbs
Benzenepropanal, 4-(1,1-dimethylethyl)- α -methyl-	10000 lbs

SARA 313 (TRI Reporting)

None present or none present in regulated quantities.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.



US. New Jersey Worker and Community Right-to-Know Act

Chemical Identity

2-Propanone

Propane

Butane

US. Massachusetts RTK - Substance List

No ingredient regulated by MA Right-to-Know Law present.

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

2-Propanone

Propane

Butane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Not applicable

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable



Inventory Status:

Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	On or in compliance with the inventory
China Inv. Existing Chemical Substances:	On or in compliance with the inventory
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Japan ISHL Listing:	On or in compliance with the inventory
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Mexico INSQ:	Not in compliance with the inventory.
Ontario Inventory:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory

16. Other information, including date of preparation or last revision
--

Issue Date: 04/15/2019

Revision Information: No data available.

Version #: 1.0

Further Information: No data available.

Disclaimer: This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

Health Gards® Para Bowl Block

Key Features

Para Urinal Blocks help deodorize and clean urinals. Their long-lasting cherry fragrance assures urinals and restrooms remain fresh for up to 30 or 60 days.

SKU	08411
Brand	Health Gards®
Case Height (inches)	16.00
Case Length (inches)	16.00
Case Weight (lbs.)	43.88
Case Width (inches)	16.00
Chemical Resistant	No
Cleanroom	No
Color	Pink
Container Put-Up Type	New
Count of Inner Packs	12
Country of Origin	MX
Formula Type	N/A
Fragrance	Cherry
Full Product Description	Health Gards® Para Bowl Block in Shipper, Pink, Cherry, 4 oz, 12/bx, 12 bxs/cs
GTIN ITF-14	10075289084116
GTIN UPC	075289084119
HTS CODE	3307.49.00.00
Inner Quantity	12
Intensity	Moderate
Lot coding	Yes
LTL Only	No
Material	Para
NMFC	59420
Packaging Put/Up	12/bx, 12 bxs/cs
Pallet Hi	6
Pallet Ti	4
Prop 65	Yes
Prop 65 Carcinogen	p-Dichlorobenzene
Qty per Pallet	24
Refrigerated	No
Sell UOM Height (inches)	11.00
Sell UOM Length (inches)	21.40
Sell UOM Weight (lbs.)	36.35
Sell UOM Width (inches)	19.00



Health Gards® Para Bowl Block

Selling UOM	Case
Size	4 oz.
Sterile	No
Type	Bowl Block
Yield	144.00

D-SORB URINAL MAT



Big D® **D-SORB URINAL MAT** is the revolutionary new super-thin absorbent mat with superior design and performance. It is constructed of multiple layers of nonwoven fabrics, laminated together with a layer of moisture barrier plastic film, and finished with a non-skid backing.

The flat, smooth top layer consists of a proprietary blend of highly moisture absorbent synthetic and natural fibers. This blend not only absorbs moisture, but also retains moisture to prevent dripping when picked up for disposal. The middle layer is a plastic film that serves as a moisture barrier. The bottom layer is nonwoven, which shields and protects the integrity of the plastic film, while serving as a dimensional stability promoter. The non-skid backing is a discontinuous but uniform coating with a high coefficient of friction that exceeds other products in the industry.

The end result is a lightweight, absorbent, disposable urinal mat with an extreme non-skid backing. The mat is only .115 inch thick, which helps prevent tripping and slipping.


- Very thin and light
- Gray colored material is attractive in most any décor
- Soft and flexible to conform flat to any floor surface
- Skid-resistant
- Can last up to 4 weeks, depending on traffic
- Easily disposable



The **D-SORB URINAL MAT** will reduce odors by catching and quickly absorbing unwanted splashes and drips under urinals. It protects the floor from stain, discoloration and uric acid damage. It prevents cross-contamination by eliminating the tracking of urine from the restrooms to other parts of the building.

The **D-SORB URINAL MAT** makes restrooms easier to maintain, reducing time and labor cost. It can be mopped around or moved for total floor cleaning. It is flexible and can easily be folded to dispose of in any receptacle.

The **D-SORB URINAL MAT** has a low profile, making it ADA compliant. It safely stays in place due to its industry-leading special skid-resistant backing.



D-SORB URINAL MAT


PRODUCT NO. 6669

18.12 in x 20.5 in x .115 in thickness
Packed 6 per shipping case



BIG D INDUSTRIES, INC.

PO Box 82219
Oklahoma City, OK 73148
1-800-654-4752
www.bigdind.com





Safety Data Sheet

Big D D-Sorb Urinal Mat

SECTION 1. IDENTIFICATION

Product Identifier	Big D D-Sorb Urinal Mat
Other Means of Identification	6669
Other Identification	Urinal Mat
Product Family	Floor Mat
Recommended Use	Floor Mat.
Restrictions on Use	None known.
Manufacturer	Big D Industries, Inc., 5620 SW 29th St, Oklahoma City, OK, 73179, 405 682 2541, BigDInd.com
Supplier	Big D Industries, Inc., 5620 SW 29th St, Oklahoma City, OK, 73179, 405 682 2541, BigDInd.com
Emergency Phone No.	Big D Industries, 800 535 5053, 24hr (Infotrac)
SDS No.	0800

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not classified under any GHS hazard classes.

GHS Label Elements

Not applicable

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Contains no hazardous ingredients.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air.

Skin Contact

Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes.

Eye Contact

Move to fresh air.

Ingestion

Rinse mouth with water.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Product Identifier:	Big D D-Sorb Urinal Mat
SDS No.:	0800
Date of Preparation:	April 05, 2018

Not combustible. Use extinguishing agent suitable for surrounding fire.

Unsuitable Extinguishing Media

Not applicable.

Specific Hazards Arising from the Chemical

Can ignite if strongly heated.

This product presents no unusual hazards in a fire situation.

Special Protective Equipment and Precautions for Fire-fighters

No special precautions are necessary.

Fire-fighters may enter the area if positive pressure SCBA and full Bunker Gear is worn.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

No special precautions are necessary.

Environmental Precautions

It is good practice to prevent releases into the environment.

Methods and Materials for Containment and Cleaning Up

No special clean-up methods are necessary.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

No special handling precautions are necessary.

No special precautions are necessary.

Conditions for Safe Storage

Store in an area that is: cool, temperature-controlled, dry, ventilated.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Not available.

Appropriate Engineering Controls

The hazard potential of this product is relatively low. General ventilation is usually adequate.

Individual Protection Measures

Eye/Face Protection

Not required if product is used as directed.

Skin Protection

Not required, if used as directed.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Dark black - grey. Particle Size: Not applicable
Odour	Fragrant
Odour Threshold	Not available
pH	Not applicable
Melting Point/Freezing Point	Not applicable (melting); Not applicable (freezing)
Initial Boiling Point/Range	Not applicable

Product Identifier: Big D D-Sorb Urinal Mat

SDS No.: 0800

Date of Preparation: April 05, 2018

Flash Point	Not applicable
Evaporation Rate	Not applicable
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not applicable
Vapour Density (air = 1)	Not applicable
Relative Density (water = 1)	Not available
Solubility	Not applicable in water; Not applicable (in other liquids)
Partition Coefficient, n-Octanol/Water (Log Kow)	Not applicable
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not applicable (kinematic)
Other Information	
Physical State	Solid
Molecular Formula	Not applicable
Molecular Weight	Not applicable
Bulk Density	Not available
Surface Tension	Not applicable
Critical Temperature	Not applicable
Electrical Conductivity	Not available
Vapour Pressure at 50 deg C	Not applicable
Saturated Vapour Concentration	Not applicable

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not applicable.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

Not applicable.

Conditions to Avoid

Not applicable.

Incompatible Materials

Not applicable.

Hazardous Decomposition Products

Not applicable.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact.

Acute Toxicity

LC50: Not applicable.

LD50 (oral): Not applicable.

LD50 (dermal): Not applicable.

Product Identifier: Big D D-Sorb Urinal Mat

SDS No.: 0800

Date of Preparation: April 05, 2018

Page 03 of 05

Skin Corrosion/Irritation

No information was located.

Serious Eye Damage/Irritation

No information was located.

STOT (Specific Target Organ Toxicity) - Single Exposure**Inhalation**

No information was located.

Skin Absorption

No information was located.

Ingestion

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

Respiratory and/or Skin Sensitization

No information was located.

Carcinogenicity

Not a carcinogen. Not known to cause cancer.

Reproductive Toxicity**Development of Offspring**

No information was located.

Sexual Function and Fertility

No information was located.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

Environmental information was not located.

SECTION 13. DISPOSAL CONSIDERATIONS**Disposal Methods**

This product is a non-hazardous waste.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG Regulations. Not regulated under US DOT Regulations.

Special Precautions for User Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

WHMIS Classification

Product Identifier: Big D D-Sorb Urinal Mat

SDS No.: 0800

Date of Preparation: April 05, 2018

Not a WHMIS controlled product.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by the Controlled Products Regulations.

SECTION 16. OTHER INFORMATION

NFPA Rating **Health - 0** **Flammability - 0** **Instability - 0**

Date of Preparation April 05, 2018

Disclaimer This Safety Data Sheet has been prepared in accordance with the Globally Harmonized System for the Classification and Labeling of Chemical (GHS) TO the best of our knowledge the information herein is accurate. However, the supplier makes no warranty and assume no liability resulting from its use. In No event shall the supplier be liable for any claims, losses, or damages of any third party resulting from the use of or reliance upon this information.

Product Identifier: Big D D-Sorb Urinal Mat

SDS No.: 0800

Page 05 of 05

Date of Preparation: April 05, 2018

ECONOMICAL JANITORIAL & PAPER SUPPLIES, LLC

#106

P.O. BOX 23607
NEW ORLEANS, LA 70183-3607
(504) 464-7166
FAX (504) 465-9563
www.economicaljanitorial.com

Item # M2-DPL801



ADDITIONAL FEATURES:
LARGE CAPACITY 11.75"

M2 Professional DPL801

Lobby Dust Pan, 11.75 x 37, 34" Handle, Plastic/Aluminum, Black

M2 pROFESSIONAL
M2-DLP801

#107, #108, #109, #111, #265

RUBBERMAID COMMERCIAL PRODUCTS 3-YEAR LIMITED WARRANTY

Warranty Effective Date: This limited warranty applies to end user purchases on or after August 1, 2023.

What does this limited warranty cover?

Rubbermaid Commercial Products, LLC ("RCP") warrants to the original owner that Rubbermaid Commercial Products branded products covered by this warranty (each, a "Product") will be free from defects in materials and workmanship. This warranty applies only to products purchased and used by End Users in the United States of America and Canada.

How long does the coverage last?

The limited warranty lasts 3 years from the date of delivery to the original End User purchaser. With respect to WaveBrake mop buckets, the side-press and down-press wringer component (specifically the component used on items FG7480, FG7580, FG7588, FGF7577, FG7578, 2031764) is warranted for a period of five years from the date of delivery to the original End User purchaser and all other components are warranted for a period of three years from the date of delivery to the original End User purchaser. All failures or defects must be reported within the applicable warranty period.

What will Rubbermaid Commercial Products do?

If a Product or Product component is found to be defective when used as intended under normal conditions within the specified warranty period, RCP will provide to you, at RCP's option, a replacement Product or component, repair of the Product or component, or a refund for the Product or component if available for purchase. If providing a refund, RCP will refund the pro-rated portion of the purchase or current retail price of the Product or current retail price of the defective component on a straight-line depreciated basis of 33 1/3% per year. For example, if the product has been owned for 2 years, RCP will refund 66 2/3% of the original purchase price.

What does this warranty not cover?

This warranty does not apply to the following products under the Rubbermaid Commercial Products brand:

- Brute® branded products.
- The motors, electrical parts, chargers, batteries, motor controls, and related components thereof of Rubbermaid Commercial Products motorized products. Please see the Rubbermaid Commercial Products 2-Year Limited Warranty for Motorized Products and Motorized Product Accessories for details.
- Rubbermaid-branded products. Please visit the warranty information page on Rubbermaid.com for details.
- Consumable, disposable, or expiration-based products – such as hand soap, hand sanitizer, and some disposable wipes.

This warranty extends only to the original owner and is not transferable (except where prohibited by local law, which may include the Province of Québec).

This warranty does not apply to non-durable Product components that are subject to normal wearing, such as wheels, casters, mop heads and pads, and broom/brush bristles. This warranty does not apply to Product that has been damaged as a result of normal wear and tear, insects, animals or rodents, use of force, incorrect handling, inappropriate use, abuse, neglect, accidents, impact from foreign objects, vandalism, pollutants, set-up on an un-level foundation, alteration, painting, fading, assembly not in accordance with the User's Manual, or damage caused as a result of storage above the capacity limits of the Product, improper maintenance, accident, or other misuse. This warranty does not apply to Product that has been damaged as a result of acts of God, including, but not limited to: wind, hail, storm, tornado, hurricane, heavy snow, ice, blizzard, flood, or fire effects. This warranty does not apply to Product that has been damaged as a result of structural parts and components not supplied by RCP being used. This warranty does not apply to "Normal Weathering". "Normal Weathering" is defined as exposure to sunlight and extremes of weather and atmosphere which will cause any colored surface to gradually fade, wear, chalk, or accumulate dirt or stains.

Do NOT attempt to repair or modify the Product to remedy any damage or defect covered by this warranty. RCP reserves all rights to decline coverage if the defect or damage was caused by unauthorized attempts to repair or modify the Product. RCP expressly excludes from this warranty and denies liability for defects or damage caused by repair or modification. This warranty does not apply to damage or defect resulting from the end users' failure to maintain the product in accordance with the instructions.

How to get service?

To receive repair or replacement, either return the defective part to the outlet where purchased, use the contact us tool at <https://www.rubbermaidcommercial.com/contact-us/>, or call Customer Service at 1-800-347-9800 to arrange for the product to be returned to us.

What to submit for warranty claim?

Upon RCP's request, the customer must provide proof of purchase (either a bill of sale, receipted invoice, or other proof that the product is within the warranty period) and proof of delivery date if different than date of purchase, along with a full description of the defect, in conjunction with any such return. RCP reserves the right to request photographic proof of Product defect, and request that the defective Product in question be shipped to RCP (postage provided by RCP) to inspect the product or to aid in quality control efforts.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, WRITTEN OR ORAL, INCLUDING BUT NOT LIMITED TO ANY EXPRESS WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE DURATION OF ANY IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, IS EXPRESSLY LIMITED TO THIS WARRANTY PERIOD.

THE PURCHASER'S EXCLUSIVE REMEDY FOR BREACH OF THIS WARRANTY OR OF ANY IMPLIED WARRANTY OR OF ANY OTHER OBLIGATION ARISING BY OPERATION OF LAW OR OTHERWISE SHALL BE LIMITED AS SPECIFIED HEREIN TO REPLACEMENT OR REPAIR OF THE PRODUCT. IN ANY EVENT, RESPONSIBILITY FOR SPECIAL, INCIDENTAL AND CONSEQUENTIAL DAMAGES IS EXPRESSLY EXCLUDED. RCP SHALL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES WHATSOEVER.

Legal rights vary from state to state, and some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages; therefore, the above limitations or exclusions may not apply to you if precluded by local law.

This warranty gives you specific legal rights, and you may have other rights that vary from state to state or province. If you believe your product carries a warranty not described above, please contact our Consumer Care Department for additional information at <https://www.rubbermaidcommercial.com/contact-us/>.

Rubbermaid Commercial Products, LLC
4110 Premier Drive
High Point, NC 27265




Brooms & Handles

Push Brooms

Fine Sweeps

Fine Sweeps



⬅️ PREV PRODUCT | NEXT PRODUCT ➡️

This push broom features flagged pvc filament bristles that excel in sweeping dust and fine particles on smooth surfaces.

- Available in 18", 24" or 36"
- two threaded handle holes to alternate sweep direction for even and lasting broom wear
- Hardwood block

ITEM NO	SIZE	FIBER	BLOCK	WEIGHT	CUBE	P
BH-11007	18"	3" Grey Flagged	Wood	23	1.6	1

ITEM NO	SIZE	FIBER	BLOCK	WEIGHT	CUBE	P
* BH-11008	24"	3" Grey Flagged	Wood	33	2.13	1
BH-11009	36"	3" Grey Flagged	Wood	50	3.16	1



© 2013 National Bulk Chemical Corporation. All rights reserved. Printed in the USA.

ABCO is a registered trademark of National Bulk Chemical Corporation. All other trademarks are the property of their respective owners.

ABCO.COM




Brooms & Handles

Push Brooms

Street Broom:

Street Brooms



⬅️ PREV PRODUCT | NEXT PRODUCT ➡️

Designed for superb results for removing the heaviest debris from outdoor areas.

- 6" long bristles in either Polypropylene or Palmyra
- 16" Hardwood block
- 2 tapered hold

ITEM NO	SIZE	FIBER	BLOCK	WEIGHT	CUBE
* BH-13001	16"	6" Palmyra	Wood	20	3.26

ITEM NO	SIZE	FIBER	BLOCK	WEIGHT	CUBE
BH-13003	16"	6" Polypropylene	Wood	20	2.79



Main Number: 6013004 2226 165 Main Number: 6881004 2226
 © 2018 ABC Cleaning Products, Inc. All Rights Reserved.
 6013003.M

#130

Royal Broom & Mop Factory, Inc.

504- 818-2244 800-537-6925 Fax 504-818-2266

Brooms

The Metal Cap Brooms has its fiber securely fastened in a metal cap that is secured to a 1" diameter, smooth sanded, hardwood handle. The broom is reinforced with one metal band. These brooms are designed for heavy-duty use and recommended for wet or dry sweeping in factories, bottling plants, warehouse, etc.

Item: RB6010 Palmyra Stalk Metal Cap Broom.
Handle Length: 39 3/4". Overall Length: 54"

Pack: 12 each
UPC Code: 035162060104

Case Weight: 30 lbs.

Item: RB6011 Brown Polypropylene Metal Cap Broom.
Handle Length: 39 3/4". Overall Length: 52 1/2".

Pack: 12 each
UPC Code: 035162060111

Case Weight: 30 lbs.



Screw Type Mops Complete

The Multi-Colored, Cotton, and Rayon Screw Type Mop Heads is made of 4 ply highly absorbent long wearing yarns with a metal band that secures the mop head with a metal screw in head of mop. Mop head protected by plastic sleeve. These come on our Screw Type Mop that is 15/16" x 54" lacquered handle.

Item: RB12LBC 12 oz. Multi-Colored Screw Type Mop Head with 54" Handle.

Pack: 6 each
UPC Code: 081662051241

Case Weight: 11 lbs.

Item: RB12LCC 12 oz. Cotton Screw Type Mop Head with 54" Handle.

Pack: 6 each
UPC Code: 081662051210

Case Weight: 11 lbs.

Item: RB16LCC 16 oz. Cotton Screw Type Mop Head with 54" Handle.


Pack: 6 each
UPC Code: 081662051610

Case Weight: 12 lbs.

Item: RB12LRC 12 oz. Rayon Screw Type Mop Head with 54" Handle.


Pack: 6 each
UPC Code: 081662051234

Case Weight: 10 lbs.



Mops

Cotton Mop Yarn:



The Toy Mop is a Medium Cotton Mop is made of 4 ply absorbent white cotton yarns. Head is securely fastened on a 7/8" x 24" plain lacquered handle. They come with a hang up hook.

Item: RB803C Toy Mop.

Pack: 6 each
UPC Code: 081662080319

Case Weight: 6.5 lbs.



The Medium Cotton Mop is made of 4 ply absorbent white cotton yarns. Head is securely fastened on a 7/8" x 48" handle. Head is covered with a super maid sleeve. They comes in various sizes with hang up hook.

Item: RB910C 10 Medium Cotton Mop on 7/8" x 48" Green Handle.

Pack: 6 each
UPC Code: 081662091018

Case Weight: 7 lbs.

Item: RB912C 12 Medium Cotton Mop on 7/8" x 48" Blue Handle.


Pack: 6 each
UPC Code: 081662091216

Case Weight: 8 lbs.

Item: RB916C 16 Medium Cotton Mop on 7/8" x 48" Plain Lacquered Handle.


Pack: 6 each
UPC Code: 081662091612

Case Weight: 7 lbs.



Economical
Janitorial & Paper Supplies, LLC

**Hospeco SaniWorks Deluxe
Antimicrobial Towels –
13" x 21", ¼ Fold, 150/cs
Item # HO-N-F310QCBA**



- Antimicrobial treatment inhibits the growth of odor-causing bacteria in the towel
- Most popular – best value
- Rinses easily and will not stain like a cloth towel
- Great for cleaning and sanitizing tables, countertops and washing kitchenware
- Designed to be reusable (lasts 3-5 days); priced to be disposable
- Use as part of a color-coded towel program to reduce cross contamination
- Up to 70% less cost in use compared to cotton and pre-sat towels
- 150% greater quat release to surface than cotton towels

 **hospeco**
BRANDS GROUP

RUBBERMAID COMMERCIAL PRODUCTS 10 YEAR LIMITED WARRANTY FOR BRUTE® PRODUCTS

Warranty Effective Date: This limited warranty applies to end user purchases on or after August 1, 2023.

What does this Limited Warranty cover?

Rubbermaid Commercial Products, LLC ("RCP") warrants BRUTE® branded items to be free from defects in material and manufacturing workmanship. This warranty applies only to products purchased and used by End Users in the United States of America and Canada.

How long does the coverage last?

The limited warranty lasts 10 years from the date of delivery to the original End User purchaser.

What will Rubbermaid Commercial Products do?

If a product or product component is found to be defective when used as intended under normal conditions within the specified warranty period, RCP will provide, at RCP's option, a replacement product or component, repair of the product or component, or a refund for the product or component if available for purchase. If providing a refund, RCP will refund the pro-rated portion of the purchase or current retail price of the product or current retail price of the defective component on a straight-line depreciated basis of 10% per year. For example, if the product has been owned for 7 years, RCP will refund 30% of the original purchase price.

What does this warranty not cover?

This warranty does not apply to non-durable product components that are subject to normal wearing, such as wheels and casters. The warranty applies only to the original purchaser/owner and is not transferrable (except where prohibited by local law, which may include the Province of Québec). All failures or defects must be reported within the warranty period. Any use of the product for purposes other than its intended use will void this limited warranty. This warranty does not apply to damage or defect resulting from the end users' failure to maintain the product in accordance with the instructions.

This warranty does not apply to product that has been damaged as a result of normal wear and tear, insects, animals or rodents, use of force, incorrect handling, inappropriate use, abuse, neglect, accidents, impact from foreign objects, vandalism, pollutants, set-up on an un-level foundation, alteration, painting, fading, assembly not in accordance with the User's Manual, or damage caused as a result of storage above the capacity limits of the Product, improper maintenance, accident, or other misuse. This warranty does not apply to product that has been damaged as a result of acts of God, including, but not limited to: wind, hail, storm, tornado, hurricane, heavy snow, ice, blizzard, flood, or fire effects. This warranty does not apply to product that has been damaged as a result of structural parts and components not supplied by RCP being used. This warranty does not apply to "Normal Weathering". "Normal Weathering" is defined as exposure to sunlight and extremes of weather and atmosphere which will cause any colored surface to gradually fade, wear, chalk, or accumulate dirt or stains.

Do NOT attempt to repair or modify the items to remedy any damage or defect covered by this warranty. RCP reserves all rights to decline coverage if the defect or damage was caused by unauthorized attempts to repair or modify the item. RCP expressly excludes from this warranty and denies liability for defects or damage caused by repair or modification.

How to get service?

Submit your request by using the contact us tool at www.rubbermaidcommercial.com/contact-us/ or by calling customer service toll free at (800) 347-9800 Monday – Friday, 8:00 a.m. – 5:00 p.m. Eastern.

What to Submit for Warranty Claim?

Upon RCP's request, must provide proof of purchase (either a bill of sale, receipted invoice, or other proof that the product is within the warranty period) and proof of delivery date if different than date of purchase, and photographic proof of product defect, and if requested by RCP return the defective product to RCP (postage

provided by RCP) to inspect the product or to aid in quality control efforts.

THIS WARRANTY IS EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, WRITTEN OR ORAL, INCLUDING BUT NOT LIMITED TO ANY EXPRESS WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE DURATION OF ANY IMPLIED WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, IS EXPRESSLY LIMITED TO THIS WARRANTY PERIOD.


THE PURCHASER'S EXCLUSIVE REMEDY FOR BREACH OF THIS WARRANTY OR OF ANY IMPLIED WARRANTY OR OF ANY OTHER OBLIGATION ARISING BY OPERATION OF LAW OR OTHERWISE SHALL BE LIMITED AS SPECIFIED HEREIN TO REPLACEMENT OF THE PRODUCT OR REFUND. IN ANY EVENT, RESPONSIBILITY FOR SPECIAL, INCIDENTAL AND CONSEQUENTIAL DAMAGES IS EXPRESSLY EXCLUDED. RCP SHALL NOT BE LIABLE FOR ANY CONSEQUENTIAL OR INCIDENTAL DAMAGES WHATSOEVER.

Legal rights vary from state to state, and some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of incidental or consequential damages; therefore, the above limitations or exclusions may not apply to you if precluded by local law.

This warranty gives you specific legal rights, and you may have other rights that vary from state to state or province. If you believe your product carries a warranty not described above, please contact our Consumer Care Department for additional information at www.rubbermaidcommercial.com/contact-us/.


Rubbermaid Commercial Products, LLC
4110 Premier Drive
High Point, NC 27265

#237



D-Fense® Dust

Insecticide



D-FENSE® DUST is a ready-to-use insecticide dust which gives an effective knockdown and residual control of up to 8 months if undisturbed. D-FENSE DUST will not clump or absorb moisture and is non-staining and odorless.

Active Ingredient
0.05% Deltamethrin

Effective Against
Fire Ants, Carpenter Ants, Bed Bugs, Centipedes, Cockroaches, Crickets, Fleas, Scorpions, Silverfish, Spiders, Ticks

Comparative Brand
Bayer Delta® Dust

Packaging
12 x 1 pound bottle/case (64 cs/pallet)

Mode of Action
Contact or ingestion

Features & Benefits

- Ready to use
- One pound treats up to 100 Fire Ant mounds
- Kills crawling insects for up to eight months if left undisturbed
- Waterproof dust, does not clump



ADAMA

Control Solutions Inc.

A member of Adama
Consumer and Professional Solutions



SAFETY DATA SHEET

D-Fense Dust

Page 1 of 7
Revision Date: October 28, 2016

SECTION 1: IDENTIFICATION

Product Name: D-Fense Dust
EPA Registration No.: 53883-283
Recommended Use: Insecticide; See product label for a complete list of uses and use sites.
Restrictions on Use: See product label for any restrictions on the use of this product.
Chemical Family: Pyrethroid
Chemical Name of Active Ingredient(s): Deltamethrin
Manufactured for: Control Solutions, Inc.
5903 Genoa-Red Bluff
Pasadena, TX 77507

FOR FIRE, SPILL, AND/OR LEAK EMERGENCIES CONTACT: CHEMTREC 1-800-424-9300

FOR MEDICAL EMERGENCIES AND HEALTH AND SAFETY INQUIRIES CONTACT: Safety Call 1-866-897-8050

SECTION 2: HAZARD(S) IDENTIFICATION

EMERGENCY OVERVIEW: White powder with a faint, chalk-like odor. May cause mechanical eye irritation.

OSHA HCS CLASSIFICATION (29 CFR 1910.1200)

Specific Target Organ Toxicity – Repeated Exposure	Category 2
--	------------

Signal Word: WARNING



Hazard Statement(s): May cause damage to lungs through prolonged or repeated exposure.

Precautionary Statement(s):

Prevention: Do not breathe dust.
Response: Get medical advice/attention if you feel unwell.
Storage: No statement required. See section 7 for storage information.
Disposal: Dispose of contents/container in accordance with Federal, state and local laws and regulations.

The following percentage of the mixture consists of components with unknown hazards regarding the acute toxicity:

0.8% Acute oral toxicity
99.5% Acute dermal toxicity
99.5% Acute Inhalation toxicity

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Calcium carbonate	1317-65-3	95.0 – 100.0
Deltamethrin	52918-63-5	0.05%
Crystalline silica, quartz	14808-60-7	<0.5%

*Ingredients not listed or listed with a weight % range are considered a trade secret and are withheld under 29 CFR 1910.1200(i).

SECTION 4: FIRST AID MEASURES

IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF INGESTED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed: Mild mechanical eye irritation. Repeated inhalation may cause coughing, discomfort in the chest and shortness of breath.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Foam, dry chemical, carbon dioxide or water spray
Unsuitable Extinguishing Media:	Water jet
Hazardous Combustion Products:	Thermal decomposition may produce toxic carbon and nitrogen oxides.
Special Protective Equipment & Precautions:	Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Foam and/or dry chemical are preferred to minimize environmental contamination. If water is used, dike and collect water to prevent run-off. Wear self-contained breathing apparatus and full fire-fighting turn-out gear (Bunker gear).
Unusual Fire & Explosion Hazards:	None known

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	See Section 8 for personal protection equipment.
Environmental Precautions:	Keep spilled material and any rinsate from contaminating soil or from entering sewage and drainage systems and bodies of water.
Methods for Containment:	Isolate the spill area. Keep unnecessary and unprotected personnel from entering. Sweep up spills using a dust suppressant agent which does not react with the product. If using a vacuum cleaner to collect material, use a cleaner equipped with a HEPA filter. Collect in a suitable container for disposal.
Methods for Clean-up:	Place contaminated material in appropriate container for disposal. After removal, flush contaminated area thoroughly with water. Pick up wash liquid with additional absorbent and place in a disposable container. Do not put spilled material back in the original container.
Other Information:	None known

SECTION 7: HANDLING AND STORAGE

Handling: RECOMMENDATIONS ARE INTENDED FOR MANUFACTURING, PACKAGING AND COMMERCIAL BLENDING WORKERS. PESTICIDE APPLICATORS AND WORKERS must refer to the product label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Handle and open container in a manner as to prevent spillage. Do not eat, drink or smoke while handling this product. Immediately wash off accidental contact with product from skin, clothing and out of eyes.

Storage: See pesticide label for full information on product storage. Do not contaminate water, food or feed by storage of this product. Store away from sources of heat, out of direct sunlight and away from incompatible materials. Pesticides should be stored in secured areas away from children and animals.

Storage Temperature (Min/Max): Not determined

Product Incompatibilities: Avoid contact with strong acids

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Users of a pesticide product must refer to the product label for personal protective equipment requirements.

Exposure Guidelines:

COMPONENT	OSHA PEL	ACGIH TLV	NIOSH REL
Calcium carbonate	5 mg/m ³ (resp. fraction) 15 mg/m ³ (total dust)		5 mg/m ³ (resp. fraction) 15 mg/m ³ (total dust)
Crystalline silica	0.3 mg/m ³ (total dust)(TWA) 0.1 mg/m ³ (respirable)(TWA)	0.025 mg/m ³ (resp. fraction) (TWA)	0.05 mg/m ³ (resp. dust) (TWA)

Engineering Controls: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.

Respiratory Protection: In areas of poor ventilation, use a NIOSH approved respirator with cartridges/canisters approved for silica dust.

Eye Protection: Chemical goggles or safety glasses and full-face shield.

Protective Gloves: Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile, neoprene rubber, polyvinyl chloride (PVC) or Viton.

Other Protective Clothing: Long-sleeved shirt, long pants and chemical resistant footwear plus socks.

General Safety Measures: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately after handling this product. Wash outside of gloves before removing. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White powder	Upper/Lower Flammability Limits:	Not determined
Odor:	Faint chalk-like	Vapor Pressure:	Not determined
Odor Threshold:	Not determined	Vapor Density:	Not determined
pH (1% dispersion):	8.8 - 9.4	Relative Density (@24°C):	2.71 g/ml (typical)
Melting /Freezing Point:	Not determined	Solubility in Water:	Not determined
Boiling Point/Range:	Not determined	Partition Coefficient:	Not determined
Flash Point:	Not applicable	Auto-ignition Temperature:	Not determined
Evaporation Rate:	Not determined	Decomposition Temperature:	Not determined
Flammability:	Not applicable	Viscosity:	Not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	No hazardous chemical reactions known.
Chemical Stability:	Stable under normal storage and handling conditions.
Possibility of Hazardous Reactions:	No potential for hazardous reactions known.
Conditions to Avoid:	Extreme temperatures
Incompatible Materials:	Strong acids
Hazardous Decomposition Products:	Thermal decomposition may produce toxic carbon and nitrogen oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eye contact, Skin contact, Inhalation, Ingestion
Symptoms of Exposure:	Mild mechanical eye irritation. Repeated inhalation may cause coughing, discomfort in the chest and shortness of breath.
Oral LD₅₀:	>2,000 mg/kg (Estimated based upon component data)
Dermal LD₅₀:	>2,000 mg/kg (Estimated based upon component data)
Inhalation LC₅₀:	>5.0 mg/L (Estimated based upon component data) No components are known to be acutely toxic via inhalation.
Eye Irritation/Damage:	Not anticipated to be an eye irritant based upon component data.
Skin Corrosion/Irritation:	Not anticipated to be a skin irritant based upon component data.
Skin Sensitization:	Non-sensitizer, based upon component data.
Chronic/Subchronic Toxicity:	Deltamethrin caused neurobehavioral effects and/or neuropathological changes in animal studies. The toxic effects of Deltamethrin are related to transient hyperactivity typical for pyrethroid neurotoxicity. Overexposure to the respirable dust of crystalline silica (quartz or cristobalite, less than or equal to 5 microns in size) may lead to silicosis in humans, which is a progressive and irreversible lung disease.
Mutagenicity:	Deltamethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.
Reproductive Toxicity:	No data available
Neurotoxicity:	No data available
Target Organs:	No data available
Aspiration Hazard:	Not likely due to the form of the product.

Carcinogenicity:

Chemical Name	ACGIH	IARC	NTP	OSHA
Crystalline silica	Group A2	Category 1	Known to be Human Carcinogen	

SECTION 12: ECOLOGICAL INFORMATION**Environmental Hazards Statement from FIFRA Regulated Pesticide Label:**

This product is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or regional office of the EPA.

ECOTOXICITY DATA:**Fish Toxicity:**

The data presented below is for deltamethrin technical.

Pumpkinseed sunfish 96 hr LC₅₀ = 0.58 µg/L

Sheepshead minnow 96 hr LC₅₀ = 0.36 µg/L

Aquatic Invertebrate Toxicity:

Daphnia magna 48 hr EC₅₀ = 0.11 µg/L

Mysid shrimp 96 hr LC₅₀ = 0.0017 µg/L

Aquatic Plant Toxicity:

No data available

Avian Toxicity:

Bobwhite Quail LD₅₀ >2,250 mg/kg-bw

Mallard Duck LC₅₀ >4,640 mg/kg diet

Honeybee Toxicity:

Contact LD₅₀ = 0.0015 µg/bee

ENVIRONMENTAL EFFECTS:**Persistence and Degradability:**

No data available

Bioaccumulation:

No data available

Mobility:

No data available

Other Adverse Effects:

No data available

SECTION 13: DISPOSAL CONSIDERATIONS**Waste Disposal:**

Refer to the pesticide label for full information on disposal. Pesticide wastes are toxic. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in proper disposal methods.

Container Disposal:

Refer to the pesticide label for full information on disposal. When possible, triple rinse the container and offer for recycling if available.

RCRA Characteristics:

It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

SECTION 14: TRANSPORTATION INFORMATION

DOT
(Ground): Not regulated

IMDG
(Sea): UN3077, Environmentally hazardous substance, solid, n.o.s. (Deltamethrin mixture), 9, PGIII, Marine Pollutant

IATA
(Air): UN3077, Environmentally hazardous substance, solid, n.o.s. (Deltamethrin mixture), 9, PGIII, Marine Pollutant

SECTION 15: REGULATORY INFORMATION

Labeling Requirements Under FIFRA: This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

TSCA Inventory: This product is exempt from TSCA inventory listing requirements as it is solely for FIFRA regulated use.

SARA Title III Information:

Section 302 – Extremely hazardous substances: None

Section 311/312 – Hazard Categories: Acute (Immediate); Chronic (Delayed)

Section 313 – This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %	SARA 313 – Threshold Values (lbs)
None listed			

CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Chemical Name	CAS Number	RQ	Quantity of Finished Product
None listed			

CALIFORNIA PROPOSITION 65:

Chemical Name	CAS Number	Prop 65 Category(ies)
Crystalline quartz	14808-60-7	Cancer

U.S. STATE RIGHT-TO-KNOW REGULATIONS:

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Calcium carbonate		X	X
Crystalline silica		X	X

SECTION 16: OTHER INFORMATION

NFPA	Health Hazards 1	Flammability 0	Instability 0	Special Hazards – None
-------------	-------------------------	-----------------------	----------------------	-------------------------------

Disclaimer: Control Solutions, Inc. believes the information presented herein is accurate and correct as of the document date. The presented information is based upon available data from reliable sources. Control Solutions, Inc. makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: October 28, 2016
Document Superseded: N/A – New document
Revision Note:

Economical
Janitorial & Paper Supplies, LLC

**Suave Aerosol Unscented Anti-Perspirant
& Deodorant Spray, pk 12/6 oz.**

Item # GW-194345



The Sure Unscented Aerosol Anti-Perspirant & Deodorant keeps you feeling fresh all day long. Its anti-stain formula keeps clothes protected from messy residue. This underarm deodorant gives you an invisible barrier of protection against unwanted body odor without an overpowering fragrance. Protects against odor & Wetness All Day Confidence 48 Hour Protection. Contains no CFCs.



264
Customer Service: 1-888-GO-BETCO
Equipment Tech Support 1-877-856-5954
8AM - 5:30PM EST, Monday - Friday

Advanced Alcohol Foaming Sanitizer



Fast Drying, Lightly Fragranced Foaming Sanitizer

Thick rich foam leaves your hands refreshed and moisturized. Highly effective, kills 99.999% of common germs within 15 seconds. Use as needed between hand washings to help reduce germ transmission. Evaporates quickly, with no sticky residue.

Features

70% ethyl alcohol-based foaming hand sanitizer
Formulated with emollients to moisturize the skin, will not cause dryness or irritation
Meets FDA and CDC guidelines for hand sanitizing
Sealed packaging product evacuation keeps sanitizer free of contaminants

Available In

4 - 1 Gal. Bottles Item #79504-00

6 - 1000 mL Clario Bags Item #79529-00

55 Gal. Drum Item #79555-00

12 - 500 mL Pump Bottles/Case Item #795E9-00

Directions for Use

Read the entire label before using this product. Dispense 2 pumps of product onto palm of hand and rub thoroughly over all surfaces of both hands until dry.

Tech Specs

Active Ingredient	70% Ethyl Alcohol
Color	Light Blue
Fragrance	Citrus
Conditioners	Polypylene Glycol
pH	6.5-8.5
Warranty	1 year
NDC Code	65601-800-29

SAFETY DATA SHEET



Advanced Alcohol Foaming Sanitizer

Section 1. Identification

GHS product Identifier : Advanced Alcohol Foaming Sanitizer
Product code : 795
Other means of Identification : Not available.
Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Hand Sanitizer This is a personal care, cosmetic, or drug product that is safe for consumers and other users under normal and reasonably foreseeable use. Cosmetics and drug products, specifically defined by regulations, are exempt from the requirements of a SDS for the consumer. This SDS contains valuable information critical to the safe handling and proper use of the product for industrial workplace conditions as well as unusual and unintended exposure such as large spills.	
Uses advised against	Reason
For Industrial and Institutional Use Only	-

Supplier's details : Betco Corporation
400 Van Camp Road
Bowling Green, Ohio 43402
www.betco.com
888-462-3826

Emergency telephone number (with hours of operation) : Chemtrec (800) 424-9300 24 hour


Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : FLAMMABLE LIQUIDS - Category 2
EYE IRRITATION - Category 2A

GHS label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : Highly flammable liquid and vapor.
Causes serious eye irritation.

Precautionary statements

Prevention : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use explosion-proof electrical, ventilating, lighting and all material-handling equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Keep container tightly closed. Wash hands thoroughly after handling.

Section 2. Hazards identification

Response	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.
Storage	: Store in a well-ventilated place. Keep cool.
Disposal	: Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazards not otherwise classified	: None known.

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of Identification	: Not available.

Ingredient name	%	CAS number
ethanol	≥70 - ≤75	64-17-5

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact	: Causes serious eye irritation.
Inhalation	: No known significant effects or critical hazards.

Section 4. First aid measures

- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use dry chemical, CO₂, water spray (fog) or foam.
- Unsuitable extinguishing media** : Do not use water jet.

- Specific hazards arising from the chemical** : Highly flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.
- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

Section 6. Accidental release measures

- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
ethanol	ACGIH TLV (United States, 3/2018). STEL: 1000 ppm 15 minutes. OSHA PEL 1989 (United States, 3/1989). TWA: 1000 ppm 8 hours. TWA: 1900 mg/m ³ 8 hours. NIOSH REL (United States, 10/2016). TWA: 1000 ppm 10 hours. TWA: 1900 mg/m ³ 10 hours. OSHA PEL (United States, 5/2018). TWA: 1000 ppm 8 hours. TWA: 1900 mg/m ³ 8 hours.

- Appropriate engineering controls** : Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Not required with expected use.
- Skin protection**
- Hand protection** : Not required with expected use.
- Body protection** : Not required with expected use.
- Other skin protection** : Not required with expected use.
- Respiratory protection** : Not required with expected use.

Section 9. Physical and chemical properties

Appearance

- Physical state** : Liquid.
- Color** : Clear. Blue. [Light]
- Odor** : Citrus
- Odor threshold** : Not available.
- pH** : 6.5 to 8.5
- Melting point** : Not available.
- Boiling point** : Not available.
- Flash point** : Closed cup: <21.67°C (<71°F) [Setaflash.]
- Evaporation rate** : Not available.

Section 9. Physical and chemical properties

Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 0.8856
Solubility	: Easily soluble in the following materials: cold water and hot water.
Solubility in water	: Not available.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Flow time (ISO 2431)	: Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Incompatible materials	: Not available.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/Ingredient name	Result	Species	Dose	Exposure
ethanol	LC50 Inhalation Vapor	Rat	124700 mg/m ³	4 hours
	LD50 Oral	Rat	7 g/kg	-

Irritation/Corrosion

Product/Ingredient name	Result	Species	Score	Exposure	Observation
ethanol	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	0.06666667 minutes 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	100 microliters	-
	Eyes - Severe irritant	Rabbit	-	500 milligrams	-

Section 11. Toxicological information

	Skin - Mild irritant	Rabbit	-	400 milligrams	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Classification

Product/Ingredient name	OSHA	IARC	NTP
ethanol	-	1	-

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal, Inhalation.

Potential acute health effects

Eye contact : Causes serious eye irritation.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
 pain or irritation
 watering
 redness
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Section 11. Toxicological information

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Product/Ingredient name	Result	Species	Exposure
ethanol	Acute EC50 17.921 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Acute EC50 2000 µg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 25500 µg/l Marine water	Crustaceans - Artemia franciscana - Larvae	48 hours
	Acute LC50 42000 µg/l Fresh water	Fish - Oncorhynchus mykiss	4 days
	Chronic NOEC 4.995 mg/l Marine water	Algae - Ulva pertusa	96 hours
	Chronic NOEC 100 µl/L Fresh water	Daphnia - Daphnia magna - Neonate	21 days
	Chronic NOEC 0.375 µl/L Fresh water	Fish - Gambusia holbrooki - Larvae	12 weeks

Persistence and degradability

Not available.

Bioaccumulative potential

Product/Ingredient name	LogP _{ow}	BCF	Potential
ethanol	-0.35	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.







Section 12. Ecological information

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	UN1993	UN1993	UN1993	UN1993	UN1993	UN1993
UN proper shipping name	FLAMMABLE LIQUID, N.O.S. (ethanol)	FLAMMABLE LIQUID, N.O.S. (ethanol)	FLAMMABLE LIQUID, N.O.S. (ethanol)	FLAMMABLE LIQUID, N.O.S. (ethanol)	FLAMMABLE LIQUID, N.O.S. (ethanol)	FLAMMABLE LIQUID, N.O.S. (ethanol)
Transport hazard class(es)	3 	3 	3 	3 	3 	3 
Packing group	II	II	II	II	II	II
Environmental hazards	No.	No.	No.	No.	No.	No.

Additional Information

DOT Classification : **Limited quantity** Yes.

TDG Classification : Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.18-2.19 (Class 3).

ADR/RID : **Special provisions** 640 (C)
Tunnel code (D/E)

IMDG : **Limited quantity** Yes.

-

IATA : **Limited quantity** Yes.

-

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 14. Transport information

Transport in bulk according : Not available.
to Annex II of MARPOL and
the IBC Code

Section 15. Regulatory information

U.S. Federal regulations : TSCA 8(a) PAIR: 7-hydroxycitronellal
TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112 : Not listed
(b) Hazardous Air
Pollutants (HAPs)

Clean Air Act Section 602 : Not listed
Class I Substances

Clean Air Act Section 602 : Not listed
Class II Substances

DEA List I Chemicals : Not listed
(Precursor Chemicals)

DEA List II Chemicals : Not listed
(Essential Chemicals)

SARA 302/304

Composition/Information on Ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : FLAMMABLE LIQUIDS - Category 2
EYE IRRITATION - Category 2A

Composition/Information on Ingredients

Name	%	Classification
ethanol	≥50 - ≤75	FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A

State regulations

Massachusetts : The following components are listed: ETHYL ALCOHOL; DENATURED ALCOHOL

New York : None of the components are listed.

New Jersey : The following components are listed: ETHYL ALCOHOL; ALCOHOL

Pennsylvania : The following components are listed: DENATURED ALCOHOL; ETHANOL

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Section 15. Regulatory information

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Europe	: Not determined.
Japan	: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: Not determined.
Viet Nam	: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	2
Flammability		3
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Section 16. Other information

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
FLAMMABLE LIQUIDS - Category 2 EYE IRRITATION - Category 2A	On basis of test data Calculation method

History

Date of printing : 6/8/2022

Date of Issue/Date of revision : 6/8/2022

Date of previous issue : 6/8/2022

Version : 1.01

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

References : Not available.

▀ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Economical
Janitorial & Paper Supplies, LLC

Dart 9" Round PFAS-Free Fiber Plate

Item # DA-9PFBR1R

Dig in with less mess thanks to a durable plate with a grease-resistant, PFAS-free formula. Offer a sustainable to-go solution without giving up quality with this commercially compostable* 9 in round fiber plate. From salads to entrees, this fiber plate holds up to hefty meals. Maintain food integrity under heat lamps or warm leftovers on this microwavable plate. Perfect for hospital meals, event catering and food courts due to the sturdy and stylish design. Packed 4 sleeves/125.

✓ ProPlanet™ Seal

♻️ Recyclable*

♻️ Commercially
Compostable*

♻️ Renewable Content*

🚫 PFAs Free*



#270, #271, #272

SYMPPLICITY™
LAUNDRY

Clean

Safe

Simple

HEALTHCARE
INCONTINENCE
PROGRAM



**FORMULATED
FOR LONG
LINEN LIFE**

BETCO.

BETCO.

Clean

Safe

Simple

For over 60 years Betco has built a reputation for delivering innovative, high value products, delivery systems, programs and equipment. These achievements reflect Betco's continued commitment to innovative cleaning technologies.

This market specific program will help you find everything you require to meet your needs. Betco's unique products and programs do more than just clean... they help you save labor & time, enhance employee safety, minimize product waste and better manage your costs.



HEALTHCARE

SYMPPLICITY™

SYMPPLICITY™ enhances the value of your operation with three principles... **Clean, Safe and Simple.**

CLEAN – Premium products and programs uniquely designed to deliver one wash clean performance.

SAFE – Many products feature “no-contact” Sure Connect dispensing.

SIMPLE – Our expert personnel provide support materials and continuous employee training to keep your operation running smoothly. Streamlined product offering reduces inventory costs and simplifies the reordering process.

With SYMPPLICITY, we concentrate on your cleaning needs so you can focus on your customer's needs!

SURECONNECT

Betco's SYMPPLICITY™ Closed-loop Dispensing System provides:


Cost Savings – Maximum cost savings from super-concentrated products assuring performance and consistency.

Accurate Dispensing – Sure Connect eliminates waste and employee guesswork.

Closed Loop Dispensing – “No contact” feature prevents spills and chemical contact.

Simplified Training – Easy to use, color coded system helps prevent product misapplications.

Environmentally Friendly – Sure-Connect closed loop system prevents accidental spills in the workplace environment.



Easy to use, color-coded Closed Loop dispensing system offers performance, safety, environmental and cost-saving benefits.





SYMPlicity AND SUSTAINABILITY CONSIDERATIONS

- Low Environmental Impact
- Low VOCs

- No phosphorus
- Employee Safety

- No APE, NPE or EDTA

INCONTINENCE PROGRAM



SYMPlicity™ RECOMMENDED LAUNDRY SYSTEM

BREAK 100 – Super concentrated alkaline builder breaks the “soil to linen” bond removing even the most difficult soils quickly. Exceptionally free rinsing, while improving detergent performance for one wash clean. Recommended for use on all fabrics except wool and silk.

DETERGENT 200 – Powerful surfactants and anti-deposition agents prevent off color linens by lifting & releasing heavy soils and grease leaving linens fresh and white. Detergent 200 delivers one-wash clean at a low end-use cost. Safe for all water washable fabrics in hot or cold water.

DESTAINER 300 – Concentrated liquid chlorine bleach provides the extra destaining power of active chlorine. 12% concentration delivers economical use & excellent stain removal properties. For white and colorfast fabrics. Not for use on permanent press, wool, or silk.

SOUR 400 – High quality liquid neutralizing formulation adjusts fabric pH levels eliminating fabric damage due to residual alkalinity. Enhanced with superior rust and stain removing attributes that prevents fabric discoloration leaving fabrics bright and clean reducing reclaim.

SOFTENER 500 – Premium quality cationic liquid concentrate softens and eliminates static cling from all fabrics leaving a clean, fresh scent. Shorten extraction time, increase flat work production, reduce tumbling and drying time and produce less fabric wrinkling.


SYMPlicity™ RECLAIM SYSTEM

Reclaim your Laundry Dollars, Save your Stained Linens and Bring them back to Life.

RECLAIM C – Powder for reclaiming colored linens. 2.0 lb. Jar 6/cs.

RECLAIM W – Powder for reclaiming white linens. 2.0 lb. Jar 6/cs.

RECLAIM R – Reclaim powder designed to remove rust and iron stains on linens. 1.9 lb. Jar 6/cs.



SYMPlicity™ LAUNDRY PRO LIQUID PREWASH AND STAIN REMOVAL SYSTEM

Ready-To-Use four product prewash and stain removal system specially formulated to complement the SYMPlicity Program and reduce expensive linen replacement costs.




PRO A – RTU broad spectrum spray targets organic stains.

PRO G – RTU spray for blood, betadine and other medicinal stains.

PRO R – RTU spray targets rust and other metallic stains.

PRO S – RTU spray for inorganic stains such as grease, oils, shoe polish, crayon and markers, etc.

Laundry Pro Prewash and Stain Removers are field proven to save time, energy, labor and reduce chemical consumption delivering true “one-wash” performance. (Quarts – 6/Case with 4 Trigger Sprayers)



SYMPPLICITY™ LAUNDRY PRODUCTS

Product Description	SKU	Package Size	Package Weight
BREAK 100 - ALKALINE BUILDER <i>SureConnect - Red</i> #272	47078-00 47077-00 47055-00	Pail/5 Gallon Drum/15 Gallon Drum/55 Gallon	57.4 lbs. 170.4 lbs. 623.0 lbs.
DETERGENT 200 - HIGH PERFORMANCE DETERGENT <i>SureConnect - Green</i> #270	47104-00 47178-00 47177-00 47155-00	Cs./4 - 1 Gallon Pail/5 Gallon Drum/15 Gallon Drum/55 Gallon	37.4 lbs. 46.8 lbs. 133.4 lbs. 506.0 lbs.
DESTAINER 300™ - LAUNDRY BLEACH <i>SureConnect - Green</i>	47704-00 47778-00 47777-00 47755-00	Cs./4 - 1 Gallon Pail/5 Gallon Drum/15 Gallon Drum/55 Gallon	43.2 lbs. 54.1 lbs. 160.3 lbs. 578.6 lbs.
SOUR 400 - LAUNDRY NEUTRALIZER <i>SureConnect - Brown</i>	48178-00 48177-00 48155-00	Pail/5 Gallon Drum/15 Gallon Drum/55 Gallon	48.9 lbs. 144.7 lbs. 529.0 lbs.
SOFTENER 500 - FABRIC SOFTENER <i>SureConnect - Blue</i> #271	48204-00 48278-00 48277-00	Cs./4 - 1 Gallon Pail/5 Gallon Drum/15 Gallon	35.5 lbs. 44.4 lbs. 131.3 lbs.
BUILT DETERGENT 220 - HIGH PERFORMANCE BUILT DETERGENT <i>SureConnect - Black</i>	47278-00 47277-00 47255-00	Pail/5 Gallon Drum/15 Gallon Drum/55 Gallon	59.8 lbs. 177.3 lbs. 649.0 lbs.
COLOR SAFE DESTAINER 330 - COLOR SAFE DESTAINER <i>SureConnect - Green</i>	47804-00 47878-00 47877-00 47855-00	Cs./4 - 1 Gallon Pail/5 Gallon Drum/15 Gallon Drum/55 Gallon	39.0 lbs. 48.9 lbs. 144.7 lbs. 579.0 lbs.
SOUR & SOFTENER 440 - NEUTRALIZER AND FABRIC SOFTENER <i>SureConnect - Blue</i>	48378-00 48377-00 48355-00	Pail/5 Gallon Drum/15 Gallon Drum/55 Gallon	46.6 lbs. 137.7 lbs. 509.0 lbs.
SANITIZING SOFTENER 550 - SOFTENER SANITIZER - <i>SureConnect - Blue</i>	47978-00 47955-00	Pail/5 Gallon Drum/55 Gallon	44.8 lbs. 520.0 lbs.
SIZING - SYNTHETIC STARCH - <i>SureConnect - N/A</i>	48005-00	Pail/5 Gallon	47.4 lbs.

SYMPPLICITY™ SPECIALTY LAUNDRY PRODUCTS

Product Description	SKU	Package Size	Package Weight
PRO G - FOR HEALTHCARE RELATED STAINS	48816-00	Cs./6 Quarts	13.9 lbs.
PRO S - FOR INORGANIC STAINS	48916-00	Cs./6 Quarts	13.7 lbs.
PRO A - FOR ORGANIC STAINS	49016-00	Cs./6 Quarts	14.0 lbs.
PRO R - FOR RUST AND METALLIC STAINS	49116-00	Cs./6 Quarts	14.3 lbs.
RECLAIM W - FOR WHITE LINEN	48579-00	Cs./6 Jars	13.5 lbs.
RECLAIM C - FOR COLORED LINEN	48679-00	Cs./6 Jars	13.5 lbs.
RECLAIM R - FOR RUST	48779-00	Cs./6 Jars	12.9 lbs.

Related Product Recommendations



GREEN EARTH® BEST SCENT

For use on airborne odors, floors, carpets and trash containers. Use in any deodorizing application.
Item #: 53412-00



GREEN EARTH® RTU RESTROOM CLEANER

For use in showers, tubs, and toilets. Removes the toughest soap scum and mineral deposits.
Item #: 30912-00



GREEN EARTH® PEROXIDE CLEANER

Cleans/brightens tile and grout surfaces. Removes carpet stains. Certified Green Seal™ GS-37.
Item #: 33647-00

OPTIONS - ALTERNATIVE SYMPPLICITY™ LAUNDRY SYSTEM

Built Detergent 220, Destainer 300, Sour 400 and Sanitizing Softener 550.

For Colored Linen: (1) Replace Destainer 300 with Color Safe Destainer 330.

NOTE: Mildewing of linen can occur if wet linen is left in the washer overnight. If this occurs, replace Softener 500 with Sanitizing Softener 550.

NOTE: Betco Sizing if required for table linen.

Visit **BETCO.COM** for complete **SYMPPLICITY** details.



Cleaning Innovations That Matter.

888-GO BETCO | betco.com

©2015 Betco Corporation
All Rights Reserved.

Worldwide Headquarters
1001 Brown Avenue
Toledo, Ohio 43607-0127


Item #91958-92





270
Customer Service: 1-888-GO-BETCO
Equipment Tech Support 1-877-856-5954
8AM - 5:30PM EST, Monday - Friday

Symplicity™ Detergent



Directions for Use

Tech Specs

Color	Lavender
Fragrance	Springtime Fresh
Foaming	Low
Detergency	Excellent
Warranty	2 years

Non-Built Detergent

Concentrated synthetic detergent with powerful surfactants and anti-redeposition agents that release and suspend even heavy soils from the linen preventing graying and dulling and leaving linen fresh and white. Detergent delivers one wash clean at a low end use cost. Designed to be used as a standalone detergent or with Break for the worst soils and stains. Detergent is safe on all water washable fabrics in hot or cold water.

Features

Blended Surfactant Technology - Effective on a variety of soil types

All temperature detergent – Saves energy

Contains anti-redeposition agents – Prevents graying dulling

Optical Brighteners - Make linen visibly brighter

SureConnect – No Contact, No spills, enhances safety and more

Available In

4 - 1 Gal. Bottles Item #47104-00

55 Gal. Drum Item #47155-00

15 Gal. Drum Item #47177-00

5 Gal. Pail Natural Item #47178-00

SAFETY DATA SHEET



Detergent

Section 1. Identification

GHS product identifier : Detergent
Product code : 471
Other means of identification : Not available.
Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Laundry Detergent	
Uses advised against	Reason
For Industrial and Institutional Use Only	-

Supplier's details : Betco Corporation
400 Van Camp Road
Bowling Green, Ohio 43402
www.betco.com
888-462-3826

Emergency telephone number (with hours of operation) : Chemtrec (800) 424-9300 24 hour

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

Classification of the substance or mixture : EYE IRRITATION - Category 2A

GHS label elements

Hazard pictograms

:



Signal word : Warning

Hazard statements : Causes serious eye irritation.

Precautionary statements

Prevention : Wear eye or face protection. Wash hands thoroughly after handling.

Response : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Storage : Not applicable.

Disposal : Not applicable.

Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture
 Other means of identification : Not available.

Ingredient name	%	CAS number
sodium dodecylbenzenesulfonate	≤6.3	25155-30-0
Alcohols, C9-11, ethoxylated	≤10	68439-46-3
Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	≤2.7	68585-47-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention.
- Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse.
- Ingestion** : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye irritation.
- Inhalation** : No known significant effects or critical hazards.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Section 4. First aid measures

- Eye contact** : Adverse symptoms may include the following:
pain or irritation
watering
redness
- Inhalation** : No specific data.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

- Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
sulfur oxides
metal oxide/oxides

- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Section 6. Accidental release measures

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
sodium dodecylbenzenesulfonate	None.
Alcohols, C9-11, ethoxylated	None.
Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	None.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Section 8. Exposure controls/personal protection

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles.
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

- Physical state** : Liquid.
- Color** : Violet. Clear. to Hazy
- Odor** : Pleasant.
- Odor threshold** : Not available.
- pH** : 8.5 to 9.5
- Melting point** : Not available.
- Boiling point** : Not available.
- Flash point** : Closed cup: >100°C (>212°F)
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Not available.
- Lower and upper explosive (flammable) limits** : Not available.
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Relative density** : 1.0432
- Solubility** : Easily soluble in the following materials: cold water and hot water.
- Solubility in water** : Not available.
- Partition coefficient: n-octanol/water** : Not available.

Section 9. Physical and chemical properties

Auto-ignition temperature : Not available.
 Decomposition temperature : Not available.
 Viscosity : Not available.
 Flow time (ISO 2431) : Not available.

Section 10. Stability and reactivity

Reactivity : No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : No specific data.

Incompatible materials : Not available.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
sodium dodecylbenzenesulfonate	LD50 Oral	Rat	438 mg/kg	-
Alcohols, C9-11, ethoxylated	LD50 Oral	Rat	1378 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
sodium dodecylbenzenesulfonate	Eyes - Severe irritant	Rabbit	-	24 hours 250 Micrograms	-
	Eyes - Severe irritant	Rabbit	-	1 Percent	-
	Skin - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Section 11. Toxicological information

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal.
Routes of entry not anticipated: Inhalation.

Potential acute health effects

Eye contact : Causes serious eye irritation.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
 pain or irritation
 watering
 redness
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	5036 mg/kg

Section 11. Toxicological information

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
sodium dodecylbenzenesulfonate	Acute EC50 29000 µg/l Fresh water	Algae - Chlorella pyrenoidosa - Exponential growth phase	96 hours
	Acute EC50 7.81 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 0.15 ppm Fresh water	Daphnia - Daphnia pulex	48 hours
	Acute IC50 112.4 mg/l Fresh water	Algae - Pseudokirchneriella subcapitata - Exponential growth phase	72 hours
Alcohols, C9-11, ethoxylated	Acute LC50 1.18 ppm Fresh water	Fish - Lepomis macrochirus	96 hours
	Acute EC50 5.36 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
	Acute EC50 2686 µg/l Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	Acute LC50 8500 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Acute EC50 1.37 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
sodium dodecylbenzenesulfonate	1.96	-	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.

Additional information

DOT Classification : **Reportable quantity** 15913.4 lbs / 7224.7 kg [1829.5 gal / 6925.5 L]. Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : **TSCA 5(a)2 proposed significant new use rules:** 5-chloro-2-methyl-2H-isothiazol-3-one
TSCA 8(a) PAIR: α-hexylcinnamaldehyde; 2-(4-tert-butylbenzyl)propionaldehyde; vanillin
TSCA 8(a) CDR Exempt/Partial exemption: Not determined
Clean Water Act (CWA) 311: sodium dodecylbenzenesulfonate; sodium hydroxide

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

Section 15. Regulatory information

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : EYE IRRITATION - Category 2A

Composition/Information on Ingredients

Name	%	Classification
sodium dodecylbenzenesulfonate	≤6.3	ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A
Alcohols, C9-11, ethoxylated	≤10	EYE IRRITATION - Category 2A
Sulfuric acid, mono-C10-16-alkyl esters, sodium salts	≤2.7	ACUTE TOXICITY (oral) - Category 4 SKIN IRRITATION - Category 2 SERIOUS EYE DAMAGE - Category 1

State regulations

- Massachusetts** : The following components are listed: SODIUM DODECYLBENZENE SULFONATE; Sodium Hydroxide Solution
- New York** : The following components are listed: Sodium dodecylbenzene sulfonate; Dodecylbenzene sulfonate
- New Jersey** : The following components are listed: SODIUM DODECYLBENZENE SULFONATE; BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; Sodium Hydroxide Solution; PROPYLENE GLYCOL; 1,2-PROPANEDIOL
- Pennsylvania** : The following components are listed: BENZENESULFONIC ACID, DODECYL-, SODIUM SALT; Sodium Hydroxide Solution; 1,2-PROPANEDIOL

California Prop. 65

 **WARNING:** This product can expose you to N,N-Dimethylformamide, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Ingredient name	No significant risk level	Maximum acceptable dosage level
N,N-Dimethylformamide	-	-

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

- Australia** : At least one component is not listed.
- Canada** : Not determined.
- China** : At least one component is not listed.
- Europe** : At least one component is not listed.

Section 15. Regulatory information

Japan	: Japan inventory (ENCS): At least one component is not listed. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined
New Zealand	: At least one component is not listed.
Philippines	: At least one component is not listed.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: At least one component is not listed.
Viet Nam	: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/ 2
Flammability	1
Physical hazards	0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
EYE IRRITATION - Category 2A	Calculation method

History

Date of printing	: 8/14/2020
Date of issue/Date of revision	: 8/14/2020

Section 16. Other information

Date of previous issue : 8/10/2020

Version : 1.01

Key to abbreviations : ATE = Acute Toxicity Estimate
BCF = Bioconcentration Factor
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IMDG = International Maritime Dangerous Goods
LogPow = logarithm of the octanol/water partition coefficient
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973
as modified by the Protocol of 1978. ("Marpol" = marine pollution)
UN = United Nations

References : Not available.

▣ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



#271
Customer Service: 1-888-GO-BETCO
Equipment Tech Support 1-877-856-5954
8AM - 5:30PM EST, Monday - Friday

Symplicity™ Softener



Fabric Softener

Concentrated fabric softener that eliminates static cling from all fabrics and leaves the linen smelling fresh and clean. Improves productivity by decreasing extraction time, increasing flat work production, reducing tumbling, drying time and wrinkling

Features

Improved Results- Reduces static electricity and wrinkling
Liquid Concentrated formula – Economical, Saves Money
Springtime Fresh Scent – pleasant fragrance
Speeds drying time – Saves Time and Energy Saving
Speeds up extraction – Saves Time and Energy
SureConnect – No Contact, No spills, enhances safety and more

Available In

15 Gal. Drum Item #48277-00

5 Gal. Pail Natural Item #48278-00

Directions for Use

Consult your Betco Distributor for detailed instructions for your specific application. Always follow proper procedures when replacing empty containers.

Tech Specs

Color	Light Blue
Fragrance	Springtime Fresh
Viscosity	65 cps
pH	5.00
Foaming	Low
Warranty	2 years

SAFETY DATA SHEET



Softener

Section 1. Identification

GHS product identifier : Softener
Product code : 482
Other means of identification : Not available.
Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Fabric Softener	
Uses advised against	Reason
For Industrial and Institutional Use Only	-

Supplier's details : Betco Corporation
400 Van Camp Road
Bowling Green, Ohio 43402
www.betco.com
888-462-3826

Emergency telephone number (with hours of operation) : Chemtrec (800) 424-9300 24 hour

Section 2. Hazards identification

OSHA/HCS status : While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Classification of the substance or mixture : Not classified.

GHS label elements

Signal word : No signal word.
Hazard statements : No known significant effects or critical hazards.

Precautionary statements

Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.

Hazards not otherwise classified : None known.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture
Other means of identification : Not available.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

Inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.

Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

Ingestion : Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact : No known significant effects or critical hazards.

Inhalation : No known significant effects or critical hazards.

Skin contact : No known significant effects or critical hazards.

Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact : No specific data.

Inhalation : No specific data.

Skin contact : No specific data.

Ingestion : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments : No specific treatment.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media : Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing media : None known.

Specific hazards arising from the chemical : In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products : No specific data.

Special protective actions for fire-fighters : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency personnel : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

For emergency responders : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

Environmental precautions : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small spill : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures : Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

None.

- Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. Recommended: safety glasses with side-shields
- Skin protection**
- Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance

Physical state	: Liquid.
Color	: Opaque. Blue.
Odor	: Pleasant.
Odor threshold	: Not available.
pH	: 4.5 to 6
Melting point	: Not available.
Boiling point	: Not available.
Flash point	: Closed cup: Not applicable. [Product does not sustain combustion.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.0002
Solubility	: Easily soluble in the following materials: cold water and hot water.
Solubility in water	: Not available.
Partition coefficient: n-octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.
Flow time (ISO 2431)	: Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: Not available.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Not available.

Irritation/Corrosion

Not available.

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal.
Routes of entry not anticipated: Inhalation.

Potential acute health effects

Eye contact : No known significant effects or critical hazards.
Inhalation : No known significant effects or critical hazards.
Skin contact : No known significant effects or critical hazards.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : No specific data.
Inhalation : No specific data.
Skin contact : No specific data.
Ingestion : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Section 11. Toxicological information

Potential immediate effects : Not available.

Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.

Carcinogenicity : No known significant effects or critical hazards.

Mutagenicity : No known significant effects or critical hazards.

Teratogenicity : No known significant effects or critical hazards.

Developmental effects : No known significant effects or critical hazards.

Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Not available.

Section 12. Ecological information

Toxicity

Not available.

Persistence and degradability

Not available.

Bioaccumulative potential

Not available.

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.

Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-	-	-
Transport hazard class(es)	-	-	-	-	-	-
Packing group	-	-	-	-	-	-
Environmental hazards	No.	No.	No.	No.	No.	No.

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : **TSCA 5(a)2 proposed significant new use rules:** 5-chloro-2-methyl-2H-isothiazol-3-one
TSCA 8(a) PAIR: 2-(4-tert-butylbenzyl)propionaldehyde
TSCA 8(a) CDR Exempt/Partial exemption: Not determined

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Not listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ : Not applicable.

SARA 311/312

Classification : Not applicable.

Composition/information on ingredients

Section 15. Regulatory information

No products were found.

State regulations

Massachusetts	: None of the components are listed.
New York	: None of the components are listed.
New Jersey	: None of the components are listed.
Pennsylvania	: None of the components are listed.
California Prop. 65	

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia	: Not determined.
Canada	: Not determined.
China	: Not determined.
Europe	: Not determined.
Japan	: Japan inventory (ENCS) : Not determined. Japan inventory (ISHL) : Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: All components are listed or exempted.
Viet Nam	: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/ 0
Flammability	0
Physical hazards	0

Section 16. Other information

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
Not classified.	

History

Date of printing	: 11/24/2021
Date of issue/Date of revision	: 11/24/2021
Date of previous issue	: 9/16/2020
Version	: 1.01
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	: Not available.

■ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.



272
Customer Service: 1-888-GO-BETCO
Equipment Tech Support 1-877-856-5954
8AM - 5:30PM EST, Monday - Friday

Symlicity™ Break Alkaline Booster



Alkaline Booster

Concentrated alkaline builder formulated to work synergistically with detergent in the wash cycle. It breaks the soil to linen bond removing even the most difficult soils quickly. Enhanced with wash water conditioners and exceptionally free rinsing, Break improves detergent performance delivering one wash clean results. Recommended for use on all fabrics except for wool and silk.

Features

Improves detergent performance, labor saving & chemical savings
Contains anti-redisposition agents that prevent graying and dulling
SureConnect ensures no contact and no spills while enhancing safety

Available In

55 Gal. Drum Item #47055-00

15 Gal. Drum Item #47077-00

5 Gal. Pail Natural Item #47078-00

Directions for Use

Consult your Betco Distributor for detailed instructions for your specific application. Always follow proper procedures when replacing empty containers.

Tech Specs

Color	Water White
Fragrance	Mild
Detergency	Excellent
Warranty	2 years

SAFETY DATA SHEET



Laundry Break

Section 1. Identification

GHS product identifier : Laundry Break
Product code : 470
Other means of identification : Not available.
Product type : Liquid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses	
Laundry Additive	
Uses advised against	Reason
For Industrial and Institutional Use Only	-

Supplier's details : Betco Corporation
400 Van Camp Road
Bowling Green, Ohio 43402
www.betco.com
888-462-3826

Emergency telephone number (with hours of operation) : Chemtrec (800) 424-9300 24 hour

Section 2. Hazards identification

OSHA/HCS status : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).
Classification of the substance or mixture : SKIN CORROSION - Category 1
SERIOUS EYE DAMAGE - Category 1

GHS label elements

Hazard pictograms :



Signal word : Danger
Hazard statements : Causes severe skin burns and eye damage.

Precautionary statements

Prevention : Wear protective gloves. Wear eye or face protection: Recommended: splash goggles.
Wear protective clothing: Recommended: Chemical resistant gloves. Wash hands thoroughly after handling.

Section 2. Hazards identification

- Response** : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.
- Storage** : Store locked up.
- Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.
- Hazards not otherwise classified** : None known.

Section 3. Composition/information on ingredients

- Substance/mixture** : Mixture
- Other means of identification** : Not available.

Ingredient name	%	CAS number
sodium hydroxide	≥25 - ≤50	1310-73-2
tetrasodium ethylene diamine tetraacetate	≤3	64-02-8
2-Propenoic acid, homopolymer, sodium salt	≤3	9003-04-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
- Inhalation** : Get medical attention immediately. Call a poison center or physician. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Skin contact** : Get medical attention immediately. Call a poison center or physician. Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Section 4. First aid measures

- Ingestion** : Get medical attention immediately. Call a poison center or physician. Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : Causes serious eye damage.
Inhalation : No known significant effects or critical hazards.
Skin contact : Causes severe burns.
Ingestion : No known significant effects or critical hazards.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
 pain
 watering
 redness
- Inhalation** : No specific data.
- Skin contact** : Adverse symptoms may include the following:
 pain or irritation
 redness
 blistering may occur
- Ingestion** : Adverse symptoms may include the following:
 stomach pains

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Use an extinguishing agent suitable for the surrounding fire.
- Unsuitable extinguishing media** : None known.

- Specific hazards arising from the chemical** : In a fire or if heated, a pressure increase will occur and the container may burst.

Section 5. Fire-fighting measures

- Hazardous thermal decomposition products** : Decomposition products may include the following materials:
carbon dioxide
carbon monoxide
nitrogen oxides
metal oxide/oxides
- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Keep away from acids. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Separate from acids. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
sodium hydroxide	ACGIH TLV (United States, 3/2017). C: 2 mg/m ³ OSHA PEL 1989 (United States, 3/1989). CEIL: 2 mg/m ³ NIOSH REL (United States, 10/2016). CEIL: 2 mg/m ³ OSHA PEL (United States, 6/2016). TWA: 2 mg/m ³ 8 hours.
tetrasodium ethylene diamine tetraacetate 2-Propenoic acid, homopolymer, sodium salt	None. None.

Appropriate engineering controls : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure controls : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

Hygiene measures : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead. Recommended: splash goggles

Skin protection

Hand protection : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

Section 8. Exposure controls/personal protection

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: Chemical resistant gloves
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
- Personal protective equipment (Pictograms)** :



Section 9. Physical and chemical properties

Appearance

- Physical state** : Liquid.
- Color** : Colorless. Clear. to Hazy
- Odor** : Odorless.
- Odor threshold** : Not available.
- pH** : 13 to 13.9
- Melting point** : Not available.
- Boiling point** : Not available.
- Flash point** : Closed cup: Not applicable. [Product does not sustain combustion.]
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Not available.
- Lower and upper explosive (flammable) limits** : Not available.
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Relative density** : 1.3057
- Solubility** : Easily soluble in the following materials: cold water and hot water.
- Solubility in water** : Not available.
- Partition coefficient: n-octanol/water** : Not available.
- Auto-ignition temperature** : Not available.
- Decomposition temperature** : Not available.
- Viscosity** : Not available.
- Flow time (ISO 2431)** : Not available.

Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.

Section 10. Stability and reactivity

Conditions to avoid : No specific data.

Incompatible materials : Not available.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
tetrasodium ethylene diamine tetraacetate	LD50 Oral	Rat	10 g/kg	-
2-Propenoic acid, homopolymer, sodium salt	LD50 Oral	Rat	>8250 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
sodium hydroxide	Eyes - Severe irritant	Monkey	-	24 hours 1 Percent	-
	Eyes - Mild irritant	Rabbit	-	400 Micrograms	-
	Eyes - Severe irritant	Rabbit	-	24 hours 50 Micrograms	-
	Eyes - Severe irritant	Rabbit	-	1 Percent	-
	Eyes - Severe irritant	Rabbit	-	0.5 minutes 1 milligrams	-
	Skin - Mild irritant	Human	-	24 hours 2 Percent	-
	Skin - Severe irritant	Rabbit	-	24 hours 500 milligrams	-
tetrasodium ethylene diamine tetraacetate	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Skin - Moderate irritant	Rabbit	-	24 hours 500 milligrams	-
2-Propenoic acid, homopolymer, sodium salt	Eyes - Moderate irritant	Rabbit	-	2 milligrams	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure)

Section 11. Toxicological information

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure : Routes of entry anticipated: Oral, Dermal.
Routes of entry not anticipated: Inhalation.

Potential acute health effects

Eye contact : Causes serious eye damage.
Inhalation : No known significant effects or critical hazards.
Skin contact : Causes severe burns.
Ingestion : No known significant effects or critical hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:
pain
watering
redness
Inhalation : No specific data.
Skin contact : Adverse symptoms may include the following:
pain or irritation
redness
blistering may occur
Ingestion : Adverse symptoms may include the following:
stomach pains

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Long term exposure

Potential immediate effects : Not available.
Potential delayed effects : Not available.

Potential chronic health effects

Not available.

General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Section 11. Toxicological information

Route	ATE value
Oral	25874.56 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
sodium hydroxide	Acute EC50 40.38 mg/l Fresh water	Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
tetrasodium ethylene diamine tetraacetate	Acute LC50 125 ppm Fresh water Acute LC50 486000 µg/l Fresh water	Fish - Gambusia affinis - Adult Fish - Lepomis macrochirus	96 hours 96 hours

Persistence and degradability

Not available.

Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
tetrasodium ethylene diamine tetraacetate	5.01	1.8	low

Mobility in soil

Soil/water partition coefficient (K_{oc}) : Not available.







Other adverse effects : No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

Section 14. Transport information

	DOT Classification	TDG Classification	Mexico Classification	ADR/RID	IMDG	IATA
UN number	UN1760	UN1760	UN1760	UN1760	UN1760	UN1760
UN proper shipping name	Corrosive liquid, n.o.s. (sodium hydroxide)	Corrosive liquid, n.o.s. (sodium hydroxide)	Corrosive liquid, n.o.s. (sodium hydroxide)	Corrosive liquid, n.o.s. (sodium hydroxide)	Corrosive liquid, n.o.s. (sodium hydroxide)	Corrosive liquid, n.o.s. (sodium hydroxide)
Transport hazard class(es)	8 	8 	8 	8 	8 	8 
Packing group	II	II	II	II	II	II
Environmental hazards	No.	No.	No.	No.	No.	No.

Additional information

DOT Classification : **Reportable quantity** 3324.5 lbs / 1509.3 kg [305.37 gal / 1155.9 L]. Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.
Limited quantity Yes.

TDG Classification : Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.40-2.42 (Class 8).
Explosive Limit and Limited Quantity Index 1

ADR/RID : **Tunnel code** (E)

Special precautions for user : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL and the IBC Code : Not available.

Section 15. Regulatory information

U.S. Federal regulations : **TSCA 8(a) CDR Exempt/Partial exemption:** Not determined
Clean Water Act (CWA) 311: sodium hydroxide; Formaldehyde, solution

Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) : Listed

Clean Air Act Section 602 Class I Substances : Not listed

Clean Air Act Section 602 Class II Substances : Not listed

DEA List I Chemicals (Precursor Chemicals) : Not listed

DEA List II Chemicals (Essential Chemicals) : Not listed

Section 15. Regulatory information

SARA 302/304

Composition/Information on ingredients

Name	%	EHS	SARA 302 TPQ		SARA 304 RQ	
			(lbs)	(gallons)	(lbs)	(gallons)
formaldehyde	<0.1	Yes.	500	73.9	100	14.8

SARA 304 RQ : 100000000 lbs / 45400000 kg [9185426.3 gal / 34770621.1 L]

SARA 311/312

Classification : SKIN CORROSION - Category 1
SERIOUS EYE DAMAGE - Category 1

Composition/Information on ingredients

Name	%	Classification
sodium hydroxide	≥25 - ≤50	CORROSIVE TO METALS - Category 1 SKIN CORROSION - Category 1A SERIOUS EYE DAMAGE - Category 1
sodium gluconate	≤3	COMBUSTIBLE DUSTS
tetrasodium ethylene diamine tetraacetate	≤3	ACUTE TOXICITY (oral) - Category 4
2-Propenoic acid, homopolymer, sodium salt	≤3	SERIOUS EYE DAMAGE - Category 1 EYE IRRITATION - Category 2A

State regulations

Massachusetts : The following components are listed: Sodium Hydroxide Solution; SODIUM HYDROXIDE

New York : The following components are listed: Sodium hydroxide

New Jersey : The following components are listed: Sodium Hydroxide Solution; SODIUM HYDROXIDE; CAUSTIC SODA

Pennsylvania : The following components are listed: Sodium Hydroxide Solution; SODIUM HYDROXIDE

California Prop. 65

This product does not require a Safe Harbor warning under California Prop. 65.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list

Australia : All components are listed or exempted.

Canada : All components are listed or exempted.

China : All components are listed or exempted.

Section 15. Regulatory information

Europe	: Not determined.
Japan	: Japan inventory (ENCS): All components are listed or exempted. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined
New Zealand	: All components are listed or exempted.
Philippines	: All components are listed or exempted.
Republic of Korea	: All components are listed or exempted.
Taiwan	: All components are listed or exempted.
Thailand	: Not determined.
Turkey	: Not determined.
United States	: All components are listed or exempted.
Viet Nam	: Not determined.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health	/	3
Flammability		0
Physical hazards		0

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

National Fire Protection Association (U.S.A.)



Reprinted with permission from NFPA 704-2001, Identification of the Hazards of Materials for Emergency Response Copyright ©1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright ©2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health and reactivity hazards of chemicals. The user is referred to certain limited number of chemicals with recommended classifications in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Procedure used to derive the classification

Classification	Justification
SKIN CORROSION - Category 1 SERIOUS EYE DAMAGE - Category 1	On basis of test data On basis of test data

History

Date of printing : 2/19/2021

Section 16. Other information

Date of issue/Date of revision	: 2/19/2021
Date of previous issue	: No previous validation
Version	: 1
Key to abbreviations	: ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations
References	: Not available.

▣ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.