



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000147807 - One (1) Year Contract for Model Year 2026 Heavy Duty
Vehicles for Jefferson Parish Department of Fleet Management
Jefferson Parish Government**

Project documents obtained from www.CentralBidding.com
11-Jun-2025 01:07:05 PM



Bid Number 50-00147807

**One (1) Year Contract for Model Year 2026 Heavy Duty Vehicles for
Jefferson Parish Department of Fleet Management**

BID DUE: July 10, 2025 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Purchasing Specialist: Sean Dumas
Email: Sean.Dumas@jeffparish.gov
Phone: 504-364-2808**

DATE: 6/11/2025

Page: 6

BID NO: 50-00147807

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm throughout the entirety of the contract. However, bidders may request that an escalation provision be added to their contract by selecting "yes" below. The escalation provision in the contract will state that only one escalation will be allowed during the term of the contract, and the escalation shall take effect only after the initial 12 month period of the contract. A vendor with an escalation provision in their contract must submit a request in writing to activate the provision, but should not do so any sooner than the first day of the 13th month of their contract. The escalation percentage shall be limited to the most recently published CPI figure issued at the time an adjustment is requested by bidder based on the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure.

Are you requesting an escalation provision?

YES _____ NO X _____

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

60-90 DAYS FROM ORDER

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: ITA TRUCK SALES AND SERVICE, LLC

ADDRESS: 2835 NW EVANGELINE THWY

CITY, STATE: LAFAYETTE, LA

ZIP: 70507

TELEPHONE: (337) 781-8407

E-MAIL: jwharrison@ita-trucks.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 1 REC'D
NUMBER: _____
NUMBER: _____
NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 855,360.33

AUTHORIZED

SIGNATURE: _____

JERRY W. HARRISON

Printed Name

TITLE: DIRECTOR OF MUNICIPAL SALES

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00147807

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	6.00	EA	<p>One (1) Year Contract for Model Year 2026 Heavy Duty Vehicles for Jefferson Parish Department of Fleet Management</p> <p>0001 - 2026 HEAVY DUTY CAB AND CHASSIS GVWR: 52,000 LBS.</p> <p>GCWR: 80000.CALC. AXLE CONFIGURATION: 6X4 APPLICATION: STAKE FLAT DIMENSION: WHEELBASE: 201.00, CA: 133.90 AXLE TO FRAME: 96.00 ENGINE: DIESEL. EPA 2024, 330HP @2200 RPM, 1000 LB-FT TORQUE @1200 RPM, 2200 RPM GOVERNED SPEED, 330 PEAK HP (MAX) TRANSMISSION: AUTOMATIC. 6TH GENERATION CONTROLS, WIDE RATIO, 6-SPEED WITH DOUBLE OVERDRIVE, WITH PTO PROVISION, LESS RETARDER, INCLUDES OIL LEVEL SENSOR WITH 80,000 LB GVW AND GCW MAX, ON/OFF HIGHWAY. AXLE; FRONT NON-DRIVING.I-BEAM TYPE. 12,000 LB CAPACITY AXLE: REAR TANDEM. SINGLE REDUCTION 40,000 LB. CAPACITY, .374" (9.5MM) WALL HOUSING THICKNESS, R WHEEL ENDS GEAR RATIO: 5.86 CAB: CONVENTIONAL, DAY CAB TIRE: FRONT-(2) 11R22.5 LOAD RANGE G HSR 3 (CONTINENTAL), 494 REV/MILE, 75 MPH, ALL-POSITION. TIRE: REAR-(8) 11R22.5 LOAD RANGE G HDL2 DL ECO PLUS (CONTINENTAL), 491 REV/ MILE, 75 MPH, DRIVE SUSPENSION: REAR, TANDEM: 4-SPRING, 40,000 LB CAPACITY, 52" AXLE SPACING, MULTILEAF SPRINGS PAINT: CAB SCHEMATIC 100WP. LOCATION- 1: 9219, WINTER WHITE (STD). CHASSIS SCHEMATIC-N/A TIRE: FRONT-(2) 11R22.5 LOAD RANGE G HSR 3 (CONTINENTAL), 494 REV/MILE, 75 MPH, ALL-POSITION. TIRE: REAR-(8) 11R22.5 LOAD RANGE G HDL2 DL ECO PLUS (CONTINENTAL), 491 REV/ MILE, 75 MPH, DRIVE SUSPENSION: REAR, TANDEM: 4-SPRING, 40,000 LB CAPACITY, 52" AXLE SPACING, MULTILEAF SPRINGS PAINT: CAB SCHEMATIC 100WP. LOCATION- 1: 9219, WINTER WHITE (STD). CHASSIS SCHEMATIC-N/A FRONT TOW HOOK: (2) TWO FRAME MOUNTED REAR TOW HOOK: (2) FRAME RAILS: HEAT TREATED ALLOY STEEL (120,000 PSI YIELD); 10.250" X 3.610" X 0.375" (260.4MM X 91.7MM X 9.5MM); 456.0" (11582MM) MAXIMUM OAL TRAILER CONNECTIONS: FOUR-WHEEL,</p>	\$ 99,975.00	\$ 599850.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00147807

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>WITH HAND CONTROL VALVE AND TRACTOR PROTECTIVE VALVE, FOR STRAIGHT TRUCK.</p> <p>AIR BRAKES: ABS-4 CHANNEL (4 SENSOR/4 MODULATOR)_ FULL VEHICLE WHEEL</p> <p>EXHAUST SYSTE: HORIZONTAL AFERTREATMENT SYSTEM, FRAME MOUNTED UNDER RIGHT RAIL BACK OF CAT, FOR SINGEL VERTICAL TAIL PIPE, FRAME MOUNTED RIGHT SIDE BACK OF CAB.</p> <p>SWITCH FOR EXHAUST: 3 POSITION,MOMENTARY LIGHTED MOMENTARY, ON/CANCLE, CENTER STABLE, INHIBIT REGEN, MOUNTED IN IP INHIBITS DIESEL PARTICULATE FILTER REGENERATION WHEN SWITCH IS MOVED TO ON WHILE ENGINE IS RUNNING, RESETS WHEN ENGINE IS TURNED OFF.</p> <p>ALTERNATOR: BRUCH TYPE, 12 VOLT, 150 AMP CAPACITY,PAD MOUNT WITH REMOTE SENSE</p> <p>ELECTRIC TRAIL BRAKE/LIGHTS: ACCOMMODATION PACKAGE TO REAR OF FRAME; FOR COMBINED TRAILER STOP, TAIL, TURN, MARKER LIGHT CIRCUITS; INCLUDES ELECTRIC TRAILER BRAKE, ACCOMMODATION PACKAGE WITH CAB CONNECTIONS FOR MOUNTING CUSTOMER INSTALLED ELECTRIC BRAKE UNIT, LESS TRAILER SOCKET.</p> <p>TRAILER AUXILIARY FEED CIRCUIT: ELECTRIC TRAILER BRAKE ACCOMMODATION/AIR TRAILER ABS; WITH 30 AMP FUSE AND RELAY, CONTROLLED BY INGNITION SWITCH.</p> <p>CLEARANCE/MARKER LIGHTS: 5 AMBER LED LIGHTS, FLUSH MOUNTED ON CAB OR SUNSHADE</p> <p>TEST EXTERIOR LIGHTS: PRE-TRIP INSPECTION WILL CYCLE ALL EXTERIOR LAMPS EXCEPT BACK-UP LIGHTS.</p> <p>HEADLIGHTS ON WITH WIPERS: HEADLIGHTS WILL AUTOMATICALLY TURN ON IF WINDSHIELD WIPERS ARE TURNED ON.</p> <p>INDICATOR, LOW COOLANT LEVEL WITH AUDIBLE ALARM.</p> <p>HEADLIGHT WARNING BUZZER SOUNDS WHEN HEADLIGHTS SWICTH IS ON AND IGNITION SWITCH IS IN "OFF" POSITION.</p> <p>AUXILIARY SWITCH: 40 AMP CIRCUIT FOR CUSTOMER USE; INCLUDES WIRING CONNECTION AT POWER DISTRIBUTION CENTER AND CONTROL IN CAB.</p> <p>HEADLIGHTS LED: DAYTIME RUNNING LIGHTS, AUTOMATIC TWILIGHT CONTROLLED</p> <p>POWER SOURCE: ADDITIONAL AUXILLARY POWER OUTLET (APO) WITH USB-A PORT AND USB-C PORT, LOCATED IN THE INSTRUMENT PANEL.</p> <p>COMMUNICATIONS MODULE TELEMATICS DEVICE WITH OVER THE AIR PROGRAMMING; INCLUDES FIVE YEAR DATE PLAN AND INTERNATIONAL 360.</p> <p>SAFETY TRIANGLES</p> <p>FIRE EXTINGUISHER: 5 LB CLASS A B C</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00147807

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>FIRE EXTINGUISHER BRACKET: MOUNTED LEFT SIDE DRIVER SEAT.</p> <p>THROTTLE, HAND CONTROL: ENGINE SPEED CONTROL FOR PTO; ELECTRONIC MOBILE, VARIABLE SPEED; (RANGE 2 TO 20 MPH) MOUNTED ON STEERING WHEEL.</p> <p>ENGINE CONTROL, REMOTE MOUNTED: PROVISION FOR: INCLUDES WIRING FOR BODY BUILDER INSTALLATION OF PTO CONTROLS AND STARTER LOCKOUT, WITH IGNITION SWITCH CONTROL.</p> <p>FUEL TANK: TOP DRAW, NON-POLISHED ALUMINUM, D-STYLE, 19" TANK DEPTH, 70 US GALLON, MOUNTED LEFT SIDE, UNDER CAB.</p> <p>GAUGES:</p> <p>TEMPERATURE: AMBIENT SENSOR WIRING WITH DISPLAY UNIT MOUNTED IN CLUSTER.</p> <p>OIL TEMPERATURE: AUTO TRANS</p> <p>OIL TEMPERATURE: REAR AXLE</p> <p>AIR CLEANER RESTRICTION: MOUNTED IN INSTRUMENT PANEL.</p> <p>IP CLUSTER DISPLAY: ON BOARD</p> <p>DIAGNOSTICS DISPLAY OF FAULT CODES IN GAUGE CLUSTER.</p> <p>DRIVER SEAT: AIR SUSPENSION, HIGH BACK WITH INTEGRAL HEADREST, VINYL, ISOLATRO, 1 CHANGE LUMBAR, WITH 2 POSITION FRONT CUSHION ADJUST, -3 TO +14 DEGREE ANGLE BACK ADJUST.</p> <p>SEAT, TWO-MAN PASSENGER: FIXED BACK, INTEGRATED HEADREST IN BOTH OCCUPANT POSITION, VINYL, WITH UNDER SEAT STORAGE COMPARTMENT.</p> <p>MIRRORS: (2) AERO PEDESTAL, POWER ADJUST</p> <p>HEATED, BLACK HEADS AND ARMS, 6.5" X 14"</p> <p>FLAT GLASS, INCLUDES 6.5" X 6" CONVEX</p> <p>EXTERIOR SUNSHADE: AERODYNAMIC, PAINTED ROOF COLOR, WITH INTEGRAL CLEARANCE/MARKER LIGHTS.</p> <p>SPARE WHEEL, DISC: 22.5 X 8.25 RIMS, PAINTED STEEL, 2-HAND HOLE, 10-STUD, 285.75MM-BC, HUB-PILOTED, FLANGED NUT, WITH STEEL HUBS.</p> <p>FRONT WHEELS, DISC: 22.5 X 8.25 RIMS, PAINTED STEEL, 2-HAND HOLE, 10-STUD, 285.75MM BC, HUB-PILOTED, LANGED NUT, WITH STEEL HUBS.</p> <p>REAR WHEELS, DUAL DISC; 22.5 X 8.25 PAINTED STEEL, 2-HAND HOLE, 10-STUD, 285.75MM BC, HUB-PILOTED, FLANGED NUT, WITH STEEL HUBS.</p>		
2	3.00	EA	<p>0002 - 2026 CAB AND CHASSIS GVWR: 33000</p> <p>CALC. STARG/GRADE ABILITY: 20.82%/ 2.08% @55 MPH. CALC. GEAR SPEED: 80.8 MPH AXLE CONFIGURATION: 4X2</p>	\$ 85,170.11	\$ 255,510.33

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00147807

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>APPLICATION: CONSTRUCTION DUMP DIMENSION: WHEELBASE: 163.00, CA: 95.90, AXLE TO FRAME: 85.00 ENGINE: DIESEL: EPA 2024, 250HP@ 2400 RPM, 660 LB-FT TORQUE @ 1600 RPM, 2500 RPM GOVERNED SPEED, 250 PEAK HP (MAX) TRANSMISSION: AUTOMATIC 6TH GENERATION CONTROLS, WIDE RATION, 5-SPEED WITH OVERDRIVE, WITH PTO PROVISION, LESS RETARDER, WITH 33,000 LB GVW AND GCW MAX, ON/OFF HIGHWAY CLUTCH: OMIT ITEM FRONT NON-DRIVING AXLE:I-BEAM TYPE, 12000 LB CAPACITY REAR SINGLE AXLE: SINGLE REDUCTION, 21,000 LB CAPACITY, 190 WHEEL ENDS GEAR RATION; 5.29 CAB: CONVENTIONAL, DAY CAB FRONT TIRE: 11R22.5 LOAD RANGE G HSR 3, CONTROLS, WIDE RATION, 5-SPEED WITH OVERDRIVE, WITH PTO PROVISION, LESS RETARDER, WITH 33,000 LB GVW AND GCW MAX, ON/OFF HIGHWAY CLUTCH: OMIT ITEM FRONT NON-DRIVING AXLE:I-BEAM TYPE, 12000 LB CAPACITY REAR SINGLE AXLE: SINGLE REDUCTION, 21,000 LB CAPACITY, 190 WHEEL ENDS GEAR RATION; 5.29 CAB: CONVENTIONAL, DAY CAB FRONT TIRE: 11R22.5 LOAD RANGE G HSR 3, CONTROLS, WIDE RATION, 5-SPEED WITH OVERDRIVE, WITH PTO PROVISION, LESS RETARDER, WITH 33,000 LB GVW AND GCW MAX, ON/OFF HIGHWAY CLUTCH: OMIT ITEM FRONT NON-DRIVING AXLE:I-BEAM TYPE, 12000 LB CAPACITY REAR SINGLE AXLE: SINGLE REDUCTION, 21,000 LB CAPACITY, 190 WHEEL ENDS GEAR RATION; 5.29 CAB: CONVENTIONAL, DAY CAB FRONT TIRE: 11R22.5 LOAD RANGE G HSR 3, 494 REV/MILE, 75 MPH, ALL-POSITION REAR TIRE: FOUR 11R22.5 LOAD RANGE G HDL 2, 493 REV/MILE, 75 MPH, DRIVE REAR SINGLE SUPSENSION: 23,500 LB. CAPACITY, VARI-RATE SPRINGS PAINT: CAB SCHEMATIC 100WP. LOCACTION: 1: 92919, WINTER WHITE (STANDARD), CHASSIS SCHEMATIC: N/A FRONT TOW HOOK: 2 FRAME MOUNTED REAR TOW HOOK: 2 FRAME RAILS: HEAT TREATED ALLOY STEEL (120,000 PSI YIELD); 10.250" X 3.610" X 494 REV/MILE, 75 MPH, ALL-POSITION REAR TIRE: FOUR 11R22.5 LOAD RANGE G HDL 2, 493 REV/MILE, 75 MPH, DRIVE REAR SINGLE SUPSENSION: 23,500 LB. CAPACITY, VARI-RATE SPRINGS PAINT: CAB SCHEMATIC 100WP. LOCACTION: 1: 92919, WINTER WHITE (STANDARD),</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00147807

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>CHASSIS SCHEMATIC: N/A FRONT TOW HOOK: 2 FRAME MOUNTED REAR TOW HOOK: 2 FRAME RAILS: HEAT TREATED ALLOY STEEL (120,000 PSI YIELD); 10.250" X 3.610" X 0.375" (260.4MM X 91.7MM X 9.5 MM);456.0 (11582MM) MAXIMUM OAL FRONT NON-DRIVING AXLE: I-BEAM, 12,000 LB. CAPACITY FRONT SUSPENSION: SPRING. PARABOLIC TAPER LEAF, SHACLE TYPE, 12,000 LB CAPACITY, WITH SHOCK ABSORBERS BRAKE SYSTEM: AIR DUAL SYSTEM FOR STRAIGHT TRUCK APPLICATIONS AIR TANK LOCATION: TWO MOUNTED UNDER BATTERY BOX, OUTSIDE RIGHT RAIL, UNDER CAB STEERING COLUMN: STATIONARY EXHAUST SYSTEM: HOIZONTAL AFTERTREATMENT SYSTEM, FRAME MOUNTED UNDER RIGHT RAIL BACK OF CAB, FOR SINGLE VERTICLE TAIL PIPE, FRAME MOUNTED RIGHT SIDE BACK OF CAB. EXHAUST SWITCH: THREE POSITIONS, MOMENTARY, LIGHTED MOMENTARY, ON/CANCEL, CENTER STABLE, INHIBIT REGEN, MOUNTED IN IP INHIBITS DIESEL PARTICULATE FILTER REGENERATION WHEN SWITCH IS MOVED TO ON WHILE ENGINE IS RUNNING. RESETS WHEN IGNITION IS TURNED OFF. ALTERNATOR: BRUSH TYPE, 12 VOLT, 160 AMP CAPACITY, PAD MOUNT, WITH REMOTE SEND ELECTRIC TRAILER BRAKE/LIGHTS: ACCOMMODATION PACKAGE TO REAR OF FRAME; FOR SEPARATE TRAILER STOP, TAIL, TURN, MARKER LIGHT CIRCUITS; INCLUDES ELECTRIC TRAILER BRAKE ACCOMMODATION PACKAGE WITH CAB CONNECTIONS FOR MOUNTING CUSTOMER INSTALLED ELECTRIC BRAKE UNIT, LESS TRAILER SOCKET. STOP, TURN, TAIL & B/U LIGHTS, MULTI- IGNITION IS TURNED OFF. ALTERNATOR: BRUSH TYPE, 12 VOLT, 160 AMP CAPACITY, PAD MOUNT, WITH REMOTE SEND ELECTRIC TRAILER BRAKE/LIGHTS: ACCOMMODATION PACKAGE TO REAR OF FRAME; FOR SEPARATE TRAILER STOP, TAIL, TURN, MARKER LIGHT CIRCUITS; INCLUDES ELECTRIC TRAILER BRAKE ACCOMMODATION PACKAGE WITH CAB CONNECTIONS FOR MOUNTING CUSTOMER INSTALLED ELECTRIC BRAKE UNIT, LESS TRAILER SOCKET. STOP, TURN, TAIL & B/U LIGHTS, MULIT- FUNCTION LED LAMP, MOUNTED INSIDE RAILS, INCLUDES LED LICENSE PLATE LIGHT. CLEARANCE/MARKER LIGHTS-FIVE AMBER LED LIGHTS, FLUSH MOUNTED ON CAB OR SUNSHADE TEST EXTERIOR LIGHTS: PRE-TRIP INSPECTION WILL CYCLE ALL EXTERIOR LAMPS EXCEPT BACK-UP LIGHTS INDICATOR: LOW COOLANT LEVEL WITH AUDIBLE ALARM</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00147807

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>AUXILLARY SWITCH: SWITCH 40 AMP CIRCUIT FOR CUSTOMER USE; INCLUDES WIRING CONNECTION AT POWER DISTRIBUTION CENTER AND CONTROL IN CAB.</p> <p>ADDITIONAL POWER SOURCE: AUXILIARY POWER OUTLIET WITH USB-A PORT AND USB-C PORT, LOCATED IN THE INSTRUMENT PANEL.</p> <p>COMMUNICATIONS MODULE: TELEMATICS DEVICE WITH OVER THE AIR PROGRAMMING; INCLUDES FIVE YEAR DATE PLAN AND INTERNATIONAL 360</p> <p>SAFETY TRIANGLES</p> <p>FIRE EXTINGUISHER: 5 LB CLASS A B C</p> <p>FIRE EXTINGUISHER BRACKET: MOUNTED LEFT SIDE DRIVER SEAT</p> <p>HAND CONTROL THROTTLE: ENGINE SPEED CONTROL FOR PTO; ELECTRONIC, MOBILE, VARIABLE SPEED; (RANGE 2 TO 20 MPH) MOUNTED ON STEERING WHEEL.</p> <p>REMOTE MOUNTED ENGINE CONTROL: PROVISION FOR: INCLUDES WIRING FOR BODY BUILDER</p> <p>INSTALLATION OF PTO CONTROLS AND STARTER LOCKOUT, WITH IGNITION SWITCH CONTROL.</p> <p>PTO CONTROL, DASH MOUNTED FOR CUSTOMER PROVIDED PTO; INCLUDES SWITCH, ELECTRIC/ AIR SOLENOID, PIPING AND WIRING.</p> <p>REAR SINGLE AXLE: SINGLE REDUCTION, 21000 LB CAPACITY, VARI-RATE</p> <p>SINGLE REAR SUSPENSION: 23,500 LB. CAPACITY, 190 WHEEL ENDS. GEAR RATIO: 5:29.</p> <p>SINGLE REAR SUSPENSION: 23,500 LB. CAPACITY, VARI-RATE SPRINGS</p> <p>FUEL/WATER SEPARATOR: MOUNTED UNDER HOOD LEFT SIDE, ABOVE FRONT AXLE.</p> <p>FUEL TANK TOP DRAW, NON-POLISHED ALUMINUM, D-STYLE, 19" TANK DEPTH, 70 US GALLON, MOUNTED LEFT SIDE, UNDER CAB.</p> <p>CLEARANCE/MARKER LIGHT-FIVE FLUSH MOUNTED.</p> <p>AIR CONDITIONER WITH INTEGRAL HEATER AND DEFROSTER</p> <p>GAUGES: TEMPERATURE, AMBIENT SENSOR WIRING WITH DISPLAY UNIT MOUNTED IN CLUSTER; OIL TEMPERATURE, AUTO TRANS; AIR APPLICATION; AIR CLEANER RESTRICTION MOUNTED IN INSTRUMENT PANEL; AMMETER 150 AMP.</p> <p>DRIVER SEAT: AIR SUSPENSION, HIGH BACK WITH INTEGRAL HEADREST, VINYL, ISOLATOR, 1 CHAMBER LUMBAR, WITH 2 POSITION FRONT CUSHION ADJUST, -3 TO +14 DEGREE ANGLE BACK ADJUST.</p> <p>TWO-MAN PASSENGER SEAT: FIXED BACK, INTEGRATED HEADREST IN BOTH OCCUPANT POSITIONS, VINYL, WITH UNDER SEAT STORAGE COMPARTMENT.</p> <p>MIRRORS: TWO AERO PEDESTAL, POWER ADJUST, HEATED, BLACK HEADS AND ARMS, 6.5" X 14" FLAT GLASS, INCLUDES 6.5" X 6" CONVEX MIRRORS, FOR 102" LOAD WIDTH</p> <p>CAB REAR SUSPENSION: AIR SUSPENSION, FOR</p>		

DATE: 6/11/2025

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page 13

BID NO.: 50-00147807

SEALED BID


ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
3	1.00	EA	<p>MID CAB HEIGHT FLAT INSTRUMENT PANEL EXTERIOR SUNSHADE: AERODYNAMIC, PAINTED ROOF COLOR WITH INTEGRAL CLEARANCE/ MARKER LIGHTS. SPARE WHEEL DISC: 22.5 X 8.25 RIMS, PAINTED STEEL, 2 HAND HOLE. FRONT WHEELS: 22.5 X 8.25 RIMS, PAINTED STEEL, 2 HAND HOLE REAR WHEELS: 22.5 X 8.25 RIMS, PAINTED STEEL, 2-HAND HOLE.</p> <p>0003 - OPTIONS **DO NOT BID ON THIS ITEM: THIS WILL BE USED FOR INVOICING AND PAYMENT PURPOSES FOR OPTIONS TO VEHICLES. ALL OPTIONS SHALL BE INVOICED PER THE MANUFACTURER'S COST LIST WHICH MUST BE INCLUDED WITH THE BID SUBMISSION.**</p>	\$XXXXXXXXXX	\$XXXXXXXXXX



CERTIFICATE OF AUTHORITY

The undersigned, the Certifying Officer of iTA Truck Sales & Service, L.L.C., a Louisiana limited liability company (the "***Company***"), hereby declares that:

1. The undersigned, Christopher D. Schouest is the President of the Company and is named in the Articles of Organization of the Company filed with the Louisiana Secretary of State as having authority to certify the membership of any member, the authenticity of any records of the Company, or the authority of any person to act on behalf of the Company.
2. The undersigned certifies that:
 - (a) JW Harrison is the Director of Municipal Sales for the Company and is duly authorized by the Company to execute and deliver on behalf of the Company any and all documents, contracts or amendments, he deems necessary or appropriate with respect to any transaction between the Company and any State or Municipal Government entity in the State of Louisiana.
 - (b) The foregoing authority is in full force and effect and has not been revoked or rescinded.

By: 

Christopher D. Schouest
President and Certifying Officer
iTA Truck Sales & Service, L.L.C.

Date: June 19, 2025

License No. N -2023-02731

2023-2025

Not Transferable

Louisiana Motor Vehicle Commission

This Certifies that
Jerry Wayne Harrison of Lafayette, LA
has been licensed by this Commission as a
MOTOR VEHICLE SALESMAN.
Employed by Motor Vehicle Dealer Licensee
N -2023-00246
ITA Truck Sales & Service, L.L.C.
2835 Northwest Evangeline Thruway
Lafayette, LA 70507.

pursuant to the laws of the State of Louisiana for the period ending October 31, 2025.

Louisiana Motor Vehicle Commission



Dated November 1, 2023

[Signature]
Executive Director

NOTE: This Certificate is to be retained by the Employer. It is to be returned by the Employer to the Commission Office at 3017 Kingman Street, Metairie, LA 70006, within ten days of the termination of the Salesman's employment.

Termination Date:

Generic Bid

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF LAFAYETTE

BEFORE ME, the undersigned authority, personally came and appeared:

JERRY W. HARRISON (Affiant) who after being duly sworn by me, deposed and said that he/she is the fully authorized REPRESENTATIVE of

ITA TRUCK SALES & SERVICE, LLC (Entity), who submitted a bid to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X There are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Affiant further said:

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish of Jefferson to the Affiant.

Choice B X There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Affiant further said:

Affiant personally has not been convicted of, nor has he/she entered into a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. No individual partner, incorporator, director, manager, officer, organizer, or member, who has a minimum of a ten percent ownership in the Bidding Entity, has been convicted of or has entered a plea of guilty or nolo contendere to any of the crimes or equivalent federal crimes listed below. A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall permanently bar any person or the bidding entity from bidding on public projects:

- (a) Public bribery (R.S. 14:118)
- (b) Corrupt influencing (R.S. 14:120)
- (c) Extortion (R.S. 14:66)
- (d) Money laundering (R.S. 14:230)

A conviction of or plea of guilty or nolo contendere to the following state crimes or equivalent federal crimes shall bar any person or the bidding entity from bidding on public projects for a period of five years from the date of conviction or from the date of the entrance of the plea of guilty or nolo contendere:

- (a) Theft (R.S. 14:67)
- (b) Identity Theft (R.S. 14:67.16)
- (c) False accounting (R.S. 14:70)
- (d) Issuing worthless checks (R.S. 14:71)
- (e) Bank fraud (R.S. 14:71.1)
- (f) Forgery (R.S. 14:72)
- (g) Contractors; misapplication of payments prohibited (R.S. 14:202)
- (h) Malfeasance in office (R.S. 14:134)

The five-year prohibition provided for in this section shall apply only if the crime was committed during the solicitation or execution of a contract or bid awarded pursuant to these provisions. If evidence is submitted substantiating that a false attestation has been made and the project must be readvertised or the contract canceled, the awarded entity

3/25

making the false attestation shall be responsible to the public entity for the costs of rebidding, additional costs due to increased costs of bids and any and all delay costs due to the rebid or cancellation of this project.

Affiant further said:

- (1) Entity is registered and participates in a status verification system to verify that all employees in the State of Louisiana are legal citizens of the United States or are legal aliens.
- (2) Entity shall continue, during the term of the contract, to utilize a status verification system to verify the legal status of all new employees in the State of Louisiana.
- (3) Entity shall require all subcontractors to submit to the Entity a sworn affidavit verifying compliance with statements (1) and (2) above.


Signature of Affiant

JERRY W. HARRISON

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME,
NOTARY PUBLIC ON THE 23rd DAY
OF June, 2025.


Notary Public

Christopher D. Schouest
Printed Name of Notary

31538
Notary/Bar Roll Number

My commission expires At Death



ITATRUC-01

ABECK

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

6/11/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER License # 231432
Hub International Gulf South
8550 United Plaza Blvd
Suite 500
Baton Rouge, LA 70809

CONTACT

NAME:

PHONE (A/C, No, Ext): (800) 789-7365

FAX (A/C, No): (225) 218-2401

E-MAIL

ADDRESS:

INSURER(S) AFFORDING COVERAGE

NAIC #

INSURER A : Clear Blue Insurance Company

28860

INSURER B : Amherst Specialty Insurance Company

17565

INSURER C : AGCS Marine Insurance Company

22837

INSURER D : Great American Assurance Company

26344

INSURER E :

INSURER F :

INSURED

ITA Truck Sales & Service, LLC
2835 NW Evangeline Thruway
Lafayette, LA 70507

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> Garagekeepers Liabil <input checked="" type="checkbox"/> Garage Liability GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:		BN12-220000410-02	10/1/2024	10/1/2025	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 5,000 MED EXP (Any one person) \$ 1,000,000 PERSONAL & ADV INJURY \$ 3,000,000 GENERAL AGGREGATE \$ 3,000,000 PRODUCTS - COMP/OP AGG \$
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY		BN12-220000410-02	10/1/2024	10/1/2025	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
B	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$ 10,000		AH04-RPG-240000208-00	10/1/2024	10/1/2025	EACH OCCURRENCE \$ 5,000,000 AGGREGATE \$ 5,000,000
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) <input type="checkbox"/> Y/N If yes, describe under DESCRIPTION OF OPERATIONS below	N/A				PER STATUTE <input type="checkbox"/> OTH-ER <input type="checkbox"/> E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$
C	Dealer Open Lot		MXI93091474	10/1/2024	10/1/2025	Total Limit 8,370,000
D	Contingent		CAP 1-90-53-78-10	10/1/2024	10/1/2025	Liability 5,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Auto Liability is included in Garage Liability Coverage per the terms and conditions of the policy

Excess Liability:

Carrier: Starstone

10/1/2024-10/1/2025

Policy Number: 73754K210ALI

Aggregate: 5,000,000

SEE ATTACHED ACORD 101

CERTIFICATE HOLDER

Jefferson Parish Purchasing Department
200 Derbigny Street Government Building Suite 4400
Gretna, LA 70053

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE



ADDITIONAL REMARKS SCHEDULE

Page 1 of 1

AGENCY Hub International Gulf South		License # 231432	NAMED INSURED ITA Truck Sales & Service, LLC 2835 NW Evangeline Thruway Lafayette, LA 70507
POLICY NUMBER SEE PAGE 1			
CARRIER SEE PAGE 1	NAIC CODE SEE P 1	EFFECTIVE DATE: SEE PAGE 1	

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
FORM NUMBER: ACORD 25 FORM TITLE: Certificate of Liability Insurance

Description of Operations/Locations/Vehicles:
Occurrence:5,000,000

Garage Liability Deductible - \$10,000
Legal Liability Coverage

Dealer Open Lot Deductible -
Wind \$2,500 per vehicle for Collision & Comprehensive;25,000 per occurrence & any one loc. All other Perils 2,500 per vehicle;
10,000 per occurrence & Any one location.
Tornado Deductible:5,000 per vehicle; 35,000 per occ any one location

Named Insureds:
iTA Truck Sales & Service, LLC
Idealease of Acadiana, LLC
Atterberry Truck Sales, Inc.
Atterberry Idealease
Schilling Acquisitions, LLC

Locations:
2835 NW Evangeline Thruway, Lafayette, LA 70507
2845 NW Evangeline Thruway, Lafayette, LA 70507
301 Hord St. Harahan, LA 70123
524 Pamco Rd, Lake Charles, LA 70615
6035 Beven St. New Orleans, LA 70123
2399 Gause Blvd. Slidell, LA 70460
763 O'Neal Lane Baton Rouge, LA 70816
16538 Florida Blvd Baton Rouge, LA 70819

Bid 50-00147807

CERTIFICATE OF COVERAGE

DATE(MM/DD/YY)
6/11/25

Producer

LA Automobile Dealers Association-SIF
660 Laurel Street, Suite E
Baton Rouge, LA 70802-5612

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURERS AFFORDING COVERAGE

NAIC #

Insured

ITA Truck Sales & Service, L.L.C.
2835 N.W. Evangeline Thruway
Lafayette, LA 70507-3420

INSURER A: LA AUTOMOBILE DEALERS ASSOC. SIF

INSURER B:

INSURER C:

INSURER D:

INSURER E:

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	ADD'L INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS	
		GENERAL LIABILITY				EACH OCCURRENCE	\$
		COMMERCIAL GENERAL LIABILITY				FIRE DAMAGE (Any one fire)	\$
		<input type="checkbox"/> CLAIMS MADE <input type="checkbox"/> OCCUR				MED EXP (Any one person)	\$
						PERSONAL & ADV INJURY	\$
						GENERAL AGGREGATE	\$
		GEN'L AGGREGATE LIMIT APPLIES PER:				PRODUCTS - COMP/OP AGG	\$
		POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC <input type="checkbox"/>					
		AUTOMOBILE LIABILITY				COMBINED SINGLE LIMIT (Ea accident)	\$
		ANY AUTO				BODILY INJURY (Per person)	\$
		ALL OWNED AUTOS				BODILY INJURY (Per accident)	\$
		SCHEDULED AUTOS				PROPERTY DAMAGE (Per accident)	\$
		HIRED AUTOS					
		NON-OWNED AUTOS				AUTO ONLY - EA ACCIDENT	\$
						OTHER THAN EA ACC	\$
						AUTO ONLY AGG	\$
						EACH OCCURRENCE	\$
						AGGREGATE	\$
		EXCESS LIABILITY					\$
		OCCUR <input type="checkbox"/> CLAIMS MADE <input type="checkbox"/>					\$
							\$
		DEDUCTIBLE					\$
		RETENTION \$					\$
A		WORKERS COMPENSATION AND EMPLOYERS LIABILITY				<input checked="" type="checkbox"/> WC STATU-TORY LIMITS <input type="checkbox"/> OTH-ER	
		ANY PROPRIETER/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? YES				E.L. EACH ACCIDENT	\$ 1,000,000
		If yes, describe under SPECIAL PROVISIONS below				E.L. DISEASE - EA EMPLOYEE	\$ 1,000,000
						E.L. DISEASE - POLICY LIMIT	\$ 1,000,000
		OTHER					

DESCRIPTION OF OPERATIONS/ LOCATIONS/ VEHICLES/ EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS
STATE OF LOUISIANA EMPLOYEES ONLY Additional insured locations: Idealease of Acadiana in Lafayette, LA, ITA in Harahan, LA, ITA-Houma in Houma, LA, ITA Truck Sales & Service, LLC in Lake Charles, LA and ITA-Slidell in Slidell, LA. Waiver of Subrogation provided in favor of Parish of Jefferson, its Districts, Departments and Agencies under the direction of the Parish President and the Parish Council.

CERTIFICATE HOLDER

ADDITIONAL INSURED: INSURER LETTER:

Jefferson Parish Purchasing Department
ATTN: Bid No: 50-00147807
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.


AUTHORIZED REPRESENTATIVE



Prepared For:
 Jefferson Parish
 Bruce Vosbein
 200 Derbigny St.
 Gretna, LA 70053-5850
 (504)364 - 2678
 Reference ID: 2025 52k dump

Presented By:
 ITA-NOLA, LLC
 J.W. Harrison
 301 HORD
 HARAHAN LA 70123 -
 (504)733-7711

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2025 MV607 SBA (MV607)

AXLE CONFIG:	6X4
APPLICATION:	Stake Flat
MISSION:	Requested GVWR: 52000. Calc. GVWR: 52000. Calc. GCWR: 80000 Calc. Start / Grade Ability: 31.18% / 2.18% @ 55 MPH Calc. Geared Speed: 70.6 MPH
DIMENSION:	Wheelbase: 201.00, CA: 133.90, Axle to Frame: 96.00
ENGINE, DIESEL:	{Cummins L9 330} EPA 2024, 330HP @ 2200 RPM, 1000 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 330 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3500 RDS} 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-12-122A} I-Beam Type, 12,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-3DFR} Single Reduction, 40,000-lb Capacity, .374"(9.5mm) Wall Housing Thickness, R Wheel Ends Gear Ratio: 5.86
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 11R22.5 Load Range G HSR 3 (CONTINENTAL), 494 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(8) 11R22.5 Load Range G HDL2 DL ECO PLUS (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, TANDEM:	{International} 4-Spring, 40,000-lb Capacity, 52" Axle Spacing, Multileaf Springs
PAINT:	Cab schematic 100WP Location 1: 9219, Winter White (Std) Chassis schematic N/A

Code	Description
MV60700	Base Chassis, Model MV607 SBA with 201.00 Wheelbase, 133.90 CA, and 96.00 Axle to Frame.
1570	TOW HOOK, FRONT (2) Frame Mounted
1572	TOW HOOK, REAR (2)
1AND	AXLE CONFIGURATION 6x4
	<u>Notes</u> : Pricing may change if axle configuration is changed.
1CAG	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL
1LEG	LICENSE PLATE HOLDER Includes Upper & Lower Mounting Plate Hardware, Mounted in Existing Holes in Front Bumper
1LNG	BUMPER, FRONT Contoured, Steel, Painted Gloss Black
1WEN	WHEELBASE RANGE 171" (435cm) Through and Including 224" (570cm)
2ASC	AXLE, FRONT NON-DRIVING {Meritor MFS-12-122A} I-Beam Type, 12,000-lb Capacity
3ADC	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
	<u>Notes</u> : In combinations where chassis component weights may cause a chassis lean, a spring is used in front left spring pack to offset this imbalance & provide a level chassis, within 3/8", with body installed.
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck
	<u>Notes</u> : When electronic stability control is ordered with trailer connections on a 4x2 truck, please check the operator manual for trailer weight restrictions.
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System
4EDP	AIR DRYER {Bendix AD-9SI} with Heater, Includes Safety Valve, Integrated PuraGuard Coalescing Filtration
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 SqIn
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic

<u>Code</u>	<u>Description</u>
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM
4VKH	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Under Cab
4VLE	AIR DRYER LOCATION Mounted Inside Engine Compartment, Right Side
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes
4XDP	BRAKES, FRONT {Meritor 16.5X5 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 5", 14,700-lb Capacity
4XDR	BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle
4XEE	PARK BRAKE CHAMBERS, ADDITIONAL (2) Spring Brake Type
5AAA	STEERING COLUMN Stationary
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black
5PSA	STEERING GEAR {Sheppard M100} Power
6DGT	DRIVELINE SYSTEM {Dana Spicer} SPL170 Main Driveline with SPL170 Interaxle Shaft, for 6x4
7BMJ	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Under Right Rail Back of Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab
7SCP	ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger
7WAZ	TAIL PIPE (1) Turnback Type
7WBU	EXHAUST HEIGHT 11' 6"
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum
7WZX	SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u>
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
	: STARTER SWITCH Electric, Key Operated
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
	: WIRING, CHASSIS Color Coded and Continuously Numbered
8540	HORN, ELECTRIC (2) Trumpet Style
8GHP	ALTERNATOR {Delco Remy 28SI} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense
8HAE	BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn

Code	Description
8HAH	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket
8HXT	HORN, AIR (2) Single Tone, Chrome, Roof Mounted, with Lanyard Pull Cord
8MSG	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud
8RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors
8RPP	ANTENNA Shark Fin, Roof Mounted
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input
8THB	BACK-UP ALARM Electric, 102 dBA
8THN	HAZARD FLASHER OVERRIDE Hazard Flasher Overrides Brake Lights, To be Done with Programming System Controller
8TKK	TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch
8TPS	STOP, TURN, TAIL & B/U LIGHTS {Weldon} Multi-Function LED Lamp, Mounted Inside Rails, Includes LED License Plate Light
8VUX	BATTERY BOX Steel, with Plastic Cover, 25" Wide, 2-3 Battery Capacity, Mounted Right Side Under Cab
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if Windshield Wipers are Turned On
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt, Less Thermal Over-Crank Protection
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
8XBK	SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at Power Distribution Center (PDC) and Control in Cab
8XPA	HEADLIGHTS LED, with Daytime Running Lights, Automatic Twilight Controlled
8XPK	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB-A Port and USB-C Port, Located in the Instrument Panel
9AAB	LOGOS EXTERIOR Model Badges
9AAE	LOGOS EXTERIOR, ENGINE Badges
9HAN	INSULATION, UNDER HOOD for Sound Abatement
9HBN	INSULATION, SPLASH PANELS for Sound Abatement
9HCW	GRILLE Molded in Black
9WBN	FENDER EXTENSIONS Painted
9WBW	FRONT END Tilting, Fiberglass, with Three Piece Construction, Dual Air Intakes
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100

<u>Code</u>	<u>Description</u>
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "WP"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
10AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360
10BAE	LABEL, DEF "DEF ONLY"
10UAV	VEHICLE REGISTRATION IDENTITY ID for Non-CARB Omnibus and/or Non-ACT Adopting State or Exempt Vehicle. Not for use on vehicles registering in CA/MA /OR/NJ/NY/WA. Contains non-mitigated legacy engine & cannot be registered in CA unless exempt. You may be held liable under state law for failure to properly register vehicle.
	<u>Notes</u> : CANNOT BE REGISTERED IN CA. For vehicles that will be registered in States other than CA.
10WCY	SAFETY TRIANGLES
10WUE	MUD FLAPS, FRONT WHEELS (2) Rubber, Mounted on Fender Extension
10XAN	FIRE EXTINGUISHER 5 lb Class A B C
10XAP	FIRE EXTINGUISHER BRACKET Mounted Left Side Driver Seat
11001	CLUTCH Omit Item (Clutch & Control)
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
12EYX	ENGINE, DIESEL {Cummins L9 330} EPA 2024, 330HP @ 2200 RPM, 1000 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 330 Peak HP (Max)
12THJ	FAN DRIVE {Horton Drivemaster} Automatic On/Off Type, with Normally Closed Temperature Control
	<u>Includes</u> : FAN Nylon
12VCE	AIR CLEANER Single Element, Fire Retardant Media
12VKC	EMISSION, CALENDAR YEAR {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2025
12VXV	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel
12WTA	FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted
12WVH	EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Door
12WZJ	CARB IDLE COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door
12WZY	CARB EMISSION WARR COMPLIANCE for Cummins L9 Engines
12XBM	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout, with Ignition Switch Control, for Cummins B6.7 and L9 Engines
12XCA	RADIATOR Aluminum, 3-Row, Down Flow, Front to Back System, 837 SqIn Louvered, with 477 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler
13BDR	TRANSMISSION, AUTOMATIC {Allison 3500 RDS} 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway
13WET	TRANSMISSION SHIFT CONTROL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission

Code	Description
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS) and Regional Haul Series (RHS), General Purpose Trucks, Construction, Package Number 223
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released
13WYU	SHIFT CONTROL PARAMETERS {Allison} 3000 or 4000 Series Transmissions, Performance Programming
13XAL	PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission
14862	PDL WARNING BUZZER Power Divider Lock
14GVX	AXLE, REAR, TANDEM {Meritor MT-40-14X-3DFR} Single Reduction, 40,000-lb Capacity, .374"(9.5mm) Wall Housing Thickness, R Wheel Ends . Gear Ratio: 5.86
14UNA	SUSPENSION, REAR, TANDEM {International} 4-Spring, 40,000-lb Capacity, 52" Axle Spacing, Multileaf Springs
15LMR	FUEL/WATER SEPARATOR {Racor 400 Series,} with Primer Pump, Includes Water-in-Fuel Sensor
15LRE	LOCATION FUEL/WATER SEPARATOR Mounted Under Hood, Left Side, Above Front Axle
15SGG	FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L), Mounted Left Side, Under Cab
15WDG	DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab
16030	CAB Conventional, Day Cab
	<u>Includes</u> : CLEARANCE/MARKER LIGHTS (5) Flush Mounted
16BAM	AIR CONDITIONER with Integral Heater and Defroster
16GED	GAUGE CLUSTER Base Level; English with English Electronic Speedometer
	<u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure or Auxiliary Air Pressure (if Air Equipped) : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure, Primary and Secondary (if Air Equipped)
16HCS	GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission
16HGL	GAUGE, OIL TEMP, REAR AXLE
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} Mounted in Instrument Panel
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16KZW	SEAT, DRIVER {National 2000 195} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 8" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 6-23 Degree Angle Back Adjust
16SMH	SEAT, TWO-MAN PASSENGER {National} Fixed Back, Integrated Headrest in Both Occupant Positions, Vinyl, with Under Seat Storage Compartment
16SNS	MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width

Notes

<u>Code</u>	<u>Description</u>
	: Mirror Dimensions are Rounded to the Nearest 0.5"
16VCC	SEAT BELT All Orange; 1 to 3
16VKB	CAB INTERIOR TRIM Classic, for Day Cab
	<u>Includes</u>
	: CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger
	: DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted
	: SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap
16VLK	CAB REAR SUSPENSION Air Suspension, for Mid Cab Height
16WBY	ARM REST, RIGHT, DRIVER SEAT
16WEE	CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood
16WSE	LOW WASHER FLUID INDICATOR
16XCK	WINDOW, MANUAL (2) and Manual Door Locks, Left and Right Doors
16XCW	CAB, INTERIOR TRIM, CLOSEOUT Under IP, Driver Side
16XJN	INSTRUMENT PANEL Flat Panel
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights
16ZBT	ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab
26DJM	WHEEL, SPARE, DISC {Maxion 91541} 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted
27DJM	WHEELS, FRONT {Maxion 91541} DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DJM	WHEELS, REAR {Maxion 91541} DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
29PAR	PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; with Vendor Applied White Powder Coat Paint
29PAS	PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; with Vendor Applied White Powder Coat Paint
7372135425	(8) TIRE, REAR 11R22.5 Load Range G HDL2 DL ECO PLUS (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
7372135439	(2) TIRE, FRONT 11R22.5 Load Range G HSR 3 (CONTINENTAL), 494 rev/mile, 75 MPH, All-Position
Services Section:	
40129	WARRANTY Standard for MV Series, Effective with Vehicles Built July 1, 2017 or Later, CTS-2020A
40NSG	CARB COMPANION PLAN for CARB B6.7 and L9 Engines
	TARIFF SURCHARGE

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Factory List Prices:		
Product Items	\$93,195.00	
Service Items	\$830.00	
Total Factory List Price Including Options:		\$94,025.00
Total Goods Purchased:		\$2,000.00
FUEL, DEF, SAFETY EQUIPMENT, INSPECTION	\$850.00	
Total Preparation And Delivery:		\$850.00
Freight	\$3,100.00	
Total Freight:		\$3,100.00
Total Factory List Price Including Freight:		\$99,975.00
Total Vehicle Price:		\$99,975.00
Total Sale Price:		\$99,975.00
Total Per Vehicle Sales Price:		\$99,975.00
Total For 6 Vehicle Sales:		\$599,850.00
Net Sales Price:		\$599,850.00

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

This proposal is not binding upon the seller without
Seller's Authorized Signature

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

LIMITED WARRANTY FOR MV
***Effective with vehicles built July 01, 2017 or later**

Basic Vehicle

International®, at its option, will repair or replace any part of this vehicle that proves defective in material or workmanship, in normal use and service, with new or RENEWED™ parts, based on the Component Coverages below.

Coverage	Months	Miles	Kilometers	Hours	Gross Discharge Throughput
Basic Vehicle Warranty	24	Unlimited	Unlimited	Unlimited	Unlimited
Basic Vehicle Warranty with Non-Navistar Engine	24	Unlimited	Unlimited	Unlimited	Unlimited
First 90 Days from Delivery to User (DTU) + Towing (Vehicle Down Warrantable Situations Only)	3	Unlimited	Unlimited	Unlimited	Unlimited
Brightwork, Chassis Paint and Corrosion (Other than Cab)	6	Unlimited	Unlimited	Unlimited	Unlimited
Hood/Cab Paint	12	Unlimited	Unlimited	Unlimited	Unlimited
Cab/Cowl Perforation Corrosion	60	Unlimited	Unlimited	Unlimited	Unlimited
Cab/Cowl Structure	60	Unlimited	Unlimited	Unlimited	Unlimited
Frame Side Rails	84	Unlimited	Unlimited	Unlimited	Unlimited
Transmission	24	Unlimited	Unlimited	Unlimited	Unlimited
Meritor Axles	36	Unlimited	Unlimited	Unlimited	Unlimited
Batteries	12	Unlimited	Unlimited	Unlimited	Unlimited
Federal Emissions Coverage (Medium/Heavy, Heavy Duty Diesel Engine Non-Navistar)	60	100,000	160,000	Unlimited	Unlimited
Greenhouse Gas Emissions Coverage	60	100,000	160,000	Unlimited	Unlimited

International Diesel Engine Coverage Includes:

Engine block, cylinder heads, internally lubricated components, fuel pump, high-pressure pump, turbocharger, water pump, air compressor, injectors/nozzles, electronic engine modules, engine relays, engine sensors and regulators required for electronic engine operation, and certain aftertreatment components. Excluding: attaching accessories (e.g., fan clutch, alternator, starter, etc.), and externally mounted electrical and filtration systems.

What is Not Included Under Basic Coverage

Components/Items

- Components warranted by their respective manufacturers (such as non-International brand engines, Cummins engines, Allison transmissions, Agility fuel systems, lubricants, etc.)
- Tires warranted by the tire manufacturer having defects in materials and workmanship that do not cause non-compliance with GHG regulations. International warrants tires installed as original equipment on this vehicle only against defects in materials and workmanship that cause the vehicle to fail to comply with GHG regulations. This vehicle tire emissions warranty is valid for two (2) years or 24,000 miles (38,000 km), whichever occurs first
- Bodies, equipment, and accessories installed by other than authorized International employees at International manufacturing plants
- Front and rear axle alignment
- Front and rear axle coverage excludes brakes, wheel ends, axle shafts, controls and attachments

Repairs & Maintenance

- Maintenance-related items/repairs, or those needed as a result of normal wear and tear, including tune-ups, brake/clutch linings, windshield wiper blades, tire balancing, lubrication, and other similar procedures/parts required to keep vehicle in good working condition
- Failures that are the result of poor fuel quality, water in fuel, rust, etc.
- Repairs needed as a result of vehicle misuse, negligent care, improper maintenance, improper operation, or the result of accident or collision
- Fade, runs, mismatch or damage to paint, trim items, upholstery, chrome, polished surfaces, etc., resulting from environmental causes such as improper polishes, cleaners or washing solutions, or chemical and industrial fallout
- Failure to observe published capacity or load specifications for engine, transmission, propeller shaft, axles (powertrain) and suspension

Other

- Vehicles sold and/or operated outside the United States and Canada
- This exception does not apply to vehicles that meet current US EPA emission standards, which were sold by an International dealer located in Mexico, if the vehicle is authorized by the US DOT to operate in long-haul, cross-border transportation and the vehicle is only operated in the United States, Canada, and Mexico
- Vehicles/components that have had unauthorized alterations or modifications
- Vehicles on which the odometer reading has been altered
- Loss of time or use of the vehicle, loss of profits, inconvenience, or other consequential or incidental damages or expenses
- Replacement of defective parts with parts other than those provided by International.

LIMITED WARRANTY FOR MV
***Effective with vehicles built July 01, 2017 or later**

Obtaining Service

Return this vehicle to any International dealer authorized to service this model vehicle and engine.

This warranty is automatically transferred to subsequent owners at no charge. Visit your local Authorized International dealer for name and address change information.

Note: The customer has 365 days and up to a maximum of 100,000 miles (160,000 km) from DTU to purchase an extended warranty on the unit. For extended warranty purchases between 181 and 365 days from DTU and <100,000 miles (160,000 km) an additional fee will be assessed. See your local International dealer for details.

Disclaimer

NO WARRANTIES ARE GIVEN BEYOND THOSE DESCRIBED HEREIN. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. THE COMPANY SPECIFICALLY DISCLAIMS WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OTHER REPRESENTATIONS TO THE USER/PURCHASER, AND ALL OTHER OBLIGATIONS OR LIABILITIES. THE COMPANY FURTHER EXCLUDES LIABILITY FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES, ON THE PART OF THE COMPANY OR SELLER.

No person is authorized to give any other warranties or to assume any liabilities on the Company's behalf unless made or assumed in writing by the Company, and no other person is authorized to give any warranties or to assume any liabilities on the seller's behalf unless made or assumed in writing by the seller.

Remedies Under State or Provincial Law: Some States and Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to the owner. This warranty gives the owner specific legal rights, and he may also have other legal rights which may vary by state or province.

Telematics Data Disclosure

Your International vehicle may include an activated telematics subscription service. By accepting this Limited Warranty, you consent to our collection and use of data from your vehicle as set forth at www.oncommandconnection.com on behalf of yourself and any vehicle operators and passengers. International or its affiliates will collect and send diagnostic and system data from your vehicle and use it for various purposes as further set forth in our Privacy Policy, posted at www.oncommandconnection.com, such as improving the uptime for your vehicle, improving our vehicles in the future, and reducing warranty events. If you choose not to allow International to access your data, you may suspend your subscription at www.InternationalTrucks.com/Opt-Out.

Record of Ownership

Upon receipt of new vehicle by original owner, complete the following:

I have read this Warranty Brochure and fully understand the warranty coverage. I acknowledge that I have received a copy of the Owner's Limited Warranty and I accept the terms described herein.

Customer Signature

Date

Owner's Address

City

State/Prov

Postal Code

Truck Model

Vehicle Identification Number

Engine Model Number

Engine Serial Number

Date Delivered to User (DTU)

Odometer Reading at Delivery

IMPORTANT: The information contained in this Warranty Policy explains the coverage provided on your new International vehicle. This policy should be kept in the vehicle for presentation to the Dealer when you request warranty services.

Prepared For:
 Jefferson Parish
 Bruce Vosbein
 200 Derbigny St.
 Gretna, LA 70053-5850
 (504)364 - 2678
 Reference ID: 2025 33k

Presented By:
 ITA-NOLA, LLC
 J.W. Harrison
 301 HORD
 HARAHAN LA 70123 -
 (504)733-7711

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.



Model Profile
2025 MV607 SBA (MV607)

AXLE CONFIG:	4X2
APPLICATION:	Construction Dump
MISSION:	Requested GVWR: 33000. Calc. GVWR: 33000. Calc. GCWR: 33000 Calc. Start / Grade Ability: 20.72% / 2.05% @ 55 MPH Calc. Geared Speed: 81.2 MPH
DIMENSION:	Wheelbase: 163.00, CA: 95.90, Axle to Frame: 85.00
ENGINE, DIESEL:	{Cummins B6.7 250} EPA 2024, 250HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 250 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 2500 RDS} 6th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, with 33,000-lb GVW and GCW Max, On/Off Highway
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-12-122A} I-Beam Type, 12,000-lb Capacity
AXLE, REAR, SINGLE:	{Meritor MS-21-13X-3DFL} Single Reduction, 21,000-lb Capacity, 190 Wheel Ends Gear Ratio: 5.29
CAB:	Conventional, Day Cab
TIRE, FRONT:	(2) 11R22.5 Load Range G HSR 3 (CONTINENTAL), 494 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(4) 11R22.5 Load Range G HDL2 DL ECO PLUS (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, SINGLE:	23,500-lb Capacity, Vari-Rate Springs
PAINT:	Cab schematic 100WP Location 1: 9219, Winter White (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>
MV60700	Base Chassis, Model MV607 SBA with 163.00 Wheelbase, 95.90 CA, and 85.00 Axle to Frame.
1570	TOW HOOK, FRONT (2) Frame Mounted
1572	TOW HOOK, REAR (2)
1ANA	AXLE CONFIGURATION 4x2
	<u>Notes</u> : Pricing may change if axle configuration is changed.
1CAG	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL
1LEG	LICENSE PLATE HOLDER Includes Upper & Lower Mounting Plate Hardware, Mounted in Existing Holes in Front Bumper
1LNG	BUMPER, FRONT Contoured, Steel, Painted Gloss Black
1SAL	CROSSMEMBER, REAR, AF (1)
1WEH	WHEELBASE RANGE 134" (340cm) Through and Including 197" (500cm)
2ASC	AXLE, FRONT NON-DRIVING {Meritor MFS-12-122A} I-Beam Type, 12,000-lb Capacity
3ADC	SUSPENSION, FRONT, SPRING Parabolic Taper Leaf, Shackle Type, 12,000-lb Capacity, with Shock Absorbers
	<u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
	<u>Notes</u> : In combinations where chassis component weights may cause a chassis lean, a spring is used in front left spring pack to offset this imbalance & provide a level chassis, within 3/8", with body installed.
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications
	<u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4/8x6
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System
4EDP	AIR DRYER {Bendix AD-9SI} with Heater, Includes Safety Valve, Integrated PuraGuard Coalescing Filtration
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 SqIn
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 SqIn Spring Brake
4GBM	BRAKE, PARKING Manual Push-Pull Pneumatic Parking Brake
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM
4VKH	AIR TANK LOCATION (2) Mounted Under Battery Box, Outside Right Rail, Under Cab

<u>Code</u>	<u>Description</u>
4VLE	AIR DRYER LOCATION Mounted Inside Engine Compartment, Right Side
4WBX	DUST SHIELDS, FRONT BRAKE for Air Cam Brakes
4WDM	DUST SHIELDS, REAR BRAKE for Air Cam Brakes
4XDC	BRAKES, FRONT {Meritor 15X4 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 15" X 4", 13,200-lb Capacity
4XDR	BRAKES, REAR {Meritor 16.5X7 Q-PLUS CAST} Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 7", 23,000-lb Capacity per Axle
5AAA	STEERING COLUMN Stationary
5CAW	STEERING WHEEL 4-Spoke; 18" Dia., Black
5PSA	STEERING GEAR {Sheppard M100} Power
6DGG	DRIVELINE SYSTEM {Dana Spicer} 1710, for 4x2/6x2
7BMJ	EXHAUST SYSTEM Horizontal Aftertreatment System, Frame Mounted Under Right Rail Back of Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab
7SCP	ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger
7WAZ	TAIL PIPE (1) Turnback Type
7WCR	EXHAUST HEIGHT 10' 11"
7WDN	MUFFLER/TAIL PIPE GUARD (1) Aluminum
7WZX	SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u>
	: DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab
	: HAZARD SWITCH Push On/Push Off, Located on Instrument Panel to Right of Steering Wheel
	: HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever
	: PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light
	: STARTER SWITCH Electric, Key Operated
	: STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector
	: TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature
	: TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted
	: WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever
	: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted
	: WIRING, CHASSIS Color Coded and Continuously Numbered
8GHP	ALTERNATOR {Delco Remy 28SI} Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense
8HAE	BODY BUILDER WIRING Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/ Accessory Power/Ground and Sealed Connector for Stop/Turn
8HAG	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Separate Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake accommodation package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket
8HXT	HORN, AIR (2) Single Tone, Chrome, Roof Mounted, with Lanyard Pull Cord
8MSG	BATTERY SYSTEM {Fleetrite} Maintenance-Free, (3) 12-Volt 1980CCA Total, Top Threaded Stud

<u>Code</u>	<u>Description</u>
8RMV	SPEAKERS (2) 6.5" Dual Cone Mounted in Doors
8RPP	ANTENNA Shark Fin, Roof Mounted
8RPS	RADIO AM/FM/WB/Clock/Bluetooth/USB Input/Auxiliary Input
8THB	BACK-UP ALARM Electric, 102 dBA
8TKK	TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch
8TPS	STOP, TURN, TAIL & B/U LIGHTS {Weldon} Multi-Function LED Lamp, Mounted Inside Rails, Includes LED License Plate Light
8VBE	HORN, ELECTRIC (1) Trumpet Style
8VUX	BATTERY BOX Steel, with Plastic Cover, 25" Wide, 2-3 Battery Capacity, Mounted Right Side Under Cab
8WGL	WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
8WPZ	TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights
8WRB	HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn On if Windshield Wipers are Turned On
8WWJ	INDICATOR, LOW COOLANT LEVEL with Audible Alarm
8WXB	HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses
8XBK	SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at Power Distribution Center (PDC) and Control in Cab
8XHA	CRUISE DISABLED W/WIPERS Cruise Control will Automatically be Disabled if Windshield Wipers are Turned on when Vehicle Speed Exceeds 25 MPH
8XKL	STARTING MOTOR {Mitsubishi Electric Automotive America 90P47} 12-Volt, with Soft-Start
8XPA	HEADLIGHTS LED, with Daytime Running Lights, Automatic Twilight Controlled
8XPK	POWER SOURCE, ADDITIONAL Auxiliary Power Outlet (APO) with USB-A Port and USB-C Port, Located in the Instrument Panel
9AAB	LOGOS EXTERIOR Model Badges
9AAE	LOGOS EXTERIOR, ENGINE Badges
9HAN	INSULATION, UNDER HOOD for Sound Abatement
9HBN	INSULATION, SPLASH PANELS for Sound Abatement
9HCW	GRILLE Molded in Black
9WBN	FENDER EXTENSIONS Painted
9WBW	FRONT END Tilting, Fiberglass, with Three Piece Construction, Dual Air Intakes
10021	CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u>
	: PAINT SCHEMATIC ID LETTERS "WP"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone

Code	Description
10AGB	COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360
10BAE	LABEL, DEF "DEF ONLY"
10UAV	VEHICLE REGISTRATION IDENTITY ID for Non-CARB Omnibus and/or Non-ACT Adopting State or Exempt Vehicle. Not for use on vehicles registering in CA/MA /OR/NJ/NY/WA. Contains non-mitigated legacy engine & cannot be registered in CA unless exempt. You may be held liable under state law for failure to properly register vehicle.
	<u>Notes</u> : CANNOT BE REGISTERED IN CA. For vehicles that will be registered in States other than CA.
10WCY	SAFETY TRIANGLES
10WUE	MUD FLAPS, FRONT WHEELS (2) Rubber, Mounted on Fender Extension
10XAN	FIRE EXTINGUISHER 5 lb Class A B C
10XAP	FIRE EXTINGUISHER BRACKET Mounted Left Side Driver Seat
11001	CLUTCH Omit Item (Clutch & Control)
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
12EMZ	VENDOR WARRANTY, ENGINE {Cummins} B6.7 Engine, 3-Year Unlimited Miles Standard Warranty
12EXU	ENGINE, DIESEL {Cummins B6.7 250} EPA 2024, 250HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 250 Peak HP (Max)
12TSY	FAN DRIVE {Borg-Warner SA85} Viscous Type, Screw On
	<u>Includes</u> : FAN Nylon
12VCE	AIR CLEANER Single Element, Fire Retardant Media
12VKB	EMISSION, CALENDAR YEAR {Cummins B6.7} EPA, OBD and GHG Certified for Calendar Year 2025
12VXV	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel
12WPV	OIL PAN 15 Quart Capacity, For Cummins ISB/B6.7 Engines
12WVH	EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Door
12WZJ	CARB IDLE COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door
12WZX	CARB EMISSION WARR COMPLIANCE for Cummins B6.7 Engines
12XBM	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls and Starter Lockout, with Ignition Switch Control, for Cummins B6.7 and L9 Engines
12XCC	RADIATOR Aluminum, 2-Row, Down Flow, Front to Back System, 640 SqIn Louvered, with 383 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler
13BBJ	TRANSMISSION, AUTOMATIC {Allison 2500 RDS} 6th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, with 33,000-lb GVW and GCW Max, On/Off Highway
13WDH	WIRING, TRANSMISSION Installed Wiring for Transmission/PTO Controls, for Allison 1000, 2000, 2100, 2200, 2400, 2500 Series Transmission
13WEV	TRANSMISSION FEATURE EFFECTS for Allison, Disable Aftertreatment Regeneration When in PTO Mode
13WLN	TRANSMISSION OIL Synthetic; 20 thru 28 Pints

<u>Code</u>	<u>Description</u>
13WUA	AUTOMATIC NEUTRAL Allison Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged, with On/Off Switch
13WVS	TRANSMISSION SHIFT CONTROL T-Handle
13WVV	NEUTRAL AT STOP Allison Transmission Shifts to Neutral When Service Brake is Depressed and Vehicle is at Stop; Remains in Neutral Until Service Brake is Released
13WYY	SHIFT CONTROL PARAMETERS {Allison} 1000 or 2000 Series Transmissions, Performance Programming
13XAA	PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring
13XAC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS), General Purpose Trucks, Package Number 354, Modified for Single Input Auto Neutral
13XAL	PTO LOCATION Customer Intends to Install PTO at Left Side of Transmission
14AKJ	AXLE, REAR, SINGLE {Meritor MS-21-13X-3DFL} Single Reduction, 21,000-lb Capacity, 190 Wheel Ends . Gear Ratio: 5.29
14SAN	SUSPENSION, REAR, SINGLE 23,500-lb Capacity, Vari-Rate Springs
14WCA	FILL PLUG, MAGNETIC for Each Rear Differential
14WMN	AXLE, REAR, LUBE {EmGard FE-75W-90} Synthetic Oil; 1 thru 29.99 Pints
15LMR	FUEL/WATER SEPARATOR {Racor 400 Series,} with Primer Pump, Includes Water-in-Fuel Sensor
15LRE	LOCATION FUEL/WATER SEPARATOR Mounted Under Hood, Left Side, Above Front Axle
15SGG	FUEL TANK Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 70 US Gal (265L), Mounted Left Side, Under Cab
15WDG	DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab
16030	CAB Conventional, Day Cab
	<u>Includes</u> : CLEARANCE/MARKER LIGHTS (5) Flush Mounted
16BAM	AIR CONDITIONER with Integral Heater and Defroster
16GED	GAUGE CLUSTER Base Level; English with English Electronic Speedometer
	<u>Includes</u> : GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure or Auxiliary Air Pressure (if Air Equipped) : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure, Primary and Secondary (if Air Equipped)
16HCS	GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster
16HGH	GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission
16HGN	GAUGE, AIR APPLICATION
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} Mounted in Instrument Panel
16HHT	AMMETER 150 Amp
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster

Code	Description
16KZW	SEAT, DRIVER {National 2000 195} Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 8" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 6-23 Degree Angle Back Adjust
16SMH	SEAT, TWO-MAN PASSENGER {National} Fixed Back, Integrated Headrest in Both Occupant Positions, Vinyl, with Under Seat Storage Compartment
16SNS	MIRRORS (2) Aero Pedestal, Power Adjust, Heated, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width
	<u>Notes</u> : Mirror Dimensions are Rounded to the Nearest 0.5"
16VKB	CAB INTERIOR TRIM Classic, for Day Cab
	<u>Includes</u> : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger : DOME LIGHT, CAB Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Overhead Console, Center Mounted : SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap
16VLK	CAB REAR SUSPENSION Air Suspension, for Mid Cab Height
16WBY	ARM REST, RIGHT, DRIVER SEAT
16WEE	CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator
16WLS	FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood
16WSE	LOW WASHER FLUID INDICATOR
16XCK	WINDOW, MANUAL (2) and Manual Door Locks, Left and Right Doors
16XCW	CAB, INTERIOR TRIM, CLOSEOUT Under IP, Driver Side
16XJN	INSTRUMENT PANEL Flat Panel
16XWD	SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights
16ZBT	ACCESS, CAB Steel, Driver & Passenger Sides, Two Steps per Door, for use with Day Cab and Extended Cab
26DJM	WHEEL, SPARE, DISC {Maxion 91541} 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted
27DJM	WHEELS, FRONT {Maxion 91541} DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DJM	WHEELS, REAR {Maxion 91541} DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
29PAR	PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; with Vendor Applied White Powder Coat Paint
29PAS	PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; with Vendor Applied White Powder Coat Paint
7372135425	(4) TIRE, REAR 11R22.5 Load Range G HDL2 DL ECO PLUS (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
7372135439	(2) TIRE, FRONT 11R22.5 Load Range G HSR 3 (CONTINENTAL), 494 rev/mile, 75 MPH, All-Position

Services Section:

40129	WARRANTY Standard for MV Series, Effective with Vehicles Built July 1, 2017 or Later, CTS-2020A
40NSG	CARB COMPANION PLAN for CARB B6.7 and L9 Engines

Code

Description

TARIFF SURCHARGE

<u>Description</u>	(US DOLLAR)	<u>Price</u>
Factory List Prices:		
Product Items	\$78,390.11	
Service Items	\$830.00	
Total Factory List Price Including Options:		\$79,220.11
Total Goods Purchased:		\$2,000.00
FUEL, DEF, SAFETY EQUIPMENT, INSPECTION	\$850.00	
Total Preparation And Delivery:		\$850.00
Freight	\$3,100.00	
Total Freight:		\$3,100.00
Total Factory List Price Including Freight:		\$85,170.11
Total Vehicle Price:		\$85,170.11
Total Sale Price:		\$85,170.11
Total Per Vehicle Sales Price:		\$85,170.11
Total For 3 Vehicle Sales:		\$255,510.33
Net Sales Price:		\$255,510.33

Please feel free to contact me regarding these specifications should your interests or needs change. I am confident you will be pleased with the quality and service of an International vehicle.

Approved by Seller:

Accepted by Purchaser:

Official Title and Date

Firm or Business Name

Authorized Signature

Authorized Signature and Date

**This proposal is not binding upon the seller without
Seller's Authorized Signature**

Official Title and Date

The TOPS FET calculation is an estimate for reference purposes only. The seller or retailer is responsible for calculating and reporting/paying appropriate FET to the IRS.

The limited warranties applicable to the vehicles described herein are Navistar, Inc.'s standard printed warranties which are incorporated herein by reference and to which you have been provided a copy and hereby agree to their terms and conditions.

LIMITED WARRANTY FOR MV
***Effective with vehicles built July 01, 2017 or later**

Basic Vehicle

International®, at its option, will repair or replace any part of this vehicle that proves defective in material or workmanship, in normal use and service, with new or RENEWED™ parts, based on the Component Coverages below.

Coverage	Months	Miles	Kilometers	Hours	Gross Discharge Throughput
Basic Vehicle Warranty	24	Unlimited	Unlimited	Unlimited	Unlimited
Basic Vehicle Warranty with Non-Navistar Engine	24	Unlimited	Unlimited	Unlimited	Unlimited
First 90 Days from Delivery to User (DTU) + Towing (Vehicle Down Warrantable Situations Only)	3	Unlimited	Unlimited	Unlimited	Unlimited
Brightwork, Chassis Paint and Corrosion (Other than Cab)	6	Unlimited	Unlimited	Unlimited	Unlimited
Hood/Cab Paint	12	Unlimited	Unlimited	Unlimited	Unlimited
Cab/Cowl Perforation Corrosion	60	Unlimited	Unlimited	Unlimited	Unlimited
Cab/Cowl Structure	60	Unlimited	Unlimited	Unlimited	Unlimited
Frame Side Rails	84	Unlimited	Unlimited	Unlimited	Unlimited
Transmission	24	Unlimited	Unlimited	Unlimited	Unlimited
Meritor Axles	36	Unlimited	Unlimited	Unlimited	Unlimited
Batteries	12	Unlimited	Unlimited	Unlimited	Unlimited
Federal Emissions Coverage (Medium/Heavy, Heavy Duty Diesel Engine Non-Navistar)	60	100,000	160,000	Unlimited	Unlimited
Greenhouse Gas Emissions Coverage	60	100,000	160,000	Unlimited	Unlimited

International Diesel Engine Coverage Includes:

Engine block, cylinder heads, internally lubricated components, fuel pump, high-pressure pump, turbocharger, water pump, air compressor, injectors/nozzles, electronic engine modules, engine relays, engine sensors and regulators required for electronic engine operation, and certain aftertreatment components. Excluding: attaching accessories (e.g., fan clutch, alternator, starter, etc.), and externally mounted electrical and filtration systems.

What is Not Included Under Basic Coverage

Components/Items

- Components warranted by their respective manufacturers (such as non-International brand engines, Cummins engines, Allison transmissions, Agility fuel systems, lubricants, etc.)
- Tires warranted by the tire manufacturer having defects in materials and workmanship that do not cause non-compliance with GHG regulations. International warrants tires installed as original equipment on this vehicle only against defects in materials and workmanship that cause the vehicle to fail to comply with GHG regulations. This vehicle tire emissions warranty is valid for two (2) years or 24,000 miles (38,000 km), whichever occurs first
- Bodies, equipment, and accessories installed by other than authorized International employees at International manufacturing plants
- Front and rear axle alignment
- Front and rear axle coverage excludes brakes, wheel ends, axle shafts, controls and attachments

Repairs & Maintenance

- Maintenance-related items/repairs, or those needed as a result of normal wear and tear, including tune-ups, brake/clutch linings, windshield wiper blades, tire balancing, lubrication, and other similar procedures/parts required to keep vehicle in good working condition
- Failures that are the result of poor fuel quality, water in fuel, rust, etc.
- Repairs needed as a result of vehicle misuse, negligent care, improper maintenance, improper operation, or the result of accident or collision
- Fade, runs, mismatch or damage to paint, trim items, upholstery, chrome, polished surfaces, etc., resulting from environmental causes such as improper polishes, cleaners or washing solutions, or chemical and industrial fallout
- Failure to observe published capacity or load specifications for engine, transmission, propeller shaft, axles (powertrain) and suspension

Other

- Vehicles sold and/or operated outside the United States and Canada
- This exception does not apply to vehicles that meet current US EPA emission standards, which were sold by an International dealer located in Mexico, if the vehicle is authorized by the US DOT to operate in long-haul, cross-border transportation and the vehicle is only operated in the United States, Canada, and Mexico
- Vehicles/components that have had unauthorized alterations or modifications
- Vehicles on which the odometer reading has been altered
- Loss of time or use of the vehicle, loss of profits, inconvenience, or other consequential or incidental damages or expenses
- Replacement of defective parts with parts other than those provided by International.

LIMITED WARRANTY FOR MV
*Effective with vehicles built July 01, 2017 or later

Obtaining Service

Return this vehicle to any International dealer authorized to service this model vehicle and engine.

This warranty is automatically transferred to subsequent owners at no charge. Visit your local Authorized International dealer for name and address change information.

Note: The customer has 365 days and up to a maximum of 100,000 miles (160,000 km) from DTU to purchase an extended warranty on the unit. For extended warranty purchases between 181 and 365 days from DTU and <100,000 miles (160,000 km) an additional fee will be assessed. See your local International dealer for details.

Disclaimer

NO WARRANTIES ARE GIVEN BEYOND THOSE DESCRIBED HEREIN. THIS WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES, EXPRESSED OR IMPLIED. THE COMPANY SPECIFICALLY DISCLAIMS WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, ALL OTHER REPRESENTATIONS TO THE USER/PURCHASER, AND ALL OTHER OBLIGATIONS OR LIABILITIES. THE COMPANY FURTHER EXCLUDES LIABILITY FOR INCIDENTAL AND CONSEQUENTIAL DAMAGES, ON THE PART OF THE COMPANY OR SELLER.

No person is authorized to give any other warranties or to assume any liabilities on the Company's behalf unless made or assumed in writing by the Company, and no other person is authorized to give any warranties or to assume any liabilities on the seller's behalf unless made or assumed in writing by the seller.

Remedies Under State or Provincial Law: Some States and Provinces do not allow the exclusion or limitation of incidental or consequential damages, so the above limitations or exclusions may not apply to the owner. This warranty gives the owner specific legal rights, and he may also have other legal rights which may vary by state or province.

Telematics Data Disclosure

Your International vehicle may include an activated telematics subscription service. By accepting this Limited Warranty, you consent to our collection and use of data from your vehicle as set forth at www.oncommandconnection.com on behalf of yourself and any vehicle operators and passengers. International or its affiliates will collect and send diagnostic and system data from your vehicle and use it for various purposes as further set forth in our Privacy Policy, posted at www.oncommandconnection.com, such as improving the uptime for your vehicle, improving our vehicles in the future, and reducing warranty events. If you choose not to allow International to access your data, you may suspend your subscription at www.InternationalTrucks.com/Opt-Out.

Record of Ownership

Upon receipt of new vehicle by original owner, complete the following:

I have read this Warranty Brochure and fully understand the warranty coverage. I acknowledge that I have received a copy of the Owner's Limited Warranty and I accept the terms described herein.

Customer Signature

Date

Owner's Address

City

State/Prov

Postal Code

Truck Model

Vehicle Identification Number

Engine Model Number

Engine Serial Number

Date Delivered to User (DTU)

Odometer Reading at Delivery

IMPORTANT: The information contained in this Warranty Policy explains the coverage provided on your new International vehicle. This policy should be kept in the vehicle for presentation to the Dealer when you request warranty services.



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE CONFIGURATION			
4x2 N/A: Code 04XEE PARK BRAKE CHAMBERS, ADDITIONAL : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 06DGS, 06DGT, 06DGW, 06DGZ and 06DJA DRIVELINE SYSTEM : Code 08TXA STOP, TURN, TAIL & B/U LIGHTS AVAIL: Code 16VUY MONITOR, TIRE PRESSURE NOTE: Pricing may change if axle configuration is changed.	01ANA	STD	
6x4 REQ: Code 04VKH, 04VKJ, 04VKX or 04VLA AIR TANK LOCATION REQ: Code 01CAE, 01CAG or 01CAH FRAME RAILS REQ: Code 05PSA STEERING GEAR REQ: Code 06DGS, 06DGT, 06DGW, 06DGZ or 06DJA DRIVELINE SYSTEM REQ: Code 02AEZ, 02AJE, 02AJX, 02AKC, 02ASC, 02ASH, 02AST, 02ATK(std), 02ATL, 02ATM, 02ATN, 02ATT, 02AUC, 02AVK, 02AVT, 02AYU, 02AYW, 02AYX or 02AYY AXLE, FRONT NON-DRIVING REQ: Code 13BBG, 13BBJ, 13BBK, 13BBM, 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC -OR- REQ: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 10WGC and 10WGD SPECIAL RATING, GVWR : Code 04EVD DUST SHIELDS, FRONT BRAKE	01AND	\$224 0/0	
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-1

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE CONFIGURATION (SEE PREV PAGE) N/A: Code 04WCX PARKING BRAKE CONTROL or Code 04677 TRAILER HOSES or Code 14WCA FILL PLUG, MAGNETIC or Code 08HAV SPECIAL WIRING HARNESS, BODY or Code 60AJJ BDY INTG, THROTTLE CONTROL or Code 13905 PROVISION FOR PTO or Code 13WDH WIRING, TRANSMISSION or Code 16KCL and 16KCM SEAT, PASSENGER or Code 14WAP and 14WAP SHOCK ABSORBERS, REAR or Code 13WLN and 13WLN TRANSMISSION OIL or Code 10WPU and 10WPU MUD FLAP HOLDER or SEAT, DRIVER or Code 04XCX, 04XCX, 04XDU and 04XDU BRAKES, REAR or Code 04EXS, 04EXS, 04EXT and 04EXT BRAKE CHAMBERS, REAR AXLE or Code 04WXL, 04WXS, 04XAM and 04803 TRAILER HOSES AND CABLES or Code 03ADA, 03ADA, 03AGW and 03AGW SUSPENSION, FRONT, SPRING or Code 26DTS, 26DTS, 26DTX and 26DTX WHEEL, SPARE, DISC or Code 27DTS, 27DTS, 27DTX and 27DTX WHEELS, FRONT or Code 28DTS, 28DTS, 28DTX and 28DTX WHEELS, REAR or Code 13WUL, 13WUL, 13WUT and 13WUT ALLISON SPARE INPUT/OUTPUT or Code 14WMG, 14WMG, 14WMH, 14WMH, 14WMN and 14WMN AXLE, REAR, LUBE or Code 10EXS, 10EXS, 10EYD, 10EYD, 10HKE, 10HKE, 10HKG, 10HKG, 10HKG and 10HKG FIFTH WHEEL, STATIONARY : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04AZE AIR BRAKE ABS : Code 04WDT SPRING BRAKE MODULATOR VALVE : Code 01MAX SPECIAL FRAME PIERCING : Code 01CGM GVWR LIMITATION FOR FRAME : SUSPENSION, REAR, SINGLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14TAX, 14TAY, 14TDX and 14TDX SUSPENSION, REAR, AIR, SINGLE : AXLE, REAR, SINGLE : Code 07BMP, 07BMR and 07BMS EXHAUST SYSTEM : Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM AVAIL: Code 16VVA MONITOR, TIRE PRESSURE NOTE: Pricing may change if axle configuration is changed.	01AND		
FRAME RAILS NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book High Strength Low Alloy Steel (50,000 PSI Yield); 10.125" x 3.062" x 0.312" (257.2mm x 77.8mm x 8.0mm); 489.2" (12425mm) Maximum OAL REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 02AEM, 02AJX, 02ASC, 02ASH, 02ATK(std), 02ATL, 02ATM, 02AUC, 02AVK, 02AYU, 02AYW, 02AYX or 02AYY AXLE, FRONT NON-DRIVING (SEE NEXT PAGE)	01CAC	STD	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-2

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-3

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
FRAME RAILS (SEE PREV PAGE) NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book N/A: Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM : Code 14ARZ and 14ASA AXLE, REAR, SINGLE : Code 10EYN FIFTH WHEEL, STATIONARY Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 460.0" (11684mm) Maximum OAL AVAIL: Code 10021 CHASSIS COATING Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL Heat Treated Alloy Steel (120,000 PSI Yield); 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1mm); 456.0" (11582mm) Maximum OAL N/A: Code 10EYN and 10HNN FIFTH WHEEL, STATIONARY	01CAD 01CAE 01CAG 01CAH	\$515 0/0 \$852 0/0 \$1,026 0/0	
BRACKET, CAB MOUNT Heavy Duty N/A: Code 16196 CAB	01WRN	\$57 +13/+4	
BUMPER EXTENSION, FRONT 4.0" N/A: Code 01WDS FRAME EXTENSION, FRONT	01WAC	\$50 +15/-3	
BUMPER, FRONT Contoured, Steel, Painted Gloss Black N/A: Code 01WDS FRAME EXTENSION, FRONT AVAIL: Code 09WBZ BUG SCREEN Contoured, Steel, Chrome Plated N/A: Code 01WDS FRAME EXTENSION, FRONT AVAIL: Code 09WBZ BUG SCREEN Contoured, Steel, Painted Gloss Black, Severe Duty N/A: Code 01WDS FRAME EXTENSION, FRONT AVAIL: Code 09WBZ BUG SCREEN Omit Item N/A: Code 01LEG LICENSE PLATE HOLDER : Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM AVAIL: Code 09WAC BUG SCREEN : Code 08585 FOG LIGHTS Swept Back, Steel, Painted Gray, Heavy Duty N/A: Code 01LEG LICENSE PLATE HOLDER AVAIL: Code 09WAC BUG SCREEN : Code 08585 FOG LIGHTS	01LNG 01LNN 01LSG 01LLK 01LSE	STD \$338 0/0 \$98 +112/-21 \$272CR -63/+14 N/C +52/-9	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-4

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
CROSSMEMBER, INTERMEDIATE LOC 1st Located 25" Back of Cab, 2nd Located 82" Back of Cab	01UBX	\$50 0/0	
CROSSMEMBER, REAR, AF (02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08TXA STOP, TURN, TAIL & B/U LIGHTS (1) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08TXA STOP, TURN, TAIL & B/U LIGHTS Omit	01SAM 01SAL 01SBM	\$227 -21/+61 \$116 -8/+28 N/C 0/0	
DECK PLATE Aluminum, (2) Sections, Flush Mounted REQS: Code 16ZHM ACCESS, CAB AND FRAME N/A: Code 16VBU, 16XTK, 16XYV, 16ZBT(std), 16ZBU and 16ZJA ACCESS, CAB	01WLS	\$90 +14/+31	
FRAME DIMPLE Dimple on Left and Right Top Flange of Frame Rail to Reference Rear Axle Centerline N/A: Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE : FIFTH WHEEL, STATIONARY	01MEJ	\$26 0/0	
FRAME EXTENSION, FRONT Integral; 20" In Front of Grille REQS: Code 09HCX or 09HCZ GRILLE, when in combination with Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL REQS: Code 09HCX GRILLE, when in combination with Code 16VLL or 16VLM CAB REAR SUSPENSION and Code 12EXR, 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL REQS: Code 01CAE, 01CAG or 01CAH FRAME RAILS REQS: Code 01LLK or 01LSE BUMPER, FRONT N/A: Code 01WAC BUMPER EXTENSION, FRONT AVAIL: Code 09WAC BUG SCREEN	01WDS	\$590 +148/-43	
FRAME RAILS WITH TAPERED REAR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 01572 TOW HOOK, REAR AVAIL: Code 04SUT TRAILER CONNECTIONS : Code 01SBM CROSSMEMBER, REAR, AF : Code 08TMN, 08TRJ and 08TVZ TRAILER CONNECTION SOCKET	01616	\$87 0/-7	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-5

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
GVWR LIMITATION FOR FRAME Frame Rails Limited to 33,000 lb Maximum GVWR REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 01CAE, 01CAG or 01CAH FRAME RAILS REQS: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM	01CGM	\$248 0/0	
PINTLE HOOK Holland - PH-30RP41 - Rear, U-Bolts, Standard Position REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 08TXA STOP, TURN, TAIL & B/U LIGHTS : Code 01572 TOW HOOK, REAR	01WRK	\$341 -10/+47	
SPECIAL FRAME PIERCING Additional Holes for 187" WB, When Ordering 254" WB REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, REAR, SINGLE REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SVH, 15SWU(std), 15SWY or 15SZV FUEL TANK N/A: Code 01CAB FRAME RAILS	01MAX	\$200 0/0	
TIRE CARRIER Underslung Basket Type REQS: Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM (SEE NEXT PAGE)	01553	\$256 -20/+97	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-6

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
TIRE CARRIER (SEE PREV PAGE) N/A: Code 08TKD, 08TKJ, 08TPR, 08TPS and 08TXA STOP, TURN, TAIL & B/U LIGHTS : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	01553		
TOW HOOK, FRONT (02) Frame Mounted	01570	\$84 +9/-1	
TOW HOOK, REAR (02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08TKJ and 08TPR STOP, TURN, TAIL & B/U LIGHTS : Code 01WRK PINTLE HOOK	01572	\$75 -6/+23	
WHEELBASE RANGE 134" (340cm) Through and Including 197" (500cm) 152" (385cm) Through and Including 169" (430cm) 171" (435cm) Through and Including 224" (570cm) 199" (505cm) Through and Including 254" (645cm) 226" (575cm) Through and Including 291" (740cm) 256" (650cm) Through and Including 311" (790cm) 293" (745cm) Through and Including 311" (790cm)	01WEH 01WEM 01WEN 01WEJ 01WEP 01WEK 01WER	STD N/C +57/-57 \$769 +159/-159 \$549 +251/-251 \$1,111 +327/-327 \$773 +416/-416 \$1,331 +447/-447	
LICENSE PLATE HOLDER Includes Upper & Lower Mounting Plate Hardware, Mounted in Existing Holes in Front Bumper REQS: Code 01LNG(std), 01LNN or 01LSG BUMPER, FRONT	01LEG	\$29 +3/0	
AXLE, FRONT NON-DRIVING <i>Meritor</i> - MFS-08-153B - I-Beam Type, 8,000-lb Capacity REQS: Code 04XCW, 04XDC(std) or 04XDD BRAKES, FRONT REQS: Code 04ESX, 04ETD, 04EXP, 04EXV or 04XDV BRAKE CHAMBERS, FRONT AXLE REQS: Code 05PRG(std) STEERING GEAR REQS: Code 04091(std) BRAKE SYSTEM, AIR (SEE NEXT PAGE)	02ATK	STD	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-7

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-9

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE, FRONT NON-DRIVING (SEE PREV PAGE)			
Meritor			
- MFS-13-122A - REQS: Code 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBS, 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04XCJ, 04XCW and 04XDD BRAKES, FRONT : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 27DAZ, 27DBA, 27DHK, 27DTS, 27DTT, 27DTX, 27DUL, 27DUR, 27DUS, 27DVA and 27DWU WHEELS, FRONT AVAIL: Code 10WGD SPECIAL RATING, GWR : Code 04WBX DUST SHIELDS, FRONT BRAKE	02ATN		
- MFS-14-122A - I-Beam Type, 14,000-lb Capacity REQS: Code 04XCJ, 04XCM, 04XDP or 04XGL BRAKES, FRONT REQS: Code 04ESX, 04EXP, 04EXV or 04DXD BRAKE CHAMBERS, FRONT AXLE REQS: Code 01CAE, 01CAG or 01CAH FRAME RAILS REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 03ADD or 03AGT SUSPENSION, FRONT, SPRING REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBS, 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04EVD DUST SHIELDS, FRONT BRAKE : Code 04100 BRAKE SYSTEM, HYDRAULIC	02AST	\$521 +79/0	
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-10

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE, FRONT NON-DRIVING (SEE PREV PAGE)			
Meritor			
- MFS-14-122A - N/A: Code 27DAZ, 27DTS, 27DTT, 27DTX and 27DVA WHEELS, FRONT AVAIL: Code 10WGD SPECIAL RATING, GWR	02AST		
I-Beam Type, 14,600-lb Capacity REQS: Code 04XCM, 04XDP or 04XGL BRAKES, FRONT REQS: Code 04ESX, 04EXP or 04EXV BRAKE CHAMBERS, FRONT AXLE REQS: Code 01CAE, 01CAG or 01CAH FRAME RAILS REQS: Code 05PSA STEERING GEAR REQS: Code 03AGT SUSPENSION, FRONT, SPRING REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 27DAZ, 27DBA, 27DHK, 27DTS, 27DTT, 27DTX and 27DVA WHEELS, FRONT AVAIL: Code 10WGD SPECIAL RATING, GWR : Code 04WBX DUST SHIELDS, FRONT BRAKE	02ATT	\$778 +79/0	
I-Beam Type, 14,700-lb Capacity REQS: Code 04XCJ, 04XCM, 04XDP or 04XGL BRAKES, FRONT REQS: Code 04ESX, 04EXP, 04EXV or 04XDX BRAKE CHAMBERS, FRONT AXLE REQS: Code 01CAE, 01CAG or 01CAH FRAME RAILS REQS: Code 05PSA STEERING GEAR REQS: Code 03AJS SUSPENSION, FRONT, SPRING REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 27DAZ, 27DTS, 27DTT, 27DTX and 27DVA WHEELS, FRONT AVAIL: Code 10WGD SPECIAL RATING, GWR : Code 04WBX DUST SHIELDS, FRONT BRAKE	02AVT	\$888 +79/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-11

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

ET TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-12

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE, FRONT NON-DRIVING (SEE PREV PAGE)			
Dana Spicer			
- D-800F - N/A: Code 27DBA, 27DHK, 27DPN, 27DUK, 27DUL, 27DUR, 27DUS, 27DWP and 27DWU WHEELS, FRONT AVAIL: Code 04EVD and 04WBX DUST SHIELDS, FRONT BRAKE	02AEM		
- E-1002IR - I-Beam Type, 10,000-lb Capacity REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 03ADB or 03ADC SUSPENSION, FRONT, SPRING N/A: Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM : Code 27DAZ, 27DBA, 27DHK, 27DTX, 27DUL, 27DVA and 27DWU WHEELS, FRONT AVAIL: Code 10WGD SPECIAL RATING, GWWR	02AYX	\$486 +27/0	
I-Beam Type, 9,000-lb Capacity REQS: Code 04XCW, 04XDC(std) or 04XDD BRAKES, FRONT REQS: Code 04ESX, 04ETD, 04EXP, 04EXV, 04XDW or 04XDX BRAKE CHAMBERS, FRONT AXLE REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 27DBC, 27DPN, 27DTE, 27DTS, 27DTU(std), 27DUK, 27DVA or 27DWP WHEELS, FRONT REQS: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 03AGW SUSPENSION, FRONT, SPRING REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHL, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB or 14CVC AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM AVAIL: Code 10WGD SPECIAL RATING, GWWR : Code 04EVD and 04WBX DUST SHIELDS, FRONT BRAKE	02AYY	\$422 +27/0	
- E-1202IR - I-Beam Type, 11,000-lb Capacity REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 27DBC, 27DJM, 27DPN, 27DTT, 27DUK, 27DUR, 27DUS, 27DUW, 27DUY or 27DWP WHEELS, FRONT	02AYU	\$488 +27/0	
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-13

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE, FRONT NON-DRIVING (SEE PREV PAGE)			
Dana Spicer			
- E-1202IR - REQS: Code 03AGE SUSPENSION, FRONT, SPRING REQS: Code 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04XCM and 04XGL BRAKES, FRONT : Code 01CAB FRAME RAILS : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 04EVD and 04WBX DUST SHIELDS, FRONT BRAKE	02AYU		
I-Beam Type, 12,000-lb Capacity REQS: Code 04ESX, 04EXP, 04EXV, 04XDV, 04XDW or 04XDX BRAKE CHAMBERS, FRONT AXLE REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 03ADB, 03ADC or 03AGT SUSPENSION, FRONT, SPRING REQS: Code 14UNA SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- Code 14UNU SUSPENSION, REAR, AIR, TANDEM REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 01CAB FRAME RAILS : Code 27DAZ, 27DBA, 27DHK, 27DTS, 27DTT, 27DTX and 27DUL WHEELS, FRONT AVAIL: Code 10WGD SPECIAL RATING, GVWR	02AYW	\$432 +27/0	
- E-1322IL - I-Beam Type, 13,000-lb Capacity REQS: Code 04XCJ, 04XDC(std) or 04XDP BRAKES, FRONT REQS: Code 04ESX, 04EXP, 04EXV, 04XDV, 04XDW or 04XDX BRAKE CHAMBERS, FRONT AXLE REQS: Code 01CAE, 01CAG or 01CAH FRAME RAILS (SEE NEXT PAGE)	02AJE	\$562 +24/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-14

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-17

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-18	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-19

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
BRAKE SYSTEM, AIR (SEE PREV PAGE) REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 16ZHM ACCESS, CAB AND FRAME : Code 04XCW BRAKES, FRONT : Code 04EVD DUST SHIELDS, FRONT BRAKE : Code 04XCX, 04XDE and 04XDG BRAKES, REAR : Code 04EVE DUST SHIELDS, REAR BRAKE : Code 04WCX PARKING BRAKE CONTROL : Code 04GAR and 04GAS BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC : TRAILER HOSES AND CABLES : Code 04WZL TRAILER HOSES or Code 04AAX HOSE TENDER : Code 04WDT SPRING BRAKE MODULATOR VALVE : Code 04JNU and 04JNX TRACTION CONTROL, HYDRAULIC : Code 04AAX, 04XAA, 04XGE, 04692, 04808 and 04809 HOSE TENDER : Code 27DAZ and 27DTX WHEELS, FRONT : Code 28DAZ and 28DTX WHEELS, REAR : Code 28DTX WHEELS, REAR : Code 08WAA and 08WLL LIGHT, WORK : Code 08TXA STOP, TURN, TAIL & B/U LIGHTS : Code 08TMN and 08TRJ TRAILER CONNECTION SOCKET : Code 08THG AUX. TRAILER SOCKET : Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE : FIFTH WHEEL, STATIONARY : Code 10WDN FIFTH WHEEL MOUNTING ANGLES : Code 01WRK PINTLE HOOK AVAIL: Code 04619 TRAILER CONNECTIONS : Code 08WEG TURN SIGNAL SWITCH : Code 08VBA POWER SOURCE, SPECIAL REC: Code 08HAA, 08HAB, 08HAE or 08HAU BODY BUILDER WIRING Dual System for Tractor Applications INCLS: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow and Red Knobs, Located on Instrument Panel : BRAKE LINES Color and Size Coded Nylon : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for Forward Rear Axle : HAND CONTROL VALVE, AIR Mounted in Instrument Panel : TRACTOR PROTECTION VALVE (SEE NEXT PAGE)	04091		
	04092	\$346	+5/+5

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-20

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
BRAKE SYSTEM, AIR (SEE PREV PAGE) INCLS: GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab : PARKING BRAKE VALVE Combination Valve for Tractor and Trailer : HOSE TENDER Back of Cab Mounted : DRAIN VALVE Twist-Type : SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights (Blinks Lights with Headlight Switch in "OFF" or "ON" Position) Instrument Panel Mounted REQS: Code 04XCJ, 04XCJ, 04XCM, 04XCM, 04XDP, 04XDP, 04XGL or 04XGL BRAKES, FRONT REQS: Code 04XCJ, 04XCM, 04XDP or 04XGL BRAKES, FRONT REQS: Code 04EXV, 04XDW or 04XDX BRAKE CHAMBERS, FRONT AXLE REQS: Code 04EVH, 04EVP, 04EVR, 04EXS, 04EXT, 04EXU, 04EXW, 04EYL, 04XEA, 04XEB or 04XEC BRAKE CHAMBERS, REAR AXLE REQS: Code 04GBL, 04GBM or 04GBN BRAKE, PARKING REQS: Code 04GBM(std) or 04GBN BRAKE, PARKING REQS: Code 04SPA AIR COMPRESSOR REQS: Code 04AZS AIR BRAKE ABS REQS: Code 04WXL, 04WXS, 04WZE, 04WZZ, 04XAK, 04XAL, 04XAM, 04XBK, 04XBV, 04XCA, 04XGB or 04803 TRAILER HOSES AND CABLES REQS: Code 04WZL or 04677 TRAILER HOSES or Code 08THC or 08TRK TRAILER LIGHTING CABLE REQS: Code 04VKH, 04VKJ, 04VKX, 04VLA or 04XEZ AIR TANK LOCATION REQS: Code 01616 FRAME RAILS WITH TAPERED REAR REQS: Code 07BLV, 07BLW, 07BLX, 07BME, 07BMP, 07BMR or 07BMS EXHAUST SYSTEM, when in combination with Code 01AND AXLE CONFIGURATION REQS: Code 10WPY, 10WRW or 10WSX MUD FLAPS, REAR REQS: Code 10WPR, 10WPT, 10WPU or 10WRL MUD FLAP HOLDER REQS: Code 02AEZ, 02AJE, 02AJX, 02AKC, 02ASC, 02ASH, 02AST, 02ATM, 02ATN, 02ATT, 02AUC, 02AVK, 02AVT, 02AYU, 02AYW or 02AYX AXLE, FRONT NON-DRIVING REQS: Code 14SAH, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 10WGC and 10WGD SPECIAL RATING, GVWR (SEE NEXT PAGE)	04092		

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-21

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
BRAKE SYSTEM, AIR (SEE PREV PAGE) N/A: Code 16SGH GRAB HANDLE, EXTERIOR or Code 04WGU AIR SUPPLY, AUXILIARY or Code 01MEJ FRAME DIMPLE or Code 01UBX CROSSMEMBER, INTERMEDIATE LOC or Code 03AGS SUSPENSION, FRONT, SPRING or Code 08TPS STOP, TURN, TAIL & B/U LIGHTS or Code 08718 POWER SOURCE : Code 16196 CAB : Code 04EVD DUST SHIELDS, FRONT BRAKE : Code 04XCX BRAKES, REAR : Code 04EVH, 04EVH, 04EVP and 04EVP BRAKE CHAMBERS, REAR AXLE, when in combination with Code 01AND AXLE CONFIGURATION : Code 04EYM BRAKE LININGS, REAR : Code 04EVE DUST SHIELDS, REAR BRAKE : Code 04WEA PARKING BRAKE INTERLOCK : Code 04WCX PARKING BRAKE CONTROL : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04JNU and 04JNX TRACTION CONTROL, HYDRAULIC : Code 04596 CONTROL, FRONT BRAKE : Code 01CAB FRAME RAILS : Code 01CGM GVWR LIMITATION FOR FRAME : Code 27DAZ, 27DBC and 27DTX WHEELS, FRONT : Code 28DAZ and 28DTX WHEELS, REAR : Code 28DTX WHEELS, REAR : Code 14877, 14881 and 14897 DIFFERENTIAL, LOCKING, when in combination with Code 01ANA AXLE CONFIGURATION : Code 14897 DIFFERENTIAL, LOCKING : Code 13WEX TRANSMISSION SHIFT CONTROL : Code 08VZP BEACON MOUNTING BRACKET : Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 08HAV and 08WEB SPECIAL WIRING HARNESS, BODY : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08TKK TRAILER AUXILIARY FEED CIRCUIT : Code 07BMG and 07BMM EXHAUST SYSTEM : Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM AVAIL: Code 16973 MOUNTING BRACKETS : Code 04SUT TRAILER CONNECTIONS : Code 08HAA BODY BUILDER WIRING : Code 08TMN and 08TRJ TRAILER CONNECTION SOCKET REC: Code 16ZHM ACCESS, CAB AND FRAME : Code 10HKC or 10HKD FIFTH WHEEL, AIR SLIDE or Code 10EWW, 10EXS, 10EYC, 10EYD, 10EYN, 10HJZ, 10HKB, 10HKE, 10HKG, 10HKH or 10HNN FIFTH WHEEL, STATIONARY	04092		

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-22

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
AIR BRAKE ABS Bendix - AntiLock Brake System - 4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04XCW BRAKES, FRONT : Code 04GAR and 04GAS BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM 4-Channel (4 Sensor/4 Modulator) Electronic Stability Program, with Automatic Traction Control REQS: Code 02AEM, 02AEZ, 02AJE, 02AJX, 02AKC, 02ASC, 02ASH, 02AST, 02ATL, 02ATM, 02ATN, 02ATT, 02AUC, 02AVK, 02AVT, 02AYU, 02AYW, 02AYX or 02AYY AXLE, FRONT NON-DRIVING REQS: Code 14UNA SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 16AAH GAUGE, AIR PRESSURE or Code 04VKV AIR TANK LOCATION : Code 16HHT AMMETER, when in combination with Code 12EXR, 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ, 12EYA, 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL and Code 08TRM or 08TXU COLLISION MITIGATION SYSTEM : Code 08XHD BATTERY DISCONNECT SWITCH, when in combination with Code 08XDU BATTERY BOX and Code 12EXR, 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL (SEE NEXT PAGE)	04AZA	STD	
	04AZS	\$2,201 +4/+4	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-23

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
AIR BRAKE ABS (SEE PREV PAGE)			
Bendix			
- AntiLock Brake System -			
N/A: Code 04XCW BRAKES, FRONT	04AZS		
: Code 04GAR and 04GAS BRAKE, PARKING			
: Code 04100 BRAKE SYSTEM, HYDRAULIC			
: Code 04596 CONTROL, FRONT BRAKE			
: Code 14670 SUSPENSION, REAR, TANDEM, when in combination with Code 04091 or 04092 BRAKE SYSTEM, AIR			
: Code 14877, 14881 and 14897 DIFFERENTIAL, LOCKING			
4-Channel (4 Sensor/4 Modulator) Full Vehicle Wheel Control System, with Automatic Traction Control	04AZJ	\$210	0/0
REQS: Code 04091(std) BRAKE SYSTEM, AIR			
REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE			
-OR- AXLE, REAR, TANDEM			
N/A: Code 04XCW BRAKES, FRONT			
: Code 04GAR and 04GAS BRAKE, PARKING			
: Code 04100 BRAKE SYSTEM, HYDRAULIC			
: Code 14877, 14881 and 14897 DIFFERENTIAL, LOCKING			
: Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM			
Wabco			
4-Channel (4 Sensor/4 Modulator)	04AZE	\$119	0/0
REQS: Code 01ANA(std) AXLE CONFIGURATION			
REQS: Code 04GBM(std) BRAKE, PARKING			
REQS: Code 04091(std) BRAKE SYSTEM, AIR			
REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE			
-OR- SUSPENSION, REAR, TANDEM			
-OR- Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE			
-OR- SUSPENSION, REAR, AIR, TANDEM			
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-24

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
AIR BRAKE ABS (SEE PREV PAGE) Wabco - AntiLock Brake System - REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04XCW BRAKES, FRONT : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM	04AZE		
BRAKE SYSTEM, HYDRAULIC Wabco Split System, with Automatic Adjustment and Four Channel ABS REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04XCW BRAKES, FRONT REQS: Code 04XCX BRAKES, REAR REQS: Code 04GAR or 04GAS BRAKE, PARKING REQS: Code 04VKV AIR TANK LOCATION REQS: Code 02AEM, 02ASC, 02ASH, 02ATK(std), 02ATL, 02ATM, 02AUC, 02AVK, 02AYU, 02AYW, 02AYX or 02AYY AXLE, FRONT NON-DRIVING REQS: Code 04SPK or 04SPN AIR COMPRESSOR REQS: Code 14VAB, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 14AJC, 14AJE, 14AJG, 14AJH, 14AKA, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKJ, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ, 14APL or 14APU AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 16ZHM ACCESS, CAB AND FRAME : Code 16HGN GAUGE, AIR APPLICATION : Code 16HLR VIRTUAL GAUGE, AIR APPLICATION : Code 04WGU AIR SUPPLY, AUXILIARY : Code 04ESX, 04ETD, 04EXP, 04EXV, 04XDV, 04XDW and 04XDX BRAKE CHAMBERS, FRONT AXLE : Code 29AEX BRAKE DRUMS, FRONT : Code 04LAA SLACK ADJUSTERS, FRONT : BRAKE CHAMBERS, REAR AXLE : Code 04EYM BRAKE LININGS, REAR : Code 29AEY BRAKE DRUMS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04WEA PARKING BRAKE INTERLOCK (SEE NEXT PAGE)	04100	N/C 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-25

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ET TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-29

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA SECTION 095 PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B PAGE 095-30 SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-34	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-35	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	MV607 SBA	
BRAKES, REAR (SEE PREV PAGE)			
<i>Meritor</i>			
- Quadraulic - REQS: Code 14AJC, 14AJE, 14AJG, 14AJH, 14AKA, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKJ, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ, 14APL or 14APU AXLE, REAR, SINGLE N/A: BRAKE CHAMBERS, REAR AXLE : Code 04EYM BRAKE LININGS, REAR : Code 29AEY BRAKE DRUMS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04XEH BRAKE COATING, REAR : Code 04LGR SLACK ADJUSTER PINS : Code 04XEE PARK BRAKE CHAMBERS, ADDITIONAL : Code 04091(std) and 04092 BRAKE SYSTEM, AIR : Code 04ERC BRAKE CHAMBERS, POSITION : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM : Code 28DBC, 28DTS, 28DUL, 28DUR, 28DUS, 28DWU, 28DYA and 28DYC WHEELS, REAR : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM AVAIL: Code 04EVE DUST SHIELDS, REAR BRAKE	04XCX		
- 15X8.625 Q-PLUS CAST - Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 15" X 8.625", 21,000-lb Capacity per Axle REQS: Code 04XDC(std), 04XDD or 04XDP BRAKES, FRONT REQS: Code 04EXS or 04EXU BRAKE CHAMBERS, REAR AXLE REQS: Code 28DAZ, 28DBC, 28DTS or 28DTX WHEELS, REAR REQS: Code 14TAX, 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 14AJE, 14AJG, 14AJH, 14AKA, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKJ, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ, 14APL or 14APU AXLE, REAR, SINGLE -OR- Code 14GVL, 14GVN, 14GVR, 14GVU or 14GVY AXLE, REAR, TANDEM N/A: Code 04EYM BRAKE LININGS, REAR : Code 04LGR SLACK ADJUSTER PINS : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE	04XDU	\$100 0/+3	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-36

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-37

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
BRAKES, REAR (SEE PREV PAGE)			
Meritor			
- 16.5X7 Q-PLUS LW - REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJG, 14AJH, 14AKV, 14AKW, 14AKX, 14ANP, 14ANS, 14ANT, 14ANV, 14ANW, 14ANX, 14ANY, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWD, 14AWJ, 14AWK, 14AWL, 14CVB or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04EXS BRAKE CHAMBERS, REAR AXLE, when in combination with Code 01AND AXLE CONFIGURATION : Code 04EYM BRAKE LININGS, REAR : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 28DAZ, 28DBC, 28DTS, 28DTX and 28DVA WHEELS, REAR : Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE	04XDE		
- 16.5X8.625 Q-PLUS CAST - Air S-Cam Type, Cast Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 8.625", 23,000-lb Capacity per Axle REQS: Code 04XDC(std), 04XDD or 04XDP BRAKES, FRONT REQS: Code 04EVH, 04EVP, 04EVR, 04EXU or 04EXW BRAKE CHAMBERS, REAR AXLE REQS: Code 14AHE, 14AHG, 14AJZ, 14AKB, 14AKH, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANV, 14ANW, 14ANY, 14APT, 14APV, 14ARB, 14ARK, 14ARY, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWD, 14AWK, 14AWL, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 28DAZ, 28DBC and 28DTS WHEELS, REAR : Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE	04XDS	\$300 0/+24	
- 16.5X8.625 Q-PLUS LW - Air S-Cam Type, Fabricated Spider, Fabricated Shoe, Double Anchor Pin, Size 16.5" X 8.625", 20,000-lb Capacity per Axle REQS: Code 04XDC(std), 04XDD or 04XDP BRAKES, FRONT REQS: Code 04EVH, 04EVP, 04EXU, 04EXW or 04EYL BRAKE CHAMBERS, REAR AXLE REQS: Code 28DJM, 28DUS, 28DUW, 28DUY, 28DWR, 28DWT, 28DWU, 28DWZ, 28DYA, 28DYB or 28DYC WHEELS, REAR REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAN SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 14AHE, 14AHG, 14AKV, 14ARB, 14ARK, 14ARY, 14AWL or 14051 AXLE, REAR, SINGLE (SEE NEXT PAGE)	04XDG	\$100 0/+14	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-38

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-39

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
BRAKE CHAMBERS, REAR AXLE (CONTINUED)			
20/24 SqIn Spring Brake, Double Diaphragm, for Air Disc Brakes REQS: Code 04XCK, 04XCP or 04XGM BRAKES, REAR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC	04XEB	\$468 0/+34	
24/24 SqIn Spring Brake, Double Diaphragm, for Air Disc Brakes REQS: Code 04XCK, 04XCP or 04XGM BRAKES, REAR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC	04XEC	\$468 0/+36	
Haldex			
- GoldSeal+ T3030HD - 30/30 SqIn Spring Brake REQS: Code 04XCY, 04XDG or 04XDR(std) BRAKES, REAR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC	04EYL	\$44 0/+42	
MGM			
- MJS3024ET - 30/24 SqIn Piston Spring Brake REQS: Code 04XCY, 04XDE, 04XDG, 04XDR(std) or 04XDS BRAKES, REAR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC	04EVP	\$454 0/+46	
- MJS3028ET - 30/28 SqIn Piston Spring Brake REQS: Code 04XDE, 04XDR(std) or 04XDS BRAKES, REAR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC	04EVR	\$458 0/+44	
- TR3030LP3TSHD - 30/30 SqIn Spring Brake N/A: Code 04XCK, 04XCP, 04XCX, 04XDU and 04XGM BRAKES, REAR : Code 04100 BRAKE SYSTEM, HYDRAULIC	04EVH	\$150 0/+41	
Bendix			
- EnduraSure Pro - 30/30 SqIn Spring Brake N/A: Code 04XCK, 04XCP, 04XCX, 04XDU and 04XGM BRAKES, REAR : Code 04100 BRAKE SYSTEM, HYDRAULIC	04EXW	\$81 0/+39	
- EverSure - 24/30 SqIn Spring Brake REQS: Code 04XCZ, 04XDR(std) or 04XDU BRAKES, REAR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC	04EXS	\$34 0/+35	
30/30 SqIn Spring Brake N/A: Code 04XCK, 04XCP, 04XCX and 04XGM BRAKES, REAR : Code 04100 BRAKE SYSTEM, HYDRAULIC	04EXU	N/C 0/+39	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-40

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
DUST SHIELDS, REAR BRAKE (SEE PREV PAGE) N/A: Code 28DBC, 28DTS, 28DWP and 28DYA WHEELS, REAR Pad and Rotor, with Air Disc Brakes REQS: Code 04XCK, 04XCP or 04XGM BRAKES, REAR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 28DAZ, 28DBC, 28DTS and 28DTX WHEELS, REAR Pad, with Air Disc Brakes REQS: Code 04XCK, 04XCP or 04XGM BRAKES, REAR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC Rotor, with Air Disc Brakes REQS: Code 04XCK, 04XCP or 04XGM BRAKES, REAR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 28DAZ, 28DBC, 28DTS and 28DTX WHEELS, REAR	04EVE 04WJN 04WJK 04WJL	\$112 0/+7 \$45 0/+2 \$68 0/+5	
BRAKE CHAMBERS, POSITION Relocated To Rear Of Rear Axle For Maximum Ground Clearance REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04XCK, 04XCP, 04XCX and 04XGM BRAKES, REAR : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TAY, 14TDU and 14TDV SUSPENSION, REAR, AIR, SINGLE : Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM	04ERC	\$48 0/0	
PARK BRAKE CHAMBERS, ADDITIONAL (02) Spring Brake Type REQS: Code 01AND AXLE CONFIGURATION N/A: Code 04XCX BRAKES, REAR : Code 04100 BRAKE SYSTEM, HYDRAULIC	04XEE	N/C 0/+30	



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-43	SUBJECT TO CHANGE WITHOUT NOTICE
<small>Printed in the United States of America</small>		<small>All Taxes Extra. When Applicable</small>



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
AIR DRYER (CONTINUED) Bendix - AD-9SI - with Heater, Includes Safety Valve, Integrated PuraGuard Coalescing Filtration REQS: Code 04VLE AIR DRYER LOCATION REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC	04EDP	\$636 +20/-3	
AIR DRYER LOCATION Mounted Inside Engine Compartment, Right Side	04VLE	N/C	
AIR DRYER SHIELD to Protect from Debris	04EYD	\$57 +2/0	
AIR TANK Painted Aluminum, with Straight Thread O-Ring Ports REQS: Code 04VKH, 04VKJ or 04XEZ AIR TANK LOCATION N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 07BMP and 07BMR EXHAUST SYSTEM Polished Aluminum, with Straight Thread O-Ring Ports REQS: Code 04VKH, 04VKJ, 04VKX or 04VLA AIR TANK LOCATION	04VGN 04VGM	\$432 -11/-4 \$502 -11/-4	
AIR TANK LOCATION (1) Mounted Inside Left Rail, Back of Cab REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 08VUL, 08VUM, 08VUW, 08VUX(std), 08VUY, 08VVG, 08XDU, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SDK, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SVH, 15SVM, 15SWU(std), 15SWY, 15SXJ, 15SXX or 15SZV FUEL TANK N/A: Code 04596 CONTROL, FRONT BRAKE : Code 04091(std) and 04092 BRAKE SYSTEM, AIR : Code 04VGM and 04VGN AIR TANK : Code 04WRP DRAIN VALVE : Code 07BLX and 07BMS EXHAUST SYSTEM (02) Mounted Under Battery Box, Outside Left Rail, Back of Cab REQS: Code 16196 CAB REQS: Code 08VUY BATTERY BOX REQS: Code 15DYT, 15DYU, 15DYZ, 15DZA, 15SRE, 15SWU(std), 15SWY or 15SZV FUEL TANK (SEE NEXT PAGE)	04VKV 04VKX	\$368 \$158 +18/+32	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-45

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
AIR TANK LOCATION (SEE PREV PAGE)			
N/A: Code 04GAR and 04GAS BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04WRP DRAIN VALVE : Code 07BLX, 07BMP, 07BMR and 07BMS EXHAUST SYSTEM : Code 15WCN DEF TANK AVAIL: Code 04VGM AIR TANK	04VKX		
(02) Mounted Under Battery Box, Outside Left Rail, Back of Cab, Perpendicular to Rail REQS: Code 08VUL or 08VUM BATTERY BOX REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE, 15SVM, 15SWU(std), 15SWY or 15SZV FUEL TANK N/A: Code 16196 CAB : Code 04GAR and 04GAS BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04WRP DRAIN VALVE : Code 15WCN DEF TANK	04VKJ	\$158 +20/+37	
(02) Mounted Between the Rails, Back of Cab, One on Each Side, Parallel to Rails REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 08VUL, 08VUM, 08VUW, 08VUX(std), 08VVG, 08VVH, 08XDU, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX N/A: Code 16196 CAB : Code 04GAR and 04GAS BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04WRP DRAIN VALVE : Code 07BMS EXHAUST SYSTEM AVAIL: Code 04VGN AIR TANK	04XEZ	\$328	
(03) : One Mounted Parallel Under Left Rail, Back of Cab, Two Mounted Under Battery Box, Outside Left Rail, Under Cab REQS: Code 07BME(std), 07BMJ, 07BMM, 07BMP or 07BMR EXHAUST SYSTEM REQS: Code 08VUW or 08VVG BATTERY BOX REQS: Code 15SDL, 15SGE, 15SGH, 15SGK, 15SME or 15SVH FUEL TANK N/A: Code 04GAR and 04GAS BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04596 CONTROL, FRONT BRAKE : Code 15WCN DEF TANK AVAIL: Code 04VGM AIR TANK : Code 04722 and 04732 DRAIN VALVE	04VLA	\$413 +36/+16	
(02) Mounted Under Battery Box, Outside Right Rail, Under Cab REQS: Code 04EDN, 04EDP or 04EDR AIR DRYER, when in combination with Code 16VLL or 16VLM CAB REAR SUSPENSION and Code 12EXR, 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL REQS: Code 07BLX, 07BME(std), 07BMJ or 07BMM EXHAUST SYSTEM REQS: Code 08VUX(std) or 08VVH BATTERY BOX	04VKH	N/C +34/+17	
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-46

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
AIR TANK LOCATION (SEE PREV PAGE) REQS: Code 15SDK, 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE, 15SVM, 15SWU(std), 15SWY or 15SZV FUEL TANK N/A: Code 04GAR and 04GAS BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04WRP DRAIN VALVE : Code 15WCN DEF TANK	04VKH		
AIR SUPPLY, AUXILIARY Schrader Valve; Mounted in Engine Compartment N/A: Code 08XHV BATTERY DISCONNECT SWITCH : Code 04100 BRAKE SYSTEM, HYDRAULIC	04WGU	\$65	
CONTROL, FRONT BRAKE Dash Mounted Push/Pull Type Valve, for Front Air Brake Application, with Pressure Reducing Valve REQS: Code 04GBM(std) BRAKE, PARKING REQS: Code 04VKH, 04VKJ, 04VKX or 04XEZ AIR TANK LOCATION REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04AZS AIR BRAKE ABS AVAIL: Code 04619 TRAILER CONNECTIONS	04596	\$446 +6/+1	
DRAIN VALVE Automatic, with (3) Pull Chains, for Air Tanks REQS: Code 04SPA AIR COMPRESSOR N/A: Code 04VKH, 04VKJ, 04VKV, 04VKX, 04VLA and 04XEZ AIR TANK LOCATION (03) with Pull Chains for Air Tanks REQS: Code 04VKH, 04VKJ, 04VKV, 04VKX or 04XEZ AIR TANK LOCATION REQS: Code 04SPA AIR COMPRESSOR Berg with Pull Chain, for Air Tank REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC Bendix - DV-2 - (1) Automatic, with Heater, with (2) Berg Pull Chains, for Air Tank REQS: Code 04VKH, 04VKJ, 04VKV, 04VKX or 04XEZ AIR TANK LOCATION Automatic, with Heater, for Air Tank	04WRP 04WWZ 04732 04WXX 04722	\$44 +1/+1 \$105 +1/+1 \$30 0/+1 \$184 +1/+2 \$165 +1/+1	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
GLAD HAND TENDER <i>Phillips</i> - STOW-A-WAY - with Straight Trailer Cord Holder, Dual 7-Way Connector, Mounted Back of Cab REQS: Code 16030(std) CAB REQS: Code 04XCA TRAILER HOSES AND CABLES REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 04SUT TRAILER CONNECTIONS REQS: Code 04XAA HOSE TENDER N/A: Code 04GBH TRAILER CONNECTION BRACKETS	04WHS	\$18 + 1/0	
HAND CONTROL VALVE, AIR for Trailer Brakes, Omit Item N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC	04WDU	N/C 0/0	
HOSE TENDER Flexible Pogo Stick REQS: Code 07BLX or 07BMS EXHAUST SYSTEM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC Slide Bar with (2) Double Spring Brackets, Bar Extended 4" from Cab REQS: Code 16030(std) CAB REQS: Code 04WZZ TRAILER HOSES AND CABLES REQS: Code 07BLV, 07BME(std), 07BMP or 07BMR EXHAUST SYSTEM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC Slide Bar with Double Spring Bracket, Bar Extended 4" from Cab REQS: Code 07BLV, 07BLW, 07BLX, 07BMM, 07BMP or 07BMR EXHAUST SYSTEM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC Slide Bar with Single Spring Bracket, Bar Extended 4" from Cab REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 07BMG and 07BMS EXHAUST SYSTEM <i>Phillips</i> - 17-14821 - Slide Bar with Double 25" Extra Heavy Duty Spring Bracket, Bar Extended 4" from Cab REQS: Code 16030(std) CAB REQS: Code 07BLV or 07BLW EXHAUST SYSTEM REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC	04692 04AAX 04809 04808 04XGE	\$365 + 2/+1 \$138 + 3/+3 \$153 + 3/+4 \$143 + 3/+4 \$208	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-48

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
HOSE TENDER (CONTINUED) Phillips - 17-1488 - (02) 20.5" Extra Heavy Duty Spring Kit with Cable Clamp Holder REQS: Code 16030(std) CAB REQS: Code 04XCA TRAILER HOSES AND CABLES REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 16XYM AERODYNAMIC PACKAGE : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 07BLX, 07BMG, 07BMM and 07BMS EXHAUST SYSTEM	04XAA	\$178 + 4/+6	
PARKING BRAKE CONTROL For Automatic Actuation; Use with Allison 2000 Transmission, with Dual Neutral, with Hydraulic Brakes, and Powered Parking Brakes REQS: Code 04GAS BRAKE, PARKING REQS: Code 13BAU(std), 13BAV, 13BBG, 13BBJ, 13BBK or 13BBM TRANSMISSION, AUTOMATIC N/A: Code 08WXD and 08XHC ALARM, PARKING BRAKE : Code 04091(std) and 04092 BRAKE SYSTEM, AIR : Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : SWITCH, DISABLE OVERDRIVE	04WCX	\$259	
PARKING BRAKE INTERLOCK Parking Brake Cannot be Released Until Ignition Switch is in "On" Position and Service Brake Pedal is Applied, Use with Air Brake Chassis Only REQS: Code 04GAR or 04GBM(std) BRAKE, PARKING REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 13BAZ or 13BBA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC	04WEA	\$361	
SPRING BRAKE MODULATOR VALVE with Relay function REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC	04WDT	\$177 0/0	
TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck REQS: Code 04GBM(std) or 04GBN BRAKE, PARKING REQS: Code 08HAA BODY BUILDER WIRING or Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS or Code 08TME, 08TMG, 08TRP or 08TVZ TRAILER CONNECTION SOCKET REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08TRJ TRAILER CONNECTION SOCKET (SEE NEXT PAGE)	04619	\$542 + 1/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-49

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-50	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-51	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-55	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
EXHAUST SYSTEM (CONTINUED)			
Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Short Horizontal Tail Pipe, Frame Mounted Right Side Back of Cab REQS: Code 04VKJ, 04VKV, 04VKX or 04XEZ AIR TANK LOCATION REQS: Code 15WCN or 15WDG(std) DEF TANK REQS: Code 08VUL, 08VUM, 08VUY, 08XDU, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX REQS: Code 15SDK, 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE, 15SVM, 15SWU(std), 15SWY, 15SXJ, 15SXX or 15SZV FUEL TANK N/A: Code 16SGJ GRAB HANDLE, ADDITIONAL EXT : Code 16SGH GRAB HANDLE, EXTERIOR : Code 04692 HOSE TENDER : Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD : Code 07WBU, 07WCC, 07WCK, 07WCM, 07WCR and 07WDM EXHAUST HEIGHT AVAIL: Code 07WCW TAIL PIPE	07BLV	\$1,161 +59/-8	
Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab REQS: Code 16VLK CAB REAR SUSPENSION REQS: Code 04VKJ, 04VKV, 04VKX or 04XEZ AIR TANK LOCATION REQS: Code 07BES, 07BEU or 07BEV AFTERTREATMENT COVER REQS: Code 07WAY, 07WAZ, 07WBA or 07WDT TAIL PIPE REQS: Code 07WBS or 07WDN MUFFLER/TAIL PIPE GUARD REQS: Code 15SRE, 15SRE, 15SWU(std), 15SWU(std), 15SWY, 15SWY, 15SZV or 15SZV FUEL TANK, when in combination with Code 16196 CAB REQS: Code 15WCN or 15WDG(std) DEF TANK REQS: Code 07WBU, 07WCC, 07WCK, 07WCM, 07WCR or 07WDM EXHAUST HEIGHT REQS: Code 08VUL, 08VUM, 08VUY, 08XDU, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX REQS: Code 15SDK, 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE, 15SVM, 15SWU(std), 15SWY, 15SXJ, 15SXX or 15SZV FUEL TANK N/A: Code 16SDC and 16SED GRAB HANDLE, EXTERIOR, when in combination with Code 16030 CAB : Code 16XYM AERODYNAMIC PACKAGE : Code 04AAX and 04692 HOSE TENDER : Code 07WBZ and 07WCW TAIL PIPE : Code 13XAU PTO LOCATION AVAIL: Code 16SAP and 16SGJ GRAB HANDLE, ADDITIONAL EXT	07BLW	\$2,128 +125/+53	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-59

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
EXHAUST SYSTEM (CONTINUED) Horizontal Aftertreatment System, Frame Mounted Right Side Under Cab, for Single Long Horizontal Tail Pipe REQS: Code 04VKJ, 04VKV, 04VKX or 04XEZ AIR TANK LOCATION REQS: Code 07WBZ TAIL PIPE REQS: Code 15WCN or 15WDG(std) DEF TANK REQS: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 08VUL, 08VUM, 08VUY, 08XDU, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX REQS: Code 15SDK, 15SGG, 15SGJ, 15SMD, 15SRE, 15SVM, 15SWU(std), 15SWY, 15SXJ, 15SXX or 15SZV FUEL TANK N/A: Code 16SGJ GRAB HANDLE, ADDITIONAL EXT : Code 16SGH GRAB HANDLE, EXTERIOR : Code 04AAX, 04XAA, 04XGE, 04692, 04808 and 04809 HOSE TENDER : Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD : Code 07WBU, 07WCC, 07WCK, 07WCM, 07WCR and 07WDM EXHAUST HEIGHT AVAIL: Code 08VBA and 08WSS POWER SOURCE, SPECIAL	07BMG	\$1,529 +58/+24	
AFTERTREATMENT COVER Aluminum REQS: Code 07BLV, 07BLW or 07BMG EXHAUST SYSTEM REQS: Code 08VUL, 08VUM, 08VUY, 08VVH, 08XDU, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX Polished Aluminum REQS: Code 07BLV, 07BLW or 07BMG EXHAUST SYSTEM REQS: Code 08VUL, 08VUM, 08VUY, 08VVH, 08XDU, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX Steel, Black REQS: Code 07BLV, 07BLW or 07BMG EXHAUST SYSTEM REQS: Code 08VUL, 08VUM, 08VUY, 08VVH, 08XDU, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX N/A: Code 15BAA DEF TANK COVER	07BEU 07BES 07BEV	\$278 +7/+4 \$498 +7/+4 N/C +9/+4	
ALARM, EXHAUST REGEN Flashes the Chassis Lights in Level 1 and 2, Honks City Horn In Level 3	07XAC	\$25	
ENGINE COMPRESSION BRAKE Jacobs for Cummins ISL/L9 Engines; with Selector Switch and On/Off Switch REQS: Code 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL (SEE NEXT PAGE)	07SDP	\$2,446 +40/+8	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
ENGINE COMPRESSION BRAKE (SEE PREV PAGE) Jacobs N/A: Code 07SCP ENGINE EXHAUST BRAKE	07SDP		
ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger N/A: Code 07SDP ENGINE COMPRESSION BRAKE	07SCP	\$184 0/0	
EXHAUST HEIGHT 10' REQS: Code 07BLW, 07BLX, 07BMJ, 07BMP or 07BMS EXHAUST SYSTEM N/A: Code 07WBZ and 07WCW TAIL PIPE 10' 11" REQS: Code 07BLW, 07BMJ or 07BMP EXHAUST SYSTEM N/A: Code 07WBZ and 07WCW TAIL PIPE 11' 6" REQS: Code 07BLW, 07BLX, 07BMJ, 07BMP or 07BMS EXHAUST SYSTEM N/A: Code 07WBZ and 07WCW TAIL PIPE 12' 6" REQS: Code 07BLW, 07BLX, 07BMJ, 07BMP or 07BMS EXHAUST SYSTEM N/A: Code 07WBZ and 07WCW TAIL PIPE 13' 3" REQS: Code 07BLW, 07BMJ or 07BMP EXHAUST SYSTEM N/A: Code 07WBZ and 07WCW TAIL PIPE 8' 10" REQS: Code 07BLW, 07BMJ or 07BMP EXHAUST SYSTEM AVAIL: Code 07WAZ, 07WBA and 07WDT TAIL PIPE	07WDM 07WCR 07WBU 07WCK 07WCC 07WCM	N/C +13/+14 \$72 +14/+16 \$118 +2/+1 \$144 +16/+18 \$176 +17/+19 N/C +11/+13	
MUFFLER/TAIL PIPE GUARD (1) Aluminum REQS: Code 07BLW, 07BLX, 07BMJ, 07BMP or 07BMS EXHAUST SYSTEM N/A: Code 07WBZ and 07WCW TAIL PIPE (1) Bright Stainless Steel REQS: Code 07BLW, 07BLX, 07BMJ, 07BMP or 07BMS EXHAUST SYSTEM N/A: Code 07WBZ and 07WCW TAIL PIPE	07WDN 07WBS	N/C +8/+9 \$133 +11/+13	
RAIN CAP with Single Exhaust, Chrome Finish REQS: Code 07BLW, 07BLX, 07BMJ or 07BMS EXHAUST SYSTEM REQS: Code 07WAY TAIL PIPE, when in combination with Code 07BLW, 07BLX, 07BMJ, 07BMP or 07BMS EXHAUST SYSTEM AVAIL: Code 07WAY TAIL PIPE	07WAG	\$88 +2/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-61

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
RAIN CAP (CONTINUED) with Single Exhaust, Non-Bright Finish REQS: Code 07BLW, 07BLX or 07BMS EXHAUST SYSTEM AVAIL: Code 07WDT TAIL PIPE	07WAE	\$28 +1/+1	
SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF 2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position	07WZX 07WZY	\$56 +2/0 \$31 +2/0	
TAIL PIPE (1) Horizontal, Short, Exits Right Side, 90 Degree Turnout REQS: Code 07BLV or 07BME(std) EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD : Code 07WBU, 07WCC, 07WCK, 07WCM, 07WCR and 07WDM EXHAUST HEIGHT (1) Straight Type REQS: Code 07BLW, 07BLX, 07BMJ, 07BMP or 07BMS EXHAUST SYSTEM AVAIL: Code 07WAE RAIN CAP (1) Straight Type, Bright REQS: Code 07BLW, 07BLX, 07BMJ, 07BMP or 07BMS EXHAUST SYSTEM N/A: Code 07WCM EXHAUST HEIGHT AVAIL: Code 07WAG RAIN CAP (1) Turnback Type REQS: Code 07BLW, 07BLX, 07BMJ, 07BMP or 07BMS EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP (1) Turnback Type, Bright REQS: Code 07BLW, 07BLX, 07BMJ, 07BMP or 07BMS EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP (1) Horizontal, Long, Exits Right Side Outside of Body at Rear Wheels REQS: Code 07BMG or 07BMM EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDN MUFFLER/TAIL PIPE GUARD : Code 07WBU, 07WCC, 07WCK, 07WCM, 07WCR and 07WDM EXHAUST HEIGHT	07WCW 07WDT 07WAY 07WAZ 07WBA 07WBZ	\$120 +10/+13 N/C +4/+5 \$208 +4/+5 \$64 +4/+5 \$208 +4/+5 \$361 +17/+19	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
ALTERNATOR			
<i>Leece-Neville</i>			
- AVI160P2013 - Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense	08GXD	STD	
- AVI160P2003 - Brush Type, 12 Volt, 240 Amp Capacity, Pad Mount, with Remote Sense	08GXB	\$501 + 1/0	
- AVI160P2007 - Brush Type, 12 Volt, 210 Amp Capacity, Pad Mount, with Remote Sense	08GXC	\$404 + 1/0	
- AVI160P2012 - Brush Type, 12 Volt, 190 Amp Capacity, Pad Mount, with Remote Sense	08GXE	\$368 0/0	
- BLP4006HN - Brushless, 12 Volt, 325 Amp Capacity, Pad Mount, with Remote Sense	08GXK	\$1,358 + 18/- 1	
- BLP4024N - Brushless, 12 Volt, 325 Amp Capacity, Pad Mount, with Remote Sense REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 16VSL WINDSHIELD	08GXN	\$1,358 + 18/- 1	
<i>Delco Remy</i>			
- 28SI - Brush Type, 12 Volt, 160 Amp Capacity, Pad Mount, with Remote Sense	08GHP	\$277 - 1/0	
Brush Type, 12 Volt, 200 Amp Capacity, Pad Mount, with Remote Sense	08GHU	\$404 - 2/0	
- 36SI - Brushless, 12 Volt, 165 Amp Capacity, Pad Mount, with Remote Sense	08GGG	\$491 + 8/0	
ANTENNA			
for Increased Roof Clearance Applications	08RPR	N/C + 1/0	
Shark Fin, Roof Mounted	08RPP	N/C + 1/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-64

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
AUX. TRAILER SOCKET Phillips 7-Way, with Battery Fed Circuit to Center Pin, with 25 Amp Fuse and Relay Controlled by Switch with Indicator Light on Instrument Panel Fed From Hot Battery Feed (Not wired Thru Key Switch) REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 16196 CAB : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04XAK and 04XAM TRAILER HOSES AND CABLES : Code 04SUT TRAILER CONNECTIONS, when in combination with Code 08WCM, 08WKP or 08WSS POWER SOURCE, SPECIAL : Code 08HAA, 08HAB, 08HAE and 08HAU BODY BUILDER WIRING AVAIL: Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 08THC TRAILER LIGHTING CABLE : Code 08VBA POWER SOURCE, SPECIAL	08THG	\$200 +7/0	
BACK-UP ALARM Electric, 102 dBA Preco - 1059 - Electronic; Solid State, Dual Function, 112 dBA N/A: Code 08TKD STOP, TURN, TAIL & B/U LIGHTS	08THB	\$120 0/+3	
BATTERY BOX Steel, with Plastic Cover, 25" Wide, 2-3 Battery Capacity, Mounted Right Side Under Cab REQS: Code 04VKH, 04VKV or 04XEZ AIR TANK LOCATION REQS: Code 07BME(std) EXHAUST SYSTEM, when in combination with Code 08TSB COLLISION WARNING SYSTEM REQS: Code 16XTK, 16XYV, 16ZBT(std), 16ZBU or 16ZJA ACCESS, CAB REQS: Code 15SDK, 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE, 15SVM, 15SWU(std), 15SWY or 15SZV FUEL TANK N/A: Code 08XHD BATTERY DISCONNECT SWITCH : Code 08NBJ BATTERY SYSTEM : Code 08TNR and 08TUU BATTERY CABLES : Code 07BES, 07BEU and 07BEV AFTERTREATMENT COVER : Code 07BLV, 07BLW, 07BMG and 07BMS EXHAUST SYSTEM : Code 15WCN DEF TANK AVAIL: Code 08WYU BATTERY BOX MODIFICATION	08VUX	STD	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
BATTERY BOX (CONTINUED)			
Aluminum, with Plastic Cover, 18" Wide, 2-4 Battery Capacity, Mounted Left Side Back of Cab REQS: Code 04VKJ, 04VKV or 04XEZ AIR TANK LOCATION REQS: Code 15WDG(std) or 15WEW DEF TANK REQS: Code 16VBU, 16XTK, 16ZBT(std) or 16ZJA ACCESS, CAB REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGG, 15SGJ, 15SMD, 15SRE, 15SVM, 15SWU(std), 15SWY or 15SZV FUEL TANK N/A: Code 16196 CAB : Code 08NBJ BATTERY SYSTEM : Code 08TNR BATTERY CABLES, when in combination with Code 13BAU, 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBM or 13BBS TRANSMISSION, AUTOMATIC and Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL	08VUM	\$410 -28/+11	
Aluminum, with Plastic Cover, 25" Wide, 2-3 Battery Capacity, Mounted Left Side Under Cab in Back of DEF Tank REQS: Code 04VKV, 04VLA or 04XEZ AIR TANK LOCATION REQS: Code 07BME(std), 07BMJ, 07BMM, 07BMP or 07BMR EXHAUST SYSTEM REQS: Code 15WDG(std) or 15WEW DEF TANK REQS: Code 16XTK, 16XYV, 16ZBT(std), 16ZBU or 16ZJA ACCESS, CAB REQS: Code 15SDL, 15SGE, 15SGH, 15SGK, 15SME or 15SVH FUEL TANK N/A: Code 08WYU and 08XGE BATTERY BOX MODIFICATION : Code 08NBJ BATTERY SYSTEM : Code 08WBW JUMP START STUD : Code 07BES, 07BEU and 07BEV AFTERTREATMENT COVER AVAIL: Code 08TUU BATTERY CABLES : Code 08VZR and 08VZS SWITCH, BODY CIRCUITS, MID	08VVG	\$585 -18/-1	
Steel, with Plastic Cover, 14" Wide, 2-3 Battery Capacity, Mounted Left Side, 30" Back of Cab REQS: Code 04VKV or 04XEZ AIR TANK LOCATION REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SDK, 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE, 15SVM, 15SWU(std), 15SWY or 15SZV FUEL TANK N/A: Code 16196 CAB : Code 08WYU and 08XGE BATTERY BOX MODIFICATION : Code 08VUH BATTERY BOX COVER : Code 07BLX and 07BMS EXHAUST SYSTEM : Code 15WCN DEF TANK AVAIL: Code 08TNR BATTERY CABLES	08XMK	\$210 -33/+17	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-66

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-69	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable

MV607 SBA

AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT	
		NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
BATTERY BOX MODIFICATION			
Rubber Pad Added Inside Bottom of Battery Box REQS: Code 08VUL, 08VUM or 08VUX(std) BATTERY BOX	08WYU	\$58 +1/+1	
Plastic Pad Added Inside Bottom of Battery Box, Additional Plastic Pad Covering All Batteries REQS: Code 08VUL, 08VUM or 08VVH BATTERY BOX	08XGE	\$189 +3/+6	
BATTERY CABLES			
with 1 Auxiliary Battery Post, Positive REQS: Code 08VUL, 08VUM, 08VUW, 08VUY, 08VVG or 08XDU BATTERY BOX	08TUU	\$25	
with 36" of Extra Length Coiled and Strapped Near Battery Box REQS: Code 08VUL, 08VUM, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX	08TNR	\$178 +2/+1	
BATTERY CABLES, ALTERNATOR			
for Alternator Feed to Starter, 2/0, with Positive Cables Red and Negative Cables Black	08XDL	\$118	
BATTERY DISCONNECT SWITCH			
300 Amp, Disconnects Charging Circuits, Locks with Padlock, Cab Mounted REQS: Code 08VUL, 08VUM, 08VUW, 08VUY, 08VVG, 08VVH, 08XDU, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SDK, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SVH, 15SVM, 15SWU(std), 15SWY, 15SXJ, 15SXX or 15SZV FUEL TANK	08XHD	\$397 +1/+1	
for Cab Power Disconnect Switch, Disconnects Power to Power Distribution Center (PDC) and Body Builder Through Solenoid, Does Not Disconnect Charging Circuits, Locks with Padlock, Cab Mounted REQS: Code 08WZP INDICATOR, BATTERY WARNING REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SVH, 15SVM, 15SWU(std), 15SWY, 15SXJ, 15SXX or 15SZV FUEL TANK	08XHV	\$297 +10/+3	
Cole-Hersee			
- 75920-06 - 300 Amp, Disconnects Charging Circuits, Locks with Padlock, Battery Box Mounted REQS: Code 08VUL, 08VUM, 08VUW, 08VUX(std), 08VUY, 08VVG, 08VVH, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX	08RMH	\$176 +2/0	
(SEE NEXT PAGE)			



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ET TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
BODY BUILDER WIRING (CONTINUED) INSIDE CAB; Includes Sealed Connectors for Tail/Amber, Turn/Marker/Backup/Accessory, Power/Ground, and Stop/Turn REQ: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 08TRJ TRAILER CONNECTION SOCKET : Code 08THG AUX. TRAILER SOCKET	08HAU	\$302 + 1/0	
BODY BUILDER WIRING,PARK BRAKE Includes Wiring of Park Brake, Low Signal Output	08HAW	\$128 + 1/0	
CAMERA SYSTEM Prewire, Four Camera Input Capable, Camera One Input Pre-configured for Reverse, Blunt Cut Circuits for Three Camera Inputs, Includes One Camera in Bag Shipped Loose in Cab, Display Mounted to Dash, 5' Cable Coiled at End of Frame	08RRK	\$1,528	
CB RADIO Accommodation Package, Header Mounted, Feeds from Accessory Side of Ignition Switch, Includes Power Source, Two Antennas and Antenna Bases with Wiring on Both Side Mirrors REQ: Code 16SNM, 16SNS, 16SNT, 16SNU, 16SNV, 16SSN, 16SSP, 16SSR, 16SSS, 16SST or 16SSU MIRRORS N/A: Code 08TPA DATA RECORDER	08RNC	\$437 + 35/+4	
2-WAY RADIO Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness Wiring Effects; Wiring with 20 Amp Fuse Protection, Includes Ignition Wire with 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab N/A: Code 08TPA DATA RECORDER	08REA 08RGA	\$163 + 2/0 \$211 + 1/0	
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III with Trip Indicators, Replaces All Fuses	08XAH	STD	
CIGAR LIGHTER Includes Ash Cup N/A: CUP HOLDERS	08518	\$45 + 1/0	

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
COLLISION MITIGATION SYSTEM (SEE PREV PAGE) Bendix - Fusion 3.0 - N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : TRANSMISSION, MANUAL : Code 60ACX BDY INTG, THEFT DETERRENT SYS : Code 08TPA DATA RECORDER : Code 08RMS(std) SPEAKERS	08TRM		
ADAPTIVE CRUISE, ENHANCED Includes Stop and Auto Go REQS: Code 08XHC ALARM, PARKING BRAKE REQS: Code 08TRM(std) COLLISION MITIGATION SYSTEM AVAIL: Code 08TRM COLLISION MITIGATION SYSTEM	08TWY	\$300	0/0
ADAPTIVE CRUISE, FOLLOW CONTROL Driver Selectable Following Distance, with Control Switch on Steering Wheel, with Passing Assist Activated by Turn Signal REQS: Code 08TRM or 08TXU COLLISION MITIGATION SYSTEM N/A: Code 08XPG and 08XPH STEERING WHEEL CONTROLS	08TWX	N/C	0/0
AUTO HIGH BEAM CONTROL Auto High Beam Control with Enable/Disable Switch on Center Panel REQS: Code 08TRM or 08TXU COLLISION MITIGATION SYSTEM	08XPX	N/C	
COLLISION MITIGATION VOLUME ID to Support High Volume 85dB REQS: Code 08TRM or 08TXU COLLISION MITIGATION SYSTEM	08TVD	N/C	0/0
COLLISION WARNING SYSTEM Bendix - BlindSpotter - Side Object Detection System; Includes Right Side Radar & Side Display REQS: Code 16CAB or 16030(std) CAB REQS: Code 08HAB BODY BUILDER WIRING, when in combination with Code 04091 BRAKE SYSTEM, AIR and Code 08TRM COLLISION MITIGATION SYSTEM REQS: Code 07BME(std) EXHAUST SYSTEM, when in combination with Code 08VUX BATTERY BOX REQS: Code 12EXR, 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ, 12EYA, 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL (SEE NEXT PAGE)	08TSB	\$1,456	

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
COLLISION WARNING SYSTEM (SEE PREV PAGE) Bendix - BlindSpotter - REQS: Code 15DMV, 15DYT, 15DYU, 15SDK, 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE, 15SVM, 15SWU(std), 15SWY, 15SXJ, 15SXX or 15SZV FUEL TANK N/A: Code 08HAA BODY BUILDER WIRING or Code 08HAG ELECTRIC TRAILER BRAKE/LIGHTS or Code 08THG AUX. TRAILER SOCKET or TRAILER CONNECTION SOCKET : Code 07BLX, 07BMJ, 07BMM and 07BMS EXHAUST SYSTEM	08TSB		
EVENT DATA RECORDER CABLE for Safety Direct System, to be used with Qualcomm MCP110/200 Satellite System REQS: Code 16030(std) CAB REQS: Code 08RNG SATELLITE COMMUNICATION SYSTEM for Safety Direct System, to Connect Directly to International Communications Module REQS: Code 10AGB COMMUNICATIONS MODULE N/A: Code 08TYD DATA RECORDER for Safety Direct System, to be used with PeopleNet Satellite System REQS: Code 16030(std) CAB REQS: Code 08RNG SATELLITE COMMUNICATION SYSTEM N/A: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	08TUC 08TXR 08TUA	\$340 0/0 \$68 \$340 0/0	
CONNECTOR, DASH, CENTER PANEL Cab Wiring for TMC RP1226 Vehicle Accessory Connector; Includes 14-pin Connector with Switched Power, Battery Power, Ignition Power, Ground & Body 250K Datalink, Connector Located Behind Instrument Panel Center Console	08XMB	\$35 +2/+1	
COURTESY LIGHT (02) Mounted In Front Map Pocket Left and Right Side REQS: Code 16VKB(std) or 16VKC CAB INTERIOR TRIM N/A: Code 16196 CAB (04) Mounted In Front & Rear Map Pocket Left and Right Side REQS: Code 16VKB(std), 16VKC or 16VKD CAB INTERIOR TRIM REQS: Code 16196 CAB	08WTP 08WTR	\$48 +1/0 \$98 +2/0	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
ELECTRIC TRAILER BRAKE/LIGHTS (CONTINUED) Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package with Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket REQS: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 08WJZ WORKLIGHT ON W/BACKUP : Code 08HAA BODY BUILDER WIRING : Code 08THG AUX. TRAILER SOCKET AVAIL: Code 08TMN TRAILER CONNECTION SOCKET	08HAH	\$363 0/+2	
FOG LIGHTS (02) Clear Lens, LED, Rectangular, with White Light Source REQS: Code 01LNG(std), 01LNN or 01LSG BUMPER, FRONT (02) Selective Yellow, LED REQS: Code 01LNG(std), 01LNN or 01LSG BUMPER, FRONT Prewire; Includes Auxiliary Switch and Wiring to Front Bumper, for Driving Lights or Fog Lights Mounted by Customer	08XJH 08XJJ 08585	\$275 +4/-1 \$301 +4/-1 \$39 +1/0	
FUSES, ELECTRICAL (07) Spare Fuses with a Variety of Ratings, Stored in a Module Located Near the Fuse Block, in the Main Fuse Panel Area	08XLG	\$48 0/0	
HAZARD FLASHER OVERRIDE Hazard Flasher Overrides Brake Lights, To be Done with Programming System Controller	08THN	\$42 +1/0	
HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	08WXB	\$49 0/0	
HEADLIGHTS Halogen NOTE: STANDARD IN USA : Pricing may change if axle configuration is changed. Halogen, with Daytime Running Lights NOTE: Pricing may change if axle configuration is changed. LED, with Daytime Running Lights NOTE: Pricing may change if axle configuration is changed.	08XNY 08XNZ 08XPB	STD \$58 0/0 \$987 +4/-1	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-79

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
HEADLIGHTS (CONTINUED)			
LED, Heated, with Daytime Running Lights NOTE: Pricing may change if axle configuration is changed.	08XPZ	\$1,486	
LED, Heated, with Daytime Running Lights, Automatic Twilight Controlled	08XRA	\$1,486	
Halogen, with Daytime Running Lights, Automatic Twilight Controlled	08XKC	\$139	0/0
LED, with Daytime Running Lights, Automatic Twilight Controlled	08XPA	\$987	+4/-1
HEADLIGHTS ON W/WIPERS			
Headlights Will Automatically Turn On if Windshield Wipers are Turned On	08WRB	\$42	0/0
HORN, AIR			
(02) Emergency, Chrome, Hood Mounted, with Lanyard Pull Cord REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC	08XME	\$527	+11/0
(02) Single Tone, Chrome, Roof Mounted, with Lanyard Pull Cord REQS: Code 02AEM, 02AEZ, 02AJE, 02AJX, 02AKC, 02ASC, 02ASH, 02AST, 02ATK(std), 02ATL, 02ATM, 02ATT, 02AUC, 02AVK, 02AYU, 02AYW, 02AYX or 02AYY AXLE, FRONT NON-DRIVING, when in combination with Code 16CAB or 16196 CAB REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC N/A: Code 16196 CAB : Code 16XYM AERODYNAMIC PACKAGE : Code 16XYL ROOF AIR DEFLECTOR : Code 08695 SNOW SHIELD AVAIL: Code 16917 MOUNTING BRACKETS	08HXT	\$413	
Accommodation Package, Less Horn REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC N/A: Code 16XYM AERODYNAMIC PACKAGE : Code 08695 SNOW SHIELD	08WHE	\$88	+2/0
Single Trumpet, Black, with Lanyard Pull Cord REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC N/A: Code 08695 SNOW SHIELD	08XHN	\$94	+3/0

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-80

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
HORN, ELECTRIC (1) Trumpet Style (02) Trumpet Style	08VBE 08540	STD \$15 + 1/0	
IGNITION SWITCH Keyless	08630	\$35 + 2/0	
INDICATOR, BATTERY WARNING Green BATTERY ON Indicator, Mounted on Left Side of Instrument Panel, To be Used with Factory Installed or Customer Mounted Battery Disconnect Switch	08WZP	\$59 + 1/0	
INDICATOR, LOW COOLANT LEVEL with Audible Alarm	08WWJ	STD	
JUMP START STUD 12V, Remote Mounted INCLS: JUMP START STUD Mounted to Battery Box REQS: Code 08VUL, 08VUM, 08VUW, 08VUX(std), 08VUY, 08VVH, 08XDU, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX	08WBW	\$168 + 2/0	
JUNCTION BLOCK Stud, 100 Amp Battery Feed, Protected by a Fusible Link, Stud to Be Used for Body Builder Feeds Inside Cab N/A: Code 08TRJ TRAILER CONNECTION SOCKET	08WZG	\$382	
SWITCH, LANE DEPARTURE WARNING for Enable/Disable/Audio Disable Selection REQS: Code 08TRM or 08TXU COLLISION MITIGATION SYSTEM	08TWZ	N/C 0/0	
LIGHT, WORK Pedestal Mounted, Back of Cab, with Switch on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 08WMA and 08WTT SWITCH, TOGGLE, FOR WORK LIGHT	08WLL	\$119 + 3/+2	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-81

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-85

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
SOLENOID, AIR (CONTINUED) for Customer Use; Provides (6) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only with Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC	08WKM	\$363 +4/0	
SPEAKERS Omit (2) 6.5" Dual Cone Mounted in Doors N/A: Code 16196 CAB (2) 6.5" Dual Cone Mounted in Both Doors, (2) 5.25" Dual Cone Mounted in Both B-Pillars	08RMS 08RMV 08RMZ	STD \$48 +4/+1 \$138 +6/+2	
SPECIAL WIRING HARNESS, BODY for Chassis, with 6' Additional Length to Accommodate Drop Frame Beverage Body Application REQS: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC with Additional 20" Length to Rear of Chassis Harness, Coiled at End of Frame REQS: Code 08HAH ELECTRIC TRAILER BRAKE/LIGHTS REQS: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC	08WEB 08HAV	\$76 +1/0 \$28	
STARTING MOTOR Mitsubishi Electric Automotive America - 90P47 - 12-Volt, with Soft-Start REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL - 105P - 12-Volt, with Soft-Start REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL Delco Remy - 38MT Type 300 - 12 Volt, Less Thermal Over-Crank Protection	08XKL 08WXG 08WTK	STD \$151 +9/+1 \$193 +7/+1	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
STOP, TURN, TAIL & B/U LIGHTS (CONTINUED) <i>Weldon</i> Multi-Function LED Lamp, Mounted Inside Rails, Includes LED License Plate Light N/A: Code 08TMN and 08TRJ TRAILER CONNECTION SOCKET : Code 01553 TIRE CARRIER Multi-Function LED Lamp, Mounted Outside Rails, Includes LED License Plate Light N/A: Code 08TMN and 08TRJ TRAILER CONNECTION SOCKET : Code 01553 TIRE CARRIER : Code 01572 TOW HOOK, REAR	08TPS 08TPR	\$250 - 4/+15 \$178 - 4/+15	
STOP-LIGHT WIRING MODIFIED Stop-Lights Turned on When Engine Compression Brake, Exhaust Brake or Retarder is Activated	08VTV	\$22 0/0	
SWITCH, AIR HORN, PASSENGER Fire Truck Application; Momentary Switch Located in Instrument Panel Close to Passenger, Driver Also To Activate Switch with Lanyard N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	08XKM	\$57	
SWITCH, AUXILIARY Switch 40 amp Circuit for Customer Use; Includes Wiring Connection at Power Distribution Center (PDC) and Control in Cab N/A: Code 60ACW BDY INTG, I/O EXP HARNESS : Code 60ACX BDY INTG, THEFT DETERRENT SYS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 60ABB BDY INTG, PTO ACCOMMODATION Accessory Control; for Wiring in Roof, with Maximum of 20 amp Load with Switches In Instrument Panel N/A: Code 08THG AUX. TRAILER SOCKET	08XBK 08TMH	\$84 + 2/0 \$70 + 1/0	
SWITCH, BODY CIRCUITS, MID with (2) Remote Power Modules Mounted Under Cab or On Battery Box Back of Cab, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total, Includes 2 Switch Packs with Momentary Switches REQS: Code 08VUL, 08VUM, 08VUX(std), 08VUY, 08VVH, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX N/A: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED (SEE NEXT PAGE)	08SAJ	\$1,380 + 4/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-88

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SWITCH, BODY CIRCUITS, MID (SEE PREV PAGE)			
N/A: Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60AJA, 60AJE, 60AJG, 60AJH and 60AJJ BDY INTG, THROTTLE CONTROL : Code 60ABA, 60ABB, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION : Code 08RRK CAMERA SYSTEM, when in combination with Code 16030 CAB	08SAJ		
with Remote Power Module Mounted Under Cab or on Battery Box Back of Cab, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total, Includes 1 Switch Pack with Momentary Switches REQS: Code 08VUL, 08VUM, 08VUX(std), 08VUY, 08VVH, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX N/A: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60AJA, 60AJE, 60AJG, 60AJH and 60AJJ BDY INTG, THROTTLE CONTROL : Code 08RRK CAMERA SYSTEM, when in combination with Code 16030 CAB	08WSM	\$690 + 4 / 0	
with (2) Remote Power Modules Mounted in Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total, Includes 2 Switch Packs with Momentary Switches REQS: Code 08VUL, 08VUM, 08VUW, 08VUX(std), 08VUY, 08VVG, 08XDU, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX N/A: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60AAM BDY INTG, POWER MODULE AUX : Code 60AJA, 60AJE, 60AJG, 60AJH and 60AJJ BDY INTG, THROTTLE CONTROL : Code 60ABA, 60ABB, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION : Code 16SBA BUNK, LOWER AVAIL: Code 08WSK SWITCH, BODY CIRCUITS, REAR	08VZS	\$1,480 + 2 / 0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-89

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
SWITCH, MARKER INTERRUPT Located in Steering Wheel REQS: Code 08RMX(std) RADIO N/A: Code 08XPG and 08XPH STEERING WHEEL CONTROLS : Code 08RPB RADIO, STEERING WHEEL CONTROLS for Marker Lights and Headlights, Located in Steering Wheel REQS: Code 08RPB RADIO, STEERING WHEEL CONTROLS REQS: Code 08RPS, 08RPT or 08RPU RADIO N/A: Code 08XPG and 08XPH STEERING WHEEL CONTROLS	08XHW 08XHX	\$28 \$28	0/0
SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light N/A: Code 08WAA and 08WLL LIGHT, WORK Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light N/A: Code 08WAA and 08WLL LIGHT, WORK	08WMA 08WTT	\$59 \$66	+1/+2 +1/0
TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights REQS: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 08TKJ STOP, TURN, TAIL & B/U LIGHTS	08NAA	\$74	0/0
TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	08WPZ	\$42	0/0
TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; with 30 Amp Fuse and Relay, Controlled by Ignition Switch REQS: Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS REQS: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 08HAA BODY BUILDER WIRING : Code 08HAA BODY BUILDER WIRING or Code 08THG AUX. TRAILER SOCKET	08TKK	\$123	+1/0

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
TRAILER CONNECTION SOCKET Phillips 7-Way, Mounted at Rear of Frame, Wired for Turn Signals Combined with Stop, Compatible with Trailers with Combined Stop, Tail, Turn Lamps REQS: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 04XAK, 04XAM and 04XGB TRAILER HOSES AND CABLES : Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08TXA STOP, TURN, TAIL & B/U LIGHTS AVAIL: Code 04619 TRAILER CONNECTIONS : Code 08THC TRAILER LIGHTING CABLE 7-Way, Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible with Trailers with Amber or Side Turn Lamps REQS: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 04XAK and 04XAM TRAILER HOSES AND CABLES : Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08TXA STOP, TURN, TAIL & B/U LIGHTS AVAIL: Code 04619 TRAILER CONNECTIONS : Code 08THC TRAILER LIGHTING CABLE - STA-DRY - (2) 7-Way, One Equipped with ABS Feed Mounted at Back of Cab, One Mounted at Rear of Frame REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04XAK and 04XAM TRAILER HOSES AND CABLES : Code 08THG AUX. TRAILER SOCKET AVAIL: Code 08TKJ STOP, TURN, TAIL & B/U LIGHTS : Code 08THC TRAILER LIGHTING CABLE Erich Jaeger (2) 7-Way, One Equipped with ABS Feed Mounted at Back of Cab, One Mounted at Rear of Frame REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04WZE, 04XAL, 04XGB and 04803 TRAILER HOSES AND CABLES : Code 08WZG JUNCTION BLOCK : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08THG AUX. TRAILER SOCKET AVAIL: Code 04SUT TRAILER CONNECTIONS : Code 08HAB and 08HAE BODY BUILDER WIRING : Code 08TKJ STOP, TURN, TAIL & B/U LIGHTS : Code 08TRK TRAILER LIGHTING CABLE	08TMG	\$439 0/+7	
	08TME	\$439 0/+7	
	08TMN	\$280 +3/+4	
	08TRJ	\$266 -3/+9	



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-93

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
TURN SIGNALS, FRONT Dual Face, LED, Amber/Red, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors Dual Face, LED, Amber/Amber, Mounted on Top of Fender, Used with Standard Flush Mounted Front Turn Signal, Side Marker Lamps, Parking Lights and Reflectors	08VZK 08XJE	\$197 \$197	
TURN SIGNAL SWITCH Non-Canceling Self-Canceling REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC	08WEG 08WEZ	N/C + 2 / 0 N/C 0 / 0	
USB PORT One USB-A Port and One USB-C Port, Located in Instrument Panel Two USB-A Ports and Two USB-C Ports, Located in Instrument Panel N/A: Code 08XPK POWER SOURCE, ADDITIONAL	08XPN 08XPP	\$117 0 / 0 \$234 0 / 0	
VIDEO CAMERA WIRING Pre-Wire Only, for DriveCam Driver Monitoring System; Battery/Ignition Power and Vehicle Data Provided for Installer, Located in Center Panel, for Use with DC3P Camera	08TAD	\$168 0 / 0	
WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	08WGL	\$42 0 / 0	
WIRING, SPECIAL Includes Wires Installed Through the Dash Panel and End in Engine Compartment, In Cab Wire Ends Will Have ESC Input Terminals, Engine Compartment Wire Ends will have Sealed Connectors N/A: Code 04GBL and 04GBN BRAKE, PARKING	08HAT	\$51 0 / 0	
WORKLIGHT ON W/BACKUP Work Lights will Activate when Vehicle is in Reverse REQS: Code 08WAA or 08WLL LIGHT, WORK or Code 08WMA or 08WTT SWITCH, TOGGLE, FOR WORK LIGHT N/A: Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS	08WJZ	\$31 + 3 / 0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-94

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
FRONT END Tilting, Fiberglass, with Three Piece Construction, Dual Air Intakes Partially Tilting, Fiberglass, with Three Piece Construction, Dual Air Intakes N/A: Code 08XMM LIGHT, WORK, MTD UNDER HOOD	09WBW 09WBY	STD \$222 + 2/0	
BUG SCREEN Mounted Behind Grille REQS: Code 01LLK or 01LSE BUMPER, FRONT Mounted Behind Grille and Bumper Grille REQS: Code 01LNG(std), 01LNN or 01LSG BUMPER, FRONT N/A: Code 01WDS FRAME EXTENSION, FRONT	09WAC 09WBZ	\$131 + 6/-1 \$171 + 6/-1	
FENDER EXTENSIONS Painted	09WBN	N/C 0/0	
GRILLE Molded in Black Molded in Black, with Chrome Surround Stationary, Molded in Black Stationary, Molded in Black, with Chrome Surround	09HCW 09HCY 09HCX 09HCZ	STD \$121 0/0 \$171 0/0 \$280 0/0	
GRILLE EMBER SCREEN Mounted to Grille and Cowl Tray to Keep Hot Embers out of Engine and HVAC Air Intake System N/A: Code 16WLS FRESH AIR FILTER	09WBT	\$201 + 3/0	
INSULATION, SPLASH PANELS for Sound Abatement	09HBN	\$76 + 2/0	
INSULATION, UNDER HOOD for Sound Abatement	09HAN	\$167 + 10/0	
LOGOS EXTERIOR Model Badges Model Badges, Shipped Loose, Located in Cab	09AAB 09AAC	STD N/C 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-95

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
LOGOS EXTERIOR (CONTINUED) Omit Model Badges	09AAD	N/C - 1 / 0	
LOGOS EXTERIOR, ENGINE Badges Badge Shipped Loose	09AAE 09AAH	STD N/C 0 / 0	
QUARTER FENDERS for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted	09505	\$318 +12/+53	
CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails Extreme Corrosion Resistant Galvanized and Painted Finish, for Single Frame Rails REQS: Code 01CAD, 01CAG or 01CAH FRAME RAILS	10021 10028	\$500 0 / 0 \$1,738 0 / 0	
COMMUNICATIONS MODULE Telematics Device with Over the Air Programming; Includes Five Year Data Plan and International 360	10AGB	STD	
COMMUNICATION MODULE DATA PLAN 1 Additional Year (Total of 6 Years) 2 Additional Years (Total of 7 Years)	10AGX 10AGY	\$180 0 / 0 \$360 0 / 0	
FIFTH WHEEL, AIR SLIDE NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section <i>Holland</i> - FW17J724XL00 - 24" Slide, 6.8" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 01MEJ FRAME DIMPLE : Code 01CAB FRAME RAILS : SUSPENSION, REAR, SINGLE : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM (SEE NEXT PAGE)	10HKC	\$3,556 0/+469	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-96

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-98

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-99	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
FIFTH WHEEL LOCATION (CONTINUED)			
02.0" Ahead of Rear Axle Centerline N/A: Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE : Code 10WDN FIFTH WHEEL MOUNTING ANGLES	810002	N/C	
04.0" Ahead of Rear Axle Centerline N/A: Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE : Code 10WDN FIFTH WHEEL MOUNTING ANGLES	810004	N/C	
06.0" Ahead of Rear Axle Centerline N/A: Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE : Code 10WDN FIFTH WHEEL MOUNTING ANGLES	810006	N/C	
08.0" Ahead of Rear Axle Centerline N/A: Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE : Code 10WDN FIFTH WHEEL MOUNTING ANGLES	810008	N/C	
10.0" Ahead of Rear Axle Centerline N/A: Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE : Code 10WDN FIFTH WHEEL MOUNTING ANGLES	810010	N/C	
12.0" Ahead of Rear Axle Centerline N/A: Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE : Code 10WDN FIFTH WHEEL MOUNTING ANGLES	810012	N/C	
14.0" Ahead of Rear Axle Centerline N/A: Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE : Code 10WDN FIFTH WHEEL MOUNTING ANGLES	810014	N/C	
16.0" Ahead of Rear Axle Centerline N/A: Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE : Code 10WDN FIFTH WHEEL MOUNTING ANGLES	810016	N/C	
FIFTH WHEEL MOUNTING ANGLES			
On Axle Centerline, for Up to 24" Air Slide 5th Wheel, Includes Air Hosing, Solenoid, Electrical Switch, for Slide Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 14SAM, 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 01CAB FRAME RAILS : Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE : FIFTH WHEEL, STATIONARY	10WDN	\$438 0/+29	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-101

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
FIRE EXTINGUISHER 5 lb Class A B C REQ: Code 16JJE, 16JYJ, 16KBC, 16KBM, 16KBS, 16KBT, 16KBU, 16KBY, 16KCA, 16KCC, 16KCD, 16KVY, 16KZW, 16KZX or 16KZY SEAT, DRIVER REQ: Code 10XAP FIRE EXTINGUISHER BRACKET	10XAN	\$154 +7/+3	
FIRE EXTINGUISHER BRACKET Mounted Left Side Driver Seat REQ: Code 16JJE, 16JYJ, 16KBC, 16KBM, 16KBS, 16KBT, 16KBU, 16KBY, 16KCA, 16KCC, 16KCD, 16KVY, 16KZV, 16KZW, 16KZX or 16KZY SEAT, DRIVER	10XAP	N/C +1/0	
LABEL, DEF "DEF ONLY"	10BAE	\$8 0/0	
LANGUAGE IDENTITY for French NOTE: 010003	10WAW	N/C 0/0	
MUD FLAP HOLDER Spring Loaded, Painted Black, with Red and White Reflective Tape, Less Flaps N/A: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 10WRW MUD FLAPS, REAR Spring Loaded, Bright Finish, 45-Degree End, with Red and White Reflective Tape, Less Flaps N/A: Code 10WRW MUD FLAPS, REAR Spring Loaded, Painted Black, 45-Degree End, with Red and White Reflective Tape, Less Flaps N/A: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 10WRW MUD FLAPS, REAR Betts - B-87 - .750" Square, 45-Degree End, Aluminum Plate with Red and White Reflective Tape, Less Flaps AVAIL: Code 10WRW MUD FLAPS, REAR	10WPR 10WPU 10WPT 10WRL	\$105 0/+34 \$226 0/+34 \$121 0/+34 \$185	
MUD FLAPS, FRONT WHEELS (02) Rubber, Mounted on Fender Extension	10WUE	\$76 +12/0	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
MUD FLAPS, REAR Black Poly, with International Logo, Less Holders REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER N/A: Code 10WRL MUD FLAP HOLDER Black Rubber, Anti-Sail, Less Holders REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER N/A: Code 10WRL MUD FLAP HOLDER Black Rubber, Anti-Sail, Anti-Spray, with Upper Corners Cut Off at 45-Degrees, 24"x 30", Less Holders REQS: Code 14TAX, 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE or Code 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE REQS: Code 10WRL MUD FLAP HOLDER	10WSX 10WPY 10WRW	\$58 0/+8 \$94 0/+8 \$68	
PAINT CLASS Premium Color Single Custom Color	10769 10771	\$725 0/0 \$825 0/0	
PAINT IDENTITY, PT-2 Single Color, Instruction No. 932. Wheels N/A: Code 27DJM, 27DTE, 27DTS, 27DTX and 27DWP WHEELS, FRONT : Code 28DJM, 28DTE and 28DWP WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS Single Color, Instruction No. 936. Frame/Running Gear, Less Fuel Tanks INCLS: NOTE: Battery Box, Air Tanks, Fuel Tanks, Steps and Straps NOT Painted Two Tone, Instruction No. 946. Frame/Running Gear and Wheels, Less Fuel Tank INCLS: NOTE: Battery Box, Air Tanks, Fuel Tanks, Steps and Straps NOT Painted N/A: Code 27DAZ, 27DJM, 27DTE and 27DWP WHEELS, FRONT : Code 28DJM, 28DTE and 28DWP WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS	10632 10636 10646	\$303 0/0 \$600 0/0 \$1,406 0/0	
PAINT, NON-REFLECTING Non-Reflecting Paint	10661	\$568 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-103

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
PAINT SCHEMATIC, PT-1 Single Color, Design 100 INCLS: PAINT SCHEMATIC ID LETTERS "WP" Two Tone, Design 208. Two Tone, Design 209.	10060 10208 10209	STD \$900 0/0 \$1,050 0/0	
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone Base Coat/Clear Coat, 3-4 Tone	10761 10762	STD N/C 0/0	
QUARTER FENDERS for Rear Wheels, Black Plastic; Frame Mounted	10WTR	\$188 0/+18	
SAFETY DIRECT SUBSCRIPTION Omit 1 Year Prepaid Subscription REQS: Code 08TRM or 08TXU COLLISION MITIGATION SYSTEM 3 Year Prepaid Subscription REQS: Code 08TRM or 08TXU COLLISION MITIGATION SYSTEM 4 Year Prepaid Subscription REQS: Code 08TRM or 08TXU COLLISION MITIGATION SYSTEM 5 Year Prepaid Subscription REQS: Code 08TRM or 08TXU COLLISION MITIGATION SYSTEM	10AJM 10AJK 10AJA 10AJB 10AJC	N/C \$500 0/0 \$1,225 0/0 \$1,455 0/0 \$1,605 0/0	
SAFETY TRIANGLES	10WCY	\$47 +6/0	
SPECIAL RATING, GVWR Limited to 17,999-lb GVWR REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 02AEM or 02ATK(std) AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 14SCD, 14SCE, 14VAB or 14VAC(std) SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE (SEE NEXT PAGE)	10WGC	N/C 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-104

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-105

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-107

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-108	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-110	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - L9 260 - AVAIL: Code 40YZG, 40YZH, 40YZJ, 40YZK, 40YZL, 40YZM, 40YZN, 40YZP, 40YZR, 40YZS, 40YZT, 40YZU, 40ZDG, 40ZDH, 40ZDJ, 40ZDK, 40ZDL, 40ZDM and 40ZDN SRV CONT, EXT CUMMINS ENG/AFTR - L9 270 - EPA 2024, 270HP @ 2200 RPM, 860 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 270 Peak HP (Max) REQS: Code 16VLK CAB REAR SUSPENSION REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 08MJT, 08MJU, 08MRR, 08MSG, 08MSL, 08MVY, 08MWG, 08NBJ or 08NBR BATTERY SYSTEM REQS: Code 08WTK, 08WTL or 08WXG STARTING MOTOR REQS: Code 12XBZ or 12XCA RADIATOR REQS: Code 12VKC EMISSION, CALENDAR YEAR REQS: Code 04SPA or 04SPK AIR COMPRESSOR REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 13GHS, 13GMJ or 13GUN TRANSMISSION, MANUAL -OR- Code 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC N/A: Code 40YXV, 40YXW, 40YXX, 40YXY, 40YXZ, 40YYA, 40YYB, 40YYC, 40YYD, 40YYE, 40ZBY, 40ZBZ, 40ZCA, 40ZCB, 40ZCC, 40ZCD, 40ZCE, 40ZCG, 40ZCH and 40ZCJ SRV CONT, EXT CUMMINS ENGINE : Code 40MRR SRV CONT, EXT CUMMINS M/COMP : Code 40YYG, 40YYH, 40YYJ, 40YYK, 40YYL, 40YYM, 40YYN, 40YYP, 40YYR, 40YYs, 40ZCK, 40ZCL, 40ZCM, 40ZCN, 40ZCP, 40ZCR and 40ZCS SRV CONT, EXT CUMMINS ENG/AFTR : Code 40K67, 40K68, 40K69, 40K70, 40K93, 40K94, 40K95 and 40K96 SRV CONTRACT, PM : Code 12EMZ VENDOR WARRANTY, ENGINE : Code 16136 AIR CONDITIONER, PROVISION FOR : Code 08GXN ALTERNATOR : Code 12WTA FAN DRIVE SPECIAL EFFECTS : Code 12WSY BLOCK HEATER, ENGINE : Code 07BMS EXHAUST SYSTEM : Code 12UGS ENGINE IDLE SPEED, SPECIAL (SEE NEXT PAGE)	12EYU		
	12EYV	\$6,760 +573/-9	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-114

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - L9 270 - N/A: Code 12WZX CARB EMISSION WARR COMPLIANCE : Code 12WPV and 12WPW OIL PAN - L9 300 - EPA 2024, 300HP @ 2200 RPM, 860 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max) REQS: Code 16VLK CAB REAR SUSPENSION REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 08MJT, 08MJU, 08MRR, 08MSG, 08MSL, 08MVY, 08MWG, 08NBJ or 08NBR BATTERY SYSTEM REQS: Code 08WTK, 08WTL or 08WXG STARTING MOTOR REQS: Code 12XBZ or 12XCA RADIATOR REQS: Code 12VKC EMISSION, CALENDAR YEAR REQS: Code 04SPA or 04SPK AIR COMPRESSOR REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 13GHS, 13GMJ or 13GUN TRANSMISSION, MANUAL -OR- Code 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC N/A: Code 40YXV, 40YXW, 40YXX, 40YXY, 40YXZ, 40YYA, 40YYB, 40YYC, 40YYD, 40YYE, 40ZBY, 40ZBZ, 40ZCA, 40ZCB, 40ZCC, 40ZCD, 40ZCE, 40ZCG, 40ZCH and 40ZCJ SRV CONT, EXT CUMMINS ENGINE : Code 40MRR SRV CONT, EXT CUMMINS M/COMP : Code 40YYG, 40YYH, 40YYJ, 40YYK, 40YYL, 40YYM, 40YYN, 40YYP, 40YYR, 40YYs, 40ZCK, 40ZCL, 40ZCM, 40ZCN, 40ZCP, 40ZCR and 40ZCS SRV CONT, EXT CUMMINS ENG/AFTR : Code 40K67, 40K68, 40K69, 40K70, 40K93, 40K94, 40K95 and 40K96 SRV CONTRACT, PM : Code 12EMZ VENDOR WARRANTY, ENGINE : Code 16136 AIR CONDITIONER, PROVISION FOR : Code 08GXN ALTERNATOR : Code 12WTA FAN DRIVE SPECIAL EFFECTS : Code 12WSY BLOCK HEATER, ENGINE : Code 07BMS EXHAUST SYSTEM : Code 12WZX CARB EMISSION WARR COMPLIANCE : Code 12WPV and 12WPW OIL PAN	12EYV		
	12EYW	\$7,518 +573/-9	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
ENGINE, DIESEL (CONTINUED) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - L9 330 - EPA 2024, 330HP @ 2200 RPM, 1000 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 330 Peak HP (Max) REQS: Code 16VLK CAB REAR SUSPENSION REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 08MJT, 08MJU, 08MRR, 08MSG, 08MSL, 08MVY, 08MWG, 08NBJ or 08NBR BATTERY SYSTEM REQS: Code 08WTK, 08WTL or 08WXG STARTING MOTOR REQS: Code 12XBZ or 12XCA RADIATOR REQS: Code 12THJ or 12THT FAN DRIVE REQS: Code 12VKC EMISSION, CALENDAR YEAR REQS: Code 04SPA or 04SPK AIR COMPRESSOR REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 13GHS or 13GUN TRANSMISSION, MANUAL -OR- Code 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDR or 13BDT TRANSMISSION, AUTOMATIC N/A: Code 40YXV, 40YXW, 40YXX, 40YXY, 40YXZ, 40YYA, 40YYB, 40YYC, 40YYD, 40YYE, 40ZBY, 40ZBZ, 40ZCA, 40ZCB, 40ZCC, 40ZCD, 40ZCE, 40ZCG, 40ZCH and 40ZCJ SRV CONT, EXT CUMMINS ENGINE : Code 40MRR SRV CONT, EXT CUMMINS M/COMP : Code 40YYG, 40YYH, 40YYJ, 40YYK, 40YYL, 40YYM, 40YYN, 40YYP, 40YYR, 40YYs, 40ZCK, 40ZCL, 40ZCM, 40ZCN, 40ZCP, 40ZCR and 40ZCS SRV CONT, EXT CUMMINS ENG/AFTR : Code 40K67, 40K68, 40K69, 40K70, 40K93, 40K94, 40K95 and 40K96 SRV CONTRACT, PM : Code 12EMZ VENDOR WARRANTY, ENGINE : Code 16136 AIR CONDITIONER, PROVISION FOR : Code 11LGB CLUTCH : Code 08GXN ALTERNATOR : Code 12WSY BLOCK HEATER, ENGINE : Code 12WZX CARB EMISSION WARR COMPLIANCE : Code 12WPV and 12WPW OIL PAN	12EYX	\$8,925 +573/-9	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-116

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
ENGINE, DIESEL (CONTINUED) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - L9 350 - EPA 2024, 350HP @ 2200 RPM, 1050 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 350 Peak HP (Max) REQS: Code 16VLK CAB REAR SUSPENSION REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 08MJT, 08MJU, 08MRR, 08MSG, 08MSL, 08MVY, 08MWG, 08NBJ or 08NBR BATTERY SYSTEM REQS: Code 08WTK, 08WTL or 08WXG STARTING MOTOR REQS: Code 12XBZ or 12XCA RADIATOR REQS: Code 12THJ or 12THT FAN DRIVE REQS: Code 12VKC EMISSION, CALENDAR YEAR REQS: Code 04SPA or 04SPK AIR COMPRESSOR REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKW, 14AKX, 14AKY, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 13GHS or 13GUN TRANSMISSION, MANUAL -OR- Code 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT or 13BCU TRANSMISSION, AUTOMATIC N/A: Code 40K67, 40K68, 40K69, 40K70, 40K93, 40K94, 40K95 and 40K96 SRV CONTRACT, PM : Code 12EMZ VENDOR WARRANTY, ENGINE : Code 16136 AIR CONDITIONER, PROVISION FOR : Code 11LGB CLUTCH : Code 08GXN ALTERNATOR : Code 12WSY BLOCK HEATER, ENGINE : Code 07BMS EXHAUST SYSTEM : Code 12WZX CARB EMISSION WARR COMPLIANCE : Code 12WPV and 12WPW OIL PAN AVAIL: Code 40YYT, 40YYU, 40YYV, 40YYW, 40YYX, 40YYY, 40YYZ, 40YZA, 40YZB, 40YZC, 40YZD, 40YZE, 40ZCT, 40ZCU, 40ZCV, 40ZCW, 40ZCX, 40ZCY, 40ZCZ, 40ZDA, 40ZDB, 40ZDC, 40ZDD and 40ZDE SRV CONT, EXT CUMMINS ENGINE : Code 40MRS SRV CONT, EXT CUMMINS M/COMP : Code 40YZG, 40YZH, 40YZJ, 40YZK, 40YZL, 40YZM, 40YZN, 40YZP, 40YZR, 40YZS, 40YZT, 40YZU, 40ZDG, 40ZDH, 40ZDJ, 40ZDK, 40ZDL, 40ZDM and 40ZDN SRV CONT, EXT CUMMINS ENG/AFTTR	12EYY	\$9,237 +573/-9	

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
ENGINE, DIESEL (CONTINUED) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - L9 360 - EPA 2024, 360HP @ 2200 RPM, 1150 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 359 Peak HP (Max) REQS: Code 16VLK CAB REAR SUSPENSION REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 08MJT, 08MJU, 08MRR, 08MSG, 08MSL, 08MWG, 08NBJ or 08NBR BATTERY SYSTEM REQS: Code 08WTK, 08WTL or 08WVG STARTING MOTOR REQS: Code 12XBZ or 12XCA RADIATOR REQS: Code 12THJ or 12THT FAN DRIVE REQS: Code 12VKC EMISSION, CALENDAR YEAR REQS: Code 04SPA or 04SPK AIR COMPRESSOR REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKW, 14AKX, 14AKY, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 13GHS or 13GUN TRANSMISSION, MANUAL -OR- Code 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT or 13BCU TRANSMISSION, AUTOMATIC N/A: Code 40YXV, 40YXW, 40YXX, 40YXY, 40YXZ, 40YYA, 40YYB, 40YYC, 40YYD, 40YYE, 40ZBY, 40ZBZ, 40ZCA, 40ZCB, 40ZCC, 40ZCD, 40ZCE, 40ZCG, 40ZCH and 40ZCJ SRV CONT, EXT CUMMINS ENGINE : Code 40MRR SRV CONT, EXT CUMMINS M/COMP : Code 40YYG, 40YYH, 40YYJ, 40YYK, 40YYL, 40YYM, 40YYN, 40YYP, 40YYR, 40YYs, 40ZCK, 40ZCL, 40ZCM, 40ZCN, 40ZCP, 40ZCR and 40ZCS SRV CONT, EXT CUMMINS ENG/AFTR : Code 40K67, 40K68, 40K69, 40K70, 40K93, 40K94, 40K95 and 40K96 SRV CONTRACT, PM : Code 12EMZ VENDOR WARRANTY, ENGINE : Code 16136 AIR CONDITIONER, PROVISION FOR : Code 11LGB CLUTCH : Code 08GXN ALTERNATOR : Code 12WSY BLOCK HEATER, ENGINE : Code 07BMS EXHAUST SYSTEM : Code 12WZX CARB EMISSION WARR COMPLIANCE : Code 12WPV and 12WPW OIL PAN	12EYZ	\$10,340 +573/-9	

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
CARB IDLE COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 12XCS CARB EMISSION WARR COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 12XCS CARB EMISSION WARR COMPLIANCE Does Not Comply with California Clean Air Idle Regulations AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	12WZB	\$97 0/0	
	12WZJ	\$97 0/0	
	12WZE	N/C 0/0	
EPA IDLE COMPLIANCE Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood Low NOx Idle Engine, Complies with EPA Clean Air Regulations; Includes "Certified Clean Idle" Decal on Door	12WVG	\$97	
	12WVH	\$97	
RADIATOR Aluminum, 2-Row, Down Flow, Front to Back System, 640 SqIn Louvered, with 383 SqIn Charge Air Cooler, Includes In-Tank Oil Cooler REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU or 12EXV ENGINE, DIESEL N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 12WYK ENGINE WATER COOLER : Code 13WGK TRANSMISSION COOLER HOSES Aluminum, 2-Row, Down Flow, Front to Back System, 640 SqIn Louvered, with 383 SqIn Charge Air Cooler REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU or 12EXV ENGINE, DIESEL N/A: TRANSMISSION, AUTOMATIC : Code 12WYK ENGINE WATER COOLER : Code 13WGK TRANSMISSION COOLER HOSES Aluminum, 3-Row, Down Flow, Front to Back System, 837 SqIn Louvered, with 477 SqIn Charge Air Cooler REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: TRANSMISSION, AUTOMATIC : Code 13WGK TRANSMISSION COOLER HOSES	12XCC	STD	
	12XCB	N/C	
	12XBZ	N/C	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-120

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
ENGINE WATER COOLER <i>Sen-Dure</i> Auxiliary, For Use with Fire Trucks REQS: Code 12XBZ, 12XCA, 12XCD or 12XCE RADIATOR N/A: Code 12WCG HOSE CLAMPS, RADIATOR HOSES	12WYK	\$687 +15/+4	
FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted REQS: Code 12EYX, 12EYY or 12EYZ ENGINE, DIESEL	12WTA	N/C	
FAN OVERRIDE Manual; with Electric Switch on Instrument Panel, (Fan On with Switch On) REQS: Code 12THJ or 12THT FAN DRIVE	12WBR	\$29 0/0	
HOSE CLAMPS, RADIATOR HOSES <i>R.G. Ray</i> - Mini Flex Seal - Coil Spring/"T"-Bolt Constant Torque Type, for Radiator Hoses over 1" I.D.	12WCG	\$54	
OIL PAN 15 Quart Capacity, For Cummins ISB/B6.7 Engines REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL Extended Service Interval, 19 Quart Capacity, For Cummins ISB/B6.7 Engines REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL	12WPV 12WPW	N/C 0/0 \$286 0/0	
THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel	12VXT 12VXU 12VXV	STD N/C +2/0 N/C +2/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-123

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
VENDOR WARRANTY, ENGINE Cummins B6.7 Engine, 3-Year Unlimited Miles Standard Warranty REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL	12EMZ	N/C 0/0	
TRANSMISSION, AUTOMATIC NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 2100 HS - 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, with 26,000-lb GVW and GCW Max REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 11001(std) CLUTCH REQS: Code 13WEX or 13WVS TRANSMISSION SHIFT CONTROL REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR REQS: Code 13WLN TRANSMISSION OIL REQS: Code 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW or 12EXX ENGINE, DIESEL N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 04WEA PARKING BRAKE INTERLOCK : Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WGH TRANSMISSION DIPSTICK : Code 13WET TRANSMISSION SHIFT CONTROL : Code 60ACX BDY INTG, THEFT DETERRENT SYS : Code 13WGK TRANSMISSION COOLER HOSES : Code 07SDP ENGINE COMPRESSION BRAKE : Code 13905 PROVISION FOR PTO : PTO LOCATION AVAIL: Code 40TSU, 40TSV and 40TSW SRV CONTRACT, EXT ALLISON XMSN : Code 13WEU TRANSMISSION FEATURE EFFECTS (SEE NEXT PAGE)	13BAU	STD	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-124

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA
AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-125

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 2200 HS - 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Park Pawl, with 26,000-lb GVW and GCW Max REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 11001(std) CLUTCH REQS: Code 13WEX or 13WVS TRANSMISSION SHIFT CONTROL REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR REQS: Code 13WLN TRANSMISSION OIL REQS: Code 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW or 12EXX ENGINE, DIESEL N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 04WCX PARKING BRAKE CONTROL : Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WGH TRANSMISSION DIPSTICK : Code 13WET TRANSMISSION SHIFT CONTROL : Code 60ACX BDY INTG, THEFT DETERRENT SYS : Code 13WGK TRANSMISSION COOLER HOSES : Code 07SDP ENGINE COMPRESSION BRAKE : Code 13905 PROVISION FOR PTO : PTO LOCATION AVAIL: Code 40TSX, 40TSY and 40TSZ SRV CONTRACT, EXT ALLISON XMSN : Code 13WEU TRANSMISSION FEATURE EFFECTS : Code 13WYY, 13XBA, 13XBB and 13XBC SHIFT CONTROL PARAMETERS : Code 13XAC ALLISON SPARE INPUT/OUTPUT : Code 08TRM COLLISION MITIGATION SYSTEM	13BAZ	\$646	0/0

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 2200 HS - 6th Generation Controls, Close Ratio, 5-Speed with Overdrive, Less PTO Provision, Less Retarder, Includes Park Pawl, with 26,000-lb GVW and GCW Max REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 11001(std) CLUTCH REQS: Code 13WEX or 13WVS TRANSMISSION SHIFT CONTROL REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR REQS: Code 13WLN TRANSMISSION OIL REQS: Code 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW or 12EXX ENGINE, DIESEL N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 04WEA PARKING BRAKE INTERLOCK : Code 04WCX PARKING BRAKE CONTROL : Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WGH TRANSMISSION DIPSTICK : Code 13WET TRANSMISSION SHIFT CONTROL : Code 13AWH SWITCH, DISABLE OVERDRIVE : Code 13WGK TRANSMISSION COOLER HOSES : Code 07SDP ENGINE COMPRESSION BRAKE : Code 13905 PROVISION FOR PTO : PTO LOCATION AVAIL: Code 40TSX, 40TSY and 40TSZ SRV CONTRACT, EXT ALLISON XMSN : Code 13WEU TRANSMISSION FEATURE EFFECTS : Code 13WYY, 13XBA, 13XBB and 13XBC SHIFT CONTROL PARAMETERS : Code 13XAC ALLISON SPARE INPUT/OUTPUT : Code 08TRM COLLISION MITIGATION SYSTEM	13BAY	\$646	0/0



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
<p>TRANSMISSION, AUTOMATIC (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 2200 RDS -</p> <p>6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 26,000-lb GVW and GCW Max, On/Off Highway</p> <p>REQS: Code 01ANA(std) AXLE CONFIGURATION</p> <p>REQS: Code 11001(std) CLUTCH</p> <p>REQS: Code 13WEX or 13WVS TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR</p> <p>REQS: Code 13WLN TRANSMISSION OIL</p> <p>REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN or 13XAN PTO LOCATION</p> <p>REQS: Code 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW or 12EXX ENGINE, DIESEL</p> <p>N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN</p> <p>: Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN</p> <p>: Code 04WCX PARKING BRAKE CONTROL</p> <p>: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL</p> <p>: Code 13AAZ AUTOMATIC NEUTRAL</p> <p>: Code 13WGH TRANSMISSION DIPSTICK</p> <p>: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>: Code 60ACX BDY INTG, THEFT DETERRENT SYS</p> <p>: Code 13W GK TRANSMISSION COOLER HOSES</p> <p>: Code 07SDP ENGINE COMPRESSION BRAKE</p> <p>: Code 13905 PROVISION FOR PTO</p> <p>AVAIL: Code 40TUK, 40TUL, 40TUM, 40TUN, 40TUP, 40TUR, 40TUS and 40TUT SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 13WYY, 13XBA, 13XBB and 13XBC SHIFT CONTROL PARAMETERS</p> <p>: Code 13XAC ALLISON SPARE INPUT/OUTPUT</p> <p>: Code 08TRM COLLISION MITIGATION SYSTEM</p> <p>: Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION</p>	13BBA	\$1,007 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-129

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
<p>TRANSMISSION, AUTOMATIC (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 2500 EVS -</p> <p>6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, with 33,000-lb GVW and GCW Max</p> <p>REQS: Code 11001(std) CLUTCH</p> <p>REQS: Code 13WEX or 13WVS TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR</p> <p>REQS: Code 13WLN TRANSMISSION OIL</p> <p>REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN or 13XAN PTO LOCATION</p> <p>REQS: Code 02AEM, 02AEZ, 02AJE, 02AJX, 02AKC, 02ASC, 02ATK(std), 02ATT, 02AUC, 02AVK, 02AVT, 02AYU, 02AYW, 02AYX or 02AYY AXLE, FRONT NON-DRIVING</p> <p>REQS: Code 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANS, 14ANU, 14ANV, 14ANW, 14ANY, 14APT, 14APU, 14APV, 14ARB, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWD, 14AWK, 14AWL, 14AWM or 14CVC AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>REQS: Code 12EXV, 12EXW, 12EXX or 12EXZ ENGINE, DIESEL</p> <p>N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN</p> <p>: SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN</p> <p>: Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN</p> <p>: Code 04WEA PARKING BRAKE INTERLOCK</p> <p>: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL</p> <p>: Code 13AAZ AUTOMATIC NEUTRAL</p> <p>: Code 13WVV(std) NEUTRAL AT STOP</p> <p>: Code 13WGH TRANSMISSION DIPSTICK</p> <p>: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>: Code 60ACX BDY INTG, THEFT DETERRENT SYS</p> <p>: Code 13WGK TRANSMISSION COOLER HOSES</p> <p>: Code 07SDP ENGINE COMPRESSION BRAKE</p> <p>: Code 13905 PROVISION FOR PTO</p> <p>AVAIL: Code 13WYY SHIFT CONTROL PARAMETERS</p> <p>: Code 13WVA and 13XAC ALLISON SPARE INPUT/OUTPUT</p> <p>: Code 08TRM COLLISION MITIGATION SYSTEM</p> <p>: Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION</p>	13BBM	\$880	0/0

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-130

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 2500 HS - 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, with 33,000-lb GVW and GCW Max REQS: Code 11001(std) CLUTCH REQS: Code 13WEX or 13WVS TRANSMISSION SHIFT CONTROL REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR REQS: Code 13WLN TRANSMISSION OIL REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW or 12EXX ENGINE, DIESEL N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 04WEA PARKING BRAKE INTERLOCK : Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WGH TRANSMISSION DIPSTICK : Code 13WET TRANSMISSION SHIFT CONTROL : Code 60ACX BDY INTG, THEFT DETERRENT SYS : Code 13WGK TRANSMISSION COOLER HOSES : Code 07SDP ENGINE COMPRESSION BRAKE : Code 13905 PROVISION FOR PTO : PTO LOCATION AVAIL: Code 40TTA, 40TTB and 40TTC SRV CONTRACT, EXT ALLISON XMSN : Code 13WEU TRANSMISSION FEATURE EFFECTS : Code 13WYY, 13XBA, 13XBB and 13XBC SHIFT CONTROL PARAMETERS : Code 13XAC ALLISON SPARE INPUT/OUTPUT : Code 08TRM COLLISION MITIGATION SYSTEM - 2500 RDS - 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, with 33,000-lb GVW and GCW Max REQS: Code 11001(std) CLUTCH REQS: Code 13WEX or 13WVS TRANSMISSION SHIFT CONTROL REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR REQS: Code 13WLN TRANSMISSION OIL REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN or 13XAN PTO LOCATION REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW or 12EXX ENGINE, DIESEL N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 04WEA PARKING BRAKE INTERLOCK : Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL (SEE NEXT PAGE)	13BBG	\$103 0/0	
	13BBK	\$582 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-131

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 2550 RDS - 6th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Park Pawl, with 30,000-lb GVW and GCW Max, On/Off Highway REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 11001(std) CLUTCH REQS: Code 13WEX or 13WVS TRANSMISSION SHIFT CONTROL REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR REQS: Code 13WLN TRANSMISSION OIL REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN or 13XAN PTO LOCATION REQS: Code 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW or 12EXX ENGINE, DIESEL N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 04WEA PARKING BRAKE INTERLOCK : Code 04WCX PARKING BRAKE CONTROL : Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WGH TRANSMISSION DIPSTICK : Code 13WET TRANSMISSION SHIFT CONTROL : Code 13AWH SWITCH, DISABLE OVERDRIVE : Code 13WGK TRANSMISSION COOLER HOSES : Code 07SDP ENGINE COMPRESSION BRAKE : Code 13905 PROVISION FOR PTO AVAIL: Code 40TVE, 40TVG, 40TVH, 40TVJ, 40TVK, 40TVL, 40TVM, 40TVN, 40TVP and 40TVR SRV CONTRACT, EXT ALLISON XMSN : Code 13WYY, 13XBA, 13XBB and 13XBC SHIFT CONTROL PARAMETERS : Code 13XAC ALLISON SPARE INPUT/OUTPUT : Code 08TRM COLLISION MITIGATION SYSTEM : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13BBS	\$1,151	0/0

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3000 EVS - 6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001(std) CLUTCH REQS: Code 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR REQS: Code 13WLP TRANSMISSION OIL REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN, 13XAN, 13XAP, 13XAP, 13XAT or 13XAT PTO LOCATION REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ, 12EYA, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 04WEA PARKING BRAKE INTERLOCK : Code 04WCX PARKING BRAKE CONTROL : Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13AWH SWITCH, DISABLE OVERDRIVE : Code 13WDH WIRING, TRANSMISSION : Code 13XAJ, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION AVAIL: Code 13WDZ and 13WYU SHIFT CONTROL PARAMETERS : Code 13WUD, 13WUE, 13WUT, 13WUZ and 13WVB ALLISON SPARE INPUT/OUTPUT : Code 08TRM COLLISION MITIGATION SYSTEM	13BCU	\$9,042 +203/+80	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
<p>TRANSMISSION, AUTOMATIC (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 3000 EVS -</p> <p>6th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, Max, GWV N/A</p> <p>REQS: Code 11001(std) CLUTCH</p> <p>REQS: Code 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS</p> <p>REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR</p> <p>REQS: Code 13WLP TRANSMISSION OIL</p> <p>REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN, 13XAN, 13XAP, 13XAP, 13XAT or 13XAT PTO LOCATION</p> <p>REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>REQS: Code 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ, 12EYA, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL</p> <p>N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN</p> <p>: SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN</p> <p>: Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN</p> <p>: Code 04WEA PARKING BRAKE INTERLOCK</p> <p>: Code 04WCX PARKING BRAKE CONTROL</p> <p>: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL</p> <p>: Code 13AAZ AUTOMATIC NEUTRAL</p> <p>: Code 13WVV(std) NEUTRAL AT STOP</p> <p>: Code 13AWH SWITCH, DISABLE OVERDRIVE</p> <p>: Code 13WDH WIRING, TRANSMISSION</p> <p>: Code 13XAJ, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION</p> <p>AVAIL: Code 13WDZ and 13WYU SHIFT CONTROL PARAMETERS</p> <p>: Code 13WUD, 13WUE, 13WUT, 13WUZ and 13WVB ALLISON SPARE INPUT/OUTPUT</p> <p>: Code 08TRM COLLISION MITIGATION SYSTEM</p>	13BCT	\$9,042 +203/+80	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-135

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
<p>TRANSMISSION, AUTOMATIC (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 3000 HS -</p> <p>6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, Less PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max</p> <p>REQS: Code 11001(std) CLUTCH</p> <p>REQS: Code 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS</p> <p>REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR</p> <p>REQS: Code 13WLP TRANSMISSION OIL</p> <p>REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL</p> <p>N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN</p> <p>: Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN</p> <p>: Code 04WEA PARKING BRAKE INTERLOCK</p> <p>: Code 04WCX PARKING BRAKE CONTROL</p> <p>: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL</p> <p>: Code 13WYY, 13XBA, 13XBB and 13XBC SHIFT CONTROL PARAMETERS</p> <p>: Code 13WGH TRANSMISSION DIPSTICK</p> <p>: Code 13AWH SWITCH, DISABLE OVERDRIVE</p> <p>: Code 13WGK TRANSMISSION COOLER HOSES</p> <p>: Code 13905 PROVISION FOR PTO</p> <p>: Code 13WDH WIRING, TRANSMISSION</p> <p>AVAIL: Code 40TTH, 40TTJ and 40TTK SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 13WEU TRANSMISSION FEATURE EFFECTS</p> <p>: Code 13WUB and 13WUV ALLISON SPARE INPUT/OUTPUT</p> <p>: Code 08TRM COLLISION MITIGATION SYSTEM</p> <p>: Code 13XAN PTO LOCATION</p>	13BCM	\$5,673 +174/+69	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-136

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
<p>TRANSMISSION, AUTOMATIC (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 3000 RDS -</p> <p>6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 62,000-lb GVW Max, Refuse/Mixer</p> <p>REQS: Code 11001(std) CLUTCH</p> <p>REQS: Code 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS</p> <p>REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR</p> <p>REQS: Code 13WLP TRANSMISSION OIL</p> <p>REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN, 13XAN, 13XAP, 13XAP, 13XAT or 13XAT PTO LOCATION</p> <p>REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL</p> <p>N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN</p> <p>: Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN</p> <p>: Code 04WEA PARKING BRAKE INTERLOCK</p> <p>: Code 04WCX PARKING BRAKE CONTROL</p> <p>: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL</p> <p>: Code 13WYY, 13XBA, 13XBB and 13XBC SHIFT CONTROL PARAMETERS</p> <p>: Code 13AWH SWITCH, DISABLE OVERDRIVE</p> <p>: Code 13WDH WIRING, TRANSMISSION</p> <p>: Code 13XAJ, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION</p> <p>AVAIL: Code 40TVS, 40TVT, 40TVU, 40TVV, 40TVW and 40USZ SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT</p> <p>: Code 08TRM COLLISION MITIGATION SYSTEM</p>	13BCR	\$6,979 +203/+80	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-137

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
<p>TRANSMISSION, AUTOMATIC (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 3000 RDS -</p> <p>6th Generation Controls, Close Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway</p> <p>REQS: Code 11001(std) CLUTCH</p> <p>REQS: Code 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS</p> <p>REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR</p> <p>REQS: Code 13WLP TRANSMISSION OIL</p> <p>REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN, 13XAN, 13XAP, 13XAP, 13XAT or 13XAT PTO LOCATION</p> <p>REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL</p> <p>N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN</p> <p>: Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN</p> <p>: Code 04WEA PARKING BRAKE INTERLOCK</p> <p>: Code 04WCX PARKING BRAKE CONTROL</p> <p>: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL</p> <p>: Code 13WYY, 13XBA, 13XBB and 13XBC SHIFT CONTROL PARAMETERS</p> <p>: Code 13AWH SWITCH, DISABLE OVERDRIVE</p> <p>: Code 13WDH WIRING, TRANSMISSION</p> <p>: Code 13XAJ, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION</p> <p>AVAIL: Code 40TVS, 40TVT, 40TVU, 40TVV, 40TVW and 40USZ SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT</p> <p>: Code 08TRM COLLISION MITIGATION SYSTEM</p>	13BCS	\$6,979 +203/+80	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-138

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
<p>TRANSMISSION, AUTOMATIC (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 3000 RDS -</p> <p>6th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 62,000-lb GVW, Refuse/Mixer</p> <p>REQS: Code 11001(std) CLUTCH</p> <p>REQS: Code 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS</p> <p>REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR</p> <p>REQS: Code 13WLP TRANSMISSION OIL</p> <p>REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN, 13XAN, 13XAP, 13XAP, 13XAT or 13XAT PTO LOCATION</p> <p>REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL</p> <p>N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN</p> <p>: Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN</p> <p>: Code 04WEA PARKING BRAKE INTERLOCK</p> <p>: Code 04WCX PARKING BRAKE CONTROL</p> <p>: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL</p> <p>: Code 13WYY, 13XBA, 13XBB and 13XBC SHIFT CONTROL PARAMETERS</p> <p>: Code 13AWH SWITCH, DISABLE OVERDRIVE</p> <p>: Code 13WDH WIRING, TRANSMISSION</p> <p>: Code 13XAJ, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION</p> <p>AVAIL: Code 40TVS, 40TVT, 40TVU, 40TVV, 40TVW and 40USZ SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT</p> <p>: Code 08TRM COLLISION MITIGATION SYSTEM</p>	13BCN	\$6,979 +203/+80	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-139

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
<p>TRANSMISSION, AUTOMATIC (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 3000 RDS -</p> <p>6th Generation Controls, Close Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway</p> <p>REQS: Code 11001(std) CLUTCH</p> <p>REQS: Code 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS</p> <p>REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR</p> <p>REQS: Code 13WLP TRANSMISSION OIL</p> <p>REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN, 13XAN, 13XAP, 13XAP, 13XAT or 13XAT PTO LOCATION</p> <p>REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL</p> <p>N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN</p> <p>: Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN</p> <p>: Code 04WEA PARKING BRAKE INTERLOCK</p> <p>: Code 04WCX PARKING BRAKE CONTROL</p> <p>: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL</p> <p>: Code 13WYY, 13XBA, 13XBB and 13XBC SHIFT CONTROL PARAMETERS</p> <p>: Code 13AWH SWITCH, DISABLE OVERDRIVE</p> <p>: Code 13WDH WIRING, TRANSMISSION</p> <p>: Code 13XAJ, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION</p> <p>AVAIL: Code 40TVS, 40TVT, 40TVU, 40TVV, 40TVW and 40USZ SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT</p> <p>: Code 08TRM COLLISION MITIGATION SYSTEM</p>	13BCP	\$6,979 +203/+80	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-140

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3500 EVS - 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor REQS: Code 11001(std) CLUTCH REQS: Code 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR REQS: Code 13WLP TRANSMISSION OIL REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN, 13XAN, 13XAP, 13XAP, 13XAT or 13XAT PTO LOCATION REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 12EXV, 12EXW, 12EXX, 12EXY, 12EYV, 12EYW or 12EYX ENGINE, DIESEL N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN : SRV CONTRACT, EXT ALLISON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 04WEA PARKING BRAKE INTERLOCK : Code 04WCX PARKING BRAKE CONTROL : Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : Code 13AWH SWITCH, DISABLE OVERDRIVE : Code 13WDH WIRING, TRANSMISSION : Code 13XAJ, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION AVAIL: Code 13WDZ and 13WYU SHIFT CONTROL PARAMETERS : Code 13WUD, 13WUE, 13WUT, 13WUZ and 13WVB ALLISON SPARE INPUT/OUTPUT : Code 08TRM COLLISION MITIGATION SYSTEM	13BDT	\$9,318 +203/+80	

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3500 RDS - 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 60,000-lb GVW Max, Refuse/Mixer REQS: Code 11001(std) CLUTCH REQS: Code 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR REQS: Code 13WLP TRANSMISSION OIL REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN, 13XAN, 13XAP, 13XAP, 13XAT or 13XAT PTO LOCATION REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EYU, 12EYV or 12EYW ENGINE, DIESEL N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 04WEA PARKING BRAKE INTERLOCK : Code 04WCX PARKING BRAKE CONTROL : Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13WYY, 13XBA, 13XBB and 13XBC SHIFT CONTROL PARAMETERS : Code 13AWH SWITCH, DISABLE OVERDRIVE : Code 13WDH WIRING, TRANSMISSION : Code 13XAJ, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION AVAIL: Code 40TVX, 40TVY, 40TVZ, 40TWA, 40TWB and 40UTA SRV CONTRACT, EXT ALLISON XMSN : Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT : Code 08TRM COLLISION MITIGATION SYSTEM	13BDP	\$6,897 +203/+80	

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3500 RDS - 6th Generation Controls, Wide Ratio, 6-Speed with Double Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway REQS: Code 11001(std) CLUTCH REQS: Code 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13WET TRANSMISSION SHIFT CONTROL REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR REQS: Code 13WLP TRANSMISSION OIL REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN, 13XAN, 13XAP, 13XAP, 13XAT or 13XAT PTO LOCATION REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EYU, 12EYV, 12EYW or 12EYX ENGINE, DIESEL N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 04WEA PARKING BRAKE INTERLOCK : Code 04WCX PARKING BRAKE CONTROL : Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13WYY, 13XBA, 13XBB and 13XBC SHIFT CONTROL PARAMETERS : Code 13AWH SWITCH, DISABLE OVERDRIVE : Code 13WDH WIRING, TRANSMISSION : Code 13XAJ, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION AVAIL: Code 40TVX, 40TVY, 40TVZ, 40TWA, 40TWB and 40UTA SRV CONTRACT, EXT ALLISON XMSN : Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT : Code 08TRM COLLISION MITIGATION SYSTEM	13BDR	\$6,897 +203/+80	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
<p>TRANSMISSION, AUTOMATIC (CONTINUED)</p> <p>NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>Allison</p> <p>- 3500 RDS -</p> <p>6th Generation Controls, Wide Ratio, 5-Speed with Overdrive, with PTO Provision, Less Retarder, Includes Oil Level Sensor, with 80,000-lb GVW and GCW Max, On/Off Highway</p> <p>REQS: Code 11001(std) CLUTCH</p> <p>REQS: Code 13WDZ, 13WYU, 13XBD, 13XBE or 13XBG SHIFT CONTROL PARAMETERS</p> <p>REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT</p> <p>REQS: Code 13WET TRANSMISSION SHIFT CONTROL</p> <p>REQS: Code 12XCA, 12XCC(std) or 12XCE RADIATOR</p> <p>REQS: Code 13WLP TRANSMISSION OIL</p> <p>REQS: Code 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN, 13XAN, 13XAP, 13XAP, 13XAT or 13XAT PTO LOCATION</p> <p>REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE</p> <p>-OR- AXLE, REAR, TANDEM</p> <p>REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EYU, 12EYV, 12EYW or 12EYX ENGINE, DIESEL</p> <p>N/A: Code 40SRZ, 40SSA and 40SSB SRV CONTRACT, EXT EATON XMSN</p> <p>: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN</p> <p>: Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN</p> <p>: Code 04WEA PARKING BRAKE INTERLOCK</p> <p>: Code 04WCX PARKING BRAKE CONTROL</p> <p>: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL</p> <p>: Code 13WYY, 13XBA, 13XBB and 13XBC SHIFT CONTROL PARAMETERS</p> <p>: Code 13AWH SWITCH, DISABLE OVERDRIVE</p> <p>: Code 13WDH WIRING, TRANSMISSION</p> <p>: Code 13XAJ, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION</p> <p>AVAIL: Code 40TVX, 40TVY, 40TVZ, 40TWA, 40TWB and 40UTA SRV CONTRACT, EXT ALLISON XMSN</p> <p>: Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT</p> <p>: Code 08TRM COLLISION MITIGATION SYSTEM</p>	13BDM	\$6,897 +203/+80	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-144

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
TRANSMISSION, MANUAL NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - FRO-16210C - 10-Speed Manual, Overdrive, Air Shift, Internal Lube Oil Pump REQS: Code 04GAR or 04GBM(std) BRAKE, PARKING REQS: Code 11LGP CLUTCH REQS: Code 12XBZ, 12XCB or 12XCD RADIATOR REQS: Code 13XAJ, 13XAJ, 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN, 13XAN, 13XAP, 13XAP, 13XAR, 13XAR, 13XAS, 13XAS, 13XAT, 13XAT, 13XAU, 13XAU, 13XAV or 13XAV PTO LOCATION REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 04WCX PARKING BRAKE CONTROL : Code 13WEU and 13WEV TRANSMISSION FEATURE EFFECTS : Code 13WDZ, 13WYU, 13WYY, 13XBA, 13XBB, 13XBC, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WGH TRANSMISSION DIPSTICK : Code 13WET, 13WEX and 13WVS TRANSMISSION SHIFT CONTROL : Code 13AWH SWITCH, DISABLE OVERDRIVE : Code 13WYH TRANSMISSION TCM LOCATION : BDY INTG, REMOTE START/STOP : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO : Code 13WDH WIRING, TRANSMISSION : Code 13XAL, 13XAM, 13XAP, 13XAT and 13XAU PTO LOCATION AVAIL: Code 08TXU COLLISION MITIGATION SYSTEM (SEE NEXT PAGE)	13GHS	\$2,090 +204/+62	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-145

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - FRO-16210C - AVAIL: Code 13WLX TRANSMISSION OIL - FRW-15210B - 10-Speed Manual, Direct Drive, Air Shift REQS: Code 04GAR or 04GBM(std) BRAKE, PARKING REQS: Code 11LGB or 11LGP CLUTCH REQS: Code 12XCBZ, 12XCB or 12XCD RADIATOR REQS: Code 13XAJ, 13XAJ, 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN, 13XAN, 13XAP, 13XAP, 13XAR, 13XAR, 13XAS, 13XAS, 13XAT, 13XAT, 13XAU, 13XAU, 13XAV or 13XAV PTO LOCATION REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 04WCX PARKING BRAKE CONTROL : Code 13WEU and 13WEV TRANSMISSION FEATURE EFFECTS : Code 13WDZ, 13WYU, 13WYY, 13XBA, 13XBB, 13XBC, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WGH TRANSMISSION DIPSTICK : Code 13WET, 13WEX and 13WVS TRANSMISSION SHIFT CONTROL : Code 13AWH SWITCH, DISABLE OVERDRIVE : Code 13WYH TRANSMISSION TCM LOCATION : BDY INTG, REMOTE START/STOP : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WGK TRANSMISSION COOLER HOSES : Code 13905 PROVISION FOR PTO : Code 13WDH WIRING, TRANSMISSION (SEE NEXT PAGE)	13GHS 13GUN	\$3,750 +199/+66	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-146

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - FS-6406N - 6-Speed Manual, Aluminum Clutch Housing, Direct Drive, Fully Synchronized, Short Shift Stroke REQS: Code 11LGB CLUTCH REQS: Code 12XBZ, 12XCB or 12XCD RADIATOR REQS: Code 13XAJ, 13XAJ, 13XAK, 13XAK, 13XAL, 13XAL, 13XAM, 13XAM, 13XAN, 13XAN, 13XAP, 13XAP, 13XAR, 13XAR, 13XAS, 13XAS, 13XAT, 13XAT, 13XAU, 13XAU, 13XAV or 13XAV PTO LOCATION REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY or 14GWY AXLE, REAR, TANDEM REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW or 12EXX ENGINE, DIESEL N/A: SRV CONTRACT, EXT ALLISON XMSN : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 04WCX PARKING BRAKE CONTROL : Code 04GBL and 04GBN BRAKE, PARKING : Code 13WEU and 13WEV TRANSMISSION FEATURE EFFECTS : Code 13WDZ, 13WYU, 13WYY, 13XBA, 13XBB, 13XBC, 13XBD, 13XBE and 13XBG SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WVV(std) NEUTRAL AT STOP : ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WGH TRANSMISSION DIPSTICK : Code 13WET, 13WEX and 13WVS TRANSMISSION SHIFT CONTROL : Code 13AWH SWITCH, DISABLE OVERDRIVE : Code 13WYH TRANSMISSION TCM LOCATION : BDY INTG, REMOTE START/STOP : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WGK TRANSMISSION COOLER HOSES : Code 07BMP and 07BMR EXHAUST SYSTEM : Code 13905 PROVISION FOR PTO <p style="text-align: right;">(SEE NEXT PAGE)</p>	13GMS	\$2,336CR +25/+8	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-148

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-149

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - FSO-8406A - N/A: Code 13WYH TRANSMISSION TCM LOCATION : BDY INTG, REMOTE START/STOP : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WGK TRANSMISSION COOLER HOSES : Code 07BMP and 07BMR EXHAUST SYSTEM : Code 13905 PROVISION FOR PTO : Code 13WDH WIRING, TRANSMISSION AVAIL: Code 08TXU COLLISION MITIGATION SYSTEM : Code 13WLW TRANSMISSION OIL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13GMJ		
TRANSMISSION TCM LOCATION Located Inside Cab REQS: Code 16JJE, 16JYJ, 16KAU, 16KAV, 16KBC, 16KBE, 16KBM, 16KBS, 16KBT, 16KBU, 16KBY, 16KCA, 16KCC, 16KCD, 16KVY, 16KZS, 16KZV, 16KZW, 16KZX or 16KZY SEAT, DRIVER N/A: Code 16PHR, 16RDZ, 16RZL and 16RZU SEAT, REAR : Code 08VUW BATTERY BOX, when in combination with Code 16196 CAB and Code 13BAU, 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBM or 13BBS TRANSMISSION, AUTOMATIC : Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 08VZR and 08VZS SWITCH, BODY CIRCUITS, MID or Code 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE, when in combination with Code 16LJX, 16LJY, 16LJZ or 16LKA SEAT, REAR and Code 16196 CAB : Code 60AAH, 60AAJ, 60AAK, 60AAL and 60AAP BDY INTG, REMOTE POWER MODULE, when in combination with Code 16PCS or 16PHR SEAT, REAR and Code 16196 CAB : Code 16SBA BUNK, LOWER	13WYH	\$156	0/0
ALLISON SPARE INPUT/OUTPUT NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book for Emergency Vehicle Series (EVS), Fire/Pumper, Tank, Aerial/Ladder, Package Number 198 REQS: Code 13BCT, 13BCU or 13BDT TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL (SEE NEXT PAGE)	13WUE	N/C	0/0

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-150

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-151

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
<p>ALLISON SPARE INPUT/OUTPUT (SEE PREV PAGE) NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL</p> <p>for Rugged Duty Series (RDS), Airport Refueler, Sewer Evac, Package Number 150 N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : TRANSMISSION, AUTOMATIC</p> <p>for Emergency Vehicle Series (EVS), Rescue, Ambulance, Package Number 170 REQS: Code 13BCT, 13BCU or 13BDT TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p> <p>for Emergency Vehicle Series (EVS), Rescue, Ambulance, Package Number 170, Includes J1939 Based Auto Neutral REQS: Code 13BCT, 13BCU or 13BDT TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL</p> <p>for Emergency Vehicle Series (EVS), Less Split Shaft PTO, Package Number 227 REQS: Code 13BCT, 13BCU or 13BDT TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL</p> <p>for Rugged Duty Series (RDS), General Purpose Trucks, Package Number 354, Modified for Single Input Auto Neutral REQS: Code 13WEH or 13WUA AUTOMATIC NEUTRAL REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBM or 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL</p>	<p>13WUS</p> <p>13WUH</p> <p>13WUD</p> <p>13WVB</p> <p>13WUT</p> <p>13XAC</p>	<p></p> <p>N/C 0/0</p> <p>N/C 0/0</p> <p>\$129 0/0</p> <p>N/C 0/0</p> <p>N/C</p>	

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
<p>ALLISON SPARE INPUT/OUTPUT (CONTINUED) NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book</p> <p>for Rugged Duty Series (RDS), Front Loaders, Rear Loaders, Recycling/Packer Trucks, Package Number 142 REQS: Code 13BCN, 13BCP, 13BCR, 13BCS, 13BDM, 13BDP or 13BDR TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL AVAIL: Code 13AAZ AUTOMATIC NEUTRAL</p> <p>for Rugged Duty Series (RDS), Street Sweeper, Package Number 167 N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL : TRANSMISSION, AUTOMATIC</p> <p>for Rugged Duty Series (RDS), Side Loaders, Package Number 170 REQS: Code 13BCN, 13BCP, 13BCR, 13BCS, 13BDM, 13BDP or 13BDR TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL AVAIL: Code 13AAZ AUTOMATIC NEUTRAL</p>	<p>13WUJ</p> <p>13WUL</p> <p>13WUK</p>	<p>N/C 0/0</p> <p>N/C 0/0</p> <p>N/C 0/0</p>	
<p>AUTOMATIC NEUTRAL</p> <p>Allison 3000 & 4000 Series Transmission Shifts to Neutral When Parking Brake is Engaged REQS: Code 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BDM, 13BDP or 13BDR TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL AVAIL: Code 13WUJ and 13WUK ALLISON SPARE INPUT/OUTPUT</p> <p>Allison Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged, without On/Off Switch N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL AVAIL: Code 13WUL, 13WUS, 13WUV, 13WUZ, 13WVB and 13XAC ALLISON SPARE INPUT/OUTPUT</p> <p>Allison Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged, with On/Off Switch N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL AVAIL: Code 13WUL, 13WUS, 13WUV, 13WUZ, 13WVB and 13XAC ALLISON SPARE INPUT/OUTPUT</p>	<p>13AAZ</p> <p>13WEH</p> <p>13WUA</p>	<p>\$34 0/0</p> <p>\$129 0/0</p> <p>\$129 0/0</p>	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
PTO LOCATION (CONTINUED)			
Customer Intends to Install PTO at Bottom of Transmission REQS: Code 13GHS or 13GUN TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC : Code 13905 PROVISION FOR PTO	13XAR	N/C 0/0	
Customer Intends to Install PTO at Left Side of Transmission REQS: Code 13GMJ, 13GMS or 13GNG TRANSMISSION, MANUAL -OR- Code 13BAV, 13BBA, 13BBB, 13BBJ, 13BBK, 13BBM, 13BBS, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC	13XAL	N/C 0/0	
Customer Intends to Install PTO at Rear of Transmission REQS: Code 13GHS or 13GUN TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC : Code 13905 PROVISION FOR PTO	13XAS	N/C 0/0	
Customer Intends to Install PTO at Top of Transmission REQS: Code 13905 PROVISION FOR PTO REQS: Code 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	13XAP	N/C 0/0	
Customer Intends to Install PTO at Right Side of Transmission REQS: Code 13BAV, 13BBA, 13BBB, 13BBJ, 13BBK, 13BBM, 13BBS, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 13905 PROVISION FOR PTO	13XAK	N/C 0/0	
Dual, Customer Intends to Install PTO at Right Side and/or Bottom of Transmission REQS: Code 13GHS or 13GUN TRANSMISSION, MANUAL -OR- Code 13BBK TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO	13XAV	N/C 0/0	
Dual, Customer Intends to Install PTO at Right Side and/or Rear of Transmission REQS: Code 13GHS or 13GUN TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC : Code 13905 PROVISION FOR PTO	13XAJ	N/C 0/0	
Dual, Customer Intends to Install PTO at Left Side and/or Rear of Transmission N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC : Code 07BLW EXHAUST SYSTEM : Code 13905 PROVISION FOR PTO	13XAU	N/C 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-155

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-156

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SHIFT CONTROL PARAMETERS (CONTINUED)			
Allison			
3000 or 4000 Series Transmissions, with DynActive, Dynamic Shift Sensing (FuelSense 2.0 Basic) REQS: Code 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BDM, 13BDP or 13BDR TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	13XBD	\$690	0/0
1000 or 2000 Series Transmissions, with DynActive, Dynamic Shift Sensing, Neutral at Stop-Premium, with Coast Mode (FuelSense 2.0 Plus) REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBG, 13BBJ, 13BBK or 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13WVV(std) NEUTRAL AT STOP	13XBB	\$750	0/0
1000 or 2000 Series Transmissions, with DynActive, Dynamic Shift Sensing, Neutral at Stop-Premium, with Coast Mode and Acceleration Rate Management (FuelSense 2.0 Max) REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBG, 13BBJ, 13BBK or 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13WVV(std) NEUTRAL AT STOP	13XBC	\$815	0/0
3000 or 4000 Series Transmissions, with DynActive, Dynamic Shift Sensing, Neutral at Stop-Premium, with Coast Mode (FuelSense 2.0 Plus) REQS: Code 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BDM, 13BDP or 13BDR TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13WVV(std) NEUTRAL AT STOP	13XBE	\$750	0/0
3000 or 4000 Series Transmissions, with DynActive, Dynamic Shift Sensing, Neutral at Stop-Premium, with Coast Mode and Acceleration Rate Management (FuelSense 2.0 Max) REQS: Code 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BDM, 13BDP or 13BDR TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : Code 13WVV(std) NEUTRAL AT STOP	13XBG	\$815	0/0

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-157

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
SWITCH, DISABLE OVERDRIVE OMIT REQS: Code 13BAU(std), 13BAV, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBK or 13BBM TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	13AWH	N/C 0/0	
TRANSMISSION COOLER HOSES Stainless Steel REQS: Code 12XCA RADIATOR REQS: Code 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	13WGK	\$996 0/0	
TRANSMISSION DIPSTICK Relocated to Right Side of Transmission REQS: Code 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	13WGH	\$61 + 1/0	
TRANSMISSION FEATURE EFFECTS for Allison, Disable Aftertreatment Regeneration When in PTO Mode REQS: Code 13BAV, 13BBA, 13BBB, 13BBJ, 13BBK, 13BBM, 13BBS, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL for Allison Prognostics-Disable Oil Life, Filter Life, Transmission Health Monitoring Functionality and Messaging N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	13WEV 13WEU	N/C 0/0 N/C	
TRANSMISSION OIL Synthetic; 20 thru 28 Pints REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBM or 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL Synthetic; 29 thru 42 Pints REQS: Code 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	13WLN 13WLP	\$151 0/0 \$203 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-158

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
TRANSMISSION OIL (CONTINUED) EmGard - 40W - Synthetic; 1 thru 21.99 Pints REQS: Code 13GMJ, 13GMS or 13GNG TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC Synthetic; 22 thru 33.99 Pints REQS: Code 13GHS or 13GUN TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WLW 13WLX	\$85 + 15/+5 \$153 0/+8	
TRANSMISSION SHIFT CONTROL T-Handle REQS: Code 16XJN(std) INSTRUMENT PANEL REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBM or 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL Column Mounted Stalk Shifter, Not for Use with Allison 1000 & 2000 Series Transmission REQS: Code 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL Column Mounted Stalk Shifter, for Allison 1000 & 2000 Series Transmission REQS: Code 04100 BRAKE SYSTEM, HYDRAULIC or Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBM or 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	13WVS 13WET 13WEX	N/C 0/0 \$50 + 1/0 \$232 + 4/+2	
WIRING, TRANSMISSION Installed Wiring for Transmission/PTO Controls, for Allison 1000, 2000, 2100, 2200, 2400, 2500 Series Transmission REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBM or 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	13WDH	\$24 + 1/0	



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-161

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-162

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE, REAR, SINGLE (CONTINUED) <i>Meritor</i> - MS-19-14X-3DCL - Single Reduction, 19,000-lb Capacity, Driver Controlled Locking Differential, 190 Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86, 6.14,6.43,6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04XCX, 04XDE, 04XDR(std) or 04XDU BRAKES, REAR REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC REQS: Code 14SAH, 14SAM, 14SAN, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBS, 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 28DUL, 28DUR, 28DUS, 28DVA, 28DWU, 28DWZ and 28DYA WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 14WCA FILL PLUG, MAGNETIC : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877, 14881 and 14897 DIFFERENTIAL, LOCKING AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE - MS-19-14X-3DFL - Single Reduction, Hypoid Gearing 19,000-lb Capacity, 190 Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86, 6.14,6.43,6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04XCX, 04XDE, 04XDR(std) or 04XDU BRAKES, REAR REQS: Code 14SAH, 14SAM, 14SAN, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE (SEE NEXT PAGE)	14ANT	\$912 0/+233	
	14ANS	\$276 0/+197	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-166

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE, REAR, SINGLE (SEE PREV PAGE)			
Meritor			
- MS-19-14X-3DFL - N/A: Code 28DUL, 28DUR, 28DUS, 28DWU and 28DYA WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING	14ANS		
- MS-21-13X-3DFL - Single Reduction, 20,000-lb Capacity, 190 Wheel Ends RATIO: 3.90,4.11,4.33,4.63,4.88,5.13,5.29,5.57, 5.83,6.17 or 6.50 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04XCX, 04XDR(std) or 04XDU BRAKES, REAR REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13GNG TRANSMISSION, MANUAL -OR- Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBM or 13BBS TRANSMISSION, AUTOMATIC REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW or 12EXX ENGINE, DIESEL N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 28DUL, 28DUR, 28DUS, 28DWU, 28DWZ and 28DYA WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877, 14881 and 14897 DIFFERENTIAL, LOCKING AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMN AXLE, REAR, LUBE	14APU	\$286 0/+134	
Single Reduction, 21,000-lb Capacity, 190 Wheel Ends RATIO: 3.90,4.11,4.33,4.63,4.88,5.13,5.29,5.57, 5.83,6.17 or 6.50 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04XCX, 04XDR(std) or 04XDU BRAKES, REAR	14AKJ	\$335 0/+134	
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-167

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-168

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-169	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-170	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE, REAR, SINGLE (SEE PREV PAGE)			
Meritor			
- MS-21-14X-3DFL - N/A: Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING	14ANU		
- MS-21-14X-4DCR - Single Reduction, 20,000-lb Capacity, Driver Controlled Locking Differential, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86, 6.14,6.43,6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04XCK, 04XCP, 04XDE, 04XDR(std) or 04XGM BRAKES, REAR REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC REQS: Code 02AEM, 02AJE, 02AJX, 02AKC, 02ASC, 02ASH, 02AST, 02ATK(std), 02ATL, 02ATM, 02ATN, 02ATT, 02AUC, 02AVK, 02AVT, 02AYU, 02AYW, 02AYX or 02AYY AXLE, FRONT NON-DRIVING REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBS, 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04GAR and 04GAS BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 28DAZ, 28DBC, 28DTS and 28DTX WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 14WCA FILL PLUG, MAGNETIC : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877, 14881 and 14897 DIFFERENTIAL, LOCKING AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE	14ANX	\$988 0/+225	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-171

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-172	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-173

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-174

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-175	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-176

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE, REAR, SINGLE (CONTINUED)			
Meritor			
- RS-21-160 -			
Single Reduction, 21,000-lb Capacity, 200 Wheel Ends RATIO: 2.50,2.67,2.80,2.93,3.07,3.21,3.42,3.58, 3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63, 6.14,6.43,6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 02AEM, 02AJE, 02AJX, 02AKC, 02ASC, 02ASH, 02AST, 02ATK(std), 02ATL, 02ATM, 02ATN, 02ATT, 02AUC, 02AVK, 02AVT, 02AYU, 02AYW, 02AYX or 02AYY AXLE, FRONT NON-DRIVING REQS: Code 14SAM, 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 04XCX, 04XCY, 04XCZ, 04XDG and 04XDU BRAKES, REAR : Code 04GAR and 04GAS BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 28DAZ, 28DBC, 28DTS, 28DTX and 28DYA WHEELS, REAR : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 14WCA FILL PLUG, MAGNETIC : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 10WGD SPECIAL RATING, GWR : Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 30 Days Standard, 90 Days w/no Spin Option	14ATE	\$1,458 0/+402	
- RS-21-230 -			
Two-Speed, 21,000-lb Capacity, R Wheel Ends RATIO: 4.56/6.36,4.88/6.80,5.38/7.50 or 5.86/8.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBS, 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04XCX, 04XCY, 04XCZ, 04XDG and 04XDU BRAKES, REAR : Code 04GAR and 04GAS BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC	14CVB	\$3,398 0/+295	

(SEE NEXT PAGE)

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-177

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE, REAR, SINGLE (SEE PREV PAGE)			
Meritor			
- RS-23-160 - REQS: Code 02AEM, 02AEZ, 02AJE, 02AJX, 02AKC, 02ASC, 02ASH, 02AST, 02ATK(std), 02ATL, 02ATM, 02ATN, 02ATT, 02AUC, 02AVK, 02AVT, 02AYU, 02AYW or 02AYX AXLE, FRONT NON-DRIVING REQS: Code 14SAM, 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBS, 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04XCX, 04XCY, 04XCZ and 04XDU BRAKES, REAR : Code 04GAR BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 28DAZ, 28DBC, 28DTS, 28DTX and 28DVA WHEELS, REAR : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 10WGD SPECIAL RATING, GWR : Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING	14051		
- RS-23-161 - Single Reduction, 23,000-lb Capacity, Driver Controlled Locking Differential, 200 Wheel Ends RATIO: 2.50,2.67,2.80,2.93,3.07,3.21,3.42,3.58, 3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63, 6.14,6.43,6.83 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC REQS: Code 14SAM, 14SAN, 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TAX or 14TAY SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM REQS: Code 13BAU(std), 13BAV, 13BAY, 13BAZ, 13BBA, 13BBB, 13BBG, 13BBJ, 13BBK, 13BBS, 13BCM, 13BCN, 13BCP, 13BCR, 13BCS, 13BCT, 13BCU, 13BDM, 13BDP, 13BDR or 13BDT TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04XCX, 04XCY, 04XCZ and 04XDU BRAKES, REAR : Code 04GAR and 04GAS BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC	14ARK	\$2,068 0/+439	
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-179

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-180	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-185	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE, REAR, SINGLE (SEE PREV PAGE)			
Dana Spicer			
- S140 -			
N/A: Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 14WCA FILL PLUG, MAGNETIC : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877, 14881 and 14897 DIFFERENTIAL, LOCKING	14AJZ		
AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMN AXLE, REAR, LUBE			
Single Reduction, 20,000-lb Capacity, 190 Wheel Ends	14AKA	\$7	0/+112
RATIO: 3.31,3.58,3.73,3.91,4.10,4.30,4.56,4.88, 5.29,5.57,6.14 or 6.50 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04XCX, 04XDR(std) or 04XDU BRAKES, REAR REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 04GAR and 04GAS BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC, when in combination with Code 14TAX or 14TAY SUSPENSION, REAR, AIR, SINGLE : Code 28DUL, 28DUR, 28DUS, 28DWU, 28DWZ and 28DYA WHEELS, REAR : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 14WCA FILL PLUG, MAGNETIC : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS			
AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMN AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING			
Single Reduction, 21,000-lb Capacity, R Wheel Ends	14AKB	\$110	0/+153
RATIO: 3.31,3.58,3.73,3.91,4.10,4.30,4.56,4.88, 5.29,5.57,6.14 or 6.50 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04XCK, 04XCP, 04XDR(std), 04XDS or 04XGM BRAKES, REAR REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- Code 14TDU or 14TDV SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM			
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-186

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-188	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-189

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-191

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-192

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-193	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE, REAR, SINGLE (SEE PREV PAGE)			
<i>Dana Spicer</i>			
- S30-190 - N/A: Code 14TAX, 14TAY, 14TDU and 14TDV SUSPENSION, REAR, AIR, SINGLE : Code 28DAZ, 28DBC, 28DTS, 28DTX, 28DWU, 28DYA and 28DYC WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 14WCA FILL PLUG, MAGNETIC : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMH AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING	14AHH		
- S30-190D - Single Reduction, 30,000-lb Capacity, Driver Control Locking Differential, W Wheel Ends RATIO: 2.69,2.87,2.93,3.07,3.21,3.42,3.58,3.73, 3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57, 6.14,6.83,7.17 or 7.83 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04XCZ or 04XDE BRAKES, REAR REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC REQS: Code 14SAN, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 10WGC and 10WGD SPECIAL RATING, GVWR : Code 04GAR and 04GAS BRAKE, PARKING : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14TAX, 14TAY, 14TDU and 14TDV SUSPENSION, REAR, AIR, SINGLE : Code 28DAZ, 28DBC, 28DTS, 28DTX, 28DWU, 28DYA and 28DYC WHEELS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 14WCA FILL PLUG, MAGNETIC : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877, 14881 and 14897 DIFFERENTIAL, LOCKING AVAIL: Code 14WMH AXLE, REAR, LUBE	14AHJ	\$7,582 0/+555	
- 21060D - Single Reduction, 20,000 lb Capacity, Driver Controlled Locking Differential, R Wheel Ends RATIO: 3.08,3.25,3.36,3.55,3.70,3.90,4.11,4.33, 4.63,4.88,5.29,5.57,6.17,6.50 or 7.17 REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04XDE, 04XDG, 04XDR(std) or 04XDS BRAKES, REAR	14AKV	\$538 0/+248	
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-194

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-195

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA
AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-196

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-198	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE, REAR, TANDEM <i>Meritor</i> - MT-34-14X-3DFR - Single Reduction, 34,000-lb Capacity, .375" (9.5mm) Wall Housing Thickness, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 28DJM, 28DTT, 28DUK, 28DUL, 28DUR, 28DUS, 28DUW, 28DUY, 28DWP, 28DWR, 28DWT, 28DWU, 28DWZ, 28DYB or 28DYC WHEELS, REAR REQS: Code 13GHS, 13GMJ or 13GUN TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 40XUG SRV CONTRACT, EXT VEH COVERAGE : Code 04XCX, 04XCY, 04XCZ, 04XDG and 04XDU BRAKES, REAR : AXLE, REAR, SINGLE : Code 14WCA FILL PLUG, MAGNETIC : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877, 14881 and 14897 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE - MT-40-14X-3DER - Single Reduction, 40,000-lb Capacity, .374"(9.5mm) Wall Housing Thickness, Driver Controlled Locking Differential in Rear-Rear Axle, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC REQS: Code 28DJM, 28DTT, 28DUK, 28DUL, 28DUR, 28DUS, 28DUW, 28DUY, 28DWP, 28DWR, 28DWT, 28DWU, 28DWZ, 28DYA, 28DYB or 28DYC WHEELS, REAR REQS: Code 13GHS, 13GMJ, 13GMS or 13GUN TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 40XUG SRV CONTRACT, EXT VEH COVERAGE : Code 04XCX, 04XCY, 04XCZ and 04XDU BRAKES, REAR : AXLE, REAR, SINGLE : Code 14WCA FILL PLUG, MAGNETIC : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877, 14881 and 14897 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE	14GXC	\$8,520 0/+2139	
	14GWY	\$9,267 0/+2209	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-199

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-202

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
AXLE, REAR, TANDEM (CONTINUED) Meritor - MT-40-14X-4DFR-P - Single Reduction, 40,000-lb Capacity, with Lube Oil Pump, .433"(11mm) Wall Housing Thickness, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90,4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43,6.83 or 7.17 REQS: Code 01AND AXLE CONFIGURATION REQS: Code 13GHS, 13GMJ, 13GMS or 13GUN TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 40XUG SRV CONTRACT, EXT VEH COVERAGE : Code 04XCX, 04XCY, 04XCZ and 04XDG BRAKES, REAR : Code 28DAZ, 28DBC, 28DTS, 28DTX, 28DVA and 28DYA WHEELS, REAR : AXLE, REAR, SINGLE : Code 14WCA FILL PLUG, MAGNETIC : Code 14WZY AXLE SHAFT MODIFICATION : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877, 14881 and 14897 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE	14GVU	\$9,260 0/+2157	
SUSPENSION, REAR, AIR, SINGLE Hendrickson - HAS 230 - 23,000-lb Capacity, 10.6" Ride Height, with Shock Absorbers REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 01CAD, 01CAE, 01CAG or 01CAH FRAME RAILS REQS: Code 14AKW, 14AKZ, 14ARK, 14ARY, 14AWD, 14AWK, 14AWL or 14CVC AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04XCX and 04XDU BRAKES, REAR : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04AZE AIR BRAKE ABS : Code 04ERC BRAKE CHAMBERS, POSITION : SUSPENSION, REAR, SINGLE : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM : Code 01553 TIRE CARRIER : FIFTH WHEEL, AIR SLIDE : Code 10HNN FIFTH WHEEL, STATIONARY AVAIL: Code 10WGD SPECIAL RATING, GVWR	14TAY	\$2,591 0/+96	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
SUSPENSION, REAR, AIR, SINGLE (CONTINUED) <i>Hendrickson</i> - HAS 230 - 23,000-lb Capacity, 9.5" Ride Height, with Shock Absorbers REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 01CAD, 01CAE, 01CAG or 01CAH FRAME RAILS REQS: Code 04SPA AIR COMPRESSOR REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ARK, 14ARY, 14AWD, 14AWK, 14AWL, 14AWM or 14CVC AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04XCK, 04XCP, 04XCX and 04XGM BRAKES, REAR : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04AZE AIR BRAKE ABS : Code 04677 TRAILER HOSES : Code 04ERC BRAKE CHAMBERS, POSITION : SUSPENSION, REAR, SINGLE : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM : Code 01553 TIRE CARRIER : FIFTH WHEEL, AIR SLIDE : Code 10HNNH FIFTH WHEEL, STATIONARY AVAIL: Code 10WGD SPECIAL RATING, GWR <i>International</i> - IROS - 20,000-lb Capacity, 9.25" Ride Height, with Shock Absorbers Mounted Outside the Rails REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC REQS: Code 01CAD, 01CAE, 01CAG or 01CAH FRAME RAILS REQS: Code 14AHE, 14AHG, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ATE, 14ATG, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14CVB or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04ERC BRAKE CHAMBERS, POSITION : SUSPENSION, REAR, SINGLE : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR (SEE NEXT PAGE)	14TAX	\$2,379 0/+91	
	14TDU	\$1,338 0/-30	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-204

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SUSPENSION, REAR, AIR, SINGLE (SEE PREV PAGE) <i>International</i> - IROS - N/A: Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM 21,000-lb Capacity, 9.25" Ride Height, with Shock Absorbers Mounted Outside the Rails REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC REQS: Code 01CAD, 01CAE, 01CAG or 01CAH FRAME RAILS REQS: Code 14AHE, 14AHG, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ATE, 14ATG, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14CVB or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04ERC BRAKE CHAMBERS, POSITION : SUSPENSION, REAR, SINGLE : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM : Code 10HNN FIFTH WHEEL, STATIONARY	14TDU 14TDV	\$1,363 0/-30	
SUSPENSION, REAR, AIR, TANDEM <i>International</i> Ride Optimized Suspension (IROS) Heavy Duty, 40,000-lb Capacity, 60" Axle Spacing, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, with Shock Absorbers REQS: Code 01AND AXLE CONFIGURATION REQS: Code 01616 FRAME RAILS WITH TAPERED REAR REQS: Code 01CAE, 01CAG or 01CAH FRAME RAILS REQS: Code 02AEZ, 02AJX, 02AKC, 02ASC, 02AST, 02ATM, 02ATN, 02ATT, 02AUC or 02AVT AXLE, FRONT NON-DRIVING N/A: Code 04XCX BRAKES, REAR : Code 04ERC BRAKE CHAMBERS, POSITION : Code 01CGM GVWR LIMITATION FOR FRAME : SUSPENSION, REAR, SINGLE : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TAY, 14TDU and 14TDV : SUSPENSION, REAR, AIR, SINGLE : Code 10HNN FIFTH WHEEL, STATIONARY	14UNS	\$2,716 0/+522	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-205

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-207	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
SUSPENSION, REAR, SINGLE (SEE PREV PAGE)			
N/A: Code 14WAS SUSPENSION LEVELING VALVE : Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : FIFTH WHEEL, AIR SLIDE : Code 10HNN FIFTH WHEEL, STATIONARY : Code 10WDN FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 10WGD SPECIAL RATING, GWR	14VAD		
20,000-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 14AHE, 14AHG, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04XDG BRAKES, REAR : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14TAX, 14TAY, 14TDU and 14TDV SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14UNS, 14UNT and 14UNU SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : FIFTH WHEEL, AIR SLIDE : Code 10HNN FIFTH WHEEL, STATIONARY AVAIL: Code 10WGD SPECIAL RATING, GWR	14VAG	\$98	0/+63
23,500-lb Capacity, Vari-Rate Springs, with 4500-lb Capacity Auxiliary Rubber Springs REQS: Code 01ANA(std) AXLE CONFIGURATION REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHL, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 16AAH GAUGE, AIR PRESSURE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 04XDG BRAKES, REAR : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM (SEE NEXT PAGE)	14VAH	\$133	0/+86

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-211

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-213

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-214

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
FUEL TANK (SEE PREV PAGE)			
N/A: Code 27DAZ, 27DBC, 27DTS and 27DTX WHEELS, FRONT : Code 28DAZ, 28DBC, 28DTS and 28DTX WHEELS, REAR : Code 15WHW ANTI-SIPHON DEVICE : Code 15WCN DEF TANK AVAIL: Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SGD		
Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 100 US Gal (379L), Mounted Right Side, Under Cab REQS: Code 04VKV, 04VLA or 04XEZ AIR TANK LOCATION REQS: Code 07BME(std), 07BMJ or 07BMM EXHAUST SYSTEM REQS: Code 15WDG(std) or 15WEX DEF TANK REQS: Code 16XTK, 16ZBT(std) or 16ZJA ACCESS, CAB REQS: Code 08VUW or 08VVG BATTERY BOX N/A: Code 16196 CAB : Code 27DAZ, 27DBC, 27DTS and 27DTX WHEELS, FRONT : Code 28DAZ, 28DBC, 28DTS and 28DTX WHEELS, REAR : Code 15WHW ANTI-SIPHON DEVICE : Code 08TSB COLLISION WARNING SYSTEM AVAIL: Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SGE	\$451 +34/+26	
Top Draw, Polished Aluminum, D-Style, 19" Tank Depth, 100 US Gal (379L), Mounted Left Side, Under Cab REQS: Code 04VKH, 04VKV or 04XEZ AIR TANK LOCATION REQS: Code 16VBU, 16XTK, 16ZBT(std) or 16ZJA ACCESS, CAB REQS: Code 08VUX(std), 08VVH or 08XMK BATTERY BOX N/A: Code 16ZHM ACCESS, CAB AND FRAME : Code 16196 CAB : Code 08XHV BATTERY DISCONNECT SWITCH : Code 01MAX SPECIAL FRAME PIERCING : Code 27DAZ, 27DBC, 27DTS and 27DTX WHEELS, FRONT : Code 28DAZ, 28DBC, 28DTS, 28DTX and 28DWP WHEELS, REAR : Code 07BLX and 07BMS EXHAUST SYSTEM : Code 15WHW ANTI-SIPHON DEVICE : Code 15WCN DEF TANK AVAIL: Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SDK	\$731 +25/+39	
Top Draw, Polished Aluminum, D-Style, 19" Tank Depth, 100 US Gal (379L), Mounted Right Side, Under Cab REQS: Code 04VLA or 04XEZ AIR TANK LOCATION REQS: Code 07BME(std) EXHAUST SYSTEM REQS: Code 15WDG(std) or 15WEX DEF TANK REQS: Code 16ZJA ACCESS, CAB	15SDL	\$683 +37/+27	
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-217

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-219

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-220

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
FUEL TANK (CONTINUED)			
Top Draw, Non-Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab REQS: Code 04VKH, 04VKJ, 04VKV, 04VKX or 04XEZ AIR TANK LOCATION REQS: Code 08VUL, 08VUM, 08VUX(std), 08VUY, 08VVH, 08XMK, 08XMP or 08XNP BATTERY BOX N/A: Code 27DAZ, 27DBC, 27DTS and 27DTX WHEELS, FRONT : Code 28DAZ, 28DBC, 28DTS and 28DTX WHEELS, REAR : Code 15WCN DEF TANK AVAIL: Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SRE	\$155 +18/+11	
Top Draw, Non-Polished Aluminum, 24" Dia, 50 US Gal (189L), Mounted Left Side, Under Cab REQS: Code 04VKV or 04XEZ AIR TANK LOCATION REQS: Code 07BLV, 07BLW, 07BME(std) or 07BMG EXHAUST SYSTEM REQS: Code 15WCN or 15WEX DEF TANK REQS: Code 16VBU, 16XTK, 16XYV, 16ZBT(std) or 16ZJA ACCESS, CAB REQS: Code 08XDU BATTERY BOX N/A: Code 16196 CAB : Code 08RMH BATTERY DISCONNECT SWITCH : SPECIAL FRAME PIERCING : Code 27DAZ, 27DBC, 27DTS and 27DTX WHEELS, FRONT : Code 28DAZ, 28DBC, 28DTS and 28DTX WHEELS, REAR AVAIL: Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SXJ	\$342 +12/-3	
Top Draw, Polished Aluminum, D-Style, 16" Tank Depth, 50 US Gal (189L), Mounted Right Side, Under Cab REQS: Code 04VKV, 04VLA or 04XEZ AIR TANK LOCATION REQS: Code 07BME(std), 07BMM or 07BMR EXHAUST SYSTEM REQS: Code 15WDG(std) DEF TANK REQS: Code 16XTK, 16ZBT(std) or 16ZJA ACCESS, CAB REQS: Code 08VUW or 08VVG BATTERY BOX N/A: Code 15WHC, 15WHV and 15WHW ANTI-SIPHON DEVICE : Code 15LNG FUEL/WATER SEPARATOR : Code 08TSB COLLISION WARNING SYSTEM AVAIL: Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SVH	\$328 +5/-4	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-221

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
FUEL TANK (CONTINUED)			
Top Draw, Polished Aluminum, D-Style, 16" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab REQS: Code 04VKH, 04VKJ, 04VKV or 04XEZ AIR TANK LOCATION REQS: Code 16VBU, 16XTK, 16ZBT(std) or 16ZJA ACCESS, CAB REQS: Code 08VUL, 08VUM, 08VUX(std), 08VVH, 08XMK, 08XMP or 08XNP BATTERY BOX REQS: Code 14SAH, 14SAM, 14SAN, 14SCD, 14SCE, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, REAR, SINGLE -OR- Code 14UNA SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 16196 CAB : Code 01MAX SPECIAL FRAME PIERCING : Code 28DUY and 28DVA WHEELS, REAR : Code 08MRR, 08MVY and 08MWG BATTERY SYSTEM : Code 07BLX and 07BMP EXHAUST SYSTEM : Code 15WCN DEF TANK AVAIL: Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SVM	\$380 +3/+6	
Top Draw, Polished Aluminum, D-Style, 19" Tank Depth, 50 US Gal (189L), Mounted Left Side, Under Cab REQS: Code 04VKH, 04VKJ, 04VKV, 04VKX or 04XEZ AIR TANK LOCATION REQS: Code 16XTK, 16XYV, 16ZBT(std), 16ZBU or 16ZJA ACCESS, CAB REQS: Code 08VUL, 08VUM, 08VUX(std), 08VUY, 08VVH, 08XMK, 08XMP or 08XNP BATTERY BOX N/A: Code 27DAZ, 27DBC, 27DTS and 27DTX WHEELS, FRONT : Code 28DAZ, 28DBC, 28DTS and 28DTX WHEELS, REAR : Code 15WCN DEF TANK AVAIL: Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SWY	\$483 +18/+11	
Top Draw, Polished Aluminum, 24" Dia, 50 US Gal (189L), Mounted Left Side, Under Cab REQS: Code 16030(std) CAB REQS: Code 04VKV or 04XEZ AIR TANK LOCATION REQS: Code 07BLV, 07BLW, 07BME(std) or 07BMG EXHAUST SYSTEM REQS: Code 15WCN or 15WEX DEF TANK REQS: Code 16XTK, 16XYV, 16ZBT(std) or 16ZJA ACCESS, CAB REQS: Code 08XDU BATTERY BOX N/A: Code 08RMH BATTERY DISCONNECT SWITCH : Code 01MAX SPECIAL FRAME PIERCING : Code 27DAZ, 27DBC, 27DTS and 27DTX WHEELS, FRONT : Code 28DAZ, 28DBC, 28DTS and 28DTX WHEELS, REAR AVAIL: Code 15WHC ANTI-SIPHON DEVICE (SEE NEXT PAGE)	15S XK	\$622 +12/-3	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-222

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-224	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
ANTI-SIPHON DEVICE (CONTINUED) for Dual Tanks; 2-Inch Diameter; Located inside Fuel Tank Fill Neck REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ or 15DZA FUEL TANK N/A: Code 15902 and 15903 FUEL TANK CAP for Single Tank; 2-Inch Diameter; Located inside Fuel Tank Fill Neck REQS: Code 15SDK, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SVM, 15SWU(std), 15SWY or 15SZV FUEL TANK N/A: Code 15902 and 15903 FUEL TANK CAP	15WHW 15WHV	\$122 + 2/0 \$61 + 1/0	
AUXILIARY FUEL DRAW TUBE Located at Auxiliary Port on Fuel Tank REQS: Code 15DMV, 15DYT, 15DYU, 15DYZ, 15SDK, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SVH, 15SVM, 15SWY, 15SXJ or 15SXK FUEL TANK	15WTM	\$82	
DEF TANK 7 US Gal (26L) Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 08VUL, 08VUM, 08VUW, 08VUX(std), 08VUY, 08VVG, 08VVH, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SDK, 15SDL, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SVH, 15SVM, 15SWU(std), 15SWY or 15SZV FUEL TANK N/A: Code 16VLL and 16VLM(std) CAB REAR SUSPENSION, when in combination with Code 16030 CAB and Code 15DMV, 15SDK, 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE or 15SVM FUEL TANK and Code 08TWG, 08TWJ, 08WCM, 08WKP or 08WSS POWER SOURCE, SPECIAL : Code 15BAA DEF TANK COVER 16.5 US Gal (62.5L) Capacity, Frame Mounted Outside Right Rail, Back of Cab REQS: Code 07BME(std) EXHAUST SYSTEM REQS: Code 08VUL, 08VUM, 08VUW, 08VUX(std), 08VVG, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX REQS: Code 15SDK, 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE, 15SVM, 15SWU(std), 15SWY or 15SZV FUEL TANK N/A: Code 16196 CAB : Code 15BAA DEF TANK COVER 16.5 US Gal (62.5L) Capacity, Frame Mounted Outside Left Rail, Back of Cab REQS: Code 07BME(std), 07BMJ or 07BMR EXHAUST SYSTEM REQS: Code 08VUW, 08VUX(std), 08VVH, 08XMH or 08XMK BATTERY BOX (SEE NEXT PAGE)	15WDG 15WEW 15WEX	STD \$281 - 13/+37 \$474 - 14/+37	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-225

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
FUEL/WATER SEPARATOR <i>Racor</i> - 400 Series, - with Primer Pump, Includes Water-in-Fuel Sensor REQS: Code 15LRE or 15LRE LOCATION FUEL/WATER SEPARATOR 12 VDC Electric Heater, Includes Pre-Heater, with Primer Pump, Includes Water-in-Fuel Sensor REQS: Code 15LRE or 15LRE LOCATION FUEL/WATER SEPARATOR <i>Davco</i> - 245 - 12 VDC Electric Heater, Includes Pre-Heater, Includes Water-in-Fuel Sensor REQS: Code 15LRE or 15LRE LOCATION FUEL/WATER SEPARATOR REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SDK, 15SDL, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SVM, 15SWU(std), 15SWY, 15SXJ, 15SXX or 15SZV FUEL TANK	15LMR 15LMN 15LNG	STD \$123 - 3 / 0 \$653	
LOCATION FUEL/WATER SEPARATOR Mounted Under Hood, Left Side, Above Front Axle	15LRE	\$50	
CAB Conventional, Day Cab INCLS: CLEARANCE/MARKER LIGHTS (5) Flush Mounted REQS: Code 16JJE, 16JJG, 16JJY, 16KAU, 16KAV, 16KBC, 16KBE, 16KBM, 16KBS, 16KBT, 16KBU, 16KBY, 16KCA, 16KCC, 16KVL, 16KVM, 16KVN, 16KVV, 16KZS, 16KZV, 16KZW, 16KZX or 16KZY SEAT, DRIVER REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 04VKH, 04VKJ, 04VKV, 04VLA or 04XEZ AIR TANK LOCATION REQS: Code 16WJU WINDOW, POWER -OR- Code 16XCK(std) WINDOW, MANUAL REQS: Code 16JJU, 16KCK, 16KCL, 16KCM, 16KCP, 16KCR, 16KCX, 16KCZ, 16KDB, 16KDC, 16KDD, 16KDE, 16LPG, 16LUM, 16LUN, 16PPG, 16PPH, 16PPN, 16PPY, 16SMM, 16SMN, 16SMR, 16SPE, 16SPG, 16SPH, 16400 or 16614 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH REQS: Code 16VBU, 16XTK, 16ZBT(std) or 16ZJA ACCESS, CAB REQS: Code 08VUL, 08VUM, 08VUW, 08VUX(std), 08VVG, 08VVH, 08XDU, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX N/A: Code 16SAP, 16SDD, 16SET and 16SGJ GRAB HANDLE, ADDITIONAL EXT (SEE NEXT PAGE)	16030	STD	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-227

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-229	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-231

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
ACCESS, CAB AND FRAME (SEE PREV PAGE) N/A: Code 16VBU, 16XTK, 16XYV, 16ZBT(std), 16ZBU and 16ZJA ACCESS, CAB : Code 16SED GRAB HANDLE, EXTERIOR : Code 16196 CAB : Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 07BMM EXHAUST SYSTEM	16ZHM		
AERODYNAMIC PACKAGE Includes Roof Air Deflector, Cab Side Extenders; for Day Cab, Paint and Install at the Plant REQS: Code 16SNL(std), 16SNM, 16SNS, 16SNT, 16SNU or 16SNV MIRRORS REQS: Code 16030(std) CAB N/A: Code 16XYL ROOF AIR DEFLECTOR : Code 16917 and 16973 MOUNTING BRACKETS : Code 08VZP BEACON MOUNTING BRACKET : Code 07BLW, 07BMJ and 07BMP EXHAUST SYSTEM AVAIL: Code 08XHN and 08XME HORN, AIR	16XYM	\$3,078 +101/+67	
AIR CONDITIONER with Integral Heater and Defroster N/A: Code 16BAL(std) HEATER	16BAM	\$923 +56/0	
AIR CONDITIONER, PROVISION FOR Accommodation Package, for Air Conditioning, Includes Auxiliary Compressor in Secondary Position and Compressor Drive Effects for Vehicle with Primary Compressor Mounting REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 16BAL(std) HEATER	16136	\$836	
AMMETER 150 Amp N/A: Code 16VSL WINDSHIELD	16HHT	\$217 +1/0	
ANTENNA MOUNTING BRACKETS Omit for Satellite Communication System, Customer Supplied REQS: Code 16030(std) CAB N/A: Code 08RNG SATELLITE COMMUNICATION SYSTEM	16VST	N/C	
ARM REST, LEFT, PASSENGER SEAT REQS: Code 16KCL, 16KCM, 16KCP, 16KCX, 16KDB, 16KDC, 16KDD, 16KDE, 16PPH or 16PPN SEAT, PASSENGER N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16WBZ	\$45 +3/0	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
ARM REST, RIGHT, DRIVER SEAT REQS: Code 16JJG, 16KBC, 16KBM, 16KBS, 16KBT, 16KBU, 16KBY, 16KCA, 16KCC, 16KZV, 16KZW or 16KZX SEAT, DRIVER N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16WBY	\$45 +3/0	
ARM REST, PASSENGER REAR for Inboard Arm Rest on Crew Cab REQS: Code 16196 CAB AVAIL: Code 16LJZ SEAT, REAR	16WZZ	\$65	
AUTOMATIC CLIMATE CONTROL Automatically Maintains Cabin Comfort Based on Selected Temperature	16ATC	\$98 0/0	
BUNK, LOWER 26" Wide; Includes Mattress, Occupant Restraints and Under Bunk Storage Compartment REQS: Code 16JJE, 16JJG, 16JYJ, 16KAU, 16KAV, 16KBC, 16KBE, 16KBM, 16KBS, 16KBT, 16KBY, 16KCA, 16KCC, 16KVY, 16KZV, 16KZW, 16KZX or 16KZY SEAT, DRIVER REQS: Code 16VKC or 16VKL CAB INTERIOR TRIM REQS: Code 16CAB CAB N/A: Code 13WYH TRANSMISSION TCM LOCATION AVAIL: Code 16615 SEAT, REAR : Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAA, 60AAB and 60AAD BDY INTG, REMOTE POWER MODULE	16SBA	\$2,300 +30/+20	
CAB DOOR LOCKS Manual, Driver Side Only; Non-Locking When Door Open N/A: Code 16WJU and 16WJV WINDOW, POWER Power, Driver Side Only; Non-Locking When Door Open N/A: Code 16XCK(std) and 16XCL WINDOW, MANUAL	16XAR 16XCM	\$16 \$16	
CAB INTERIOR TRIM Classic, for Day Cab INCLS: SUN VISOR (2) Padded Vinyl; 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Toll Ticket Strap : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For Canada Only : CONSOLE, OVERHEAD Molded Plastic with Dual Storage Pockets, Retainer Nets and CB Radio Pocket; Located Above Driver and Passenger - For USA Only (SEE NEXT PAGE)	16VKB	STD	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-233

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
CAB INTERIOR TRIM (SEE PREV PAGE) REQS: Code 16JJU, 16KCK, 16KCL, 16KCM, 16KCP, 16KCR, 16KCX, 16KCZ, 16KDB, 16KDC, 16KDD, 16KDE, 16LPG, 16LUM, 16LUN, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXH, 16SMM, 16SMN, 16SMR, 16400 or 16614 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH N/A: Code 16UZJ STORAGE, REAR WALL : Code 16WEE CAB SOUND INSULATION : Code 16XDD WINDOW, REAR : Code 16XCW CAB, INTERIOR TRIM, CLOSEOUT : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 08WTP and 08WTR COURTESY LIGHT	16VKL		
CAB INTERIOR TRIM BACK PANEL with Full Back Trim Panel REQS: Code 16030(std) CAB Vinyl, for Day Cab REQS: Code 16030(std) CAB	16XJT 16XJW	\$56 \$51 +5/+3	
CAB, INTERIOR TRIM, CLOSEOUT Under IP, Driver Side REQS: Code 16VKB(std), 16VKC or 16VKD CAB INTERIOR TRIM	16XCW	\$48	
CAB REAR SUSPENSION Rubber Suspension, for Low Cab Height REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 16196 CAB : Code 07BLW and 07BMS EXHAUST SYSTEM : Code 13905 PROVISION FOR PTO Air Suspension, for Low Cab Height REQS: Code 16196 CAB REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 07BLW, 07BLX and 07BMS EXHAUST SYSTEM : Code 13905 PROVISION FOR PTO Air Suspension, for Mid Cab Height REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC	16VLM 16VLL 16VLK	STD N/C -2/+46 \$572 +41/+1	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-238

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator REQS: Code 16VKB(std), 16VKC or 16VKD CAB INTERIOR TRIM	16WEE	\$90 + 8 / 0	
CONSOLE, CENTER Polypropylene, with One Coin Holder, One Cup Holder and One Thermos Holder, with Laptop PC or Clipboard Storage, Includes small Storage Area REQS: Code 16JJE, 16JJG, 16JYJ, 16KAU, 16KAV, 16KBC, 16KBE, 16KBM, 16KBS, 16KBT, 16KBU, 16KBY, 16KCA, 16KCC, 16KCD, 16KVY, 16KZS, 16KZV, 16KZW, 16KZX or 16KZY SEAT, DRIVER REQS: Code 16030(std) CAB N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16VBS	\$64 + 12 / 0	
COVER PLATE Blank Steel Cover Plate in Place of Storage Bin for Customer Mounting Requirements N/A: Code 16XJP INSTRUMENT PANEL	16XCV	\$25	
CUP HOLDERS Omit, In Instrument Panel	16VAH	N/C - 2 / 0	
CURTAIN, WINDSHIELD Privacy for Windshield, Doors and Rear Windows REQS: Code 16CAB or 16196 CAB REQS: Code 08TRM COLLISION MITIGATION SYSTEM or Code 08HXT, 08WHE or 08XHN HORN, AIR N/A: Code 08TPA DATA RECORDER or Code 08RNC CB RADIO : Code 08TRM COLLISION MITIGATION SYSTEM or Code 08RGA 2-WAY RADIO, when in combination with Code 08HXT, 08WHE or 08XHN HORN, AIR	16UZZ	\$338	
FLOOR, COATING LINE-X, Applied to Interior Cab Floor	16ZPH	\$1,200	
FRESH AIR FILTER Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood N/A: Code 09WBT GRILLE EMBER SCREEN	16WLS	\$76 + 1 / 0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-239

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
GAUGE CLUSTER			
Base Level; English with English Electronic Speedometer INCLS: GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for Fuel/DEF, DPF Level : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure or Auxiliary Air Pressure (if Air Equipped) : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure, Primary and Secondary (if Air Equipped) N/A: Code 16HLR VIRTUAL GAUGE, AIR APPLICATION : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM	16GED	STD	
Base Level; English with Metric Electronic Speedometer INCLS: GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for Fuel/DEF, DPF Level : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure or Auxiliary Air Pressure (if Air Equipped) : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure, Primary and Secondary (if Air Equipped) N/A: Code 16HLR VIRTUAL GAUGE, AIR APPLICATION : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM	16GEE	N/C 0/0	
Base Level; Metric with Metric Electronic Speedometer (SEE NEXT PAGE)	16GJB	N/C	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-240

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
GAUGE CLUSTER (SEE PREV PAGE)			
INCLS: GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for Fuel/DEF, DPF Level : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure or Auxiliary Air Pressure (if Air Equipped) : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure, Primary and Secondary (if Air Equipped) N/A: Code 16HLR VIRTUAL GAUGE, AIR APPLICATION : Code 16HLU VIRTUAL GA, OIL TEMP,AUTO XMSN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN : Code 16HLS VIRTUAL GA,OIL TEMP,REAR AXLE : Code 16AAG VIRTUAL GAUGE, AIR PRESSURE : Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM NOTE: 010003	16GJB		
Premium Level; English with English Electronic Speedometer INCLS: GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for Fuel/DEF, DPF Level : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure or Auxiliary Air Pressure (if Air Equipped) : WARNING SYSTEM Low Fuel, Low DEF, Low Oil Pressure, High Engine Coolant Temp, Low Battery Voltage (Visual and Audible), Low Air Pressure, Primary and Secondary (if Air Equipped)	16GEG	\$488	0/0
Premium Level; English with Metric Electronic Speedometer INCLS: GAUGE CLUSTER DISPLAY: Base Level (3" Monochromatic Display), Premium Level (5" LCD Color Display); Odometer, Voltmeter, Diagnostic Messages, Gear Indicator, Trip Odometer, Total Engine Hours, Trip Hours, MPG, Distance to Empty/Refill for Fuel/DEF, DPF Level : GAUGE CLUSTER Speedometer, Tachometer, Engine Coolant Temp, Fuel Gauge, DEF Gauge, Oil Pressure Gauge, Primary and Secondary Air Pressure or Auxiliary Air Pressure (if Air Equipped)	16GEH	\$488	0/0
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-241

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
GAUGE, OIL TEMP, AUTO TRANS for Allison Transmission REQS: Code 15WCN, 15WDG(std), 15WEW or 15WEX DEF TANK N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	16HGH	\$48 + 1/0	
GAUGE, OIL TEMP, MANUAL TRAN for Manual Transmission REQS: Code 15WCN, 15WDG(std), 15WEW or 15WEX DEF TANK REQS: Code 13GHS or 13GUN TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC : Code 16WLM HOURMETER, PTO	16HGJ	\$48 + 1/0	
GAUGE, OIL TEMP, REAR AXLE REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANR, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	16HGL	\$95 + 1/0	
GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster REQS: Code 16VKB(std), 16VKC or 16VKD CAB INTERIOR TRIM	16HCS	\$71 0/0	
VIRTUAL GAUGE, AIR APPLICATION Requires Premium Cluster REQS: Code 16GEG, 16GEH or 16GJC GAUGE CLUSTER N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC AVAIL: Code 08TXU COLLISION MITIGATION SYSTEM	16HLR	\$58 0/0	
VIRTUAL GAUGE, AIR PRESSURE for Pressure in Rear Air Suspension, Requires Premium Cluster REQS: Code 16GEG, 16GEH or 16GJC GAUGE CLUSTER N/A: SUSPENSION, REAR, SINGLE : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM	16AAG	\$58 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-243

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
HEATER N/A: Code 16136 AIR CONDITIONER, PROVISION FOR : Code 16BAM AIR CONDITIONER	16BAL	STD	
HEATER HOSES Silicone REQS: Code 16WHJ HOSE CLAMPS, HEATER HOSE	16975	\$78 0/0	
HOSE CLAMPS, HEATER HOSE Breeze Belleville Washer Type	16WHJ	\$25 0/0	
HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line	16564	\$41 +2/0	
HOURLMETER, PTO for Customer Provided PTO; with Indicator Light and Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch N/A: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HLV VIRTUAL GA,OIL TEMP,MANL XMSN AVAIL: Code 60AKG BDY INTG, PTO ACCOMMODATION : Code 13XAA PTO CONTROL, DASH MOUNTED	16WLM	\$138 +2/0	
INSTRUMENT PANEL Flat Panel AVAIL: Code 16XDS and 16XDU TELEMATICS BRACKET Wing Panel REQS: Code 04GAS BRAKE, PARKING, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC REQS: Code 04091(std) or 04092 BRAKE SYSTEM, AIR N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 04WCX PARKING BRAKE CONTROL, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 04GAR and 04GBL BRAKE, PARKING : Code 13WVS TRANSMISSION SHIFT CONTROL : Code 08718 POWER SOURCE AVAIL: Code 16XCU and 16XCX TELEMATICS BRACKET	16XJN 16XJP	STD \$333	
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster	16HKT	STD	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-246

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>MV607 SBA</i>	
IP CLUSTER DISPLAY (CONTINUED) Omit Display of Fault Codes in Instrument Cluster and Disable Blink Codes, Requires Service Tool to Retrieve and View Fault Code	16HKA	N/C 0/0	
KEYLESS ENTRY SYSTEM REMOTE with Panic Alarm and Horn Beep Lock Confirmation, with Auxiliary Button for Work Light Function Includes One Key Fob REQS: Code 16WJU or 16WJV WINDOW, POWER REQS: Code 08WAA or 08WLL LIGHT, WORK or Code 08WMA or 08WTT SWITCH, TOGGLE, FOR WORK LIGHT N/A: Code 16XCK(std) and 16XCL WINDOW, MANUAL with Panic and Auxiliary Buttons, Includes One Key Fob (Transmitter) REQS: Code 16WJU or 16WJV WINDOW, POWER N/A: Code 16XCK(std) and 16XCL WINDOW, MANUAL with Panic and Auxiliary Buttons, Includes Two Key Fobs (Transmitters) N/A: Code 16XCK(std) and 16XCL WINDOW, MANUAL	16VCN 16WKZ 16VDZ	\$390 +1/0 \$328 +2/0 \$422 +1/0	
LOW WASHER FLUID INDICATOR	16WSE	\$15 +1/0	
MIRRORS (02) C-Loop, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width N/A: Code 16VSL WINDSHIELD : Code 08RNC CB RADIO AVAIL: Code 16SSB and 16SSG MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5" (02) Aero Pedestal, Power Adjust, Heated, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width AVAIL: Code 16SSB, 16SSD and 16SSG MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5" (02) Aero Pedestal, Power Adjust, Heated, Turn Signals, Black Heads and Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width AVAIL: Code 16SSB, 16SSD and 16SSG MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNL 16SNS 16SNT	STD \$349 \$505	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-247

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE MV607 SBA
MIRRORS (CONTINUED)	
(02) Aero Pedestal, Power Adjust, Heated, Bright Heads, Black Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width AVAIL: Code 16SSC, 16SSE and 16SSH MIRROR, CONVEX, HOOD MOUNTED : Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNU \$455
(02) Aero Pedestal, Power Adjust, Heated, Turn Signals, Bright Heads, Black Arms, 6.5" x 14" Flat Glass, Includes 6.5" x 6" Convex Mirrors, for 102" Load Width AVAIL: Code 16SSC, 16SSE and 16SSH MIRROR, CONVEX, HOOD MOUNTED : Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNV \$583
(02) C-Loop, Power Adjust, Heated, Turn Signals, LED Clearance Lights, Black Heads and Arms, 7" x 14.5" Flat Glass, Includes 8" x 6" Convex Mirrors, for 96" Load Width N/A: Code 16XYM AERODYNAMIC PACKAGE AVAIL: Code 16SSB, 16SSD and 16SSG MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SSR \$429
(02) C-Loop, Power Adjust, Heated, Turn Signals, LED Clearance Lights, Bright Heads and Arms, 7" x 14.5" Flat Glass, Includes 8" x 6" Convex Mirrors, for 96" Load Width N/A: Code 16XYM AERODYNAMIC PACKAGE AVAIL: Code 16SSC, 16SSE and 16SSH MIRROR, CONVEX, HOOD MOUNTED : Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SSS \$629
(02) C-Loop, Power Adjust, Heated, Turn Signals, LED Clearance Lights, Black Heads and Arms, 7" x 14.5" Flat Glass, Includes 8" x 6" Convex Mirrors, for 102" Load Width N/A: Code 16XYM AERODYNAMIC PACKAGE AVAIL: Code 16SSB, 16SSD and 16SSG MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SST \$546 +9/+2

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-248

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
MIRRORS (CONTINUED) (02) C-Loop, Power Adjust, Heated, Turn Signals, LED Clearance Lights, Bright Heads and Arms, 7" x 14.5" Flat Glass, Includes 8" x 6" Convex Mirrors, for 102" Load Width N/A: Code 16XYM AERODYNAMIC PACKAGE AVAIL: Code 16SSC, 16SSE and 16SSH MIRROR, CONVEX, HOOD MOUNTED : Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SSU	\$629	
(02) C-Loop, Heated, Black Heads and Arms, 7.5" x 14" Flat Glass, Includes 7.5" x 7" Convex Mirrors, for 102" Load Width AVAIL: Code 16SSB, 16SSD and 16SSG MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SNM	\$126 -2/0	
(02) C-Loop, Heated, Turn Signals, Black Heads and Arms, 7" x 14.5" Flat Glass, Includes 8" x 6" Convex Mirrors, for 96" Load Width N/A: Code 16XYM AERODYNAMIC PACKAGE AVAIL: Code 16SSB, 16SSD and 16SSG MIRROR, CONVEX, HOOD MOUNTED : Code 16SNW MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SSN	\$277 +7/+2	
(02) C-Loop, Heated, Turn Signals, Bright Heads, Black Arms, 7" x 14.5" Flat Glass, Includes 8" x 6" Convex Mirrors, for 96" Load Width N/A: Code 16XYM AERODYNAMIC PACKAGE AVAIL: Code 16SSC, 16SSE and 16SSH MIRROR, CONVEX, HOOD MOUNTED : Code 16SNX MIRROR, CONVEX, LOOK DOWN NOTE: Mirror Dimensions are Rounded to the Nearest 0.5"	16SSP	\$359	
MIRROR, CONVEX, LOOK DOWN Right Side, Black, 6" x 10.5" N/A: Code 16SNU, 16SNV, 16SSP, 16SSS and 16SSU MIRRORS Right Side, Bright, 6" x 10.5" REQS: Code 16SNU, 16SNV, 16SSP, 16SSS or 16SSU MIRRORS	16SNW	\$49 +2/+1	
	16SNX	\$57 +2/+1	
MIRROR, CONVEX, HOOD MOUNTED (1) Right Side, Breakaway, Black N/A: Code 16SNU, 16SNV, 16SSP, 16SSS and 16SSU MIRRORS (1) Right Side, Breakaway, Bright REQS: Code 16SNU, 16SNV, 16SSP, 16SSS or 16SSU MIRRORS	16SSG	\$110	
	16SSH	\$136	

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
MIRROR, CONVEX, HOOD MOUNTED (CONTINUED) (2) Right and Left Sides, Breakaway, Black N/A: Code 16SNU, 16SNV, 16SSP, 16SSS and 16SSU MIRRORS (2) Right and Left Sides, Breakaway, Black, Heated REQS: Code 16SNM, 16SNS, 16SNT, 16SSN, 16SSR or 16SST MIRRORS (2) Right and Left Sides, Breakaway, Bright REQS: Code 16SNU, 16SNV, 16SSP, 16SSS or 16SSU MIRRORS (2) Right and Left Sides, Breakaway, Bright, Heated REQS: Code 16SNU, 16SNV, 16SSP, 16SSS or 16SSU MIRRORS	16SSB 16SSD 16SSC 16SSE	\$218 \$329 \$270 \$381	
MONITOR, TIRE PRESSURE System Gives Warning that Tire Pressure is Below Set Pressure, Monitors Tire Pressure of Each Tire with Temperature Compensation, Data Displayed in the LCD of the Cluster, for 4x2 and 4x4 Axle Configurations, Does Not Include Lift Axles or Spare Wheels REQS: Code 01ANA(std) AXLE CONFIGURATION System Gives Warning that Tire Pressure is Below Set Pressure, Monitors Tire Pressure of Each Tire with Temperature Compensation, Data Displayed in the LCD of the Cluster, for 6x2, 6x4 and 6x6 Axle Configurations, Does Not Include Lift Axles or Spare Wheels REQS: Code 01AND AXLE CONFIGURATION	16VUY 16VVA	\$996 +9/+2 \$1,288 +9/+2	
MOUNTING BRACKETS for Catwalk, Less Roof Catwalk REQS: Code 04091(std) BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 16196 CAB : Code 16XYM AERODYNAMIC PACKAGE : Code 16XYL ROOF AIR DEFLECTOR : Code 08VZP BEACON MOUNTING BRACKET For Customer Mounted Air Deflector; Less Roof Air Deflector N/A: Code 16SGH GRAB HANDLE, EXTERIOR : Code 16196 CAB : Code 16XYM AERODYNAMIC PACKAGE : Code 16XYL ROOF AIR DEFLECTOR : Code 08VZP BEACON MOUNTING BRACKET : Code 08HXT HORN, AIR	16917 16973	\$171 +3/0 \$279 +10/0	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
SEAT BELT (SEE PREV PAGE) -OR- SEAT, FRONT BENCH N/A: Code 16615 SEAT, REAR	16VCA		
SEAT, DRIVER Seats, Inc. - 911 Universal Series - NFPA Compliant, Air Suspension with Restrictor Bracket, High Back Vinyl with Covered Back and International Logo on Headrest REQS: Code 16JAJ, 16JJU, 16LPG, 16LUM, 16PPH, 16PPY, 16PPZ, 16PXH, 16SMN or 16400 SEAT, PASSENGER N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16KAY, 16LJX, 16LJZ, 16RBG, 16SMU and 16615 SEAT, REAR National Non-Suspension, High Back with Integral Head Rest, Cloth, with Fixed Back REQS: Code 16SMJ or 16SMK SEAT, TWO-MAN PASSENGER -OR- Code 16SMM, 16SMR or 16400 SEAT, PASSENGER N/A: Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 10XAP FIRE EXTINGUISHER BRACKET : Code 10XAN FIRE EXTINGUISHER AVAIL: Code 16KAY, 16LJX, 16LJZ, 16RBG, 16SMU and 16615 SEAT, REAR Non-Suspension, High Back with Integral Head Rest, Vinyl, with Fixed Back REQS: Code 16KAW, 16SMH, 16SML or 16SMP SEAT, TWO-MAN PASSENGER -OR- Code 16JAJ, 16KDB, 16KDC, 16KDD, 16LUM, 16PPG, 16PPN, 16PPZ, 16PXH, 16SMN, 16400 or 16614 SEAT, PASSENGER N/A: Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR : Code 10XAP FIRE EXTINGUISHER BRACKET : Code 10XAN FIRE EXTINGUISHER	16KVY 16KAU 16KAV	\$467 - 15/-9 \$25 - 44/-25 N/C - 44/-25	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-252

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-253	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SEAT, DRIVER (SEE PREV PAGE)			
National			
- Model HP -			
N/A: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16KZS		
: Code 16SBA BUNK, LOWER			
: Code 10XAP FIRE EXTINGUISHER BRACKET			
: Code 10XAN FIRE EXTINGUISHER			
AVAIL: Code 16VBZ and 16VCC SEAT BELT			
: Code 16RBG and 16615 SEAT, REAR			
RollTek Equipped, Air Suspension, High Back, Mordura Cloth, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj. Side Bolster, Back Cyclor, Non Swivel	16KVL	\$6,149	+1/+1
REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM			
REQS: Code 16030(std) CAB			
REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC			
REQS: Code 16KCR, 16LUN, 16SPE or 16400 SEAT, PASSENGER			
N/A: Code 16VCA SEAT BELT			
: Code 16VBS CONSOLE, CENTER			
: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER			
: Code 16WBY ARM REST, RIGHT, DRIVER SEAT			
: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH			
: Code 16HCH SEATBELT WARNING LIGHT IND.			
: Code 13WYH TRANSMISSION TCM LOCATION			
: Code 16SBA BUNK, LOWER			
: Code 10XAP FIRE EXTINGUISHER BRACKET			
: Code 10XAN FIRE EXTINGUISHER			
AVAIL: Code 16RBG and 16615 SEAT, REAR			
: Code 16HCK SEATBELT WARNING PREWIRE			
RollTek Equipped, Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj. Side Bolster, Back Cyclor, Non Swivel	16KVM	\$6,096	+15/+8
REQS: Code 16VKB(std), 16VKD or 16VKK CAB INTERIOR TRIM			
REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC			
REQS: Code 16LUM, 16PPG, 16SMN, 16SPG or 16400 SEAT, PASSENGER			
N/A: Code 16VCA SEAT BELT			
: Code 16VBS CONSOLE, CENTER			
: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER			
: Code 16WBY ARM REST, RIGHT, DRIVER SEAT			
: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH			
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-254

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SEAT, DRIVER (SEE PREV PAGE) National - 2000 - N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR Self Contained with Compressor, High Back with Integral Headrest, Vinyl, Isolator, 8" Adjuster, Mechanical Lumbar, 2 Position Front Cushion Adjust, 6-23 Degree Back Angle Adjust, Dual Shocks REQS: Code 16KAW, 16SMH, 16SML or 16SMP SEAT, TWO-MAN PASSENGER -OR- Code 16KCL, 16KDB, 16KDD, 16LUM, 16PPG, 16PPN, 16SMN or 16400 SEAT, PASSENGER N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16LKA and 16SMU SEAT, REAR : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 04SPA, 04SPK and 04SPN AIR COMPRESSOR Air Suspension, Mid Back with Integral Headrest, Mordura Cloth, Isolated, with Rear Cushion Adjustment, 6 to 17 Degree Seat Back Adjustment, Air Lumbar, Rubber Bellows REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC REQS: Code 16KDC, 16KDE or 16400 SEAT, PASSENGER N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16KAY, 16LJX, 16LJZ, 16RBG, 16SMU and 16615 SEAT, REAR Self Contained with Compressor, Mid Back, Vinyl, 8" Adjuster, 2 Position Front Cushion Adjust, 6-23 Degree Seat Back Angle Adjust REQS: Code 16KAW or 16SMP SEAT, TWO-MAN PASSENGER -OR- Code 16KCL or 16400 SEAT, PASSENGER N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16LKA and 16SMU SEAT, REAR : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 04SPA, 04SPK and 04SPN AIR COMPRESSOR : Code 16SBA BUNK, LOWER	16JJE 16KCC 16JYJ 16KBU	\$402 - 18/- 10 \$158 - 6/- 4 \$244 - 18/- 10	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-256

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-259	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-260	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-261	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SEAT, PASSENGER (CONTINUED)			
National			
- Model HP -			
RollTek Equipped, Air Suspension, High Back, Mordura Cloth, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj. Side Bolster, Back Cycler, Non Swivel REQS: Code 16KVL SEAT, DRIVER REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16030(std) CAB REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC N/A: Code 16VCA SEAT BELT : Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16SPE	\$6,620 +69/+37	
RollTek Equipped, Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7" Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj. Side Bolster, Back Cycler, Non Swivel REQS: Code 16KVM SEAT, DRIVER REQS: Code 16VKB(std), 16VKD or 16VKK CAB INTERIOR TRIM REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04100 BRAKE SYSTEM, HYDRAULIC N/A: Code 16VCA SEAT BELT : Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16CAB CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16SPG	\$6,561 +69/+37	
- 2000 - Self Contained with Compressor, High Back with Integral Head Rest, Vinyl, Isolator, 8" Adjuster, Mechanical Lumbar, 2 Position Front Cushion Adjust, 6-23 Degree Back Angle Adjust REQS: Code 16KBS, 16KBU or 16KCC SEAT, DRIVER N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 04SPA, 04SPK and 04SPN AIR COMPRESSOR	16KCL	\$704 +54/+30	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-264

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
SEAT, PASSENGER (CONTINUED)			
<i>National</i>			
- 2000 195 -			
Air-Suspension, High Back with Integral Headrest, Cloth, Isolator, 8" Adjuster, 3 Chamber Lumbar, 2 Position Front Cushion Adjust, 6-23 Degree Back Angle Adjust, Cushion and Back Bolsters REQS: Code 16KZV SEAT, DRIVER N/A: Code 16KAUW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16KCP	\$885 +54/+30	
Air-Suspension, High Back with Integral Headrest, Cloth, Isolator, 8" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 6-23 Degree Back Angle Adjust REQS: Code 16JYJ, 16KAV, 16KBC, 16KZV or 16KZX SEAT, DRIVER REQS: Code 04SPA AIR COMPRESSOR N/A: Code 16KAUW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16KDC	\$568 +54/+30	
Air Suspension, High Back with Integral Headrest, Vinyl, Isolator, 8" Adjuster, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, 6-23 Degree Back Angle Adjust REQS: Code 16JJE, 16KAV, 16KBY, 16KCA, 16KCC, 16KCD or 16KZW SEAT, DRIVER N/A: Code 16KAUW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16KDB	\$508 +54/+30	
Air Suspension, High Back, Vinyl Boxing with Leather Facing, 1 Inboard Arm Rest, Isolator, 8" Adjuster, 3 Chamber Lumbar, 6 Position Front Cushion Adjust, 6-23 Degree Back Angle Adjust, Vinyl Suspension Cover, Heat REQS: Code 16KZY SEAT, DRIVER N/A: Code 16KAUW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16KCZ	\$1,097 +54/+30	
Air Suspension, Mid Back, Vinyl, 8" Adjuster, 2 Position Front Cushion Adjust, 6-23 Degree Back Angle Adjust REQS: Code 16JJE, 16KAV, 16KBY, 16KCA, 16KCC, 16KCD or 16KZW SEAT, DRIVER N/A: Code 16KAUW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER <i>(SEE NEXT PAGE)</i>	16KDD	\$542 +54/+30	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-266

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-269

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-271	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
SEAT, REAR (SEE PREV PAGE) <i>H.O. Bostrom</i> - Tanker 400CT - N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE for SCBA; Two Individual Seats on One Riser, Non Suspension, High Back, Vinyl, with Covered Back and International Logo on Headrest REQS: Code 16JJE, 16JJG, 16KAV, 16KBS, 16KBU, 16KBY, 16KCA, 16KCC, 16KCD, 16KVM, 16KVY, 16KZW or 16KZY SEAT, DRIVER REQS: Code 16196 CAB REQS: Code 16JXG(std) SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER N/A: Code 16WZZ ARM REST, PASSENGER REAR : Code 13WYH TRANSMISSION TCM LOCATION : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE for SCBA with Secure All Locking System, Three Individual Seats on One Riser, Non Suspension, High Back, Vinyl, with Covered Back and International Logo on Headrest REQS: Code 16JJE, 16JJG, 16KAV, 16KBS, 16KBU, 16KBY, 16KCA, 16KCC, 16KCD, 16KVM, 16KVY, 16KZW or 16KZY SEAT, DRIVER REQS: Code 16196 CAB REQS: Code 16JXG(std) SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER N/A: Code 16WZZ ARM REST, PASSENGER REAR : Code 13WYH TRANSMISSION TCM LOCATION : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16RZL 16RZU 16RDZ	\$1,951 +22/+213 \$4,437 -18/+292	
SEAT, TWO-MAN PASSENGER <i>National</i> Vinyl, with Under Seat Storage Compartment REQS: Code 16XJN(std) INSTRUMENT PANEL REQS: Code 16JJE, 16KAV, 16KBS, 16KBU, 16KBY, 16KCA, 16KCC, 16KCD or 16KZW SEAT, DRIVER REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB N/A: Code 16UZJ STORAGE, REAR WALL : Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16SBA BUNK, LOWER, when in combination with Code 16CAB CAB	16KAW	\$656 +47/+27	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-272

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SEAT, TWO-MAN PASSENGER (CONTINUED)			
<i>National</i>			
Vinyl, Less Under Seat Storage Compartment REQS: Code 16XJN(std) INSTRUMENT PANEL REQS: Code 16JJE, 16KAV, 16KBS, 16KBU, 16KBY, 16KCA, 16KCC, 16KCD or 16KZW SEAT, DRIVER REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB N/A: Code 16UZJ STORAGE, REAR WALL : Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16SBA BUNK, LOWER, when in combination with Code 16CAB CAB	16SMP	\$554 +23/+37	
Fixed Back, Integrated Headrest in Both Occupant Positions, Cloth, with Under Seat Storage Compartment REQS: Code 16XJN(std) INSTRUMENT PANEL REQS: Code 16KAU, 16KBC, 16KBT or 16KZX SEAT, DRIVER REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB N/A: Code 16UZJ STORAGE, REAR WALL : Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 16SBA BUNK, LOWER, when in combination with Code 16CAB CAB	16SMK	\$771 +30/+41	
Fixed Back, Integrated Headrest in Both Occupant Positions, Cloth, Less Under Seat Storage Compartment REQS: Code 16XJN(std) INSTRUMENT PANEL REQS: Code 16KAU, 16KBC, 16KBT or 16KZX SEAT, DRIVER REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB N/A: Code 16UZJ STORAGE, REAR WALL : Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 16SBA BUNK, LOWER, when in combination with Code 16CAB CAB	16SMJ	\$669 +24/+40	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-273

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SEAT, TWO-MAN PASSENGER (CONTINUED)			
<i>National</i>			
Fixed Back, Integrated Headrest in Both Occupant Positions, Mordura Cloth, with Under Seat Storage Compartment REQS: Code 16XJN(std) INSTRUMENT PANEL REQS: Code 16KBM SEAT, DRIVER REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB N/A: Code 16UZJ STORAGE, REAR WALL : Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 16SBA BUNK, LOWER, when in combination with Code 16CAB CAB	16SMS	\$728 +40/+26	
Fixed Back, Integrated Headrest in Both Occupant Positions, Vinyl, with Under Seat Storage Compartment REQS: Code 16XJN(std) INSTRUMENT PANEL REQS: Code 16JJE, 16KAV, 16KBS, 16KCA, 16KCC, 16KCD or 16KZW SEAT, DRIVER REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB N/A: Code 16UZJ STORAGE, REAR WALL : Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16SBA BUNK, LOWER, when in combination with Code 16CAB CAB	16SMH	\$576 +30/+41	
Fixed Back, Integrated Headrest in Both Occupant Positions, Vinyl, Less Under Seat Storage Compartment REQS: Code 16XJN(std) INSTRUMENT PANEL REQS: Code 16JJE, 16JJG, 16KAV, 16KBS, 16KCA, 16KCC, 16KCD or 16KZW SEAT, DRIVER REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB N/A: Code 16UZJ STORAGE, REAR WALL : Code 16VBS CONSOLE, CENTER : SEAT, PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16SBA BUNK, LOWER, when in combination with Code 16CAB CAB	16SML	\$603 +25/+40	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-274

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
SEATBELT WARNING PREWIRE (SEE PREV PAGE) N/A: Code 16KAY, 16LJX, 16LJZ and 16615 SEAT, REAR : Code 16HCH SEATBELT WARNING LIGHT IND.	16HCL		
STORAGE, REAR WALL Storage Pocket, Located on Back Wall Between Driver and Passenger Seats REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16030(std) CAB N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16UZJ	\$50 +2/+1	
SUNSHADE, EXTERIOR Bright Finish, with Integral Clearance/Marker Lights Aerodynamic, Painted Roof Color, with Integral Clearance/Marker Lights	16XWE	\$928 +12/+5	
	16XWD	\$348 +14/+3	
TELEMATICS BRACKET with Universal Mount, 1" Ball Mount Size, for Customer Supplied Telematics Device, Mounted to Side Wing Panel REQS: Code 16XJP INSTRUMENT PANEL with Universal Mount, 1" Ball Mount Size, for Customer Supplied Telematics Device, Mounted in Auxiliary Gauge Location in Flat Panel, Includes (1) APO, (1) USB-A Port, (1) USB-C Port REQS: Code 16XJN(std) INSTRUMENT PANEL with Universal Mount, 1" Ball Mount Size, Mounted to Plate, Flush Mounted, Upper Left Corner on Front Face of the Wing Panel, with Pass Through Hole for Telematics Cable REQS: Code 16XJP INSTRUMENT PANEL REQS: Code 08XPK POWER SOURCE, ADDITIONAL with Universal Mount, 1.5" Ball Mount Size, for Customer Supplied Telematics Device, Mounted in Auxiliary Gauge Location in Flat Panel, Includes (1) APO, (1) USB-A Port, (1) USB-C Port REQS: Code 16XJN(std) INSTRUMENT PANEL	16XCU	\$168	
	16XDS	\$265 0/0	
	16XCX	\$148 +2/0	
	16XDU	\$265 0/0	
WINDOW, MANUAL (02) and Manual Door Locks, Left and Right Doors N/A: Code 16VCN, 16VDZ and 16WKZ KEYLESS ENTRY SYSTEM REMOTE : Code 16WJU and 16WJV WINDOW, POWER : Code 16VKD and 16VKM CAB INTERIOR TRIM : Code 16196 CAB AVAIL: Code 16XAR CAB DOOR LOCKS	16XCK	STD	



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
WINDOW, MANUAL (CONTINUED) (04) and Manual Door Locks, Front and Rear Doors, Left and Right REQS: Code 16VKD or 16VKM CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 16VCN, 16VDZ and 16WKZ KEYLESS ENTRY SYSTEM REMOTE : Code 16WJU and 16WJV WINDOW, POWER AVAIL: Code 16XAR CAB DOOR LOCKS	16XCL	N/C	
WINDOW, POWER (04) And Power Door Locks, Front and Rear Doors, Left and Right, Includes Express Down Feature REQS: Code 16VKD or 16VKM CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 16XCK(std) and 16XCL WINDOW, MANUAL AVAIL: Code 16XCM CAB DOOR LOCKS (02) and Power Door Locks, Left and Right Doors, Includes Express Down Feature N/A: Code 16XCK(std) and 16XCL WINDOW, MANUAL : Code 16VKD and 16VKM CAB INTERIOR TRIM : Code 16196 CAB AVAIL: Code 16XCM CAB DOOR LOCKS	16WJV 16WJU	\$866 + 10/0 \$367 + 5/0	
WINDOW, REAR Polycarbonate Plastic Window, Shatter Resistant REQS: Code 16VKB(std) or 16VKK CAB INTERIOR TRIM REQS: Code 16030(std) CAB	16XDD	\$343 - 2/- 3	
WINDSHIELD Heated, Single Piece REQS: Code 16SNM, 16SNS, 16SNT, 16SNU, 16SNV, 16SSN, 16SSP, 16SSR, 16SSS, 16SST or 16SSU MIRRORS N/A: Code 16HHT AMMETER : Code 08GXN ALTERNATOR : Code 08TRM and 08TXU COLLISION MITIGATION SYSTEM	16VSL	\$632 0/0	
WINDSHIELD WIPER BLADES Winter Type	16XWJ	\$30 + 2/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-277

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
WHEELS, FRONT <i>Accuride</i> - 29001 - DISC; 22.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DBC, 26DJM, 26DTE, 26DTS, 26DTU, 26DTX, 26DUK, 26DUW, 26DUZ, 26DWR or 26DWT WHEEL, SPARE, DISC REQS: Code 02AEM, 02AEZ, 02AJX, 02AKC, 02ASC, 02ASH, 02AST, 02ATK(std), 02ATL, 02ATN, 02ATT, 02AUC, 02AVK, 02AVT, 02AYW, 02AYX or 02AYY AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 28DBC WHEELS, REAR : Code 29SAJ HUB CAPS : Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBZ and 29PCU COATING IDENTITY, FRONT WHEELS - 28828 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs REQS: Code 26DBC, 26DJM, 26DTE, 26DTS, 26DTU, 26DTX, 26DUK, 26DUW, 26DUZ, 26DWR or 26DWT WHEEL, SPARE, DISC REQS: Code 02AEM, 02ASC, 02AUC, 02AYU or 02AYX AXLE, FRONT NON-DRIVING N/A: Code 28DUY WHEELS, REAR : Code 29SAJ HUB CAPS : Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBZ and 29PCU COATING IDENTITY, FRONT WHEELS - 28844 - DISC; 22.5x7.50 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DBC, 26DJM, 26DTE, 26DTS, 26DTU, 26DTX, 26DUK, 26DUW, 26DUZ, 26DWR or 26DWT WHEEL, SPARE, DISC REQS: Code 28DJM, 28DTE, 28DTT, 28DUK, 28DUR, 28DUS, 28DVA, 28DWP, 28DWT, 28DWU or 28DYC WHEELS, REAR REQS: Code 02AEM, 02ASH, 02ATK(std), 02ATL, 02AUC, 02AVK, 02AYW or 02AYY AXLE, FRONT NON-DRIVING N/A: Code 04XCJ, 04XCM and 04XGL BRAKES, FRONT : Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29SAJ HUB CAPS : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBZ and 29PCU COATING IDENTITY, FRONT WHEELS	<p>27DTU</p> <p>27DDT</p> <p>27DVA</p>	<p>STD</p> <p>\$139 +14/0</p> <p>\$594 -34/0</p>	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-278

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
WHEELS, FRONT <p align="center"><i>(SEE PREV PAGE)</i></p> <i>Accuride</i> - 43644 - REQS: Code 02AEM, 02AEZ, 02AJE, 02AJX, 02AKC, 02ASC, 02ASH, 02AST, 02ATK(std), 02ATL, 02ATM, 02ATN, 02ATT, 02AUC, 02AVK, 02AVT, 02AYW or 02AYX AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 28DAZ and 28DBC WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS	27DWR		
- 50180 - DISC; 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04XCW, 04XDC(std) or 04XGL BRAKES, FRONT REQS: Code 26DBC, 26DJM, 26DTE, 26DTS, 26DTU, 26DTX, 26DUK, 26DUW, 26DUZ, 26DWR or 26DWT WHEEL, SPARE, DISC REQS: Code 02AEM or 02ATK(std) AXLE, FRONT NON-DRIVING REQS: Code 15DYT, 15DYU, 15SGJ, 15SGK, 15SVH, 15SVM, 15SWU(std) or 15SZV FUEL TANK N/A: Code 04091(std) and 04092 BRAKE SYSTEM, AIR : Code 29GAZ HUB MODIFICATIONS, FRONT : Code 28DWZ and 28DYA WHEELS, REAR : Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 10632 PAINT IDENTITY, PT-2 : Code 29PBT, 29PBZ and 29PCU COATING IDENTITY, FRONT WHEELS AVAIL: Code 04EVD and 04WJH DUST SHIELDS, FRONT BRAKE	27DTX	\$40	- 2 6 / 0
- 51408 - DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DBC, 26DJM, 26DTE, 26DTS, 26DTU, 26DTX, 26DUK, 26DUW, 26DUZ, 26DWR or 26DWT WHEEL, SPARE, DISC REQS: Code 02AEM, 02AEZ, 02AJE, 02AJX, 02AKC, 02ASC, 02ASH, 02AST, 02ATK(std), 02ATL, 02ATM, 02ATN, 02ATT, 02AUC, 02AVK, 02AVT, 02AYU, 02AYW or 02AYX AXLE, FRONT NON-DRIVING N/A: Code 29PAR PAINT IDENTITY, FRONT WHEELS : Code 29PBT, 29PBZ and 29PCU COATING IDENTITY, FRONT WHEELS	27DUW	\$6CR	- 1 0 / 0

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-283

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
WHEELS, FRONT (CONTINUED)			
Maxion			
- F22.53449 - DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .490" Thick Increased Capacity Disc and Steel Hubs REQS: Code 26DBC, 26DJM, 26DTE, 26DTS, 26DTU, 26DTX, 26DUK, 26DUW, 26DUZ, 26DWR or 26DWT WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAR, 29PAW or 29PBA PAINT IDENTITY, FRONT WHEELS REQS: Code 02AEZ, 02AJE, 02AJX, 02AKC, 02ASC, 02ASH, 02AST, 02ATL, 02ATM, 02ATN, 02ATT, 02AUC, 02AVK, 02AVT, 02AYU, 02AYW, 02AYX or 02AYY AXLE, FRONT NON-DRIVING N/A: Code 29GAZ HUB MODIFICATIONS, FRONT : Code 29SAJ HUB CAPS : Code 29PBT, 29PBZ and 29PCU COATING IDENTITY, FRONT WHEELS AVAIL: Code 10636 PAINT IDENTITY, PT-2	27DWP	\$145 + 2 / 0	
- 10038 - DISC; 22.5x7.50 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DBC, 26DJM, 26DTE, 26DTS, 26DTU, 26DTX, 26DUK, 26DUW, 26DUZ, 26DWR or 26DWT WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAR, 29PAW or 29PBA PAINT IDENTITY, FRONT WHEELS REQS: Code 02AEM, 02AEZ, 02ASC, 02ASH, 02AST, 02ATK(std), 02ATL, 02ATN, 02ATT, 02AUC, 02AVK, 02AVT, 02AYW, 02AYX or 02AYY AXLE, FRONT NON-DRIVING N/A: Code 04XCJ, 04XCM and 04XGL BRAKES, FRONT : Code 29GAZ HUB MODIFICATIONS, FRONT : Code 28DUY WHEELS, REAR : Code 29SAJ HUB CAPS : Code 29PBT, 29PBZ and 29PCU COATING IDENTITY, FRONT WHEELS AVAIL: Code 10636 PAINT IDENTITY, PT-2	27DTE	\$13 + 8 / 0	
- 91541 - DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DBC, 26DJM, 26DTE, 26DTS, 26DTU, 26DTX, 26DUK, 26DUW, 26DUZ, 26DWR or 26DWT WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAR, 29PAW or 29PBA PAINT IDENTITY, FRONT WHEELS REQS: Code 02AEM, 02AEZ, 02AJE, 02AJX, 02AKC, 02ASC, 02ASH, 02AST, 02ATK(std), 02ATL, 02ATM, 02ATN, 02ATT, 02AUC, 02AVK, 02AVT, 02AYU, 02AYW or 02AYX AXLE, FRONT NON-DRIVING	27DJM	\$18 - 12 / 0	
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-286

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-288

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

ET TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-289

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

ET TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
WHEELS, REAR (CONTINUED) Accuride - 41685 - DUAL DISC; 19.5x7.50 Rims, Extra Polish Aluminum Outer Wheel 10-Hand Hole, Steel Inner Wheel 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 04XCY or 04XDU BRAKES, REAR REQS: Code 26DBC, 26DJM, 26DTE, 26DTU, 26DTX, 26DUK, 26DUW, 26DUZ, 26DWR or 26DWT WHEEL, SPARE, DISC REQS: Code 27DBA, 27DBC, 27DHK, 27DJM, 27DPN, 27DTE, 27DTS, 27DTT, 27DTX, 27DUK, 27DUL, 27DUR, 27DUW, 27DUY, 27DWP or 27DYC WHEELS, FRONT REQS: Code 14AJC, 14AJE, 14AJG, 14AJH, 14AKA, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKJ, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ, 14APL or 14APU AXLE, REAR, SINGLE REQS: Code 15DYT, 15DYU, 15SGJ, 15SGK, 15SVH, 15SVM, 15SWU(std) or 15SZV FUEL TANK N/A: Code 04100 BRAKE SYSTEM, HYDRAULIC : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS, 29PBY and 29PCT COATING IDENTITY, REAR WHEELS AVAIL: Code 04WJK DUST SHIELDS, REAR BRAKE - 41730 - DUAL DISC; 22.5x9.00 Rims, Extra Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJZ, 14AKB, 14AKH, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APT, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04XCX and 04XDU BRAKES, REAR : Code 27DBC WHEELS, FRONT : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS	28DBC	\$897 0/-78	
	28DUS	\$1,264 0/-56	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-291

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA	SECTION 095	PRICES EFFECTIVE 02/14/2025
PLM-282 REVISION NO. 209B	PAGE 095-292	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
WHEELS, REAR (CONTINUED)			
Accuride			
- 43644 -			
DUAL DISC; 22.5x8.25 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 04XDU BRAKES, REAR : Code 27DAZ, 27DBC and 27DVA WHEELS, FRONT : Code 29WAR WHEEL GUARDS, REAR : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBS COATING IDENTITY, REAR WHEELS	28DWR	\$1,044 0/-136	
- 50180 -			
DUAL DISC; 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DBC, 26DJM, 26DTE, 26DTS, 26DTU, 26DTX, 26DUK, 26DUW, 26DUZ, 26DWR or 26DWT WHEEL, SPARE, DISC REQS: Code 14AJC, 14AJE, 14AJG, 14AJH, 14AKA, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKJ, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ, 14APL, 14APU, 14AWB, 14AWD, 14AWJ or 14AWL AXLE, REAR, SINGLE REQS: Code 15DYT, 15DYU, 15SGJ, 15SGK, 15SVH, 15SVM, 15SWU(std) or 15SZV FUEL TANK N/A: Code 04XCK, 04XCP, 04XDE, 04XDG and 04XGM BRAKES, REAR : Code 04091(std) and 04092 BRAKE SYSTEM, AIR : Code 14UNA and 14670 SUSPENSION, REAR, TANDEM : Code 27DBA, 27DBC, 27DHK, 27DVA, 27DWZ and 27DYA WHEELS, FRONT : Code 29BAG WHEEL, REAR, IDENTITY : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM : Code 14WZY AXLE SHAFT MODIFICATION : Code 29PAS PAINT IDENTITY, REAR WHEELS : Code 29PBS, 29PBY and 29PCT COATING IDENTITY, REAR WHEELS AVAIL: Code 04EVE and 04WJK DUST SHIELDS, REAR BRAKE	28DTX	N/C 0/-52	
- 51408 -			
DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs N/A: Code 04XDU BRAKES, REAR : Code 27DBC and 27DVA WHEELS, FRONT : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PAS PAINT IDENTITY, REAR WHEELS : Code 29PBS, 29PBY and 29PCT COATING IDENTITY, REAR WHEELS	28DUW	\$104CR 0/-20	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-293

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

ET TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
WHEELS, REAR (CONTINUED) <i>Accuride</i> - 51487 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQs: Code 14AHE, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM REQs: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SDK, 15SDL, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SVH, 15SWU(std), 15SWY, 15SXJ, 15SXX or 15SZV FUEL TANK N/A: Code 04XDU BRAKES, REAR Code 27DAZ, 27DBC, 27DPN, 27DTE, 27DTS, 27DTT and 27DVA WHEELS, FRONT Code 29BAG WHEEL, REAR, IDENTITY Code 29GBA HUB MODIFICATIONS, REAR Code 29PAS PAINT IDENTITY, REAR WHEELS Code 29PBS, 29PBY and 29PCT COATING IDENTITY, REAR WHEELS <i>Alcoa</i> - ULA18 - DUAL DISC; 22.5x8.25 Rims, Brush Finish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQs: Code 14AHE, 14AHG, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM N/A: Code 04XCX and 04XDU BRAKES, REAR Code 04100 BRAKE SYSTEM, HYDRAULIC Code 27DBA, 27DHK and 27DUS WHEELS, FRONT Code 29BAG WHEEL, REAR, IDENTITY Code 29WAR WHEEL GUARDS, REAR Code 29GBA HUB MODIFICATIONS, REAR Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBY COATING IDENTITY, REAR WHEELS	<p>28DUY</p> <p>28DYC</p>	<p>\$103</p> <p>\$1,194</p>	<p>0/-28</p> <p>0/-131</p>

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-294

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
WHEELS, REAR (SEE PREV PAGE)			
Alcoa			
- ULA18 - N/A: Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS AVAIL: Code 29PBX COATING IDENTITY, REAR WHEELS	28DYB		
Maxion			
- F22.53449 - DUAL DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .490" Thick Increased Capacity Disc and Steel Hubs REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAS, 29PAX or 29PBB PAINT IDENTITY, REAR WHEELS REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SDL, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SVH, 15SVM, 15SWU(std), 15SWY, 15SXJ, 15SXX or 15SZV FUEL TANK N/A: Code 04XDG and 04XDU BRAKES, REAR : Code 04EVE DUST SHIELDS, REAR BRAKE : Code 29BAG WHEEL, REAR, IDENTITY : Code 29GBA HUB MODIFICATIONS, REAR : Code 29PBS, 29PBX and 29PCT COATING IDENTITY, REAR WHEELS AVAIL: Code 10636 PAINT IDENTITY, PT-2	28DWP	\$198	0/+4
- 10038 - DUAL DISC; 22.5x7.50 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DBC, 26DJM, 26DTE, 26DTS, 26DTU, 26DTX, 26DUK, 26DUW, 26DUZ, 26DWR or 26DWI WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAS, 29PAX or 29PBB PAINT IDENTITY, REAR WHEELS REQS: Code 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKD, 14AKE(std), 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14AWM, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE -OR- Code 14GVF, 14GVN, 14GVR, 14GVU or 14GVV AXLE, REAR, TANDEM N/A: Code 04XCK, 04XCP, 04XDG, 04XDU and 04XGM BRAKES, REAR : Code 27DBC WHEELS, FRONT : Code 29BAG WHEEL, REAR, IDENTITY : Code 29GBA HUB MODIFICATIONS, REAR : Code 14WZY AXLE SHAFT MODIFICATION	28DTE	\$102	0/+16
(SEE NEXT PAGE)			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-296

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
HUB MODIFICATIONS, FRONT Provide Longer Studs in Front Hubs for Retrofitting Aluminum Disc Wheels by Customer REQS: Code 02AEZ, 02AJE, 02AJX, 02AKC, 02ASC, 02ASH, 02AST, 02ATL, 02ATM, 02ATN, 02ATT, 02AUC, 02AVK, 02AVT, 02AYU, 02AYW, 02AYX or 02AYY AXLE, FRONT NON-DRIVING, when in combination with Code 27DTT WHEELS, FRONT REQS: Code 27DJM, 27DTT or 27DUW WHEELS, FRONT	29GAZ	\$53	
HUB MODIFICATIONS, REAR Provide Longer Studs in Rear Hubs for Retrofitting Aluminum Disc Wheels by Customer REQS: Code 28DJM, 28DTT, 28DTX or 28DUW WHEELS, REAR REQS: Code 14AHE, 14AHG, 14AHK, 14AHL, 14AJC, 14AJE, 14AJG, 14AJH, 14AJZ, 14AKA, 14AKB, 14AKC, 14AKL, 14AKV, 14AKW, 14AKX, 14AKY, 14AKZ, 14ANP, 14ANY, 14APL, 14ARB, 14ARK, 14ARY, 14ARZ, 14ASA, 14ATE, 14ATG, 14ATY, 14ATZ, 14AWB, 14AWD, 14AWJ, 14AWK, 14AWL, 14CVC or 14051 AXLE, REAR, SINGLE -OR- AXLE, REAR, TANDEM	29GBA	\$53 0/+3	
PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; with Vendor Applied Gray Powder Coat Paint REQS: Code 27DJM, 27DPN, 27DTE, 27DTS, 27DTT, 27DTU(std), 27DTX, 27DUK, 27DUL, 27DUW, 27DUY or 27DWP WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2 Disc Front Wheels; with Vendor Applied White Powder Coat Paint REQS: Code 27DJM, 27DTE or 27DWP WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2 Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 27DJM, 27DPN, 27DTE, 27DTS, 27DTT, 27DTU(std), 27DTX, 27DUK, 27DUL, 27DUW, 27DUY or 27DWP WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAW 29PAR 29PBA	\$24 \$24 \$24 0/0	
PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; with Vendor Applied Gray Powder Coat Paint REQS: Code 28DJM, 28DTE, 28DTS, 28DTT, 28DTU(std), 28DTX, 28DUK, 28DUL, 28DUW, 28DUY or 28DWP WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2 Disc Rear Wheels; with Vendor Applied White Powder Coat Paint REQS: Code 28DJM, 28DTE or 28DWP WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAX 29PAS	\$48 \$48 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-301

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
PAINT IDENTITY, REAR WHEELS (CONTINUED) Disc Wheels; with Vendor Applied Black Powder Coat Paint REQS: Code 28DJM, 28DTE, 28DTS, 28DTT, 28DTU(std), 28DTX, 28DUK, 28DUL, 28DUW, 28DUY or 28DWP WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBB	\$48	
TIRE, SPARE Equal to Model Standard	29007	\$589 0/+94	
TIRE VALVE CAP Flo-Thru Design <i>Alligaro</i> - V2B - Flo-Thru Design	29ACD 29AAU	\$24 \$28	
WHEEL BEARING, FRONT, LUBE <i>EmGard</i> - FE-75W-90 - Synthetic Oil	29WLK	\$59	
WHEEL GUARDS, FRONT <i>Accuride</i> for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	29WAP	\$24	
WHEEL GUARDS, REAR <i>Accuride</i> for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels REQS: Code 28DJM, 28DTE, 28DTS, 28DTT, 28DTU(std), 28DTX, 28DUK, 28DUL, 28DUW, 28DUY or 28DWP WHEELS, REAR	29WAR	\$24	
WHEEL, REAR, IDENTITY Replace Inner Aluminum Wheels on Rear Duals with the Equivalent Steel Wheels - For Use with Hub Piloted Wheels Only REQS: Code 28DUR, 28DUS, 28DWR, 28DWT, 28DWU, 28DWZ, 28DYA or 28DYB WHEELS, REAR	29BAG	\$350CR 0/+59	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-302

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE MV607 SBA
WARRANTY Standard for MV Series, Effective with Vehicles Built July 1, 2017 or Later, CTS-2020A	40129 STD
CARB COMPANION PLAN for CARB B6.7 and L9 Engines N/A: Code 40XUK, 40XUL, 40XUM, 40XUP, 40XUR, 40XUT and 40XUU SRV CONTRACT, EXT VEH COVERAGE : Code 12XCS CARB EMISSION WARR COMPLIANCE	40NSG \$830
SERVICES, TOWING Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for International Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru International; \$1650 (USA) Maximum Benefit per Incident	40MRU \$1,100
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40RBE \$440
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40YEX \$800
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for International Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru International; \$1650 (USA) Maximum Benefit per Incident	40MRV \$2,200
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40RBG \$840
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40YEY \$1,600

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-303

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SERVICES, TOWING (CONTINUED)			
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for International Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru International; \$1650 (USA) Maximum Benefit per Incident	40MRW	\$3,600	
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40RBH	\$1,200	
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40YEZ	\$2,800	
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for International Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru International; \$1650 (USA) Maximum Benefit per Incident	40MRX	\$4,400	
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40RBJ	\$1,400	
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40YGA	\$3,280	
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for International Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru International; \$1650 (USA) Maximum Benefit per Incident	40MRY	\$4,800	
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40RBK	\$1,760	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-304

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SERVICES, TOWING (CONTINUED) Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$1100 (USA) Maximum Benefit per Incident	40YGB	\$3,600	
SRV CONTRACT, EXT VEH COVERAGE To 36-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40XTY	\$1,080	
To 36-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40XTZ	\$1,755	
To 36-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40XUA	\$2,365	
To 36-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40XTX	\$675	
To 48-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40XUC	\$1,645	
To 48-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40XUD	\$2,320	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-305

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)			
To 48-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40XUE	\$3,600	
To 48-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 14GVJ, 14GVL, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWY and 14GXC AXLE, REAR, TANDEM	40XUG	\$4,725	
To 48-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40XUB	\$1,240	
To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40XUJ	\$2,250	
To 60-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 40NSG CARB COMPANION PLAN	40XUK	\$2,925	
To 60-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 40NSG CARB COMPANION PLAN	40XUL	\$4,725	
To 60-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS (SEE NEXT PAGE)	40XUM	\$6,750	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-306

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT VEH COVERAGE (SEE PREV PAGE)			
N/A: Code 40NSG CARB COMPANION PLAN	40XUM		
To 60-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40XUH	\$1,800	
To 72-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40XUN	\$3,150	
To 72-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 40NSG CARB COMPANION PLAN	40XUP	\$4,095	
To 72-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 40NSG CARB COMPANION PLAN	40XUR	\$6,615	
To 84-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS	40XUS	\$4,725	
To 84-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS : Code 40NSG CARB COMPANION PLAN	40XUT	\$6,145	
To 84-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission N/A: SRV CONTRACT, EXT HTR/AC SYS : SRV CONTRACT, EXT MAJOR COMP : SRV CONTRACT, EXT STARTER/ALT : SRV CONTRACT, EXT ELECTRICAL : SRV CONTRACT, EXT COOLING SYS (SEE NEXT PAGE)	40XUU	\$9,925	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-307

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONT, EXT CUMMINS ENGINE (CONTINUED) To 60-Month/100,000 Miles (160,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE	40ZCA	\$990	
To 60-Month/150,000 Miles (240,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YXY	\$2,640	
To 60-Month/150,000 Miles (240,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE	40ZCB	\$1,090	
To 60-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YXZ	\$3,240	
To 60-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE	40ZCC	\$1,640	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-309

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
<p>SRV CONT, EXT CUMMINS ENGINE (CONTINUED)</p> <p>To 60-Month/250,000 Miles (400,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE</p> <p>To 60-Month/250,000 Miles (400,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE</p> <p>To 60-Month/300,000 Miles (480,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE</p> <p>To 60-Month/300,000 Miles (480,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE</p> <p>To 72-Month/150,000 Miles (240,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE</p>	<p>40YYA</p> <p>40ZCD</p> <p>40YYB</p> <p>40ZCE</p> <p>40YYC</p>	<p>\$3,840</p> <p>\$2,240</p> <p>\$3,940</p> <p>\$2,340</p> <p>\$3,340</p>	



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONT, EXT CUMMINS ENGINE (CONTINUED) To 72-Month/150,000 Miles (240,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE	40ZCG	\$1,740	
To 72-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYD	\$4,140	
To 72-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE	40ZCH	\$2,540	
To 72-Month/250,000 Miles (400,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYE	\$4,840	
To 72-Month/250,000 Miles (400,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE	40ZCJ	\$3,240	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-311

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONT, EXT CUMMINS ENGINE (CONTINUED)			
To 36-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYT	\$1,800	
To 36-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE	40ZCT	\$1,100	
To 36-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYU	\$2,300	
To 36-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE	40ZCU	\$1,200	
To 48-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYV	\$3,600	
To 48-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE	40ZCV	\$1,500	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-312

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONT, EXT CUMMINS ENGINE (CONTINUED)			
To 48-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYW	\$5,200	
To 48-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE	40ZCW	\$3,100	
To 60-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYX	\$3,500	
To 60-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE	40ZCX	\$1,450	
To 60-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYY	\$4,380	
To 60-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE	40ZCY	\$1,650	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-313

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONT, EXT CUMMINS ENGINE (CONTINUED)			
To 60-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYZ	\$6,000	
To 60-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE	40ZCZ	\$3,270	
To 60-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Coverage, Full Engine Coverage, (RV/Fire Application Only) REQS: Code 12EYV, 12EYW, 12EYX or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40ZGD	\$4,000	
To 60-Month/250,000 Miles (400,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YZA	\$8,000	
To 60-Month/250,000 Miles (400,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE	40ZDA	\$5,270	
To 60-Month/300,000 Miles (480,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YZB	\$10,000	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-314

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONT, EXT CUMMINS ENGINE (CONTINUED) To 72-Month/250,000 Miles (400,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE To 72-Month/250,000 Miles (400,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE To 84-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Full Engine Coverage, (RV/Fire Application Only) REQS: Code 12EYV, 12EYW, 12EYX or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE To 96-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Full Engine Coverage, (RV/Fire Application Only) REQS: Code 12EYV, 12EYW, 12EYX or 12EYZ ENGINE, DIESEL N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YZE 40ZDE 40ZGG 40ZGH	\$9,100 \$6,370 \$5,100 \$7,100	
SRV CONT, EXT CUMMINS ENG/AFTR To 48-Month/150,000 Miles (240,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE To 48-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE (SEE NEXT PAGE)	40YYG 40YYH	\$3,680 \$4,140	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-316

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONT, EXT CUMMINS ENG/AFTR (SEE PREV PAGE)			
N/A: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYH		
To 48-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE	40ZCK	\$2,060	
To 60-Month/100,000 Miles (160,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYJ	\$3,380	
To 60-Month/150,000 Miles (240,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP : Code 12WZY CARB EMISSION WARR COMPLIANCE	40YYK	\$4,040	
To 60-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYL	\$4,870	
To 60-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE	40ZCL	\$2,420	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-317

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONT, EXT CUMMINS ENG/AFTR (CONTINUED) To 60-Month/250,000 Miles (400,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYM	\$5,680	
To 60-Month/250,000 Miles (400,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE	40ZCM	\$3,240	
To 60-Month/300,000 Miles (480,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYN	\$5,940	
To 60-Month/300,000 Miles (480,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE	40ZCN	\$3,450	
To 72-Month/150,000 Miles (240,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYP	\$4,940	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-318

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONT, EXT CUMMINS ENG/AFTR (CONTINUED)			
To 72-Month/150,000 Miles (240,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE	40ZCP	\$2,480	
To 72-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYR	\$6,110	
To 72-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE	40ZCR	\$3,670	
To 72-Month/250,000 Miles (400,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YYS	\$7,030	
To 72-Month/250,000 Miles (400,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX or 12EXY ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE	40ZCS	\$4,530	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-319

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONT, EXT CUMMINS ENG/AFTR (CONTINUED)			
To 60-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YZM	\$6,380	
To 60-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YZN	\$8,340	
To 60-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE	40ZDH	\$4,900	
To 60-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Coverage, Full Engine and Aftertreatment, (RV/Fire Application Only) REQS: Code 12EYV, 12EYW, 12EYX or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40ZGK	\$6,320	
To 60-Month/250,000 Miles (400,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YZP	\$10,740	
To 60-Month/250,000 Miles (400,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP (SEE NEXT PAGE)	40ZDJ	\$7,220	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-321

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONT, EXT CUMMINS ENG/AFTR (SEE PREV PAGE)			
AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE	40ZDJ		
To 60-Month/300,000 Miles (480,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only)	40YZR	\$13,290	
REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL			
N/A: SRV CONT, EXT CUMMINS ENGINE			
: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP			
AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE			
To 60-Month/300,000 Miles (480,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) << For Use with CARB Emission Warranty >>	40ZDK	\$9,760	
REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL			
N/A: SRV CONT, EXT CUMMINS ENGINE			
: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP			
AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE			
To 72-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Full Engine and Aftertreatment, (RV/Fire Application Only)	40ZGL	\$5,150	
REQS: Code 12EYV, 12EYW, 12EYX or 12EYZ ENGINE, DIESEL			
N/A: SRV CONT, EXT CUMMINS ENGINE			
: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP			
AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE			
To 72-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only)	40YZS	\$7,950	
REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL			
N/A: SRV CONT, EXT CUMMINS ENGINE			
: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP			
AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE			
To 72-Month/150,000 Miles (240,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) << For Use with CARB Emission Warranty >>	40ZDL	\$4,420	
REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL			
N/A: SRV CONT, EXT CUMMINS ENGINE			
: Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP			
AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-322

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONT, EXT CUMMINS ENG/AFTR (CONTINUED)			
To 72-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YZT	\$9,900	
To 72-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE	40ZDM	\$6,380	
To 72-Month/250,000 Miles (400,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40YZU	\$12,400	
To 72-Month/250,000 Miles (400,000 km), Extended Cummins L9 Engine Coverage, Protection Plan 1 and Aftertreatment, (Truck Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE	40ZDN	\$8,870	
To 84-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Full Engine and Aftertreatment, (RV/Fire Application Only) REQS: Code 12EYV, 12EYW, 12EYX or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40ZGM	\$8,330	
To 96-Month/100,000 Miles (160,000 km), Extended Cummins L9 Engine Coverage, Full Engine and Aftertreatment, (RV/Fire Application Only) REQS: Code 12EYV, 12EYW, 12EYX or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : Code 40MRR, 40MRS and 40ZGJ SRV CONT, EXT CUMMINS M/COMP (SEE NEXT PAGE)	40ZGN	\$11,490	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-323

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONT, EXT CUMMINS ENG/AFTR (SEE PREV PAGE) AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE	40ZGN		
SRV CONT, EXT CUMMINS M/COMP To 120-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Major Components Coverage, (RV/Fire Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZX CARB EMISSION WARR COMPLIANCE To 120-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Major Components Coverage, (RV/Fire Application Only) REQS: Code 12EYV, 12EYW, 12EYX or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12XCS CARB EMISSION WARR COMPLIANCE To 120-Month/200,000 Miles (320,000 km), Extended Cummins L9 Engine Major Components Coverage, (RV/Fire Application Only) << For Use with CARB Emission Warranty >> REQS: Code 12EYU, 12EYV, 12EYW, 12EYX, 12EYY or 12EYZ ENGINE, DIESEL N/A: SRV CONT, EXT CUMMINS ENGINE : SRV CONT, EXT CUMMINS ENG/AFTR AVAIL: Code 12WZY CARB EMISSION WARR COMPLIANCE	40MRR 40ZGJ 40MRS	\$2,500 \$2,900 \$3,000	
SRV CONTRACT, EXT COOLING SYS To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/250,000 Miles (400,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/50,000 Miles (80,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40XUW 40XUX 40XUY 40XUZ 40XUV 40XVB 40XVC 40XVD	\$160 \$275 \$365 \$455 \$115 \$250 \$340 \$545	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-324

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE MV607 SBA
SRV CONTRACT, EXT COOLING SYS (CONTINUED) To 48-Month/250,000 Miles (400,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/50,000 Miles (80,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/250,000 Miles (400,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/50,000 Miles (80,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40XVE \$720 40XVA \$180 40XVH \$340 40XVJ \$455 40XVK \$720 40XVL \$1,015 40XVG \$275
SRV CONTRACT, EXT ALLISON XMSN To 60-Month/Unlimited Miles/km, for Allison 1000 HS with P&D or Beverage Vocations (ST09-ST13) N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC To 60-Month/Unlimited Miles/km, for Allison 1000 HS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC To 84-Month/Unlimited Miles/km, for Allison 1000 HS with P&D or Beverage Vocations (ST09-ST13) N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC To 60-Month/Unlimited Miles/km, for Allison 1000 RDS with P&D or Beverage Vocations (ST09-ST13) N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC To 60-Month/Unlimited Miles/km, for Allison 1000 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC	40TSR \$736 40TST \$598 40TSS \$1,188 40TTW \$1,078 40TTX \$1,078

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-325

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)			
To 60-Month/Unlimited Miles/km, for Allison 1000 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC	40TTY	\$912	
To 60-Month/Unlimited Miles/km, for Allison 1000 RDS with Agriculture Vocations (AG01-AG03) N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC	40TTZ	\$912	
To 60-Month/Unlimited Miles/km, for Allison 2100 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BAU(std) TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TSU	\$822	
To 60-Month/Unlimited Miles/km, for Allison 2100 HS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BAU(std) TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TSW	\$706	
To 84-Month/Unlimited Miles/km, for Allison 2100 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BAU(std) TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TSV	\$1,680	
To 60-Month/Unlimited Miles/km, for Allison 2100 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BAV TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUA	\$1,484	
To 60-Month/Unlimited Miles/km, for Allison 2100 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BAV TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUC	\$1,484	
To 60-Month/Unlimited Miles/km, for Allison 2100 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13BAV TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUE	\$1,472	
To 60-Month/Unlimited Miles/km, for Allison 2100 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13BAV TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUH	\$1,472	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-326

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)			
To 84-Month/Unlimited Miles/km, for Allison 2100 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BAV TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUB	\$1,956	
To 84-Month/Unlimited Miles/km, for Allison 2100 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BAV TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUD	\$1,908	
To 84-Month/Unlimited Miles/km, for Allison 2100 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13BAV TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUG	\$1,940	
To 84-Month/Unlimited Miles/km, for Allison 2100 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13BAV TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUJ	\$1,940	
To 60-Month/Unlimited Miles/km, for Allison 2200 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BAY or 13BAZ TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TSX	\$710	
To 60-Month/Unlimited Miles/km, for Allison 2200 HS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BAY or 13BAZ TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TSZ	\$710	
To 84-Month/Unlimited Miles/km, for Allison 2200 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BAY or 13BAZ TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TSY	\$1,366	
To 60-Month/Unlimited Miles/km, for Allison 2200 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BBA TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUK	\$1,460	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-327

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)			
To 60-Month/Unlimited Miles/km, for Allison 2200 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BBA TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUM	\$1,460	
To 60-Month/Unlimited Miles/km, for Allison 2200 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13BBA TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUP	\$1,460	
To 60-Month/Unlimited Miles/km, for Allison 2200 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13BBA TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUS	\$1,460	
To 84-Month/Unlimited Miles/km, for Allison 2200 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BBA TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUL	\$1,924	
To 84-Month/Unlimited Miles/km, for Allison 2200 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BBA TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUN	\$1,924	
To 84-Month/Unlimited Miles/km, for Allison 2200 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13BBA TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUR	\$1,924	
To 84-Month/Unlimited Miles/km, for Allison 2200 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13BBA TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUT	\$1,924	
To 60-Month/Unlimited Miles/km, for Allison 2500 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BBG TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TTA	\$854	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-328

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)			
To 60-Month/Unlimited Miles/km, for Allison 2500 HS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BBG TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TTC	\$706	
To 84-Month/Unlimited Miles/km, for Allison 2500 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BBG TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TTB	\$1,482	
To 60-Month/Unlimited Miles/km, for Allison 2500 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BBJ or 13BBK TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUU	\$1,324	
To 60-Month/Unlimited Miles/km, for Allison 2500 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13BBJ TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUW	\$2,290	
To 60-Month/Unlimited Miles/km, for Allison 2500 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BBJ TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUY	\$1,324	
To 60-Month/Unlimited Miles/km, for Allison 2500 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13BBJ TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVA	\$1,324	
To 60-Month/Unlimited Miles/km, for Allison 2500 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13BBJ TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVC	\$1,324	
To 84-Month/Unlimited Miles/km, for Allison 2500 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BBJ or 13BBK TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUV	\$1,734	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-329

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)			
To 84-Month/Unlimited Miles/km, for Allison 2500 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13BBJ TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUX	\$3,086	
To 84-Month/Unlimited Miles/km, for Allison 2500 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BBJ TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TUZ	\$1,744	
To 84-Month/Unlimited Miles/km, for Allison 2500 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13BBJ TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVB	\$1,744	
To 84-Month/Unlimited Miles/km, for Allison 2500 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13BBJ TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVD	\$1,744	
To 60-Month/Unlimited Miles/km, for Allison 2550 HS with P&D or Beverage Vocations (ST09-ST13) N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC	40TTD	\$706	
To 60-Month/Unlimited Miles/km, for Allison 2550 HS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC	40TTG	\$706	
To 84-Month/Unlimited Miles/km, for Allison 2550 HS with P&D or Beverage Vocations (ST09-ST13) N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC	40TTE	\$1,252	
To 60-Month/Unlimited Miles/km, for Allison 2550 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVE	\$1,488	
To 60-Month/Unlimited Miles/km, for Allison 2550 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVH	\$2,594	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-330

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)			
To 60-Month/Unlimited Miles/km, for Allison 2550 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVK	\$1,488	
To 60-Month/Unlimited Miles/km, for Allison 2550 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVM	\$1,488	
To 60-Month/Unlimited Miles/km, for Allison 2550 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVP	\$1,488	
To 84-Month/Unlimited Miles/km, for Allison 2550 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVG	\$1,970	
To 84-Month/Unlimited Miles/km, for Allison 2550 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVJ	\$3,518	
To 84-Month/Unlimited Miles/km, for Allison 2550 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVL	\$1,970	
To 84-Month/Unlimited Miles/km, for Allison 2550 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVN	\$1,970	
To 84-Month/Unlimited Miles/km, for Allison 2550 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13BBS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVR	\$1,970	
To 60-Month/Unlimited Miles/km, for Allison 3000 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BCM TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TTH	\$926	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-331

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)			
To 60-Month/Unlimited Miles/km, for Allison 3000 HS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BCM TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TTK	\$894	
To 84-Month/Unlimited Miles/km, for Allison 3000 HS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BCM TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TTJ	\$1,630	
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BCN, 13BCP, 13BCR or 13BCS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVS	\$1,354	
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13BCN, 13BCP, 13BCR or 13BCS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVT	\$2,330	
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BCN, 13BCP, 13BCR or 13BCS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVU	\$1,354	
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13BCN, 13BCP, 13BCR or 13BCS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVV	\$1,354	
To 60-Month/Unlimited Miles/km, for Allison 3000 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13BCN, 13BCP, 13BCR or 13BCS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVW	\$1,354	
To 84-Month/Unlimited Miles/km, for Allison 3000 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13BCN, 13BCP, 13BCR or 13BCS TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40USZ	\$2,340	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-332

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT ALLISON XMSN (CONTINUED)			
To 60-Month/Unlimited Miles/km, for Allison 3500 RDS with P&D or Beverage Vocations (ST09-ST13) REQS: Code 13BDM, 13BDP or 13BDR TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVX	\$1,356	
To 60-Month/Unlimited Miles/km, for Allison 3500 RDS with Refuse Packer Vocations (ST15, ST16) REQS: Code 13BDM, 13BDP or 13BDR TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVY	\$2,340	
To 60-Month/Unlimited Miles/km, for Allison 3500 RDS with Utility or Other Vocations (ST08, ST17-ST22, TT01, TT02, TT05, AG04, SP01, SP03-SP05) REQS: Code 13BDM, 13BDP or 13BDR TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TVZ	\$1,356	
To 60-Month/Unlimited Miles/km, for Allison 3500 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13BDM, 13BDP or 13BDR TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TWA	\$1,356	
To 60-Month/Unlimited Miles/km, for Allison 3500 RDS with Agriculture Vocations (AG01-AG03) REQS: Code 13BDM, 13BDP or 13BDR TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40TWB	\$1,356	
To 84-Month/Unlimited Miles/km, for Allison 3500 RDS with Dump Truck or Mixer Vocations (ST01, ST06, ST07) REQS: Code 13BDM, 13BDP or 13BDR TRANSMISSION, AUTOMATIC N/A: Code 13GHS, 13GMJ, 13GMS, 13GNG and 13GUN TRANSMISSION, MANUAL	40UTA	\$2,650	
SRV CONTRACT, EXT EATON XMSN			
To 36-Month/Unlimited Miles/km, for Standard Duty with Manual Transmissions, with any Torque N/A: TRANSMISSION, AUTOMATIC	40SRZ	\$710 0/0	
To 48-Month/Unlimited Miles/km, for Standard Duty with Manual Transmissions, with any Torque N/A: TRANSMISSION, AUTOMATIC	40SSA	\$950 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-333

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT EATON XMSN (CONTINUED) To 60-Month/Unlimited Miles/km, for Standard Duty with Manual Transmissions, with any Torque N/A: TRANSMISSION, AUTOMATIC	40SSB	\$1,250 0/0	
SRV CONTRACT, EXT EATON CLUTCH To 36-Month/Unlimited Miles/km, for Eaton UltraShift Plus M & V Series, for Severe Duty with All Torque Ratings N/A: Code 11LGB, 11LGP and 11001(std) CLUTCH To 48-Month/Unlimited Miles/km, for Eaton UltraShift Plus M & V Series, for Severe Duty with All Torque Ratings N/A: Code 11LGB, 11LGP and 11001(std) CLUTCH To 60-Month/Unlimited Miles/km, for Eaton UltraShift Plus M & V Series, for Severe Duty with All Torque Ratings N/A: Code 11LGB, 11LGP and 11001(std) CLUTCH To 48-Month/Unlimited Miles/km, for Eaton UltraShift Plus M & V Series, for Standard Duty with All Torque Ratings N/A: Code 11LGB, 11LGP and 11001(std) CLUTCH To 60-Month/Unlimited Miles/km, for Eaton UltraShift Plus M & V Series, for Standard Duty with All Torque Ratings N/A: Code 11LGB, 11LGP and 11001(std) CLUTCH To 48-Month/450,000 Miles (720,000 km), for Eaton UltraShift Plus L-M-V Series, for Linehaul with All Torque Ratings N/A: Code 11LGB, 11LGP and 11001(std) CLUTCH To 60-Month/500,000 Miles (800,000 km), for Eaton UltraShift Plus L-M-V Series, for Linehaul with All Torque Ratings N/A: Code 11LGB, 11LGP and 11001(std) CLUTCH To 48-Month/450,000 Miles (720,000 km), for Eaton UltraShift Plus LAS, for Standard Duty with All Torque Ratings N/A: Code 11LGB, 11LGP and 11001(std) CLUTCH To 60-Month/500,000 Miles (800,000 km), for Eaton UltraShift Plus LAS, for Standard Duty with All Torque Ratings N/A: Code 11LGB, 11LGP and 11001(std) CLUTCH To 36-Month/Unlimited Miles/km, for Eaton MD SAS, for Standard Duty with All Torque Ratings N/A: Code 11LGB, 11LGP and 11001(std) CLUTCH To 36-Month/Unlimited Miles/km, for Eaton MD Solo, for Standard Duty with All Torque Ratings REQS: Code 11LGB or 11LGP CLUTCH	40RDA 40RDB 40RDC 40RDM 40RDN 40RCY 40RCZ 40RDP 40RDR 40RDS 40RDV	\$1,420 \$2,250 \$3,000 \$1,250 0/0 \$1,950 0/0 \$1,130 \$1,600 \$1,130 0/0 \$1,600 0/0 \$600 0/0 \$600 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-334

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE MV607 SBA
SRV CONTRACT, EXT EATON CLUTCH (CONTINUED) To 48-Month/Unlimited Miles/km, for Eaton MD SAS, for Standard Duty with All Torque Ratings N/A: Code 11LGB, 11LGP and 11001(std) CLUTCH To 48-Month/Unlimited Miles/km, for Eaton MD Solo, for Standard Duty with All Torque Ratings REQS: Code 11LGB or 11LGP CLUTCH To 60-Month/Unlimited Miles/km, for Eaton MD SAS, for Standard Duty with All Torque Ratings N/A: Code 11LGB, 11LGP and 11001(std) CLUTCH To 60-Month/Unlimited Miles/km, for Eaton MD Solo, for Standard Duty with All Torque Ratings REQS: Code 11LGB or 11LGP CLUTCH	40RDT \$660 0/0 40RDW \$660 0/0 40RDU \$780 0/0 40RDX \$780 0/0
SRV CONTRACT, EXT ELECTRICAL - Prepackaged Components - Excludes Starter and Alternator, To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 36-Month/250,000 Miles (400,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 36-Month/50,000 Miles (80,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 48-Month/250,000 Miles (400,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 48-Month/50,000 Miles (80,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40XWC \$115 40XWD \$180 40XWE \$250 40XWG \$295 40XWB \$70 40XWJ \$160 40XWK \$225 40XWL \$365 40XWM \$475 40XWH \$140

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-335

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT ELECTRICAL (CONTINUED) - Prepackaged Components - Excludes Starter and Alternator, To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 60-Month/250,000 Miles (400,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Excludes Starter and Alternator, To 60-Month/50,000 Miles (80,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40XWP 40XWR 40XWS 40XWT 40XWN	\$225 \$295 \$475 \$675 \$180	
SRV CONTRACT, EXT HTR/AC SYS - Prepackaged Components - To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/250,000 Miles (400,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 36-Month/50,000 Miles (80,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/250,000 Miles (400,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 48-Month/50,000 Miles (80,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40XXK 40XXL 40XXM 40XXN 40XXJ 40XXR 40XXS 40XXT 40XXU 40XXP 40XXW	\$320 \$455 \$630 \$770 \$225 \$405 \$590 \$950 \$1,220 \$320 \$590	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-336

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT MAJOR COMP (CONTINUED) - Prepackaged Components - To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft N/A: SRV CONTRACT, EXT VEH COVERAGE To 60-Month/50,000 Miles (80,000 km), Includes Front Axle, Rear Axle, and Propshaft N/A: SRV CONTRACT, EXT VEH COVERAGE	40XZC 40XZD 40XZE 40XZG 40XZB	\$340 \$455 \$720 \$1,015 \$275	
SRV CONTRACT, EXT STARTER/ALT - Prepackaged Components - Covers Starter and Alternator Only, To 36-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Covers Starter and Alternator Only, To 36-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Covers Starter and Alternator Only, To 36-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Covers Starter and Alternator Only, To 36-Month/250,000 Miles (400,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Covers Starter and Alternator Only, To 36-Month/50,000 Miles (80,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Covers Starter and Alternator Only, To 48-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Covers Starter and Alternator Only, To 48-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Covers Starter and Alternator Only, To 48-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40XZJ 40XZK 40XZL 40XZM 40XZH 40XZP 40XZR 40XZS	\$225 \$365 \$500 \$590 \$140 \$320 \$455 \$720	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-338

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, EXT STARTER/ALT (CONTINUED) - Prepackaged Components - Covers Starter and Alternator Only, To 48-Month/250,000 Miles (400,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Covers Starter and Alternator Only, To 48-Month/50,000 Miles (80,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Covers Starter and Alternator Only, To 60-Month/100,000 Miles (160,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Covers Starter and Alternator Only, To 60-Month/150,000 Miles (240,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Covers Starter and Alternator Only, To 60-Month/200,000 Miles (320,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Covers Starter and Alternator Only, To 60-Month/250,000 Miles (400,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE Covers Starter and Alternator Only, To 60-Month/50,000 Miles (80,000 km) N/A: SRV CONTRACT, EXT VEH COVERAGE	40XZT 40XZN 40XZV 40XZW 40XZX 40XZY 40XZU	\$950 \$275 \$455 \$590 \$950 \$1,350 \$365	
SRV CONTRACT, PM - Core PM Pkg - To 36-Month/100,000 Miles (161,000 km), Includes Planned Maintenance & Uptime Advocate, with 25K Intervals, for Cummins B6.7 REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 12WZY CARB EMISSION WARR COMPLIANCE To 48-Month/150,000 Miles (241,000 km), Includes Planned Maintenance & Uptime Advocate, with 25K Intervals, for Cummins B6.7 REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 12WZY CARB EMISSION WARR COMPLIANCE To 60-Month/200,000 Miles (322,000 km), Includes Planned Maintenance & Uptime Advocate, with 25K Intervals, for Cummins B6.7 REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 12WZY CARB EMISSION WARR COMPLIANCE	40K67 40K70 40K68	\$8,520 \$12,400 \$16,420	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-339

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
SRV CONTRACT, PM (CONTINUED)			
- Core PM Pkg - To 60-Month/300,000 Miles (480,000 km), Includes Planned Maintenance & Uptime Advocate, with 25K Intervals, for Cummins B6.7 REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 12WZY CARB EMISSION WARR COMPLIANCE	40K69	\$23,820	
- Essential PM Pkg - To 36-Month/100,000 Miles (160,000 km), Includes Oil Change Services & Uptime Advocate, with 25K Intervals, for Cummins B6.7 REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 12WZY CARB EMISSION WARR COMPLIANCE	40K93	\$4,640	
To 48-Month/150,000 Miles (241,000 km), Includes Oil Change Services & Uptime Advocate, with 25K Intervals, for Cummins B6.7 REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 12WZY CARB EMISSION WARR COMPLIANCE	40K96	\$6,840	
To 60-Month/200,000 Miles (322,000 km), Includes Oil Change Services & Uptime Advocate, with 25K Intervals, for Cummins B6.7 REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 12WZY CARB EMISSION WARR COMPLIANCE	40K94	\$9,100	
To 60-Month/300,000 Miles (482,000 km), Includes Oil Change Services & Uptime Advocate, with 25K Intervals, for Cummins B6.7 REQS: Code 12EXR(std), 12EXS, 12EXT, 12EXU, 12EXV, 12EXW, 12EXX, 12EXY, 12EXZ or 12EYA ENGINE, DIESEL N/A: Code 12WZY CARB EMISSION WARR COMPLIANCE	40K95	\$12,560	
BDY INTG, REMOTE POWER MODULE (02) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 2 Switch Packs with Latched Switches N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER AVAIL: Code 08WSK SWITCH, BODY CIRCUITS, REAR	60AAH	\$1,480 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-340

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
BDY INTG, REMOTE POWER MODULE (CONTINUED)			
(02) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Module with Switch Pack Containing 6 Latched Switches, 1 Module with Hardware Only N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER AVAIL: Code 08WTJ SWITCH, BODY CIRCUITS, REAR	60AAK	\$1,430 0/0	
(02) Mounted Under Cab or On Battery Box, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 2 Switch Packs with Latched Switches REQS: Code 08VUL, 08VUM, 08VUW, 08VUX(std), 08VUY, 08VVG, 08VVH, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AAB	\$1,380 0/0	
(02) Mounted Under Cab or On Battery Box, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 1 Module with Switch Pack Containing 6 Latched Switches, 1 Module with Hardware Only REQS: Code 08VUL, 08VUM, 08VUW, 08VUX(std), 08VUY, 08VVG, 08VVH, 08XMH, 08XMK, 08XMP or 08XNP BATTERY BOX N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AAD	\$1,330 0/0	
(03) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 3 Switch Packs with Latched Switches N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER	60AAJ	\$2,170 0/0	
(03) Mounted Inside Cab Behind Driver Seat, Up to 6 Outputs & 6 Inputs Each, Max 20 amp per Channel, Max 80 amp Total; Includes 3 Modules with Hardware Only N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER	60AAL	\$2,020 0/0	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-341

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA SECTION 095 PRICES EFFECTIVE 02/14/2025
 PLM-282 REVISION NO. 209B PAGE 095-343 SUBJECT TO CHANGE WITHOUT NOTICE
 Printed in the United States of America All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-344

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MV607 SBA

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
BDY INTG, PTO ACCOMMODATION (CONTINUED) NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE for Muncie Lectra Shift PTO Engagement and Disengagement, with Momentary Switch Mounted on Dash; Includes Indicator Light and Audible Alarm in Gauge Cluster (requires 1 Remote Power Module input & 1 output) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 16WLM HOURMETER, PTO : Code 13WDN and 13XAA PTO CONTROL, DASH MOUNTED AVAIL: Code 08VZR and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08TMH SWITCH, AUXILIARY	60ABB	\$84	0/0
for Electric over Hydraulic PTO, Does Not Include Solenoids, with Latched Switch Mounted on Dash Includes Audible Alarm and Indicator Light in Gauge Cluster (Requires 1 Remote Power Module input & 1 output) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 16WLM HOURMETER, PTO : Code 13WDN and 13XAA PTO CONTROL, DASH MOUNTED AVAIL: Code 08VZR and 08WSM SWITCH, BODY CIRCUITS, MID	60ABE	\$25	0/0
Accommodation for Electric over Air, Non Clutched PTO Engagement and Disengagement, Does not Include Air Solenoid, with Momentary Switch Mounted on Dash, Includes Audible Alarm and Indicator Light in Gauge Cluster (requires 1 Remote Input Power Module Input & 1 Output) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 16WLM HOURMETER, PTO : Code 13WDN and 13XAA PTO CONTROL, DASH MOUNTED AVAIL: Code 08VZR and 08WSM SWITCH, BODY CIRCUITS, MID	60ABK	\$25	0/0
for (3) Latched Rocker Switches, (1) PTO Switch, (2) Generic Switches to Control (3) 30 amp relays, with Programmable Interlocks, for Body Builder Hook up in the Engine Compartment Left Side, Recommended for Automatic Transmissions N/A: JUNCTION BLOCK : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 13WDN and 13XAA PTO CONTROL, DASH MOUNTED AVAIL: Code 08VZR and 08WSM SWITCH, BODY CIRCUITS, MID	60AKG	\$148	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO 209B

PAGE 095-345

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

CT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	MV607 SBA	
BDY INTG, THROTTLE CONTROL (SEE PREV PAGE) NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID Accommodation for Single Customer Mounted Momentary Switch, for Refuse Applications, Programmable Mode Various Switch Actions, Useable Only While Vehicle is Stopped and the Park Brake is Applied (requires 1 Remote Power Module input) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID Accommodation for On Demand Engine Speed for Single Customer Mounted Pressure Switch, Programmable Mode for Various Switch Actions, Useable Only While Vehicle is Stopped and the Park Brake is Applied (requires 1 Remote Power Module input) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID for Dual Function Input, for Utility Applications, Remote Throttle Control When Engine is Running, & Activating Output for Emergency Power When the Engine is Not Engaged; Useable Only When Vehicle is Stopped and Park Brake is Applied (requires 1 Remote Power Module input & output) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID Accommodation for Single Customer Mounted External Engine Speed Control Switch, for Utility Applications, Programmable Mode for Various Switch Actions and Engine Speed Control Option, Only with Vehicle Stopped and Park Brake is Applied (requires 1 Remote Power Module input) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK, 60AAL or 60AAP BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AJA 60AJJ 60AJE 60AJH 60AJG	 \$25 \$89 \$89 \$89	

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-349

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-350

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
TIRES (CONTINUED)			
<i>Continental Tire</i>			
11R22.5 LR-G HDL3 LTL 496 rev/mile 75 MPH Drive-Position	7372135451	\$515 +34	
11R22.5 LR-G HDL 3 EP 493 rev/mile 75 MPH Drive-Position	7372135454	\$513 +32	
11R22.5 LR-H HDW2 495 rev/mile 75 MPH Drive-Position	7382135430	\$499 +41	
11R22.5 LR-H HSC 3 496 rev/mile 68 MPH All-Position	7382135438	\$579 +43	
11R22.5 LR-H HSR 3 494 rev/mile 75 MPH All-Position	7382135439	\$483 +39	
11R22.5 LR-H HDC 3 492 rev/mile 68 MPH Drive-Position	7382135440	\$590 +51	
11R22.5 LR-H ECOPLUS HS3+ 495 rev/mile 75 MPH All-Position	7382135443	\$368 +31	
11R22.5 LR-H HDR2+ 491 rev/mile 75 MPH Drive-Position	7382135444	\$411 +42	
11R22.5 LR-H HDL2 DL+ 491 rev/mile 75 MPH Drive-Position	7382135447	\$470 +40	
12R22.5 LR-H HSC 3 482 rev/mile 68 MPH All-Position	7382155438	\$675 +56	
12R22.5 LR-H HSR 3 484 rev/mile 75 MPH All-Position	7382155439	\$499 +53	
12R22.5 LR-H HDR2+ 479 rev/mile 75 MPH Drive-Position	7382155444	\$746 +54	
12R22.5 LR-H HDC1 479 rev/mile 68 MPH Drive-Position	7392155420	\$728 +58	
295/75R22.5 LR-G HDL2 DL ECO PLUS 507 rev/mile 75 MPH Drive-Position	7702495425	\$378 +39	
295/75R22.5 LR-G HSL 3 518 rev/mile 75 MPH All-Position	7702495442	\$358 +20	
295/75R22.5 LR-G HDL3 LTL 512 rev/mile 75 MPH Drive-Position	7702495451	\$504 +28	
295/75R22.5 LR-G HDL 3 EP 511 rev/mile 75 MPH Drive-Position	7702495454	\$460 +28	
295/75R22.5 LR-H ECOPLUS HS3+ 519 rev/mile 75 MPH All-Position	7762495443	\$356 +23	
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-351

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
TIRES (CONTINUED)			
Continental Tire			
295/75R22.5 LR-H HDL 3 EP 511 rev/mile 75 MPH Drive-Position	7782495454	\$509 +30	
295/75R22.5 LR-H HSR 3 514 rev/mile 75 MPH All-Position	7792495439	\$382 +32	
295/75R22.5 LR-H HSL 3 518 rev/mile 75 MPH All-Position	7792495442	\$387 +21	
255/70R22.5 LR-H HDR 565 rev/mile 81 MPH Drive-Position	7752525406	\$327 +3	
255/70R22.5 LR-H HSR2 SA 565 rev/mile 75 MPH All-Position	7752525421	\$192 -5	
315/80R22.5 LR-L HAU 3 WT 480 rev/mile 68 MPH All-Position	7792545437	\$849 +68	
425/65R22.5 LR-L HAC 3 465 rev/mile 68 MPH All-Position	7752665441	\$484 +93	
225/70R19.5 LR-G HSR 5 647 rev/mile 87 MPH All-Position	7779445452	\$136 -34	
225/70R19.5 LR-G HDR 5 647 rev/mile 87 MPH Drive-Position	7779445453	\$200 -33	
Michelin			
11R22.5 LR-G XZE2 501 rev/mile 75 MPH All-Position	7472133269	\$788 +25	
11R22.5 LR-G X LINE ENERGY D 500 rev/mile 75 MPH Drive-Position	7472133279	\$901 +38	
11R22.5 LR-G X MULTI ENERGY D 499 rev/mile 75 MPH Drive-Position	7472133280	\$1,019 +38	
11R22.5 LR-G X LINE ENERGY Z 502 rev/mile 75 MPH All-Position	7472133286	\$827 +24	
11R22.5 LR-H XDS2 494 rev/mile 65 MPH Drive-Position	7452133276	\$1,267 +43	
11R22.5 LR-H XZE2 501 rev/mile 75 MPH All-Position	7482133269	\$863 +32	
11R22.5 LR-H X MULTI ENERGY D 499 rev/mile 75 MPH Drive-Position	7482133280	\$1,002 +35	
11R22.5 LR-H X LINE ENERGY Z 503 rev/mile 75 MPH All-Position	7482133286	\$847 +24	
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-352

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
TIRES (CONTINUED)			
<i>Michelin</i>			
11R22.5 LR-H X WORKS Z 495 rev/mile 65 MPH All-Position	7482133287	\$1,101 +40	
12R22.5 LR-H XZE 486 rev/mile 75 MPH All-Position	7482153253	\$1,347 +46	
12R22.5 LR-H XDN2 483 rev/mile 75 MPH Drive-Position	7482153264	\$1,395 +54	
295/80R22.5 LR-H X COACH Z 501 rev/mile 75 MPH All-Position	7692488211	\$1,370 +39	
295/75R22.5 LR-G X LINE ENERGY D+ 514 rev/mile 75 MPH Drive-Position	7702498213	\$873 +20	
295/75R22.5 LR-H X MULTI ENERGY Z2 515 rev/mile 75 MPH All-Position	7762498208	\$900 +24	
295/75R22.5 LR-H X LINE ENERGY Z+ 517 rev/mile 75 MPH All-Position	7762498216	\$940 +17	
255/70R22.5 LR-H XZE 563 rev/mile 75 MPH All-Position	7652523253	\$716 +1	
275/80R22.5 LR-G XZE2 517 rev/mile 75 MPH All-Position	7602533269	\$767 +20	
275/80R22.5 LR-G X LINE ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533279	\$844 +34	
275/80R22.5 LR-G X MULTI ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533280	\$961 +33	
275/80R22.5 LR-H XZE 516 rev/mile 75 MPH All-Position	7682533253	\$886 +19	
315/80R22.5 LR-L X WORKS XDY 486 rev/mile 65 MPH Drive-Position	7652543281	\$1,801 +77	
315/80R22.5 LR-L X WORKS Z 485 rev/mile 68 MPH All-Position	7652543287	\$1,659 +69	
315/80R22.5 LR-L X MULTI Z 487 rev/mile 75 MPH All-Position	7652543288	\$1,326 +57	
315/80R22.5 LR-L XZU-S2 488 rev/mile 65 MPH All-Position	7682543212	\$1,613 +69	
275/70R22.5 LR-J X MULTI Z 547 rev/mile 75 MPH All-Position	7652573288	\$850 +23	
295/60R22.5 LR-J X LINE ENERGY Z 575 rev/mile 75 MPH All-Position	7692623286	\$874 +13	
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-353

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
TIRES (CONTINUED)			
Michelin			
385/65R22.5 LR-J XZY-3 491 rev/mile 65 MPH All-Position	7602653208	\$744 +84	
265/70R19.5 LR-G X MULTI Z 611 rev/mile 81 MPH All-Position	7679463288	\$618 -11	
Bridgestone			
11R22.5 LR-G M726ELA 492 rev/mile 75 MPH Drive-Position	7372139003	\$426 +41	
11R22.5 LR-G M760 ECOPIA 492 rev/mile 75 MPH Drive-Position	7372139060	\$483 +41	
11R22.5 LR-G M713 ECOPIA 499 rev/mile 75 MPH Drive-Position	7372139069	\$469 +26	
11R22.5 LR-H R268 ECOPIA 500 rev/mile 75 MPH All-Position	7382139059	\$526 +29	
295/80R22.5 LR-H R268 ECOPIA 499 rev/mile 75 MPH All-Position	7682489059	\$634 +35	
295/75R22.5 LR-G M760 ECOPIA 511 rev/mile 75 MPH Drive-Position	7702499060	\$523 +32	
295/75R22.5 LR-G M713 ECOPIA 513 rev/mile 75 MPH Drive-Position	7702499069	\$454 +21	
295/75R22.5 LR-G R213 ECOPIA 518 rev/mile 75 MPH All-Position	7702499072	\$534 +20	
295/75R22.5 LR-G M771 ECOPIA 510 rev/mile 75 MPH Drive-Position	7702499073	\$558 +28	
295/75R22.5 LR-H R213 ECOPIA 518 rev/mile 75 MPH All-Position	7762499072	\$636 +20	
255/70R22.5 LR-H M726 557 rev/mile 75 MPH Drive-Position	7752529033	\$548 +8	
255/70R22.5 LR-H R250 ED 567 rev/mile 75 MPH All-Position	7752529041	\$491 0	
245/70R19.5 LR-H R238 623 rev/mile 75 MPH All-Position	7689459061	\$164 -12	
Pirelli			
11R22.5 LR-H R89 ALL POSITION 501 rev/mile 75 MPH All-Position	7382135503	\$324 +39	
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-354

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
TIRES (CONTINUED)			
<i>Pirelli</i>			
11R22.5 LR-H R89 CS 494 rev/mile 75 MPH Drive-Position	7382135504	\$425 +50	
245/70R19.5 LR-H R02 PROFUEL STEER 627 rev/mile 81 MPH All-Position	7789455510	\$112 -19	
245/70R19.5 LR-H R02 PROFUEL DRIVE 627 rev/mile 81 MPH Drive-Position	7789455511	\$132 -19	
<i>Goodyear</i>			
11R22.5 LR-G FUEL MAX RSA 497 rev/mile 75 MPH All-Position	7372138131	\$642 +21	
11R22.5 LR-G ENDURANCE LHD 493 rev/mile 75 MPH Drive-Position	7372138135	\$773 +32	
11R22.5 LR-H FUEL MAX RSA 497 rev/mile 75 MPH All-Position	7382138131	\$817 +22	
11R22.5 LR-H ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7382138132	\$757 +27	
11R22.5 LR-H ENDURANCE LHS 501 rev/mile 75 MPH All-Position	7382138136	\$910 +20	
11R22.5 LR-H FUEL MAX RTD 495 rev/mile 75 MPH Drive-Position	7382138137	\$857 +36	
12R22.5 LR-H G622 RSD 482 rev/mile 75 MPH Drive-Position	7382158102	\$1,029 +45	
12R22.5 LR-H ENDURANCE RSA 482 rev/mile 75 MPH All-Position	7382158132	\$1,009 +48	
295/75R22.5 LR-G ENDURANCE RSA 512 rev/mile 75 MPH All-Position	7702498132	\$718 +23	
295/75R22.5 LR-G ENDURANCE LHD 508 rev/mile 75 MPH Drive-Position	7702498135	\$770 +35	
295/75R22.5 LR-G ENDURANCE LHS 515 rev/mile 75 MPH All-Position	7702498136	\$677 +16	
295/75R22.5 LR-G FUEL MAX 1AD 513 rev/mile 75 MPH Drive-Position	7702498139	\$776 +28	
295/75R22.5 LR-H FUEL MAX RSA 510 rev/mile 75 MPH All-Position	7762498131	\$737 +21	
295/75R22.5 LR-H ENDURANCE LHS 514 rev/mile 75 MPH All-Position	7762498136	\$885 +16	
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-355

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MV607 SBA AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	MV607 SBA	
TIRES (CONTINUED)			
Goodyear			
255/70R22.5 LR-H ENDURANCE RSA 566 rev/mile 81 MPH All-Position	7752528132	\$575	-1
255/70R22.5 LR-H FUEL MAX RTD 563 rev/mile 81 MPH Drive-Position	7752528137	\$700	+3
275/70R22.5 LR-J ENDURANCE RSA 547 rev/mile 75 MPH All-Position	7792578132	\$653	+9
225/70R19.5 LR-G G647 RSS 640 rev/mile 87 MPH All-Position	7779440101	\$293	-30
245/70R19.5 LR-H ENDURANCE RSA 622 rev/mile 81 MPH All-Position	7789458132	\$433	-21
245/70R19.5 LR-H FUEL MAX RTD 622 rev/mile 81 MPH Drive-Position	7789458137	\$434	-19
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

MV607 SBA

SECTION 095

PRICES EFFECTIVE 02/14/2025

PLM-282 REVISION NO. 209B

PAGE 095-356

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



INTERNATIONAL®
MV™ SERIES



Note: The information and conclusions contained herein are believed to be correct at time of publication, but do not necessarily apply to similar vehicles with different specifications or with production dates after the production of this publication. Vehicles with different specifications or later dates of production may yield different results. Vehicle specifications are subject to change without notice. TAD18002 11/2021 ©2021 NAVISTAR Inc. All rights reserved. All marks are trademarks of their respective owners.



THE NEW INTERNATIONAL® MV™ SERIES.





**BIGTIME UPTIME.
ALL DAY. EVERY DAY.**

THE NEW INTERNATIONAL® MV™ SERIES. MORE MIGHT, MORE RIGHT — JUST RIGHT.

Time for a medium duty truck powered and engineered to be *right* – for your job, your customers, your power needs, and your industry. To be just right, the MV Series is purpose-built to be out on the highway, at the job site, first on the scene and anywhere else work needs to get done. Its durable, spacious cab is crafted for optimal comfort and control. Its proven Cummins engines are tuned to maximize torque, dependability, and efficiency. New break-away mirrors limit potential damage. The redesigned hood is sloped to offer increased visibility and safety. And the industry-leading intelligence of its Diamond Logic® electrical system is seamlessly integrated to help protect both your crew and your equipment.

The MV Series: More uptime. More capability. More safety and styling. Done just right.



SAFETY



INTEGRATION



QUALITY



CONNECTED



TRUCKS BUILT JUST RIGHT FOR YOUR EVERY NEED.

From torque, payload and application options to our highly advanced and versatile Diamond Logic® electrical system, MV™ Series trucks expand the ability to get big things done. When someone's stranded, something is broken, needs to be hooked up, cut down or cleaned out these trucks churn with productivity. Choose from two proven Cummins engines, three cab sizes and a 4x2 or 6x4 axle configuration. Then select the exact specifications to suit your job. The MV Series can conform to your needs.





STEEL SANCTUARY.

FOR STRENGTH, SAFETY AND COMFORT

The MV™ Series cab wraps your crew in a high-strength, low-alloy (HSLA) reinforced, cold-rolled steel construction that combines the corrosion resistance of aluminum with the world-class fit, finish and strength of steel. The result is a larger, quieter, more protective interior with air and water-tight seals.

INTERCOAT® CHEMGUARD

Think of it as a self-healing layer of skin on our galvanized steel. This inter-reactive, chrome-zinc phosphate coating is used on floor and toe kick panels to help extend integrity. The self-rejuvenating properties allow surface cuts, scratches and perforations to maintain corrosion protection.

OPTIONAL LINE-X® FLOOR PROTECTION

This available polyurethane and polyurea formulation creates a protective tray on the cab floor that contains spills, as well as any of nature's elements that make their way inside. Durable and long-lasting, Line-X is an OEM-grade protective coating designed to guard against abrasion, corrosion and impact and can be found on over 4 million pickup bedliners.



ChemGuard Coating

Available Line-X Coating

Reinforced B-Pillars



TOP-DOWN STRENGTH

All MV™ Series regular, crew and extended cab configurations pass the rigorous SAE J2422 cab roof strength test, as well as the standard European ECE 29 roof strength requirement. Both tests measure uniform vertical load applied to the roof. SAE J2422 also tests for angled side loads which is a National Fire Protection Association (NFPA) requirement.

ANTI-CORROSION THAT'S ANTI-COMPROMISE

At International®, longevity is the head of the hammer. Which is why every welded MV™ Series cab assembly is dipped into an electrostatically applied primer as part of a rigorous paint, sealing and coating process that provides superior corrosion and fade resistance – all backed by a 5-year perforation corrosion warranty.

Corrosion Protection Process:

1. Stamped galvanized steel
2. Custom-engineered caustic and surfactant formula cleans and preps the steel
3. Proprietary tri-metal (nickel, zinc, manganese) phosphate blend provides robust corrosion protection and the first level of paint adhesion
4. Epoxy-based electrodeposition primer, or E-Coat is applied. This covers and seals the entire exposed metal surface of the cab
5. Acrylic basecoat
6. Urethane clearcoat


Clearcoat

Basecoat

E-coat

Galvanized Steel

E-Coat Paint Process



MV™ SERIES FEATURES:

- ▶ A high-strength, low-alloy (HSLA) reinforced, cold-rolled steel cab delivers superior corrosion resistance as well as world-class fit and finish
- ▶ The welded cab assembly is dipped into an electrostatically applied primer as part of a paint process that provides outstanding resistance to corrosion and fading, and it's backed by a 5-year perforation corrosion warranty






DRIVERFIRST™ — THINK OF IT AS A 360-HP CORNER OFFICE.

Welcome to the ultimate seat of power. Inside the MV™ Series is a command center designed around the driver. Comfort. Visibility. Safety. Room for a third front passenger without knocking their knees. Plus, the stalk shifter allows for shifting and application of the Jacobs brake without taking your eyes off the road ahead. It comes from talking to real drivers. Listening to their needs. And designing a truck around their priorities – a philosophy we call DriverFirst.

This driver-centric approach starts with a cavernous cab and with meticulous attention to every detail. There's a powerful HVAC system to keep you cool while on the job. Controls and switches are easy to find, reach and operate, even when wearing gloves. A redesigned hood enhances visibility. Door-mounted mirrors are positioned to see more while turning your head less to reduce fatigue. Even the air horn lanyard is placed exactly where drivers told us it should be.



POWERFUL PRODUCTIVITY. UNDERFOOT AND AT YOUR FINGERTIPS.



Cab Features	Classic	Diamond
Cab Trim Panels	Easy to clean plastic	Easy to clean plastic
Door Trim	Single piece door panel with integrated door pocket	Single piece door panel with integrated door pocket
Trim Inserts	Neutral	Mineral Teak
Instrument Panel	Black	Black
Gauge Cluster	Base level: 3" Monochromatic Display Premium Level: 5" LCD Color Display	Base level: 3" Monochromatic Display Premium Level: 5" LCD Color Display
Accent Color	Neutral	Dark Neutral
Sun Visors	Two	Three
Lighting	LED	LED
Window Controls	Manual or Power	Power
Lock Controls	Manual or Power	Power
Cup / Bottle Holders	Four	Four
Overhead Console	Molded Plastic with Retainer Nets and CB Radio Housing	Molded Plastic with Retainer Nets and CB Radio Housing
USB Accessory Port	Up to 5 Available	Up to 5 Available

- 1
- The steering wheel adds more functions at the driver's fingertips with integrated back-lit, laser etched labeling for improved durability and visibility. Plus, all the controls within the cab are designed to be operated easily while wearing gloves.
- 2
- The innovative new stalk shifter is mounted on the steering column, allowing the driver to easily reach and smoothly operate shifting and engine braking while keeping their eyes on the road and hands on the wheel.*
- 3
- A standard flat instrument panel includes a center-mounted vent to keep the middle passenger comfortable while providing space for extra legroom, optional storage components, or a large floor mounted body control module.
- 4
- Factory-installed switches with custom labels are optimally positioned to use with integrated equipment:
 - ▶ Up to 30 customizable, user-replaceable switches are available for any application
 - ▶ Large, easy-to-read backlit text
 - ▶ Warning lights can be any of seven colors
 - ▶ One common switch pack for wiring simplicity
 - ▶ Any switch can be relocated by the customer without wire changes using Diamond Logic
 - ▶ Blank "windows" available for custom labeling by the customer

*Available with Eaton AMT and Allison 3000

Every detail inside the MV™ Series cab has been researched, designed and extensively tested working with the real experts – drivers and body companies that need to deliver on the road or on the jobsite. The final result is a true collaboration of those who know what it takes to be productive and successful.




ADVANTAGES YOU CAN SEE CLEARLY.

Uptime is much more than simply being able to work – it also requires giving drivers the tools they need to be seriously productive. It’s why the MV™ Series instrument cluster is tested, refined and then tested again to ensure optimal readability, usability and positioning. It’s also why color, illumination, legibility and even gauge size is designed to deliver optimal viewing in varying light conditions.

THE GOAL? IMMEDIATE RECOGNITION. LESS DISTRACTION. AND MORE DRIVER ALERTNESS AND CONFIDENCE.

The color, illumination, legibility and even the type font and size of gauges is designed to deliver optimal viewing in varying light conditions, maximizing alertness and minimizing eye fatigue.



The standard guage cluster includes a customizable digital display which provides a wealth of information for the driver, including:

- ▶ Real-time fuel economy
- ▶ Axle load*
- ▶ Custom gauge settings*
- ▶ Safety indicators*
- ▶ Digital speedometer
- ▶ Tire pressure*

*When added with optional feature code for required sensors



**MORE UPTIME.
FROM THE TRUCK
THAT HAS YOUR BACK.**

Uptime. With the MV™ Series, you get more of it. On the road, and on the jobsite. Our trucks are built to carry the weight of your job, your reputation, and your commitment to deliver – on time, every time. Uptime-friendly features include: aligned and extended maintenance schedules that reduce service visits; on-board diagnostics that self-monitor vehicle systems; reduced manufacturing complexity for easier servicing; new aero break-away mirrors that reduce chances of cab damage – and more below.



Huck® Bolt chassis fasteners provide consistently superior clamping force without re-torquing, and won't come loose even in extreme environments



Routine service points are clearly labeled and easily accessed under the hood



Key fluid reservoirs are translucent for quick inspection and many of the caps are tethered, saving time and frustration from dropped or lost caps



In-cab electrical panel is protected from the elements and conveniently located under spill-resistant dash panel



CUMMINS® / B6.7

Every aspect of the B6.7 has been engineered for reliability, durability and fuel efficiency to deliver the lowest cost of ownership with maximum uptime. Add industry-leading service from International® and Cummins, plus a three-year, unlimited mileage engine warranty, and it's easy to see why the B6.7 is the best-selling engine in the medium-duty truck market.



Specifications Cummins B6.7

Engine Type:	Diesel, 4-Cycle
Configuration:	Inline 6-Cylinder
Displacement:	409 cu. in. (6.7L)
Horsepower:	200-360*
Bore and Stroke:	4.21 X 4.88 in
Aspiration:	Variable Geometry Turbocharger
Combustion System:	High Pressure Common Rail (HPCR)
Engine Lubrication:	15Q and 19Q
Total Engine Weight (Dry):	1,150 lbs.

CUMMINS® / L9

The Cummins L9 has established a solid reputation as a dependable engine for medium duty applications. Its XPI Fuel System features multiple injection events per cycle for smoother, quieter operation. This, combined with its proprietary Variable Geometry Turbocharger (VGT), means the L9 has the highest power density of any engine in its class. In addition, replaceable wet sleeves help make the L9 easier and less expensive to rebuild, plus heavy-duty roller followers, bypass oil filtration and targeted piston cooling all contribute to longer service life.

Specifications Cummins L9


Engine Type:	Diesel, 4-Cycle
Configuration:	Inline 6-Cylinder
Displacement:	543 cu. in. (8.9L)
Horsepower:	260-360**
Bore and Stroke:	4.49 X 5.69 in
Aspiration:	Variable Geometry Turbocharger
Combustion System:	XPI Direct Injection
Engine Lubrication:	20Q and 23Q
Total Engine Weight (Dry):	1,695 lbs



MV™ SERIES / eMOBILITY

Introducing the revolutionary International® **electric** MV™ Series, a truck built on the same proven foundation as the diesel MV Series, delivering an eMobility solution customers need at every stage of their vehicle's lifecycle. The new International eMV Series is what happens when you take the time to get things just right.

For more information on International® Truck's electric offerings, please see the eMV™ Series brochure.



Specifications Electric Motor

Engine Type:	Direct Drive
Peak Motor Torque:	1,700 ft-lbs
Continuous Motor Torque:	738 ft-lbs
Operating Voltage:	608
Electrical System:	High Voltage - 210kWh Lithium Iron Phosphate with dedicated HVAC system


TOUGH CHOICES

AUTOMATIC ADVANTAGES

The International® MV™ Series offers automatic, automated manual and manual transmission choices that pair perfectly with your application needs, whether you're renting trucks to inexperienced customers or seeking optimal cost efficiency and productivity from veteran drivers.

Allison Automatic with Optional FuelSense® 2.0

The Allison FuelSense 2.0 with DynActive™ Shifting features a patented torque converter that provides infinitely variable shift points based on the vehicle configuration and operating conditions. FuelSense 2.0 can improve fuel economy up to 6% compared to previous generation FuelSense packages.



*Higher ratings limited to Fire and Rescue applications **260HP Not available for Fire and Rescue applications



ITS GREATEST STRENGTH: SAFETY.

The MV™ Series is built with safety as a top priority. It's the result of extensive studies into how drivers can stay safe and productive in a broad range of situations on the road or around a jobsite.

Safety often comes down to seeing potential hazards and successfully avoiding them. That's why the MV Series provides improved visibility through a new sloped hood and optional LED headlights to help drivers stay focused, plus excellent maneuverability. An industry-leading HVAC system with MAX defrost can clear 100% of the windshield in under 30 minutes at 0° F. Plus there's traction control to help drivers maintain control during heavy braking and on slick roads.

Traditional Hood

New Sloped Hood

15.0"

The sloped hood increases forward ground visibility by 15 inches. This means objects closer to the vehicle are more visible to the driver, improving safety.





SLOPED HOOD PROVIDES IMPROVED VISIBILITY

Thoughtful design with improved forward day and night visibility through a new sloped hood and breakaway mirrors.


JOBSITE MANEUVERABILITY

The MV™ Series can easily navigate tight city streets or construction sites, saving driver time, reducing work-site collisions and boosting productivity.



BENDIX® WINGMAN® ADVANCED

The optional Bendix Wingman Advanced and Bendix Wingman Fusion collision mitigation systems can greatly enhance operator safety. By integrating adaptive cruise control, lane departure warning, over-speed alert and stationary vehicle braking, these cutting-edge systems can help the driver potentially avoid a collision, or help reduce its severity.




BENDIX® BLINDSPOTTER®

When connected to vehicle's Control Area Network (CAN), the optional Bendix BlindSpotter® provides a 150° range of coverage capable of detecting objects up to 20 feet in front of and 20 feet behind the BlindSpotter radar. The coverage zone extends up to 10 feet to the right of the vehicle. BlindSpotter minimizes false alerts by operating in two modes: highway speeds and lower speeds.

HIGH SPEED ZONE

SLOW SPEED ZONE
UP TO 150°

HIGH SPEED ZONE



LED HEADLIGHTS

Optional LED highlights offer unparalleled nighttime visibility for improved safety whether you're inside the cab or out.



MV™ SERIES VERSATILITY

CAB SIZE OPTIONS



REGULAR CAB



EXTENDED CAB



CREW CAB

AVAILABLE INTEGRAL FRAME EXTENSIONS



BODY APPLICATIONS

The MV™ Series is ready to accept nearly any body—from a contractor's dump to a flatbed — usually without any special modifications or reinforcements.





TEM-READY. CUSTOMER- FOCUSED.

The more specialized your needs, the more our teams at International® Truck can deliver. We combine TEM-friendly body installation with unmatched application expertise to provide virtually unlimited upfit capabilities. Our engineers will work directly with your dealer, allowing you to order the specific foundation needed for your application up-front, substantially reducing the time and expense of upfitting your truck post-production.

Every MV™ Series truck starts with a huck-bolted frame and crossmember system to deliver maximum vocational durability and multiple frame rail options. Air tanks, fuel tanks, battery boxes and exhaust systems can all be mounted in various positions to better align with your application. Recent driver-focused features improve visibility and maneuverability. Maintenance has also been simplified with a partial open hood (instead of hatches) and an under-hood work light.

Our MV Series trucks are also available with a clean Cab-to-Axle (CA) configuration to help minimize costly post-production modifications.



Body Company Benefits:

- ▶ Optimized chassis package
- ▶ Custom frame piercing to minimize open holes and maximize frame strength
- ▶ Huck-bolted frame ladder for durability and dependability
- ▶ Customized component locations to meet body packaging requirements
- ▶ Available integral front frame extensions
- ▶ Single 7/16", 2.4 million RBM straight frame rail provides high strength without added weight or risk of corrosion
- ▶ A clean cab-to-axle configuration (Clean CA)

Popular Applications Include:

- | | |
|----------------|------------------|
| ▶ Dump | ▶ Digger Derrick |
| ▶ Crane | ▶ Van Body |
| ▶ Recovery | ▶ Stake |
| ▶ Utility | ▶ Snowplow |
| ▶ Bucket Truck | ▶ Flatbed |



DIAMOND PARTNER

DELIVERING MORE UPTIME BY BRINGING TEMS AND DEALERS CLOSER TOGETHER

The Diamond Partner Program creates a new conduit between International Truck, our dealers and TEMs by providing industry leading body-builder support materials and services. This program makes it easy for TEMs to mount their equipment faster, with a higher build quality and lower costs. In addition, this program facilitates joint marketing opportunities that can help increase awareness of dealer/TEM partnerships.

To learn more and/or sign up please visit
internationaltrucks.com/body-builder

INTERNATIONAL TRUCK SPECIALTY CENTERS

A resource within International® Truck that can provide quick, efficient and cost-effective upfitting solutions. You can count on:

- ▶ Quality modifications covered under manufacturer's warranty
- ▶ Upfit process supervised by International engineers to ensure factory production-level quality
- ▶ Expertise to identify and resolve problems quickly
- ▶ A quick and efficient process ensured by optimized delivery cycle times and comprehensive factory support



*Optional bolt-on frame extension is available through aftermarket suppliers

WHEN PUSH COMES TO PLOW.

With a stout, huck-bolted frame and proven Cummins power, an MV™ Series truck makes an ideal snow-pushing beast. A 20-inch integrated front frame extension accommodates the blade. There's a plow light connection. And all road speed and other wiring is integrated into the dash. A heated windshield and sealed battery terminals are options you can choose to add to the package. There's also an optional transmission power take-off (PTO) to help power the plow. You can even choose between two fixed grilles – all black or black with chrome surround.

FRAME EXTENSION CONFIGURATION	PLOW WIDTH	PLOW MASS	HITCH	TOTAL
Optional Integral	11'	2000lbs	500lbs	2500lbs
Optional Bolt-On*	10'	1250lbs	100lbs	1350lbs

- APPLICATION SPECIFIC OPTIONAL FEATURES**
- Front frame extension – 20" integral (no mega-brackets)
 - Plow light connection
 - Road speed and other wiring located either in the dash or behind the seat depending on specific application needs
 - Heated Windshield
 - Front Axle 14.7K (Dana Spicer E-1462I)
 - Front Suspension (parabolic taper leaf, shackle type)
 - Transmission PTO is available
 - Sealed battery terminals



DIAMOND LOGIC®

ADVANCING THE SCIENCE OF PRODUCTIVITY.

The MV™ Series includes the International® Truck Diamond Logic® electrical system, widely considered the most advanced in the industry. Diamond Logic streamlines chassis and body equipment integration and allows you to program automated tasks. This means more consistent performance and increased crew safety and equipment protection. It's easy to spec, simplifies integration, and includes on-board diagnostics that self-monitor vehicle components to reduce downtime.

You even have the ability to write custom logic for your application through Diamond Logic Builder.

1 Body Controller

- ▶ Heart of the Diamond Logic System. Performs all body integration software execution to maximize safety, performance and ease of equipment installation

2 Switch Packs

- ▶ All switches are controlled via 6 wires
- ▶ Blinking switch indicators provide equipment status
- ▶ Switches can be moved without moving wiring
- ▶ Up to seven colors of lights can be used

3 Pre-Trip Light Inspections

- ▶ Driver can press a button and all the exterior lights will blink in sequence, allowing daily DOT light inspection with just one person

4 PTO Power Take Off

- ▶ Engagement and disengagement based on chassis and body conditions (engine speed, road speed, outrigger deployed before boom can raise, park brake set, transmission in neutral, etc.)
- ▶ Certain data links can be used as an interlock including RPM, MPH, Park Brake and gear position
- ▶ Engine speed can be controlled (in most cases) while using the PTO with no additional wiring needed

5 Remote Power Modules

- ▶ All 12-volt outputs are automatically fused (auto-resettable) with solid state technology

6 Outriggers

- ▶ Diamond Logic can sense when they are not properly stowed and will illuminate an indicator light in the switch packs while sounding an audible alarm

7 Differential Lock

- ▶ Diamond Logic can control when the axle differential locks and unlocks depending on road speed, protecting the driveline from damage due to excessive speeds in a locked position

8 Work Light

- ▶ Diamond Logic can automatically turn on or off the light based on chassis functions (for example: rear-facing light could be programed to turn on any time the transmission is in reverse, adding additional lighting)
- ▶ Automatically shut off the work light based on a set forward speed

9 Boom Hydraulics

- ▶ Diamond Logic can sense when they are not properly stowed and will illuminate an indicator light in the switch packs with an audible alarm

10 Solenoid Air Packs

- ▶ Air can be turned on with a switch in the dash or controlled based on chassis and/or body functions (for example: tailgate air lock in dump applications can be programmed to not unlock unless the truck is driving below a certain speed)



The MV™ Series features a programmable key fob that allows two Diamond Logic tasks (such as pre-trip light inspection) to be activated with the push of a button



CUSTOMIZING DIAMOND LOGIC® FOR YOUR UNIQUE TASKS

1

Order from nearly 200 preprogrammed tasks

2

Work with International® Truck to create custom tasks

3

International® Truck can train and certify your technicians on Diamond Logic Builder software to independently program new tasks



DIAMOND LOGIC BUILDER

MV™ Series customers have the ability to write custom logic so Diamond Logic can be easily expanded, configured and updated in the field to meet specific application requirements.



WE HAVE YOUR INDUSTRY-SPECIFIC SAFETY AND PRECISION RIGHT HERE.

Whether you're a municipality in search of an efficient, cost-effective solution; a Truck Equipment Manufacturer (TEM) in need of a rock-solid foundation for your next build; or a construction company wanting the toughest truck in the business, we have you covered. MV™ Series trucks armed with Diamond Logic will enable your crew to work with a level of security and accuracy that no other truck can offer.

SNOWPLOW

- ▶ **Body Lighting**
 - Wiring is located back of the cab at the frame and includes sealed connectors for Tail/Amber Turn/Marker/Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
- ▶ **Power Take Off Control**
 - Electric control with dash-mounted switch, Includes audible alarm and indicator light in gauge cluster - Provides safe control of the power take off with multiple interlocks
- ▶ **Road Speed Control**
 - Actual road speed can be used in logic to shutoff PTO when truck goes over a predetermined/programmed road speed.
 - Road speed signal used as an input to body controllers, i.e. salt spreaders
 - Secondary road speed limit can trigger functionality through DLB to limit the truck speed. For example, the dump bed up signal from the body can be used to limit road speed



UTILITY

- ▶ **Body Lighting**
 - Wiring is located back of the cab at the frame and includes sealed connectors for Tail/Amber Turn/Marker/Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
- ▶ **Remote Engine Speed Control**
 - Remote-mounted body builder interface wiring for engine speed control with Cummins® ISB engines
- ▶ **Power Take Off Control**
 - Electric control with dash-mounted switch, includes audible alarm and indicator light in gauge cluster - provides safe control of the power take off with multiple interlocks



RECOVERY

- ▶ **Wig-Wag Headlights**
 - Hi-Beam with park brake interlock. Park brake disables hi-beam wig wag, enables low-beam wig wag
- ▶ **High Amperage Switch**
 - Control one auxiliary load up to 40 amps with a factory-installed switch for a high amperage load such as a light bar. Power available in "IGNITION" or "ACCESSORY" key states
- ▶ **Remote Engine Speed Control**
 - Remote-mounted body builder interface wiring for engine speed control with Cummins® ISB engines
- ▶ **Power Take Off Control**
 - Electric control with dash-mounted switch, includes audible alarm and indicator light in gauge cluster - provides safe control of the power take off with multiple interlocks





INNOVATION THAT DRIVES UPTIME



CRITICAL VEHICLE HEALTH DATA AT YOUR FINGERTIPS

OnCommand® Connection Advanced Remote Diagnostics transforms raw vehicle data into actionable insights to help you stay in front of potential vehicle issues and keep your MV at peak performance.

Features include:

- Reports and alerts on vehicle health issues that include severity ratings, likely needed parts and service, and recommended actions
- Comprehensive vehicle health reports that include performance data, fault history, and more
- Up-to-date GPS location with customizable geofencing reports that can help ensure vehicles are where they need to be
- Insights delivered how you need it – via our online portal, your email inbox, a mobile app*, and more.

*coming soon

EASY ACCESS TO THE SOLUTIONS YOU NEED

Businesses of all sizes are finding that commercial truck software providers can make their jobs easier. Our factory-installed telematics device can be used to access compliance, routing, and other solutions without the cost and complexity of additional hardware. Simply call the provider of your choice and subscribe. It’s as easy as that.

- One high quality source of vehicle data
- No rewiring, extra hardware, or aftermarket installation costs

Available Today
GEOTAB

Coming Soon
CyntrX

TAKE YOUR PERFORMANCE TO THE NEXT LEVEL

We offer additional tools powered by OnCommand® Connection designed to give your business and operations that extra edge.

OTA Programming	Ensure peak performance with remote engine software calibration updates any time, anywhere
Fleet Health Monitoring*	Reduce breakdowns with weekly reports on vehicles at highest risk of roadside failure
Advanced Preventive Maintenance*	Optimize PM spending with data-driven, customized interval recommendations for your trucks


* Separate subscription required

TRANSPARENT SERVICE COMMUNICATIONS WITH YOUR DEALER

Knowing when your vehicle’s service and repair events will be complete is critical to keeping your business up and running. International® 360 makes the entire process faster and easier to manage.*

- Updates via text and email keep you informed on the status of vehicles in service, including estimated time of completion
- Integrates telematics, dealer parts inventory, and other vital information into one easy-to-use tool
- Centralizes vehicle health data, service history, and more

* Separate subscription required





OVER
700
INTERNATIONAL®
DEALER LOCATIONS

+ OVER
400
LOVE'S LOCATIONS
 

= OVER
1,100
TOTAL SERVICE
LOCATIONS

Our partnership with Love's and Speedco adds 400+ additional locations for quick, conveniently-located access to light mechanical and select warranty work.



We understand making money means keeping your vehicles on the road. **That's why uptime is so important to us.** Dependable equipment spec'd for your needs or requirements is just the beginning. We also focus on fuel economy, preventive maintenance, optimized service intervals and more to make sure the low cost of ownership of our vehicles helps keep you in the black.

PARTS
YOU NEED,
WHERE AND
WHEN YOU
NEED THEM



OWNERSHIP
SUPPORT



**DIAMOND
EDGE®**
CERTIFIED DEALERS



A select network of International® Truck dealers with service facilities that have passed rigorous certification guidelines to provide you with faster turnarounds, immediate parts availability and a higher level of servicing expertise.



MV™ SERIES SPECIFICATIONS



GVW

- ▶ 21,500 – 54,600 lbs.

Models/BBC/BA

- ▶ MV607: 107" BBC, 40" BA
- ▶ MV60H: 107" BBC, 40" BA (Low Profile)

Cab Configurations

- ▶ Regular Cab
- ▶ Extended Cab
- ▶ Crew Cab

Wheelbase Options

- ▶ 128" – 311"

Axle Configurations

- ▶ 4x2, 6x4

Rear Axle

- ▶ Single Rear Axle (4x2)
 - Meritor: 13,500 – 30,000 lbs.
 - Dana Spicer: 13,500 – 30,000 lbs.
- ▶ Tandem Rear Axle (6x4)
 - Meritor: 34,000 – 40,000 lbs.
 - Dana Spicer: 40,000 lbs.

Front Axle

- ▶ Meritor: 8,000 – 14,600 lbs. (4x2, 6x4)
- ▶ Dana Spicer: 8,000 – 14,700 lbs.
- ▶ Hendrickson Steertek: 10,000 – 12,000 lbs.

Frames

- ▶ High-Strength Low-Alloy Steel 50,000 – 80,000 PSI
- ▶ Heat Treated Alloy Steel 120,000 PSI
- ▶ Clean CA available for body mounting

Front Suspension

- ▶ Spring, Parabolic Taper Leaf: 8,000 – 14,700 lbs.

Rear Suspension

- ▶ Spring, Single Vari-Rate: 13,500 – 31,000 lbs.
- ▶ Tandem, 4-Spring Multileaf: 34,000 – 40,000 lbs.
- ▶ IROS Air Suspension available for Single and Tandem Axle

Electrical System

- ▶ Diamond Logic® Electrical System
- ▶ Alternators
 - 12 Volt 160 – 325 Amp.
- ▶ Battery Systems
 - 12 Volt, 2 to 3 Batteries
- ▶ Headlights
 - Long Life Halogen, Optional LED

Exhaust System

- ▶ Single, Horizontal, Aftertreatment Device Frame Mounted Right, Under Cab or Back of Cab, Horizontal or Vertical Tailpipe

Brakes

- ▶ Hydraulic Disc with Four Channel ABS, Optional Traction Control
- ▶ Air Brakes with ABS, Optional Traction Control, Optional Electronic Stability Program with Traction Control

Steering

- ▶ TRW/Ross Power
- ▶ Sheppard Power

Engines

- ▶ Cummins B6.7: 200 – 360 hp and 520 – 750 lb.-ft. of torque*
- ▶ Cummins L9: 260 – 360 hp and 860 – 1,150 lb.-ft. of torque**

Transmissions

- ▶ Eaton® Fuller: 6, 10 Speed Manual
- ▶ Allison: 1000, 2000, 3000 Series (HS, EVS, RDS, MH) Automatic
- ▶ Eaton® Fuller: Advantage 10 Speed Fully Automated Manual

Fuel Tank

- ▶ 40 – 140 Gallon Non-Polished and Polished Aluminum, Mounted Right Side, Left Side or Dual Under Cab

DEF Tank

- ▶ 5 – 16.5 Gallon

Tires

- ▶ Continental, Michelin, Goodyear, Bridgestone, Hankook, Yokohama

* 340 hp and 700 lb.-ft. of torque / 360 hp and 800 lb.-ft. torque ratings available for emergency vehicles only

** 260 hp and 860 lb.-ft torque rating is not available for emergency

For information on International® Truck's electric offerings, please see the eMV™ Series brochure.