

LOUISIANA UNIFORM PUBLIC WORK BID FORM

TO: Jefferson Parish
Purchasing Department
200 Derbigny Street, Suite 4400
Gretna, Louisiana 70053

BID FOR: Stumpf Blvd. Roadway Lighting Improvements
Whitney Ave. to Holmes Blvd.
JP BID NO. 50-00147200
REVISED PER ADDENDUM NO. 1

(Owner to provide name and address)

The undersigned bidder hereby declares and represents that she/he; a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by: Perrin & Carter, Inc. and dated: June 15, 2024.

(Owner to provide name of entity preparing bidding documents)

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following **ADDENDA**: (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging) Addendum 1 dated 3/25, Addendum 2 dated 4/3/25 and Addendum 3 dated 4/8/25

TOTAL BASE BID: For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid"* but not alternates) the sum of:

One Million Ninety-Three Thousand Eight Hundred Thirty and 00/100 Dollars (\$ 1,093,830.00)

ALTERNATES: For any and all work required by the Bidding Documents for Alternates including any and all unit prices designated as alternates in the unit price description.

Alternate No. 1 *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:

N/A Dollars (\$ N/A)

Alternate No. 2 *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:

N/A Dollars (\$ N/A)

Alternate No. 3 *(Owner to provide description of alternate and state whether add or deduct)* for the lump sum of:

N/A Dollars (\$ N/A)

NAME OF BIDDER: All Star Electric, Inc.

ADDRESS OF BIDDER: 735 Little Farms Ave - Metairie, LA. 70003

LOUISIANA CONTRACTOR'S LICENSE NUMBER: 38186

NAME OF AUTHORIZED SIGNATORY OF BIDDER: Harold K. Boydston

TITLE OF AUTHORIZED SIGNATORY OF BIDDER: President

SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER **: Harold K. Boydston

DATE: April 15, 2025

THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBMISSION OF THIS LOUISIANA UNIFORM PUBLIC WORK BID FORM:

* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

** A **CORPORATE RESOLUTION OR WRITTEN EVIDENCE** of the authority of the person signing the bid for the public work as prescribed by LA R.S. 38:2212(B)(5).

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA RS 38:2218.A is attached to and made a part of this bid.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

TO: Jefferson Parish
Purchasing Department
200 Derbigny Street, Suite 4400
Gretna, Louisiana 70053

BID FOR: Stumpf Blvd. Roadway Lighting Improvements
Whitney Ave. to Holmes Blvd.
JP BID NO. 50-00147200
REVISED PER ADDENDUM NO. 1

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	TEMPORARY SIGNS & BARRICADES		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
713-01-00100	1	LUMP SUM	\$33,407.00	\$33,407.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	Cleanup, Dressing, Seeding, Fertilizing and Watering		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
717-01-00100	1	LUMP SUM	\$30,682.00	\$30,682.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	Project Site Laboratory		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
722-01-00100	1	EACH	\$45,224.00	\$45,224.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	Mobilization		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
727-01-00100	1	LUMP SUM	\$54,000.00	\$54,000.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	Construction Layout		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
740-01-00100	1	LUMP SUM	\$20,288.00	\$20,288.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	Trenching & Backfilling with (4-#6 Conductors, 1#6 Ground in 1-1/4" Sch 40 PVC Conduit)		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
822-01-00100	200	LINEAR FOOT	\$22.30	\$4,460.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	Conduit w/ Conductors (4 - #6, 1#6 Ground) 1-1/4" Bored Conduit		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
822-02-00500-A	6,950	LINEAR FOOT	\$35.50	\$246,725.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	Jack & Bore w/ 6" Sch 80 Casing		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
822-04-00200	400	LINEAR FOOT	\$61.50	\$24,600.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	Light Pole (16 ft. Pole with Single LED Fixture)		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
822-05-00700	68	EACH	\$4,085.00	\$277,780.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	Light Pole Foundation		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
822-05-00701	75	EACH	\$2,100.00	\$157,500.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.#	Light Pole (16 ft. Pole with Double LED Fixture)		
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (Quantity times Unit Price)
822-05-00702	7	EACH	\$6,380.00	\$44,660.00

Wording for "DESCRIPTION" is to be provided by the Owner All quantities are estimated. The contractor will be paid upon actual quantities as verified by Owner.

LOUISIANA UNIFORM PUBLIC WORK BID FORM
UNIT PRICE FORM

TO: Jefferson Parish
Purchasing Department
200 Derbigny Street, Suite 4400
Gretna, Louisiana 70053

BID FOR: Stumpf Bld. Roadway Lighting Improvements
Whitney Ave. to Holmes Blvd.
JP BID NO. 50-00147200
REVISED PER ADDENDUM NO. 1

UNIT PRICES: This form shall be used for any and all work required by the Bidding Documents and described as unit prices. Amounts shall be stated in figures and only in figures.

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>Electrical Service Point - (60A, 250V, 2P, Service Rated Panel w/ 2-30A Breakers, w/ Contactor Panel w/ 2 Contactors controlled by Photocell)</u>			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)
822-08-00100	3	EACH	\$8,550.00	\$25,650.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>Underground Junction Box (24x36x18) Heavy Duty Cover w/2 Bolts)</u>			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)
822-16-00200	7	EACH	\$3,406.00	\$23,842.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>Service Disconnect (60A)</u>			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)
822-20-00100	3	EACH	\$1,775.00	\$5,325.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>Duct Marker (Concrete)</u>			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)
822-21-00100	7	EACH	\$267.00	\$1,869.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>Underground Marker Tape (3") (Detectable)</u>			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)
822-22-00100	200	LINEAR FOOT	\$2.65	\$530.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>Police Traffic Control</u>			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)
S-001	400	HOURS	\$110.00	\$44,000.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>Exploratory Excavation</u>			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)
S-002	12	EACH	\$2,354.00	\$28,248.00

DESCRIPTION:	<input checked="" type="checkbox"/> Base Bid or <input type="checkbox"/> Alt.# <u>Hydro Excavation</u>			
REF. NO.	QUANTITY:	UNIT OF MEASURE:	UNIT PRICE	UNIT PRICE EXTENSION (<i>Quantity times Unit Price</i>)
S-003	4	EACH	\$6,260.00	\$25,040.00

Wording for "DESCRIPTION" is to be provided by the Owner
All quantities are estimated. The contractor will be paid upon actual quantities as verified by Owner.



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
3/31/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER
Arthur J. Gallagher Risk Management Services, LLC
760 Howard Ave.
Biloxi MS 39530

CONTACT
NAME: Adam Fox
PHONE: 228-219-2054
FAX: 228-863-1957
E-MAIL: adam_fox1@ajg.com
ADDRESS: adam_fox1@ajg.com

License#: PC-1092395
ALLSTAR-03

INSURED
All Star Electric Inc
1208 Bert St
LaPlace LA 70068

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER A: Continental Casualty Company	20443
INSURER B: Continental Insurance Company	35289
INSURER C: American Casualty Company of Reading, PA	20427
INSURER D:	
INSURER E:	
INSURER F:	

COVERAGES

CERTIFICATE NUMBER: 1104446170

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
B	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:	Y Y	7064005228	4/1/2025	4/1/2026	EACH OCCURRENCE \$1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$100,000 MED EXP (Any one person) \$15,000 PERSONAL & ADV INJURY \$1,000,000 GENERAL AGGREGATE \$2,000,000 PRODUCTS - COMP/OP AGG \$2,000,000 \$
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY	Y Y	7063998111	4/1/2025	4/1/2026	COMBINED SINGLE LIMIT (Ea accident) \$1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
B	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> EXCESS LIAB <input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$10,000	Y Y	7063998092	4/1/2025	4/1/2026	EACH OCCURRENCE \$5,000,000 AGGREGATE \$5,000,000 \$
C	<input checked="" type="checkbox"/> WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y N/A	7063998108	4/1/2025	4/1/2026	<input checked="" type="checkbox"/> PER STATUTE <input checked="" type="checkbox"/> OTHER USL&H E.L. EACH ACCIDENT \$1,000,000 E.L. DISEASE - EA EMPLOYEE \$1,000,000 E.L. DISEASE - POLICY LIMIT \$1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Stumpf Blvd. Roadway Lighting Improvements
Bid No. 50-00147200

Jefferson Parish Government; Department of Public Works is named as an additional insured as it pertains to the General Liability and Auto policy where required by written contract.
Waiver of Subrogation is granted to Jefferson Parish Government; Department of Public Works as it pertains to the General Liability, Auto, and Workers Compensation policies where required by written contract.

CERTIFICATE HOLDER

CANCELLATION

Jefferson Parish Government; Department of Public Works
200 Derbigny St, Ste 4440
Gretna LA 70053

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Jim E. Brashier

IMPORTANT NOTICE ABOUT HOLD HARMLESS AND INDEMNIFICATION AGREEMENTS

While insurance policies may respond to certain contractual assumption of liability or responsibility (Hold Harmless/Indemnification Agreements/Clauses), such policies are not broad enough to transfer or fund all assumed exposures. In addition, insurance policies have monetary limits that apply to covered claims. Our receipt of hold harmless/indemnification agreements and issuance of certificates of insurance is not validation that all conditions of the hold harmless/indemnification agreement have been met. Most assumption of risk agreements/clauses are broader than the terms and conditions of insurance policies.

IMPORTANT NOTICE ABOUT AUTOMATIC STATUS ADDITIONAL INSURED/WAIVERS

The certificate of insurance may represent that Additional Insured &/or Waiver status is included when required by written contract. In order for Additional Insured &/or Waiver status to be triggered in this case, there must be a written and executed contract between the insured and the person(s) or organization(s) for which Additional Insured &/or Waiver status is required.

Bid Bond in Accordance with Contract Specifications

Be sure to refer to the actual bond documents referenced in the contract specifications for specific terms before completing this form.

PRINCIPAL NAME All Star Electric, Inc.	PRINCIPAL ADDRESS 1208 Bert Street, LaPlace, LA 70068
SURETY NAME Travelers Casualty and Surety Company of America	SURETY ADDRESS 1 Tower Square, Hartford, CT 06183
OBLIGEE NAME Jefferson Parish	OBLIGEE ADDRESS 200 Derbigny Street, Gretna, LA 70053

Bond Information

BID DATE 04/15/2025	CONTRACT ID 50-00147200	CONTRACT VENDOR ID 140747
PROJECT DESCRIPTION Bid No. 50-00147200, Capital Projects Project No. 2020-007-SL, Stumpf Blvd. Roadway Lighting Improvements (Whitney Ave. to Holmes Blvd.)		
AMOUNT OF BID SECURITY 5%	AMOUNT OF BID SECURITY-SPELLED OUT Five Percent (5%) of the Amount Bid	
BOND ENTERED AND EXECUTED BY Dewey B. Mason		ATTORNEY-IN-FACT SIGNATURE <i>Dewey B. Mason</i>

Know all men by these presents that Travelers Casualty and Surety Company of America, a Corporation duly organized under the laws of the State of Connecticut, are held and firmly bound unto the above owner/obligee by the transmission. The surety agrees to waive the statute of fraud defense and further agrees that the owner/obligee is a third party beneficiary of the waiver for the purposes of enforcing this bid bond.





Travelers Casualty and Surety Company of America
Travelers Casualty and Surety Company
St. Paul Fire and Marine Insurance Company
Farmington Casualty Company

POWER OF ATTORNEY

Travelers Casualty and Surety Company of America, Travelers Casualty and Surety Company, St. Paul Fire and Marine Insurance Company, and Farmington Casualty Company are corporations duly organized under the laws of the State of Connecticut (herein collectively called the "Companies"), and the Companies do hereby make, constitute and appoint **Dewey B. Mason** of **Biloxi**, **Mississippi**, their true and lawful Attorney(s)-in-Fact to sign, execute, seal and acknowledge any and all bonds, recognizances, conditional undertakings and other writings obligatory in the nature thereof on behalf of the Companies in their business of guaranteeing the fidelity of persons, guaranteeing the performance of contracts and executing or guaranteeing bonds and undertakings required or permitted in any actions or proceedings allowed by law.

IN WITNESS WHEREOF, the Companies have caused this instrument to be signed, and their corporate seals to be hereto affixed, this **4th** day of **March**, **2024**.



State of Connecticut

City of Hartford ss.

By: 
 Bryce Grissom, Senior Vice President

On this the **4th** day of **March**, **2024**, before me personally appeared **Bryce Grissom**, who acknowledged himself to be the Senior Vice President of each of the Companies, and that he, as such, being authorized so to do, executed the foregoing instrument for the purposes therein contained by signing on behalf of said Companies by himself as a duly authorized officer.

IN WITNESS WHEREOF, I hereunto set my hand and official seal.

My Commission expires the **30th** day of **June**, **2026**




 Anna P. Nowik, Notary Public

This Power of Attorney is granted under and by the authority of the following resolutions adopted by the Boards of Directors of each of the Companies, which resolutions are now in full force and effect, reading as follows:

RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President, any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary may appoint Attorneys-in-Fact and Agents to act for and on behalf of the Company and may give such appointee such authority as his or her certificate of authority may prescribe to sign with the Company's name and seal with the Company's seal bonds, recognizances, contracts of indemnity, and other writings obligatory in the nature of a bond, recognizance, or conditional undertaking, and any of said officers or the Board of Directors at any time may remove any such appointee and revoke the power given him or her; and it is

FURTHER RESOLVED, that the Chairman, the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President may delegate all or any part of the foregoing authority to one or more officers or employees of this Company, provided that each such delegation is in writing and a copy thereof is filed in the office of the Secretary; and it is

FURTHER RESOLVED, that any bond, recognizance, contract of indemnity, or writing obligatory in the nature of a bond, recognizance, or conditional undertaking shall be valid and binding upon the Company when (a) signed by the President, any Vice Chairman, any Executive Vice President, any Senior Vice President or any Vice President, any Second Vice President, the Treasurer, any Assistant Treasurer, the Corporate Secretary or any Assistant Secretary and duly attested and sealed with the Company's seal by a Secretary or Assistant Secretary; or (b) duly executed (under seal, if required) by one or more Attorneys-in-Fact and Agents pursuant to the power prescribed in his or her certificate or their certificates of authority or by one or more Company officers pursuant to a written delegation of authority; and it is

FURTHER RESOLVED, that the signature of each of the following officers: President, any Executive Vice President, any Senior Vice President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary, and the seal of the Company may be affixed by facsimile to any Power of Attorney or to any certificate relating thereto appointing Resident Vice Presidents, Resident Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such Power of Attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding on the Company in the future with respect to any bond or understanding to which it is attached.

I, **Kevin E. Hughes**, the undersigned, Assistant Secretary of each of the Companies, do hereby certify that the above and foregoing is a true and correct copy of the Power of Attorney executed by said Companies, which remains in full force and effect.


Dated this **04/11/2025**




 Kevin E. Hughes, Assistant Secretary

To verify the authenticity of this Power of Attorney, please call us at 1-800-421-3880.
 Please refer to the above-named Attorney(s)-in-Fact and the details of the bond to which this Power of Attorney is attached.





State Licensing Board for Contractors

This is to Certify that:
ALL STAR ELECTRIC, INC.
1208 Bert Str
La Place, LA 70068

is duly licensed and entitled to practice the following classifications

BUILDING CONSTRUCTION; ELECTRICAL; MECHANICAL; MUNICIPAL AND PUBLIC WORKS
CONSTRUCTION; SPECIALTY: HEAT, AIR CONDITIONING, VENTILATION DUCT WORK AND
REFRIGERATION



Expiration Date: July 19, 2026

License No: 38186

Witness our hand and seal of the Board dated,
Baton Rouge, LA 20th day of July 2023
Willis MacP Director
See inside Chairman
André D. Brown Treasurer

This License Is Not Transferrable



Resolution Authorizing

Submission of Bid, Signature of Bid, and Signature of Contract

BE IT RESOLVED by the Board of Directors of All Star Electric, Inc., a corporation organized and existing under the laws of the State of Louisiana, and domiciled in the city of Laplace: that Harold K Boydston, President of the corporation be, and are hereby authorized and empowered to submit bids and to execute and all contracts of whatever kind on behalf of the corporation and to do all things necessary in the premises.

Certificate

I, Connie Boudreaux, Secretary of All Star Electric, Inc. does hereby certify that the foregoing resolution is a true and Exact copy of the unanimously adopted by the Board of Directors of All Star Electric, Inc. at a meeting legally held on the 25th day of June; 2019 that said resolution is duly entered into the records of said corporation, and this is valid until rescinded or modified, and that it has not been rescinded or modified; and that it is now in full force and effect.

In Testimony Whereof, I have hereunto set my hand and the seal of the corporation this 25th day of June, 2019.

Secretary, Connie Boudreaux

COMMERCIAL

1208 Bert Street
LaPlace, LA 70068
Phone: (985) 618-1200
Fax: (985) 618-1208

SERVICE AND CIVIL

821 Little Farms Avenue
Metairie, LA 70003
Phone: (504) 466-3303
Fax: (504) 466-3301



GLOBAL LIGHTING PERSPECTIVES

1605 N Main St. Bldg. B, Pearland TX 77581 | www.glpilc.co




Quote #: 7891

Date: 04/01/25

SO #:

Part String: GP55-16-.250/BK



Rep Name:

WELLS-KEOWN ASSOCIATES

Job Name:

STUMPF BLVD NEW ORLEANS

Light Module Distribution:

- ☐ Type II Distribution
- ☐ Type III Distribution
- ☐ Type IV Distribution
- ☐ Type V Distribution
- ☐ Standard Symmetrical
- ☐ Specify: =====

Finish:

- ☒ BK Black
- ☐ BT Textured Black
- ☐ GN Green
- ☐ GV Green Vein
- ☐ WH White
- ☐ CV Copper Vein
- ☐ SB Statuary Bronze
- ☐ SV Silver
- ☐ Custom: =====

Voltage:

- ☐ 120
- ☐ 208
- ☐ 240
- ☐ Auto (120V-277V) [LED]
- ☐ 277
- ☐ 480
- ☐ Multitap
- ☐ Specify: =====

Light Source:

- ☐ 50W MH
- ☐ 70W MH
- ☐ 100W MH
- ☐ 150W MH
- ☐ 175W MH-PS
- ☐ 250W MH-PS
- ☐ PL13
- ☐ 26W LED
- ☐ 65W LED
- ☐ 115W LED
- ☐ 50 HPS
- ☐ 70 HPS
- ☐ 100 HPS
- ☐ 150 HPS
- ☐ 250 HPS
- ☐ Incandescent
- ☐ CFL
- ☐ 40W LED
- ☐ 80W LED
- ☐ SPEC

Specify: =====

Note:

LED - Light Emitting Diode

MH - Metal Halide

HPS - High Pressure Sodium

PL & CF - Compact Fluorescents

Additional (If Any):

TYPE SGL

Hardware:
Stainless Steel Hardware
Included.

Electrical:

Pole Details:

Cast Aluminum Base
Extruded Aluminum Shaft
1/2" X 18" Double Nut Double
Washer Anchor Bolts

Drawn By: MC

Revision: 002

Flttr Details:

Notes:

Drawing for reference only,
subject to change.
Attach drawing with order.
Do Not Scale.



GLOBAL LIGHTING PERSPECTIVES

1605 N Main St. Bldg. B, Pearland TX 77581 | www.glpilc.co




Quote #: 7891

Date: 04/02/25

SO #:

Part String: GP55-16-.250-INT/2TM503/BK



Rep Name:
WELLS-KEOWN ASSOCIATES

Job Name:
STUMPF BLVD NEW ORLEANS

Light Module Distribution:
☐ Type II Distribution
☐ Type III Distribution
☐ Type IV Distribution
☐ Type V Distribution
☐ Standard Symmetrical
☐ Specify: =====

Finish:
☒ BK Black
☐ BT Textured Black
☐ GN Green
☐ GV Green Vein
☐ WH White
☐ CV Copper Vein
☐ SB Statuary Bronze
☐ SV Silver
☐ Custom: =====

Voltage:
☐ 120 ☐ 277
☐ 208 ☐ 480
☐ 240 ☐ Multitap
☐ Auto (120V-277V) [LED]
☐ Specify: =====

Light Source:
☐ 50W MH ☐ 50 HPS
☐ 70W MH ☐ 70 HPS
☐ 100W MH ☐ 100 HPS
☐ 150W MH ☐ 150 HPS
☐ 175W MH-PS ☐ 250 HPS
☐ 250W MH-PS ☐ Incandescent
☐ PL13 ☐ CFL
☐ 26W LED ☐ 40W LED
☐ 65W LED ☐ 80W LED
☐ 115W LED ☐ SPEC

Specify: =====

Note:
LED - Light Emitting Diode
MH - Metal Halide
HPS - High Pressure Sodium
PL & CF - Compact Fluorescents

Additional (If Any):

TYPE DBL

Hardware:
Stainless Steel Hardware
Included.

Electrical:

Pole Details:
Cast Aluminum Base
Extruded Aluminum Shaft
1/2" X 18" Double Nut Double
Washer Anchor Bolts

Drawn By: MC

Revision: 002

Fitter Details:

Notes:
Drawing for reference only,
subject to change.
Attach drawing with order.
Do Not Scale.

Energy Performance Data

No Cage

			70 CRI, 4000K										
			Nominal Power (Watts)	50	60	70	80	90	100	110	120	130	
			Actual Wattage	54	64	74	84	94	104	112	119	124	
			Current @ 120V	0.42	0.50	0.58	0.67	0.75	0.83	0.92	1.00	1.08	
			Current @ 277V	0.18	0.22	0.25	0.29	0.32	0.36	0.40	0.43	0.47	
			Current @ 347V	0.14	0.17	0.20	0.23	0.26	0.29	0.32	0.35	0.37	
			Current @ 480V	0.10	0.13	0.15	0.17	0.19	0.21	0.23	0.25	0.27	
Acorn (Glow Top)			T3	Lumens	9,777	11,470	13,116	14,786	16,339	17,844	18,989	20,578	21,393
				Efficacy (lm/w)	181	179	177	176	174	172	170	173	173
			T5	Lumens	9,831	11,533	13,188	14,868	16,430	17,943	19,094	20,691	21,511
				Efficacy (lm/w)	182	180	178	177	175	173	170	174	173
Victorian (Glow Top)			T3	Lumens	9,514	11,161	12,763	14,389	15,900	17,364	18,478	20,024	20,818
				Efficacy (lm/w)	176	174	172	171	169	167	165	168	168
			T5	Lumens	9,489	11,132	12,729	14,351	15,858	17,318	18,430	19,971	20,763
				Efficacy (lm/w)	176	174	172	171	169	167	165	168	167
Modern / Classical / Nostalgic / Architectural (Spun Top)			T3	Lumens	7,713	9,049	10,347	11,665	12,890	14,077	14,980	16,233	16,877
				Efficacy (lm/w)	143	141	140	139	137	135	134	136	136
			T5	Lumens	7,503	8,802	10,065	11,347	12,539	13,694	14,573	15,792	16,417
				Efficacy (lm/w)	139	138	136	135	133	132	130	133	132
Street Side Only	Actual Wattage				-	-	-	42	47	52	56	60	63
	Acorn (Glow Top)	T3-GHSS*	Lumens	-	-	-	7,414	8,193	8,947	9,521	10,317	10,727	
			Efficacy (lm/w)	-	-	-	175	174	172	169	173	171	
	Victorian (Glow Top)	T3-GHSS*	Lumens	-	-	-	7,204	7,961	8,694	9,251	10,025	10,423	
			Efficacy (lm/w)	-	-	-	170	169	167	164	168	167	
	Modern / Classical / Nostalgic / Architectural (Spun Top)	T3-GHSS*	Lumens	-	-	-	5,701	6,300	6,880	7,321	7,933	8,248	
			Efficacy (lm/w)	-	-	-	135	134	132	130	133	132	

NOTES: *Available only on type 3 distribution. Only available from 80W to 130W.

FADC Settings Nominal Power 50W

FADC Position	Percent of Typical Lumen Output
1	25%
2	48%
3	56%
4	65%
5	75%
6	80%
7	85%
8	90%
9	95%
10	100%

FADC Settings Nominal Power 60W-130W


FADC Position	Percent of Typical Lumen Output
1	14%
2	25%
3	32%
4	43%
5	49%
6	57%
7	65%
8	72%
9	80%
10	100%

FADC Settings Nominal Power 80W-130W GHSS option

FADC Position	Percent of Typical Lumen Output
1	25%
2	48%
3	56%
4	65%
5	75%
6	80%
7	85%
8	90%
9	95%
10	100%

Energy Performance Data

Architectural Cage




Architectural

 Architectural			70 CRI, 4000K										
			Nominal Power (Watts)	50	60	70	80	90	100	110	120	130	
			Actual Wattage	54	64	74	84	94	104	112	119	124	
			Current @ 120V	0.42	0.50	0.58	0.67	0.75	0.83	0.92	1.00	1.08	
			Current @ 277V	0.18	0.22	0.25	0.29	0.32	0.36	0.40	0.43	0.47	
			Current @ 347V	0.14	0.17	0.20	0.23	0.26	0.29	0.32	0.35	0.37	
			Current @ 480V	0.10	0.13	0.15	0.17	0.19	0.21	0.23	0.25	0.27	
Acorn (Glow Top)			T3	Lumens	7,227	8,478	9,695	10,930	12,078	13,190	14,037	15,211	15,813
				Efficacy (lm/w)	134	132	131	130	128	127	125	128	128
			T5	Lumens	7,199	8,446	9,657	10,888	12,031	13,139	13,982	15,152	15,752
				Efficacy (lm/w)	133	132	131	130	128	126	125	127	127
Victorian (Glow Top)			T3	Lumens	6,827	8,009	9,158	10,325	11,409	12,460	13,260	14,369	14,938
				Efficacy (lm/w)	126	125	124	123	121	120	118	121	120
			T5	Lumens	6,745	7,913	9,048	10,201	11,272	12,310	13,100	14,196	14,759
				Efficacy (lm/w)	125	124	122	121	120	118	117	119	119
Modern / Classical / Nostalgic / Architectural (Spun Top)			T3	Lumens	5,272	6,185	7,072	7,973	8,811	9,622	10,239	11,096	11,536
				Efficacy (lm/w)	98	97	96	95	94	93	91	93	93
			T5	Lumens	5,080	5,960	6,815	7,683	8,490	9,272	9,867	10,692	11,116
				Efficacy (lm/w)	94	93	92	91	90	89	88	90	90
Street Side Only	Actual Wattage				-	-	-	42	47	52	56	60	63
	Acorn (Glow Top)	T3-GHSS*	Lumens	-	-	-	5,504	6,082	6,642	7,068	7,659	7,963	
			Efficacy (lm/w)	-	-	-	130	129	127	125	128	127	
	Victorian (Glow Top)	T3-GHSS*	Lumens	-	-	-	5,156	5,698	6,222	6,621	7,175	7,460	
			Efficacy (lm/w)	-	-	-	122	121	119	117	120	119	
	Modern / Classical / Nostalgic / Architectural (Spun Top)	T3-GHSS*	Lumens	-	-	-	3,932	4,345	4,745	5,049	5,472	5,689	
			Efficacy (lm/w)	-	-	-	93	92	91	89	92	91	

NOTES: *Available only on type 3 distribution. Only available from 80W to 130W.

Energy Performance Data

Modern Cage

			70 CRI, 4000K									
			Nominal Power (Watts)	50	60	70	80	90	100	110	120	130
 Modern	Actual Wattage		54	64	74	84	94	104	112	119	124	
	Current @ 120V		0.42	0.50	0.58	0.67	0.75	0.83	0.92	1.00	1.08	
	Current @ 277V		0.18	0.22	0.25	0.29	0.32	0.36	0.40	0.43	0.47	
	Current @ 347V		0.14	0.17	0.20	0.23	0.26	0.29	0.32	0.35	0.37	
	Current @ 480V		0.10	0.13	0.15	0.17	0.19	0.21	0.23	0.25	0.27	
Acorn (Glow Top)	T3	Lumens	7,523	8,826	10,092	11,378	12,573	13,731	14,612	15,834	16,462	
		Efficacy (lm/w)	139	138	136	135	134	132	130	133	133	
	T5	Lumens	7,480	8,775	10,034	11,312	12,501	13,652	14,528	15,743	16,367	
		Efficacy (lm/w)	139	137	136	135	133	131	130	132	132	
Victorian (Glow Top)	T3	Lumens	7,087	8,314	9,507	10,718	11,843	12,934	13,764	14,915	15,506	
		Efficacy (lm/w)	131	130	128	128	126	124	123	125	125	
	T5	Lumens	6,992	8,203	9,380	10,575	11,686	12,762	13,581	14,717	15,300	
		Efficacy (lm/w)	129	128	127	126	124	123	121	124	123	
Modern / Classical / Nostalgic / Architectural (Spun Top)	T3	Lumens	5,417	6,355	7,267	8,192	9,053	9,887	10,521	11,401	11,853	
		Efficacy (lm/w)	100	99	98	98	96	95	94	96	96	
	T5	Lumens	5,364	6,293	7,196	8,112	8,964	9,790	10,418	11,290	11,737	
		Efficacy (lm/w)	99	98	97	97	95	94	93	95	95	
Street Side Only	Actual Wattage		-	-	-	42	47	52	56	60	63	
	Acorn (Glow Top)	T3-GHSS*	Lumens	-	-	-	5,677	6,274	6,851	7,291	7,900	8,214
			Efficacy (lm/w)	-	-	-	134	133	131	129	132	131
	Victorian (Glow Top)	T3-GHSS*	Lumens	-	-	-	5,376	5,941	6,487	6,904	7,481	7,778
			Efficacy (lm/w)	-	-	-	127	126	124	122	125	124
	Modern / Classical / Nostalgic / Architectural (Spun Top)	T3-GHSS*	Lumens	-	-	-	4,165	4,603	5,026	5,349	5,796	6,026
			Efficacy (lm/w)	-	-	-	98	98	96	95	97	96

NOTES: *Available only on tube 3 distribution. Only available from 2024 - 2025

NOTES: *Available only on type 3 distribution. Only available from 80W to 130W.

Energy Performance Data

LED Color Multipliers

CRI	CCT					
	2200	2700	3000	3500	4000	5000
Lumen Multiplier*						
70	0.74	0.84	0.91	0.93	1.00	1.00
80	--	0.75	--	--	--	--


NOTES: * Estimates, refer to IES files for accuracy.

Lumen Maintenance

Ambient Temperature	25,000 hours*	50,000 hours*	L70* (Hours)
25°C	95.4%	91.4%	>54000
40°C	95.6%	89.9%	>54000

NOTES: * Calculation provided in accordance with IES TM-21-11 using the configuration resulting in highest LED temperature.

Classical Cage

		/0 CRI, 4000K									
		Nominal Power (Watts)	50	60	70	80	90	100	110	120	130
	Classical	Actual Wattage	54	64	74	84	94	104	112	119	124
		Current @ 120V	0.42	0.50	0.58	0.67	0.75	0.83	0.92	1.00	1.08
		Current @ 277V	0.18	0.22	0.25	0.29	0.32	0.36	0.40	0.43	0.47
		Current @ 347V	0.14	0.17	0.20	0.23	0.26	0.29	0.32	0.35	0.37
		Current @ 480V	0.10	0.13	0.15	0.17	0.19	0.21	0.23	0.25	0.27
Acorn (Glow Top)	T3	Lumens	7,479	8,774	10,033	11,311	12,499	13,650	14,526	15,741	16,365
		Efficacy (lm/w)	139	137	136	135	133	131	130	132	132
	T5	Lumens	7,436	8,724	9,975	11,246	12,427	13,572	14,442	15,650	16,271
		Efficacy (lm/w)	138	136	135	134	132	130	129	132	131
Victorian (Glow Top)	T3	Lumens	7,067	8,291	9,480	10,688	11,810	12,898	13,726	14,874	15,463
		Efficacy (lm/w)	131	130	128	127	126	124	123	125	125
	T5	Lumens	6,973	8,180	9,354	10,546	11,653	12,726	13,543	14,676	15,258
		Efficacy (lm/w)	129	128	126	126	124	122	121	123	123
Modern / Classical / Nostalgic / Architectural (Spun Top)	T3	Lumens	5,417	6,355	7,267	8,192	9,053	9,887	10,521	11,401	11,853
		Efficacy (lm/w)	100	99	98	98	96	95	94	96	96
	T5	Lumens	5,364	6,293	7,196	8,112	8,964	9,790	10,418	11,290	11,737
		Efficacy (lm/w)	99	98	97	97	95	94	93	95	95
Street Side Only	Actual Wattage		--	--	--	42	47	52	56	60	63
	Acorn (Glow Top)	T3-GHSS*	Lumens	--	--	--	5,644	6,237	6,811	7,248	7,854
			Efficacy (lm/w)	--	--	--	133	132	131	128	131
	Victorian (Glow Top)	T3-GHSS*	Lumens	--	--	--	5,361	5,924	6,469	6,885	7,460
			Efficacy (lm/w)	--	--	--	127	126	124	122	125
	Modern / Classical / Nostalgic / Architectural (Spun Top)	T3-GHSS*	Lumens	--	--	--	4,165	4,603	5,026	5,349	5,796
			Efficacy (lm/w)	--	--	--	98	98	96	95	97

NOTES: * Available only on type 3 distribution. Only available from 80W to 130W.

Ordering Information

SAMPLE NUMBER: ACN-CA6-130-740-U-55-X-1-X-BK-PR7

Product Family ¹	LED Series	Nominal Power	Color Temperature	Voltage	Refractor Type	Cage Type	Top Type	Finial Type	Color
ACN=Acorn Base BAA=ACN=Acorn Base Buy American Act Compliant ² TAA=ACN=Acorn Base Trade Agreements Act Compliant ³ ARC=Architectural Base BAA=ARC=Architectural Base Buy American Act Compliant ² TAA=ARC=Architectural Base Trade Agreements Act Compliant ³ CLB=Classical Base BAA=CLB=Classical Base Buy American Act Compliant ² TAA=CLB=Classical Base Trade Agreements Act Compliant ³	CA6=COB Light Engine	50=50W 60=60W 70=70W 80=80W 90=90W 100=100W 110=110W 120=120W 130=130W	722=70CRI, 2200K 727=70CRI, 2700K 730=70CRI, 3000K 740=70CRI, 4000K 750=70CRI, 5000K 760=70CRI, 5700K	U=Universal (120-277V) H=High Voltage (347-480V)	33=Type III 55=Type V	Classical 1=Classical ⁴ A=Classical Sun Gold B=Classical Antique Gold C=Classical Colonial Bronze Modern 2=Modern ⁴ D=Modern Sun Gold E=Modern Antique Gold F=Modern Colonial Bronze Architectural 3=Architectural ⁴ G=Architectural Sun Gold H=Architectural Antique Gold J=Architectural Colonial Bronze X=None	1=Acorn 2=Modern 3=Victorian 4=Classical 5=Nostalgic (Top Access) 7=Architectural (Top Access)	1=Victorian 2=Modern 3=Architectural 4=Nostalgic X=None	AP=Grey BK=Black BZ=Bronze DP=Dark Platinum GM=Graphite Metallic GN=Hartford Green WH=White RALXXXX=RAL Number
Options (Add as Suffix)				Controls		Accessories (Order Separately) ¹⁰			
10MSP=Parallel 10kV MOV Surge Protective Device 20MSP=Parallel 20kV MOV Surge Protective Device 20K=Series 20kV UL 1449 Surge Protective Device 20KI=Series 20kV UL 1449 Surge Protective Device with light indicator B=Decorative Brass Banding ⁴ C=Copper Accents P=Polycarbonate Refractor W=External wire leads 20ft GHSS=Generation Housing Streetside only ⁴ CC=Coastal Construction Dxxxxx=DOT Configuration - Contact Quotes Team Uxxxxx=Utility Configuration - Contact Quotes Team				DALI=DALI Driver(s) ⁴ FADC=Field Adjustable Dimming Controller PR=NEMA 3-PIN Twistlock Photocontrol Receptacle PR7=NEMA 7-PIN Twistlock Photocontrol Receptacle ⁴ AN8=MZM Antennae (915MHz) ⁴		OA1222=10kV Surge Module			

NOTES:

- Customer is responsible for engineering analysis to confirm pole and fixture compatibility for all applications.
- Only product configurations with these designated prefixes are built to be compliant with the Buy American Act of 1933 (BAA) or Trade Agreements Act of 1979 (TAA), respectively. Please refer to www.cooperlighting.com website for more information. Components shipped separately may be separately analyzed under domestic preference requirements.
- Cage type painted to match base.
- Available with Acorn and Victorian tops only.
- Type II only. Only available in 50W to 130W nominal output. Approximately 50% of nominal power and energy usage. Consult spec sheet performance tables and IES files on ACN/ARC/CLB product page for actual lumen and wattage values.
- Available for Nominal Power 50W - 100W only.
- Height of dimming node/photocontrol cannot exceed 2.8" at outer edge.
- Depending on characteristics of dimming node, may need to extend antenna out of housing. Consult your lighting representative at Cooper Lighting Solutions for more information.
- For use with control systems where MZM is required.
- Accessories sold separately will be separately analyzed under domestic preference requirements. Consult factory for further information.

Product Specifications

Construction

- Heavy-duty cast aluminum housing and removable door
- A single quarter turn fastener on the removable door provides tool-less access to wiring compartment
- Cage assembly uprights and medallions are manufactured of heavy-duty cast aluminum and mounted to the exterior of the base housing via four stainless steel fasteners
- Cage rings constructed of extruded aluminum and finished to match housing
- Choose from multiple spun aluminum or acrylic tops and cast aluminum finials for customized fixture style
- All solid tops are made of heavy-duty spun aluminum

Mounting

- Base casting slipfits over a standard 3" O.D. tenon and secured via four stainless steel allen head fasteners

Optics

- High efficiency refractive optical systems are precisely designed utilizing a combination of refractive and reflective prisms
- Available in Type III or Type V distributions
- Lighting grade acrylic ensures long lasting optical clarity and resistance to discoloration

Electrical

- 120-277V 50/60Hz operation
- 10kV/10kA common and differential mode surge protection standard
- 0-10V dimming standard
- Thermal management transfers heat rapidly away from the LED source for optimal efficiency and light output; Ambient operating temperature from -40°C to 40°C
- Standard three-position tunnel type compression terminal block

Finish

- Cast and spun components finished in a five stage premium TGIC polyester powder coat paint, 2.5 mil nominal thickness for superior protection against fade and wear
- A complete selection of standard colors includes grey, black, bronze, dark platinum, graphic metallic, hartford green, white, and specified RAL numbers
- Consult your Streetworks representative for available custom color matches




Typical Applications

- Outdoor, Parking Lots, Walkways, Roadways, Building Areas

Warranty

- Five-year limited warranty. Consult website for details: www.cooperlighting.com/legal

Configurations



Project		Catalog #		Type	
Prepared by		Notes		Date	



Streetworks

ACN/ARC/CLB Generation Series

Decorative Luminaire

Product Features



Interactive Menu

- Ordering Information [page 2](#)
- Product Specifications [page 2](#)
- Energy and Performance Data [page 3](#)


Product Certifications



Quick Facts

- LED CCTs include 2200, 2700, 3000, 4000, 5000, and 5700K 70 CRI
- 4000K lumen packages ranging from 5,000 lumens to 21,000 lumens
- Available in Type III and Type V distributions
- Tool-less removable power tray for ease of maintenance
- Standard 0-10V dimming
- Field Adjustable Dimming Control available

Dimensional Details



Fixture Weights and EPAs

EPA (sq. ft.)	Weight (lbs)
2.1	50 (23 kgs.)

NOTES:
1. DesignLights Consortium® Qualified. Refer to www.designlights.org Qualified Products List under Family Models for details.