

## LOUISIANA UNIFORM PUBLIC WORK BID FORM

50-00139817

Page: 6

TO: JEFFERSON PARISH  
PURCHASING DEPT  
200 DERBIGNY ST. SUITE 4400  
GRETN, LA 70053  
 (Owner to provide name and address of owner)

BID FOR: LABOR, MATERIALS AND EQUIPMENT  
 INSTALL PLAY STRUCTURE AT LINCO  
 WALKING TRACK FOR JEFFERSON PAR  
 PARKS & RECREATION.  
 (Owner to provide name of project and  
 other identifying information)

The undersigned bidder hereby declares and represents that she/he; a) has carefully examined and understands the Bidding Documents, b) has not received, relied on, or based his bid on any verbal instructions contrary to the Bidding Documents or any addenda, c) has personally inspected and is familiar with the project site, and hereby proposes to provide all labor, materials, tools, appliances and facilities as required to perform, in a workmanlike manner, all work and services for the construction and completion of the referenced project, all in strict accordance with the Bidding Documents prepared by: Jefferson Parish Purchasing Dept P.O. Box 9  
Gretn, LA 70054-0009 and dated: 9/28/2022  
 (Owner to provide name of entity preparing bidding documents.)

Bidders must acknowledge all addenda. The Bidder acknowledges receipt of the following ADDENDA: (Enter the number the Designer has assigned to each of the addenda that the Bidder is acknowledging) \_\_\_\_\_

TOTAL BASE BID: For all work required by the Bidding Documents (including any and all unit prices designated "Base Bid" \* but not alternates) the sum of:

One hundred fifteen thousand and 00/100 Dollars (\$) 115,000.00

ALTERNATES: For any and all work required by the Bidding Documents for Alternates including any and all unit prices designated as alternates in the unit price description.

Alternate No. 1 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A Dollars (\$) \_\_\_\_\_

Alternate No. 2 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A Dollars (\$) \_\_\_\_\_

Alternate No. 3 (Owner to provide description of alternate and state whether add or deduct) for the lump sum of:

N/A Dollars (\$) \_\_\_\_\_

NAME OF BIDDER: Evergreen Landscaping & Management, LLC

ADDRESS OF BIDDER: P.O. Box 1017 West Point, MS 39773

LOUISIANA CONTRACTOR'S LICENSE NUMBER: 70531

NAME OF AUTHORIZED SIGNATORY OF BIDDER: Jeff Hairston

TITLE OF AUTHORIZED SIGNATORY OF BIDDER: Owner

SIGNATURE OF AUTHORIZED SIGNATORY OF BIDDER \*\*: 

DATE: 10/25/2022

**THE FOLLOWING ITEMS ARE TO BE INCLUDED WITH THE SUBMISSION OF THIS LOUISIANA UNIFORM PUBLIC WORK BID FORM:**

\* The Unit Price Form shall be used if the contract includes unit prices. Otherwise it is not required and need not be included with the form. The number of unit prices that may be included is not limited and additional sheets may be included if needed.

\*\* A CORPORATE RESOLUTION OR WRITTEN EVIDENCE of the authority of the person signing the bid for the public work as prescribed by LA-R.S. 38:2218 (B)(5).

BID SECURITY in the form of a bid bond, certified check or cashier's check as prescribed by LA-R.S. 38:2218.(A) is attached to and made a part of this bid.

## CORPORATE RESOLUTION


EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF


Evergreen Landscaping & Management, LLC  
~~INCORPORATED.~~

AT THE MEETING OF DIRECTORS OF Evergreen Landscaping & Management, LLC  
INCORPORATED, DULY NOTICED AND HELD ON 10/25/2022,  
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT  
WAS:

RESOLVED THAT Jeff Hairston, BE AND IS HEREBY  
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-  
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON  
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS  
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,  
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE  
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,  
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES  
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS  
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING  
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-  
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE  
A TRUE AND CORRECT COPY OF AN  
EXCERPT OF THE MINUTES OF THE ABOVE  
DATED MEETING OF THE BOARD OF  
DIRECTORS OF SAID CORPORATION, AND  
THE SAME HAS NOT BEEN REVOKED OR  
RESCINDED.

  
MEMBER, WILL STUART

  
SECRETARY-TREASURER  
10/25/2022  
DATE

Non-Public Works Bid

AFFIDAVIT

STATE OF Mississippi

PARISH/COUNTY OF Clay

BEFORE ME, the undersigned authority, personally came and appeared: Jeff  
Hairston, (Affiant) who after being by me duly sworn, deposed and said that  
he/she is the fully authorized Owner of Evergreen Landscaping & Management, LLC (Entity),  
the party who submitted a bid in response to Bid Number 5000139817, to the Parish of  
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A \_\_\_\_\_ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X there are NO campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

**(Choose A or B, if option A is indicated please include the required attachment):**

**Choice A** \_\_\_\_\_ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.


**Choice B** X There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

*[The remainder of this page is intentionally left blank.]*

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.




Signature of Affiant

Jeff Hairston

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 25<sup>th</sup> DAY OF October, 2022.




Notary Public

Francis Jean Reynolds

Printed Name of Notary

291042

Notary/Bar Roll Number



My commission expires

May 13, 2025



# CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

10/25/2022

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

**IMPORTANT:** If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

<b>PRODUCER</b> Lyon Insurance Agency Inc. PO BOX 762 451 Commerce Street West Point MS 39773	<b>CONTACT NAME:</b> Gil Lyon <b>PHONE (A/C, No, Ext):</b> (662) 494-5576 <b>FAX (A/C, No):</b> (662) 494-2247 <b>E-MAIL ADDRESS:</b> <b>INSURER(S) AFFORDING COVERAGE</b> <b>INSURER A:</b> Builder's Mutual <b>INSURER B:</b> <b>INSURER C:</b> <b>INSURER D:</b> <b>INSURER E:</b> <b>INSURER F:</b>	<b>NAIC #</b>
<b>INSURED</b> EVERGREEN LANDSCAPING AND MANAGEMENT LLC PO BOX 1017 WEST POINT MS 39773		

**COVERAGES****CERTIFICATE NUMBER:** CL2283002586**REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> <b>COMMERCIAL GENERAL LIABILITY</b> <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:			CPP0084930-02	07/15/2022	07/15/2023	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 rented or leased equip \$ 150,000
A	<input checked="" type="checkbox"/> <b>AUTOMOBILE LIABILITY</b> <input checked="" type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY			CAP0032008-02	07/15/2022	07/15/2023	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
A	<input checked="" type="checkbox"/> <b>UMBRELLA LIAB</b> <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> DED <input type="checkbox"/> RETENTION \$ 10,000			MUB0010337 02	07/15/2022	07/15/2023	EACH OCCURRENCE \$ 2,000,000 AGGREGATE \$ 2,000,000 \$ <input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER
A	<b>WORKERS COMPENSATION AND EMPLOYERS' LIABILITY</b> ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N Y	N/A	PWC1013309-03	07/15/2022	07/15/2023	E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

**CERTIFICATE HOLDER****CANCELLATION**

Jefferson Parish Purchasing Department  
200 Derbigny Street  
Suite 4000  
Gretna LA 70053

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.






A PLAYCORE Company

## LINCOLNSHIRE PARK

System 1 for  
R5  
2-12







## Bill of Materials

LINCOLNSHIRE PARK

Project# PCD229F641A

10/18/2022

Item	Description	Quantity
R50D1C5FA		
HS-1004-R	Collars	36
GF-7002	Dome Cap, R5	7
S-1011-R5-11ft	Post, 11ft R5	2
S-1012-R5-12ft	Post, 12ft R5	3
S-1014-R5-14ft	Post, 14ft R5	1
S-1016-R5-16ft	Post, 16ft R5	1
S-11011-13011-R5	Half Square Deck w Walls R5	1
S-1102-R5	Tri-Deck	1
S-1105-R5	Half Deck	2
S-1110-R	Filler, 12in	1
S-1209-24-R5	Transfer Station, 36in-C	1
S-1234-3R	Climber, Spiral Step 30-36in	1
S-1282-4	Climber, Curved Rung Ladder 42-48in	1
S-1303-R5	Single Slide SitDown Hood	1
S-1303-TW-R5	Twister Entry Panel w/ Hood	1
S-1309-2-R5	Half Walls (Pair) R5	1
S-1310-R5	Transition Wall	1
S-1414	Lily Pad Step 12-18in	1
S-1615-R5	Store Panel	1
S-1701-3	Slide, Single 42in (Straight)	1
S-1710-5-LL	Slide, Twister 60in (L2)	1
S-1845-R	Free Form Topper (Large)	2
R5064DA2A		
HS-1004-R	Collars	6
GF-7002	Dome Cap, R5	3





## Bill of Materials (continued)

Item	Description	Quantity
S-1007-R5-07ft	Post, 07ft R5	3
S-1616-R5G	Tic-Tac-Toe Panel	1
S-1644-R5G	Gear Panel	1
STAPC42866G		
A3-4286-6G	4286-6G 6ft Bench (w/ Back, GM)	1
STAPC1304		
A2-1304	1304 Safety Sign (2-12, HDPE)	1
FREPC2496SL		
A2-2496-SL	PC 2496-SL Inclusive Merry-Go-Round	1



## Surfacing System Color Options

### Standard Colors

IPEMA Certified  
ADA Compliant  
Recycled Content




**DP00**  
Black



**DP01**  
Terra Cotta



**DP10**  
Green



**DP20**  
Blue




**DP30**  
Beige


### Premium / Special Order Colors




**DP02**  
Red




**DP11**  
Bright Green




**DP12**  
Dark Green




**DP21**  
Purple




**DP22**  
Light Blue



**DP23**  
Azure



**DP26**  
Turquoise




**DP31**  
Cream



**DP32**  
Brown




**DP40**  
Earth Yellow



**DP41**  
Yellow




**DP50**  
Orange




**DP60**  
Charcoal



**DP61**  
Grey



**DP65**  
Light Grey



**DP90**  
Pink



DuraPlay Surfacing System™ is a poured-in-place, seamless rubber surface for playgrounds. Installed at different thicknesses for varying deck heights, this high-quality safety surface achieves consistent fall protection and performance exceeding CPSC guidelines for ASTM 1292. It is virtually maintenance free and is available in a multitude of colors that can be used to create any design imaginable! Printed color samples may not be an exact match to the surfacing colors due to printing limitations.

(512) 847-2473 | [www.DuraPlay.com](http://www.DuraPlay.com)



## **PART 1 – GENERAL**

### **1.01 SCOPE**

Provide all materials, labor and equipment necessary to install the DuraPlay Surfacing System.

### **1.02 DESCRIPTION**

The DuraPlay Surfacing System is primarily used for playgrounds. It provides overall consistent fall protection and can be easily customized to meet any safety, design and aesthetic requirements. This ADA compliant surfacing creates a resilient, monolithic pad in turn, providing a safe, clean, maintenance-free space for children to play on.

### **1.03 COMPOSITION**

DuraPlay Surfacing System consists of two layers.

- A. Base mat made of 100% recycled styrene butadiene rubber (SBR) mixed with high-grade polyurethane.
- B. Top Surface made of ethylene propylene diene monomer (EPDM) or Thermoplastic Vulcanizate (TPV) mixed with polyurethane.

### **1.04 QUALITY ASSURANCE**

#### **A. Product**

- 1. All components of the DuraPlay Surfacing System shall be obtained from DuraPlay or its authorized distributors. No substitutions or additions of other materials shall be submitted without prior written permission from DuraPlay, Inc.
- 2. System shall be warranted by manufacturer for any defects in material and workmanship.
- 3. No prorated warranties permitted.

#### **B. Qualification**

- 1. Surface must be IPEMA certified.
- 2. Test results- see applicable standards section 2.2, A.
- 3. Manufacturer must be in business at least 5 years.
- 4. The Applicator/ Installer shall be trained and approved by DuraPlay, Inc. and must have installed a minimum of 10 applications.



150 Brownson Lane, Driftwood, TX 78619



C. Applications

1. Acceptable substrates for the DuraPlay Playground System include asphalt, concrete and compacted stone. Other substrates shall be approved by Duraplay, Inc. prior to application.
2. Conditions of all substrates with respect to structural and drainage performance must be evaluated and approved by the applicator prior to applying the DuraPlay Surfacing System. Owner or General Contractor is responsible for drainage.

D. Acceptable Manufacturers

1. DuraPlay, Inc.

- E. Proposed substitutions are required to provide product data demonstrating that they meet or exceed product specifications complying with this section.

## **1.05 SUBMITTALS**

- A. Material product data
- B. DuraPlay Color Chart
- C. Sample colors if needed
- D. Warranty
- E. Product liability Insurance Certificate
- F. IPEMA Certification

## **1.06 DELIVERY, STORAGE & HANDLING**

- A. Deliver all materials in good condition, in original unopened packages with labels intact.
- B. Store all materials protected from weather and at temperature not less than 32° F (0°C) for any 12-hour duration.

## **1.07 JOB CONDITIONS**

- A. Ambient air temperature shall be 45° F (0°C) or greater and rising at the time of installation of the surface and shall remain at 33° F (0°C) or greater for at least 24 hours after application.
- B. Adjacent materials and the surface shall be protected during installation, while curing and unattended, from weather and other damage.

## **1.08 ALTERNATES AND ALLOWANCES**

Systems to be considered equal to those specified herein shall be approved by the architect, in writing, at least ten working days prior to the project bid date.

# **PART 2 – PRODUCTS**

## **2.01 GENERAL**

All material components of the DuraPlay Surfacing System shall be obtained from the same manufacturer or its authorized distributors.



150 Brownson Lane, Driftwood, TX 78619

## 2.02 MATERIALS

- A. DuraPlay Primer: A single-component moisture cured polyurethane primer.
- B. DuraPlay Binder: An elastic polyurethane pre-polymer, MDI based, low odor, capable of excellent weathering and binding characteristics. Binder shall contain no TDI Monomers.
- C. DuraPlay Black SBR:
  - 1. Shall be recycled SBR Rubber
  - 2. Shall be cryogenically processed
  - 3. Shall be 3/8" shredded mesh or 6/20 mesh and contains less than 4% dust.
  - 4. Shall be packed in suitable bags to protect SBR from moisture
  - 5. Base mat thickness: 1.5 to 4.25 inches, depending on critical fall height of playground equipment.
- D. DuraPlay EPDM Rubber or Thermoplastic Vulcanizate (TPV):
  - 1. A manufactured rubber having a density of 1 to 4mm.
  - 2. Available in standard colors: terra cotta, blue, green, beige, black and premium colors: red, bright green, dark green, purple, light blue, azure, turquoise, cream, brown, earth yellow, yellow, orange, charcoal, grey, light grey, pink (colors subject to change).
  - 3. Available in any mixture of above colors.
  - 4. Thickness is nominal 1/2" or 2.44 lb. per square foot.

## 2.03 TECHNICAL INFORMATION

- A. Applicable Standards
  - 1. Shock attenuation under ASTM-F-1292 – GMAX less than 200
  - 2. Head Injury Criteria – less than 1000
  - 3. Non-slip characteristics under ASTM-E-303
  - 4. IPEMA Certified
  - 5. Flammability under 8S -5696 and ASTM-D-2859
  - 6. Tensile strength (ASTM D412) - 60 psi
  - 7. Tear resistance (ASTM D624) – 140%
- B. Chemical Properties
  - 1. Base mat: 85% SBR Rubber Buffings, 15% Polyurethane Binder
  - 2. Top Surface: 78% EPDM or TPV Rubber Granules, 22% Polyurethane Binder

## PART 3 – EXECUTION

### 3.01 INSPECTIONS

- A. Prior to application of DuraPlay Playground System, the substrates shall be examined by DuraPlay's installation technician for compliance with the contract document of Duraplay specifications. The general contractor and architect shall be advised of all discrepancies. Work shall not proceed until unsatisfactory conditions are corrected.

### 3.02 INSTALLATIONS

- A. DuraPlay Primer: Apply primer with a short nap roller at the rate of 300 square feet per gallon. Do not over saturate substrate. Prime area 1.5 - 2 feet around perimeter and any adjacent vertical barriers such as playground equipment support legs, curbs or edging that



150 Brownson Lane, Driftwood, TX 78619



will contact the surfacing system. NOTE: Do not use DuraPlay primer over compacted stone.

**B. DuraPlay Resilient Base Mat:**

1. Apply mixed binder/SBR at desired thickness 1/8" higher than measuring bar.
2. Using a steel pool trowel, even binder/SBR mixture. Be sure to continuously lubricate trowel with kerosene, diesel fuel or soapy water. Do not saturate surface with these lubricants.
3. As the mixture is leveled apply a downward pressure onto the surface so that the mixture compacts tightly.
4. Check surface to be level.
5. Allow to dry for 10 to 12 hours or until no indentations can be made by foot traffic.

**C. DuraPlay Top Surface:**

1. Apply mixed binder/granule at a nominal 1/2" thickness.
2. Using a steel pool trowel, spread even rubber/granule mixture. Be sure to continuously lubricate trowel with kerosene, diesel fuel or soapy water.
3. As the mixture is leveled apply a downward pressure onto the surface so that the mixture compacts tightly.
4. Check surface to be level.
5. Cold joints must be cut and primed prior to installing a different color surface.
6. Allow to cure for a minimum of 24 to 48 hours prior to usage. At the end of the minimum curing period, verify that the top surface is sufficiently dry and firm to allow foot traffic and use without damage to the surface. Do not allow foot traffic or use of the surface until it is sufficiently cured.

**D. Edge Details: Available upon request.**

### **3.03 WARRANTY**

The standard warranty period is 5 years from the date of project installation completion.

### **3.04 PROTECTION**

It is the responsibility of the customer/owner to provide security to protect the surface from foot traffic or vandalism during the 48 hour cure period.

END OF SECTION

If any questions arise do not hesitate to contact DuraPlay Inc. for technical assistance  
512.847.2473

V:4.22