


INVITATION TO BID**STATE OF LOUISIANA**

Calcasieu Parish School System
Office of Purchasing

**BIDS WILL BE PUBLICLY OPENED:**

Date & Time: 9/4/15 @ 10:00 A.M.

SOLICITATION #: 2016-23REBID

OPENING DATE: Sep 4, 2015

VENDOR NAME AND ADDRESS

Lafayette Restaurant Supply, Inc.
1103 Hugh Wallis Rd South
Lafayette, LA 70508

**FILL IN VENDOR NAME AND CONTACT NAME,
ADDRESS ABOVE, BEFORE SUBMITTING BID.**

RETURN BID TO

Joseph E. Feucht
Supervisor of Purchasing
Calcasieu Parish School System
3310 Broad Street Room 1300
Lake Charles, LA 70615

BUYER
BUYER PHONE

PATRICIA HOSEMANN

(337) 217-4000

REQ. DEPARTMENT

FOOD SERVICE

OFFICE OF PURCHASING

VENDOR PHONE

FISCAL YEAR

2016

SCHEDULED END DATE

9/4/2015

ITEM(S) FOR: RE-BID LARGE CAFETERIA EQUIPMENT ITEMS FOR 2015-2016 SCHOOL YEAR

TO BE COMPLETED BY VENDOR

1. ASAP DELIVERY WILL BE MADE IN THIS NUMBER OF DAYS AFTER RECEIPT OF PURCHASE ORDER
2. _____ % CASH DISCOUNT FOR PROMPT PAYMENT IF MADE WITHIN THIRTY (30) DAYS. CASH DISCOUNTS FOR LESS THAN 30 DAYS OR LESS THAN ONE (1) PERCENT WILL BE ACCEPTED, BUT WILL NOT BE CONSIDERED IN AWARD DETERMINATION.
3. _____ BID REFERENCE NUMBER. (THIS NUMBER WILL APPEAR ON RESULTING PURCHASE ORDER OR CONTRACT).

INSTRUCTIONS TO BIDDERS

1. ☒ READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECIFICATIONS
2. ☒ ALL BID PRICES **MUST** BE TYPED OR WRITTEN IN INK. ANY CORRECTIONS, ERASURES OR OTHER FORMS OF ALTERATIONS TO UNIT PRICES SHOULD BE INITIALED BY THE BIDDER.
3. ☒ THIS BID IS TO BE SIGNED MANUALLY IN INK UNLESS SUBMITTED ELECTRONICALLY IN ACCORDANCE WITH CURRENT STATE STATUTES.
4. ☒ BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. LAKE CHARLES, LA OR AS OTHERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" OR "C. O. D." REQUIREMENTS ARE NOT ACCEPTABLE. PAYMENT IS TO BE MADE WITHIN 30 DAYS AFTER RECEIPT OF PROPERLY EXECUTED INVOICE OR DELIVERY, WHICHEVER IS LATER. NO "SHORT PAYMENT" OF INVOICES ARE ALLOWED
5. ☒ PERFORMANCE BOND OR IRREVOCABLE LETTER OF CREDIT BY SUCCESSFUL VENDOR ON ALL ORDERS WILL BE 50%
6. ☒ DESIRED DELIVERY 45 DAYS AFTER RECEIPT OF ORDER OR SOONER

ANY QUESTIONS ABOUT ANY ITEM SHOULD BE DIRECTED TO BUYER AND PURCHASING DEPARTMENT.

CONDITIONS CONTINUED ON NEXT PAGE

VENDOR PHONE NUMBER: 337-235-4534

FAX NUMBER: 337-234-1803

TITLE

Estimator

DATE

9/3/15

SIGNATURE OF BIDDER
(MUST BE SIGNED)

STANDARD TERMS & CONDITIONS**INVITATION TO BID****BID NUMBER: 2016-23REBID****TIME: 10:00 AM****BIDDER:***Lafayette Restaurant Supply, Inc.***PAGE****2****OPEN DATE: 9/04/2015**

7. TO ASSURE CONSIDERATION OF YOUR BID, ALL BIDS AND ADDENDA SHOULD BE RETURNED IN AN ENVELOPE OR PACKAGE CLEARLY MARKED WITH THE BID OPENING DATE AND THE BID NUMBER, OR SUBMITTED IN THE SPECIAL ENVELOPE IF FURNISHED FOR THAT PURPOSE

8. BIDS SUBMITTED ARE SUBJECT TO PROVISIONS OF THE LAWS OF THE STATE OF LOUISIANA INCLUDING BUT NOT LIMITED TO L.R.S. 39:1551-1736; PURCHASING RULES AND REGULATIONS; EXECUTIVE ORDERS; STANDARD TERMS AND CONDITIONS; SPECIAL CONDITIONS; AND SPECIFICATIONS LISTED IN THIS SOLICITATION

9. IMPORTANT: BY SIGNING THE BID, THE BIDDER CERTIFIED COMPLIANCE WITH ALL INSTRUCTIONS TO BIDDERS, TERMS, CONDITIONS AND SPECIFICATIONS, AND FURTHER CERTIFIED THAT THIS BID IS MADE WITHOUT COLLUSION OR FRAUD. THIS BID IS TO BE MANUALLY SIGNED IN INK BY A PERSON AUTHORIZED TO BIND THE VENDOR (SEE NO. 30). ALL BID INFORMATION SHALL BE MADE WITH INK OR TYPEWRITTEN

10. ADDRESS ALL INQUIRIES AND CORRESPONDENCE TO THE BUYER AT THE PHONE AND ADDRESS SHOWN ABOVE.

11. CONFERENCE:
IN SOME CASES, NON-MANDATORY PRE-BID CONFERENCES MAY BE HELD.

12. BID FORMS.

ALL WRITTEN BIDS, UNLESS OTHERWISE PROVIDED FOR, MUST BE SUBMITTED ON, AND IN ACCORDANCE WITH, FORMS PROVIDED, PROPERLY SIGNED (SEE NO. 30). BIDS SUBMITTED IN THE FOLLOWING MANNER WILL NOT BE ACCEPTED:

A. BID CONTAINS NO SIGNATURE INDICATING INTENT TO BE BOUND;

B. BID FILLED OUT IN PENCIL; AND

C. BID NOT SUBMITTED ON THE DISTRICT'S STANDARD FORMS.

D. BIDS WITH MORE THAN ONE PRICE PER ITEM

BIDS MUST BE RECEIVED AT THE ADDRESS SPECIFIED IN THE SOLICITATION PRIOR TO BID OPENING TIME IN ORDER TO BE CONSIDERED. TELEGRAPHIC AND FAX ALTERATIONS TO BIDS RECEIVED BEFORE BID OPENING TIME WILL BE CONSIDERED PROVIDED FORMAL BID AND WRITTEN ALTERATION HAVE BEEN RECEIVED AND TIME-STAMPED BEFORE BID OPENING TIME. ENTIRE BID SHOULD BE RETURNED, EXCEPT ITEM PAGES NOT BID.

13. STANDARDS OF QUALITY.

ANY PRODUCT OR SERVICE BID SHALL CONFORM TO ALL APPLICABLE FEDERAL AND STATE LAWS AND REGULATIONS AND THE SPECIFICATIONS CONTAINED IN THE SOLICITATION. UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION, ANY MANUFACTURER'S NAME, TRADE NAME, BRAND NAME, OR CATALOG NUMBER USED IN THE SPECIFICATION IS FOR THE PURPOSE OF DESCRIBING THE STANDARD OF QUALITY, PERFORMANCE, AND CHARACTERISTICS DESIRED AND IS NOT INTENDED TO LIMIT OR RESTRICT COMPETITION. BIDDER MUST SPECIFY THE BRAND AND MODEL NUMBER OF THE PRODUCT OFFERED IN HIS BID. BIDS NOT SPECIFYING BRAND AND MODEL NUMBER SHALL BE CONSIDERED AS OFFERING THE EXACT PRODUCTS SPECIFIED IN THE SOLICITATION.

14. DESCRIPTIVE INFORMATION.

BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATIONS, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR CALCASIEU PARISH SCHOOL BOARD TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION. FAILURE TO SUBMIT DESCRIPTIVE INFORMATION MAY CAUSE BID TO BE REJECTED. ANY CHANGE MADE TO A MANUFACTURER'S PUBLISHED SPECIFICATIONS SUBMITTED FOR A PRODUCT SHALL BE VERIFIABLE BY THE MANUFACTURER. IF ITEM(S) BID DO NOT FULLY COMPLY WITH SPECIFICATIONS (INCLUDING BRAND AND/OR PRODUCT NUMBER), BIDDER MUST STATE IN WHAT RESPECT ITEM(S) DEVIATE. FAILURE TO NOTE EXCEPTIONS ON THE BID FORM WILL NOT RELIEVE THE SUCCESSFUL BIDDER(S) FROM SUPPLYING THE ACTUAL PRODUCTS REQUESTED.

15. BID OPENING.

BIDDERS MAY ATTEND THE BID OPENING, BUT NO INFORMATION OR OPINIONS CONCERNING THE ULTIMATE CONTRACT AWARD WILL BE GIVEN AT THE BID OPENING OR DURING THE EVALUATION PROCESS. BIDS MAY BE EXAMINED WITHIN 72 HOURS AFTER BID OPENING. INFORMATION PERTAINING TO COMPLETED FILES MAY BE SECURED BY VISITING THE CALCASIEU PARISH SCHOOL BOARD DURING NORMAL WORKING HOURS. WRITTEN BID TABULATIONS WILL NOT BE FURNISHED UNLESS VENDOR HAS PROVIDED A SELF ADDRESSED STAMPED ENVELOPE IN ORIGINAL BID PACKET.

16. AWARDS.

THE CALCASIEU PARISH SCHOOL BOARD RESERVES THE RIGHT TO AWARD ITEMS SEPARATELY, GROUPED OR ON AN ALL-OR-NONE BASIS AND TO REJECT ANY OR ALL BIDS THAT ARE IN THE BEST INTEREST OF THE CALCASIEU PARISH SCHOOL BOARD.

17. PRICES.

UNLESS OTHERWISE SPECIFIED BY THE CALCASIEU PARISH SCHOOL BOARD IN THE SOLICITATION, BID PRICES MUST BE COMPLETE, INCLUDING TRANSPORTATION PREPAID TO OUR DOCK AT 3310 BROAD STREET. PRICES MUST BE FIRM FOR THE CONTRACTUAL PERIOD NOT TO EXCEED ONE CALENDAR YEAR. BIDS OTHER THAN F.O.B. DESTINATION MAY BE REJECTED. PRICES SHOULD BE QUOTED IN THE UNIT (EACH, BOX, CASE, ETC.) AS SPECIFIED IN THE SOLICITATION.

18. DELIVERIES.

BIDS MAY BE REJECTED IF THE DELIVERY TIME INDICATED IS LONGER THAN THAT SPECIFIED IN THE SOLICITATION AS INDICATED BY THE BIDDER.

19. TAXES.

VENDOR IS RESPONSIBLE FOR INCLUDING ALL APPLICABLE TAXES IN THE BID PRICE. AS A POLITICAL SUBDIVISION IN THE STATE OF LOUISIANA IN ACCORDANCE WITH STATUTE, THE CALCASIEU PARISH SCHOOL SYSTEM IS EXEMPT FROM ALL STATE AND LOCAL SALES AND USE TAXES.

20. NEW PRODUCTS.

UNLESS SPECIFICALLY CALLED FOR IN THE SOLICITATION, ALL PRODUCTS FOR PURCHASE MUST BE NEW, NEVER PREVIOUSLY USED, AND THE CURRENT MODEL AND/OR PACKAGING. NO REMANUFACTURED, DEMONSTRATOR, USED OR IRREGULAR PRODUCT WILL BE CONSIDERED FOR PURCHASE UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION. THE MANUFACTURER'S STANDARD WARRANTY WILL APPLY UNLESS OTHERWISE SPECIFIED IN THE SOLICITATION.

21. CONTRACT RENEWALS.

UPON AGREEMENT OF THE CALCASIEU PARISH SCHOOL BOARD AND THE VENDOR, A TERM CONTRACT MAY BE EXTENDED FOR 2 ADDITIONAL 12-MONTH PERIODS AT THE SAME PRICES, TERMS AND CONDITIONS. IN SUCH CASES, THE TOTAL CONTRACT TERM CANNOT EXCEED 36 MONTHS.

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
BID NUMBER: 2016-23REBID Time: 10:00 AM OPEN DATE: 9/04/2015		BIDDER: <i>Lafayette Restaurant Supply, Inc.</i>	PAGE 3

22. CONTRACT CANCELLATION.
 THE CALCASIEU PARISH SCHOOL BOARD HAS THE RIGHT TO CANCEL ANY CONTRACT, IN ACCORDANCE WITH PURCHASING RULES AND REGULATIONS, FOR CAUSE, INCLUDING BUT NOT LIMITED TO, THE FOLLOWING:

- (1) FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE CONTRACT;
- (2) FAILURE OF THE PRODUCT OR SERVICE TO MEET SPECIFICATIONS, CONFORM TO SAMPLE QUALITY OR TO BE DELIVERED IN GOOD CONDITION;
- (3) MISREPRESENTATION BY THE VENDOR;
- (4) FRAUD, COLLUSION, CONSPIRACY OR OTHER UNLAWFUL MEANS OF OBTAINING ANY CONTRACT WITH THE DISTRICT;
- (5) CONFLICT OF CONTRACT PROVISIONS WITH CONSTITUTIONAL OR STATUTORY PROVISIONS OF STATE OR FEDERAL LAW;
- (6) ANY OTHER BREACH OF CONTRACT.

23. DEFAULT OF CONTRACTOR.
 FAILURE TO DELIVER WITHIN THE TIME SPECIFIED IN THE BID WILL CONSTITUTE A DEFAULT AND MAY CAUSE CANCELLATION OF THE CONTRACT. WHERE THE DISTRICT HAS DETERMINED THE VENDOR TO BE IN DEFAULT, THE DISTRICT RESERVES THE RIGHT TO PURCHASE ANY OR ALL PRODUCTS OR SERVICES COVERED BY THE CONTRACT ON THE OPEN MARKET AND TO CHARGE THE CONTRACTOR WITH COST IN EXCESS OF THE CONTRACT PRICE, UNTIL SUCH ASSESSED CHARGES HAVE BEEN PAID, NO SUBSEQUENT BID FROM THE DEFAULTING CONTRACTOR WILL BE CONSIDERED.

24. ORDER OF PRIORITY.
 IN THE EVENT THERE IS A CONFLICT BETWEEN THE INSTRUCTIONS TO BIDDERS OR STANDARD CONDITIONS AND THE SPECIAL CONDITIONS, THE SPECIAL CONDITIONS SHALL GOVERN.

25. APPLICABLE LAW.
 ALL CONTRACTS SHALL BE CONSTRUED IN ACCORDANCE WITH AND GOVERNED BY THE LAWS OF THE STATE OF LOUISIANA.

26. COMPLIANCE WITH CIVIL RIGHTS LAWS.
 BY SUBMITTING AND SIGNING THIS BID, BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE FOLLOWING AS APPLICABLE: TITLE VI AND VII OF THE CIVIL RIGHTS ACT OF 1964, AS AMENDED BY THE EQUAL OPPORTUNITY ACT OF 1972, FEDERAL EXECUTIVE ORDER 11246, FEDERAL REHABILITATION ACT OF 1973, AS AMENDED, THE VETERAN'S READJUSTMENT ASSISTANCE ACT OF 1974, TITLE IX OF THE EDUCATION AMENDMENTS OF 1972, THE AGE ACT OF 1975, AND BIDDER AGREES TO ABIDE BY THE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990. BIDDER AGREES NOT TO DISCRIMINATE IN ITS EMPLOYMENT PRACTICES, AND WILL RENDER SERVICES UNDER ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION WITHOUT REGARD TO RACE, COLOR, RELIGION, SEXUAL ORIENTATION, NATIONAL ORIGIN, VETERAN STATUS, POLITICAL AFFILIATION, OR DISABILITIES. ANY ACT OF DISCRIMINATION COMMITTED BY BIDDER, OR FAILURE TO COMPLY WITH THESE STATUTORY OBLIGATIONS WHEN APPLICABLE, SHALL BE GROUNDS FOR TERMINATION OF ANY CONTRACT ENTERED INTO AS A RESULT OF THIS SOLICITATION.

27. SPECIAL ACCOMMODATION.
 ANY "QUALIFIED INDIVIDUAL WITH A DISABILITY" AS DEFINED BY THE AMERICANS WITH DISABILITIES ACT WHO HAS SUBMITTED A BID AND DESIRES TO ATTEND THE BID OPENING, MUST NOTIFY THIS OFFICE IN WRITING NOT LATER THAN SEVEN DAYS PRIOR TO THE BID OPENING DATE OF THEIR NEED FOR SPECIAL ACCOMMODATIONS. IF THE REQUEST CANNOT BE REASONABLY PROVIDED, THE INDIVIDUAL WILL BE INFORMED PRIOR TO THE BID OPENING.

28. INDEMNITY.
 VENDOR AGREES, UPON RECEIPT OF WRITTEN NOTICE OF A CLAIM OR ACTION, TO DEFEND THE CLAIM OR ACTION, OR TAKE OTHER APPROPRIATE MEASURE, TO INDEMNIFY, AND HOLD HARMLESS, THE CALCASIEU PARISH SCHOOL BOARD, ITS OFFICERS, ITS AGENTS AND ITS EMPLOYEES FROM AND AGAINST ALL CLAIMS AND ACTIONS FOR BODILY INJURY, DEATH OR PROPERTY DAMAGES CAUSED BY THE FAULT OF THE VENDOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. CONTRACTOR IS OBLIGATED TO INDEMNIFY ONLY TO THE EXTENT OF THE FAULT OF THE CONTRACTOR, ITS OFFICERS, ITS AGENTS, OR ITS EMPLOYEES. HOWEVER, THE VENDOR SHALL HAVE NO OBLIGATION AS SET FORTH ABOVE WITH RESPECT TO ANY CLAIM OR ACTION FROM BODILY INJURY, DEATH OR PROPERTY DAMAGES ARISING OUT OF THE FAULT OF THE DISTRICT, ITS OFFICERS, ITS AGENTS OR ITS EMPLOYEES.

29. OTHER CONDITIONS.
 VENDOR AGREES IN THE SUBMISSION OF HIS/HER BID, THAT THEY FULLY UNDERSTAND THE CONDITIONS SET FORTH IN WHICH A PERFORMANCE BOND OF FIFTY (50) PERCENT IS REQUIRED ONLY FOR THOSE ITEMS IN WHICH THE VENDOR WAS THE SUCCESSFUL BIDDER. VENDOR ALSO ACKNOWLEDGES THAT THIS BOND SHALL BE SUBMITTED WITHIN TEN (10) WORKING DAYS AFTER NOTIFICATION OF AWARD IS GIVEN UNLESS ADDITIONAL TIME IS AGREED TO BY CPSB AND ITS AGENT IN CHARGE OF THIS BID.

30. SIGNATURE AUTHORITY.
 IN ACCORDANCE WITH L.R.S. 39:1594 (ACT 121), THE PERSON SIGNING THE BID MUST BE:

- 1. A CURRENT CORPORATE OFFICER, PARTNERSHIP MEMBER OR OTHER INDIVIDUAL SPECIFICALLY AUTHORIZED TO SUBMIT A BID AS REFLECTED IN THE APPROPRIATE RECORDS ON FILE WITH THE SECRETARY OF STATE; OR
- 2. AN INDIVIDUAL AUTHORIZED TO BIND THE VENDOR AS REFLECTED BY A CORPORATE RESOLUTION, CERTIFICATE OR AFFIDAVIT; OR
- 3. OTHER DOCUMENTS INDICATING AUTHORITY WHICH ARE ACCEPTABLE TO THE PUBLIC ENTITY.

=====

Bid Delivery Instructions for Calcasieu Parish School System:

=====

BIDDERS ARE HEREBY ADVISED THAT THE U.S. POSTAL SERVICE DOES NOT ALWAYS MAKE DELIVERIES TO OUR PHYSICAL LOCATION.

Bids may be mailed through the U.S. Postal Service to our Box at:
 Purchasing Department
 P.O. Box 800
 Lake Charles, LA 70601-0800

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
BID NUMBER: 2016-23REBID Time: 10:00 AM OPEN DATE: 9/04/2015		BIDDER: <i>Lafayette Restaurant Supply, Inc.</i>	PAGE 4

Bids may also be delivered by hand or courier service to our physical location as follows:

Purchasing Department
Room 1300
3310 Broad Street
Lake Charles, LA 70615

Bids may also be submitted electronically in accordance with Act 690 of the 2008 Louisiana Legislature at

www.centralbidding.com

EXTREMELY IMPORTANT

BIDDER IS SOLELY RESPONSIBLE FOR ENSURING THAT ITS COURIER SERVICE PROVIDER MAKES INSIDE DELIVERIES TO OUR PHYSICAL ROOM NUMBER LOCATION NOTED ABOVE. BIDS SPECIFICALLY NOT DELIVERED TO ROOM 1300 AT THE ABOVE ADDRESS BY COURIER OR USPS WILL NOT BE CONSIDERED.

BID DELIVERY DELAYS: The Calcasieu Parish School System is not responsible for any delays caused by the bidder's chosen means of bid delivery. Bidder is solely responsible for the timely delivery of its bid. Failure to meet the bid opening date and time shall result in rejection of the bid.

PUBLICIZING AWARDS: In accordance with bid provisions, unsuccessful bidders will be notified of the award provided they submit with their bid a self-addressed stamped envelope requesting this information.

Terms & Conditions: This solicitation contains all terms and conditions with respect to the items herein. Any vendor contracts, forms, terms or other materials submitted with bid may cause bid to be rejected.

The purchase order is the only binding document to be issued against this contract. Signing of vendor's forms is not allowed.

Substitutes: Only brands and numbers stated in the award are approved for delivery under this contract and any substitution must receive "prior" written approval of the Supervisor of Purchasing or his designee.

Price Reductions: Whenever there is a reduction in price, which is lower than originally submitted on bid, that is offered to similar customers contracting for the same period and under the same terms and conditions, said reduction must be presented directly to the Supervisor of Purchasing for the Calcasieu Parish School System. All price offers apply to all entities of the Calcasieu Parish School Board.

Invoices: Invoices for items on purchase orders will be submitted to the Calcasieu Parish School System Accounts Payable Department. Invoices MUST include the purchase order number and shall have reference to the delivery ticket number, delivery date, quantities, unit prices and delivery point. A separate invoice for each order delivered and accepted shall be submitted by the vendor in duplicate directly to the Accounts Payable Department. Invoices shall show the amount of any cash discount and shall be submitted on the vendor's own invoice form.

Payment: Payments to invoices will be made either on the basis of unit price as listed in this contract for items received only. Back ordered items, damaged or "pending" replacement items will not be paid until all items are received. These payments in no way relieve the vendor of his responsibility to effect shipment of the balance of any order. Payment will be made to vendor at address shown on the order. The Calcasieu Parish School System cannot "shortly-pay" any invoice as it would be in violation of district accounting policies.

Vendor List: The bidder who signs the bid will be designated as prime vendor on any aspect of this solicitation. If additional vendor distributors are authorized to fulfill in whole or part any portion of this solicitation, the bidder must submit with the bid a list of those additional authorized agents or distributors, including the complete business address. The prime vendor will be responsible for the actions of any distributor and/or authorized agents listed.

Contractual Period: The Calcasieu Parish School Board intends to award all items in this solicitation for an initial period not to exceed 12 months. Delays in awarding beyond the anticipated starting date, may result in a change in the contract period. If this situation occurs, an award may be made for less than twelve (12) months.

Quantities: This is an open-ended requirements solicitation. Quantities shown are based on previous usages or estimates. Where usage is not available, a quantity of one (1) may indicate a lack of history on the item. The successful bidder must supply at bid prices actual requirements as ordered whether the total of such requirements is more or less than the quantities shown.

CDBG/EEOC Compliance Rider: By submitting and signing this bid, the bidder certifies that he agrees to adhere to the mandates dictated by Section 3 of the Housing and Urban Development Act of 1968 as amended in section 109 of the housing and community act of 1974.

Certification of No Suspension or Debarment: By signing and submitting any bid for \$25,000 or more, the bidder certifies that their company, any subcontractors, or principals are not suspended or debarred by the General Services Administration (GSA) in accordance with the requirements in OMB Circular A-133.

A list of parties who have been suspended or disbarred can be viewed via the internet at www.epls.gov

STANDARD TERMS & CONDITIONS		INVITATION TO BID	
BID NUMBER: 2016-23REBID Time: 10:00 AM OPEN DATE: 09/04/2015		BIDDER: <i>Lafayette Restaurant Supply Inc</i>	
		PAGE 5	

Contract Performance Evaluation: In an effort to improve our solicitations to meet the needs of the individuals we serve, the vendor's performance will be monitored. Individual feedback will be requested regarding customer service, delivery, product quality, billing, overall effectiveness of the contract, and any needed changes. Their responses will be considered in determining our options for renewals or revisions and rebidding. To view the content of the contract performance evaluation, please go to: www.cpsb.org and select the tab entitled "Current Bids". Individual reports of deficient performance will be appropriately addressed during the term of this contract.

Extensions: At the option of the Calcasieu Parish School System and acceptance by the vendor, this contract may be extended for two additional twelve (12) month periods at the same price, terms and conditions. Total contract time may not exceed thirty-six (36) months.

Licensing: Bidders must be properly licensed by the State of Louisiana in order to conduct business through this contract. In areas of solicitation where no license is required, bidder must be currently registered with the State of Louisiana, Secretary of State Corporations Database. Failure to be currently registered shall be reason for bid rejection.

Permitting: By signing this document, the bidder assures the Calcasieu Parish School System that he has obtained all required permits and or certificates necessary to legally perform business transactions within the jurisdiction of the Parish of Calcasieu, and the State of Louisiana

.....
 END-Standard Terms & Conditions

(The following pages are Product Specifications and Pricing Sheets)

.....
ADDITIONAL SPECIFICATIONS FOR BID

- See attached sheets for specifications and pricing submissions.
- Prices to include delivery and complete set up per manufacturers specifications on applicable items.

FOR SUCCESSFUL BIDDER – A PERFORMANCE BOND OR IRREVOCABLE LETTER OF CREDIT VALUED AT 50% OF CONTRACT AMOUNT WILL BE REQUIRED WITHIN 10 DAYS OF ISSUANCE OF PURCHASE ORDER

--	--

INVITATION TO BID

ORDER: Lafayette Restaurant Supply, Inc

PAGE
6

LINE NO.	LOCATION	QUANTITY FORM/TO	UNIT	UNIT PRICE	EXTENDED TOTAL
1	Reach-In Refrigerator, 2-door	2	EA	\$	\$
2	Milk cooler	1	EA	\$	\$

2016-23REBID SPECS

No.	SHIP TO: School	Large Equipment Needs for SY 15-16 Item	QTY	Specification	Vendor must provide specification for items bidding on.	
					Brand	Price
1	STARKS HIGH 137 HWY 109 STARKS, LA 70661 & Washington-Marion 2802 Pineview Lake Charles, LA 70615	Reach-In Refrigerator, 2 Door	2	49 cu ft capacity. (6) adjustable, heavy duty, PVC-coated shelves. Stainless steel doors, front, and floor. White aluminum interior sides and top. 115V/60/1 voltage, 9.1 Amps. (2) positive seal, self-closing doors and torsion type closure system. 12" long recessed handle. 4" swivel casters. Incandescent interior light. Holds 33-38 F. 9' power cord, 5-15 NEMA plug. Energy Star, UL, NSF-7 compliant. <u>Price per unit.</u>	True T-49	2,990.00 each 5,980.00 (2)
2	WT HENNING ELEM 774 HENNING DR SULPHUR, LA 70663	Milk Cooler	1	Low maintenance Mobile milk cooler with top mount for easy replacement. Forced-air, (12) crates, dual sided stainless steel drop front/hold-open flip-up lids, locks, 33-38 F, white final exterior, stainless steel interior and floor, (3) heavy duty floor racks, digital thermometer, 4" casters, 1/3 HP, 115V/60/1, 6.8 amps, 9' cord, NEMA 5-15P, cUL, NSF, made in USA. Cabinet dimensions: 49"L, 33 3/8"D, 41 1/8"H. <u>Price per unit.</u>	True TMC49DSS	3,420.00 each



TRUE FOOD SERVICE EQUIPMENT, INC.

2001 East Terra Lane • O'Fallon, Missouri 63366-4434 • (636)240-2400
Fax (636)272-2408 • Toll Free (800)325-6152 • Intl Fax# (001)636-272-7546
Parts Dept. (800)424-TRUE • Parts Dept. Fax# (636)272-9471 • www.truemfg.com

Project Name: _____

Location: _____

Item #: _____ Qty: _____

Model #: _____

AIA #


SIS #

Model:

T-49

T-Series:

Reach-In Solid Swing Door Refrigerator



Scan code
for video

T-49

- ▶ True's solid door reach-ins are designed with enduring quality that protects your long term investment.
- ▶ Designed using the highest quality materials and components to provide the user with colder product temperatures, lower utility costs, exceptional food safety and the best value in today's food service marketplace.
- ▶ Oversized, factory balanced, refrigeration system holds 33°F to 38°F (5°C to 3.3°C) for the best in food preservation.
- ▶ Stainless steel solid doors and front. The finest stainless available with higher tensile strength for fewer dents and scratches.
- ▶ Adjustable, heavy duty PVC coated shelves.
- ▶ Positive seal self-closing doors. Lifetime guaranteed door hinges and torsion type closure system.

Bottom mounted units feature:

- ▶ "No stoop" lower shelf.
- ▶ Storage on top of cabinet.
- ▶ Compressor performs in coolest, most grease free area of kitchen.
- ▶ Easily accessible condenser coil for cleaning.

ROUGH-IN DATA

Specifications subject to change without notice.
Chart dimensions rounded up to the nearest 1/8" (millimeters rounded up to next whole number).

Model	Doors	Shelves	Cabinet Dimensions (Inches) (mm)			HP	Voltage	Amps	NEMA Config.	Cord Length (total ft.) (total m)	Crated Weight (lbs.) (kg)
			L	D	H*						
T-49	2	6	54 1/8	29 1/2	78 3/8	1/3	115/60/1	5.8	5-15P ▲	9	425
			1375	750	1991	1/2	230-240/50/1	5.4		2.74	193

* Height does not include 5" (127 mm) for castors or 6" (153 mm) for optional legs.

▲ Plug type varies by country.



2/15

Printed in U.S.A.

APPROVALS:

AVAILABLE AT:

Model:

T-49**T-Series:**

Reach-In Solid Swing Door Refrigerator

True**STANDARD FEATURES****DESIGN**

- True's commitment to using the highest quality materials and over sized refrigeration systems provides the user with colder product temperatures, lower utility costs, exceptional food safety and the best value in today's food service marketplace.

REFRIGERATION SYSTEM

- Factory engineered, self-contained, capillary tube system using environmentally friendly (CFC free) 134A refrigerant.
- Extra large evaporator coil balanced with higher horsepower compressor and large condenser; maintains 33°F to 38°F (5°C to 3.3°C) for the best in food preservation.
- Sealed, cast iron, self-lubricating evaporator fan motor(s) and larger fan blades give True reach-in's a more efficient low velocity, high volume airflow design. This unique design ensures faster temperature recovery and shorter run times in the busiest of food service environments.
- Bottom mounted condensing unit positioned for easy maintenance. Compressor runs in coolest and most grease free area of the kitchen. Allows for storage area on top of unit.

CABINET CONSTRUCTION

- Exterior - Stainless steel front. Anodized quality aluminum ends, back and top.
- Interior - attractive, NSF approved, clear coated aluminum liner. Stainless steel floor with coved corners.

- Insulation - entire cabinet structure and solid doors are foamed-in-place using Ecomate. A high density, polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP).
- Welded, heavy duty steel frame rail, black powder coated for corrosion protection.
- Frame rail fitted with 4" (102 mm) diameter stem castors - locks provided on front set.

DOORS

- Stainless steel exterior with white aluminum liners to match cabinet interior. Doors extend full width of cabinet shell. Door locks standard.
- Lifetime guaranteed recessed door handles. Each door fitted with 12" (305 mm) long recessed handle that is foamed-in-place with a sheet metal interlock to ensure permanent attachment.
- Positive seal self-closing doors. Lifetime guaranteed door hinges and torsion type closure system.
- Magnetic door gaskets of one piece construction, removable without tools for ease of cleaning.

SHELVING

- Six (6) adjustable, heavy duty PVC coated wire shelves 24 3/8" L x 22 3/8" D (624 mm x 569 mm). Four (4) chrome plated shelf clips included per shelf.
- Shelf support pilasters made of same material as cabinet interior; shelves are adjustable on 1/2" (13 mm) increments.

LIGHTING

- Incandescent interior lighting - safety shielded. Lights activated by rocker switch mounted above doors.

MODEL FEATURES

- Exterior temperature display.
- Evaporator is epoxy coated to eliminate the potential of corrosion.
- NSF-7 compliant for open food product.

ELECTRICAL

- Unit completely pre-wired at factory and ready for final connection to a 115/60/1 phase, 15 amp dedicated outlet. Cord and plug set included.


115/60/1
NEMA-5-15R**OPTIONAL FEATURES/ACCESSORIES**

Upcharge and lead times may apply.

- ☐ 230 - 240V / 50 Hz.
- ☐ 6" (153 mm) standard legs.
- ☐ 6" (153 mm) seismic/flanged legs.
- ☐ Alternate door hinging (factory installed).
- ☐ Additional shelves.
- ☐ Half door bun tray racks. Each holds up to eleven 18"L x 26"D (458 mm x 661 mm) sheet pans (sold separately).
- ☐ Full door bun tray racks. Each holds up to twenty-two 18"L x 26"D (458 mm x 661 mm) sheet pans (sold separately).

***CABINET INTERIOR**

Beginning in October of 2014, True Manufacturing began the process of changing the standard interior finishes on select products. The interior liners of these units have changed from the traditional NSF-approved white aluminum to an NSF-approved clear coated aluminum that is silver in color. In addition, the traditional white PVC coated shelves have been switched to a gray PVC coating. There are no functional differences created by any of these changes, the difference is only in the appearance. The following product lines are affected by this change: T-Series, TUC, TWI, TSSU, TFP, TPP, TMC, TRCB. A sticker will be placed on the outside packaging so that units with this change can be identified in inventory.

PLAN VIEW**WARRANTY***

Three year warranty on all parts and labor and an additional 2 year warranty on compressor (U.S.A. only)

METRIC DIMENSIONS ROUNDED UP TO THE NEAREST WHOLE MILLIMETER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



Model	Elevation	Right	Plan	3D	Back
T-49	TFGY36H	TFEY03S	TFEY02P	TFGY36S	

*RESIDENTIAL APPLICATIONS: TRUE assumes no liability for parts or labor coverage for component failure or other damages resulting from installation in non-commercial or residential applications.

TRUE FOOD SERVICE EQUIPMENT

2001 East Terra Lane • O'Fallon, Missouri 63366-4434 • (636)240-2400 • Fax (636)272-2408 • Toll Free (800)325-6152 • Intl. Fax# (001)636-272-7546 • www.truemfg.com



TRUE FOOD SERVICE EQUIPMENT, INC.

2001 East Terra Lane • O'Fallon, Missouri 63366-4434 • (636)240-2400
Fax (636)272-2408 • Toll Free (800)325-6152 • Intl Fax# (001)636-272-7546
Parts Dept. (800)424-TRUE • Parts Dept. Fax# (636)272-9471 • www.truemfg.com

Project Name: _____
Location: _____
Item #: _____ Qty: _____
Model #: _____

A/A #


SIS #

Model:

TMC-49-DS-SS

Milk Coolers:

Dual Sided, White Vinyl and Stainless Steel Exterior/Stainless Steel Interior



TMC-49-DS-SS

- ▶ True's commitment to using the highest quality materials and oversized refrigeration systems provides the user with colder product temperatures, and lower utility costs in an attractive, durable school milk cooler.
- ▶ Dual sided for convenient access to product from both sides of unit.
- ▶ Oversized, forced-air refrigeration system maintains milk temperatures of 33°F to 38°F (5°C to 3.3°C). Colder holding temperatures provide better tasting milk, increased sales and less product waste.
- ▶ Exterior - non-peel or chip white laminated vinyl front, sides, back and top; durable and permanent.
- ▶ All stainless steel self-service doors feature convenient drop front and "hold-open" flip-up top. Standard with door locks.
- ▶ Interior - Stainless steel walls and reinforced floor.
- ▶ Standard with heavy duty floor racks and convenient clean out drain.
- ▶ Designed to hold twelve 13" L x 13" D x 11 1/4" H (331 mm x 331 mm x 296 mm) milk crates.
- ▶ Entire cabinet structure is foamed-in-place using Ecomate. A high density, polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP).

ROUGH-IN DATA

Specifications subject to change without notice.
Chart dimensions rounded up to the nearest 1/8" (millimeters rounded up to next whole number).

Model	Doors	Capacity	Crate Dimensions (Inches) (mm)			Floor Racks	Cabinet Dimensions (Inches) (mm)			HP	Voltage	Amps	NEMA Config.	Cord Length (total ft.) (total m)	Crated Weight (lbs.) (kg)
		Crates	L	D	H		L**	D†	H*						
TMC-49-DS-SS	4	12	13 331	13 331	11 1/4 296	3	49 1245	33 3/8 848	41 1/4 1045	1/4 N/A	115/60/1	6.8 N/A	5-15P	9 2.74	445 202

** Length does not include 1/8" (4 mm) each side for lid pins.

† Depth does not include 1" (26 mm) for front bumpers.

* Height does not include 5/8" (131 mm) for castors.



APPROVALS:

AVAILABLE AT:

Model:
TMC-49-DS-SS

Milk Coolers:

*Dual Sided, White Vinyl and Stainless Steel
Exterior/Stainless Steel Interior*

True®

STANDARD FEATURES

DESIGN

- True's commitment to using the highest quality materials and oversized refrigeration systems provides the user with colder product temperatures, and lower utility costs in an attractive, durable school milk cooler.

REFRIGERATION SYSTEM

- Factory engineered, self-contained, capillary tube system using environmentally friendly (CFC free) 134A refrigerant.
- Extra large evaporator coil balanced with higher horsepower compressor and large condenser; maintains milk temperatures of 33°F to 38°F (.5°C to 3.3°C). Colder holding temperatures provide better tasting milk, increased sales and less product waste.
- Sealed, cast iron, self-lubricating evaporator fan motor(s) and larger fan blades give True milk coolers a more efficient low velocity, high volume airflow design. This unique design ensures colder holding temperatures and faster recovery in high use situations.
- Condensing unit accessed from behind back grill, slides out for easy cleaning and maintenance.

CABINET CONSTRUCTION

- Exterior - non-peel or chip white vinyl front, sides, back and top; durable and permanent. Stainless steel service doors.
- Interior - Stainless steel walls and reinforced floor. Standard with heavy duty floor racks.
- Insulation - entire cabinet structure is foamed-in-place using Ecomate. A high density, polyurethane insulation that has zero ozone depletion potential (ODP) and zero global warming potential (GWP).
- Welded, heavy duty steel frame rail, black powder coated for corrosion protection.
- Frame rail fitted with four (4) easy roll, 4" (102 mm) diameter swivel castors (front castors lock in place).
- Designed to hold Twelve 13"L x 13"D x 11 1/8"H (331 mm x 331 mm x 296 mm) milk crates.

DOORS

- All stainless steel self-service doors feature convenient drop front and "hold-open" flip-up top. Door support bumpers standard.
- Door locks standard.
- Magnetic door gaskets of one piece construction, removable without tools for ease of cleaning.

MODEL FEATURES

- Exterior digital temperature display.
- Evaporator is epoxy coated to eliminate the potential of corrosion.
- Convenient clean out drain with 1/2" (13 mm) NPT-PVC drain plug.
- Listed under NSF-7 for the storage and/or display of packaged or bottled product.

ELECTRICAL

- Unit completely pre-wired at factory and ready for final connection to a 115/60/1 phase, 15 amp dedicated outlet. Cord and plug set included.




115/60/1
NEMA-5-15R

OPTIONAL FEATURES/ACCESSORIES

Upcharge and lead times may apply.

- ☐ A variety of exterior color options available, see www.truemfg.com for latest offerings.
- ☐ 6" (153 mm) standard legs (mounting plates required).
- ☐ 6" (153 mm) seismic/flanged legs (mounting plates required).
- ☐ Corner bumpers.
- ☐ See www.truemfg.com for school milk profit calculator.

PLAN VIEW



WARRANTY*

Three year warranty on all parts and labor and an additional 2 year warranty on compressor. (U.S.A. only)

METRIC DIMENSIONS ROUNDED UP TO THE NEAREST WHOLE MILLIMETER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



Model	Elevation	Right	Plan	3D	Back
TMC-49-DS-SS	TFQ063E	TFQ063R	TFQ063P	TFQ0633	

*RESIDENTIAL APPLICATIONS: TRUE assumes no liability for parts or labor coverage for component failure or other damages resulting from installation in non-commercial or residential applications.

TRUE FOOD SERVICE EQUIPMENT

2001 East Terra Lane • O'Fallon, Missouri 63366-4434 • (636)240-2400 • Fax (636)272-2408 • Toll Free (800)325-6152 • Intl. Fax# (001)636-272-7546 • www.truemfg.com