

INVITATION TO BID**STATE OF LOUISIANA**Calcasieu Parish School System
Office of Purchasing**BIDS WILL BE PUBLICLY OPENED:**

Date & Time: April 14, 2025 11 AM

====> SOLICITATION # : 2026-LARGE

OPENING DATE : Apr 14, 2025

====> VENDOR NAME AND ADDRESS
Lafayette Restaurant Supply
1103 Hugh Wallis Rd S
Lafayette, LA 70508**FILL IN VENDOR NAME AND CONTACT NAME,
ADDRESS ABOVE, BEFORE SUBMITTING BID.****RETURN BID TO****Purchasing Department
Calcasieu Parish School System
3310 Broad Street Room 1300
Lake Charles, LA 70615**BUYER :
BUYER PHONE : (337) 217-4000
REQ. DEPARTMENT : Child Food & NutritionOFFICE OF PURCHASING :
FISCAL YEAR : 2025
SCHEDULED END DATE :

ITEM(S) FOR: 2026-LARGE EQUIPMENT

INSTRUCTIONS TO BIDDERS

1. READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECIFICATIONS
2. ALL BID PRICES **MUST** BE TYPED OR WRITTEN IN INK. ANY CORRECTIONS, ERASURES OR OTHER FORMS OF ALTERATIONS TO UNIT PRICES SHOULD BE INITIALED BY THE BIDDER.
3. THIS BID IS TO BE SIGNED MANUALLY IN INK UNLESS SUBMITTED ELECTRONICALLY IN ACCORDANCE WITH CURRENT STATE STATUTES.
4. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. LAKE CHARLES, LA OR AS OTHERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" OR "C. O. D." REQUIREMENTS ARE NOT ACCEPTABLE. PAYMENT IS TO BE MADE WITHIN 30 DAYS AFTER RECEIPT OF PROPERLY EXECUTED INVOICE OR DELIVERY, WHICHEVER IS LATER. NO "SHORT PAYMENT" OF INVOICES ARE ALLOWED
5. DESIRED DELIVERY 45 DAYS AFTER RECEIPT OF ORDER OR SOONER

ANY QUESTIONS ABOUT ANY ITEM SHOULD BE DIRECTED TO BUYER AND PURCHASING DEPARTMENT.

CONDITIONS CONTINUED ON NEXT PAGE

VENDOR PHONE NUMBER: 337-235-4334

FAX NUMBER: 337-235-1803

TITLE Estimator

DATE 4/11/2025

PRINTED NAME OF PERSON SIGNING BID

Griffin Thibeaux

SIGNATURE (MUST BE SIGNED)

Griffin Thibeaux

THE FOLLOWING INFORMATION MUST BE COMPLETED AND RETURNED WITH YOUR BID

1. CERTIFICATION REGARDING DEBARMENT, SUSPENSION, INELIGIBILITY AND VOLUNTARY EXCLUSION.
2. CERTIFICATION REGARDING LOBBYING FOR CONTRACT, GRANTS, LOANS, AND COOPERATIVE AGREEMENTS EXCEEDING \$1000,000 IN FEDERAL FUNDS.
3. DICLOSURE OF LOBBYING ACTIVITIES
4. CERTIFICATION OF INDEPENDENT PRICE DETERMINATION
5. BUY AMERICA PROVISION

BUY AMERICA

The Buy American Act was enacted in 1938 and was to ensure that the federal government support or give preference to domestic companies and domestic workers by buying American made goods, The act was later enacted in 1982 dropping the "n" of American and changing to the Buy America Act.

PURPOSE: The Buy American Act is intended to protect Americans from foreign competition by requiring the federal government, contractors, subcontractors and manufacturers to buy from sources in the United States instead of from foreign sources. It is important because it helps working men and women in the United State keep their jobs and earn decent, living wages. It also strengthens our domestic steel industry, which is critical to our national security and necessary for our ability to rebuild after a devastating natural disaster or terrorist attack.

If the domestic cost is Unreasonable meaning, the price of the lowest acceptable domestic offer exceeds the lowest foreign offer by more than 6-12%.

In the beginning 49CFR, Part 661 was enacted in 1982 and covered only surface transportation

But the amendment is due to American jobs heading overseas at an alarming rate. More than 2.4 million jobs have been lost to overseas trade since 1998. With that, our economic growth is steady declining.

BUY AMERICA REQUIREMENTS

Applicability to Contracts

The Buy America requirements apply to recipient agencies participating in the National School Lunch Program and the School Breakfast Program in the contiguous United States to buy food produced in the United States when buying with Federal funds. While the 1987 legislation allowed certain limited exceptions to the "domestic origin" requirement, the new legislation is specific in requiring schools, to the maximum extent practicable, to purchase product of domestic origin.

As defined in the legislation, a domestic food commodity is an agricultural commodity (for example, red meat, chicken, fruit, vegetable, or grain) that is produced in the Limited States. A domestic food product is processed in the United States substantially using domestic agricultural commodities. Substantially means that over 51% of the processed food comes from American produced products. Regulations implementing these requirements (at 7 CFR 210.21 and 220.16) were published on September 20, 1999.

FLOW DOWN

Occasionally, a significant price difference between U.S. and foreign product may tempt a School Food Authority to purchase the cheaper foreign product. However, this price difference could be attributable to price-distorting subsidies of a foreign government. For example, recent imports of cheap, subsidized canned peaches from the European Union have displaced sales of domestic canned peaches. The U.S. Government is considering action to address this practice, including placing canned peaches from the European Union on a list of products subject to 100% tariffs.

Mandatory Clause/Language

A report of the language accompanying the Agriculture Appropriations Act for Fiscal year 2002 requires the Department to report to Congress on its activities directed toward enforcing the Buy American provision,

Buy America - The contractor agrees to comply with the maximum extent practicable according to the buy American provisions which include:

The buy American clause on all procurement documents (product specifications, bid solicitations, requests for proposals, purchase orders, etc.

Contractor performance.

Requiring supplier to certify the origin of the product.

Produce packaging for identification of the country of origin; and.

Provide specific information about the percentage of U.S. content in the food product.

7CFR 210.21 and 220.1-6, which provide that federal funds may not be obligated unless a domestic food product is processed in the United States, unless a waiver has been granted by USDA or the product is subject to a general waiver. General waivers are as listed in Bulletin 1196, Chapter 15; 1121:

The recipients have unusual or ethnic food preferences that can be met only through purchases of products not produced in the United States.

The products are not produced or manufactured in the United States in sufficient and reasonably available quantities of a satisfactory quality.

The cost of the domestic produced food products is significantly higher than the cost of the similar foreign products.

A bidder or offeror must submit to the SFA recipient the appropriate Buy America certification (below) with all bids or offers on SFA-funded contracts, except those subject to a general waiver. Bids or offers that are not accompanied by a completed Buy America certification must be rejected as nonresponsive. This requirement does not apply to lower contractors.

Certification requirements for procurement of domestic food products,

Certificate of Compliance with 42 U.S.C. 1760(n)

The bidder or offeror hereby certifies that it will meet the requirements of 42 U.S.C. 1760(n) and the applicable regulations in Bulletin 1196, 1521.

Date: 4/14/2025

SIGNATURE: Ervin Thibault

Company Name: Lafayette Restaurant Supply

Title: Estimator

Certificate of Non-Compliance with 42 U.S.C. 1750(n)

The bidder or offeror hereby certifies that it cannot comply with the requirement of 42 U.S.C. 1760(N) but it may qualify for an exception pursuant to Bulletin 1196.

DATE: 4/14/2025

SIGNATURE: Ervin Thibault

COMPANY NAME: Lafayette Restaurant Supply

BUY AMERICAN PROVISION

Public Law 105-336"104(d) NSLA 42 USC 1760(n) - 12(n) TCFR 210.21 & 220.16 requires School Food Authorities to purchase domestically grown and processed foods to the maximum extent practicable.

Section 12(n) of the NSLA defines "domestic commodity or product" as one that is produced and processed in the United States substantially using agricultural commodities that are produced in the United States.

"Substantially" means that over 51% of the final processed product consists of agricultural commodities that were grown domestically.

We require that suppliers certify the percenta8e of U.S. Content in products supplied to us that do not meet the above definition. If you are unable or unwilling to make such certification, we will not purchase from you.

Certification Compliance

The bidder or offeror hereby certifies that it will meet the requirements of 42 u.s.c. 1760(n) And the applicable regulations in Bulletin tL96, 152I

The bidder hereby CERTIFY that it will meet the requirements of 105-336-104(d) NSLA 42 USC 1760(n)- 12{n} TCFR 210.21 & 220.16

Date 4/14/2025

Signature Griffin Thibault

Company Name Lafayette Restaurant Supply

Title Estimator

Certification of Non-Compliance

The bidder or offeror hereby certifies that it cannot comply with the requirements of 42 Lt.s.c. 1760(n), but it may qualify for an exception pursuant to Bulletin 1196.

List items and percent of U.S. content

Date 4/14/2025

Signature Griffin Thibault

Company Name Lafayette Restaurant Supply

Title Estimator

REQUIRED CONTRACT PROVISIONS FOR PROCUREMENT CONTRACTS IN CHILD NUTRITION PROGRAMS

Required Contract Provisions, From Appendix II of 2 CFR Part 200

1. Equal Employment Opportunity. Except as otherwise provided under 41 CFR Part 60, all contracts that meet the definition of "federally assisted construction contract" in 41 CFR Part 60-1.3 must include the equal opportunity clause provided under 41 CFR 60-1.4(b), in accordance with Executive Order 11246, "Equal Employment Opportunity" (30 FR 12319, 12935, 3 CFR part, 1964-1965 Comp., p. 339), as amended by Executive order 11375, "Amending Executive order 11246 Relating to Equal Employment opportunity," and implementing regulations at 41 CFR part 60, "office of Federal contract compliance Programs, Equal Employment Opportunity, Department of Labor" (Appendix II of 2 CFR part 200E).
2. Davis-Bacon Act, as amended (40 U.S.C. 3141-3148). when required by Federal program legislation, all prime construction contracts in excess of \$2,000 awarded by non-Federal entities must include a provision for compliance with the Davis-Bacon Act (40 U.S.C. 3141-3144, and 3146-314g) as supplemented by Department of Labor regulations (29 CFR part 5, "Labor Standards provisions Applicable to Contracts Covering Federally Financed and Assisted Construction"). In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than the prevailing wages specified in a wage determination made by the secretary of Labor. In addition, contractors must be required to pay wages not less than once a week. The non-Federal entity must place a copy of the current prevailing wage determination issued by the Department of Labor in each solicitation. The decision to award a contract or subcontract must be conditioned upon the acceptance of the wage determination. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency Appendix II of 2 CFR Part 200(D).
3. The vendor shall comply with the Copeland "Anti-Kickback" Act (40 U.S.C. 3145), as supplemented by Department of Labor regulations (29 CFR Part 3, "Contractors and Subcontractors on public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States"). The Act provides that each contractor or sub recipient must be prohibited from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency (Appendix II of 2 CFR part 200 (D)).
4. Contract Work Hours and Safety Standards Act (40 U.S.C. 3701-3708). Where applicable, all contracts awarded by the non-Federal entity in excess of \$100,000 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. 3702 and 3704, as supplemented by Department of Labor regulations (29 CFR Part 5). Under 40 U.S.C. 3702 of the Act, each contractor must be required to compile the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and a half times the basic rate of pay for all hours worked in excess of 40 hours in the work week. The requirements of 40 U.S.C. 3704 are applicable to construction work and provide that no laborer or mechanic must be required to work in surroundings or underworking conditions which are unsanitary, hazardous or dangerous. These requirements do not apply TO THE purchases of supplies or materials or articles ordinarily available on the open market, or contracts for transportation or transmission of intelligence (Appendix II of 2 CFR part 200(I))
5. Contracts for more than the simplified acquisition threshold currently set at \$150,000, which is the inflation adjusted amount determined by the civilian Agency Acquisition council and the Defense ' Acquisition Regulations council (councils) as authorized by 41 U.S.C. 1908, must address administrative, contractual, or legal remedies in instances where contractors violate or breach contract terms, and provide for such sanctions and penalties as appropriate (Appendix II OF 2 CFR Part 200(A)).
6. All contracts in excess of \$ 10,000 must address termination for cause and for convenience by the nonfederal entity including the manner by which it will be effected and the basis for settlement (Appendix II of 2 CFR Part 200(8)).
7. Rights to inventions Made under a Contract or Agreement. If the Federal award meets the definition of "funding agreement" under 37 CFR 5401.2 (a) and the recipient or sub recipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that "funding agreement," the recipient or sub recipient must comply with the requirements of 37 CFR part 401,, "Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, contracts and cooperative Agreements," and any implementing regulations issued by the awarding agency (Appendix II of 2 CFR Part 200(F)).

8. Clean Air Act (42 U.S.C. 7401-7671q.) and the Federal Water Pollution Control Act (33 U.S.C. 1251-1387), as amended-Contracts and sub grants of amounts in excess of 9150,000 must contain a provision that requires the non-Federal award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water pollution Control Act as amended (33 U.S.C. 1251-1387). Violations must be reported to the Federal awarding agency and the Regional office of the Environmental protection Agency (EPA) (Appendix II of 2 CFR Part 200(G)).

9. Debarment and suspension (Executive orders 12549 and 12689)-A contract award (see 2 CFR 180.220) must not be made to parties listed on the government wide exclusions in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 CFR 180 that implement Executive orders 12549 (3 CFR part 1986 comp., p. 189) and 12689 (3 CFR part 1989 comp., p. 235), „Debarment and suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive ORDER 12549 (Appendix of 2 CFR part 200(H)).

10. Byrd Anti-Lobbying Amendment (31 U.S.C.. 1352)-contractors that apply or bid for an award exceeding \$100,000 must file the required certification. Each tier certifies to tire tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of congress, officer 6r employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C. 1352. Each tier must also disclose any lobbying with nonfederal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the non-Federal award (Appendix II of 2 CFR part 200(I)).

Required Contract Provisions from 2 CFR part 200

1. Procurement of recovered materials- A non-Federal entity that is a state agency or agency of a political subdivision of a state and its contractors must comply with section 6002 of the solid waste disposal act, as amended by the Resource Conservation and Recovery Act. The requirements of Section 6002 include procuring only items designated in guidelines of the Environmental Protection agency (EPA) at 40 CFR part 247 that contain the highest percentage of recovered materials practicable,' consistent with maintaining satisfactory level of competition, where the purchase price of tire item exceeds \$10,000 or the value of the quantity acquired by. The preceding fiscal year exceeding \$ 10,000; procuring solid waste management services in a manner that maximizes energy and resource recovery; and establishing an affirmative procurement program for procurement of recovered materials in the EPA guidelines.(2 CFR part 200.322) 2. The vendor agrees to take all necessary affirmative steps to assure that minority businesses, women's business enterprises, and labor surplus area firms are used when possible (2 CFR Part 200.321)

Required Contract Provisions from 7 CFR part 210

1. the vendor shall comply with the buy American Provision for contracts that involve the purchase of food, USDA Regulation (7 CFR part 250 and 7CFR part 210). The vendor Is required to utilize, to the maximum extent practicable, domestic commodities and products.

The District participates in the National School Lunch Program and School Breakfast program and is required to use the nonprofit food service funds, to the maximum extent practical, to buy Domestic commodities or products for program meals. A "domestic commodity or product, is defined as one that is either produced in the U.S. or is processed in the U.S. substantially using agricultural "commodities are produced in the U.S. as provided in 7 CFR part 210.21(d).Exceptions to the Buy American provision should be used as a last resort; however, an alternative or exception may be approved upon request. To be considered for the alternative or exception the request must be submitted in writing to a designated official, a minimum of day 14 days in advance of delivery

The request must include the:

A. Alternative substitute (s) that are domestic and meet the required specifications:

a. Price of the domestic food alternative substitute (s); and b. Availability of the domestic alternative substitute (s) in relation to the quantity ordered.

B. Reason for exception: limited/lack of availability or price (include price): c. Price of the domestic food product; and d Price of the non-domestic product that meets the required specification of the domestic product.

Other Contract Provisions: The vendor shall comply with the following civil rights laws, as amended: Title VI of the civil Rights Act of 1964; Title IX of the Education Amendments of 1972; section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975; Title 7 CFR Parts 15, 15a, and 15b; the Americans with Disabilities Act; and FNS instruction 113-1, civil Rights compliance and Enforcement in school nutrition programs

CERTIFICATION REGARDING LOBBYING

CERTIFICATION FOR CONTRACTS GRANTS LOANS AND COOPERATIVE AGREEMENTS EXCEEDING \$100,000 IN FEDERAL FUNDS

The undersigned certifies, to the best of his or her KNOWLEDGE and belief, that:

(1) No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence an officer or employee of agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any federal loan, the entering into of any cooperative agreement, and the extension, continuation, Renewal, Amendment, or notification of any Federal contract, grant, loan, or cooperative agreement

(2) If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract grant, loan, or cooperative agreement, the undersigned shall complete and submit Standard Form - LLL, "Disclosure of lobbying Activities," in accordance with its instructions.

(3) The undersigned shall require that the language of this certification be included in the award documents for all sub awards (exceeding \$100,000 in Federal funds) at all tiers (including subcontracts, sub grants, and contracts under grants, loans, and cooperative agreements) and that all sub recipients shall certify and disclose accordingly.

This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by section 1352, title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than \$10,000 and not more than \$100,000 for each such failure.

Lafayette Restaurant Supply | 1103 Hugh Wallis Rd. S, Lafayette, LA 70508

NAME ADDRESS of VENDOR

Griffin Thibeaux | Estimator

NAME/TITLE OF SUBMITTING OFFICER

Griffin Thibeaux

SIGNATURE

DATE

4/14/2025

Certification Regarding Debarment, Suspension, ineligibility and Voluntary Exclusion - Lower Tier Covered Transactions

This certification is required by the regulations implementing Executive Order 12549, Debarment and Suspension, 7 CFR Part 30'17, Section 301 7. Subpart c- Responsibilities of Participants. The regulations were published in the November 26, 2003, Federal Register (pages 86534-65566)- Copies of the regulations may be obtained by contacting the Department of Agriculture.

(BEFORE COMPLETING CERTIFICATION, READ ATTACHEO NSTRUCTIONS)

(1) The prospective lower tier participant certifies, by submission o, this proposal that nether It nor its principals are presently debarred. Suspended. Proposed tor debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency.

(2) Where the prospective lower tier participant is unable to certify any o, the statements in this certification, such prospective participant shall reach as explanation to this proposal.

Lafayette Restaurant Supply

Organization Name

PR/Award Number or Project Name

Griffin Thibeaux | Estimator

Name and title of Authorized Representative

Griffin Thibeaux

Signature

4/14/2025

Date

Non-Discrimination Statement

In accordance with Federal civil rights law and U.S. Department of Agriculture (USDA) civil rights regulations and policies, the USDA, its Agencies, offices, and employees, and institutions participating in or administering USDA programs are prohibited from discriminating based on race, color, national origin, religion, sex, gender identity (including gender expression), sexual orientation, disability, age, marital status, family/parental status, income derived from a public assistance program, political beliefs, or reprisal or retaliation for prior civil rights activity, in any program or activity conducted or funded by USDA (not all bases apply to all programs). Remedies and complaint filing deadlines vary by program or incident.

Persons with disabilities who require alternative means of communication for program information (e.g., Braille, large print, audiotape, American Sign Language, etc.) should contact the responsible Agency or USDA's TARGET Center at (202) 720-2600 (voice and TTY) or contact USDA through the Federal Relay Service at (800) 877-8339. Additionally, program information may be made available in languages other than English.

To file a program discrimination complaint, complete the USDA Program

Discrimination Complaint Form, AD-3027, found online at [How to File a Program](#)

[Discrimination Complaint](#) and at any USDA office or write a letter addressed to USDA and provide in the letter all of the information requested in the form. To request a copy of the complaint form, call (866) 632-9992. Submit your completed form or letter to USDA by: (1) mail: U.S. Department of Agriculture, Office of the Assistant Secretary for Civil Rights, 1400 Independence Avenue, SW, Washington, D.C. 20250-9410; (2) fax: (202) 690-7442; or (3) email: program.intake@usda.gov.

USDA is an equal opportunity provider, employer, and lender.

INSTRUCTIONS TO BIDDERS FOR COMPLETING CERTIFICATION FORM

NOTE: Each responsive bidder must include this CERTIFICATION statement with its bid on each contract equaling or exceeding \$25,000 or any contract for audit services regardless of amount

1. By signing and submitting this form, the prospective lower tier participant is providing the certification set out on the reverse side in accordance with those instructions.
2. The certification in this clause is a material representation of fact upon which reliance was placed when this transaction was entered into. If it is later determined that the prospective lower tier participant knowingly rendered an erroneous certification, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.
3. The prospective lower tier participant shall provide immediate written notice to the person to which this proposal is submitted if at any time the prospective lowest tier participant learns that its certification was erroneous when submitted or has become erroneous by reason of changed circumstances.
4. The terms covered transaction, debarred, suspended, ineligible, and lower tier covered transaction. Participant, person, primary covered transaction, principal, proposal, and voluntarily excluded, as used in this clause, have the meanings set out in the Definitions and Coverage sections of the U. S. Department of Agriculture regulations 7 CFF 3017 implementing Executive Order 12549. (Contact the person to whom this proposal is submitted for assistance in obtaining a copy of those regulations.)
5. The prospective lower tier participant agrees by submitting this form that, should the proposed covered transaction be entered into, it shall not knowingly enter into any lower tier covered transaction with a person who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this covered transaction, unless authorized by the department or agency with which this transaction originated.
6. The prospective lower tier participant further agrees by submitting this form that it will include this clause titled "Certification Regarding Debarment, Suspension, Ineligibility and Voluntary Exclusion Lower Tier Covered Transaction" without modification in all lower tier covered transactions and for all solicitations for lower tier covered transactions.
7. A participant in a covered transaction may rely upon a certification upon a prospective participant in a lower tier covered transaction has not been debarred, suspended, ineligible, or voluntarily excluded from the covered transaction, unless the participant knows that the certification is erroneous. A participant may decide the method and frequency by which it determines the eligibility of its principals. Each participant may, but is not required to, check the No procurement List.
8. Nothing contained in the foregoing shall be construed to require establishment of a system of records in order to render in good faith the certification required by this clause. The knowledge and information of a participant is not required to exceed that which is normally possessed by a prudent person in the ordinary course of business dealings.
9. Except for transactions authorized under Paragraph 5 of these instructions, if a participant in a covered transaction knowingly enters into a lower tier covered transaction with a person who is suspended, debarred, ineligible, or voluntarily excluded from participation in this transaction, in addition to other remedies available to the Federal Government, the department or agency with which this transaction originated may pursue available remedies, including suspension and/or debarment.

DISCLOSURE OF LOBBYING ACTIVITIES

Office of Chief, Financial Officer, USDA
DISCLOSURE OF LOBBYING ACTIVITIES
CONTINUATION SHEET

REPORTING ENTITY _____ PAGE _____ OF _____

INSTRUCTIONS FOR COMPLETION OF SF-LLL, DISCLOSURE OF LOBBYING ACTIVITIES

This disclosure form shall be completed by the reporting entity, whether sub awardee or prime Federal recipient, at the initiation or receipt of a covered Federal action, or a material change to a previous filing, pursuant to title 31 U.S.C. section 1352. The filing of a form is required for each payment or agreement to make payment to any lobbying entity for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with a covered Federal action. Complete all items that apply for both the initial filing and material change report. Refer to the implementing guidance published by the Office of Management and Budget for additional information.

1. Identify the type of covered Federal action for which lobbying activity is and/or has been secured to influence the outcome of a covered Federal action.
2. Identify the status of the covered Federal action.
3. Identify the appropriate classification of this report. If this is a follow-up report caused by a material change to the information previously reported, enter the year and quarter in which the change occurred. Enter the date of the last previously submitted report by this reporting entity for this covered Federal action.
4. Enter the full name, address, city, State and zip code of the reporting entity. Include Congressional District, if known. Check the appropriate classification of the reporting entity that designates if it is, or expects to be, a prime or sub award recipient. Identify the tier of the sub awardee, e.g., the first sub awardee of the prime is the 1st tier. Sub awards include but are not limited to subcontracts, sub grants and contract awards under grants.
5. If the organization filing the report in item 4 checks "Sub awardee," then enter the full name, address, city, State and zip code of the prime Federal recipient. Include Congressional District, if known.
6. Enter the name of the federal agency making the award or loan commitment. Include at least one organizational level below agency name, if known. For example, Department of Transportation, United States Coast Guard.
7. Enter the Federal program name or description for the covered Federal action (item 1). If known, enter the full Catalog of Federal Domestic Assistance (CFDA) number for grants, cooperative agreements, loans, and loan commitments.
8. Enter the most appropriate Federal identifying number available for the Federal action identified in item 1 (e.g., Request for Proposal (RFP) number; Invitations for Bid (IFB) number; grant announcement number; the contract, grant, or loan award number; the application/proposal control number assigned by the Federal agency). Included prefixes, e.g., "RFP-DE-90-001."
9. For a covered Federal action where there has been an award or loan commitment by the Federal agency, enter the Federal amount of the award/loan commitment for the prime entity identified in item 4 or 5.
10. (a) Enter the full name, address, city, State and zip code of the lobbying registrant under the Lobbying Disclosure Act of 1995 engaged by the reporting entity identified in item 4 to influence the covered Federal action.

(b) Enter the full names of the individual(s) performing services, and include full address if different from 10(a). Enter Last Name, First Name, and Middle Initial (MI).
11. The certifying official shall sign and date the form, print his/her name, title, and telephone number.

According to the Paperwork Reduction Act, as amended, no persons are required to respond to a collection of information unless it displays a valid OMB control Number. The valid OMB control number for this information collection is OMB No. 0348-0046. Public reporting burden for this collection of information is estimated to average 10 minutes per response, including time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding the burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to the Office of Management and Budget, Paperwork Reduction Project (0348-0046), Washington, DC 20503

Large Equipment Specifications

brand specified or pre-approved equivalent

EK Key Elementary

Serving Line:

ITEM 2 - HD RANGE, 36", 4 OPEN BURNERS (1 REQ'D)

Vulcan Model V4B36C Dimensions: 36(h) x 36(w) x 36.75(d)

V Series Heavy Duty Range, gas, 36", (4) 35,000 BTU open burners, cast iron grates, convection oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 172,000 BTU, 6" adjustable legs, CSA, NSF

1 ea 1 year limited parts & labor warranty, standard

1 ea Natural gas (specify elevation if over 2,000 ft.)

1 ea Model PRREGN-001 1" NPT pressure regulator with reducer (Natural gas)

1 ea 1-1/4" rear gas connection, standard

1 ea Rear gas connection: cap & cover, both ends

1 ea 115v/60/1-ph, 4.0 amp, fan motor voltage, cord & plug, standard

1 ea Model V36SD Single-deck hi-shelf riser, non-overlapping, 36"

ITEM 3 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-74PG Dimensions: 36(h) x 74(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 74"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH_PAINT Powder Coat color to be determined

1 ea Model SOLID-HD-5CU Tray Slide, customer's side, 74" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted *30" Mounting height*

2 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

2 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf *In rail for controls*

2 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length *In countertop for drop-in 3.1 and 3.2*

1 ea Model 442-2S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (2) hinged brackets, shelf mounted flush to counter top (specify any special height)

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model MOD-HT Special Height Body, per unit

1 ea Model MOD-HT-30 30" Height Body (elementary)

1 ea Model MOD-2S-5CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea 400 Series

1 ea Model TS462-74 Contemporary Food Shield, 73-1/2"W x 20"D x 20-1/8"H, adjustable from full-service to self-service guard, single shelf, sloped guard with fixed end closures, 3/8" glass overshef & guard with 1/4" glass ends (tempered with polished rounded edges), sloped Ø 1" tube posts, stainless steel finish posts

1 ea Model TDST-MOD For special height rail

1 ea Model CUSTOM Wire Chase in base, stainless steel, removeable cover

1 ea Model 329-CM Compressor compartment, partial length, with stainless steel hinged louvered grill

ITEM 3.1 - HEATED SHELF FOOD WARMER (1 REQ'D)

Duke Manufacturing Model RHT1-SL Dimensions: 26.36(h) x 29(w) x 21(d)

HotFrost™ Recessed Hot Top slimline drop-in unit, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 2.5 Amps, NEMA 5-15P *Installed as Standard orientation*

ITEM 3.2 - HOT / COLD SHELF (1 REQ'D)

Duke Manufacturing Model RHF1-SL Dimensions: 26.36(h) x 29(w) x 21(d)

HotFrost™ Recessed Hot Frost, Hot/Cold switchable slimline drop-in unit, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self-contained refrigeration, 120v/60/1-ph, 5.5 Amps, NEMA 5-15P
Installed as Standard orientation

ITEM 4 - SERVING COUNTER, UTILITY (2 REQ'D)

Duke Manufacturing Model TST-60PG Dimensions: 36(h) x 60(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 60"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

2 ea Model PH_PAINT Powder Coat color to be determined

2 ea Model SOLID-HD-4CU Tray Slide, customer's side, 60" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted *Mounted at 30" AFF*

2 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

2 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf *In rail for controls*

2 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length *for drop-in 4.1*

2 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

2 ea Model MOD-2S-4CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

2 ea 400 Series

2 ea Model TS462-60 Contemporary Food Shield, 59-1/2"W x 20"D x 20-1/8"H, adjustable from full-service to self-service guard, single shelf, sloped guard with fixed end closures, 3/8" glass overshelf & guard with 1/4" glass ends (tempered with polished rounded edges), sloped Ø 1" tube posts, stainless steel finish posts

2 ea Model TDST-MOD For special height rail

2 ea Model CUSTOM Wire Chase in base, stainless steel, removeable cover

4 ea Hinged louvered door on operator side - Price is per door panel

ITEM 4.1 - COLD SHELF (2 REQ'D)

Duke Manufacturing Model RFT2-SL Dimensions: 26.36(h) x 55(w) x 21(d)

Recessed Frost Top slimline drop-in unit, 55"W x 21"D, fits (2) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self contained refrigeration, 120v/60/1-ph, 5.5 Amps, NEMA 5-15P

ITEM 5 - CASH REGISTER STAND (1 REQ'D)

Duke Manufacturing Model TCS-30PG Dimensions: 36(h) x 30(w) x 32(d)

Thurmaduke™ Cashier Stand, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga paint grip steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH_PAINT Powder Coat color to be determined

1 ea Model CS-DR-LK Stainless steel drawer, with lock and keys, for cashier stand

1 ea Model MOD-12-32 Extend width of top up to 12", for a 44" or less overall top, with stainless steel fixed brackets

1 ea Model CORD-10 10 ft. cord & plug

1 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

1 ea Model CUT-OP1-G Round cutout with grommet, in counter top, body panel or a shelf (specify cutout diameter & location)

1 ea Model MOD-2S-2CL Kick Plate, cashier's left, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2S-2CR Kick Plate, cashier's right, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2S-2OC Kick Plate, opposite cashier, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

EK Key Serving Line

| Item | Brand | Price |
|---|--------|-----------|
| 2. Gas 36" Range | Vulcan | 18,047.00 |
| 3. Serving Counter (includes items 3.1 & 3.2) | Duke | 17,535.00 |
| 4. Serving Counter (includes item 4.1) | Duke | 26,409.00 |
| 5. Serving Counter | Duke | 3,529.00 |
| | | |

LeBlanc Middle School

Serving Line:

ITEM 1 - FLATWARE & TRAY CART (1 REQ'D)

Duke Manufacturing Model TTS-32PG Dimensions: 42(h) x 32(w) x 31(d)

Thurmaduke™ Tray Stand Unit, mobile, 32"W x 31"D x 42"H, 16 gauge stainless steel top, tray surface 19" high, 16 gauge stainless steel utensil tower 28" x 10", 20 gauge paint grip steel body & undershelf, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model 217125 Textured Black powder coat paint finish

1 ea Model T71 Silverware dispenser, (7) utensil cylinders in stainless steel holder, 21-5/8"W x 9-3/4"D x 7-1/4"H, with 5" deep perforated white plastic cups

1 ea Model MOD-14-2 14ga stainless steel top, in lieu of standard

ITEM 2 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-46PG Dimensions: 36(h) x 46(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model 217125 Textured Black powder coat paint finish

1 ea Model MOD-14-3 14ga stainless steel top, in lieu of standard

1 ea Model MOD-12-46 Extend width of top up: 12" in lieu of tray slide

1 ea Model ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)

1 ea Model 442-3S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (2) hinged brackets, shelf mounted flush to counter top (specify any special height)

1 ea Model ICB CUSTOM Electric inter connect box with outlets breakers and cord, mounted in the base For item 2.1 wells = TBD For item 2a guard lights = 0.25A For item 2.2 hot top = 2.8A Total: TBD

1 ea Model CORD-8 8 ft. cord & plug

1 ea Model CUT-OP2 Rectangular cutout with raw edge: In rail for controls

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top: For WWG-2. Cutout located as far to operator side as possible

1 ea BG Series

1 ea Model BGA2-46-SS BGA Food Sheild, 45-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified

ITEM 2.1 - HOT FOOD WELL UNIT, DROP-IN, ELECTRIC (1 REQ'D)

Duke Manufacturing Model WWG2 Dimensions: 12.75(h) x 32.25(w) x 24.25(d)

Waterless Hot Food Well Drop-In Unit, ganged, electric, dry operation, with (2) 12" x 20" hot food well, 32-1/4"W x 24-1/4"D x 12-3/4"H, stainless steel well, removable FDA approved silicone rubber liner, fully insulated galvanized exterior housing, touch screen control panel, without drain, 6' cord & plug, UL, cULus

1 ea Model PH_VOLTAGE Voltage to be determined

ITEM 2.2 - HEATED SHELF FOOD WARMER (1 REQ'D)

Duke Manufacturing Model HT1-OS Dimensions: 2.38(h) x 29(w) x 21(d)

HotFrost™ Hot Top overshelve, 29"W x 21"D, fits (1) 18 x 26" pan per shelve, programmable color touch screen control, stainless steel body and shelves., 120v/60/1-ph, 2.8 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)

ITEM 3 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-74PG Dimensions: 36(h) x 74(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 74"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model 217125 Textured Black powder coat paint finish

1 ea Model MOD-14-5 14ga stainless steel top, in lieu of standard

1 ea Model MOD-12-74 Extend width of top up to 12", for a 44" or less overall top, with stainless steel fixed brackets

1 ea Model ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)

1 ea Model CORD-8 8 ft. cord & plug

2 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source For item 3.1 Hot top = 5.0A 600W For item 3a guard lights = 0.25A 30W For item 3.2 hot top = 5.3A 636W *Single NEMA 5-15P cord*

2 ea Model CUT-OP2 Rectangular cutout with raw edge: In rail for controls

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top: For RHT-2-SB

1 ea Model TDST-X-1 For special length not listed (maximum one-piece length of 88"): To next longer standard unit price...ADD (for TST models) *66" Length*

1 ea BG Series

1 ea Model BGA2-74-SS-GF-BL BGA Food Shield, 73-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified

ITEM 3.1 - HEATED SHELF FOOD WARMER (1 REQ'D)

Duke Manufacturing Model RHT2-SB Dimensions: 26.36(h) x 39(w) x 29(d)

HotFrost™ Recessed Hot Top standard body drop-in unit, 39"W x 24"D, fits (2) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 5.0 Amps, NEMA 5-15P

ITEM 3.2 - HEATED SHELF FOOD WARMER (1 REQ'D)

Duke Manufacturing Model HT2-OS Dimensions: 2.38(h) x 55(w) x 21(d)

HotFrost™ Hot Top overshelve, 55"W x 21"D, fits (2) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 5.3 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)

ITEM 4 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-88PG Dimensions: 36(h) x 88(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 88"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model 217125 Textured Black powder coat paint finish

1 ea Model MOD-14-6 14ga stainless steel top, in lieu of standard

1 ea Model MOD-12-88 Extend width of top up: 12" in lieu of tray slide

1 ea Model ILD Internal Locking Device (on both ends), stainless steel pin & latch line up device under countertop, per unit price (Note: Units required to be portable)

1 ea Model E-OP2 Electric outlet, mounted in base: Simplex for drop-in

1 ea Model CORD-8 8 ft. cord & plug: From outlet

1 ea Model TDST-X-1 For special length body: To accommodate HF91 drop-in

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top: For HF91

ITEM 4.1 - HOT / COLD SHELF (1 REQ'D)

Duke Manufacturing Model HF91-2-HFL-HFL Dimensions: 45.25(h) x 92.88(w) x 24(d)

HotFrost™ Hot Frost Shelf Merchandiser, 2-tier hot/cold switchable food display, drop-in unit, 93"W x 24"D, fits (3) 18 x 26" pan per tier, individually controlled tiers, programmable color touch screen control, stainless steel body and shelves, self contained refrigeration, 120-208v/60/1 phase, 26.8 amps, NEMA 14-50P

ITEM 5 - CASH REGISTER STAND (1 REQ'D)

Duke Manufacturing Model TCS-30PG Dimensions: 36(h) x 30(w) x 32(d)

Thurmaduke™ Cashier Stand, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga paint grip steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model 217125 Textured Black powder coat paint finish

1 ea Model MOD-14-2 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-20C Tray Slide, opposite cashier, 32" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height)

1 ea Model CORD 6 ft. cord & plug

1 ea Model E-OP2 Electric outlet, mounted in base: Duplex 5-15

1 ea Model CUT-OP1 Round cutout with raw edge, in counter top: 2.75" with grommet

LeBlanc Middle Serving Line

| Item | Brand | Price |
|---|-------|--------------|
| 1. Serving Counter | Duke | # 2,935.00 |
| 2. Serving Counter (includes items 2.1 & 2.2) | Duke | \$ 19,233.00 |
| 3. Serving Counter (includes items 3.1 & 3.2) | Duke | \$ 23,396.00 |
| 4. Serving Counter (includes item 4.1) | Duke | \$ 31,816.00 |
| 5. Serving Counter | Duke | \$ 3,610.00 |

Sulphur High School

Serving Line:

ITEM 1A - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-46PG Dimensions: 36(h) x 46(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH_PAINT Powder Coat color to be determined

1 ea Model MOD-14-3 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-3CU Tray Slide, customer's side, 46" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) **mounted at 36" AFF**

1 ea Model 442-3S-HD-OP Cutting Board/Shelf, operator's side, 7"D, 18ga stainless steel shelf, (2) hinged brackets, shelf mounted flush to counter top (specify any special height)

3 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

1 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location)

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length (specify cutout size & location) **for item#1-1, bring wells closer to operator side **

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea BG Series

1 ea Model BGA2-46-SS BGA Food Shield, 45-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified

1 ea Wire chase in base, stainless steel

1 ea Model HT1-OS HotFrost™ Hot Top overshelve, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves., 120v/60/1-ph, 2.8 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)

1 ea Model TDST-MOD For special height rail

ITEM 1-1 - HOT FOOD WELL UNIT, DROP-IN, ELECTRIC (1 REQ'D)

Duke Manufacturing Model WW-2 Dimensions: 10.3(h) x 30.75(w) x 23.5(d)

Waterless Hot Food Well Drop-In Unit, electric, dry operation, with (2) 12" x 20" hot food well, 30-3/4"W x 23-1/2"D x 10.3"H, stainless steel well, removable FDA approved black silicone rubber liner, fully insulated galvanized exterior housing, touch screen control panel, (3) preset temperatures, Wi-Fi enabled, without drain, 72" control wire, includes spacing rim, UL EPH Classified, cULus

1 ea Model WW-2-120 120v/60/1-ph, 11.1 amps, (2) NEMA 5-15P

ITEM 1B - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-18PG Dimensions: 36(h) x 18(w) x 32(d)

Thurmaduke™ Solid Top Unit, utility counter, 18"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 6"H stainless steel legs with adjustable feet (casters prohibited due to tipping), NSF

1 ea Model PH_PAINT Powder Coat color to be determined

1 ea Model MOD-14-1 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-1CU Tray Slide, customer's side, 18" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) **mounted at 36" AFF**

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model 329-PG-1L Single door, no lock, left hand hinge, paint grip steel, powder coated to match body, magnetic catch, and recessed stainless steel pull

1 ea Model MOD-2S-1CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model 125 PANEL BOX 125 amp panel box pre-wired, single phase 120/208 service required all final connections in the field at KEC expense

ITEM 2 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-74PG Dimensions: 36(h) x 74(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 74"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH_PAINT Powder Coat color to be determined

1 ea Model MOD-14-5 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-5CU Tray Slide, customer's side, 74" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) **mounted at 36" AFF**

2 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

1 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location) **In rail**

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length (specify cutout size & location) **for item#2-1, bring drop in closer to operator side **

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model TDST-X-1 For special length not listed (maximum one-piece length of 88"): To next longer standard unit price...ADD (for TST models)

1 ea Model MOD-2S-5CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea BG Series

1 ea Model BGA2-74-SS BGA Food Shield, 73-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified

1 ea Model MOD-SPL Special length overshelf, to next longest size, ADD

1 ea Wire chase in base, stainless steel

1 ea Model TDST-MOD For special height rail

1 ea Model HT2-OS HotFrost™ Hot Top overshelf, 55"W x 21"D, fits (2) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 5.3 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)

ITEM 2-1 - HEATED SHELF FOOD WARMER (1 REQ'D)

Duke Manufacturing Model RHT2-SL Dimensions: 26.36(h) x 55(w) x 21(d)

HotFrost™ Recessed Hot Top slimline drop-in unit, 55"W x 21"D, fits (2) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves. 120v/60/1-ph, 5.0 Amps, NEMA 5-15P

ITEM 3 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-46PG Dimensions: 36(h) x 46(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH_PAINT Powder Coat color to be determined

1 ea Model MOD-14-3 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-3CU Tray Slide, customer's side, 46" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) **mounted at 36" AFF**

1 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

1 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location)

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body panel or a shelf, counter top max. right to left is 4" less than unit length (specify cutout size & location) **for recessed hot/frost, bring dropin closer to operator side **

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea BG Series

1 ea Model BGA2-46-SS BGA Food Sheild, 45-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified

1 ea Wire chase in base, stainless steel

1 ea Model DE-RHF1-SL-HFO1-SL Duplexed unit operating on 1 compressor
HotFrost™ Recessed Hot Frost, Hot/Cold switchable slimline drop-in unit, 29"W x 21"D,
fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel
body and shelves, self-contained refrigeration, 120v/60/1-ph, 5.5 Amps, NEMA 5-15P
HotFrost™ Overshelf Hot Frost, Hot/Cold switchable overshelf, 29"W x 21"D, fits (1)
18

x 26" pan per shelf, programmable color touch screen control, stainless steel body
and shelves, self-contained refrigeration, 120v/60/1-ph, 5.8 Amps, NEMA 5-15P. Note:
must be installed in a DUKE BG/BGA series food guard

1 ea Model TDST-MOD For special height rail

1 ea Model 329-CM Compressor compartment, partial length, stainless steel removable
louvered grill with magnetic catches

ITEM 4 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-46PG Dimensions: 36(h) x 46(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 46"W x 32"D x 36"H, 16ga
stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel
casters & brakes, NSF

1 ea Model PH_PAINT Powder Coat color to be determined

1 ea Model MOD-14-3 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-3CU Tray Slide, customer's side, 46" W x 12-1/4" D, solid
stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted
34" high (specify any special height) **mounted at 36" AFF**

1 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex
or single receptacle & stainless steel cover, wired to existing power source

1 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter
top, body panel or a shelf (specify cutout size & location)

1 ea Model CUT-OP3 Rectangular cutout with reinforced edges, in counter top, body
panel or a shelf, counter top max. right to left is 4" less than unit length (specify cutout
size & location) **for recessed frost, bring drop-in closer to operator side **

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with
stainless steel adjustable foot

1 ea Model MOD-2S-3CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2P-E Kick Plate, end, powder coated steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea BG Series

1 ea Model BGA2-46-SS BGA Food Shield, 45-3/4"W x 19-1/4"D x 44-1/2"H, adjustable from full-service to self-service guard, glass display shelves, dual shelf, LED lights, 3/8" glass over-shelf & guard with 1/4" glass wings (tempered and polished edges) CULus, UL EPH Classified

1 ea Wire chase in base, stainless steel

1 ea Model TDST-MOD For special height rail

1 ea Model DE-RFT1-SL-FTO1-SL Duplexed unit operating on 1 compressor Recessed Frost Top slimline drop-in unit, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self contained refrigeration, 120v/60/1-ph, 5.5 Amps, NEMA 5-15P Frost Top oversheive, 29"W x 21"D, fits (1) 18 x 26" pan per shelf, programmable color touch screen control, stainless steel body and shelves, self contained refrigeration, 120v/60/1-ph, 5.8 Amps, NEMA 5-15P (must be installed in a DUKE BG/BGA series food guard)

1 ea Model 329-CM Compressor compartment, partial length, stainless steel removable louvered grill with magnetic catches

ITEM 5 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-60PG Dimensions: 36(h) x 60(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 60"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH_PAINT Powder Coat color to be determined

1 ea Model MOD-14-4 14ga stainless steel top, in lieu of standard

6 ea Model CUT-OP1 Round cutout with raw edge, in counter top, body panel or a shelf (specify cutout diameter & location) **6 round cylinder cutouts in shelf**

4 ea Model CUT-OP2 Rectangular cutout with raw edge, must be 12" or less, in counter top, body panel or a shelf (specify cutout size & location) **4-12 x 20" cutouts**

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model MOD-2S-4CU Kick Plate, customer's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

2 ea Model MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model TDST-MOD Custom over-head shelf slanted with cutouts, 18" wide 14ga stainless steel shelves, welded 1-5/8" stainless tube post

ITEM 6 - CASH REGISTER STAND (1 REQ'D)

Duke Manufacturing Model TCS-30PG Dimensions: 36(h) x 30(w) x 32(d)

Thurmaduke™ Cashier Stand, mobile, 30"W, 32"D, 36"H, 16ga stainless top, 20ga paint grip steel body & partial undershelf, stainless steel tube foot rest, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH_PAINT Powder Coat color to be determined

1 ea Model CS-DR-LK Stainless steel drawer, with lock and keys, for cashier stand

1 ea Model MOD-14-2 14ga stainless steel top, in lieu of standard

1 ea Model SOLID-HD-2OC Tray Slide, opposite cashier, 32" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) **mounted at 36" AFF**

1 ea Model CORD 6 ft. cord & plug

1 ea Model E-OP2 Electric outlet, mounted in base, with galvanized junction box, duplex or single receptacle & stainless steel cover, wired to existing power source

1 ea Model CUT-OP1-G Round cutout with grommet, in counter top, body panel or a shelf (specify cutout diameter & location)

1 ea Model MOD-LEG 6" high stainless steel legs in lieu of standard casters, with stainless steel adjustable foot

1 ea Model MOD-2S-2CL Kick Plate, cashier's left, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2S-2CR Kick Plate, cashier's right, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

1 ea Model MOD-2S-2OC Kick Plate, opposite cashier, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

ITEM 7 - SERVING COUNTER, UTILITY (1 REQ'D)

Duke Manufacturing Model TST-32PG Dimensions: 36(h) x 32(w) x 32(d)

Thurmaduke™ Solid Top Unit, mobile utility counter, 32"W x 32"D x 36"H, 16ga stainless steel top, 20ga paint grip steel body & undershelves, 5" dia. gray poly swivel casters & brakes, NSF

1 ea Model PH_PAINT Powder Coat color to be determined

1 ea Model MOD-14-2 14ga stainless steel top, in lieu of standard

3 ea Model MOD-2R 4" to 6" riser (backsplash) on rear **4" riser on rear and sides**

1 ea Model SOLID-HD-2CU Tray Slide, customer's side, 32" W x 12-1/4" D, solid stainless steel, on hinged brackets, with (2) 1/8" die-formed rubbing tracks, & mounted 34" high (specify any special height) **mounted at 36" AFF**

1 ea Model MOD-2S-2OP Kick Plate, operator's side, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

2 ea Model MOD-2S-E Kick Plate, end, stainless steel, recessed, screw attached, 1/2" above floor for easy rolling

Sulphur High Serving Line:

| Item | Brand | Price |
|---|-------|--------------|
| 1A. Serving Counter (includes items 1-1 & 1B) | Duke | \$ 26,796.00 |
| 2. Serving Counter (includes items 2-1) | Duke | \$ 24,716.00 |
| 3. Serving Counter | Duke | \$ 23,265.00 |
| 4. Serving Counter | Duke | \$ 21,909.00 |
| 5. Serving Counter | Duke | \$ 5,419.00 |
| 6. Serving Counter | Duke | \$ 3,951.00 |
| 7. Serving Counter | Duke | \$ 3,946.00 |

CPSB: Various Locations

Item 1:

CONVECTION OVEN, GAS (1 REQ'D)

Vulcan Model VC44GD Dimensions: 70(h) x 40(w) x 42.25(d)

Convection Oven, gas, double-deck, standard depth, solid state controls, electronic spark igniters, 60 minute timer, (5) nickel plated racks per oven, stainless steel front, top, sides & 8"H legs, stainless steel doors with windows, (2) 50,000 BTU, NSF, CSA Star, CSA Flame, ENERGY STAR®

1 ea 1 year limited parts & labor warranty, standard

1 ea Natural gas (specify elevation if over 2,000 ft.)

1 ea (2) 120v/60/1-ph, 15.4 amps total, (2) cords with plugs, standard

1^{ea} ^{Se} Gas manifold piping included with stacking kit to provide single point gas connection

2 ea Simultaneous doors, both ovens

2 ea Model DRIPPAN-SSDD Drip Pan (per section), stainless steel

ITEM 2 - CONVECTION STEAMER, GAS (1 REQ'D)

Vulcan Model C24GA10 Dimensions: 72(h) x 24(w) x 35.4(d)

Convection Steamer, Gas, 2 compartments on 24" cabinet base, (10)12" x 20" x 2-1/2" deep total pan capacity, high output stainless steel steam generator with Timed Smart Drain & PowerFlush, staged water fill, professional controls with 60 minute timer, buzzer for each compartment, & constant steam feature, split water line, stainless steel interior, exterior, frame & flanged feet, electric ignition, 125,000 BTU, CSA Flame, CSA Star, UL EPH Classified

1 ea 1 year limited parts & labor warranty, standard

1 ea K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation

1 ea Gas type to be specified

1 ea 120v/60/1-ph with ground, 300w, 2.0 amps, cord & plug, standard

1 ea Model SMF620 SYSTEM SCALEBLOCKER™ Water Treatment, field installed by others at job site

1 ea 2nd year limited water related parts only & labor warranty, standard

ITEM 3 - HD RANGE, 36", 4 OPEN BURNERS (1 REQ'D)

Vulcan Model V4B36S Dimensions: 36(h) x 36(w) x 36.75(d)

V Series Heavy Duty Range, gas, 36", (4) 35,000 BTU open burners, cast iron grates, standard oven, stainless steel front, front top ledge, sides, base, burner box & stub back, 190,000 BTU, 6" adjustable legs, CSA, NSF

- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea K-12 School Nutrition extended warranty extends the warranty for 12 months beyond the 12 month Original Equipment Warranty, not to exceed 24 months from date of installation
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends

ITEM 4 - HD RANGE, 18", 2 OPEN BURNERS (1 REQ'D)

Vulcan Model V2B18B Dimensions: 36(h) x 18(w) x 36.75(d)

V Series Heavy Duty Range, gas, 18", (2) 35,000 BTU open burners, cast iron grates, storage base with cabinet doors, stainless steel front, front top ledge, sides, base, burner box & stub back, 6" adjustable legs, 70,000 BTU, CSA, NSF

- 1 ea 1 year limited parts & labor warranty, standard
- 1 ea Gas type to be specified
- 1 ea 1-1/4" rear gas connection, standard
- 1 ea Rear gas connection: cap & cover, both ends

Various Equipment

| Item | Brand | Price |
|---------------------------|--------|--------------|
| 1. Gas Convection Oven | Vulcan | \$ 11,194.00 |
| 2. Gas Convection Steamer | Vulcan | \$ 28,477.00 |
| 3. Gas 36" Range | Vulcan | \$ 11,947.00 |
| 4. Gas 18" Range | Vulcan | \$ 5,706.00 |
| | | |