



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

ASPHALT PAVING OF SWEETGUM BOTTOM ROAD
City of Meridian

Project documents obtained from www.CentralBidding.com

31-Mar-2021 11:10:44 AM



CITY OF MERIDIAN

To: Bidders

From: Laura Jackson
Purchasing

Date: 03/31/21

Subject: ADDENDUM #1
BID #21-14 Asphalt Paving of Sweetgum Bottom Rd

The following changes have been made to bid #21-13:

- Changes to Bid #21-14; Information sent out as

Clarification on the Scope of work line #1 has been eliminated stating...Grade and compact existing road surface with 610 limestone

A new scope of work has been added

Please accept our apology for any inconvenience this may have caused you.

Company Name:

APAL - Mississippi

Signature:

[Handwritten Signature]

Date:

3-29-21

**SCOPE OF WORK
CITY OF MERIDIAN**

ASPHALT PAVING SWEETGUM BOTTOM ROAD

SCOPE OF WORK:

The Work required under this Contract designated ASPHALT PAVING SWEETGUM ROAD PROJECT consist of:

- 1) Application of Bituminous Base Course (BB-1) at a final thickness of 4" and 20 feet in width.
- 2) Application of Bituminous Surface Course (SC-1) at a final thickness of 1.5" and 20 feet in width.
- 3) Grade 4' wide roadway shoulders at 4% slope with #57 Limestone
- 4) Application of 4" Thermoplastic Continuous Yellow 90mil Traffic Stripe applied 10 days following completion of asphalt paving. To be applied full length of newly paved surface. (Double Yellow Centerline)

The Contractor shall provide a Bid for the above Scope of Work on the designated segment of Sweetgum Bottom Road measuring 3065.98 Feet in length. Bid will include the above items plus mobilization. Maintenance of Traffic has been intentionally left out, as this road segment shall remain blocked for the duration of work.

The Contractor shall prepare the surface course in the designated area with a tack coat of asphalt cement using a "spidering" pattern.

It shall be the Contractor's responsibility to familiarize their self and comply with all such local regulations as well as State and Federal rules and to obtain all necessary permits.

The Contract Drawing bound herein identifies the street (and section thereof) designated to receive asphalt pavement.

CONTRACT TIME:

The Contractor shall state, in the Bid Proposal, the number of calendar days to complete the performance of the work from the date specified in the "Notice to Proceed". This information may be used to assist in determining the lowest and best bid.

CONTRACT DRAWINGS:

The Drawing appending herein constitutes the Contract Drawing for this Project.

**CITY OF MERIDIAN
SPECIFICATIONS
ASPHALT PAVING SWEETGUM BOTTOM ROAD**

BITUMINOUS PLANT MIX COURSES:

PART 1 – GENERAL

- 1.01 **REQUIRED WORK:** In accordance with the requirements of this Section, the Contractor shall furnish, haul, place, compact, and test bituminous base and surface courses to the lines, grades, typical cross-sections and thickness shown on the Plans or specified in the Proposal.
- 1.02 **REFERENCED SPECIFICATIONS:** Unless otherwise specified, the material and construction methods shall comply with the "Mississippi Department of Transportation Specifications for Road and Bridge Construction, 2004", together with all amendments and/or special provisions and/or addenda to the standards duly approved and adopted, unless otherwise noted in these specifications and will be referred to in this document as MDOT Specifications.
- 1.03 **CLASSIFICATION OF BITUMINOUS COURSES:** Plant mix bituminous courses generally shall be classified or identified as either base, leveling or surface courses in the following manner:
1. Base Course shall be defined as the initial layer placed on a prepared sub-grade or sub-base. The base course mix shall be Hot Mix Asphalt, Base Course (BB-1).
 2. Surface Course shall be the term applied to the finish or wearing course of asphalt pavement. The base course mix shall be Hot Mix Asphalt, Base Course (SC-1). The surface course must have the following characteristics and perform the following functions:
 - a. Provide a smooth quiet surface for traffic.
 - b. Be resistant to the wear of traffic.
 - c. Be highly stable to resist rutting, shoving or other surface deformations.
 - d. Have a high coefficient of friction to resist skidding and to provide proper traction.
 - e. Be of sufficient density to be waterproof to retard weathering and to prevent damage from freezing and thawing cycles.
- 1.04 **GRADE CONTROL:** The Contractor will establish and maintain the required lines and grade, including crown and cross-slope for each bituminous course during the construction operations.

PART 2 – MATERIALS

- 2.01 **PLANT MIX:** The bituminous mixture will comply with the MDOT Specifications, together with all amendments and/or special provisions and/or addenda to the standards duly approved and adopted, unless otherwise noted in these specifications. The applicable provisions governing materials furnished and incorporated into each type of bituminous course shall adhere strictly to the approved submittal for the job mix formula.
- 2.02 **TACK COAT:** The bituminous material used as a tack coat shall comply with the MDOT Specifications, together with all amendments and/or special provisions and/or addenda to the standards duly approved and adopted, unless otherwise noted in these specifications.

PART 3 – CONSTRUCTION REQUIREMENTS

3.01 **INSPECTION:** The Contractor will examine the sub-grade on which the bituminous concrete is to be installed and notify the Public Works Director in writing of conditions detrimental to the proper and timely completion of the work. The work will not proceed until unsatisfactory conditions have been corrected in a manner acceptable to the Public Works Director.

3.02 PAVEMENT INSTALLATION:

- A. The Contractor will comply with the "Mississippi State Highway Standard Specifications for Road and Bridge Construction, 2004", together with all amendments and/or special provisions and/or addenda to the standards duly approved and adopted, unless otherwise noted in these specifications.
- B. Preparing the mixture includes the plant equipment, stockpiling, heating, aggregate processing, mixing of aggregate and bituminous material, and transporting to job site.
- C. Paving equipment includes bituminous pavers, rolling equipment, and hand tools.
- D. Placing the mixes includes paver-placing, hand placing, spreading, tamping, and jointing.
- E. Compacting the mixes includes breakdown rolling, second rolling, and finishing rolling.

3.03 CLEANING AND PROTECTION:

- A. After completion of paving operations, clean surfaces of excess or spilled bituminous materials and all foreign matter.
- B. Protect newly finished pavement until it has become properly hardened by cooling.

PART 4 – PAYMENT TO CONTRACTOR

4.01 **PAYMENT:** The Contractor may submit payment request for work satisfactorily performed. The Public Works Director will, within ten (10) days after receipt of payment request, either indicate in writing his approval of payment request to the OWNER, or return the payment request to the Contractor indicating in writing his reasons for refusing to approve payment. In the latter case, the Contractor may make the necessary corrections and resubmit the payment estimate. The City of Meridian will, within forty-five (45) days of presentation to him of an approved payment estimate, pay the Contractor a payment on the basis of the approved payment estimate.

SPECIAL CONDITIONS

The Contractor shall notify the Public Works Director at least 48 hours before starting work and shall begin work promptly within the time specified by the Public Works Director in the "Notice to Proceed" letter.

All cost for providing the stakes, placing, maintaining and removing of the stakes, signs and placing notices shall be included in the various unit prices bid for other items.

BID, PERFORMANCE, AND PAYMENT BONDS

A. Bid Bond:

Each bid must be accompanied by a **Certified Check** or **Bid Bond** for five per cent (5%) of the amount of bid, drawn payable to the City of Meridian, Mississippi, as assurance that within ten (10) days after "Notice of Award" of contract contemplated in the bid, the Successful Contractor will enter into such Contract and file for the execution of same.

1. Successful Contractor - In default of entering into such contract and filing of such bond, the certified check accompanying such bid shall be forfeited to the City of Meridian not as a penalty, but as liquidated damages for delays or such other additional costs or expense which may be incurred by the City for reason of such default.
2. Certified checks of unsuccessful Bidders will be returned as soon as the Contract is awarded.
3. Certified check of the Successful Contractor will be returned as soon as the Performance and Payment Bonds are made.

B. Performance and Payment Bonds:

All projects costing in excess of \$25,000.00 and for the construction, alteration, or repair of any public building or public work shall be required to have the following bonds:

1. **Performance Bond** payable to, in favor of, or for the protection of the City for the work the to be done in an amount not less than the amount of the contract, conditioned for full and faithful performance of the contract.
2. **Payment Bond** payable to the City conditioned for the prompt payment of all persons supplying labor or material used in the prosecution of the work under said contract, for the use of each such person in an amount not less than the amount of the contract.

Simultaneously with his/her delivery of the executed Contract, the Contractor shall furnish the Performance Bond and Payment Bond.

The bonds provided for may be made by any surety company which is authorized to do business in the State of Mississippi and listed on the United States Treasury Department's list of acceptable sureties.

INSURANCE STATEMENT

CITY OF MERIDIAN

The Successful Contractor shall purchase or maintain such insurance as will protect him and the City of Meridian (to be named as an additional insured by the party awarded the contract) for such limits as set forth below which may arise out of or result from the contractor's operations under the contract, whether such operations be by himself or any subcontractor, or anyone directly or indirectly employed by them, or anyone for whose acts they may be liable;

- (a) Workers Compensation Coverage - Statutory Limits,
- (b) General Liability Coverage (including Broad Form Supplement and Products and Completed Operations) with limits equal to or excess of \$1,000,000 per occurrence/ \$1,000,000 aggregate,
- (c) Automobile Liability - \$1,000,000 combined single limit,
- (d) Builder's Risk (if applicable) - 100% of contract amount - All Risk Coverage.

It is our understanding with the receipt of the current "Certificate of Insurance" with the City of Meridian named as an additional insured, all applicable endorsements (if any) will be included on this document and coverage for these endorsements will be effective on said effective date with an explanation of the said endorsement to be received no later than thirty (30) days from the receipt of the certificate of insurance.

The party shall also have on file with the City a waiver of subrogation in favor of the City of Meridian from its worker's compensation carrier and provisions from all carriers that policies will not be cancelled until at least thirty (30) days prior written notice has been given to the City.

The contractor awarded the contract agrees to release, protect, indemnify and hold harmless the City of Meridian, its present and future officials, officers, employees, agents, representatives and assigns from any and all losses, claims, liabilities, penalties, fines, forfeitures, demands, causes of action, suits (and all costs and expenses incidental thereto, including costs of defense, settlement, and attorneys' fees) arising out of or relating to the performance of this contract.

Pay	Quantity	Units	Description	Unit Price		Item Amount	
				Dollar	Cents	Dollar	Cents
Roadway Items							
1	1	L.S.	Mobilization	38,000.	00	38,000.	00
2	800	Gal	Asphalt for Tack Coat	3.	00	2,400.	00
3	6132	L.F.	4" Thermoplastic Traffic Stripe, Continuous Yellow (Centerline – Double Yellow)	1.	71	10,485.	72
4	1600	Ton	Hot Mix Asphalt, Base Course (BB-1)	105.	00	168,000.	00
5	700	Ton	Hot Mix Asphalt, Surface Course (SC-1)	106.	00	74,200.	00
6	725	Ton	#57 Limestone (To Grade Shoulders)	54.	25	39,331.	25

TOTAL AMOUNT OF BID : \$ 332,416.97

COMPANY NAME: APAC: Mississippi, Inc.

MAILING ADDRESS: 101 Riverview Dr. Richland CITY, STATE, ZIP: Ms. 39218

PHYSICAL ADDRESS: 101 Riverview Dr. Richland CITY, STATE, ZIP: Ms. 39218

CONTACT FOR BIDS: Jason Burkley

E-MAIL ADDRESS: jason.burkley@apac.com

TOLL FREE NO: 662-328-6555

TELEPHONE NO: 662-379-3127

FAX NO: 662-327-2529

Signature of Authorized Officer or Agent – (Blue Ink): 095 Certificate of Responsibility Number

SIGNATURE: 
Estimator

TITLE:

PRINT NAME: Jason Burkley
4-2-2021

DATE:

☐ We wish to submit a "NO BID" at this time, but request that our company remain on your bidders list for future solicitations.