

DATE: 2/09/2021

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00133525

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: RSCOTT

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

30 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

30 DAYS

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

30 DAYS

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>Correct Door Inc.</u>	
SIGNATURE: (Must be signed here)	TITLE: <u>President</u>
PRINT OR TYPE NAME: <u>Danny Lewis</u>	
ADDRESS: <u>2 Sussex St.</u>	
CITY, STATE: <u>Kenner, LA</u>	ZIP: <u>70062</u>
TELEPHONE: <u>(504) 465-2229</u>	FAX: <u>(504) 466-4023</u>
EMAIL ADDRESS: <u>danny@correctdoor.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 15,686.00

DATE: 2/09/2021

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00133525

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	JOB	Labor, materials and necessary essentials to remove and install new doors for the Jefferson Parish Recreation Department 0010 Provide and install frames, doors, and hardware at MLKing Playground, 2400 Lester St, Harvey, La 70058 Buildings See specs attached	\$15,686.00	\$15,686.00

SPECIFICATIONS

Section 1.0 – Pre-Bid Conference:

A Pre-Bid Conference will not be necessary.

Section 2.0 – Scope:

We extend this proposal to cover all labor, materials, and necessary essentials to remove and haul away existing door and replace with a new custom frame and door

Section 3.0 – Quantities/Inspection:

Bidders must inspect the site and perform their own measurements in order to determine the proper quantity of materials and equipment required to complete this project. All measurements given in these specifications are informational only.

Section 4.0 – Bid Specifications:

The successful bidder shall supply all labor, materials, and necessary essentials to perform the following at **MLKing Playground, 2400 Lester St, Harvey, La 70058** as described

A. Front Entrance:

1. Remove and haul away existing doors and frame from area
2. 1 Custom frame, Steel, 16 gauge, Masonry, 4 inch Header, Galvanized, Welded, Primed
3. 2 Custom Doors, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed.
4. 1 Dorma Number 9500 Mortise Exit Device, Grade 1, Heavy Duty, Stainless Steel. Must be as stated to match existing system.
5. 1 Dorma Number 9400 SVR Exit device, Grade 1, Heavy Duty, Stainless Steel. Must be as stated to match existing system.
6. 1 Dorma Number YR08 Escutcheon Lever Trims, Stainless Steel. Must be as stated to match existing system.
7. 1 Best Number 1E74-C4 Cylinder Housing. Must be as stated to match existing system.
8. 1 Best Number 1CC7A2 Construction Cores w/Control and Construction Keys. Must be as stated to match existing system.
9. 1 Dorma No. 565 Open Back Strike. Must be as stated to match existing system.
10. 2 Dorma Number 8916SPAT Closers, Super Arm, Thumb Turn Hold Open. Must be as stated to match existing system.
11. 2 Hager Number 780-224HD Continuous Hinges, Full Mortise, Clear. Must be as stated to match existing system.

12. 2 Hager Number 190S Kick Plates, 8 Inch Height, Stainless Steel. Must be as stated to match existing system.
13. 1 NGP Number LFRA 100 Door Vision, ¼ Inch Tempered Safety Glass
14. 1 NGP Number 425 Aluminum Threshold, ADA Compliant. Must be as stated to match existing system
15. 2 NGP Number 101V Sweeps, Drip, Clear. Must be as stated to match existing system
16. 1 NGP Number 160V Weather Stripping. Must be as stated to match existing system
17. Install New Frame, Door and Hardware. Finish coat to be done by others.

B. Men's Bathroom Exterior Entrance

1. Remove and haul away existing doors from area
2. 1 Custom Door, Steel, 16 Gauge, Polystyrene Core, Galvanized, Primed.
3. 1 Best Number 45H-7R-15J626 Mortise Lock, Escutcheon, Classroom, 626. Must be as stated to match existing system
4. 1 Best Number 1E74-C4 Cylinder Housings. Must be as stated to match existing system.
5. 1 Best Number 1CC7A2 Construction Core w/Control and Construction Keys. Must be as stated to match existing system.
6. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must be as stated to match existing system.
7. 1 Dorma Number 8916PH Closer, Regular Mounted, Hold Open, 689. Must be as stated to match existing system.
8. 1 Hager Number 780-224HD Continuous Hinge, Full Mortise, Clear. Must be as stated to match existing system.
9. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel. Must be as stated to match existing system.
10. 1 Hager Number 342D Latch Guard, Stainless Steel. Must be as stated to match existing system.
11. 1 NGP Number 425 Aluminum Threshold, ADA Compliant, must be as stated to match existing system
12. 1 NGP Number 101V Sweep, Drip, Clear. Must be as stated to match existing system
13. 1 NGP Number 1060V Weather stripping, clear. Must be as stated to match existing system
14. Install New Door and Hardware. Finish coat to be done by others.

C. Women's Bathroom, Exterior Entrance

1. Remove and haul away existing doors from area
2. 1 Custom Frame, Steel, 16 Gauge, Masonry, 4 Inch Header, Galvanized, Primed.
3. 1 Custom Door, Steel, 16 Gauge, Polystyrene Core, Galvanized, Primed.
4. 1 Best Number 45H-7R-15J626 Mortise Lock, Escutcheon, Classroom, 626. Must be as stated to match existing system

5. 1 Best Number 1E74-C4 Cylinder Housings. Must be as stated to match existing system.
6. 1 Best Number 1CC7A2 Construction Core w/Control and Construction Keys. Must be as stated to match existing system.
7. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must be as stated to match existing system.
8. 1 Dorma Number 8916PH Closer, Regular Mounted, Hold Open, 689. Must be as stated to match existing system.
9. 1 Hager Number 780-224HD Continuous Hinge, Full Mortise, Clear. Must be as stated to match existing system.
10. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel. Must be as stated to match existing system.
11. 1 Hager Number 342D Latch Guard, Stainless Steel. Must be as stated to match existing system.
12. 1 NGP Number 425 Aluminum Threshold, ADA Compliant, must be as stated to match existing system
13. 1 NGP Number 101V Sweep, Drip, Clear. Must be as stated to match existing system
14. 1 NGP number 1060V Weather stripping, clear. Must be as stated to match existing system
15. Install New Frame, Door and Hardware. Finish coat to be done by others.

D. Rear Exterior Exit

1. Remove and haul away existing frame, and door from area
2. 1 Custom Frame, Steel, 16 gauge, Masonry, 4 inch Header, Galvanized, Welded, Primed
3. 1 Custom Doors, Steel, 16 Gauge, Polystyrene core, Galvanized and Primed.
4. 1 Dorma Number 9300 Rim Exit Device, Grade 1, Heavy Duty, Stainless Steel. Must be as stated to match existing system.
5. 1 Dorma Number YR08 Escutcheon Lever Trims, Stainless Steel. Must be as stated to match existing system.
6. 1 Best Number 1E74-C4 Cylinder Housing. Must be as stated to match existing system.
7. 1 Best Number 1CC7A2 Construction Cores w/Control and Construction Keys. Must be as stated to match existing system.
8. 1 Best Cormax 7 Pin Final Core, Keyed to Current System. Must be as stated to match existing system.
9. 1 Dorma Number 8916SPAT Closer, Super Arm, Thumb Turn Hold Open. Must be as stated to match existing system.
10. 1 Hager Number 780-224HD Continuous Hinges, Full Mortise, Clear. Must be as stated to match existing system
11. 1 Hager Number 190S Kick Plate, 8 Inch Height, Stainless Steel. Must be as stated to match existing system

- 12.1 Hager Number 342D Latch Guard, Stainless Steel. Must be as stated to match existing system
- 13.1 NGP Number 425 Aluminum Threshold, ADA Compliant. Must be as stated to match existing system
- 14.1 NGP Number 101V Sweep, Drip, Clear. Must be as stated to match existing system
- 15.1 NGP Number 160V Weather Stripping. Must be as stated to match existing system
16. Install New Frame, Door and Hardware. Finish coat to be done by others.

- All work to be done in workmanlike manner.
- Also, any and all damage incurred during process of job will be contractor's responsibility.
- Job site is MLKing Playground, 2400 Lester St, Harvey, La 70058, as described
- To view jobsite, or set up an appointment, please contact Steve Williams 504-349-7224, SCWilliams@Jeffparish.net, or Brandon Collins 504 -349-7206, BCollins@jeffparish.net.

Section 5.0 – Cleaning Area and Safety:

Contractor must perform daily housekeeping on work area and removal of job debris

Section 6.0 – Pre-Construction Conference and Notice to Proceed:

A Pre-Installation Conference shall be held between the successful bidder and the owner before any work commences.

Section 7.0 – Construction Term

Upon receiving a notice to proceed, the Bidder agrees that all work shall be completed as follows: Vendor agrees to commence actual physical work on the site with an adequate force and equipment within 10 days from the date of Notice of Proceed. All work shall be substantially completed in **NINETY (90)** consecutive calendar days from date of Notice to Proceed.