

DATE: 2/05/2021

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00133499

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: RSCOTT

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES _____

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK _____

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK _____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) 62175

***** ALL BIDDERS MUST COMPLETE SECTION BELOW *****

FIRM NAME: T Clark Enterprise Inc

SIGNATURE:

(Must be signed here)

Tyrone R. Clark

TITLE:

CEO

PRINT OR TYPE NAME:

Tyrone Clark

ADDRESS:

3412 Woodcrest Dr. Ste . B

CITY, STATE:

Baton Rouge, La

ZIP:

70814

TELEPHONE:

(225) 268-5465

FAX:

()

EMAIL ADDRESS:

t.clarkenterprise@yahoo.com

TOTAL PRICE OF ALL BID ITEMS: \$ 46,951.75

DATE: 2/05/2021

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00133499

SEALED BID

| ITEM NUMBER | QUANTITY | U/M | DESCRIPTION OF ARTICLES | UNIT PRICE QUOTED | TOTALS |
|----------------|----------|-----|---|----------------------|-----------|
| 1 | 1.00 | JOB | Labor, materials, equipment, delivery and all other incidentals necessary to supply and install 4 walk signs for the Jefferson Parish General Services Dept 0010 - CROSSWALK SIGNS JEFFERSON PERFORMING ARTS CENTER PROVIDE LABOR, MATERIALS, EQUIPMENT, DELIVERY AND ALL OTHER INCIDENTALS NECESSARY TO SUPPLY AND INSTALL FOUR (4) NEW SOLAR POWERED PEDESTRIAN CROSS WALK SIGNS FOR THE DEPARTMENT OF GENERAL SERVICES PER THE ATTACHED SPECIFICATIONS AT THE FOLLOWING LOCATION: JEFFERSON PERFORMING ARTS CENTER 6400 AIRLINE DRIVE METAIRIE, LA 70003 | 46,951.75 | 46,951.75 |



State Licensing Board for Contractors

This is to Certify that:

T. CLARK ENTERPRISE, INC.
P.O.Box 41977
Baton Rouge, LA 70835-1977

is duly licensed and entitled to practice the following classifications

ELECTRICAL WORK (STATEWIDE)



Witness our hand and seal of the Board dated,
Baton Rouge, LA 22nd day of August 2019

W. B. McPherson
Director

Lee Mallett
Chairman

Andre D. Dumas
Treasurer

Expiration Date: August 21, 2021

License No: 62175

This License Is Not Transferrable



CERTIFICATE OF LIABILITY INSURANCE

DATE(MM/DD/YYYY)
01/26/21

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

| | | |
|---|---|--------------------------------------|
| PRODUCER COMPPLUS LTD PO Drawer 40418 Baton Rouge, LA 70835-0418 | CONTACT NAME: William Ogden | |
| | PHONE (A/C No. Ext): (225) 927-6365 | FAX (A/C No.): (888) 222-5951 |
| INSURED T. Clark Enterprise, Inc. dba TCE Electric P.O. Box 41977 243 East Holly St., Baton Rouge, LA Baton Rouge, LA 70835 | E-MAIL ADDRESS: compplus@hotmail.com | |
| | INSURER(S) AFFORDING COVERAGE | |
| | INSURER A: Crum & Forster Specialty Ins Co | |
| | INSURER B: LA Construction & Industry SIF | |
| | INSURER C: | |
| | INSURER D: | |
| INSURER E: | | |
| INSURER F: | | |

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

| INSR LTR | TYPE OF INSURANCE | ADDL INSD | SUBR WVD | POLICY NUMBER | POLICY EFF (MM/DD/YYYY) | POLICY EXP (MM/DD/YYYY) | LIMITS |
|----------|---|-----------|----------|---------------|-------------------------|-------------------------|---|
| A | COMMERCIAL GENERAL LIABILITY | | | BAK-31636-4 | 7/16/2020 | 7/16/21 | EACH OCCURRENCE |
| | <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR | | | | | | DAMAGE TO RENTED PREMISES (Ea occurrence) |
| | | | | | | | MED EXP (Any one person) |
| | | | | | | | PERSONAL & ADV INJURY |
| | GEN'L AGGREGATE LIMIT APPLIES PER: | | | | | | GENERAL AGGREGATE |
| | <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC | | | | | | PRODUCTS - COMP/OP AGG |
| | OTHER: | | | | | | |
| | AUTOMOBILE LIABILITY | | | | | | COMBINED SINGLE LIMIT (Ea accident) |
| | ANY AUTO | | | | | | BODILY INJURY (Per person) |
| | OWNED AUTOS ONLY | | | | | | BODILY INJURY (Per accident) |
| | HIRED AUTOS ONLY | | | | | | PROPERTY DAMAGE (Per accident) |
| | SCHEDULED AUTOS NON-OWNED AUTOS ONLY | | | | | | |
| | UMBRELLA LIAB | | | | | | EACH OCCURRENCE |
| | EXCESS LIAB | | | | | | AGGREGATE |
| | DED | | | | | | |
| | RETENTION \$ | | | | | | |
| B | WORKERS COMPENSATION AND EMPLOYERS' LIABILITY | | | 25629-3 | 12/6/2020 | 12/6/2021 | <input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER |
| | ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) | Y/N | | | | | |
| | If yes, describe under DESCRIPTION OF OPERATIONS below | N/A | | | | | |
| | | | | | | | |
| | | | | | | | E.L. EACH ACCIDENT |
| | | | | | | | E.L. DISEASE - EA EMPLOYEE |
| | | | | | | | E.L. DISEASE - POLICY LIMIT |

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Electrical Work (Statewide) - Commercial License - 62175

CERTIFICATE HOLDER

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.




CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
02/22/21

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

| | |
|--|---|
| PRODUCER  STAN DOUGLAS, AGENT STATE FARM INSURANCE COMPANY 14635 S HARRELLS FERRY RD., SUITE 5B BATON ROUGE, LA. 70816 | CONTACT NAME: TRACI D MOREAU PHONE (A/C, No. Ext): (225)272-7777 FAX (A/C, No): (225)272-7784 E-MAIL ADDRESS: traci.moreau.ipxy@statefarm.com |
| | INSURER(S) AFFORDING COVERAGE INSURER A: State Farm Fire and Casualty Company INSURER B: INSURER C: INSURER D: INSURER E: INSURER F: |
| INSURED T. CLARK ENTERPRISE INC C/O TYRONE CLARK 345 SPRINGHAVEN DR. BATON ROUGE, LA. 70810 | NAIC # 25143 |

COVERAGES**CERTIFICATE NUMBER:****REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

| INSR LTR | TYPE OF INSURANCE | ADDL INSD | SUBR WVD | POLICY NUMBER | POLICY EFF (MM/DD/YYYY) | POLICY EXP (MM/DD/YYYY) | LIMITS |
|----------|--|-----------|----------|-----------------|-------------------------|-------------------------|--|
| | COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER: | | | | | | EACH OCCURRENCE \$ DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ PRODUCTS - COMP/OP AGG \$ OTHER \$ |
| | AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> NON-OWNED AUTOS ONLY | X | | 329 8235 B31 18 | 02/28/2021 | 08/31/2021 | COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ 1,000,000 BODILY INJURY (Per accident) \$ 1,000,000 PROPERTY DAMAGE (Per accident) \$ 1,000,000 OTHER \$ |
| | UMBRELLA LIAB <input type="checkbox"/> OCCUR EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input type="checkbox"/> RETENTION \$ | | | | | | EACH OCCURRENCE \$ AGGREGATE \$ OTHER \$ |
| | WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? <input type="checkbox"/> Y <input checked="" type="checkbox"/> N (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below | | N/A | | | | PER STATUTE <input type="checkbox"/> OTH-ER <input type="checkbox"/> E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$ |

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER**CANCELLATION**

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.


AUTHORIZED REPRESENTATIVE

SOLAR-POWERED RECTANGULAR RAPID FLASHING BEACON


Side-of-pole control cabinet

SIDE-OF-POLE CONTROL CABINET


| | |
|--------------------------|---|
| HOUSING | NEMA 3R type aluminum |
| SOLAR PANEL | 55 watt |
| BATTERY | 12v, up to 48Ah |
| BATTERY LIFESPAN | 3 to 5 years, field replaceable |
| MOUNTING OPTIONS | Various sizes of round, square and wood posts |
| MOUNTING HARDWARE | Stainless steel hardware |
| WARRANTY | 3-year limited battery warranty 5-year limited system warranty 10-year limited solar panel warranty |



Front View



Side View




Angle View



RECTANGULAR RAPID FLASHING BEACON: RRFB-XL2™

| | |
|------------------------------------|--|
| LIGHT BAR HOUSING | Black powder coated aluminum |
| VEHICLE LED MODULES | 7" x 3", 2 arrays of 8 amber LEDs spaced 7" apart, SAE J595 class 1 certified |
| PEDESTRIAN LED MODULES | 1¾" x ½", side-viewable, flash simultaneously with vehicle LED (optional, one or both sides) |
| FLASH PATTERN | WW + S (combination wig-wag and simultaneous flash) |
| DIMMABLE | Automatically controlled via included photocell sensor |
| MOUNTING HARDWARE | Various options available |
| WIND LOAD RATING | Up to 120mph* |
| OPERATING TEMPERATURE RANGE | -40°F to 122°F |

* Dependent upon pole size and system arrangement



BLINKERBEAM® WIRELESS COMMUNICATION

| | |
|---------------------|--|
| FREQUENCY | 900 MHz FHSS (Frequency Hopping Spread Spectrum) |
| RANGE | 900 feet (radio site survey recommended) |
| CONNECTIVITY | Crosswalk and optional advanced warning LEDs activate concurrently |


ACTIVATIONS

| | |
|----------------------------------|---|
| PUSH BUTTON ACTIVATION | ADA push button, typical (<120 millisecond) |
| USER-ACTUATED PUSH BUTTON | XAV2-LED or Bulldog |
| PASSIVE DETECTION | Wireless bollards |

OPTIONAL PROGRAMMING

| | |
|-------------------|---|
| BlinkLink™ | Optional cloud software with cellular modem** |
|-------------------|---|

** Dependent upon system configuration



RRFB-XL2™



BLINKERBEAM®
WIRELESS RADIO



XAV2-LED
PUSH BUTTON




BULLDOG
PUSH BUTTON



(800) 236-0112


TAPCOnet.com



TAPCO
 TRAFFIC & PARKING CONTROL CO., INC.

| | | | |
|---|-----------|---|----------|
| TOLERANCE UNLESS OTHERWISE SPECIFIED | | TITLE | |
| HOLE Ø | ±.003 | RREB, SOLAR 55/48, RADIO, SOP, DS, AMBER, PH, H | |
| DEC. | INCH | POLE X2 (30" W11-2 ARRANGEMENT) | |
| X | ±.000 | | |
| XX | ±.015 | | |
| XXX | ±.006 | | |
| ANGULAR | ±.05° | | |
| DESIGNED BY: | TAPCO | SIZE | DWG. NO. |
| DRAWN BY: | C. GRAVES | B | 600147 |
| CHECKED BY: | | REV | WEIGHT: |
| | | B | |
| PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TAPCO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TAPCO IS PROHIBITED. | | | |
| SHEET 1 OF 6 | | | |

- NOTES:**
1. ORIENT SOLAR PANEL TOWARDS SOUTHERN SKY FOR MAXIMUM SOLAR EXPOSURE
 2. CONTROL CABINET HEIGHT MAY VARY.
 3. SNAP LOOKS ARE PROVIDED, STANDARD 3/4" S/S BANDING IS RECOMMENDED
 4. J-BOLTS NOT SHOWN
 5. ALL DIMENSIONS ARE FOR REFERENCE ONLY
 6. STATIC SIGNS NOT INCLUDED IN SYSTEM **B**




67-0146 HERNANDEZ, C. F. and C. J. M. 1992. *Journal of Great Lakes Research*, 18: 103-110.


TAPCO®
TRAFFIC & PARKING CONTROL CO., INC.

| | | | | | |
|--------------------------------------|--------|---------------------|--|---|----------|
| TOLERANCE UNLESS OTHERWISE SPECIFIED | | TITLE: | | RRFB, SOLAR 55/48, RADIO, SOP, DS, AMBER, PH, H POLE X2 (30" W11-15 ARRANGEMENT) | |
| DEC. | INCH | DESIGNED BY: TAPCO | | SIZE | DWG. NO. |
| XX | ±.0030 | DRAWN BY: C. GRAVES | | B | 600147 |
| XXX | ±.0015 | CHECKED BY: | | 5/7/2018 | |
| ANGULAR | ±.05° | | | | |
| | | WEIGHT: | | REV | |
| | | | | B | |
| | | | | SCALE: 1/8" | |
| | | | | SHEET 3 OF 6 | |

A

NOTES:

1. ORIENT SOLAR PANEL TOWARDS SOUTHERN SKY FOR MAXIMUM SOLAR EXPOSURE
2. CONTROL CABINET HEIGHT MAY VARY.
3. SNAP LOCKS ARE PROVIDED, STANDARD 3/4" S/S BANDING IS RECOMMENDED
4. J-BOLTS NOT SHOWN
5. ALL DIMENSIONS ARE FOR REFERENCE ONLY
6. STATIC SIGNS NOT INCLUDED IN SYSTEM 



General Engineering

TAPCO
TRAFFIC & PARKING CONTROL CO., INC.

INTERPRET GEOMETRIC
TOLERANCING PER:
ASME Y14.5-2009

FINISH

TITLE
RRFB, SOLAR 55/48, RADIO, SOP, DS, AMBER, PH, H
POLE X2 (36\"/>

TOLERANCE UNLESS
OTHERWISE SPECIFIED
HOLE Ø ±.003
X ±.0030
XX ±.0015
XXX ±.0005
ANGULAR ±.05°

DESIGNED BY: TAPCO
DRAWN BY: C. GRAVES
CHECKED BY:

SIZE DWG. NO.
B 600147

REV WEIGHT:
B 128

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TAPCO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TAPCO IS PROHIBITED.



NOTES:

1. ORIENT SOLAR PANEL TOWARDS SOUTHERN SKY FOR MAXIMUM SOLAR EXPOSURE
2. CONTROL CABINET HEIGHT MAY VARY.
3. SNAP LOCKS ARE PROVIDED, STANDARD 3/4\"/>

5. ALL DIMENSIONS ARE FOR REFERENCE ONLY

6. STATIC SIGNS NOT INCLUDED IN SYSTEM

1 2 3 4 5 6 7 8




NOTES:

1. ORIENT SOLAR PANEL TOWARDS SOUTHERN SKY FOR MAXIMUM SOLAR EXPOSURE
2. CONTROL CABINET HEIGHT MAY VARY.
3. SNAP LOCKS ARE PROVIDED, STANDARD 3/4" S/S BANDING IS RECOMMENDED
4. J-BOLTS NOT SHOWN
5. ALL DIMENSIONS ARE FOR REFERENCE ONLY
6. STATIC SIGNS NOT INCLUDED IN SYSTEM

TAPCO
TRAFFIC & PARKING CONTROL CO., INC.

| | | |
|--------------------------------------|---|---|
| TOLERANCE UNLESS OTHERWISE SPECIFIED | TITLE | RRFB, SOLAR 55/48, RADIO, SOP, DS, AMBER, PH, H |
| HOLE ϕ $\pm .003$ | INTERPRET GEOMETRIC TOLERANCING PER ASME Y14.5-2009 | REFERENCE: |
| X ± 0.030 | MATERIAL | |
| XX ± 0.015 | FINISH | |
| XXX ± 0.005 | SIZE | DWG. NO. 600147 |
| ANGULAR $\pm .05^\circ$ | DESIGNED BY: TAPCO | REV B |
| | DRAWN BY: C. GRAVES | WEIGHT: |
| | CHECKED BY: | SCALE: 1/8" |
| | DATE: 5/7/2018 | |

PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF TAPCO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF TAPCO IS PROHIBITED.



NOTES:

1. ORIENT SOLAR PANEL TOWARDS SOUTHERN SKY FOR MAXIMUM SOLAR EXPOSURE
2. CONTROL CABINET HEIGHT MAY VARY.
3. SNAP LOCKS ARE PROVIDED, STANDARD 3/4" S/S BANDING IS RECOMMENDED
4. J-BOLTS NOT SHOWN
5. ALL DIMENSIONS ARE FOR REFERENCE ONLY
6. STATIC SIGNS NOT INCLUDED IN SYSTEM B

TAPCO
TRAFFIC & PARKING CONTROL CO., INC.

INTERPRET GEOMETRIC TOLERANCING PER ASME Y14.5-2009

REFERENCE:

TITLE: RRFB, SOLAR 55/48, RADIO, SOP, DS, AMBER, PH, H
POLE X2 (36" W11-15 ARRANGEMENT)

DESIGNED BY: TAPCO
DRAWN BY: C. GRAVES
CHECKED BY: 5/7/2018

SIZE DWG. NO. **B** 600147

REV WEIGHT: **B**

SCALE: 1/2"

SHEET 6 OF 6