



**CENTRALBIDDING**

FROM CENTRAL AUCTION HOUSE

**5000134302 TWO YEAR CONTRACT FOR A SUPPLY OF VARIOUS  
ELECTRICAL SUPPLIES TO BE ORDERED ON AN AS NEEDED BASIS  
FOR JEFFERSON PARISH DEPARTMENT OF PARKS & RECREATION  
AND ALL JEFFERSON PARISH MUNICIPALITIES AND AGENCIES.  
Jefferson Parish Government**

Project documents obtained from [www.CentralBidding.com](http://www.CentralBidding.com)

21-Apr-2021 03:28:53 PM



**Bid Number 50 - 00134302**

**TWO YEAR CONTRACT FOR A SUPPLY OF VARIOUS ELECTRICAL  
SUPPLIES TO BE ORDERED ON AN AS NEEDED BASIS FOR JEFFERSON  
PARISH DEPARTMENT OF PARKS AND RECREATION AND ALL JEFFERSON  
PARISH MUNICIPALITIES AND AGENCIES.**

**MAY 11, 2021 at 2:00 pm**

**ATTENTION VENDORS!!!**

**Please review all pages and respond accordingly, complying with all provisions  
in the technical specifications and Jefferson Parish Instructions for Bidders and  
General Terms and Conditions. All bids must be received on the Purchasing  
Department's eProcurement site, [www.jeffparishbids.net](http://www.jeffparishbids.net), by the bid due date  
and time.**

**Donna Reamey  
Dreamey@jeffparish.net  
504-364-2684**

DATE: 4/21/2021  
BID NO.: 50-00134302

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 1

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

BUYER: DREAMEY@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA [WWW.JEFFPARISHBIDS.NET](http://WWW.JEFFPARISHBIDS.NET) UNTIL 2:00 PM, 5/11/2021 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting [www.jeffparishbids.net](http://www.jeffparishbids.net) to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS**

**THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS**

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

DATE: 4/21/2021

BID NO.: 50-00134302

Page: 2

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

### INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).



DATE: 4/21/2021

BID NO.: 50-00134302

## INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Page: 3

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

### IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at [www.jeffparishbids.net](http://www.jeffparishbids.net) to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

### ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

DATE: 4/21/2021

BID NO.: 50-00134302

Page: 4

### INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DATE: 4/21/2021

BID NO.: 50-00134302

Page: 5

### INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

See Page 1 for Conflicts of Interest Statement

DATE: 4/21/2021

Page: 6

BID NO.: 50-00134302

**BID FORM**  
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES \_\_\_\_\_ NO X

MAXIMUM ESCALATION PERCENTAGE REQUESTED \_\_\_\_\_%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF TERM OF CONTRACT

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

PER TERM OF CONTRACT

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) N/A

**THIS SECTION MUST BE COMPLETED BY BIDDER:**

FIRM NAME: CED AND T.C. ELECTRIC SUPPLY

ADDRESS: 3321 WESTBANK EXPRESSWAY

CITY, STATE: HARRIS, LA ZIP: 70058

TELEPHONE: (504) 341-4281 FAX: (504) 340-3400

EMAIL ADDRESS: RHEMENWAY@CED-ICELECTRIC.COM

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

TOTAL PRICE OF ALL BID ITEMS: \$ 458,008.59

AUTHORIZED

SIGNATURE: Ronald J. Hemenway

TITLE: OUTSIDE SALES

RONALD J. HEMENWAY  
Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.





CONSOLIDATED ELECTRICAL DISTRIBUTORS, INC.

COUNTY OF DALLAS

STATE OF TEXAS

David T. Bradford being duly sworn disposes and says that he is the Vice President and Secretary of Consolidated Electrical Distributors, Inc. a corporation organized and existing under and by virtue of the laws of the state of Delaware and having its principal office at 1920 Westridge Drive, Irving, Texas 75038. Affiant further says that he is familiar with the records, minute books and by-laws of Consolidated Electric Distributors, Inc. dba I.C. Electric Supply. Affiant further says that **Ronald Hemenway** is duly authorized to sign bid proposals and contracts for said Corporation for the period of **two years from the date hereof** to supply to the **Parish of Jefferson** with electrical materials.

Given under my hand and seal as of this 6th day of May 2021.

David T. Bradford, Vice President, Secretary


*Corporate Seal*

State of Texas  
County of Dallas

Subscribed and sworn to before me this 6th day of May 2021, by David T. Bradford proved to me on the basis of satisfactory evidence to be the person who appeared before me.

Angela Wilson, Notary Public

My Commission expires May 19, 2023



Non-Public Works Bid

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF JEFFERSON

BEFORE ME, the undersigned authority, personally came and appeared: RONALD  
HEMENWAY, (Affiant) who after being by me duly sworn, deposed and said that  
he/she is the fully authorized OUTSIDE SALES of CECADA ICE ELECTRIC SUPPLY (Entity),  
the party who submitted a bid in response to Bid Number 5-00134302, to the Parish of  
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required  
attachment):

Choice A \_\_\_\_\_

Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B ☒

there are NO campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

**(Choose A or B, if option A is indicated please include the required attachment):**

Choice A \_\_\_\_\_

Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B ✓ \_\_\_\_\_

There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

*[The remainder of this page is intentionally left blank.]*

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

  
Signature of Affiant

RONALD J. HEMENWAY  
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 11<sup>th</sup> DAY OF May, 2021.

  
Notary Public

John D. Murphy III  
Printed Name of Notary

87713  
Notary/Bar Roll Number



My commission expires at Death.



DATE: 4/21/2021

Page 7

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TWO YEAR CONTRACT FOR A SUPPLY OF VARIOUS ELECTRICAL SUPPLIES TO BE ORDERED ON AN AS NEEDED BASIS FOR JEFF PARISH PARKS & REC. & ALL JEFF PARISH MUNICIPALITIES AND AGENCIES.		
1	25.00	ROLL	0010 - TAPE, SPLICING - 3M 3/4 INCH X 30 FEET  BRAND: 3M NO. 130C-3/4	14.457	361.43
2	500.00	ROLL	0020 - TAPE, ELECTRICAL- NO. 33, 3M PLASTIC ELECTRICAL TAPE  3/4 INCH X 66 FEET BRAND: 3M NO. 33	5.214	2,607.14
3	500.00	ROLL	0030 - TAPE, ELECTRICAL- NO. 35 3M CODING ELECTRICAL TAPE  3/4 INCH X 66 FEET BRAND: 3M NO. 35  ALL COLORS ARE TO BE AVAILABLE ON THE CONTRACT.	5.043	2521.43
4	750.00	BX	0040 - WIRE NUTS, GRAY 100 PER BOX  BRAND: IDEAL NO. 30071	8.00	6000.00
5	100.00	BX	0050 - WIRE NUTS, SMALL BLUE 100 PER BOX  BRAND: IDEAL NO. 30072	8.571	857.14
6	100.00	BX	0060 - WIRE NUTS, ORANGE 100 PER BOX  BRAND: IDEAL NO. 30073	10.00	1000.00
7	75.00	BX	0070 - WIRE NUTS, YELLOW 100 PER BOX  BRAND: IDEAL NO. 30074	11.286	846.43
8	50.00	BX	0080 - WIRE NUTS, RED 100 PER BOX	17.00	850.00

DATE: 4/21/2021

Page 8

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
9	150.00	BX	BRAND: IDEAL NO. 30076  0090 - WIRE NUTS, GREEN 100 PER BOX	23.571	3535.71
10	50.00	JAR	BRAND: IDEAL NO. 30092  0100 - WIRE NUTS, TAN 500 PER JAR	65.100	3255.00
11	50.00	BX	BRAND: IDEAL NO. 30641  0110 - WIRE CONNECTORS, RED B-CAP 100 PER BOX	21.014	1050.71
12	25.00	BX	BRAND: IDEAL NO. B2-1  0120 - WIRE NUT COMBO, BIG BLUE/GRAY 50 PER BOX	17.143	857.14
13	30.00	BX	BRAND: 3M NO. BG  0130 - WIRE NUT COMBO, RED/YELLOW 100 PER BOX	14.286	428.57
14	60.00	EA	BRAND: 3M NO. RY  0140 - ANCHOR KIT NO. 10 SCREWS	12.174	730.46
15	2.00	EA	BRAND: BLACKBURN NO. 51212  0150 - ANCHOR KIT NO. 10 SCREWS	12.174	24.35
16	250.00	EA	BRAND: BLACKBURN NO. 51404  0160 - CLAMP, BEAM, 1/4-20 - MINER BRAND: MINERALLAC  NO. 600	0.961	240.36
17	100.00	EA	0170 - UNISTRUT STRAP, EMT 1/2 INCH	0.886	88.57

DATE: 4/21/2021

Page 9

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
18	75.00	EA	BRAND: B-LINE NO. B2001PAZN  0180 - UNISTRUT STRAP, RIGID 1-1/4 INCH	0.986	73.93
19	2.00	EA	BRAND: B-LINE NO. B20011ZN  0190 - UNISTRUT STRAP, RIGID, 2 INCH BRAND: B-LINE  NO. B2013PAZN	\$ 1.186	2.37
20	2.00	EA	0200 - UNISTRUT STRAP, 3 INCH BRAND: B-LINE  NO. B2015PAZN	1.714	3.43
21	150.00	FT	0210 - UNISTRUT - PRE-GALVANIZED 1-5/8 INCH  COMES IN 10 FOOT LENGTHS BRAND: B-LINE NO. B22GALV	3.441	516.21
22	500.00	FT	0220 - UNISTRUT - HOT DIP GALVANIZED 1-5/8 INCH  COMES IN 10 FOOT LENGTHS BRAND: B-LINE NO. B22HDG	5.387	2693.57
23	100.00	EA	0230 - SPRING NUT, 1/4 INCH BRAND: B-LINE  NO. N224ZN	0.69	69.00
24	250.00	EA	0240 - SPRING NUT, 3/8 INCH BRAND: B-LINE  NO. N228ZN	0.743	185.71
25	2.00	EA	0250 - CRIMP, BUTTSPLICE, 6 AWG BRAND: BURNDY  NO. YS6CLBOX	2.00	4.00
26	2.00	EA	0260 - CRIMP, BUTTSPLICE, 8 AWG BRAND: BURNDY  NO. <del>YS8CLBOX</del> CORRECT PART # IS YS8CLBOX	1.343	2.69

DATE: 4/21/2021

Page 10

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
27	25.00	EA	0270 - COPPER SPLIT BOLT CONNECTORS NO. 8 AWG - NO. 6 AWG  BRAND: BURNDY NO. KS17	1.243	31.07
28	25.00	EA	0280 - COPPER SPLIT BOLT CONNECTORS NO. 8 AWG - NO. 4 AWG  BRAND: BURNDY NO. KS20	1.514	37.86
29	10.00	EA	0290 - COPPER SPLIT BOLT CONNECTORS NO. 6 AWG - NO. 4 AWG  BRAND: BURNDY NO. KS23	2.386	23.86
30	10.00	EA	0300 - COOPER SPLIT BOLT CONNECTORS NO. 4 AWG - 1/0 AWG  BRAND: BURNDY NO. KS25	3.143	31.43
31	10.00	EA	0310 - COOPER SPLIT BOLT CONNECTORS NO. 1 AWG - 3/0 AWG  BRAND: BURNDY NO. KS27	7.457	74.57
32	2.00	PK	0320 - CONNECTOR, COMPRESSION, RG6 PACKAGE OF 50  BRAND: IDEAL NO. 92-650	40.857	81.71
33	700.00	FT	0330 - CONDUIT, 1 INCH ALUMINUM COMES IN 10 FOOT LENGTHS  NO. AL1	2.407	1685.02
34	700.00	FT	0340 - CONDUIT, 1/2 INCH ALUMINUM COMES IN 10 FOOT LENGTHS  NO. AL1/2	1.241	868.82
35	2.00	FT	0350 - CONDUIT, 1-1/2 INCH ALUNINUM COMES IN 10 FOOT LENGTHS  No. AL1-1/2	3.918	7.84
36	2.00	FT	0360 - CONDUIT, 1-1/4 INCH ALUMINUM COMES IN 10 FOOT LENGTHS	3.162	6.32



DATE: 4/21/2021

Page 11

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
37	500.00	FT	No. AL1-1/4 0370 - CONDUIT, 2 INCH ALUMINUM COMES IN 10 FOOT LENGTHS	5.234	2616.92
38	2.00	FT	NO. AL2 0380 - CONDUIT, 2-1/2 INCH ALUMINUM COMES IN 10 FOOT LENGTHS	8.281	16.56
39	1,500.00	FT	No. AL2-1/2 0390 - CONDUIT, 3/4 INCH ALUMINUM COMES IN 10 FOOT LENGTHS	1.652	2477.75
40	500.00	FT	No. AL3/4 0400 - CONDUIT, 1 INCH EMT COMES IN 10 FOOT LENGTHS	2.630	1315.00
41	500.00	FT	No. EMT1 0410 - CONDUIT, 1/2 INCH EMT COMES IN 10 FOOT LENGTHS	0.862	430.83
42	100.00	FT	No. EMT1/2 0420 - CONDUIT, 1-1/2 INCH EMT COMES IN 10 FOOT LENGTHS	5.234	523.38
43	1,500.00	FT	No. EMT1-1/2 0430 - CONDUIT, 3/4 INCH EMT COMES IN 10 FOOT LENGTHS	1.527	2291.00
44	2.00	FT	No. EMT3/4 0441 - CONDUIT, ELECTRICAL, ALUMINUM, 1-1/2 INCH, THREADED AND COUPLED COMES IN 10 FOOT LENGTHS	3.918	7.84
45	500.00	FT	0450 CONDUIT, 1-1/4 INCH EMT COMES IN 10 FOOT LENGTHS	4.277	2138.42
46	100.00	FT	0460 - CONDUIT, RIGID GALVANIZED, 2 INCH THREADED AND COUPLED COMES IN 10 FOOT LENGTHS	13.206	1320.57
47	100.00	FT	0470 - CONDUIT, 2 INCH EMT COMES IN 10 FOOT LENGTHS	6.124	612.35

DATE: 4/21/2021

Page 12

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
48	2.00	FT	0480 - CONDUIT, RIGID GALVANIZED, 2-1/2 INCH, THREADED AND COUPLED.  COMES IN 10 FOOT LENGTHS	24.884	49.77
49	100.00	FT	0490 CONDUIT, RIGID STEEL, 1/2 INCH COMES IN 10 FOOT LENGTHS	3.972	397.20
50	2.00	FT	0500 CONDUIT, RIDGID STEEL, 3/4 INCH COMES IN 10 FOOT LENGTHS	4.077	8.15
51	2.00	FT	0510 CONDUIT, RIDGID STEEL, 1 INCH COMES IN 10 FOOT LENGTHS	6.496	12.99
52	2.00	FT	0520 CONDUIT, RIDGID STEEL, 1-1/4 INCH COMES IN 10 FOOT LENGTHS	9.565	19.13
53	2.00	FT	0530 CONDUIT, RIDGID STEEL, 1-1/2 INCH COMES IN 10 FOOT LENGTHS	10.764	21.53
54	2.00	FT	0540 CONDUIT, RIDGID STEEL, 2 INCH COMES IN 10 FOOT LENGTHS	13.206	1320.57
55	20.00	EA	0550 - CONNECTOR, 1/2 INCH CORD GRIP .250 - .370  Brand: Woodhead No. 5524	5.90	118.00
56	8.00	EA	0560 - SWITCH, HEAVY DUTY SAFETY 30A, 600V, FUSED NEMA 3R DISCONNECT  Brand: Eaton No. DH361NRK	403.943	3231.54
57	500.00	EA	0570 - STRAP, 1/2 INCH EMT, 1 HOLE Brand: Minerallac  No. 130	0.123	61.43
58	500.00	EA	0580 - STRAP, 3/4 INCH EMT, 1 HOLE Brand: Minerallac	0.154	77.14

DATE: 4/21/2021

Page 13

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			No. 145		
59	50.00	EA	0590 - STRAP, 1 INCH EMT, 1 HOLE Brand: Minerallac	0.221	11.07
			No. 155		
60	50.00	EA	0600 - STRAP, STAND OFF, 1 INCH Brand: Minerallac	0.663	33.14
			No. 2B		
61	200.00	EA	0610 - STRAP, 1-1/4 INCH EMT, 1 HOLE Brand: Minerallac	0.340	68.00
			No. 165		
62	50.00	EA	0620 - STRAP, 1-1/2 INCH EMT, 1 HOLE Brand: Minerallac	0.633	31.64
			No. MED75		
63	50.00	EA	0630 - STRAP, 1/2 INCH EMT, 2 HOLE Brand: Minerallac	0.109	5.43
			No. 230		
64	50.00	EA	0640 - STRAP, 3/4 INCH EMT, 2 HOLE Brand: Minerallac	0.130	6.50
			No. 245		
65	50.00	EA	0650 - STRAP, 2 INCH CONDUIT, 2 HOLE Brand: Minerallac	0.636	31.79
			No. 290		
66	500.00	EA	0660 - BOX, HANDY, SUPPORT (F STRAPS) Brand: EGS	0.369	184.62
			No. 896		
67	50.00	EA	0670 - BOX, HANDY, DUPLEX OUTLET COVER GALVANIZED ZINC, LENGTH 4 INCH, WIDTH 2-1/8 INCH, DEPTH 1-7/8 INCH, 1/2 INCH KNOCKOUTS Brand: EGS No. 2510	0.512	25.62
68	200.00	EA	0680 - BOX, SWITCH, FOR EMT FLEXIBLE CONDUIT, 2-1/2 INCH D GANGABLE BOX WITH	2.331	466.15

DATE: 4/21/2021

Page 14

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
69	50.00	EA	MTD EARS Brand: EGS No. 222  0690 - BOX, HANDY, SWITCH COVER GALVANIZED ZINC, LENGTH 4-3/16 INCH,  WIDTH 2-5/16 INCH, RAISED 1/4 INCH Brand: EGS No. 2594	0.598	29.92
70	50.00	EA	0700 - BOX, HANDY, BLANK COVER GALVANIZED ZINC, LENGTH 4-3/16 INCH,  WIDTH 2-5/16 INCH, RAISED 1/4 INCH Brand: EGS No. 2540	0.500	25.00
71	20.00	EA	0710 - COVER, INDUSTRIAL METAL WITH 1 SWITCH, GANG 4 INCH  Brand: EGS No. 8361	1.880	37.60
72	20.00	EA	0720 - COVER, INDUSTRIAL METAL FOR SINGLE GFCI OUTLET  Brand: EGS No. 8364	6.274	125.48
73	50.00	EA	0730 - COVER, OCTAGON, BLANK Brand: EGS  No. 8413	0.671	33.54
74	2.00	EA	0740 - COVER, INDUSTRIAL METAL, SWITCH WITH 2 SWITCHES, GANG 4 INCH  Brand: EGS No. 8367	1.397	2.79
75	150.00	EA	0750 - COVER, 4 INCH, SQUARE, BLANK Brand: EGS  No. 8465	0.549	82.38
76	2.00	EA	0760 - COVER, BLANK, 4-11/16 INCH Brand: EGS  No. 8487	1.026	2.05
77	50.00	EA	0770 - BOX, HANDY, WITH 1/2 INCH HOLES Brand: EGS	1.446	72.31



DATE: 4/21/2021

Page 15

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
78	150.00	EA	No. 4CS-1/2 0780 - BOX, 4 INCH SQUARE 2-1/8 INCH DEEP WITH 1/2 INCH AND 3/4 INCH COMBINATION KNOCKOUTS EGS 4SDSPL	2.831	424.62
79	75.00	EA	0790 - BOX, OCTAGON, 1-1/2 INCH DEEP WITH 1/2 INCH AND 3/4 INCH KNOCKOUTS Brand: EGS No. 4ODSPL	2.713	203.50
80	400.00	EA	0800 - BOX, OCTAGON, 2-1/8 INCH DEEP WITH 1/2 INCH AND 3/4 INCH COMBINATION KNOCKOUTS Brand: EGS No. DSPL	2.785	1,113.85
81	200.00	EA	0810 - RING, EXTENSION, SQUARE, 4 INCH WITH 1/2 INCH KNOCKOUTS Brand: EGS No. 4SES	2.815	563.08
82	2.00	EA	0820 - BOX, 4 SQUARE 2-1/8 INCH DEEP WITH 1 INCH KNOCKOUTS Brand: EGS No. 4SD1	3.277	6.55
83	2.00	EA	0830 - RING, EXTENSION, 4-11/16 INCH, 2-1/8 INCH DEEP Brand: EGS No. 4SJDE1/2-3/4	5.385	10.77
84	2.00	EA	0840 - RING, EXTENSION, 4-11/16 INCH WITH 1/2 INCH AND 3/4 INCH KNOCKOUTS BOX Brand: EGS No. 4SJDEK	3.123	6.25
85	2.00	EA	0850 - RING, EXTENSION, HANDY BOX, 1/2 INCH Brand: EGS No. 4SSLE	3.015	6.03
86	100.00	EA	0860 - BOX, SQUARE, 4 INCH, WITH 1-1/2 INCH DEEP WITH 1/2 INCH AND	1.123	112.31

DATE: 4/21/2021

Page 16

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			3/4 INCH KNOCKOUTS Brand: EGS No. 4SSPLDR		
87	20.00	EA	0870 - COVER, INDUSTRIAL, 4 INCH WITH 1 DUPLEX OUTLET  Brand: EGS No. 8365N	1.154	23.08
88	20.00	EA	0880 - COVER, INDUSTRIAL, 4 INCH FOR 2 DUPLEX OUTLET  Brand: EGS No. 8371N	1.969	39.38
89	100.00	EA	0890 - NIPPLE, CHASE, 1/2 INCH Brand: EGS  No. CNN100	0.346	34.62
90	50.00	EA	0900 - NIPPLES, CHASE, 3/4 INCH EGS CNN200	0.705	35.23
91	2.00	EA	0910 - NIPPLES, CHASE, 1 INCH EGS CNN300	1.334	2.67
92	2.00	EA	0920 - NIPPLES, CHASE, 1-1/4 INCH EGS CNN400	2.409	4.82
93	2.00	EA	0930 - NIPPLES, CHASE, 1-1/2 INCH EGS CNN500	3.234	6.47
94	2.00	EA	0940 NIPPLES, CHASE, 2 INCH EGS CNN600	5.286	10.57
95	2.00	EA	0950 - CONNECTOR, THREADLESS, RIGID, 1-1/2 INCH  Brand: OZ GEDNEY No. 31150	22.735	45.47
96	100.00	EA	0960 - CONNECTOR, COMPRESSION, THREADLESS, 1/2 INCH  Brand: OZ GEDNEY	3.160	316.00

DATE: 4/21/2021

Page 17

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
97	50.00	EA	No. 31-050 0970 - CONNECTOR, COMPRESSION, THREADLESS, 3/4 INCH Brand: OZ GEDNEY No. 31-075	4.597	229.85
98	50.00	EA	0980 - CONNECTOR, COMPRESSION, THREADLESS, 1 INCH Brand: OZ GEDNEY No. 31-100	6.483	324.15
99	2.00	EA	0990 - CONNECTOR, COMPRESSION THREADLESS, 1-1/4 INCH Brand: OZ GEDNEY No. 31-125	11.640	23.28
100	10.00	EA	1000 - CONNECTOR, COMPRESSION THREADLESS, 2 INCH Brand: OZ GEDNEY No. 31-200	32.160	321.60
101	400.00	EA	1010 - CONNECTOR, 1/2 INCH EMT SET SCREW Brand: EGS No. TC501	0.291	116.31
102	2.00	EA	1020 - CONNECTOR, 3/4 INCH EMT SET SCREW Brand: EGS No. TC502	0.365	0.73
103	20.00	EA	1030 - CONNECTOR, 1 INCH EMT SET SCREW Brand: EGS No. TC503	0.902	18.03
104	2.00	EA	1040 - COUPLING, 3/4 INCH EMT SET SCREW Brand: EGS No. TC512	0.420	0.84
105	500.00	EA	1050 - CONNECTOR, COMPRESSION, EMT, 1/2 INCH Brand: EGS No. TC601	0.474	236.92
106	150.00	EA	1060 - CONNECTOR, COMPRESSION, EMT 3/4 INCH	0.863	129.46

DATE: 4/21/2021

Page 18

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
107	50.00	EA	Brand: EGS No. TC602  1070 - CONNECTOR, COMPRESSION, EMT, 1 INCH	1.395	69.77
108	50.00	EA	Brand: EGS No. TC603  1080 - CONNECTOR, COMPRESSION, EMT 1-1/4 INCH	1.797	89.85
109	2.00	EA	Brand: EGS No. TC604  1090 - CONNECTOR, COMPRESSION, EMT 1-1/2 INCH	2.626	5.25
110	400.00	EA	Brand: EGS No. TC605  1100 - COUPLING, COMPRESSION, EMT 1/2 INCH	0.692	276.92
111	2.00	EA	Brand: EGS No. TC611  1110 - COUPLING, COMPRESSION, EMT 3/4 INCH	0.974	1.95
112	50.00	EA	Brand: EGS No. TC612  1120 - COUPLING, COMPRESSION, EMT 1 INCH	1.258	62.92
113	50.00	EA	Brand: EGS No. TC613  1130 - COUPLING, COMPRESSION, EMT 1-1/4 INCH	2.246	112.31
114	2.00	EA	Brand: EGS No. TC614  1140 - COUPLING, COMPRESSION, EMT 1-1/2 INCH	3.368	6.74
115	20.00	EA	Brand: EGS No. TC615  1150 - BUSHING, GROUNDING, 2 INCH Brand: EGS	7.674	153.48

DATE: 4/21/2021

Page 19

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
116	2.00	EA	No. GBL600 1160 - HUB MYERS, 1/2 INCH Brand: Thomas And Betts	3.077	6.15
117	40.00	EA	No. H050TB 1170 - HUB MYERS, 3/4 INCH Brand: Thomas And Betts	3.569	142.77
118	2.00	EA	No. H075TB 1180 - HUB MYERS, 1 INCH Brand: Thomas And Betts	4.723	9.45
119	10.00	EA	No. H100TB 1190 - HUB MYERS, 1-1/4 INCH Brand: Thomas And Betts	5.877	58.77
120	20.00	EA	No. H125TB 1200 - HUB MYERS, 1-1/2 INCH Brand: Thomas And Betts	6.769	135.38
121	50.00	EA	No. H150TB 1210 - HUB MYERS, 2 INCH Brand: Thomas And Betts	9.477	473.85
122	200.00	EA	No. H200TB 1220 - LOCKNUT, DIECAST, 1/2 INCH Brand: EGS	0.108	21.54
123	50.00	EA	No. L100D 1230 - LOCKNUT, DIECAST, 2 INCH Brand: EGS	0.680	34.00
124	50.00	EA	No. L600D 1240 - RING, MUD, 4 INCH SQUARE, 1 GANG, 1/2 INCH Brand: EGS No. 8468A	0.762	38.08
125	100.00	EA	1250 - RING, MUD, 4 INCH SQUARE, 1 GANG, 5/8 INCH	0.822	82.15



DATE: 4/21/2021

Page 20

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
126	50.00	EA	Brand: EGS No. 8468C  1260 - RING, MUD, 4 INCH SQUARE, 2 GANG, 1/2 INCH	1.528	76.38
127	2.00	EA	Brand: EGS No. 8470A  1270 - RING, MUD, 4 INCH SQUARE, 2 GANG, 5/8 INCH	1.209	2.42
128	2.00	EA	Brand: EGS No. 8470C  1280 - RING, MUD, 4 INCH SQUARE, 1 GANG PVC, 1/2 INCH	2.945	5.89
129	2.00	EA	Brand: CROUSE HINDS No. TP1013  1290 - RING, MUD, 4 INCH SQUARE 1 GANG PVC, 5/8 INCH	2.967	5.93
130	2.00	EA	Brand: Crouse-Hinds No. TP1014  1300 - RING, MUD, 4 INCH SQUARE, 2 GANG PVC, 1/2 INCH	3.948	7.90
131	2.00	EA	Brand: Crouse-Hinds No. TP1023  1310 - RING, MUD, 4 INCH SQUARE, 2 GANG PVC, 5/8 INCH	4.033	8.07
132	2.00	EA	Brand: Crouse-Hinds No. TP1024  1320 - BUSHING, PLASTIC, 1-1/4 INCH Brand: EGS	0.178	0.36
133	2.00	EA	No. PB400D  1330 - BUSHING, PLASTIC, 3/4 INCH Brand: EGS	0.088	0.18
134	2.00	EA	No. PB200D  1340 - BUSHING, PLASTIC, 1 INCH Brand: EGS	0.171	0.34
			No. PB300D		

DATE: 4/21/2021

Page 21

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
135	2.00	EA	1350 - BUSHING, PLASTIC, 1-1/2 INCH Brand: EGS No. PB500D	0.271	0.54
136	50.00	EA	1360 - BUSHING, PLASTIC, 2 INCH Brand: EGS No. PB600D	0.472	23.62
137	2.00	EA	1370 - BUSHING, REDUCER 1-1/2 INCH TO 1-1/4 INCH Brand: EGS No. RB11	2.922	5.84
138	10.00	EA	1380 - BUSHING, REDUCER 2 INCH TO 1-1/2 INCH Brand: EGS No. RB16	6.203	62.03
139	250.00	EA	1390 - BUSHING, REDUCER 3/4 INCH TO 1/2 INCH Brand: EGS No. RB2	0.532	133.08
140	50.00	EA	1400 - CONNECTOR, SEALTITE, STRAIGHT, 2 INCH Brand: EGS No. LMM61	18.117	905.85
141	50.00	EA	1410 - BUSHING, REDUCER 1 INCH TO 3/4 INCH Brand: EGS No. RB4	1.002	50.08
142	2.00	EA	1420 - BUSHING, REDUCER 1-1/4 INCH TO 1 INCH Brand: EGS No. RB7	2.403	4.81
143	250.00	EA	1430 - WASHER, REDUCER 3/4 INCH TO 1/2 INCH Brand: EGS No. RWN503	0.100	25.00
144	50.00	EA	1440 - WASHER, REDUCER 1 INCH TO 1/2 INCH	0.194	9.69

DATE: 4/21/2021

Page 22

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
145	50.00	EA	Brand: EGS No. RWN504  1450 - WASHER, REDUCER 1 INCH TO 3/4 INCH	0.194	9.69
146	2.00	EA	Brand: EGS No. RWN505  1460 - WASHER, REDUCER 1-1/4 INCH TO 3/4 INCH	0.338	0.68
147	2.00	EA	Brand: EGS No. RWN507  1470 - WASHER, REDUCER 1-1/4 INCH TO 1 INCH	0.338	0.68
148	2.00	EA	Brand: EGS No. RWN508  1480 - CONDULET, COMPLETE, LR FITTING 3/4 INCH	10.277	20.55
149	2.00	EA	Brand: OZ GEDNEY No. LR75A, SGN75, BS75A  1490 - WASHER, REDUCER 1-1/2 INCH TO 1 INCH	0.408	0.82
150	2.00	EA	Brand: EGS No. RWN511  1500 - WASHER, REDUCER 1-1/2 INCH TO 1-1/4	0.408	0.82
151	2.00	EA	Brand: EGS No. RWN512  1510 - WASHER, REDUCER 2 INCH TO 1-1/2 INCH	0.546	1.09
152	2.00	EA	Brand: EGS No. RWN517  1520 - WASHER, REDUCER 2-1/2 INCH TO 2 INCH	2.623	5.25
153	100.00	EA	Brand: Steele City No. WA176  1530 - STRAP, STANDOFF, 3/4 INCH Brand: Minerallac	0.611	\$61.08

DATE: 4/21/2021

Page 23

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
154	50.00	EA	No. 1B 1540 - STRAP, STANDOFF, EMT 1-1/2 INCH Brand: Minerallac No. 3B	0.848	42.38
155	100.00	EA	1550 - STRAP, STANDOFF, 1/2 INCH Brand: Minerallac No. OB	0.528	52.77
156	50.00	EA	1560 - ENCLOSURE 6 X 6 4 NEMA 3R Brand: B-Line No. 664RTSC	27.923	1,396.15
157	2.00	EA	1570 - BOX, BELL, 2 GANG WITH 1/2 INCH HOLES Brand: EGS No. WDP250	14.931	29.86
158	100.00	EA	1580 - BOX, BELL, 1/2 INCH, 3 HOLE WEATHER PROOF Brand: EGS No. WSM150	3.217	321.70
159	50.00	EA	1590 - BOX, BELL, 3/4 INCH, 3 HOLE WEATHER PROOF Brand: EGS No. WSM175	3.514	175.70
160	10.00	EA	1600 - BOX, BELL, 1/2 INCH, 5 HOLE WEATHER PROOF Brand: EGS No. WSP150	4.452	44.52
161	50.00	EA	1610 - BOX, BELL, 3/4 INCH, 5 HOLE WEATHER PROOF Brand: EGS No. WSP175	5.406	270.31
162	20.00	EA	1620 - WEATHERPROOF BOX, 10 INCH X 10 INCH X 4 INCH NEMA 3R	47.338	946.77

DATE: 4/21/2021

Page 24

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
163	50.00	EA	BLINE 10104RTSC  1630 - BOX, JUNCTION 12 INCH X 12 INCH X 6 INCH NEMA 3R ENCLOSURE  OUTDOOR, 16-GAUGE STEEL, REMOVABLE CONCENTRIC KNOCKOUTS  BLINE 12126RTSC	68.231	3,411.54
164	20.00	EA	1640 - BOX, JUNCTION 6 INCH X 6 INCH X 4 INCH PVC NEMA 6P AND TYPE 4/4x RATING  THERMOPLASTIC MATERIAL, WITH LID AND STAINLESS TEEL SCREWS  JB664 (5133710)	20.339	406.78
165	20.00	EA	1650 - BOX, JUNCTION 8 INCH X 8 INCH X 4 INCH NEMA TYPE 6P AND TYPE 4/4  RATINGS THERMOPLASTIC MATERIAL  JB884 (5133712)	35.593	711.86
166	2.00	EA	1660 - BOX, BELL. 1 INCH, 3 HOLE WEATHER PROOF  Brand: EGS No. WSM110	3.814	7.63
167	75.00	EA	1670 - COVER, BLANK, 1 GANG WEATHER PROOF  Brand: EGS No. WCB1	0.758	56.88
168	100.00	EA	1680 - COVER, PLASTIC, 1 GANG IN USE Brand: Intermatic  No. WP3100C	6.938	693.85
169	50.00	EA	1690 - COVER, GRAY, VERTICAL, GFCI, WEATHER PROOF  Brand: EGS No. WVG1	5.615	280.77
170	40.00	EA	1700 - COVER, RECEPTACLE, HORIZONTAL, GFCI, WEATHER PROOF  Brand: EGS No. WHG1	8.146	325.85



DATE: 4/21/2021

Page 25

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
171	200.00	EA	1710 - CORD,EXTENSION, 50 FOOT RED 14/3SJTW  Brand: Coleman No. 02408-88-04	49.63	9,926.00
172	100.00	EA	1720 - CORD,EXTENSION, 100 FOOT YELLOW 12/3SJTW  Brand: Coleman No. 02579-88-03	86.60	8660.00
173	10.00	EA	1730 - CORD,EXTENSION, 25 FOOT ORANGE 14/3  Brand: Coleman No. PT#0528	33.283	332.83
174	100.00	EA	1740 - CORD,EXTENSION, 15 FOOT WHITE 3 OUTLET  Brand: Coleman No. PT#09414	6.633	663.33
175	2.00	EA	1750 - CORD,EXTENSION, 15 FOOT BROWN 3 OUTLET, 16/3  Brand: Coleman  03520-07	6.633	13.27
176	2.00	EA	1760 - ELBOW, 1-1/2 INCH EMT 45 DEGREE No. ELLEMT1-1/2-45D	6.345	12.69
177	2.00	EA	1770 - ELBOW, 1-1/2 INCH EMT 90 DEGREE No. ELLEMT1-1/2-90D	6.175	12.35
178	2.00	EA	1780 - ELBOW, 1-1/4 INCH EMT 45 DEGREE No. ELLEMT1-1/4-45D	5.455	10.91
179	2.00	EA	1790 - ELBOW, 1-1/4 INCH EMT 90 DEGREE No. ELLEMT1-1/4-90D	6.345	12.69
180	20.00	EA	1800 - CONDULET, COMPLETE, LB FITTING 1 INCH  Brand: OZ GEDNEY	14.477	289.54

DATE: 4/21/2021

Page 26

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
181	10.00	EA	No. LB100A, SGN100, BS100A 1810 - CONDULET, COMPLETE, LB 1-1/2 INCH Brand: OZ GEDNEY No. LB150A, BS125A, SGN125	25.277	252.77
182	10.00	EA	1820 - CONDULET, COMPLETE, LB FITTING 2 INCH Brand: OZ GEDNEY No. LB200A, SGN200, BS200A	42.538	425.38
183	50.00	EA	1830 - CONDULET, COMPLETE, LB FITTING 1/2 INCH Brand: OZ GEDNEY No. LB50A, SGN50, BS50A	7.80	390.00
184	50.00	EA	1840 - CONDULET, COMPLETE, LB FITTING 3/4 INCH Brand: OZ GEDNEY No. LB75A, SGN75, BS75A	10.262	513.08
185	2.00	EA	1850 - CONDULET, COMPLETE, LL FITTING, 1/2 INCH Brand: OZ GEDNEY No. LL50A, SCN50, BS50A	7.80	15.60
186	2.00	EA	1860 - CONDULET, COMPLETE, LL FITTING, 3/4 INCH Brand: OZ GEDNEY No. LL75A, SGN75, BS75A	10.262	20.52
187	2.00	EA	1870 - CONDULET, COMPLETE, LR FITTING 1/2 INCH Brand: OZ GEDNEY No. LR50A, SGN50, BS50A	7.80	15.60
188	2.00	EA	1880 - CONDULET, COMPLETE, LR FITTING 3/4 INCH Brand: OZ GEDNEY No. LR75A, SGN75, BS75A	10.262	20.52
189	2.00	EA	1890 - NIPPLE, GALVANIZED 1/2 INCH X CLOSE	0.782	1.56

DATE: 4/21/2021

Page 27

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
190	2.00	EA	No. NIPGALV-1/2XCL 1900 - NIPPLE, GALVANIZED 1-1/4 INCH X CLOSE	1.923	3.85
191	2.00	EA	No. NIPGALV1-1/4XCL 1910 - NIPPLE, GALVANIZED 2 INCH X CLOSE	3.138	6.28
192	2.00	EA	No. NIPGALV2XCL 1920 - NIPPLE, GALVANIZED 3/4 INCH X CLOSE	1.092	2.18
193	2.00	EA	No. NIPGALV-3/4XCL 1930 - CONDULET, COMPLETE, TEE FITTING, 1/2 INCH	9.092	18.18
194	2.00	EA	Brand: OZ GEDNEY No. T50A, SGN50, BS50A 1940 - CONDULET, COMPLETE, TEE FITTING 3/4 INCH	11.615	23.23
195	2.00	EA	Brand: OZ GEDNEY No. T75A, SGN75, BS75A 1950 - FUSES - BUSSMAN 250V, 10A No. FNM10	3.30	6.60
196	30.00	EA	1960 - FUSES - BUSSMAN 250V, 5A No. FNM5	3.243	97.29
197	2.00	EA	1970 - FUSES - BUSSMAN 500V, 10A No. FNQ10	9.014	18.03
198	2.00	EA	1980 - FUSES - BUSSMAN 500V, 2A No. FNQ2	9.014	18.03
199	2.00	EA	1990 - FUSES - BUSSMAN 500V, 5A No. FNQ5	9.014	18.03
200	2.00	EA	2000 - FUSES - BUSSMAN RK5 250V, 100A No. FRNR100	13.30	26.60

DATE: 4/21/2021

Page 28

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
201	2.00	EA	2010 - FUSES - BUSSMAN RK5 250V, 15A No. FRNR15	3.214	6.43
202	2.00	EA	2020 - FUSES - BUSSMAN RK5 250V, 20A No. FRNR20	3.214	6.43
203	50.00	EA	2030 - FUSES - BUSSMAN RK5 250V, 30A No. FRNR30	3.214	160.71
204	2.00	EA	2040 - FUSES - BUSSMAN RK5 250V, 40A No. FRNR40	5.871	11.74
205	50.00	EA	2050 - FUSES - BUSSMAN RK5 250V, 50A No. FRNR50	5.871	293.57
206	50.00	EA	2060 - FUSES - BUSSMAN RK5 250V, 60A No. FRNR60	5.871	293.57
207	2.00	EA	2070 - FUSES - BUSSMAN RK5 600V, 15A No. FRSR15	7.129	14.26
208	50.00	EA	2080 - FUSES - BUSSMAN RK5 600V, 20A No. FRSR20	7.129	356.43
209	50.00	EA	2090 - FUSES - BUSSMAN RK5 600V, 30 A TRS 30R 600V No. FRSR30	7.129	356.43
210	2.00	EA	2100 - FUSES - BUSSMAN 600V, 20A No. KTK20	7.800	15.60
211	75.00	EA	2110 - FUSES - BUSSMAN 600V, 10A No. KTKR10	7.800	585.00
212	2.00	EA	2120 - FUSES - BUSSMAN 600V, 15A No. KTKR15	7.80	15.60

DATE: 4/21/2021

Page 29

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
213	2.00	EA	2130 - FUSES - BUSSMAN 600V, 20A No. KTKR20	7.80	15.60
214	100.00	EA	2140 - FUSES - BUSSMAN 600V, 5A No. KTKR5	7.80	780.00
215	2.00	EA	2150 - CLAMP, WATER PIPE, 1/2 INCH - 1 INCH  Brand: Burndy No. C5	2.385	4.77
216	50.00	EA	2160 - CLAMP, GROUND ROD, 5/8 INCH Brand: Burndy  No. GRC58	2.569	128.46
217	5.00	EA	2170 - CLAMP, GROUND ROD, 3/4 INCH Brand: Burndy  No. GRC34	3.600	18.00
218	50.00	EA	2180 - ROD, GROUND, COPPER 5/8 INCH X 8 FOOT  No. 615833	15.077	753.85
219	2.00	EA	2190 - ROD, GROUND, COPPER 3/4 INCH X 10 FOOT	25.769	51.54
220	4.00	PK	2200 - HEX NUTS,ZINC, 10/24 NO. 10/24" NUTS  Comes in packs of 100	2.908	11.63
221	4.00	PK	2210 - HEX NUTS,ZINC, 10/32 NO. 10/32" NUTS  Comes in packs of 100	2.908	11.63
222	4.00	PK	2220 - HEX NUTS,ZINC, 6/32 NO. 6/32" NUTS  Comes in packs of 100	2.446	9.78
223	4.00	PK	2230 - HEX NUTS,ZINC, 8/32 NO. 8/32" NUTS	2.738	10.95



DATE: 4/21/2021

Page 30

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
224	4.00	PK	Comes in packs of 100 2240 - HEX NUT, 1/4", GRADE 2 NO. HN14	3.462	13.85
225	4.00	PK	Comes in packs of 100 2250 - HEX NUT 5/16", GRADE 2 NO. HN516	3.954	15.82
226	10.00	PK	Comes in packs of 100 2260 - SCREW, MACHINE, ZINC 1/4-20X3/8 INCH	4.215	42.15
227	2.00	PK	Comes in packs of 100 Brand: Dottie No. RMC1438 2270 - SCREW, MACHINE, ZINC 10/24 X 2 INCH	9.862	19.72
228	2.00	PK	Package of 100 2280 - SCREW, MACHINE, ZINC 10/32 X 2 INCH	9.862	19.72
229	2.00	PK	Package of 100 2290 - SCREW, MACHINE, ZINC 6/32 X 2 INCH	8.154	16.31
230	2.00	PK	Comes in packs of 100 2300 - SCREW, MACHINE, ZINC 6/32 X 6 INCH	273.462	546.92
231	10.00	PK	Package of 100 <del>500</del> 2310 - SCREW, MACHINE, ZINC 8/32 X 2 INCH	9.046	90.46
232	10.00	PK	Package of 100 2320 SCREW, MACHINE, LONG 8/32 X 6 INCH PACKAGE OF 300	134.092	1340.92
233	2.00	EA	2330 - LIGHT, FLOOD, 400 WATT, HPS, MT Brand: Cooper	550.769	1,101.54

DATE: 4/21/2021

Page 31

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
234	2.00	EA	No. <del>WS40</del> <b>NEW PART #</b> <b>NFFLD-C40-T</b> 2340 - LIGHT, THERMOPLASTIC, EMERGENCY, LIGHTOLIER Brand: Cooper No. <del>AA1</del> <b>NEW PART #</b> <b>SELM60R4SD</b>	135.385	270.77
235	80.00	EA	2350 - LIGHT, EMERGENCY, LIGHTOLIER WITH BATTERY BACK-UP 120/277 VOLT INPUT Brand: Cooper No. SEL17	38.462	3076.92
236	2.00	EA	2360 - BALLAST, EMERGENCY, 600 LUMENS 120/277 VOLT, 3.5 INPUT WATTS Brand: Cooper No. <del>EBP700X</del> <b>NEW PART #</b> <b>EBPLED7W</b>	207.692	415.38
237	2.00	EA	2370 - SIGN, EXIT, DUAL SIDED, BLACK THERMOPLASTIC LED EXIT SIGN 120/277V, 6 VOLT Brand: EXITRONICS No. VEX-U-BP-WB-BL	46.154	92.31
238	20.00	EA	2380 - SIGN, EXIT, DUAL SIDES, WHITE THERMOPLASTIC LED EXIT SIGN 120/277V, 6 VOLT Brand: Cooper No. APX7R	26.154	523.08
239	2.00	EA	2390 - SIGN, EXIT, 2 CIRCUIT, WHITE THERMOPLASTIC LED EXIT SIGN Brand: EXITRONICS No. VEX-U-BP-LB-WH-2CI	76.923	153.85
240	2.00	EA	2400 - FIXTURE, WIRE GUARD LIGHTOLIER Brand: Cooper No. WG1	52.308	104.62
241	60.00	EA	2410 - LIGHT, COMBO EMERGENCY/EXIT 120/277 VOLT INPUT BRAND: COOPER NO. APC7R	60.00	3600.00
242	2.00	EA	2420 - FIXTURE, 8 FOOT, T8 STRIP Brand: Cooper	106.154	212.31

DATE: 4/21/2021

Page 32

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
243	2.00	EA	No. SSF296UNVEB81U  2430 - FIXTURE, 4 FOOT T8 STRIP 2 LAMP 32 WATT ELECTRONIC BALLAST  Brand: Cooper No. APSNS232	40.00	80.00
244	2.00	EA	2440 - FIXTURE, 2 LAMP, T8, 2 X 2 PARABOLIC TROFFER 9 CELL LIGHTOLIER  Brand: Cooper No. 2EP3GAX-2-U6T8S33I-UNV-EB81U	112.308	224.62
245	2.00	EA	2450 - FIXTURE, 3 LAMP T8 2 X 4 PARABOLIC TROFFER 18 CELL LIGHTOLIER  Brand: Cooper No. 2EP3GAX-332S36I-UNV-EB81I	112.308	224.62
246	2.00	EA	2460 - FIXTURE, 2 X 4 TROFFER 2 - T8 LAMPS WITH WHIPS  Brand: Cooper No. 2GC-232A125-UNV-EB81-A3/8-2/18G-U	103.077	206.15
247	2.00	EA	2470 - FIXTURE, 2 X 2 TROFFER 2 - T8 U-BEND WITH WHIPS  Brand: Cooper No. 2GC-2U6T8A125-UNV-EB81-A3/8-2/18G-U	103.077	206.15
248	2.00	EA	2480 - FIXTURE, 2 X 2 TROFFER 3 - T8 LAMPS  Brand: Cooper No. 2GC-332A125-UNV-EB81	95.385	190.77
249	2.00	EA	2490 - FIXTURE, 4 FOOT WRAP AROUND 2 LAMP T8  Brand: Cooper No. APWGPW232	46.154	92.31
250	10.00	EA	2500 - FIXTURE, 4 FOOT WRAP AROUND 4 LAMP T8  Brand: Cooper No. APWGPW432	64.615	646.15
251	10.00	EA	2510 - POWER OUTLET (panel) TEMPORARY POWER OUTLET SINGLE	76.769	767.69

DATE: 4/21/2021

Page 33

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			RECEPTACLE Brand: Milbank No. P-54		
252	2.00	EA	2520 - ADAPTER, SINGLE TO TRIPLE OUTLET Brand: P & S No. 697-RI	5.477	10.95
253	50.00	EA	2530 - PLATE, BLANK, 1 GANG, STAINLESS STEEL Brand: Hubbell No. SS13	3.462	173.08
254	100.00	EA	2540 - PLATE, SWITCH, 1 GANG STAINLESS STEEL Brand: Hubbell No. SS1	1.80	180.00
255	150.00	EA	2550 - PLATE, DUPLEX, 1 GANG STAINLESS STEEL Brand: Hubbell No. SS8	1.80	270.00
256	50.00	EA	2560 - COVER, BLANK, 1 GANG, IVORY Brand: P & S No. TP13I	0.397	19.85
257	50.00	EA	2570 - PLATE, SWITCH, 1 GANG, IVORY Brand: P & S No. TP1I	0.397	19.85
258	2.00	EA	2580 - PLATE, SWITCH, 1 GANG, WHITE Brand: P & S No. TP1W	0.397	0.79
259	2.00	EA	2590 - PLATE, GFCI, 1 GANG, IVORY Brand: P & S No. TP26I	0.397	0.79
260	2.00	EA	2600 - PLATE, GFCI, 1 GANG, WHITE Brand: P & S No. TP26W	0.397	0.79
261	2.00	EA	2610 - PLATE, SWITCH, 2 GANG, IVORY Brand: P & S	0.785	1.57



DATE: 4/21/2021

Page 34

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			No. TP2I		
262	2.00	EA	2620 - PLATE, SWITCH, 2 GANG, WHITE Brand: P & S	0.785	1.57
			No. TP2W		
263	2.00	EA	2630 - PLATE, SWITCH, 2 GANG, IVORY Brand: P & S	1.174	2.35
			No. TP3I		
264	2.00	EA	2640 - PLATE, SWITCH, 3 GANG, WHITE Brand: P & S	1.174	2.35
			No. TP3W		
265	2.00	EA	2650 - PLATE, SWITCH, 4 GANG, IVORY Brand: P & S	1.538	3.08
			No. TP4I		
266	2.00	EA	2660 - PLATE, SWITCH, 4 GANG, WHITE Brand: P & S	1.538	3.08
			No. TP4W		
267	10.00	EA	2670 - PLATE, OUTLET, 2 GANG, WHITE Brand: P & S	0.785	7.85
			No. TP82W		
268	140.00	EA	2680 - PLATE, OUTLET, DUPLEX, 1 GANG, IVORY	0.397	55.57
			Brand: P & S No. TP8I		
269	20.00	EA	2690 - PLATE, OUTLET, 1 GANG, WHITE Brand: P & S	0.397	7.94
			No. TP8W		
270	10.00	EA	2700 - OUTLET, 4-WIRE, 50 AMP, 3 POLE Brand: P & S	4.615	46.15
			No. 3894		
271	2.00	EA	2710 - OUTLET, DUPLEX, 15 AMP, WHITE Brand: P & S	3.277	6.55



DATE: 4/21/2021

Page 35

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
272	50.00	EA	No. 5252AW 2720 - OUTLET, DUPLEX, HOSPITAL GRADE 20A 125V, IVORY Brand: P & S No. 8300HI	10.231	511.54
273	40.00	EA	2730 - OUTLET, DUPLEX, TAMPER PROOF, 15A, WHITE Brand: P & S No. 3232TRW	1.415	56.62
274	100.00	EA	2740 - OUTLET, DUPLEX, TAMPER PROOF, 15A, IVORY Brand: P & S No. <del>3232TRI</del> <b>CORRECT PART # 3232TRI</b>	1.462	146.15
275	200.00	EA	2750 - OUTLET, DUPLEX, 20A, IVORY Brand: Hubbell No. CR20I	1.692	338.46
276	300.00	EA	2760 - OUTLET, DUPLEX, TAMPER PROOF 20 AMP, IVORY Brand: <del>PSTR20I</del> <b>CORRECT PART # TR20I</b>	4.369	1,310.77
277	300.00	EA	2770 - OUTLET, DUPLEX, TAMPER PROOF, 20 AMP, WHITE Brand: <del>PSTR20W</del> <b>CORRECT PART # TR20W</b>	4.369	1,310.77
278	275.00	EA	2780 - OUTLET, GFCI, IVORY 20A, 120V Brand: Hubbell No. GFRST20I	18.077	4971.15
279	150.00	EA	2790 - OUTLET, GFCI, WHITE, 20A Brand: Hubbell No. GFRST20W	18.077	2711.54
280	100.00	EA	2800 - OUTLET, DUPLEX, GFCI, WHITE, 20 AMP, ISOLATED GROUND, TAMPER PROOF Brand: P & S Number: 20971GHGTRRED	44.615	4461.54
281	20.00	EA	2810 - SOCKET, MOGUL Brand: P & S	16.385	327.69

DATE: 4/21/2021

Page 36

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
282	2.00	EA	No. 8694 2820 - SURGE STRIP WITH 6 OUTLETS Brand: Levington	27.277	54.55
283	80.00	EA	No. S1000PS 2830 - SWITCH, SINGLE POLE, 20A, IVORY 120/277	3.154	252.31
284	20.00	EA	Brand: Hubbell No. CS120I 2840 - SWITCH, 3 WAY, 20A, IVORY Brand: Hubbell	4.154	83.08
285	20.00	EA	No. CS320I 2850 - SWITCH, SINGLE POLE, 15A, WHITE Brand: Hubbell	2.831	56.62
286	20.00	EA	No. CS115W 2860 - SWITCH, 3 WAY, 120/277, 20A, WHITE	4.154	83.08
287	20.00	EA	Brand: Hubbell No. CS320W 2870 - SWITCH, WALL, SINGLE POLE, 20A, 120/277, WHITE	3.154	63.08
288	20.00	EA	Brand: Hubbell No. CS120W 2880 - CEMENT, PVC, CLEAR, 1 QUART No. CEMENTCLR1QT	17.442	348.83
289	2.00	FT	2890 - CONDUIT, PVC, SCHEDULE 40 1-1/2 INCH	3.028	6.06
290	250.00	FT	COMES IN 10 FOOT LENGTHS No. COND1-1/2SCH40 2900 - CONDUIT, PVC, SCHEDULE 40 1-1/4 INCH	2.612	653.00
291	350.00	FT	COMES IN 10 FOOT LENGTHS No. COND1-1/4SCH40 2910 - CONDUIT, PVC, SCHEDULE 40, 1 INCH	1.814	634.84

DATE: 4/21/2021

Page 37

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
292	500.00	FT	COMES IN 10 FOOT LENGTHS No. COND1SCH40  2920 - CONDUIT, PVC, SCHEDULE 40 2 INCH	3.775	1887.23
293	500.00	FT	COMES IN 10 FOOT LENGTHS No. COND2SCH40  2930 - CONDUIT, PVC, SCHEDULE 40 3/4 INCH	1.243	621.27
294	30.00	EA	COMES IN 10 FOOT LENGTHS No. COND-3/4SCH40  2940 - COUPLING, PVC, SCHEDULE 40, 1 INCH  NO. CPL1	0.243	7.30
295	2.00	EA	2950 - COUPLING, PVC, SCHEDULE 40 1/2 INCH  No. CPL-1/2	0.128	0.26
296	2.00	EA	2960 - COUPLING, PVC, SCHEDULE 40, 1-1/2 INCH  No. CPL1-1/2	0.450	0.90
297	10.00	EA	2970 - COUPLING, PVC, SCHEDULE 40 1-1/4 INCH  No. CPL1-1/4	0.325	3.25
298	10.00	EA	2980 - COUPLING, PVC, SCHEDULE 40, 2 INCH  No. CPL2	0.590	5.90
299	10.00	EA	2990 - COUPLING, PVC, SCHEDULE 40, 3/4 INCH  No. CPL-3/4	0.158	1.58
300	10.00	EA	3000 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 1/2 INCH  No. ELL-1/2-90D	0.577	5.77
301	2.00	EA	3010 - ELBOW, PVC, 45 DEGREE, SCHEDULE 40, 1-1/2 INCH	1.80	3.60

DATE: 4/21/2021

Page 38

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			No. ELL1-1/2-45D		
302	40.00	EA	3020 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 1-1/2 INCH	1.928	77.13
			No. ELL1-1/2-90D		
303	40.00	EA	3030 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 1-1/4 INCH	1.450	58.00
			No. ELL1-1/4-90D		
304	2.00	EA	3040 - ELBOW, PVC, 45 DEGREE, SCHEDULE 40, 1 INCH	0.943	1.89
			No. ELL-1-45D		
305	80.00	EA	3050 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 1 INCH	1.007	80.53
			No. ELL1-90D		
306	40.00	EA	3060 - ELBOW, PVC, 90 DEGREE SCHEDULE 40, 2 INCH	2.637	105.47
			No. ELL2-90D		
307	20.00	EA	3070 - ELBOW, PVC, 45 DEGREE, SCHEDULE 40, 3/4 INCH	0.593	11.87
			No. ELL-3/4-45D		
308	20.00	EA	3080 - ELBOW, PVC, 90 DEGREE, SCHEDULE 40, 3/4 INCH	0.647	12.93
			No. ELL-3/4-90D		
309	2.00	EA	3090 - EXPANSION JOINT, PVC, 1/2 INCH	12.333	24.67
			-		
310	2.00	EA	3100 - EXPANSION JOINT, PVC, 3/4 INCH	12.150	24.30
			-		
311	2.00	EA	3110 - EXPANSION JOINT, PVC, 1 INCH	12.75	25.50
			-		
312	2.00	EA	3120 - EXPANSION JOINT, PVC, 1-1/4 INCH	12.85	25.70
			-		

DATE: 4/21/2021

Page 39

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
313	2.00	EA	3130 - EXPANSION JOINT, PVC, 1-1/2 INCH	13.150	26.30
314	2.00	EA	3140 - EXPANSION JOINT, PVC, 2 INCH	14.00	28.00
315	2.00	EA	3150 - ADAPTER, FEMALE, PVC, SCHEDULE 40 1 INCH No. FA1	0.433	0.87
316	2.00	EA	3160 - ADAPTER, FEMALE, PVC, SCHEDULE 40 1/2 INCH No. FA-1/2	0.203	0.41
317	2.00	EA	3170 - ADAPTER, FEMALE, PVC, SCHEDULE 40 1-1/2 INCH No. FA1-1/2	0.842	1.68
318	2.00	EA	3180 - ADAPTER, FEMALE, PVC, SCHEDULE 40 1-1/4 INCH No. FA1-1/4	0.58	1.16
319	2.00	EA	3190 - ADAPTER, FEMALE, PVC, SCHEDULE 40 3/4 INCH No. FA-3/4	0.322	0.64
320	20.00	EA	3200 - ADAPTER, MALE, PVC, SCHEDULE 40, 1 INCH No. TA1	0.380	7.60
321	2.00	EA	3210 - ADAPTER, MALE, PVC, SCHEDULE 40, 1/2 INCH No. TA-1/2	0.170	0.34
322	2.00	EA	3220 - ADAPTER, MALE, PVC, SCHEDULE 40, 1-1/2 INCH No. TA1-1/2	0.590	1.18
323	10.00	EA	3230 - ADAPTER, MALE, PVC, SCHEDULE 40, 1-1/4 INCH	0.488	4.88

DATE: 4/21/2021

Page 40

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
324	200.00	EA	No. TA1-1/4 3240 - ADAPTER, MALE, PVC, SCHEDULE 40, 2 INCH	0.848	169.60
325	20.00	EA	No. TA2 3250 - ADAPTER, MALE, PVC, SCHEDULE 40, 3/4 INCH	0.302	6.03
326	50.00	EA	No. TA-3/4 3260 - CONNECTOR, SEALTITE, 90 DEGREE, 1/2 INCH	4.015	200.77
327	80.00	EA	Brand: EGS No. LML11 3270 - CONNECTOR, SEALTITE, 90 DEGREE, 3/4 INCH	4.898	391.88
328	80.00	EA	Brand: EGS No. LML21 3280 - CONNECTOR, SEALTITE, STRAIGHT, 1/2 INCH	2.269	181.54
329	100.00	EA	Brand: EGS No. LMM11 3290 - CONNECTOR, SEALTITE, STRAIGHT, 3/4 INCH	2.902	290.15
330	2.00	EA	Brand: EGS No. LMM21 3300 - CONNECTOR, SEALTITE, STRAIGHT, 2 INCH	18.117	36.23
331	400.00	FT	Brand: EGS No. LMM61 3310 - SEALTITE, 1/2 INCH Brand: Anaconda No. UAG-1/2	1.431	572.49
332	200.00	FT	3320 - SEALTITE, 3/4 INCH Brand: Anaconda No. UAG-3/4	1.947	389.48
333	200.00	FT	3330 - CONDUIT, COREFLEX, 1/2 INCH Brand: Anaconda	0.565	113.05



DATE: 4/21/2021

Page 41

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
334	200.00	FT	No. NMUAG-1/2  3340 - CONDUIT, COREFLEX, 3/4 INCH Brand: Anaconda	0.789	157.85
335	20.00	EA	No. <del>NMUAF-3/4</del> NMUAG-3/4  3350 - CONNECTOR, COREFLEX, STRAIGHT, 1/2 INCH  Brand: Peco No. NMLT50	0.862	17.23
336	2.00	EA	3360 - CONNECTOR, COREFLEX, STRAIGHT, 3/4 INCH  Brand: Peco No. NLT75	1.246	2.49
337	2.00	EA	3370 - CONNECTOR, COREFLEX, 90 DEGREE, 1/2 INCH  Brand: Peco No. NMLT9050	1.585	3.17
338	2.00	EA	3380 - CONNECTOR, COREFLEX, 90 DEGREE, 3/4 INCH  Brand: Peco No. NMLT9075	2.323	4.65
339	2.00	EA	3390 - BALLAST KIT 26W, 32W, 42W 2 LAMP 120V-277V (51843)  Brand: Sylvania No. QTP2X26/32/42CF/UNV	26.534	53.07
340	2.00	EA	3400 - BALLAST CFL 2 LAMP 120/277V (51843)  Brand: Sylvania No. QTP2X26/32/42CF/UNV/DM	26.534	53.07
341	2.00	PK	3410 - BALLAST DISCONNECT FEATURES 3-PORT  PACKAGE OF 100 Brand: Ideal No. 30/353XJ	238.414	476.83
342	2.00	PK	3420 - BALLAST DISCONNECT FEATURES 2-PORT	129.949	259.90

DATE: 4/21/2021

Page 42

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
343	2.00	EA	Brand: Ideal No. 30-352J  3430 - BALLAST 120/277V 3 LAMP (49430) Brand: Sylvania  No. QHE3X40DL/UNV/ICN-SC	20.297	40.59
344	100.00	EA	3440 - BALLAST 2 LAMP 4 FOOT T8 120-277V .49 LINE AMPS (49906)  Brand: Sylvania No. QTP2X32T8/UNVISN-SC	11.308	1130.77
345	40.00	EA	3450 - BALLAST 2 LAMP 4 FOOT T12 120-277V, .63 LINE AMPS (50314)  Brand: Sylvania No. QTP2X40T12UNVRS-SC	16.923	676.92
346	30.00	EA	3460 - BALLAST 2 LAMP T8 8 FOOT 120-277V (49590)  Brand: Sylvania No. QTP2X59T8/UNVISN-SC	23.469	704.08
347	2.00	EA	3470 - BALLAST 2 LAMP 8 FOOT T12 120-277V (75305)  Brand: Sylvania No. QTP2X96T12UNVIS	23.074	46.15
348	100.00	EA	3480 - BALLAST 3 LAMP 4 FOOT T8 120-277V (49907)  Brand: Sylvania No. QTP3X32T8/UNVISN-SC	12.925	1292.46
349	100.00	EA	3490 - BALLAST 4 LAMP 4 FOOT T8 120-277V (49908)  Brand: Sylvania No. QTP4X32T8/UNVISN-SC	14.532	1453.23
350	10.00	EA	3500 - BALLAST KIT 150W HPS, 480V ADVANCE ONLY  NO. 71A8142001D  NOTE: ADVANCE ONLY, FUNCTIONING EQUAL, HAS TO MATCH EXISTING FIXTURES.	184.831	1848.31
351	2.00	EA	3510 - CAPACITOR, 480V, 24 MFD RATING (47982)	30.754	61.51

DATE: 4/21/2021

Page 43

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
352	2.00	EA	NO. CAP24MFD480VAC  3520 - IGNITOR, LAMP TYPE HIGH PRESSURE SODIUM (47844)  Brand: Sylvania No. HPS/200-420	32.138	64.28
353	20.00	EA	3530 - BALLAST 100 HPS 120-277V (47316)  Brand: Sylvania No. LU100/MULTI/KIT	38.885	777.69
354	10.00	EA	3540 - BALLAST 1000W HPS 120-480V (47659)  Brand: Sylvania No. LU1000/SUPER5-KIT	154.309	1543.09
355	25.00	EA	3550 - BALLAST 150W HPS 120-277V (47335)  Brand: Sylvania No. LU150/MULTI-KIT	41.891	1047.27
356	10.00	EA	3560 - BALLAST 400W HPS 120-480V (47647)  Brand: Sylvania No. LU400/SUPER5-KIT	73.492	734.92
357	140.00	EA	3570 - BALLAST 1000W METAL HALIDE 120-480V (47427)  Brand: Sylvania No. M1000/SUPER5-KIT	107.982	15,117.42
358	10.00	EA	3580 - BALLAST 1500W METAL HALIDE 480V (47095)  Brand: Sylvania No. M1500/480/KIT	175.740	1757.40
359	20.00	EA	3590 - BALLAST 175W METAL HALIDE 120-480V (47243)  Brand: Sylvania No. M175/SUPER5-KIT	51.525	1030.49
360	5.00	EA	3600 - BALLAST 250W METAL HALIDE 120-480V (47265)	54.835	274.18

DATE: 4/21/2021

Page 44

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
361	10.00	EA	Brand: Sylvania No. M250/SUPER5-KIT  3610 - BALLAST 400 W METAL HALIDE 120V/277V	55.714	557.14
362	40.00	EA	M400/MULTIKIT (47739)  3620 - BALLAST 400W METAL HALIDE 120-480V (47338)	58.135	2325.42
363	100.00	EA	Brand: Sylvania No. M400/SUPER5-KIT  3630 - LAMP 13W CFL MEDIUM BASE (29727)	3.405	340.46
364	50.00	EA	Brand: Sylvania No. CF13EL/MICRO/827  3640 - LAMP 19W COMPACT FLUORESCENT MEDIUM BASE (26349)	4.785	239.23
365	180.00	EA	Brand: Sylvania No. CF20EL/SPIRAL/830  3650 - LAMP 26W COMPACT FLUORESCENT DT DIMMABLE 3500K	4.311	775.94
366	40.00	EA	PLUG-IN <del>(21115)</del> 21114 Brand: Sylvania No. CR26DD/835/ECO  3660 - LAMP 26W COMPACT FLUORESCENT LAMP, DT DIMMABLE 4100K	4.311	172.43
367	1,000.00	EA	PLUG-IN <del>(21114)</del> 21115 Brand: Sylvania No. CF26DD/841/ECO  3670 - LAMP 26W DT CFL DIMMABLE 4-PIN 3500K SCREW-IN (20673)	4.202	4201.54
368	50.00	EA	Brand: Sylvania No. CF26DD/E/835/ECO  3680 - LAMP 26W CFL TT DIMMABLE (20882)  Brand: Sylvania	4.677	233.85

DATE: 4/21/2021

Page 45

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			No. CF26DT/E/IN/841		
369	100.00	EA	3690 - LAMP 42W TT CFL DIMMABLE 3500K (20871)  Brand: Sylvania No. CF42DT/E/IN/835	4.785	478.46
370	2,500.00	EA	3700 - LAMP 32W T8 FT FLUORESCENT (22437)  Brand: Sylvania No. F032/V35/ECO	1.663	4157.69
371	500.00	EA	3710 - LAMP 34W T12 FLUORSCENT (24588)  Brand: Sylvania No. F34/CWX/SS	1.646	823.08
372	500.00	EA	3720 - LAMP 40W T12 FLUORSCENT (24441)  Brand: Sylvania No. F40/CWX	1.646	823.08
373	100.00	EA	3730 - LAMP 32W T8 U-BEND FLUORSCENT (21671)  Brand: Sylvania No. FB032/841/6/ECO	5.060	506.00
374	100.00	EA	3740 - LAMP 34W T12 U-BEND FLUORSCENT (24004)  Brand: Sylvania No. FB40/CWX/6	7.277	727.69
375	200.00	EA	3750 - LAMP 32W T8 U-BEND FLUORSCENT (22051)  Brand: Sylvania No. FBO32/735/6/ECO	4.894	978.77
376	1,000.00	EA	3760 - LAMP 32 W T8 FLUORSCENT 4100K (22438)  Brand: Sylvania No. F032/V41/ECO	1.663	1663.08
377	4,000.00	EA	3770 - LAMP 32W T8 XP FLUORSCENT (21767)	3.654	14,615.38



DATE: 4/21/2021

Page 46

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
378	100.00	EA	Brand: Sylvania No. FO32/841/XP/ECO  3780 - LAMP 59W T8 8 FOOT FLUORSCENT (22149)	6.462	646.15
379	2.00	EA	Brand: Sylvania No. FO96/841/ECO  3790 - LAMP 24W T5 HO FLUORSCENT (20928)	5.105	10.21
380	2.00	EA	Brand: Sylvania No. FP24/830/HO/ECO  3800 - LAMP 39W T5 HO FLUORSCENT (20932)	5.105	10.21
381	2.00	EA	Brand: Sylvania No. FP39/830/HO/ECO  3810 - LAMP 54W T5 HO FLUORSCENT 3000K (20903)	3.468	6.94
382	2.00	EA	Brand: Sylvania No. FP54/830/HO/ECO  3820 - LAMP 54W T5 HO FLUORSCENT 3500K (20904)	3.468	6.94
383	50.00	EA	Brand: Sylvania No. FP54/835/HO/ECO  3830 - LAMP 100W HPS MEDIUM BASE (67506)	13.315	665.77
384	40.00	EA	Brand: Sylvania No. LU100/MED/ECO  3840 - LAMP 1000W HPS MOGUL BASE (67307)	20.211	808.43
385	100.00	EA	Brand: Sylvania No. LU1000/ECO  3850 - LAMP 250W HPS MOGUL BASE (67578)	11.782	1178.15
386	100.00	EA	Brand: Sylvania No. LU250/ECO  3860 - LAMP 400W HPS MOGUL BASE (67533)	11.885	1188.46



DATE: 4/21/2021

Page 47

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
387	10.00	EA	Brand: Sylvania No. LU400/ECO  3870 - LAMP 50W HPS MEDIUM BASE (67502)	18.018	180.18
388	100.00	EA	Brand: Sylvania No. LU50/MED  3880 - LAMP 75W RS (12586)	2.077	207.69
389	2.00	EA	Brand: Sylvania No. 75A/RS/VS/130V  3890 - LAMP 2W GBF LED Brand: Sylvania  No. LE2WGBF	28.462	56.92
390	2.00	EA	3900 - LAMP 11W LED A19 DIMMABLE (74436)	1.492	2.98
391	2.00	EA	Brand: Sylvania No. LED9A19/DIM/O/827U  3910 - LAMP 14W R40 LED DIMMABLE Brand: Sylvania (79624)  No. LED13/BR40DIM85010YVRP2	7.196	14.39
392	2.00	EA	3920 - LAMP 13W LED A19 DIMMABLE (74437)	4.80	9.60
393	2.00	EA	Brand: Sylvania No. LED12A19/DIM/O/827U  3930 - LAMP 15W LED BR40 DIMMABLE (79175)	9.154	18.31
394	50.00	EA	Brand: Sylvania No. LED15BR40/DIM/HO827/G4  3940 - LAMP 17W LED A21 DIMMABLE (74438)	8.138	406.92
395	50.00	EA	Brand: Sylvania No. LED16A21DIMO827U  3950 - LAMP 17W LED PAR38 DIMMABLE (78464)	22.046	1102.31

DATE: 4/21/2021

Page 48

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
396	100.00	EA	Brand: Sylvania No. LED17PAR38/PRO/930NFL25/P3  3960 - LAMP 7W LED A19 DIMMABLE (74435)	3.978	397.80
397	400.00	EA	Brand: Sylvania No. LED5.5A19DIM0827U  3970 - LAMP 1000W MH MOGUL BASE (64468)	26.655	10,662.15
398	140.00	EA	Brand: Sylvania No. M1000/U  3980 - LAMP 1500W MH HOR BURN MOGUL (64431)	32.875	4602.55
399	60.00	EA	Brand: Sylvania No. M1500/BU-HOR  3990 - LAMP 175W MH MOGUL BASE (64030)	11.386	683.17
400	100.00	EA	Brand: Sylvania No. M175/U/ED28  4000 - LAMP 250W MH MOGUL BASE (64032)	11.985	1198.46
401	100.00	EA	Brand: Sylvania No. M250/U/ED28  4010 - LAMP 400W MH MOGUL BASE (64036)	12.595	1259.54
402	100.00	EA	Brand: Sylvania No. M400/U/ED37  4020 - LAMP 400W MH BT28 MOGUL (64034)	12.231	1223.08
403	400.00	EA	Brand: Sylvania No. M400/U/ED28  4030 - LAMP 3W120V MINIATURE BAYONET (34503)	1.308	523.08
404	2,000.00	EA	Brand: Sylvania No. 120MB  4040 BULB, JAMES ZY-T81200BIXX FROSTED 4 FOOT T8 5000K 18 WATT CL	10.833	21,666.67

DATE: 4/21/2021

Page 49

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			100-277V 180 BS 1930 LM DLC  MUST HAVE INTERNAL DRIVER TO WORK WITHOUT BALLAST. BULB SHOULD ALSO BE ABLE TO WORK WITH T-8 BALLAST (Any Color Temp)		
405	20.00	EA	4050 - TAPE, FISH, 100 FOOT Brand: Ideal  No. 31056	47.973	959.47
406	2.00	EA	4060 - TAPE, FISH, 50 FOOT Brand: Ideal  No. 31059	63.587	127.17
407	20.00	EA	4070 - PHOTOCONTROL, SPST 208/277V Brand: Tork  No. 2104	23.071	461.43
408	50.00	EA	4080 - PHOTOCONTROL, 2000W 120/277V Brand: Tork  No. 2107	23.086	1,154.29
409	50.00	EA	4090 - PHOTOCONTROL, SPST 120V Brand: Tork  No. 3000	13.386	669.29
410	2.00	EA	4100 - PHOTOCONTROL, SPST 277V W/P Brand: Tork  No. 3002	16.000	32.00
411	20.00	EA	4110 - PHOTO CELL, TWIST LOCK 120-277V  Brand: Tork No. 2007A	13.500	270.00
412	200.00	EA	4120 - PHOTOCELL, TWIST LOCK 480V, 1000W  Brand: Tork Number: 2008B	47.729	9545.71
413	40.00	EA	4130 - MOUNTING BRACKET FOR PHOTOCELL 120-480V TLRCPTW/MTG  Brand: Tork	25.10	1004.00

DATE: 4/21/2021

Page 50

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			Number: 2421		
414	40.00	EA	4140 - TIMER, DPST 120V 40A NEMA 1 Brand: Tork	97.371	3894.86
			No. 1103		
415	20.00	EA	4150 - TIMER DPST 120V 40 AMP NEMA 3R ENCLOSURE	118.714	2374.29
			TORK 1103BPC		
416	50.00	EA	4160 - TIMER ELECTRONIC TIME CLOCK Brand: Tork	260.529	13,026.43
			Number: EWZ201C		
417	2.00	PK	4170 - TY-RAP, HD, 7 INCH INDOOR 100 PER PACKAGE	17.292	34.58
			Brand: Thomas & Betts No. TY525M		
418	2.00	PK	4180 - TY-RAP, HD, 18 INCH INDOOR 50 PER PACKAGE	9.962	19.92
			Brand: Thomas & Betts No. TY5275M		
419	2.00	PK	4190 - TY-RAP, HD, 14 INCH INDOOR 50 PER PACKAGE	22.062	44.12
			Brand: Thomas & Betts No. TY527M		
420	2.00	PK	4200 - TY-RAP, HD, 30 INCH INDOOR 50 PER PACKAGE	36.123	72.25
			Brand: Thomas & Betts No. TY529M		
421	2,000.00	PK	4210 - TY-RAP, 14 INCH OUTDOOR 100 IN A PACK	12.431	24,861.54
			Brand: Thomas & Betts No. L141200C		
422	2.00	PK	4220 - TY-RAP, 14 INCH INDOOR 100 IN A PACK	10.938	21.88
			Brand: Thomas & Betts No. I141209C		

DATE: 4/21/2021

Page 51

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
423	2.00	PK	4230 - TY-RAP, 14 INCH INDOOR 100 PER PACKAGE  Brand: Thomas & Betts No. L14509C	5.892	11.78
424	100.00	PK	4240 - TY-RAP, 4 INCH OUTDOOR 100 IN A PACKAGE  Brand: Thomas & Betts No. L4180C	1.892	189.23
425	2.00	PK	4250 - TY-RAP, 4 INCH INDOOR 100 IN A PACKAGE  Brand: Thomas & Betts No. L4189C	1.677	3.35
426	2.00	PK	4260 - TY-RAP, 48 INCH OUTDOOR 50 IN A PACKAGE  Brand: Thomas & Betts No. L481750L	37.154	74.31
427	2.00	PK	4270 - TY-RAP, 48 INCH INDOOR 50 IN A PACKAGE  Brand: Thomas & Betts No. L481759L	24.877	49.75
428	2.00	PK	4280 - TY-RAP, 6 INCH INDOOR 100 IN A PACKAGE  Brand: Thomas & Betts No. L6189C	1.80	3.60
429	6,000.00	PK	4290 - TY-RAP, 7-1/2 INCH OUTDOOR 100 IN A PACKAGE  Brand: Thomas & Betts No. L7500C	3.60	21,600.00
430	2.00	PK	4300 - TY-RAP, 7-1/2 INCH INDOOR 100 IN A PACKAGE  Brand: Thomas & Betts No. L7509C	2.954	5.91
431	20.00	PK	4310 - TY-RAP, 8 INCH OUTDOOR 100 IN A PACKAGE  Brand: Thomas & Betts	12.954	259.08

DATE: 4/21/2021

Page 52

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
432	2.00	PK	No. L81200C 4320 - TY-RAP, 8 INCH INDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L81209C	7.662	15.32
433	10.00	PK	4330 - TY-RAP, 8 INCH INDOOR 100 IN A PACKAGE Brand: Thomas & Betts No. L8189C	4.246	42.46
434	2.00	PK	4340 - TY-RAP, CABLE TIE 7.80 IN LENGTH, NYLON GRADE 6/6, BLACK, 2% CARBON FOR OUTDOOR UV RESISTANTS, .184 WIDTH, 1.75 INCH DIA BUNDLE, 50LB TENSILE STRENGTH, 100 PER 100 PER PACKAGE Brand: Thomas & Betts No. TY535MX	37.462	74.92
435	125.00	PK	4350 - TY-RAP, CABLE TIE 24 INCH LENGTH, HEAVY DUTY, BLACK OUTDOOR U.V. RESISTANT, 120 LB TENSILE STRENGTH 50 IN A PACKAGE Brand: Pico No. L24-120-0-L	13.131	1641.35
436	150.00	PK	4360 - TY-RAP, CABLE TIE 35 IN LENGTH, NYLON GRADE 6/6, BLACK, 2% CARBON FOR OUTDOOR UV RESISTANTS, STAINLESS STEEL LOCKING DEVICE, .320 WIDTH, 10IN DIA, 175LB TENSILE STRENGTH 50 IN A PACKAGE Brand: Thomas & Betts No. TY53510MX	72.269	10,840.38
437	10.00	PK	4370 - BASE, MOUNTING, ADHESIVE BACKED, PRESSURE SENSITIVE USE WITH TIES .140" WIDE MAX SIZE: 3/4" SQUARE X 3/16" HIGH BASE MATERIAL: NYLON ADHESIVE: ACRYLIC BASED FOAM TYPE 100 IN A PACKAGE Brand: Thomas & Betts No. MPNY-750A-9-C	26.892	268.92
438	20.00	PK	4380 - CRADLE, CABLE TIE MOUNTING, NATU- RAL NYLON, ADHESIVE/SCREW ATTACHMENT,	128.846	2576.92



DATE: 4/21/2021

Page 53

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
439	2.00	EA	BASE 0285 IN H X 1.250 IN L X 1.000 IN W, SLOT 0.090 IN H X 0.300 IN W, PKG. 100 Brand: Thomas & Betts No. MCNY-1250-0-C  4390 - CEILING MOTION LIGHT AND CONTROL UNIT  Brand: Hubbell No. ATU500C/CU300A	293.769	587.54
440	10.00	EA	4400 - SENSOR, OCCUPANCY TIME DELAY SELF-ADJUSTING  120/277 VOLT, WATTS AT 120 V 1800, WATTS AT 277V 4000 VA Brand: Wattstopper No. PW-100-W	87.308	873.08
441	10.00	EA	4410 - SWITCH, TIMER, PROGRAMMABLE Brand: Wattstopper  No. TS-400-W	65.871	658.71
442	1,000.00	FT	4420 - BARE 6 AWG SOLID COPPER No. BARE6SDSOL	1.165	1165.00
443	2,000.00	FT	4430 - BARE NO. 4 COPPER SOLID GROUND WIRE	1.906	3812.00
444	2.00	BG	4440 - BUSHINGS, 12/2 M/C CABLE RED DEVIL  PECO 383	1.642	3.28
445	2.00	EA	4450 - CONNECTOR, MC, 1/2 INCH, 90D Brand: EGS  No. AC90	0.868	1.74
446	1,000.00	EA	4460 - CONNECTOR, MC, 1/2 INCH, STR Brand: EGS  No. C510	0.555	555.00
447	7,000.00	FT	4470 - CABLE, 12/2 WITH GROUND MC No. MCAL 12/2WGRNG	0.892	6244.00

DATE: 4/21/2021

Page 54

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
448	1,000.00	FT	4480 - CABLE, 12/3 WITH GROUND MC No. MCAL 12/3WGRNG	1.574	1574.00
449	100.00	FT	4490 - CABLE, 10/3 SOOW No. 10/3SO	1.667	1666.70
450	1,000.00	FT	4500 - CABLE, 10/4 SOOW No. 10/4SO	2.217	2217.00
451	2,000.00	FT	4510 - CABLE, CORD 12/3 SOOW No. 12/3SO	1.233	2466.00
452	400.00	FT	4520 - CABLE, 12/4 SOOW No. 12/4SO	1.667	6666.80
453	4,000.00	FT	4530 - CABLE, 14/3 SOOW No. 14/3SO	1.00	4,000.00
454	2,000.00	FT	4540 - CABLE, 6/4 SOOW No. 6/4SO	3.30	6600.00
455	500.00	FT	4550 - THHN 1/0 AWG COPPER No. THHN1/0STRBLACK	3.771	1,885.50
456	50.00	SPL	4560 - THHN 10 AWG COPPER 500 FOOT SPOOL  ALL COLORS ARE AVAILABLE NO. thhn10str	236.90	11,845.00
457	100.00	SPL	4570 - THHN 12 AWG COPPER 500 FOOT SPOOL  ALL COLORS ARE AVAILABLE No. THHN12STR	154.908	15,490.80
458	20.00	SPL	4580 - THHN 14 AWG COPPER 500 FOOT SPOOL  ALL COLORS ARE AVAILABLE	104.825	2,096.50

DATE: 4/21/2021

Page 55

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00134302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			No. THHN14STR		
459	100.00	FT	4590 - THHN 1 AWG COPPER No. THHN1STRBLACK	3.575	357.50
460	300.00	FT	4600 - THHN 2/0 AWG COPPER No. THHN2/0STRBLACK	5.392	1617.60
461	1,000.00	FT	4610 - THHN 3/0 STRANDED WIRE, No. THHN3/0STRBLACK	6.805	6805.00
462	2,000.00	FT	4620 - THHN 2 AWG COPPER COLORS: BLACK, BLUE, RED, GREEN No. THHN2STR	3.197	6394.00
463	2.00	FT	4630 - THHN 300MCM AWG COPPER No. THHN300MCMSTRBLACK	11.804	23.61
464	2,000.00	FT	4640 - THHN 3 AWG COPPER No. THHN3STRBLACK	2.554	5108.00
465	1,000.00	FT	4650 - THHN 4 AWG COPPER COLORS: BLACK, GREEN No. THHN4STR	2.025	2025.00
466	15,000.00	FT	4660 - THHN 6 AWG COPPER COLORS: BLACK, WHITE, GREEN, RED No. THHN6STR	1.323	19,845.00
467	12,000.00	FT	4670 - THHN 8 AWG COPPER COLORS: BLACK, GREEN, RED, WHITE No. THHN8STR	0.86	10,320.00

LINE ITEM # 2330

Lumarl

## DESCRIPTION

The Night Falcon™ LED floodlight luminaire combines high-efficiency optics, superior thermal management and energy efficiency in a cost-effective solution. The compact, robust design incorporates a separate driver compartment for maximum heat dissipation to insure longevity of both the fixture and the LEDs. The Night Falcon luminaire uses precision engineered optics delivering superior uniformity and excellent illumination to the targeted application. Typical applications include area lighting for security, building facade lighting, accent and signage lighting in both commercial and industrial applications. The Night Falcon luminaire is UL/cUL listed for wet locations and is IP66 rated.

## SPECIFICATION FEATURES

### Construction

Heavy-duty, die-cast aluminum housing, driver compartment and driver housing door. A separate driver compartment and external fins provide optimal thermal management that result in longer LED and driver life. The housing, driver compartment and optical chamber are IP66 rated. Access to the driver for maintenance is achieved with a removable driver door using pan head screws. A one-piece silicone gasket seals the door to the fixture housing. The fixture is 3G vibration rated (ANSI C136.31) to ensure durability in area and site lighting applications. Suitable for mounting within 4' (1.2m) of the ground.

### Optics

The LED chamber incorporates a vacuum metalized reflector that provides high-efficiency illumination. Optics are precisely designed to shape the the NEMA 6H x 6V wide distribution and the 3H x 3V spot distribution, maximizing efficiency and application spacing. Clear glass tempered lens with full circumference form-in-place silicone gasket protects the optics from damage. Offered standard in 4000K (+/- 275K) CCT and minimum 70 CRI. Optional 5700K, 5000K and 3000K CCT and minimum 70 CRI are available.

### Electrical

LED driver is mounted to the removable die-cast aluminum door for optimal heat sinking and ease of maintenance. 120-277V 50/60Hz, 347V 60Hz or 480V 60Hz operation. Integral 6kV surge is standard. 10kV/10kA common- and differential- mode surge protection available as an option. 0-10V dimming driver is available to accommodate controls capability such as dimming and occupancy. Standard NEMA 3-PIN twistlock photocontrol receptacle and NEMA 7-PIN twistlock photocontrol receptacles are available as options. Suitable for ambient temperatures from -40°C to 40°C. Optional 50°C HA (high ambient) available. 92% lumen maintenance greater than 60,000 hours per IESNA TM-21 at 25°C.

### Accessories

Heavy-duty steel top and side visors control glare and spill light. 1/8" thick UV stabilized vandal guard shields glass lens from impact when mounted at low levels. Easy to install wire guard features a heavy-gauge welded construction with corrosion resistant polyester powder coat finish to protect glass from projected objects.

### Mounting


Mounting options include an integral die-cast aluminum slipfitter that is preset to a tilt of 45°. The knuckle base is supplied with a tooth lock adjustment that can be adjusted in 5° increments to provide flexibility in aiming the fixture from a variety of surfaces. Visual 15° adjustment indicators on the knuckle allow for 180° field rotation of the floodlight assembly. The slipfitter fits standard 2-3/8"-3" O.D. tenon. The trunnion mounting includes a 3/16" polyester powder coated galvanized steel trunnion with a 16/3 SOW cord. The trunnion mount uses an interlocking slide adjustment that is locked into place with a set screw.

### Finish

Housing and cast parts finished in five-stage super TGIC polyester powder coat paint, 2.5 mil nominal thickness for superior protection against fade and wear. Standard color is carbon bronze. Additional colors available in summit white, white, grey, bronze, black, dark platinum and graphite metallic. Consult your lighting representative at Cooper Lighting Solutions for a complete selection of standard colors.

### Warranty

Five-year warranty.



## NFFL NIGHT FALCON

Solid State LE

FLOODLIGHT



### CERTIFICATION DATA

UL/cUL Wet Location Listed  
IP66 Fixture and Optical Chamber  
LM79/LM80 Compliant  
3G Vibration Rated  
RoHS Compliant  
DesignLights Consortium® Qualified\*

### ENERGY DATA

**Electronic LED Driver**  
> 0.9 Power Factor  
< 20% Total Harmonic Distortion  
120V 50/60Hz, 347V/60Hz and 480V/60Hz  
-40°C Minimum Ambient Temperature Rating  
+40°C Maximum Ambient Temperature Rating

### EPA


Effective Projected Area (Sq. Ft.): 1.25

### SHIPPING DATA


Approximate Net Weight:  
20 lbs. (9.09 kgs.)

## DIMENSIONS


### Slipfitter Mount



### Trunnion Mount



### Yoke Mount



\*www.designlights.org

TD506007E  
April 22, 2020 1:33 P

## POWER AND LUMENS

	6x6				3x3			
C25 LED	NFFLD-C25	NFFLD-C25-7030	NFFLD-C25-7050	NFFLD-C25-7060	NFFLD-C25	NFFLD-C25-7030	NFFLD-C25-7050	NFFLD-C25-7060
Delivered Lumens	10,530	10,122	10,383	10,217	10,272	9,874	10,128	9,967
CCT (Kelvin)	4000K	3000K	5000K	5700K	4000K	3000K	5000K	5700K
CRI (Color Rendering Index)	70	70	70	70	70	70	70	70
Power Consumption (Watts)	85W	85W	85W	85W	93W	93W	93W	93W
C40 LED	NFFLD-C40	NFFLD-C40-7030	NFFLD-C40-7050	NFFLD-C40-7060	NFFLD-C40	NFFLD-C40-7030	NFFLD-C40-7050	NFFLD-C40-7060
Delivered Lumens	16,932	16,268	16,686	16,421	14,113	13,567	13,916	13,694
CCT (Kelvin)	4000K	3000K	5000K	5700K	4000K	3000K	5000K	5700K
CRI (Color Rendering Index)	70	70	70	70	70	70	70	70
Power Consumption (Watts)	128W	128W	128W	128W	143W	143W	143W	143W
C55 LED	NFFLD-C55	NFFLD-C55-7030	NFFLD-C55-7050	NFFLD-C55-7060				
Delivered Lumens	19,943	19,407	20,144	20,285				
CCT (Kelvin)	4000K	3000K	5000K	5700K				
CRI (Color Rendering Index)	70	70	70	70				
Power Consumption (Watts)	145W	145W	145W	145W				
C70 LED	NFFLD-C70	NFFLD-C70-7030	NFFLD-C70-7050	NFFLD-C70-7060				
Delivered Lumens	23,797	23,157	24,037	24,205				
CCT (Kelvin)	4000K	3000K	5000K	5700K				
CRI (Color Rendering Index)	70	70	70	70				
Power Consumption (Watts)	184W	184W	184W	184W				

## CURRENT DRAW

Voltage (V)	Model Series					
	6x6				3x3	
	NFFLD-C25	NFFLD-C40	NFFLD-C55	NFFLD-C70	NFFLD-C25	NFFLD-C40
	Current (A)	Current (A)	Current (A)	Current (A)	Current (A)	Current (A)
120V	0.708	1.070	1.2299	1.5695	0.778	1.190
277V	0.340	0.465	0.535	0.6726	0.340	0.531
347V	0.251	0.377	0.4213	0.5334	0.271	0.419
480V	0.195	0.273	0.3044	0.3831	0.207	0.320

## LUMEN MAINTENANCE


Ambient Temperature	TM-21 Lumen Maintenance (60,000 Hours)	Theoretical L70 (Hours)
6H x 6V (Wide)		
25°C	> 94.55%	> 388,000
40°C	> 93.58%	> 327,000
50°C	--	--
3H x 3V (Spot)		
25°C	>92.18%	>262,000
40°C	>91.81%	>249,000

## LUMEN MULTIPLIER


Ambient Temperature	Lumen Multiplier
10°C	1.03
15°C	1.02
25°C	1.00
40°C	0.97
50°C	0.96

## DRILLING PATTERNS


### Trunnion Mount



### Yoke Mount




## OPTIONAL INTEGRATED SENSOR




## ACCESSORIES


### Top and Side Visors



### Wire Guard



### Vandal Shield



## CONTROL OPTIONS

### 0-10V (D)

This fixture is offered standard with 0-10V dimming driver(s). The DIM option provides 0-10V dimming wire leads for use with a lighting control panel or other control method.



### Photocontrol (PER and PER7)

Photocontrol receptacles (PER and PER7) provide a flexible solution to enable "dusk-to-dawn" lighting by sensing light levels. Advanced control systems compatible with NEMA 7-pin standards can be utilized with the PER7 receptacle.

### Dimming Occupancy Sensor (MSP/DIM-LXX and MSP-LXX)

These sensors are factory installed in the luminaire housing. When the MSP/DIM-LXX sensor option is selected, the occupancy sensor is connected to a dimming driver and the entire luminaire dims when there is no activity detected. When activity is detected, the luminaire returns to full light output. The MSP/DIM sensor is factory preset to dim down to approximately 50 percent power with a time delay of five minutes. The MSP-LXX sensor is factory preset to turn the luminaire off after five minutes of no activity.

These occupancy sensors includes an integral photocell that can be activated with the ISHH-01 accessory for "dusk-to-dawn" control or daylight harvesting -- the factory preset is OFF. The ISHH-01 is a wireless tool utilized for changing the dimming level, time delay, sensitivity and other parameters. A variety of sensor lens are available to optimize the coverage pattern for mounting heights from 8'-30'.



### WaveLinX Wireless Outdoor Lighting Control Module (WOLC-7P-10A)

The 7-pin wireless outdoor lighting control module enables WaveLinX to control outdoor area, site and flood lighting. WaveLinX controls outdoor lighting using schedules to provide ON, OFF and dimming controls based on astronomic or time schedules based on a 7 day week.



## ORDERING INFORMATION

Sample Number: NFFLD-C40-E-UNV-66-S-CB-PER

Product Family <sup>1</sup>	Light Engine <sup>2</sup>	Driver <sup>3</sup>	Voltage	Distribution	Mounting	Color
NFFLD=Night Falcon LED Floodlight	C25=10,500 Nominal Lumens C40=16,900 Nominal Lumens C55=20,000 Nominal Lumens C70=24,000 Nominal Lumens	E=Non-Dimming D=Dimming (0-10V)	UNV=120-277V 347=347V <sup>4</sup> 480=480V <sup>4</sup>	66=NEMA 6H x 6V Wide 33=NEMA 3H x 3V Spot <sup>5</sup>	S=Slipfitter <sup>6</sup> T=Trunnion Y=Yoke	CB=Carbon Bronze (Standard) BK=Black BZ=Bronze AP=Grey WH=White WHT=Summit White DP=Dark Platinum GM=Graphite Metallic
Options (Add as Suffix)				Accessories (Order Separately) <sup>12</sup>		
<b>7030=70 CRI / 3000K <sup>7</sup></b> <b>7050=70 CRI / 5000K <sup>7</sup></b> <b>7060=70 CRI / 5700K <sup>7</sup></b> <b>PER=NEMA 3-PIN Twistlock Photocontrol Receptacle</b> <b>PER7=NEMA 7-PIN Twistlock Photocontrol Receptacle <sup>8</sup></b> <b>10K=10kV/10kA UL 1449 Surge Protective Device</b> <b>D10=External 0-10V Dimming Leads <sup>9</sup></b> <b>HA=50°C High Ambient Temperature <sup>9</sup></b> <b>MSP/DIM-L12=Integrated Sensor for Dimming Operation, 8' - 12' Mounting Height <sup>10,11</sup></b> <b>MSP/DIM-L30=Integrated Sensor for Dimming Operation, 12' - 30' Mounting Height <sup>10,11</sup></b> <b>MSP-L12=Integrated Sensor for ON/OFF Operation, 8' - 12' Mounting Height <sup>10,11</sup></b> <b>MSP-L30=Integrated Sensor for ON/OFF Operation, 12' - 30' Mounting Height <sup>10,11</sup></b>				<b>FA63=3" O.D. Surface Mount Bracket <sup>13</sup></b> <b>OA1223=10kV/10kA UL 1449 Surge Protective Device Replacement</b> <b>OA/RA1013=Photocontrol Shorting Cap</b> <b>OA/RA1014=NEMA Photocontrol - 120V</b> <b>OA/RA1016=NEMA Photocontrol - Multi-Tap</b> <b>OA/RA1027=NEMA Photocontrol - 480V</b> <b>OA/RA1201=NEMA Photocontrol - 347V</b> <b>RAB-XX=Right Angle Pipe Bracket for Slipfitter</b> <b>SAB-XX=Steel Angle Bracket for Trunnion</b> <b>TYS-XX=Slipfitter Adapter for 2-3/8", 3" or 3-1/2" O.D. Tenon <sup>14</sup></b> <b>TS2/NFFLD-XX=Top and Side Visors <sup>15</sup></b> <b>VS/NFFLD=Vandal Shield <sup>15</sup></b> <b>WG/NFFLD=Wire Guard <sup>15</sup></b> <b>ISHH-01=Integrated Sensor Programming Remote</b> <b>WOLC-7P-10A=WaveLinX Outdoor Control Module (7-pin) <sup>16</sup></b>		

## NOTES:

- DesignLights Consortium<sup>®</sup> Qualified. Refer to [www.designlights.org](http://www.designlights.org) Qualified Products List under Family Models for details.
- Standard 4000K CCT and minimum 70 CRI. Consult IES file for actual lumen output.
- Consult factory for driver surge protection values.
- Not recommended for use with ungrounded, delta configured systems.
- Only available in C25 and C40 light engines.
- Fits 2-3/8" to 3" O.D. tenon, wire leads run through slipfitter.
- Extended lead times apply. Use dedicated IES files for 3000K and 5700K when performing layouts. These files are published on the Night Falcon luminaire product page on the website.
- Must order with dimming driver.
- Not available with 3H x 3V spot distribution.
- 0-10V dimming driver required. Integrated sensor option only available in slipfitter mounting.
- Not available with Photocontrol.
- Replace XX with color designation. Additional brackets and adaptors available on the poles product page on the website.
- Not available with tenon mount.
- Not available with slipfitter mount.
- Cannot combine TS2 (Top and Side Visor), VS (Vandal Shield), or WG (Wire Guard), limited to one external guard per fixture.
- Requires 7-pin NEMA twistlock photocontrol receptacle. The WOLC-7 cannot be used in conjunction with additional sensors or controls.

## STOCK ORDERING INFORMATION

Stock Sample Number: NFFLD-C40-S

Series	Light Engine	Mounting	Voltage
NFFLD=Night Falcon	C25=10,500 Nominal Lumens C40=16,900 Nominal Lumens	S=Slipfitter T=Trunnion	[BLANK]=120-277V 347=347V

NOTES: Options not available with stock products. Order accessories as separate items for field installation. Refer to standard ordering information to add options. Refer to In-Stock Guide for availability. Stock fixture is 4000K, non-dimming, 120-277V or 347V 6Hx6V, carbon bronze only.

LINE # 2340

Sure-Lites

# DESCRIPTION

The Sure-Lites Emergency Light SELM series is designed to reduce egress system cost and maintenance as well as improve reliability. Key features include long life LED's, proprietary adjustable accuLED optics, a nickel cadmium battery and a rugged sheet metal housing. SELM is available with two or three 300 lumen heads that create up to 80 feet of emergency egress coverage. The Patented external battery disconnect and EZ Hang features reduce installation time and cost. The self-diagnostic capability automatically performs NFPA required testing. This product is City of Chicago compliant and New York City compliant.

Catalog #	Type
Project	
Comments	Date
Prepared by	

# SPECIFICATION FEATURES

## ELECTRICAL

- Dual Voltage Input  
120/277 VAC, 60Hz
- EZ Key external battery disconnect
- Brownout circuit
- Low-voltage disconnect
- Overload / Short Circuit protection
- 4.8V Battery back-up
- Minimum 90 minute runtime
- LED source with 300 lumens of output
- Self-diagnostics standard with Laser test capability

- 20 gauge sheet metal housing
- White finish
- Universal J-box mounting pattern
- Keyhole mounting slots
- Knockouts for conduit entry

## BATTERY

- Sealed Nickel Cadmium
- Full Recharge Time, 24 hours (max.)
- 0° to 40°C (32° to 104°F)

## WARRANTY

- Five-year fixture warranty
- Prorated seven-year battery warranty

## CODE COMPLIANCE


- UL924 Listed
- Damp Location
- Life Safety NFPA 101
- NEC/OSHA
- Most State & Local Codes
- City of Chicago Compliant
- NYC Compliant
- California Energy Code Compliant

# HOUSING CONSTRUCTION

## HOW TO SPECIFY

Sure-Lites LED emergency light with nickel cadmium battery, EZ Key external battery disconnect, EZ Hang installation, adjustable optics, 300 Lumens/per head, up to 80 feet of emergency egress coverage, sheet metal housing with self-diagnostics, and four watts of remote capacity.

# DIMENSIONS



# ORDERING INFORMATION

SAMPLE NUMBER: SELM60R4SD


Series	Housing	Spacing	Remote Capacity	Self-Diagnostics
SEL= LED Emergency Light	M=Sheet Metal	60=60 Feet	R4=4 Watts	SD=Self-Diagnostics (Standard)

SAMPLE NUMBER: SELM80SD


Series	Housing	Spacing	Self-Diagnostics
SEL= LED Emergency Light	M=Sheet Metal	80 = 80 feet	SD=Self-Diagnostics (Standard)

SAMPLE NUMBER: SELMR13SD

Series	Housing	Spacing	Remote Capacity	Self-Diagnostics
SEL= LED Emergency Light	M=Sheet Metal	NA	R13=13 Watts	SD=Self-Diagnostics (Standard)



SELM60R4SD



SELM80SD

# SELM Emergency Light

LED Emergency Light  
Metal Housing  
Adjustable Optic  
SELM  
Remote Capacity

City of Chicago Compliant

New York City Compliant



T20 Certified to California Title 20 Appliance Database

# ENERGY DATA

	Input Power	Current
120V	1.7W	.25A
277V	1.6W	.21A

Emergency Egress Coverage; fixture spacing					
Catalog Number	Output Lumens	0.1fc minimum		1fc minimum	
		75 foot height	20 foot height	75 foot height	20 foot height
SELM60	2x309	60 feet	52 feet	24 feet	30 feet
SELM80	3x309	80 feet	60 feet	35 feet	36 feet

## TECHNICAL DATA

### LED Heads

All metal formed aluminum lampheads. The die cast metal three dimensional swivel assembly permits approximate aiming adjustment from 80° vertical and 358° rotation. The placement is secured with a lockable pivot mounted on a rotating base ring.

### Housing

The rugged 20-gauge die-formed cold rolled steel housing is finished with white corrosion resistant polyester powder coat paint. Cabinet has keyhole mounting slots and knockouts in rear and side for wiring connections and has universal mounting pattern.

### SELMR13SD

The SELM series also features a headless version with 13 watts of remote capacity. This enables maximum design flexibility for indoor and outdoor egress.

### EZ Key – External Power Disconnect

Prevents the battery from cycling during the construction phase and ensures battery is not drained from power cycling.

### Low-Voltage Disconnect

The low-voltage circuitry disconnects the lighting load to protect the battery after run times in excess of the 90-minute UL limit. The disconnect remains in effect until normal utility power is restored preventing deep battery discharge.

### Self-Diagnostics

The self-diagnostic software will automatically perform all tests required by UL924, and NFPA101. The system indicates the status of the emergency light at all times using the LED indicator. A 90 minute battery power (emergency mode) simulation test will occur once every 12 months. A 30 second battery power simulation test will occur every 30 days.


The Solid-State microprocessor based system has the ability to accurately detect and warn of system failures, plus it incorporates all of the standard electronic features that sets Sure-Lites apart from its competition. Self diagnostic software automatically performs all testing required by the NFPA 101 Life Safety Code and systematically calibrates itself in the field, reducing installation labor and eliminating manual calibration errors.

### Brownout Circuit


The brownout circuit on the SELM series emergency light monitors the flow of AC current to the unit and activates the emergency light heads when a predetermined reduction of AC power occurs.

### Warranty


The SELM series is backed by a five-year warranty on the fixtures.



EZ Key



EZ Hang



Laser tester



Part Number = LASER  
(sold separately)

## REMOTE CAPACITY

SEL Series Remotes							
		Single Head Remotes			Double Head Remotes		
		SRP/SRM13	SRP/SRM25	SRP/SRM30	SRP25D/SRM25D	SRP50D/SRM50D	SRP60D/SRM60D
Watts Consumed		1.25	2.5	4.1	2.5	5	8.2
Catalog number	Remote Watts Available	# of SRP/SRM13 remotes fixture will power	# of SRP/SRM25 remotes fixture will power	# of SRP/SRM30 remotes fixture will power	# of SRP25D/SRM25D remotes fixture will power	# of SRP50D/SRM50D remotes fixture will power	# of SRP60D/SRM60D remotes fixture will power
SELM60R4SD	4	3	1	NA	1	NA	NA
SELMR13SD	13	10	5	3	5	2	1



PHOTOMETRY

SELM60R4SD



X	Y	Z	Orient	Tilt
-0.25	0.5	7.5	170	57
0.25	0.5	7.5	10	57
120.25	0.5	7.5	10	57
119.75	0.5	7.5	170	57
59.75	0.5	7.5	170	57
60.25	0.5	7.5	10	57
180.25	0.5	7.5	10	57
179.75	0.5	7.5	170	57

SELM80SD



X	Y	Z	Orient	Tilt
-0.8	0.8	7.5	173.35	63.7
0	0.8	7.5	13.69	67.5
0.8	0.8	7.5	6.14	68.1
79.2	0.8	7.5	173.35	63.7
80	0.8	7.5	13.69	67.5
80.8	0.8	7.5	6.14	68.1

\*\*\*The "Rule of Thumb" spacing guidelines are designed to achieve 1 foot-candle average and 0.1 foot-candle minimum with a 40:1 maximum/minimum ratio. The corridor used is 100 feet long, 9 foot ceiling with a 6 foot wide walkway and 3 foot path of egress. The reflectances are 80% ceiling, 50% walls and 20% floors. The fixture mounting height is 7.5 feet. Cooper Lighting Solutions assumes no responsibility for local requirements or specific project variables. This is a guideline to be used as a design aid, not as guarantee of any code compliance.

## SELF-DIAGNOSTIC TESTING OPERATION

The Sure-Lites Self-Diagnostics is continuously monitoring your emergency fixture, and will signal any failure through the 3 color indicator LED.

### Initial Operation:

When the unit is first powered up it will go into a 24 hour fast charge and the indicator LED will pulse green. Once the unit has fully charged it will perform a self calibration. After self calibration, the LED will change to steady green indicating the unit is fully charged and float charging the battery to maintain readiness.

### Automatic Testing:

The unit will perform a battery capacity, lamp/LED, and charge circuit test every 30 days for 30 seconds. During this time, the indicator LED will change to a steady yellow. It will perform a full battery capacity (90 minute) test once per year. During this time, the indicator LED will change to a blinking yellow.

### Manual Testing:

- 10 Second "Installation" test – Press and release the test button once during fast charge (blinking green) to initiate a 10 second quick test. The sign will switch to emergency mode for 10 seconds allowing the installer to verify proper installation of the unit, and the LED indicator will turn solid yellow.
- 30 Second Test - Press and release the test button once during float charge (steady green). The indicator LED will turn steady yellow to indicate the unit is performing a 30 second test of the batteries and lamps/LEDs.
- 90 Minute Test - Press and release the test button a second time during a 30 second test (steady yellow) to change to a 90 minute test. During this test, the LED indicator will change to blinking yellow, and the circuit will perform a full battery capacity, charge circuit, and LED test.
- Canceling Test – Press and release the test button during the 90 minute test (flashing yellow) to return the fixture to its original state (fast charge or float charge)

### Laser Test:

The SEL SD products are equipped with a LaserTest function that allows the unit to be manually tested without the need to physically press the test button. Shining a laser pointer in the hole marked "LASERTEST" on the bottom of the unit has the same effect as a press and release of the test button.

### Clearing Failure Codes:

- A battery failure (LED two blink red) can be cleared by replacing the battery. Disconnecting the battery and AC power, or performing a full 90 minute discharge will reset the error code, however, it will return if the battery is faulty
- Charge Circuit (LED three blink red) and lamp/LED failure (LED four blink red) will clear when the unit successfully passes a manual or automatic 30 second test.

## SELF-DIAGNOSTIC TESTING OPERATIONS

### Indicators:

- LED Off - No power to unit, emergency mode.
- LED Steady Green - Unit is fully charged and is float charging the battery to maintain readiness.
- LED Green Pulse - Unit is in a 24 hour fast charge of the battery.
- LED Two Blink Red - Battery has failed a capacity test, or the battery is disconnected. See "Clearing Failure Codes" above.
- LED Three Blink Red - Battery charge circuit has failed. See "Clearing Failure Codes" above.
- LED Four Blink Red - Lamps have burned out, or on an EXIT/Combo, 50% or more of the LEDs have failed. See "Clearing Failure Codes" above.
- LED Steady Yellow - 30 second test or 10 second quick test (Fast Charge only).
- LED Blinking Yellow - 90 minute test.

### Maintenance:

None required. Replace the batteries as needed according to ambient conditions. However, we recommend that the equipment be tested regularly in accordance with local codes.

## SURE-LITES

○	OFF - EMERGENCY MODE / POWER OFF	●	STEADY BLINK YELLOW - 90 MINUTE TEST
●	STEADY BLINK GREEN - FAST CHARGE	●●	2 BLINK RED - BATTERY FAILURE
●	STEADY GREEN - FULL / FLOAT CHARGE	●●●	3 BLINK RED - CHARGE CIRCUIT FAILURE
●	STEADY YELLOW - QUICK TEST	●●●●	4 BLINK RED - LAMP/ LED FAILURE



LINE # 23600

Sure-Lites

# DESCRIPTION

When AC power fails, the Sure-Lites Emergency Battery Pack LED (EBP) automatically switches to emergency mode. The EBP maintains illumination of an LED fixture for a minimum of 90 minutes. The product line is UL924 classified for field retrofit installation and has guaranteed compatibility with Cooper Lighting Solutions LED fixtures with accessible LED drivers. The constant power feature ensures consistent light output of the fixture for 90 minutes minimum. The EZ Key and laser test features simplify maintenance and installation. These products are not for use with sealed and gasketed fixtures.

Catalog #		Type
Project		
Comments		Date
Prepared by		

# SPECIFICATION FEATURES

## ELECTRONIC

- Universal voltage input 120 through 277 VAC, 50/60Hz
- Constant power output of 7 Watts or 14 Watts depending on model
- Automatically senses voltage required within these ranges: EBPLED7W from 8V to 55V EBPLED7W-3H from 16V to 55V EBPLED14W from 16V to 55V
- Low-voltage disconnect to protect battery life
- Test Button/Indicator Light/laser test/external battery disconnect
- 0°C to 55°C operation

## CONSTRUCTION

- Steel housing
- EBPLED7W = 10.06 inches
- EBPLED14W = 14.56 inches
- Plenum rated test button cable
- Lead wires and 24" flexible metallic conduit provided

## BATTERY

- Sealed Nickel Cadmium
- Maintenance-free, Long-life
- Full Recharge Time, 24 hours (max.)

- 90 minute run time EBPLED7W/ EBPLED14W
- 180 minute run time EBPLED7W-3H

## WARRANTY

- Five-year warranty

## CODE COMPLIANCE

- UL 924 Classified
- Life Safety NFPA 101
- NEC/OSHA
- Most State and Local Codes
- California Energy Code


**T20** Certified to California Title 20 Appliance Database

# HOW TO SPECIFY


Sure-Lites LED field installable emergency battery back with automatic voltage sensing, constant wattage output, external battery disconnect, laser test capability and nickel cadmium battery.

# DIMENSIONS

## EBPLED7W




## EBPLED14W / EBPLED7W-3H




# ORDERING INFORMATION

SAMPLE NUMBER: EBPLED7W


Series	Output	Run time
EBPLED= LED Emergency Battery Pack	7W=7 Watt	_ =90 minute -3H=180 minute
	14W=14 Watt	_ =90 minute



EBPLED7W



EBPLED14W



EBPLED7W-3H

**EBPLED  
Emergency Battery  
Packs**

**LED**



## TECHNICAL DATA

### Universal Voltage Charger

Unit is supplied with a constant current, switch mode charging circuit which automatically detects the voltage level of the AC input (120V through 277V) and adjusts accordingly. This simplifies and mistake proof's the wiring.

### Automatic Switching

The switching circuitry is designed to detect an absence of AC power and automatically switch into emergency operation. Upon restoration of AC power the lamps will automatically switch back to operating from the AC ballast.

### Automatic detection of LED load forward voltage

Unit detects the LED forward voltage required (from 8V to 55V for 7W unit, 16V to 55V for 14W unit) and adjusts output current to provide constant wattage to the fixture, ensuring compatibility with a wide range of LED fixtures.

### Constant Wattage Output

Unit provides constant power which ensures a consistent illumination while in emergency mode. Fixture lumen output is easily calculated by multiplying the unit wattage by the fixture efficacy (ie lumens/watt) from DLC data.

www.designlights.org

Example:

EBPLED	= 14W
DLC EFF	= 100 lumens/watt
EM Lumens	= 14W x 100 lumens/watt
	= 1400 lumens

### Test Button/Indicator Light

Simulates interruption of AC power and illuminates LED fixture. LED charge indicator light indicates battery charger operation.

### Laser Test

Enables remote testing by utilizing a laser pointer to simulate AC power loss and engagement of emergency operation. Can be mechanically activated by pushing the button or by optically activating with a laser tester.

### EZ Key External Battery Disconnect

Prevents the battery from cycling during the construction phase and ensures a full battery charge for C.O. inspection.

### Battery


High temperature nickel cadmium battery pack is standard.

### Warranty


All Sure-Lites EBP products are backed by a firm five-year warranty against defects in material and workmanship.

### FEMA Requirement


EBP7W-3H provides a 3 hour run time to meet and exceed the FEMA tornado safe room requirement of two hours of operation.



EZ key




Test button



Laser tester

Part Number = LASER  
(sold separately)

## WIRING DIAGRAM



**IMAGE  
COMING  
SOON**

**Product  
Number:** 75304

**Order  
Abbreviation:** QTP2X40T12UNVRS-SC

**General  
Description:** 2-lamp,Rapid Start electronic ballast for 4 ft. T12, universal input voltage lamp,  
4 pack

**\* Full Case Required**

#### Product Information

Abbrev. With Packaging Info.	QTP2X40T12UNVRSSC 4/CS 1/SKU
Family Brand Name	QUICKTRONIC
Nominal Voltage (V)	120.00
Total Maximum Wattage	71

Quick Search

Search

[Exit](#)[MY ORDERS](#)[PRODUCT CATALOG](#)[SEARCH CATALOG](#)[Browse Catalog](#)

MICROMINI

[Previous Page](#)

## Packaging Information

**Product Number:** 26371  
**Order Abbreviation:** CF13ELSPIRAL827 18/CS  
3/SKU  
**General Description:** T2 13W Compact  
Fluorescent Full Half  
Spiral with integral 120V  
ballast medium screw  
base, color temperature  
2700K 80 CRI, 10,000 life

### Description

SKU Qty  
SKU's/Case  
Case Qty  
Case Length (in)  
Case Width (in)  
Case Depth (in)  
Case Cube (ft)  
Case Weight (lbs)  
SKU UPC  
Pallet Qty  
SKU's/Pallet  
Cases/Pallet

### Information

3  
6  
18  
12.126  
5.752  
4.791  
0.193  
2.749  
046135263712  
4320  
1440  
240

**Please note: Case dimensions are outside dimensions.**



**Product Number:** 74687

**Order Abbreviation:** LED9A19DIMO827URP

**General Description:** LED A19, 9W, Dimmable, 80CRI, 800 Lumen, 2700K, 15000 Life, E26 Medium Base, FROSTED Finish

**Price:**

**Quantity:**

1

**EA**

\* Full Case Required \* Not for Sale/Purchase in California

#### Product Information

Life Time (L70)	15000
Operating Temperature (°C)	-20 to +45
Dimming	Yes
Abbrev. With Packaging Info.	LED9A19DIMO827URP 6/CS 1/SKU
Average Rated Life (hr)	15000
Base	E26 Medium
Bulb	A19
Family Brand Name	ULTRA
Color Temperature/CCT (K)	2700
Color Rendering Index (CRI)	80
Lumens	800
Approx. Lumens	800
Nominal Voltage (V)	120.00
Nominal Wattage (W)	9.00
Language Strategy	ENGLISH/FRENCH/SPANISH
Ordering Abbreviation	LED9A19DIMO827URP
UPC Code	UPC046135746871
Lamp Finish	Frosted



**Product Number:** 74685

**Order Abbreviation:** LED12A19DIMO827URP

**General Description:** LED A19, 12W, Dimmable, 80CRI, 1100 Lumen, 2700K, 15000 Life, E26 Medium Base, FROSTED Finish

**Price:**

**Quantity:**

1

EA

\* Full Case Required \* Not for Sale/Purchase in California

#### Product Information

Life Time (L70)	15000
Operating Temperature (°C)	-20 to +45
Dimming	Yes
Abbrev. With Packaging Info.	LED12A19DIMO827URP 6/CS 1/SKU
Average Rated Life (hr)	15000
Base	E26 Medium
Bulb	A19
Family Brand Name	ULTRA
Color Temperature/CCT (K)	2700
Color Rendering Index (CRI)	80
Lumens	1100
Approx. Lumens	1100
Nominal Voltage (V)	120.00
Nominal Wattage (W)	12.00
Language Strategy	ENGLISH/FRENCH/SPANISH
Ordering Abbreviation	LED12A19DIMO827URP
UPC Code	UPC046135746857
Lamp Finish	Frosted



## LED Elevator Lamps


**LED**

25,000 Hours average rated life, 12 Volts

### Applications:

#### + Low Voltage Elevator Lighting

Replaces 20 watt 1383 and GBF incandescent lamps.



### Features and Benefits


- **Energy Efficient:** 90% less energy than standard incandescent replacements
- **Long life:** 25,000 hours (lasts at least 15 times longer than alternative)
- **More Light:** More overall light output compared to incandescent
- **Very Durable:** Solid state lighting technology significantly reduces lighting service & maintenance due to robust lighting design. LEDs perform exceptionally well in rough service lighting applications.
- **Exceptional ON/OFF cycling capability** that is compatible with occupancy control systems
- **Very low heat generation** in cab as compared to incandescent lamps.
- **No need for shatter resistant coatings.** Polycarbonate lens is shatter resistant.



Catalog Number

Notes

Type



### Specifications

Input Line Voltage: ..... 12V VAC/DC  
 Input Power..... 2W  
 Input Line Frequency ..... 50/60HZ  
 Lamp Life (Rated)..... 25,000 hrs  
 Minimum Starting Temp..... -20°C  
 Maximum Operating Temp..... 40°C  
 CCT ..... 2700K  
 CRI ..... 80

Warranties and Certifications:	Item #	Description	Wattage	Lumens	Base Type	CRI	Lamp Life	Voltage	CCT
<b>3 YEAR WARRANTY</b> 	LED2W1383V2	2W 1383 Elevator Lamp - 2700K, Frosted	2	150	BA15S	80	25,000	12V	2700K
	LED2WGBFV2	2W GBF Elevator Lamp - 2700K, Frosted	2	150	BA15D	80	25,000	12V	2700K
For the most up-to-date specs, please visit <a href="http://www.tcpi.com">www.tcpi.com</a>									

**TCP**

325 Campus Dr. | Aurora, Ohio 44202 | P: 1-800-324-1496 | F: 330-995-6188 | [tcpi.com](http://tcpi.com)

©TCP OCT 2016/WF23909





# TORK<sup>®</sup> nsi INDUSTRIES SPECIFICATION SHEET

LINE #  
4070 +  
4080

Project Info:	Type:
Job Ref:	Catalog Number:
Approvals:	Date:

## 2129A

### Specification Grade 1/2" Conduit Mount Die Cast Zinc.



#### Applications

- Parking lots.
- Building perimeter lighting.
- Outdoor signage.

#### FEATURES

- **Sensor:** Filtered IR non-drifting silicon sensor designed for human eye response.
- **Operation:** On and Off 1.5fc instant/ 2.2fc 2-5 second delay.
- **Standards:** Meets ANSI/UL773A.
- **Housing:** Heavy Duty die cast zinc housing and base. Gasketed for maximum weather protection
- **Energy Savings:** Works with CFL, LED.
- **Surge Protection:** 190 joules MOV

#### SPECIFICATIONS

- **Voltage:** 120/208-277.
- **Tungsten:** 2000W/3470-4620W.
- **Ballast:** 1800VA/2080-2770VA.
- **LED:** 600VA/1040-1385VA.
- **Turn ON/OFF Light Level:** Turn on is 1 to 5fc, Turn OFF is 3 to 15fc, without the slide in position. ON/OFF adjustment is easily made by moving slide cover no tool required.
- **Time Delay:** ON and Off.
- **Operating Temperature:** -40°F to 158°F (-40°C to 70°C).
- **Fail Mode:** ON.
- **Power Consumption:** 1 Watt.



## 2129A

1/2" Conduit Mount Specification Grade, Die Cast Zinc

#### REGULATORY LISTINGS

- ANSI
- UL773A

#### LIMITED WARRANTY

- 5-year manufacturer's warranty

# TORK<sup>®</sup> nsi INDUSTRIES

## SPECIFICATION SHEET

LINE  
4110

Project Info:	Type:
Job Ref:	Catalog Number:
Approvals:	Date:

### 5200-UL ELECTRONIC SERIES

#### Electronic Instant Response LED Photocontrol



#### OVERVIEW

The 5200-UL Electronic Series Photocontrol is designed to meet local utility standards for street and highway LED luminaires.

#### APPLICATIONS & FEATURES

- All LED, CFL, Induction, HPS and HID lighting fixtures requiring instant response dusk-to-dawn control.
- Ideal for roadway, area, parking, flood and security type lighting fixtures.
- Enhanced 360 Joule MOV surge device provides protection against unpredictable line voltage spikes.
- Superior light sensing technology driven by a Non-Drifting Filtered Silicon Sensor designed for extreme accuracy and Human Eye Response.
- Circuit Board protection enhanced with conformal coating to protect against extreme weather elements and moisture.
- Long life components exceeding the 20 year long life requirement found on most LED fixtures.
- Life testing results exceed 10,000 ON/OFF operations.


#### SPECIFICATIONS

- **Voltage:** 105-305VAC, 50/60Hz.
- **Tungsten:** 1000 Watts.
- **Ballast:** 1800VA (U.S.) or 1000VA (Canada).
- **LED Electronic Ballast:** 4A or Totaling 1000W@277VAC.
- **Dielectric Strength:** 2500VAC.
- **Turn ON Light Level:** 1.5 fc +/- 0.2 fc Instant ON.
- **Turn OFF light Level:** 1.5:1 (2.25 fc) with 2-5 second delay.
- **Operating Temperature:** -40°F to 158°F (-40°C to 70°C).
- **Fail Mode:** ON.
- **Surge Protection:** 360 Joule MOV.
- **Power Consumption:** <.5 Watts.



**5237-UL**  
Electronic LED Photocontrol Mounting Turn-Lock

#### DIMENSIONS



#### REGULATORY LISTINGS

- ANSI C136.10-2010
- UL773 & CSA TIL A15



#### LIMITED WARRANTY

- 8-year manufacture's warranty

### ORDERING INFO

#### 5237-UL PHOTOCONTROL

TECHNOLOGY & TYPE		VOLTAGE	COVER COLOR	TURN-ON LEVEL (fc)	FAIL MODE	MOV RATING	TUNGSTEN/BALLAST	LED RATING
5237-UL	ELECTRONIC TURN-LOCK	105-305VAC	BLUE	1.5 ANSI STD.	ON	360J	1000W/1800VA	4A or 1000W



NSi Industries, LLC  
888.500.4598  
www.nsiindustries.com

## SPECIFICATION SHEET

### 1100 SERIES 24 HOUR TIME SWITCH SAME ON/OFF TIMES EACH DAY

#### APPLICATIONS

- Lighting, pumps
- Signs, fans
- Air conditioning
- Water heaters
- Automatic ON/OFF control when operation is required at the same time every day.

#### FEATURES

##### SCHEDULING:

Minimum ON is setting 20 minutes with a minimum OFF setting of 75 minutes. Dial accommodates up to 12 pairs of trippers. One pair included.

##### MANUAL OVERRIDE:

Until the next regularly scheduled ON or OFF automatic operation then resumes.

##### ENCLOSED MOTOR:

Protects gears to extend life.

#### SPECIFICATIONS

##### INPUT VOLTAGE:

120 or 208-277 VAC

60 Hz, varies by model.

##### TIMING ACCURACY:

Line frequency.

##### TERMINAL RANGE:

#8 - #14 AWG.

##### OPERATING TEMPERATURE:

-40 °F to 165 °F (-40 °C to 74 °C).

##### POWER CONSUMPTION:

3 watts maximum.

##### ENCLOSURE:

Lockable hasp. Type varies by model.

##### OTHER MOUNTINGS:

Adaptor Plate model #IAP allows any 1100 series to fit into an Intermatic® case.



#### ORDERING INFO

CAT. NO.	UPC CODE	INPUT SUPPLY (VAC) 60Hz	OUTPUT CONTACTS	ENCLOSURE TYPE
1101B	10064	120	SPST	Metal Indoor NEMA 1
1101B-P	10068	120	SPST	Polycarbonate Indoor/Outdoor NEMA 3R
1101B-PC	10095	120	SPST	Polycarbonate Outdoor w/ clear cover NEMA 3R
1101BM-IAP	10073	120	SPST	Mechanism and retrofit plate
1101-7 *	10033	347	SPST	Metal Indoor NEMA 1
1102B	10065	208-277	SPST	Metal Indoor NEMA 1
1103B	10066	120	DPST	Metal Indoor NEMA 1
1103B-P	10069	120	DPST	Polycarbonate Indoor/Outdoor NEMA 3R
1103B-PC	10096	120	DPST	Polycarbonate Outdoor w/ clear cover NEMA 3R
1103B-O	10098	120	DPST	Metal Indoor/Outdoor NEMA 3
1104B	10067	208-277	DPST	Metal Indoor NEMA 1
1104B-P	10070	208-277	DPST	Polycarbonate Indoor/Outdoor NEMA 3R
1104B-PC	10097	208-277	DPST	Polycarbonate Outdoor w/ clear cover NEMA 3R
1104B-O	10075	208-277	DPST	Metal Indoor/Outdoor NEMA 3
1104BM-MB	10076	208-277	DPST	Mechanism and surface mounting bracket
1104BM-IAP	10074	208-277	DPST	Mechanism and retrofit plate
<b>Replacement Trippers</b>		Order #P47 for a pair of ON/OFF trippers		
<b>Replacement Motor</b>		#101 (120V) & #201 (208-277V)		

 Conversion

Astronomic dial. Consult factory for correct number for your latitude.

\* 1101-7 CSA only




## SPECIFICATION SHEET

### 1100 SERIES US 24 HOUR TIME SWITCH SAME ON/OFF TIMES EACH DAY


#### WIRING DIAGRAMS

1101 & 1102





For separate motor terminals remove bridge from terminal L&1.

1103



1104




⚠ ATTENTION  
TYPICAL FOR DOUBLE POLE  
CUT MOTOR LEAD AT 1

#### CONTACT RATINGS

TYPE	VOLTAGE (VAC)	CONTACT RATING
General Purpose	120-277	40A
Resistive	120-277	40A
Tungsten	120	40A
Ballast	120-277	20A
LED Driver	120-277	20A
Pilot Duty	120	1000VA
	240	2000VA
Motor	120	2HP
	240	5HP

277VAC Single Phase

1101-7 is 30 AMP inductive at 347 volts and CSA only. 

# TORK®

## SPECIFICATION SHEET

### 1109A & 1109A-O

Same ON/OFF Times Each Day

#### APPLICATIONS

- Lighting, pumps, signs.
- Air conditioning, water heaters, fans.
- Automatic ON/OFF control when operation is required at the same time every day.

#### FEATURES

- **Scheduling:** Minimum ON is setting 20 minutes with a minimum OFF setting of 75 minutes. Dial accommodates up to 12 pairs of trippers. One pair included.
- **Manual Override:** Until the next regularly scheduled ON or OFF automatic operation then resumes.
- **Standards:** Listed UL/CSA 60730.
- **Enclosed Motor:** Protects gears for extended life.


#### SPECIFICATIONS

- **Timing Accuracy:** Line Frequency.
- **Input Voltage:** 120/208-277VAC, 50/60Hz
- **Terminal Range:** #8 - #14AWG.
- **Operating Temperature:** -40 °F to 149 °F (-40 °C to 65 °C).
- **Power Consumption:** 3 Watts Max.
- **Enclosure:** Metal Indoor NEMA 1. Suffix -O Metal Indoor/Outdoor NEMA 3R. All with lockable hasp.

#### CONTACT RATINGS

- **General Purpose:** 120/208-277VAC 40A.
- **Resistive:** 120/208-277VAC 40A.
- **Tungsten:** 120VAC 40A.
- **Ballast:** 120/208-277VAC 20A.
- **Electronic Ballast (LED):** 120/208-277VAC 16A.
- **Pilot Duty:** 120VAC 1000VA, 240VAC 2000VA.
- **Motor:** 120VAC 2HP, 240VAC 5HP.
- **Short Circuit Rating:** 5KA (when protected by a Class T Fuse Rated 60A).

Project Info:	Type:
Job Ref:	Catalog Number:
Approvals:	Date:



#### ORDERING INFO




CAT. NO.	CERTIFICATION	UPC CODE	INPUT SUPPLY (VAC) 60Hz	OUTPUT CONTACTS	ENCLOSURE TYPE
1109A	cULus	10105	120/208-277	SPST/DPST	Metal Indoor NEMA 1
1109A-O	cULus	10106	120/208-277	SPST/DPST	Metal Indoor/Outdoor NEMA 3

LINE # 4150


# TORK®

## SPECIFICATION SHEET

### WIRING DIAGRAMS



### ENCLOSURE





**Product Number:** 78356

**Order Abbreviation:** LED16.5PAR38/HD/DIM/930/NFL25

**General Description:** LED PAR38, 16.5W, Dimmable, 91CRI, 1350 Lumen, 3000K, 25000 life  
**Price:** 14.33 USD



**Quantity:**   
**EA**



#### Product Information

Centerbeam Candlepower (cp)	5800
Life Time (L70)	25000
Dimming	Yes
Abbrev. With Packaging Info.	LED16.5PAR38HDDIM930NFL25 6/CS 1/SKU
Average Rated Life (hr)	25000
Base	Medium
Bulb	PAR38
Family Brand Name	Renaissance?
Color Temperature/CCT (K)	3000
Color Rendering Index (CRI)	91
Lumens	1350
Approx. Lumens	1350
Nominal Voltage (V)	120.00
Nominal Wattage (W)	16.50
Language Strategy	ENGLISH/FRENCH/SPANISH
Ordering Abbreviation	LED16.5PAR38/HD/DIM/930/NFL25
UPC Code	UPC046135783562
Lamp Finish	not relevant