

 doc09860520161130132324	11/30/2016 1:27 PM	Adobe Acrobat D...	556 KB
---	--------------------	--------------------	--------

DATE: 11/28/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00118443

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: DREAMEY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

5-7 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>I.W.S. GAS AND SUPPLY</u>	
SIGNATURE: (Must be signed here) <u>Jimmy Gibbs</u>	TITLE: <u>SALES</u>
PRINT OR TYPE NAME: <u>JIMMY GIBBS</u>	
ADDRESS: <u>111 BURAS DR.</u>	
CITY, STATE: <u>BELLE CHASSE, LA.</u>	ZIP: <u>70037</u>
TELEPHONE: <u>504 392-2400</u>	FAX: <u>504 392-1500</u>
EMAIL ADDRESS: <u>JIMMY.GIBBS@GAS AND SUPPLY.COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 2506.91

DATE: 11/28/2016

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page: 6

BID NO.: 50-00118443

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ONE TIME PURCHASE:		
1	3.00	EA	0010- LADDER, ALUMINUM, SINGLE STYLE, EIGHT (8) FT, 300 LB CAPACITY, BAUER #23108. <i>LOUISVILLE AE2108</i>	<i>80.91</i>	<i>242.73</i>
2	36.00	EA	0020 - SCREWDRIVER, #2 PHILLIP TIP, INDUSTRIAL 4 IN LONG ALLOY STEEL, ROUND <i>PROTO JPO204R</i> SHANK, NON SLIP HANDLE, MADE IN USA	<i>7.66</i>	<i>275.76</i>
3	6.00	EA	0030 - SCREWDRIVER, Torx HANDLE STORES T-8, T-9, T-10, T-15, T-20, T-25 BITS, <i>PROTO J561929</i> DOMESTICALLY PRODUCED.	<i>47.82</i>	<i>286.92</i>
4	12.00	EA	0040 - PLIERS, NEEDLE NOSE WITH WIRE CUTTER, INSULATED, DOMESTICALLY PRODUCED 8 1/8 LONG <i>PROTO J228G</i>	<i>13.70</i>	<i>164.40</i>
6	8.00	EA	0050 - Hammer, SLEDGE, 16 LB, DOUBLE FACE, 36 IN WITH HICKORY HANDLE, MADISON # 916 <i>AMES 1199700</i>	<i>31.16</i>	<i>249.28</i>
6	3.00	EA	0060 - KIT, REPAIR FOR WELDERS HOSE WESTERN BRAND # CK-5	<i>55.34</i>	<i>166.02</i>
7	20.00	EA	0070 - SAW, UNIVERSAL, TO CUT PVC PIPE RIDGID # 80522 <i>DISCONTINUED</i> <i>REED 04510</i>	<i>17.86</i>	<i>357.20</i>
8	4.00	EA	0080 - GRIP, WIRE, FOR PULLING PLASTIC PIPE SIZE RANGE 2 IN MIN TO 2 7/8 IN MAX., 36 IN LONG, 3700 # WORKING STRENGTH, USA STK # 65203	<i>N/B</i>	<i>—</i>
9	20.00	EA	0090 - WRENCH, METER COUPLING 3/4-1, REED #MW1-1/4 OR RIDGID #10358 <i>RIDGID 10358</i>	<i>26.96</i>	<i>539.20</i>
10	20.00	EA	0100 - BRUSHES, WIRE, BENT HANDLE WITH STEEL SCRAPER, ADVANCE #A-17 <i>MAGNOLIA MB EC45C</i> <i>SHOE HANDLE</i>	<i>1.70</i>	<i>34.00</i>
11	36.00	EA	0110 - BRUSH, WIRE, STAINLESS STEEL TOOTH THREE (3) ROWS OF STAINLESS STEEL <i>MAGNOLIA BRUSH MB 274</i>	<i>1.10</i>	<i>39.60</i>

DATE: 11/28/2016

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page: 6

BID NO.: 50-00118443

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
12	4.00	EA	<p>BRISTLES ARE EMBEDDED IN A 7 7/8 IN LONG WOOD HANDLE, SNAP ON # AC5A, FED SPEC HG 178C</p> <p>0120 - WRENCH, ADJUSTABLE HYDRANT, DOUBLE SPANNER HEAD, CADMIUM PLATED FITS UP TO 1 3/4 IN PENTAGON AND 1 1/4 IN SQUARE HYDRANT NUTS, FOR PIN OR ROCKER LUG COUPLING, POLLARD #P66502M</p>	37.95	151.80

LADDERS - Ladders We Stock

Aluminum Extension Ladders

AE2000 Series—Single Section



LOUISVILLE

LADDERS TRUSTED BY THE PROS FOR OVER 60 YEARS

0010 →

Item ID	Louisville Ladder Model No.	Total Length	Approx. Wt.	Wt. Capacity (lbs)
1101012108	AE2108	8 ft.	15	300
1101012110	AE2110	10 ft.	18	300
1101012112	AE2112	12 ft.	22	300
1101012114	AE2114	14 ft.	28	300
1101012116	AE2116	16 ft.	30	300
1101012118	AE2118	18 ft.	38	300
1101012120	AE2120	20 ft.	42	300


300 lbs. load capacity*
TYPE IA

MEETS
OSHA
REQUIREMENTS

ANSI
Meets or exceeds requirements
of American National Standards Institute

Aluminum Extension Ladders

AE2800 Series—Two Section



Item ID	Louisville Ladder Model No.	Total Length	Length Each Section	Max. Extension Length	Approx. Wt.	Wt. Capacity (lbs)
1101012816	AE2816	16 ft.	8 ft.	13 ft.	32	300
1101012820	AE2820	20 ft.	10 ft.	17 ft.	39	300
1101012824	AE2824	24 ft.	12 ft.	21 ft.	46	300
1101012828	AE2828	28 ft.	14 ft.	25 ft.	59	300
1101012832	AE2832	32 ft.	16 ft.	29 ft.	66	300
1101012836	AE2836	36 ft.	18 ft.	32 ft.	80	300
1101012840	AE2840	40 ft.	20 ft.	35 ft.	89	300

300 lbs. load capacity*
TYPE IA

MEETS
OSHA
REQUIREMENTS

ANSI
Meets or exceeds requirements
of American National Standards Institute

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

28 PIECE MAGNETIC SCREWDRIVER BIT SET


Product #: J61929

- Packaged in plastic blow-molded case for easy storage.

0030

Gas And Supply
Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500

jimmy.gibbs@gasandsupply.com



Description	Tip Size	Tips	Overall Length (in)	Drive Size
Bit, Insert #0 Phillips 1/4" Hex	0	Phillips	1	1/4
Bit, Insert #1 Phillips 1/4" Hex	1	Phillips	1	1/4
Bit, Insert #2 Phillips 1/4" Hex	2	Phillips	1	1/4
Bit, Insert #3 Phillips 1/4" Hex	3	Phillips	1	1/4
Bit, Insert Slotted 3F-4R 1/4" Hex	3F-4R	Slotted	1	1/4
Bit, Insert Slotted 4F-5R 1/4" Hex	4F-5R	Slotted	1	1/4
Bit, Insert 7/32" Slotted 1/4" Hex	7/32	Slotted	1	1/4
Bit, Insert 5/32" Slotted 1/4" Hex	5/32	Slotted	1	1/4
Bit, Insert 9/32" Slotted 1/4" Hex	9/32	Slotted	1	1/4
Bit, Insert T10 Torx® 1/4" Hex	T10	Torx®	1	1/4
Bit, Insert T15 Torx® 1/4" Hex	T15	Torx®	1	1/4
Bit, Insert T20 Torx® 1/4" Hex	T20	Torx®	1	1/4
Bit, Insert T25 Torx® 1/4" Hex	T25	Torx®	1	1/4
Bit, Insert T30 Torx® 1/4" Hex	T30	Torx®	1	1/4
Bit, Insert T40 Torx® 1/4" Hex	T40	Torx®	1	1/4
Bit, Insert #0 Square Recess 1/4" Hex	0	Square	1	1/4
Bit, Insert #1 Square Recess 1/4" Hex	1	Square	1	1/4
Bit, Insert #2 Square Recess 1/4" Hex	2	Square	1	1/4
Bit, Insert #3 Square Recess 1/4" Hex	3	Square	1	1/4
5/64" Socket Head, 1/4" Hex	5/64	Socket	1	1/4
3/32" Socket Head, 1/4" Hex	3/32	Socket	1-1/4	1/4
1/8" Socket Head, 1/4" Hex	1/8	Socket	1-1/4	1/4
5/32" Socket Head, 1/4" Hex	5/32	Socket	1-1/4	1/4
3/16" Socket Head, 1/4" Hex	3/16	Socket	1-1/4	1/4
Bit, Insert 1/8" Clutch, 1/4" Hex	1/8	Clutch	1	1/4
Bit, Insert 5/32" Clutch, 1/4" Hex	5/32	Clutch	1	1/4
Magnetic Bit, Holder	-	-	2-1/4	1/4
Screwdriver, Magnetic Bit, Holder	-	-	7-9/16	1/4


Weight (lbs): 1.07

Torx® is a trademark of Acument Intellectual Properties, LLC

Country of origin accurate at time of printing; consult www.artisglobal.com for updates.

NEEDLE-NOSE PLIERS - LONG REACH

- ▶ Extra-long handle allows greater access to confined, restricted areas.
- ▶ Improved fulcrum point provides more holding power at the tip with less gripping effort.
- ▶ Plastics grips for added comfort.



**BENT**

- ▶ Extra
- ▶ Impro
- ▶ with
- ▶ Bent
- ▶ Plast


Product #	Overall Length (in) (L)	Jaw Length (in) (A)	Jaw Width (in) (B)	Jaw Thickness (in) (C)	Weight (lbs)
J2406	11-9/16	2-13/16	23/32	13/32	0.63

Pro
Ji**NEEDLE-NOSE PLIERS - LONG**


- ▶ Diamond serrated jaws.
- ▶ Plastics grips for added comfort.



J2286



J2226



J2236

DUCK

- ▶ Wide,
- ▶ Diamc
- ▶ Long f
- ▶ Plastic

Prod
J2

Product #	Description	Overall Length (in) (L)	Jaw Length (in) (A)	Jaw Width (in) (B)	Jaw Thickness (in) (C)	Weight (lbs)	ABME Spec
J2286	Long - Long handle for added leverage.	7-25/32	1-9/16	17/32	7/16	0.38	ASME B107
J2226	Long Thin - Very thin nose allows access into minimum clearance areas.	7	2-1/8	11/16	11/32	0.26	ASME B107
J2236	Long Extra Thin - Extra slim-nose pliers for light precision work. Designed for gripping, looping, and twisting wire in confined areas.	6-5/32	2-5/32	1/2	9/32	0.20	ASME B107

6 PIEC

Product #:

Contents

J2406

J2096

J225-01G

J228-01G


J2096

J272G

Weight (lbs):

Gas And Supply**Jimmy Gibbs****Phone 504-392-2400****Fax 504-392-1500****jimmy.gibbs@gasandsupply.com****BENT NOSE NEEDLE-NOSE PLIERS**

- ▶ 78° angle to reach around obstructions.
- ▶ Thin nose allows access into tight areas.
- ▶ Diamond serrated jaws.
- ▶ Plastics grips for added comfort.

**3 PIEC**

Product #: J

Contents

J210AHG

J226G

J239G

Weight (lbs):



Product #	Overall Length (in) (L)	Jaw Length (in) (A)	Jaw Width (in) (B)	Jaw Thickness (in) (C)	Weight (lbs)
J2296	6-1/2	1-5/8	3/4	3/8	0.42

ASME B107

DURATEK™ PERFORMANCE GRIP SCREWDRIVERS

DURATEK™ SCREWDRIVERS

0020









Product #	Tip Size	Tips	Shank Length (in)	Shank Type	Bolster	Overall Length (in)	Weight (lbs)	ASME Spec.
JCP1802R	1/8	Cabinet	2	Round	-	4	0.08	ASME B107.15
JCP1803R	1/8	Cabinet	3	Round	-	5	0.09	ASME B107.15
JCP1804R	1/8	Cabinet	4	Round	-	6	0.08	ASME B107.15
JCP1806R	1/8	Cabinet	6	Round	-	8	0.10	ASME B107.15
JCP1808R	1/8	Cabinet	8	Round	-	10	0.09	ASME B107.15
JCP31603R	3/16	Cabinet	3	Round	-	6-5/16	0.10	ASME B107.15
JC31603R	3/16	Cabinet	3	Round	-	6	0.17	ASME B107.15
JC31604R	3/16	Cabinet	4	Round	-	7	0.18	ASME B107.15
JC31605R	3/16	Cabinet	5	Round	-	8	0.17	ASME B107.15
JC31606R	3/16	Cabinet	6	Round	-	9	0.20	ASME B107.15
JC31608R	3/16	Cabinet	8	Round	-	11	0.19	ASME B107.15
JC31610R	3/16	Cabinet	10	Round	-	13	0.24	ASME B107.15
JC31612R	3/16	Cabinet	12	Round	-	15	0.27	ASME B107.15
JC1410R	1/4	Cabinet	10	Round	-	14	0.34	ASME B107.15
JC1412R	1/4	Cabinet	12	Round	-	16	0.39	ASME B107.15
JC1416R	1/4	Cabinet	16	Round	-	20	0.39	ASME B107.15
JKB31603RP	3/16	Keystone	3	Round	Yes	7-1/4	0.16	ASME B107.15
JK31604S	3/16	Keystone	4	Square	-	7	0.19	ASME B107.15
JK14112R	1/4	Keystone	1-1/2	Round	-	3-1/2	0.12	ASME B107.15
JK1404S	1/4	Keystone	4	Square	-	8	0.27	ASME B107.15
JK1404R	1/4	Keystone	4	Round	-	8	0.25	ASME B107.15
JKB1404RP	1/4	Keystone	4	Round	Yes	8-1/2	0.26	ASME B107.15
JK1406R	1/4	Keystone	6	Round	-	10	0.29	ASME B107.15
JK1424R	1/4	Keystone	24	Round	-	28-1/2	0.51	ASME B107.15
JK51604R	5/16	Keystone	4	Round	-	8-3/8	0.33	ASME B107.15
JK51606S	5/16	Keystone	6	Square	-	10	0.41	ASME B107.15
JKB51606RP	5/16	Keystone	6	Round	Yes	10-3/4	0.39	ASME B107.15
JK51606R	5/16	Keystone	6	Round	-	10-3/8	0.37	ASME B107.15
JK51608R	5/16	Keystone	8	Round	-	12-3/8	0.41	ASME B107.15
JKB3808RP	3/8	Keystone	8	Round	Yes	13	0.57	ASME B107.15
JK3808R	3/8	Keystone	8	Round	-	13	0.54	ASME B107.15
JK3808S	3/8	Keystone	8	Square	-	13	0.60	ASME B107.15
JK3810R	3/8	Keystone	10	Round	-	11	0.62	ASME B107.15
JK3812R	3/8	Keystone	12	Round	-	17	0.69	ASME B107.15
JK3812S	3/8	Keystone	12	Square	-	17	0.77	ASME B107.15

Torx® is a trademark of Acument Intellectual Properties, LLC

SCREWDRIVERS

DURATEK™ PERFORMANCE GRIP SCREWDRIVERS (CONT'D)



0020

Spec.	Product #	Tip Size	Tip	Shank Length (in)	Shank Type	Bolster	Overall Length (in)	Weight (lbs)	ASME Spec.
107.15	JPP0002R	#0	Phillips	2	Round	-	4-1/2	0.08	-
07.15	JPP0003R	#0	Phillips	3	Round	-	5-3/4	0.08	ASME B107.30
07.15	JPP0103R	#1	Phillips	3	Round	-	5-5/16	0.10	ASME B107.30
07.15	JPB0103RP	#1	Phillips	3	Round	Yes	6-1/4	0.18	ASME B107.30
07.15	JPD103R	#1	Phillips	3	Round	-	6-3/4	0.17	ASME B107.30
07.15	JPD108R	#1	Phillips	8	Round	-	11-3/4	0.22	ASME B107.30
07.15	JPD2112R	#2	Phillips	1-1/2	Round	-	3-1/2	0.12	ASME B107.30
07.15	JPB0204RP	#2	Phillips	4	Round	Yes	8-1/2	0.27	ASME B107.30
07.15	JPD204R	#2	Phillips	4	Round	-	8	0.26	ASME B107.30
07.15	JPD208R	#2	Phillips	8	Round	-	12	0.31	ASME B107.30
07.15	JPD212R	#2	Phillips	12	Round	Yes	16	0.40	ASME B107.30
07.15	JPD218R	#2	Phillips	16	Round	Yes	20	0.39	ASME B107.30
07.15	JPD224R	#2	Phillips	24	Round	-	28-1/2	0.50	ASME B107.30
07.15	JPB0308RP	#3	Phillips	6	Round	Yes	10-3/4	0.40	ASME B107.30
07.15	JPD308R	#3	Phillips	6	Round	-	10-3/8	0.38	ASME B107.30
07.15	JPD408R	#4	Phillips	8	Round	-	13	0.57	ASME B107.30
07.15	JSD005R	#0	Square	5	Round	-	9	0.19	-
07.15	JSD105R	#1	Square	5	Round	-	9-1/4	0.19	-
07.15	JSD205R	#2	Square	5	Round	-	9-1/4	0.19	-
07.15	JSD305R	#3	Square	5	Round	-	9-1/4	0.19	-
07.15	JT8314R	T8	Torx®	3-1/4	Round	-	7	0.17	-
07.15	JT10314R	T10	Torx®	3-1/4	Round	-	7	0.18	-
07.15	JT15314R	T15	Torx®	3-1/4	Round	-	7	0.18	-
07.15	JT20314R	T20	Torx®	3-1/4	Round	-	7	0.18	-
07.15	JT25314R	T25	Torx®	3-1/4	Round	-	7	0.18	-
07.15	JT2704R	T27	Torx®	4	Round	-	8-1/2	0.26	-
07.15	JT3004R	T30	Torx®	4	Round	-	8-1/2	0.26	-
07.15	JT4066R	T40	Torx®	6	Round	-	10-3/4	0.38	-
07.15	JT4506R	T45	Torx®	8	Round	-	10-3/4	0.38	-
07.15	JTP008R	TP8	Tamper-Proof Torx®	8	Round	-	12-1/4	0.17	-
07.15	JTP1008R	TP10	Tamper-Proof Torx®	8	Round	-	12-1/4	0.18	-
07.15	JTP1508R	TP15	Tamper-Proof Torx®	8	Round	-	12-1/4	0.18	-
07.15	JTP2008R	TP20	Tamper-Proof Torx®	8	Round	-	12-1/4	0.18	-
07.15	JTP2508R	TP25	Tamper-Proof Torx®	8	Round	-	12-1/4	0.18	-
07.15	JTP2708R	TP27	Tamper-Proof Torx®	8	Round	-	12-1/2	0.26	-
07.15	JTP3008R	TP30	Tamper-Proof Torx®	8	Round	-	12-1/2	0.26	-




WARNING: VOLTAGE WITH TOOL. NEVER SWITCH OFF TOOLS.

1-800-207-1014 FAX 504-392-1500 www.proteinindustrial.com

701

SLEDGES & HAMMERS



Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500

KEY	ITEM #	BRAND	DESCRIPTION	UPC	STD PK QTY	STD PK LBS	PLT QTY	PLT WT LBS	RPLC HANDLE
A	1197400	Jackson®	6 Lb. Sledge hammer, double face, 36" genuine American hickory handle.	049206119741	3	21.5	300	2272.0	2036200
	1197900		8 Lb. Sledge hammer, double face, 36" genuine American hickory handle.	049206119796	3	28.0	240	2300.0	2036200
	1199100		10 Lb. Sledge hammer, double face, 36" genuine American hickory handle.	049206119918	2	22.5	200	2314.0	2036200
	1199400		12 Lb. Sledge hammer, double face, 36" genuine American hickory handle.	049206119949	2	26.0	180	2512.0	2036200
	1199700		16 Lb. Sledge hammer, double face, 36" genuine American hickory handle.	049206119970	2	34.4	100	1831.0	#N/A
	1199900		20 Lb. Sledge hammer, double face, 36" genuine American hickory handle.	049206119994	2	42.3	100	2222.0	2002400
B	1113091100	True Temper®	True American®, 6 Lb. Sledge hammer, Overstrike, 36" genuine American hickory handle.	049206043527	3	21.5	300	2272.0	#N/A
	1113091300	True Temper®	True American®, 8 Lb. Sledge hammer, Overstrike, 36" genuine American hickory handle.	049206043534	4	36.0	168	1582.0	#N/A
	1113091500	True Temper®	True American®, 10 Lb. Sledge hammer, Overstrike, 36" genuine American hickory handle.	049206043541	4	35.6	192	2036.0	#N/A
	1113091700	True Temper®	True American®, 12 Lb. Sledge hammer, Overstrike, 36" genuine American hickory handle.	049206043558	2	26.0	180	2512.0	#N/A
C	1197800	Jackson®	8 Lb. Sledge hammer, double face, 36" fiberglass handle with handle guard.	049206119789	4	39.0	168	1684.0	#N/A
	1199000		10 Lb. Sledge hammer, double face, 36" fiberglass handle with handle guard.	049206119901	4	47.5	168	2282.5	#N/A
D	1201600	Jackson®	8 Lb. Sledge hammer head, 36" fiberglass no-slip, textured TPE grip handle.	049206033344	4	39.5	192	1936.0	#N/A
	1201400		10 Lb. Sledge hammer head, 36" fiberglass no-slip, textured TPE grip handle.	049206033337	4	47.5	168	2282.5	#N/A
E	1197600	Jackson®	6 Lb. Sledge hammer, 36" fiberglass handle.	049206119765	3	23.1	300	2387	2062900
	1198800		8 Lb. Sledge hammer, 36" fiberglass handle.	049206119888	3	26.5	240	2365	2062900
	1199300		10 Lb. Sledge hammer, 36" fiberglass handle.	049206119932	2	23.7	200	2433	2062900
	1199600		12 Lb. Sledge hammer, 36" fiberglass handle.	049206119963	2	27.5	100	1433	2062900
	1199800		16 Lb. Sledge hammer, 36" fiberglass handle.	049206119987	2	36.0	100	1870	2062900

Gas And Supply


Jimmy Gibbs

Phone 504-392-2400


Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

IC1S



IC1A



✓ **WHY REED?** Quick Release™ tubing cutters were invented by Reed and cover capacities up to 10" (254mm). Reed uses a ball detent or threaded screw for the wheel pin, whereas competitors use a grooved pin and clip which is easily lost and makes wheel changes extremely difficult. Reed has cutter wheels for all plastic applications.

REED
Exclusive
SIZES


5

TC4QP



TC8QP

REED
Best Ever!



✓ **WHY REED?** PPS21 and PPS26 are the only saws specifically marketed for cutting 6" and 8" PVC water and sewer pipe. Cuts twice as fast.

REED
Exclusive
FEATURES

NEW! Internal Pipe Cutters

Hardened steel, saw-toothed blade (IC1S) or abrasive blade (IC1A) cuts plastic pipe from the inside. Great for cutting below floor level. Cutters fit in standard 3/8" drill. IC1A is great for cutting where the blade may contact concrete or other surfaces. IC1S cuts plastic pipe aggressively and cuts wood for sink lugs.

Cat. No.	Item Code	Description	Weight	
			lbs	kg
IC1A	04500	Cuts pipe with 1 1/2" I.D. minimum	0.2	0.1
IC1S	04501	Cuts pipe with 1 1/2" I.D. minimum	0.2	0.1

REPLACEMENT BLADES

Catalog No.	Item Code	Description
IC1RA	04502	Abrasive Blades - 5/pk.
IC1RS	04503	Saw Tooth Blades - 2/pk.

Quick Release™ Cutters

Reed Quick Release™ tubing cutters are the industry standard; most recommended by plastic pipe companies and imitated by other manufacturers. They are the most practical cutters for small, medium, and large diameter work.

Cat. No.	Item Code	O.D. Capacity		Length		Weight		Wheel	Material Cut
		Actual Inches	Actual Ø mm	in	mm	lbs	kg		
TC1QP	04110	1/8 - 1 1/16	3 - 33	6	152	0.5	0.2	OP2	PE - PB - ABS
TC1QPVC	04114	1/8 - 1 1/16	3 - 33	6	152	0.5	0.2	1 - 2 PVC	PVC
YC1.6QP*	04118	1/4 - 1 5/8	6 - 42	5.5	165	1.0	0.5	OP	PE - PB ABS
TC1.6QPVC*	04118	1/4 - 1 5/8	6 - 42	5.5	165	1.0	0.5	1 - 2 PVC	PVC
TC2QP	04120	1/4 - 2 5/8	6 - 63	8	203	1.0	0.5	OP2	PE - PB ABS
TC2QPVC	04124	1/4 - 2 5/8	6 - 63	8	203	1.0	0.5	1 - 2 PVC	PVC
TC3QP	04130	3/8 - 3 1/2	10 - 90	11	279	2.5	1.1	30 - 40P	PE - PB - ABS
TC3QPVC	04134	3/8 - 3 1/2	10 - 90	11	279	2.5	1.1	3 - 6 PVC	PVC
TC3QBQP	04138	3/8 - 3 1/2	10 - 90	11	279	2.5	1.1	6QP	THICK PE
TC4QP	04140	1/2 - 4 1/2	48 - 114	12	305	2.8	1.2	30 - 40P	PE - PB - ABS
TC4QPVC	04144	1/2 - 4 1/2	48 - 114	12	305	2.8	1.2	3 - 6 PVC	PVC
TC4QBQP	04148	1/2 - 4 1/2	48 - 114	12	305	2.8	1.2	6QP	.55 THICK PE
TC5QP	04150	2 1/2 - 5	63 - 125	13	330	3.0	1.4	30 - 40P	PE - PB - ABS
TC6QP	04160	4 - 6 5/8	102 - 168	15	381	3.5	1.6	30 - 40P	PE - PB - ABS
TC6QPVC	04164	4 - 6 5/8	102 - 168	15	381	3.5	1.6	3 - 6 PVC	PVC
TC6QB80PVC	04125	4 - 6 5/8	102 - 168	15	381	3.5	1.8	680PVC	PVC-HVY WALL
TC6QBQP	04168	4 - 6 5/8	102 - 168	15	381	3.5	1.6	6QP	.55 THICK PE
TC6QB8QP	04128	4 - 6 5/8	102 - 168	15	381	3.5	1.6	80P	.75 THICK PE
TC8QP**	04170	6 1/4 - 10	159 - 254	26	660	8.0	3.6	80P	PE - PVC***
TC8QPL**	04171	6 1/4 - 10	159 - 254	26	660	8.0	3.6	80P	.75 THICK PE
TC8QB80PVC	04172	6 1/4 - 10	159 - 254	26	660	8.0	3.6	680PVC	PVC-NYLON

*NEW! **EXCLUSIVE

***The TC8QP comes with a cradle and blade for cutting thick PVC.

Note: Quick Release™ Tubing Cutters for Metal on p. 6

See p. 4 - 5 for more information on cutter wheels.

Plastic Pipe Saws

Tooth design, tooth set, and hardness simplify cuts on ABS and PVC pipe. Die cast design of handle on PPS12 and PPS18 makes blade change fast and easy. Blades are interchangeable with most manufacturers. Handles on PPS21 and PPS26 are permanently attached. Teeth are sharpened on both sides and are harder than a file - never need sharpening. Saws feature new tooth geometry and unique setting. All four blades allow simultaneous cutting forward and backward...a 50% productivity improvement.

Cat. No.	Item Code	Pipe Capacity		Length		Weight	
		Inches-Nom.	Actual Ø mm	in	mm	lbs	kg
PPS12	04512	3	75	18	426	0.6	0.3
PPS18	04510	4	100	22	560	0.7	0.3
PPS21*	04517	6	150	25	650	0.9	0.4
PPS26*	04519	8	200	29	725	1.2	0.6

*NEW!





Magnolia Brush
Manufacturers, Ltd. • Clarksville, Tenn.

The Choice of the Professional
since 1907

P: 1.800.248.2261 | F: 1.800.427.5231

 Search

CAPABILITIES

NEWS AND EVENTS

PRODUCTS

ABOUT US

CONTACT

DOWNLOAD OUR LATEST
PRODUCT CATALOG




Download a PDF of our most
recent product catalog

SPEAK WITH A
CUSTOMER SERVICE
REPRESENTATIVE



Call 1-800-248-2261 to speak
directly with a customer service
representative.

SHOE HANDLE WIRE SCRATCH BRUSHES



Filling material staple set in a smooth wax tumbled hardwood block.

Item ID	Description	Length (Inches)	Width (Inches)	Trim Length (Inches)	Rows	Carton Weight (lbs)	Carton Quantity
4-S	Round Carbon Steel	10	1	1 1/8	4 x 16	4 1/2	12
EC-4S	Round Carbon Steel (Economy)	10	1	1 1/8	4 x 16	4	12
4-SB	Tempered Brass	10	1	1 1/8	4 x 16	5 1/2	12
9-B	Polished Soft Brass	10	1	1 1/8	4 x 16	5	12
9-S	Stainless Steel	10	1	1 1/8	4 x 16	4 1/2	12
EC-9S	Stainless Steel (Economy)	10	1	1 1/8	4 x 16	4	12

Gas And Supply

Jimmy Gibbs


Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

With Scraper

0100



Item ID	Description	Length (Inches)	Width (Inches)	Rows	Carton Quantity
---------	-------------	--------------------	-------------------	------	--------------------

Shoe Handle Wire Scratch Brushes | Magnolia Brush

Page 2 of 2

0100



				Trim Length (Inches)	Carton Weight (lbs)		
4-SC	Round Carbon Steel	10	1	1 1/8	4x16	6	12
EC-4SC	Round Carbon Steel (Economy)	10	1	1 1/8	4x16	4 1/2	12

Product Type:
Wire Brushes

Sub Category:
Utility Brushes

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

© 2015 MAGNOLIA BRUSH MANUFACTURERS, LTD.
ALL RIGHTS RESERVED.


Magnolia Brush

Manufacturers, Ltd. - Clarksville, Texas

 The Choice of the Professional
since 1907

P: 1.800.248.2261 | F: 1.800.427.5231

 Search

CAPABILITIES

NEWS AND EVENTS

PRODUCTS

ABOUT US

CONTACT

 DOWNLOAD OUR LATEST
PRODUCT CATALOG

 Download a PDF of our most
recent product catalog.

 SPEAK WITH A
CUSTOMER SERVICE
REPRESENTATIVE

 Call 1-800-248-2261 to speak
directly with a customer service
representative.

HANDY CLEANING BRUSHES



Filling material is staple set in a toothbrush style handle. Designed for general cleaning in metal plating and finishing industries or for cleaning small parts, seams and soldered joints.

Item ID	Description	Overall Length (Inches)	Trim Length (Inches)	Carton Weight (lbs)	Carton Quantity
270	Stainless Steel	7	1/2	1 1/2	36
EC-270*	Stainless Steel	7	1/2	3	48
271	Brass	7	1/2	1 1/2	36
EC-271*	Brass	7	1/2	3	48
272	Nylon	7	1/2	1 1/2	36
EC-272*	Nylon	7	1/2	3	48

Wood Handle for the Welding Industry

0110



Item ID	Description	Overall Length (Inches)	Trim Length (Inches)	Carton Weight	Carton Quantity
273	Brass	7	1/2	1 1/2	36

Gas And Supply
 Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
 jimmy.gibbs@gasandsupply.com

Handy Cleaning Brushes | Magnolia Brush


Page 2 of 2

0110



274	Stainless Steel	7	1/2	1 1/2	36
EC-274	Stainless Steel	7	1/2	3	48
276	Nylon	7	1/2	1 1/2	36

Handy 3 piece set of brass, nylon and stainless steel set in a toothbrush style block.



Gas And Supply
Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

Item ID	Description	Overall Length (inches)	Trim Length (inches)	Carton Weight (lbs)	Carton Quantity
280	Brass, Nylon, Stainless Plastic Handle	7 1/8	1/2	2 1/2	12
281	Brass, Nylon, Stainless Wood Handle	8	1/2	2 1/2	12

*economy version

Product Type:
 Detail Brushes

Sub Category:
 Automotive

© 2015 MAGNOLIA BRUSH MANUFACTURERS, LTD.
 ALL RIGHTS RESERVED