

DATE: 2/21/2018

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00122302

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

5-7 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***

FIRM NAME:

I.W.S. GAS AND SUPPLY

SIGNATURE:

(Must be signed here)

Jimmy Gibbs

TITLE:

SALES

PRINT OR TYPE NAME:

Jimmy Gibbs

ADDRESS:

111 BURAS DR.

CITY, STATE:

BELLE CHASSE, LA.

ZIP:

70037

TELEPHONE:

504 392-2400

FAX:

504 392-1500

EMAIL ADDRESS:

Jimmy.Gibbs@GAS AND SUPPLY.COMTOTAL PRICE OF ALL BID ITEMS: \$ 3911.48

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00122302

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			STOCK SUPPLIES FOR THE JEFFERSON PARISH WB PUBLIC WORKS ADMINISTRATION DIVISION		
1	10.00	EA	0010 - TIP,WELDING,VICTOR #1-1-101 SK#00-0307020	6.89	68.90
2	200.00	EA	0020 - BOONIE HAT,HI-VISABILITY LIME, ONE SIZE FITS ALL, CLASS 107, - ANSI, PIP 350-RANGER ERB #S230, LA UTILITIES#61587 SK# 00-0477190	3.53	706.00
3	600.00	EA	0030 - SPARY,WASP & HORNET,0.150% TETRAMETHRIN,0.375% PERMETHRIN,0.750% CRC 14010 PIPERONYL BUTOXIDE TECHNICAL, 20 FT SPRAY, 49,500 DIELECTRIC STRENGTH,NO CFCS,20 OZ CAN, WEICHEM ZAPPER,AERO INSTANT KILL OR = SK# 00-0484970	3.89	2334.00
4	1.00	BX	0040 - NAILS, SIZE 60D,COMMON BRIGHT WIRE,50# CARTON, EDP #4481800. SK# 00-0483470	42.46	42.46
5	20.00	EA	0050 - GUN,CAULKING,RATCHET TYPE, 10.3 OUNCE CAPACITY, STEEL PAINTED FRAME, HYDE #46410 SK#00-0585890	2.40	48.00
6	4.00	EA	0060 - HOLDER,ELECTRODE,INSULATED,250 AMPERES MAX.,1/16 IN TO 7/32 IN ELECTRODES,DURO #250-I SK# 00-0306850	21.00	84.00
7	30.00	EA	0070 - ABSORBANT,INDUSTRIAL,40 LB BAG, OIL-DRI #1060-40L50G SK# 00-0483690	6.88	206.40
8	144.00	EA	0080 - BATTERY,ALKALINE,INDUSTRIAL, NINE VOLTS,EVEREADY ENERGIZER #EN22,PROCELL RAYOVAC AL-9V #PC1604BKD SK# 00-0588110	1.13	162.72
9	100.00	EA	0090 - TRAY,PAINT ROLLER,METAL,13 INCH WIDE SK# 00-0480400	2.59	259.00

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com



SPECIFICATION SHEET

350-RANGER

RANGER STYLE HAT

- Hi-Visibility ranger style hat, hi-vis yellow, contrast reflective tape
- ANSI Compliant materials
- Full brim lightweight hat with mesh crown keeps head ventilated and cool
- Reflective piping around brim
- Drawstring to secure in place
- One size fits most sizing

APPLICATIONS

- Ideal for use in warm weather work conditions that require high-visibility safety apparel to be worn
- Hi Vis hats give workers additional visibility, conspicuity, and comfort

CARE INSTRUCTIONS

Recommend washing in tempered water not exceeding 104°F or 40°C. Wash in a 5-10 minute cycle time or hand wash. Rinse in cold water. Tumble dry at temperature not exceeding 104°F or 40°C, do not wring. Do not wash in biological powder, wash as synthetics. Maximum of 10 wash cycles

TECHNICAL DATA

MATERIAL	100% Polyester
COLOR	■ Hi-Vis Lime Yellow
SIZES	One size
PACKAGING	1/box, 50/Case
CASE	20" x 14.5" x 13" / 50.8cm x 36.8cm x 33cm
CASE WEIGHT	13 lbs / 5.9 kg
COO	China


BARCODES

ITEM	EACH	DOZEN	CASE
■ 350-RANGER	---	01616314073341	02616314073340



DIMENSIONS (in/cm)

	ONE SIZE			
A	7.5 / 19	--	--	--
B	13.4 / 34	--	--	--



Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

PROTECTIVE INDUSTRIAL PRODUCTS, INC. | BRINGING THE BEST OF THE WORLD TO YOU®

AMERICAS: (800) 262-5755 • (518) 861-0133 | EUROPE: +34-96182-41-48 | AMEA: (ASIA, MIDDLE EAST, AFRICA) 852-2475-9228 | www.pipglobal.com

This document and the equipment mentioned herein is the property of Protective Industrial Products, Inc. (PIP) and may not be used or reproduced without permission. Product users should conduct all appropriate testing or other evaluations to determine the suitability of PIP products for a particular machine or task within a particular use context. PIP DISCLAIMS ALL WARRANTIES OTHER THAN AS EXPRESSLY PROVIDED.

RTV Silicone Adhesive/Sealants

CRC Room Temperature Vulcanizing (RTV) Adhesive/Sealants are designed for a wide range of sealing, bonding, protecting and waterproofing applications. Clear, White and Blue are for general purpose applications. Red and Black are excellent for applications where a low odor, non-corrosive, high-pressure sealant is required. The Red formulation is also suitable for high temperature applications.

Clear - Forms a barely visible water-tight seal.

White - Designed for high moisture, indoor/outdoor applications.

Blue - Heavy duty industrial gasket sealant.

Red - High temperature, low odor, non-corrosive gasket sealant.

Black - High pressure, low odor, non-corrosive gasket sealant.

- Seal, bond, waterproof and protect
- Cure at room temperature - no special curing methods required
- The chemically stable formulations show little change in physical properties after exposure to sunlight (UV rays), rain, snow, ozone, temperature extremes and weathering

Part Number	Container Size	Units Per Case
14055	Clear 8 oz pressurized tube	12
14073	Clear 12 oz cartridge	12
14056	White 8 oz pressurized tube	12
14074	White 12 oz cartridge	12
14057	Blue 8 oz pressurized tube	12
14059	Red 8 oz pressurized tube	12
14075	Red 12 oz cartridge	12
14072	Black 8 oz pressurized tube	12
14076	Black 12 oz cartridge	12
14054	Caulk gun for cartridges	12

Foam

Minimal Expansion Aerosol Sealant

Polyurethane foam designed to fill, seal, bond, retrofit, insulate and deaden sound in and around cracks and cavities. It forms a permanent, waterproof and airtight bond to masonry, wood, glass, metal & most plastics.

- Stops drafts, dust, moisture, insects and rodents
- When cured, foam can be sanded, painted, or stained
- The low expansion formula expands 50% when fully cured
- Cured foam insulates to R-5 for each inch of foam
- UL classified as a caulking sealant
- Foam and propellant are non-flammable
- Convenient 360° valve - can be sprayed from any position
- Reusable for up to 30 days after initial use

Part Number	Container Size	Units Per Case
14077	16 oz aerosol	12

Minute Mend™

Epoxy Putty

Permanently repairs scratches, gouges and holes in drums, tanks, pipes, castings, molds, sinks, tubs and leaky gaskets. Perform routine electrical jobs such as mounting terminal blocks, packing wires and repairing breaker boxes. Ideal for stopping leaks, can even be used under water. Can be used in plumbing, electrical, ceramic, vehicle and machinery repair.

- Specially formulated to bond to both wet and dry surfaces and can even be applied under water
- A two-part epoxy putty packaged in a convenient one piece stick
- Ready to use in less than one minute
- Can be tapped, sawed, drilled, machined, stained or painted

Part Number	Container Size	Units Per Case
14070	4 oz stick	24
14071	2 oz stick	40

Smoke Test® brand Smoke Detector Tester

Convenient, easy and safe product to test the functional ability of a smoke detector. SMOKE TEST also checks for obstructions or debris which clog detector vents and prevent smoke from properly entering the sensing chamber.

- Simulates smoke to provide a true, functional test for smoke detectors
- Aerosol spray extends user reach up to 6', allows testing to be done while standing safely on the floor
- Convenient package makes testing easy, increasing the likelihood that detectors will be tested on a regular basis
- No harmful residue, plastic safe, non-staining
- Contains no Class I Ozone Depleting Chemicals

Part Number	Container Size	Units Per Case
14160*	4 oz aerosol	12
02105*	6 oz aerosol	12

Welder's Anti-Spatter Spray

Prevents spatter from adhering to surrounding metal surfaces during welding. Eliminates the need to chisel, grind or wire brush after welding.

- Water-based formula allows easy clean-up without the use of solvent cleaners
- Low odor
- Rust inhibiting additive prevents flash rust on in-process and surrounding metal surfaces
- Non-hazardous decomposition

Part Number	Container Size	Units Per Case
03083	16 oz aerosol	12

Wasp & Hornet Killer PLUS™

Insecticide

Fast-acting, high strength insecticide that knocks down and kills wasps, hornets, yellow jackets, bees, fire ants, all crawling insects, scorpions, spiders and other stinging insects on contact. Plastic safe, and contains no chlorinated solvents.

- Plastic-safe - will not damage plastic connectors and other insulating materials
- CRC trigger provides a dense, accurate spray that will reach over 20 feet to drench harmful insects and their nests
- The only wasp & hornet killer in the industry with CRC's patented M.S.D.[L.]™, a current MSDS printed on the reverse side of the product label
- High dielectric strength of 40,100 volts

Part Number	Container Size	Units Per Case
14010	20 oz aerosol trigger	12

Insect Repellent Double Strength

Insect Repellent uses a double strength formula to repel mosquitoes, gnats, chiggers, fleas, ticks, biting flies and other flying insects up to twice as long as common consumer insect repellents. Insect Repellent protects outdoor workers by reducing the risk of contracting Lyme Disease from ticks when sprayed on exposed skin and clothing.

- Convenient aerosol package

Part Number	Container Size	Units Per Case
14011	8 oz aerosol	12

Freeze Spray

Aerosol coolant system that instantly freezes surfaces to -60°F, dissipating heat and cooling equipment. Freeze Spray also assists in locating thermal intermittent components, failures and shorts. Safe to use on sensitive components and all surface finishes. Freeze Spray comes with a 5 1/4" extension tube for precise application of the product.

- Non-flammable, safe on plastics
- Dries instantly, leaves no residue
- Non-abrasive
- Contains no Class I or Class II Ozone Depleting Chemicals

Part Number	Container Size	Units Per Case
14086	12 oz aerosol trigger	12

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400


Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

UltraPro™ Alkaline Batteries

Engineered for Professional Use!

Rayovac® UltraPro™ batteries are the #1 selling industrial batteries among top industrial distributors. These long-lasting alkaline batteries are mercury free and guaranteed fresh for 7 years (5 years for 9V). Whether you need shrink packaging (great for contract or bid business) or contractor packaging to help organize and protect batteries from damage and short circuiting, Rayovac® has a program to fit your needs.



Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

ULTRA PRO™ ALKALINE CONTRACTOR PACKS

SKU	DESCRIPTION	CASE QTY.
ALAA-24F	Alkaline UltraPro Recloseable AA 24-Pack	12 pkgs
ALAA-48F	Alkaline UltraPro Recloseable AA 48-Pack	8 pkgs
ALAAA-18F	Alkaline UltraPro Recloseable AAA 18-Pack	12 pkgs
ALAAA-24F	Alkaline UltraPro Recloseable AAA 24-Pack	12 pkgs
ALC-12F	Alkaline UltraPro Recloseable C 12-Pack	8 pkgs
ALD-12F	Alkaline UltraPro Recloseable D 12-Pack	8 pkgs
AL9V-8F	Alkaline UltraPro Recloseable 9V Quad A Construction 8-Pack	12 pkgs
AL9V-12F	Alkaline UltraPro Recloseable 9V 12-Pack	12 pkgs

ULTRA PRO™ ALKALINE SHRINK-WRAPPED BATTERIES

AL-AA	Alkaline UltraPro Shrink-Wrapped AA 8-Pack	12 pkgs
AL-AAA	Alkaline UltraPro Shrink-Wrapped AAA 8-Pack	12 pkgs
AL-C	Alkaline UltraPro Shrink-Wrapped C 6-Pack	12 pkgs
AL-D	Alkaline UltraPro Shrink-Wrapped D 6-Pack	12 pkgs
AL-9V	Alkaline UltraPro Shrink-Wrapped 9V 6-Pack	12 pkgs
AL-9VA	Alkaline UltraPro Shrink-Wrapped 9V Quad A Construction 6-Pack	12 pkgs

Page: 6

SEAALED BID

BID NO.: 50-00122302

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com</p>		