

DATE: 7/10/2019

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00127292

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: BBELLOW

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

5-7 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***

FIRM NAME:	
<u>I.W.S. GAS AND SUPPLY</u>	
SIGNATURE:	TITLE:
(Must be signed here) <u>Jimmy Gibbs</u>	<u>SALES</u>
PRINT OR TYPE NAME:	
<u>Jimmy Gibbs</u>	
ADDRESS:	
<u>111 BURAS DR.</u>	
CITY STATE:	ZIP:
<u>BELLE CHASSE, LA.</u>	<u>70037</u>
TELEPHONE:	FAX:
<u>504 392-2400</u>	<u>504 392-1500</u>
EMAIL ADDRESS:	
<u>Jimmy.Gibbs@GASANDSUPPLY.COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 1015.20

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00127292

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	20.00	CS	<p>Purchase of Penetrating Oil</p> <p>0010 - OIL,PENETRATING,11 OUNCE CAN, SPRAYON LU711 #SC0711000,GUNK #615-L112, MSC #79905022, FASTENAL #0682489 SK# 00-0483720</p> <p><i>CRC 03005 (16 OUNCE)</i></p> <p>Gas And Supply Jimmy Gibbs Phone 504-392-2400 Fax 504-392-1500 jimmy.gibbs@gasandsupply.com</p>	<i>50.76</i>	<i>1015.20</i>

3-36®

Multi-Purpose Lubricant and Corrosion Inhibitor

Multi-purpose lubricant, penetrant and corrosion inhibitor forms a clear, thin film that lubricates, prevents corrosion, displaces moisture, penetrates and cleans. 3-36 drives out moisture and leaves a thin, long lasting film to protect against corrosion.

- Cleans, lubricates, penetrates and loosens corrosion
- Prevents corrosion by displacing moisture
- Penetrates through corrosion to loosen frozen parts
- Lubricates without leaving a sticky residue
- Cleans light soils and contaminants

Part Number	Container Size	Units Per Case
03004	6 oz aerosol	12
03005	16 oz aerosol	12
03007	16 oz trigger bottle	12
03006	1 gallon bottle	4
03009	5 gallon pail	1
03011	55 gallon drum	1
03093	2 oz aerosol	24

Technical Grade 3-36®

Multi-Purpose Precision Lubricant

Multi-purpose, plastic safe lubricant, penetrant, and corrosion inhibitor that helps prevent electrical malfunctions caused by water penetration, humidity, condensation or corrosion. Technical Grade 3-36 drives out moisture and leaves a thin, long lasting film to protect against corrosion. Excellent for use around plastics and insulators.

- Cleans, lubricates, penetrates and loosens corrosion
- Prevents corrosion by displacing moisture
- Restores resistance values and helps stop current leakage
- Helps restore water damaged electrical equipment
- Cleans light soils and contaminants
- Will not harm plastics, including polycarbonates, ABS, and Noryl®

Part Number	Container Size	Units Per Case
03003	16 oz aerosol	12



Ultra-Lite 3-36®

An ultra-thin, non-staining lubricant that resists oil, dust, and dirt build-up. Penetrates into the most minute openings, sealing out moisture and preventing corrosion with an ultra-light protective film.

- Ultra-thin, non-staining lubricant
- Displaces moisture - excellent for drying out electrical/electronic components
- Resists oil, dust and dirt build-up

Part Number	Container Size	Units Per Case
03160	16 oz aerosol	12

Aviation 3-36®

This versatile, petroleum-based formula lubricates, penetrates, cleans and protects all metal surfaces. It loosens seized mechanisms and frozen fasteners while leaving behind a lubricating and corrosion inhibiting film. The low viscosity of Aviation 3-36 allows it to cover a large surface area and penetrate deep into the surface of all metals including steel, copper, brass and aluminum alloys. It displaces and seals out moisture and prevents the return of wear and corrosion. For use in applications that require compliance to MIL-C-81309E.

- Meets MIL-C-81309E, Amendment 3, Type III, Class 1 & 2 - Listed on the Military QPL since 12/1999
- Lubricates, penetrates, cleans and protects all metal surfaces
- Loosens seized mechanisms and frozen fasteners
- Prevents corrosion to improve equipment's life and performance
- Continues to protect even after initial product application

Part Number	Container Size	Units Per Case
10200	16 oz aerosol	12
10201	1 gallon bottle	4
10202	5 gallon pail	1
10203	55 gallon drum	1

Gas And Supply
Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

Product	Lubricant Type	Type of Film	Color	360° Spray	Falex (In Pounds)	Flash Point	USDA Rating ▲	M.S.D.(L.)	Faxback MSDS #	Faxback Tech Data Sheet #	Container Size
3-36®	Petroleum	Non-Drying	Blue-Green	Yes	1500	175°F TCC	H2	Yes	3005 (aerosol) 3006 (bulk)	100	2 6 16 16 1 5 55
Technical Grade 3-36®	Petroleum	Non-Drying	Amber	Yes	1500	175°F TCC	H2	Yes	3003	127	16
Ultra-Lite 3-36®	Petroleum	Ultra-Thin	Amber	Yes	1000	160°F TCC	H2	Yes	3160 (aerosol) 3162 (bulk)	169	16
Aviation 3-36®	Petroleum	Non-Drying	Amber	Yes	NA	142°F TCC	NA	Yes	10200 (aerosol) 10201 (bulk)	157	16 1 5 55

▲ Meets 1998 USDA guidelines for use in meat and poultry plants

NA = Not Applicable