

DATE: 6/14/2019

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00127008

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: _____

BUYER: MBUTTERY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>4-5 days</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
 NUMBER: _____
 NUMBER: _____
 NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>Crawford Electric Supply</u>	
SIGNATURE: (Must be signed here) <u>Loni Spurlock</u>	TITLE: <u>operations</u>
PRINT OR TYPE NAME: <u>Loni Spurlock</u>	
ADDRESS: <u>200 Land A Rd</u>	
CITY, STATE: <u>Metairie, LA</u>	ZIP: <u>70001</u>
TELEPHONE: <u>() 504-731-0480</u>	FAX: <u>() 504-731-0490</u>
EMAIL ADDRESS: <u>wstewart@crawfordelectric.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 3,293.50

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00127008


SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	25.00	EA	PURCHASE OF LED HIGH BAY FIXTURES FOR THE EAST BANK RECREATION DEPARTMENT 0010 Morris LED UFO High Bay 5000K 150W, 100-277V 120BS 19665LM DLC (PLW4LOIF700I) Gen 3 Item Number: 1559903 MPN: MORRIS <u>74102</u> 150W UFO HIGHBAY	\$124.80	\$3,120.00
2	25.00	EA	0020 Morris 3/4 Inch Mounting Hook For Use With 74102 Item Number: 1559905 MPN: <u>18092</u> 3/4" MOUNTING HOOK	\$5.50	\$137.50
3	2.00	EA	0030 Loctite Green 290 Item Number: 0000001 MPN: 79021 Use: Owen's gym Delivery To: East Bank Recreation 6925 Saints Drive Metairie, LA 70003	\$18.00	\$36.00



LED UFO High Bay Gen3 150 Watt 19665 Lumens 120-277V

- [Email a Friend](#)



[View Larger](#)




LED UFO High Bay Gen3 150 Watt 19665 Lumens 120-277V - Our Next Generation in warehouse, manufacturing and other High Bay fixture applications

LED UFO High Bay Gen3 150 Watt 19665 Lumens 120-277V features include:

- 0-10V Dimming
- Samsung 2835 LEDs
- Light Pattern: 60° - 120° Beam Spread depending on reflector used (sold separately)
- Input Voltage: 120/208/240/277VAC
- Color Temperature: 5000K
- CRI: >84
- Power Factor 0.97
- Operating Temperature: -40°F to 131°F
- 50,000+ Hour LED Life Expectancy
- IP65 (NEMA 4X) Dust & Water Tight
- Corrosion Resistant Die Cast Aluminum Housing
- Integral Cooling Fin Releases Heat Efficiently to maintain the life of the LEDs/Driver.
- Stainless Steel Hardware
- 78" Wire Whip for Easy Install
- Superior Architectural Bronze Powder Coat Finish
- Eye-Hook Mount - M10 Thread
- cULus listed for Wet Locations

*↑
not included*



Mounting Hooks



by Loctite

Loctite 29021 Green 290 Medium High-Strength Threadlocker, 300 Degree F Maximum Temperature, 10 mL Bottle



Specifications for this item

Part Number	29021
Lower Temperature Rating	-65 degrees_fahrenheit
Upper Temperature Rating	300 degrees_fahrenheit
Specification Met	Mil-s-46163a for Existing Designs, Nsf/Ansi 61, Nsf P1, Cfia Listed, Astm D-5363
UPC	636123585911 , 848107060189 , 632963650048 , 795871712335 , 079340290211 , 640026927723
Brand Name	Loctite
Color	Green
Compatible Material	Zinc Dichromate , Brass , Steel , Stainless Steel
EAN	0795871712335 , 0079340290211 , 0636123585911 , 0640026927723 , 0632963650048 , 0848107060189
Full Cure Time	24 hours
Item Volume	0.33 fluid_ounces
Item Weight	1.06 ounces
Manufacturer Series Number	290™
Material	Dimethacrylate Ester
Model Number	442-29021
Number of Items	1
Numeric Viscosity	55 centipoise
Size	10 milliliters
UNSPSC Code	31201627