

DATE: 4/01/2021

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 5

BID NO.: 50-00134102

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: BBELLOW

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES _____

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK _____

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK _____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: ENERGY HARNESS CORPORATION	
SIGNATURE: (Must be signed here)	TITLE: SALES MANAGER
PRINT OR TYPE NAME: LEANDRO CORDONES	
ADDRESS: 71 MID CAPE TERRACE #8	
CITY, STATE: CAPE CORAL, FL	ZIP: 33991
TELEPHONE: (239)790-3300	FAX: ()
EMAIL ADDRESS: LCORDONES@ENERGYHARNESS.COM	

TOTAL PRICE OF ALL BID ITEMS: \$ \$5,601.24

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ONE TIME PURCHASE OF LIGHTING FOR WESTBANK PUMP STATION WAREHOUSE		
1	12.00	EA	0010 - 200W UFO HIGH BAY BLACK 5000K 26500LM 0-10 DIMMABLE	\$183.58	\$2,202.96
2	12.00	EA	0020 - GARVIN MOUNTING HOOK 3/4"THREADED	\$9.49	\$113.88
3	20.00	EA	0030 - 60W WALLPACK BRONZE 5000K 7800LM NON-DIM AC100-277V	\$164.22	\$3,284.40
			*LIGHTING FOR LAKE CATAOUATCHE #2		
			DELIVER TO: WESTBANK PUMP STATION WAREHOUSE 5100 ROCHESTER DRIVE MARRERO LA 70072		

Prepared For: Jefferson Parish Government Brenda Bellow P.O. BOX 9 Gretna, LA 70053		Ship To: WESTBANK PUMP STATION WAREHOUSE 5100 ROCHESTER DRIVE MARRERO, LA 70072		Date: 4/8/2021	
Sales Representative: Leo Cordones 239-790-3300 x118 lcordones@energyharness.com		Shipping Method: Best Way		Quote: 3235	
		Shipping Terms: FOB Destination		Terms: Net 30	
				Lead-Time: 2-3 Weeks	
				Quote Validity: 30 Days	
				Job: WESTBANK PUMP STATION WAREHOUSE 50	
				Project: LIGHTING FOR LAKE CATAOUATCHE #2	
				Prepared By: Leo Cordones	

Here is the quote requested.

LN	Part Number	Qty	Unit Price	Ext. Price
1	EHF-HB-CIR-20050K-277-BL-HU  Circular High Bay 200W 120-277V 5000K Black Housing 1-10V dimmable 120° Beam Angle <i>100-277VAC 600W Replacement 5000K 28000 Lumens</i>	12	\$183.58	\$2,202.96 ^{Tx}

LN	Part Number	Qty	Unit Price	Ext. Price
2	GARVIN MOUNTING HOOK  GARVIN MOUNTING HOOK 3/4"THREADED	12	\$9.49	\$113.88 ^{Tx}

LN	Part Number	Qty	Unit Price	Ext. Price
3	EHF-WP-8050K-277-LS  80W Wallpack 120-277VAC 5000K <i>120-277VAC 300W Replacement 5000K 9600 Lumens</i>	20	\$164.22	\$3,284.40 ^{Tx}

Unit Weight: 14.00 Lbs Total Weight: 280.00 Lbs

Please contact us if we can be of further assistance.

- » ENERGY HARNESS CORPORATION TERMS & CONDITIONS APPLY
- » Prices are subject to change without notice
- » Prices are provided in good faith
- » All work is to be done according to specifications submitted and standard practices


Total Weight (Lbs)	280
SubTotal	\$5,601.24
Tax 0.0%	\$0.00
Shipping	\$0.00
TOTAL	\$5,601.24

*Past due invoices are subject to 1.5% monthly interest charges (annual rate 18%) in addition to all attorney and collection fees.
All damages and shortages must be reported to the shipping carrier upon delivery and reported to Energy Harness within 3 days of delivery for warranty claims, refund requests, or replacement product requests to be valid.*




Energy Harness® LED Circular High Bay fixtures are great for replacing traditional metal-halide high bay fixtures. With their compact modern design and use of the latest integrated LED technology, these lights are sure to upgrade the look, performance, and energy efficiency of your existing lighting. They are produced in a variety of sizes and wattages to meet the needs of any high bay application.

EHF-HB-CIR-20050K-277-BL-HU



EHF-HB-CIR-15050K-277-BL-HU



Applications

- Storage facilities
- Maintenance facilities
- Factories

- Gymnasiums
- Warehouses
- Fabrication shops

Specifications

-50-60Hz	-1-10V Dimmable (upon request)	-Lifespan > 54,000hrs	-Meanwell power supply
-Total Harmonic Distortion < 15%	-110°-120° beam angle	-IP65 Rating	-Aluminum housing
-Power Factor > 0.93	-Black finish	-Working Temp: -22° - 122°F	


Accessories

- Aluminum or acrylic bell
- Motion sensor
- Wire guard

Circular High Bay:	100W	150W	200W	300W
EHC Part Number	EHF-HB-CIR-10050K-277-BL-HU	EHF-HB-CIR-15050K-277-BL-HU	EHF-HB-CIR-20050K-277-BL-HU	EHF-HB-CIR-30050K-277-BL-HU
Replacement	150-300W	250-400W	400-750W	750-1000W
Wattage	100W	150W	200W	300W
Lumens	13000lm	21000lm	28000lm	42000lm
Efficacy	130lm/w	140lm/w	140lm/w	140lm/w
Size (D"x H")	13.00" x 8.11"	10.24" x 8.46"	10.24" x 9.06"	12.6" x 6.2"
Color (CCT)	5000K	5000K	5000K	5000K
Voltage (AC)	Available in 100-277V or 480VAC			
Circular High Bay:	277V	277V	277V	277V
DLC Product ID	PUR068NW	P0T571YZ	PYXPKFPL	POGMJV91
Circular High Bay:	480V	480V	480V	480V
DLC Product ID	PF2MYZ1S	PGD7JAFH	P8W30F2Q	PDFTT9U7




Energy Harness® LED Cut-Off Wall Packs have a versatile full cut-off or semi-cut off design. The same model will meet both full cut-off and semi-cut off designs simply by installing the back-plate upside down. Multiple installation methods allow this fixture to be used as a flood light as well. With wattages ranging from 35 -120W, this wall pack will cover all your lighting needs.



Full Cut-Off

Photometrics



Semi Cut-Off

Features

- 2 – in – 1 Fixture: Full cut-off and Semi cut-off options from same model
- Versatile Mounting: Junction box (standard) | surface | or slip fitter mounting
- Finish: Dark Bronze (standard) | Black | Grey | White

Applications

- Loading Docks
- Schools
- Outdoor Pathways
- Residential Areas
- Parking Lots
- High Security Areas



Specifications

- IP65
- Dimmable 0-10V
- Power Factor > 0.9
- Lifespan > 50,000hrs
- Operating Ambient Temp: -40°F - 104°F
- CRI >70
- Optics: Type 2 | Type 4

Accessories



Emergency LED Driver
(90 minutes) BBU



Motion Sensor | PIR | 0-10V Dimming
Switch or Remote Control | MS




Button Photocell | BPC



Junction box plate (included)




Surge Protection Device
(Field installed) | EHA- SURGE




Slip Fitter Mount for Installation |
SFA

Cut-Off Features




Dimensions


35W Models



Back






Full Cut-Off



Semi Cut-Off

75-120W Models



Lumen Packages

EHF-WPC-4-35		EHF-WPC-4-75		EHF-WPC-4-120	
Wattage	Lumens	Wattage	Lumens	Wattage	Lumens
35	4900	75	10500	120	16800

Ordering Guide

Example Model Number: EHF-WPC-4-7550K-277-D010-BK-MS

Product Series	EHF-WPC
Light Distribution	1 = Type 2 2 = Type 4 (Standard)
Wattage	35 = 35W 75 = 75W 120 = 120W
CCT	30K = 3000K 50K = 5000K (Standard) 40K = 4000K
Input Voltage	277V = 120-277V (Standard) 480V = 277-480V
Dimming	Left Blank = Non dimmable D010 = 0-10V dimmable (Standard)
Fixture Color	BK = Black Powder Coat BR = Bronze (Standard) GY = Grey Powder Coat WH = White
Accessories	MS = Motion Sensor BBU = Battery Backup Unit
Model Number:	EHF- WPC ____ - ____ ____ k - ____ - ____ - ____ - ____
Project Name:	
Date:	
Specified By:	