

DATE: 7/25/2018

Page: 5

BID NO.: 50-00123633

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO ☒

MAXIMUM ESCALATION PERCENTAGE REQUESTED 0 %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF 12/29/2019

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

RECREATIONAL PRODUCT(S) DEALER LICENSE NO. RP-2017-00144 30 TO 120 DAYS A.R.O.

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) N/A

CONVERTER/SECONDARY M.F.B. LICENSE NO. CV-2017-00173

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: TRUCK AND TRANSPORTATION EQUIPMENT CO., INC.

ADDRESS: 260 INDUSTRIAL AVE.

CITY, STATE: JEFFERSON, LA. ZIP: 70121

TELEPHONE: (504) 834-8065 FAX: (504) 834-8485

EMAIL ADDRESS: GWILSON@TRUCKANDTRANSPORTATION.COM

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: N/A

NUMBER: NONE

NUMBER: N/A

NUMBER: N/A

TOTAL PRICE OF ALL BID ITEMS: \$ 717,455.00

AUTHORIZED SIGNATURE: George Wilson

TITLE: PRESIDENT

GEORGE WILSON
Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

SWORN TO AND SUBSCRIBED
BEFORE ME, THIS 27th DAY
OF August, 2018
Toni A. Kass
TONI A. KASS, Notary Public #78341

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123633

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	EA	<p>ONE (1) YEAR CONTRACT FOR TRAILERS FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT</p> <p>0001 - FOUR TON PAYLOAD CAPACITY TAG-ALONG LOWBOY TRAILER, 10,730 LBS.</p> <p>GVWR FT L X 74 FT. WITH LOAD DECK PLUS 32 IN FULL WIDTH BEAVERTAIL WITH TWO 45 IN. L X 21 1/2 IN. WITH ADJUSTABLE, SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES, 21 IN MAXIMUM DECK HEIGHT 2 IN. NOMINAL OAK DECK MATERIAL, THREE ROTATING D RINGS PER SIDE, DEXTER MULTI-POINT SPRING SUSPENSION WITH EQUALIZER, TANDUEM 6,000 LB. AXLES WITH 12 IN. X 2 IN. ELECTRIC BRAKES TAG-A-LONG LOWBOY TRAILER 4 TON INCULDING BREAK AWAY SYSTEM, FOUR 7.00 X 15 D MOUNTED ON 6 HOLE STEEL DISC WHEELS, 5,000 LB. CAPACITY DROPLEG TOP CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK, 2 5/8 IN. I.D.) WITH DUAL SAFETY CHAINS, FLUSH MOUNTED FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPHRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG. *** REQUIRES LOUISIANA DEALERS LICENCE**</p> <p>MANUFACTURER: <i>T.T.E.</i></p> <p>MANUFACTURER PART: <i>4TTLBT</i></p> <p>VENDER PART: <i>SAME</i></p>	<i>7,816.00</i>	<i>7,816.00</i>
2	1.00	EA	<p>0002 - TEN TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 25,900 LB. GVWR</p> <p>19 FT. L X 8 FT. W LOAD DECK PLUS 55 IN. L X 22 1/2 IN. WITH ADJUSTABLE, SPRING ASSIST LOADING RAMPS INLUCING GROUND BRACES, 34 IN. MAXIMUM DECK HEIGHT, 2 IN NOMINAL OAK DECK MATERIAL FULL WIDTH 8 IN. STEEL CHANNEL HEADBOARD FIVE ROTATING D-RINGS PER SIDE, PIECED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH 97-MULTI-POINT SRING SUSPENSION WITH RADIUS ROD AXLE TRACKING TANDEM 10,000 LB. AXLES WITH 12 1/4 IN. X 4 IN. ELECTICAL BRAKES, INCLUDING BREAK-A-WAY SYSTEM, EIGHT 235.85R16 E TIRES MOUNTED ON 8 HOLE STEEL DISC WHEELS, 12,000 LB. CAPACITY DROPLEG CRANK PARK-ING JACK, FOUR POSITION (3" I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRIAL PLUG. **REQUIRES LOUISIANA DEALERS LICENSE**</p>	<i>14,022.00</i>	<i>14,022.00</i>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123633

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
3	4.00	EA	<p>MANUFACTURER: <i>EAGER BEAVER</i></p> <p>MANUFACTURER PART: <i>10HDB-PT</i></p> <p>VENDER PART: <i>SAME</i></p> <p>0003 - TWENTY TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER. 48,000 LB.</p> <p>GVWR. 19 FT. X 8 FT. WIDE LOAD DECK PLUS 5 FT. FULL WIDTH BEAVERTAIL WITH TOW 55 IN. L X 22 1/2 IN. WITH ADJUSTABLE, SPRINT-ASSIST LOADING RAMPS INCLUDING GROUND BRACES. 34 IN. MAXIMUM DECK HEIGHT. 2 IN. NOMINAL OAK DECK MATERIAL. FULL WIDTH 8 IN. STEEL CHANNEL HEADBOARD. FIVE ROTATING D RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH H-9700 MULTI-POINT 50,000 LB. SPRING SUSPENSION WITH RADIUS ROD AXLE TRACKING. TANDEM 22,500 LB. AXLES WITH 12 1/4 IN X 7 1/2 IN. FULL AIR BRAKES WITH AUTOMATIC SLACK ADJUSTERS. EIGHT 215/75R17.5 16 PLY TIRES MOUNTED ON 8 BOLT HUB PILOTED STEEL DISC WHEELS. SPRING BRAKES ON ALL WHEELS. 12,000 LB CAPACITY. DROP TOP CRANK, WORKING JACK, FOUR POSITION CAST STEEL PINTEL EYE (1 5/8 IN. STOCK. 3 IN. I.D.) WITH DUAL SAFETY CHAINS. DRAWBAR STORAGE AREA. FLASH MOUNTED. FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS. ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG. **REQUIRES LOUISIANA DEALERS LICENSE**</p> <p>MANUFACTURER: <i>EAGER BEAVER</i></p> <p>MANUFACTURER PART: <i>20HALX</i></p> <p>VENDOR PART: <i>SAME</i></p> <p>**REQUIRES LOUISIANA DEALERS LICENSE**</p> <p>MANUFACTURER:</p> <p>MANUFACTURER PART:</p> <p>VENDOR PART:</p>	<i>18,859.00</i>	<i>75,436.00</i>
4	1.00	EA	<p>0004 - 3 TO 8 TON LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT INCLUDING</p> <p>REMOVAL OF DAMAGED TONGUE TO MATCH ORIGINAL TRAILER TONGUE CONFIGURATION. TOUNGUE REPLACEMENT TO INCLUDE NEW ADJUSTMENT TO W EYE OR COUPLER, ELECT- RICAL 6 WAY OR 7 WAY WIRE WITH PLUG, SAFETY CHAINS, ECT. TO MATCH ORIGINAL</p>	<i>4920.00</i>	<i>4920.00</i>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123633

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
5	1.00	EA	<p>TRAILER CONFIGURATION. NEW TONGUE ASSY. TO BE SWEPT BLASTED ZINC PHOSPHATE PRIMED AND FINISHED PAINTED 5 MILS THICKNESS IMRON TO MATCH ORIGINAL TRAILER COLOR. **REQUIRES LOUISIANA DEALERS LICENSE**</p> <p>MANUFACTURER: <i>TTE38</i> MANUFACTURER PART NUMBER: <i>VARIOUS</i> VENDOR PART: <i>SAME</i></p> <p>0005 - 9 TO 12 TON LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT INCLUDING</p>	<i>4,920.00</i>	<i>4,920.00</i>
6	1.00	EA	<p>REMOVAL OF DAMAGED TONGUE AND REPLACEMENT WITH 12 IN. STEEL "H" BEAM TONGUE TO MATCH ORIGINAL TRAILER TONGUE CONFIGURATION. TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTABLE TOW EYE, ELECTICAL 6 WAY OR 7 WAY WIRE WITH PLUG, AIR BRAKE LINE CONNECTIONS IF PRESENT, SAFETY CHAINS, ECT., TO MATCH ORIGINAL TRAILER CONFIGURATION. NEW TONGUE ASSEMBLY TO BE SWEPT BLASTED, ZINC PHOSPHATE PRIMED AND FINISHED PAINTED 5 MILS. THICKNESS IMRON TO MATCH ORIGINAL TRAILER COLOR. **REQUIRES LOUISIANA DEALERS LICENSE**</p> <p>MANUFACTURER: <i>TTE912</i> MANUFACTURER PART: <i>VARIOUS</i> VENDOR PART: <i>SAME</i></p> <p>0006 - EXTRA HEAVY DUTY MECHANICAL FOLDING GOOSENECK LOWBOY TRAILER, 60 TO</p> <p>CAPACITY CONCENTRATED IN ANY 10FT. 0 IN SECTION, OVERALL DIMENSIONS 8 FT. 6 IN. WIDE BY 49 FT. 2 IN. LONG (11 FT. 5 IN. GOOSENECK 24 FT. 0 IN. MAIN LOAD DECK, 13 FT. 9 IN. REAR DECK, 24 IN. LOADED DECK HEIGHT, 6 IN. GROUND CLEARANCE, 84 IN. SWING CLEARANCE, THREE 25,000 LB. CAPACITY REAR AXLES, AIR RIDE SUSPENSION 16 1/2 IN. X 7 IN. AIR BRAKES, AUTOMATIC SLACK ADJUSTERS, NO PARKING BRAKES, ABS SYSTEM, TWELVE 10 STUD HUB PILOTED 8.25 X 22.5 STEEL DISC WHEELS. TWELVE EXTRA HEAVY DUTY MECHANICAL 225/70R22 5 16 PLY LOW PROFILE RADIAL TIRE, 2 IN. KINGPIN SETTING, FOUR BEAM DESIGN OF 13,000 PSI YIELD FLANGES AND 80,000 LB. PSI WEBS, 2 1/4 IN. APITONG HARDWOOD FLOORING WITH BRIDGE CLIPS AND CARRIAGE FLOORED, TWELVE SWINGING REMOVABLE OUT-RIGGERS PER SIDE,</p>	<i>84,541.00</i>	<i>84,541.00</i>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123633

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
7	6.00	EA	<p>ONE D RING ON EACH SIDE OF GOOSE NECK, TWO D RINGS ON EACH SIDE OF READ DECK, FIVE D RINGS ON EACH SIDE OF LOAD DECK, MECHANICAL RAISED AND LOWERED GOOSENECK USING TRUCK WINCH, AIR LOCK LATCHES ON GOOSENECK, PIPE AT FRONT OF GOOSENECK WITH CABLE LUGS FOR PICKUP EYE, LOAD BEARING WHEEL COVERS OVER REAR TIRES AND REAR DECK CENTER. 12 VOLT 7-WAY PLUG, SEALED BEAM LIGHTS, MID-TURN SIGNAL, REAR FLAPS, SANDBLASTED PRIMED AND FINISHED PAINT 5 MILS IMRON FLEET WHITE, CONSPICUITY TAPE ON SIDES, OPERATOR MANUAL 25,000 LB. APPROXIMATE EMPTY WITH FOB FLEET MANANGEMENT, JEFFERSON PARISH, LA.</p> <p>**REQUIRES LOUISIANA DEALERS LICENSE**</p> <p>MANUFACTURER: <i>HOLDEN</i></p> <p>MANUFACTURER PART: <i>HMFB60</i></p> <p>VENDOR PART: <i>SAME</i></p> <p>0007 - ONE-TON PAYLOAD CAPACITY LIGHT DUTY FLATBED TRAILER 2,990 LBS. GVWR</p> <p>6 FT. X 10 FT. L LOAD DECK PLUS 48 IN. L FULL WIDTH TWO-PIECE FOLDING LOAD RAMP COVERED WITH EXPANDED METAL, 2 IN. A-FRAME BALL COUPLER, 2,000 LB. TOP WIND BOLT-ON JACK, TWO 1/4 IN. SAFETY CHAINS, WITH SAFETY LATCH HOOKS, 3 IN. CHANNEL TOUNGUE, 2 IN X 3 IN. X 3/16 IN. ANGLE FRAME AND CROSSMEMBERS. 2 IN. PINE DECK. 15 IN. HIGH RAILING PERIMETER FABRICATED OF 2 3/8 IN. DIAMETER PIPE TOP, RAIL MULTI-LEAK SPRING SUSPENSION, 3,500 LB. CAPACITY EX LUBE AXLE, 15 X 5 WHITE ONE TON PAYLOAD CAPACITY LIGHT SPOKE 5-BOLT WHEELS, TWO ST205/75R15 IN. LOAD RANGE B TIRES, DOT STOP, TURN AND CLEARANCE LIGHTS, 4-WAY FLAT ELECTRICAL PLUG, ALL WIRING IN LOOM CONDUIT, FINISH PAINTED ACRYLIC ENAMEL RED OR BLACK.</p> <p>**REQUIRES LOUISIANA DEALERS LICENSE/ REGISTERED WITH LOUISIANA MOTOR VEHICLES COMMISSION**</p> <p>MANUFACTURER: <i>TTE 2990</i></p> <p>MANUFACTURER PART: <i>VARIOUS</i></p> <p>VENDER PART: <i>SAME</i></p>	<i>4,637.00</i>	<i>27,822.00</i>
8	1.00	EA	<p>0008 - SEVEN-TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 17,570 LBS.</p>	<i>8,622.00</i>	<i>8,622.00</i>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123633

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
9	2.00	EA	<p>GVWR, 16 FT. L X 78 IN. W LOAD DECK PLUS 36 IN. FULL WIDTH BEAVERTAIL WITH TWO 54 IN. L X 21 IN. W ADJUSTABLE, SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES, 21 IN. MAXIMUM DECK HEIGHT, 2 IN. NOMINAL OAK DECK MATERIAL, THREE ROTATING D-RIGS PER SIDE, TWO 7,200 LB. DEXTOR TORQUE-FLEX AXLES WITH 12 1/4 IN. X 2 1/2 IN. ELECTRICAL BRAKES INCLUDING BREAKAWAY SYSTEM, ADJUSTABLE ALIGNMENT TIRES ON 8 HOLE STEEL DISC WHEELS, 12,000 LB. BOLT-ON DROP LEG MANUAL CRANK JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK-2 5/8 IN. I.D.) WITH DUAL 3/8 IN. SAFETY CHAINS, FLUSH MOUNTED FMVSS #108 SEALED BEAM LIGHTS WITH SEALED MODULAR WIRING HARNESS, SEVEN-WAY ELECTRICAL PLUG COLOR-HIGHWAY SAFETY YELLOW. SEVEN TON PAYLOAD CAPACITY.</p> <p>**REQUIRES LOUISIANA DEALERS LICENSE**</p> <p>MANUFACTURER: <i>EAGER BEAVER</i></p> <p>MANUFACTURER PART: <i>SK7</i></p> <p>VENDOR PART: <i>SAME</i></p> <p>0009 - TWELVE-TON PAYLOAD CAPACITY TAG-A-LONG TRAILER 29,900 LB. GVWR</p> <p>19 FT L X 8 FT. W LOAD DECK PLUS 5 FT. FULL WIDTH BEAVERTRAIL WITH TOW 72 IN. X 22 1/2 IN. W ADJUSTABLE, SPRING-ASSISTED LOADING RAMPS INCLUDING GROUND BRACES, 34 IN. MAXIMUM UNLOADED DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION, 2 IN. NOMINAL OAK DECK MATERIAL, FULL WIDTH 8 IN. STEEL CHANNEL HEADBOARD, FIVE ROTATING D-RIGS PER SIDE, PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH 9700 MULTI-POINT SPRING SUSPENSION WITH RADIUS ROD AXLE TRACKING, TANDEM 12,000 LB. AXLES WITH 12 1/4 IN. X 5 IN. ELECTRICAL BREAK-AWAY SYSTEM, EIGHT 235/85R16 E STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE STEEL DISC WHEELS, 12,000 LB. CAPACITY DROPLEG TOP CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK, 3 IN. I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA, FIVE ROTATING D-RINGS EQUALLY SPACED DOWN EACH SIDE OF THE TRAILER FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS WITH GROMMETS, ALL WIRING IN MODULARE NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG, HIGHWAY SAFETY YELLOW COLOR.</p> <p>**REQUIRES LOUISIANA DEALERS LICENSE**</p>	<p><i>15,055.00</i></p> <p><i>30,110.00</i></p>	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123633

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	1.00	EA	<p>MANUFACTURER: <i>EAGER BEAVER</i> MANUFACTURER PART: <i>12HDB-PT</i> VENDOR PART: <i>SAME</i></p> <p>0010 - FIFTEEN-TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 35,900 LB.</p> <p>GVWR 19IN X 8 FT. 6 IN. WITH LOAD DECK PLUS 6 FT. FULL WIDTH BEAVERTAIL WITH TWO 72 IN. L X 22 1/2 IN W ADJUSTABLE, SPRING-ASSIST LOADING RAMPS INCLUDING GROUND BRACES, 34 IN. MAXIMUM UNLOADED DECK, HEIGHT WITH PEIRICED BEAM CONSTRUCTION, 2 IN. NOMINAL OAK DECK MATERIAL, FULL WIDTH 8 IN. STEEL CHANNEL HEADBOARD, FIVE ROTATING D-RINGS PER SIDE, PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH H-9700 MULTI-POINT SPRING 50,000 LB. SUSPENSION WITH RADIUS ROD AXLE TRACKING, TANDEM 22,500 LB. AXLES WITH ANTI-LOCK AIR BRAKE SYSTEM, 4S2M SENSOR ALL WHEELS, TOW MODULAR VALVES, SPRING BRAKE ON EACH AXLE, EIGHT 215.75R17.5 H STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE PILOTED STEEL DISC WHEELS, 40,000 LB. LIFT CAPACITY, TWO SPEED CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN STOCK, 3 IN. I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA, FIVE ROTATING D-RINGS EQUALLY SPACED DOWN EACH SIDE OF THE TRAILER FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG, HIGHWAY SAFETY YELLOW COLOR</p> <p>**REQUIRES LOUISIANA DEALERS LICENSE**</p> <p>MUNUFACTURER: <i>EAGER BEAVER</i> MANUFACTURER PART: <i>15HDB-PT</i> VENDOR PART: <i>SAME</i></p> <p>0011 - TWENTY-TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 45,900 LB.</p> <p>GVWR 19'L X 8'W 6"W LOAD DECK PLUS 6 FT. FULL WIDTH BEAVERTAIL WITH TWO 72 IN. L X 22 1/2 IN W ADJUSTABLE, SPRING ASSIST LOADING RAMPS, INCLUDING GROUND BRACES 34 IN. MAXIMUM DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2 IN. NORMAL OAK DECK MATERIAL. FULL WIDTH 8" STEEL CHANNEL HEADBOARD. FIVE ROTATING D RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH H-9700 MULTI POINT</p>	<i>18,859.00</i>	<i>18,859.00</i>
11	4.00	EA	<p>0011 - TWENTY-TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 45,900 LB.</p> <p>GVWR 19'L X 8'W 6"W LOAD DECK PLUS 6 FT. FULL WIDTH BEAVERTAIL WITH TWO 72 IN. L X 22 1/2 IN W ADJUSTABLE, SPRING ASSIST LOADING RAMPS, INCLUDING GROUND BRACES 34 IN. MAXIMUM DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2 IN. NORMAL OAK DECK MATERIAL. FULL WIDTH 8" STEEL CHANNEL HEADBOARD. FIVE ROTATING D RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH H-9700 MULTI POINT</p>	<i>18,859.00</i>	<i>75,436.00</i>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123633

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
12	1.00	EA	<p>55,000 LB. SUSPENSION WITH RADIUS ROD AXLE TRACKING, TANDEM 15,000 LB. AXLES WITH 12 1/4 X 5" ELECTRIC BREAKS INCLUDING BREAK AWAY SYSTEM, EIGHT 215/ 75R17.5 H STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE PILOTED STEEL DISC WHEELS 40,000 LB. LIFT CAPACITY. TWO- SPEED CRANKPARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN. STOCK 3" I.D.) WITH DUAL SAFETY CHAINS, DRAW BAR STORAGE AREA. FIVE ROTATING D-RINGS EQUALLY SPACED DOWN EACH SIDE OF TRAILER FLUSHED MONTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMETS. ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG. HIGHWAY SAFETY YELLOW. **REQUIRES LOUISIANA DEALERS LICENSE**</p> <p>MANUFACTURER: <i>EAGER BEAVER</i></p> <p>MANUFACTURER PART: <i>20XPT</i></p> <p>VENDOR PART: <i>SAME</i></p> <p>0012 - HEAVY DUTY 60 TON CAPACITY MECHANICAL FOLDING NECK LOWBOY TRAILER,</p> <p>120,000 LBS. LOAD CPACITY CONCENTRATED IN ANY 10FT/IN LOAD AREA. MIN. 24 FT. 0 IN. LOAD DECK LENGTH WITH MAXIMUM 49 FT. 0 IN. OVERALL TRALER LENGTH. 8 FT. 6 IN OVERALL WIDTH (NOT INCLUDING SWING BRACKETS) MAXIMUM 24 IN. LOAD DECK HEIGHT AT RATED LOADED CAPACITY WITH MINIMUM 6 IN. GROUND CLEARANCE. MINIMUM 84 IN. SWING CLEARANCE. THREE (3) EACH. 25,000 LB. CAPACITY EACH AXLE. 5 IN. ROUND WITH MINIMUM 5/8 INCH WALL THICKNESS. TAPERED SPINDLES. 77 N. TRACK FULL AIR RIDE SUSPENSION WITH 50 IN. AXLE SPREAD. AIR RAISING AND LOWERING VALVE. 16 1/2 IN. X 7 IN AIR BRAKES (NO PARKING BREAKS. AUTOMATIC SLACK ADJUSTERS. 28 SPLINE. ABS 4S-2M. LOAD BEARING TYPE WHEEL WELLS COVERS OVER REAR TRI-AXLE INCLUDING CENTER AREA BETWEEN TIRES. 10 HOLE STUD (LONG). HUB PILOTED. STEEL. CAST DRUMS. STEMCO OIL SEALS. STEEL DISC. WHEELS. 8.25 X 22.5 TWLEVE (12) EACH. 255/70R22.5 16PR LOW PROFILE RADIAL TIRES. MINIMUM SIX (6) EACH RINGS PER SIDE. MINIMUM TWELVE (12) EACH OUTRIGGERS PER SIDE TO EXTEND LOAD BED WIDTH. EACH OUTRIGGER TO BE SWING- OUT AND REMOVABLE WITH POSITIVE LATCH IN STORED POSITION. GOOSENECK TO BE FULL LOAD WIDTH. GOOSENECK LOCKING FULL AIR POWER WITH CONTROL SWITCH. FRONT END PIPE, FRONT END WITH CABLE SLING AND APPROACH PLAT. SAE 2 IN. DROP IN</p>	<i>84,541.00</i>	<i>84,541.00</i>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123633

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
13	1.00	EA	<p>KINGPIN AT 15 IN. TO 18 IN. SETTINGS. KINGPIN PLATE HEIGHT TO BE 50 IN. ABOVE LEVEL GROUND. MINIMUM 2 1/4 IN. THICK APITONG HARDWOOD FLOORING, MINIMUM 10 IN. CHANNEL CROSSMEMBERS ON 24 IN. CENTERS. FOUR BEAM DESIGN 130,000 PSI YIELD FLANGES AND 80,000 LB. PSI YIELD WEB MAIN BEAMS. TRUCK LIGHT SEALED BEAM WITH MID-TURN SIGNAL. 12 VOLT. 7 WAY ELECTRICAL PLUG AT FRONT OF TRAILER. 3 M CONSPICUITY TAPE. DISCONTINUOUS ON EACH SIDE. OPERATOR AND MAINTENANCE MANUAL WITH ON-SITE DEMONSTRATION UPON DELIVERY SANDBLAST, EPOXY PRIMER, FINISH PAINTED FLEET WHITE POLYURETHANE PAINT TO A THICKNESS TO 5 MILS. AIR, ELECTRIC, AND HYDRAULIC LINES TO BE INSTALLED AFTER PAINTING.</p> <p>**REQUIRES LOUISIANA DEALERS LICENSE**</p> <p>MANUFACTURER: <i>HOLDEN</i></p> <p>MANUFACTURER PART: <i>HMFB0-2</i></p> <p>VENDOR PART: <i>SAME</i></p> <p>0013 - HEAVY DUTY HYDRA NECK 35 TON DETACHABLE GOOSENECK LOWBOY TRAILER.</p> <p>CAPACITY - 70,000 LBS. TRAILER WEIGHT - 18,700 LBS. DECK WIDTH - 8 FT. 6 IN. DECK LENGTH-22FT. OVERALL LENGTH-44 FT. 5 IN. HEIGHT 24 IN.(LOADED). 80,000 PSI MINIMUM YIELD STEEL MAINFRAME. FOUR FABRICATED 16 IN. DEEP. CAMBERED I-BEAMS, CROSSMEMBERS 10 IN, PIERCED I-BEAMS SPACED AT 24 INS. GOOSENECK LENGTH 102 IN. (SWING CLEARANCE), FIFTH WHEEL HEIGHT STANDARD 50 IN. DECKING 2 IN. NOMINAL HARDWOOD. WIRING HARNESS. 7 WAY ATA PLUG FRONT RAMP-FRONT FLIP WITH GROUSERS. MAN. RAISE AND LOWER VALVE. HYDRAULICS-WETLINE HOOK-UP FOR TRACTORS PTO OPERATIONS CONTROL. CONTROL VALVE EYE LEVEL. 4 INCH RELIEF GOOSENECK. PAINT-PARISH WHITE WITH EAGER BEAVER DECALS. EIGHT TIRES 275/70R22.5 (H) STEEL BELTED RADIAL, HUBS/WHEELS-4 DISC TYPE HUBS, EIGHT (8)8.25X22.5 DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTED, SUSPENSION-AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE. AXLE TWO 5 IN. DIAMETER 25,000 LBS. EACH. TIE DOWNS 7 EACH PER SIDE ROTO RINGS. BRAKES ABS SYSTEM WITH SPRING BRAKES FORLER POWER PACK. PARKING CAST STEEL OUTRIGGERS. 14 HP KOHLER POWER PACK. *REQUIRES LOUISIANA DEALERS LICENSE**</p>	<i>43,556.00</i>	<i>43,556.00</i>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123633

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
14	1.00	EA	<p>MANUFACTURE: <i>EAGER BEAVER</i> MANUFACTURER PART: <i>35GSL-S</i> VENDOR PART: <i>SAME</i></p> <p>0014 - HEAVY DUTY HYDRA NECK 50 TON DETACHABLE GOOSENECK LOWBOY TRAILER</p> <p>CAPACITY 100,000 LBS. TRAILER WEIGHT 20,500 LBS. DECK WIDTH 8 FT. 6 IN. DECK LENGTH 24 FT. OVERALL LENGTH 48 FT. 6 IN. HEIGHT - 24 IN., 80,000 PSI. MINIMUM YIELD STEEL MAINFRAME. FOUR FABRICATED 16 INCH DEEP CAMBERED I-BEAMS CROSSMEMBERS - 10 IN. PIERCED I-BEAMS SPACED AT 24 INCHES, GOOSENECK LENGTH 102 INCHES (SWING CLEARANCE), FIFTH WHEEL HEIGHT - STANDARD 50 IN. DECKING: 5.00. NOMINAL HARDWOOD, WIRING HARNESS 7 WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSERS. MANUAL RAISE AND LOWER VALVE. HYDRAULICS-WETLINE HOOK-UP FOR TRACTOR PTO LEVEL. 4 INCH RELIEF GOOSENECK. AIR LIFT 3RD AXLE. PAINT- PARISH WHITE WITH EAGER BEAVER DECALS. TIRES 275/70RSS.5 (H) STEEL BELTED RADIAL. HUBS/WHEELS SIX DISC TYPE HUBS. TWELVE 8.25 X 22.5 DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTTED, SUSPENSION-AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE, AXLE THREE 5 IN DIAMETER 25,000 LBS. EACH. TIE DOWNS- 7 EACH PER SIDE ROTO RINGS. BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS. 14 HP KOHLER POWER PACK. **REQUIRES LOUISIANA DEALERS LICENSE**</p> <p>MUNUFACTURER: <i>EAGER BEAVER</i> MANUFACTURER PART: <i>50GSL-3</i> VENDOR PART: <i>SAME</i></p>	<i>52,595.00</i>	<i>52,595.00</i>
15	1.00	EA	<p>0015 - HEAVY DUTY HYDRA NECK 55 TON DETACHABLE GOOSENECK LOWBOY TRAILER</p> <p>CAPACITY-110,000 LBS. TRAILER WEIGHT- 22,650 LBS. DECK WIDTH 8 FT. 6 IN. DECK LENGTH-25 FT. OVERALL LENGTH-51 FT. 2 IN. HEIGHT-24 IN. 80,000 PSI MINIMUM YIELD STEEL MAINFRAME. FOUR FABRICATED 16 INCH DEEP CAMBERED I-BEAMS CROSSMEMEBERS-10 IN. PIERCED 1-10 SPACED AT 24 IN. GOOSENECK LENGTH-102 IN (SWING CLEARANCE). FIFTH WHEEL HEIGHT-STANDARD 50 IN. DECKING- 2 IN NOMINAL HARDWOOD. WIRING HARNESS-7 WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH</p>	<i>61,367.00</i>	<i>61,367.00</i>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123633

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
16	1.00	EA	<p>GROUSERS. MAN. RAISE AND LOWER VALVE. HYDRAULICS-WETLINE HOOK-UP FOR TRACTOR. PTO OPERATIONS, CONTROLS-CONTROL VALVE EYE LEVEL. 4 IN. RELIEF GOOSENECK. AIR LIFT 3RD AXLE. PAINT-PARISH WHITE WITH EAGER BEAVER DECALS. TIRES-275/70R22.5 (H) STEEL BELTED RADIAL. HUBS/WHEELS SIX DISC TYPE HUBS. TWELVE 8.25 X 22.5 DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTED. SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE. AXLE THREE 5 IN. DIAMETER, 25,000 LBS. EACH. TIE DOWNS-7 EACH PER SIDE ROTO RINGS. BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS. 4TH FLIP AXLE 14 HP KOHLER POWER PACK. LOAD BEARING WHEEL COVERS. ALUMINUM WHEELS. **REQUIRES LOUISIANA DEALERS LICENSE**</p> <p>MANUFACTURE: <i>EAGER BEAVER</i></p> <p>MANUFACTURER PART: <i>55GSL-3</i></p> <p>VENDOR PART: <i>SAME</i></p> <p>0016 - HEAVY DUTY HYDRA NECK 60 TON DETACHABLE GOOSENECK LOWBOY TRAILER</p> <p>CAPACITY-120,000 LBS. TRAILER WEIGHT 23,250 LBS. DECK WIDTH-8 FT. 6 IN. DECK LENGTH-25 FT. OVERALL LENGTH-53 FT. HEIGHT-24 IN. 80,000 PSI. MINIMUM YIELD STEEL FRAME. FOUR CROSSMEMBERS-10 IN. PIERCED I-BEAMS SPACED AT 24 IN. GOOSE-NECK LENGTH-102 IN. (SEING CLEARANCE). FIFTH WHEEL HEIGHT-STANDARD 50 IN. DECKING-2 IN. NOMINAL HARDWOOD. WIRING HARNESS-7-WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSERS. MAN. RAISE AND LOWER VALVE HYDRAULICS. WETLINE HOOK-UP FOR TRACTOR. PTO OPERATIONS. CONTROL VALVE EYE LEVEL. 4 IN. RELIEF GOOSENECK. AIR LIFT 3RD AXLE. PAINT-PARISH WHITE WITH EAGER BEAVER DECALS. TIRES-275-70R22.5 (H) STEEL BELTED RADIAL. HUBS/WHEELS SIX DISC TYPE HUBS. TWELVE 8.25 X 22.5 DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTED. SUSPENSION-AIR RIDE (COMBINED CAPACITY 75,000 LBS.). DUMP VALVE. AXLE-THREE 5 IN. DIAMETER 25,000 LBS. EACH. TIE DOWNS-7 EACH PER SIDE ROTO RINGS. BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS. 4TH FLIP AXLE. 14 HP KOHLER POWER PACK. LOAD BEARING WHEEL COVERS. ALUMINUM WHEELS (OUTSIDE)</p> <p>**REQUIRES LOUISIANA DEALERS LICENSE**</p> <p>MANUFACTURER: <i>EAGER BEAVER</i></p>	<i>64,193.00</i>	<i>64,193.00</i>

DATE: 7/25/2018

Page 16

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123633

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
17	1.00	EA	<p>MANUFACTURER PART: 60GSL-3</p> <p>VENDOR PART: SAME</p> <p>0017 - HEAVY DUTY DUMP TRAILER-FRAME TYPE TRI-AXLE 30 YARD TRAILER. LENGHT- 30 FT. CROSS SILL, 15 IN. SIDE THICKNESS 250 IN. SUSPENSION-INTRA-AXLE-WHEEL TYPE. STEEL BUDD. TIRE SIZE-11R25.5 AND REAR APRON. ONE (1) ELECTRIC TARP RACK. NOTE: ALUMINUM TRAILER **REQUIRES LOUISIANA DEALERS LICENSE**</p> <p>MANUFACTURER: WARREN</p> <p>MANUFACTURER PART: WRDT-AL-TRI-AXLE</p> <p>VENDOR PART: SAME</p> <p>ONE(1) YEAR WARRANTY FROM DATE OF DELIVERY.</p>	58,699.00	58,699.00

Non-Public Works Bid

AFFIDAVIT

STATE OF LOUISIANAPARISH/COUNTY OF JEFFERSON

BEFORE ME, the undersigned authority, personally came and appeared: GEORGE WILSON, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized AGENT of TRUCK & TRANSPORTATION (Entity), the party who submitted a bid in response to Bid Number 50-00123633, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):


Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B ☒ there are NO campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B  _____ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

George Wilson
Signature of Affiant

GEORGE WILSON
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 7th DAY OF August, 2018.

Toni A Kass
Notary Public

Toni A. Kass
Printed Name of Notary

78341
Notary/Bar Roll Number

TONI A. KASS
NOTARY PUBLIC
ID NO. 78341
STATE OF LOUISIANA
MY COMMISSION IS FOR LIFE

My commission expires at Death

[Print](#)

Notary Search - Detail

Name: MS. TONI A. KASS
Address: 2309 CLEARVIEW PKWY
SUITE 100
METAIRIE, LA 70001
Phone: (504) 887-0588
Notary ID Number: 78341
Parish: JEFFERSON with authority in the following parishes:
ORLEANS, PLAQUEMINES, ST. BERNARD
Agency: N/A
Notary Type: Non Attorney
Status: Active
Commission Date: 05/29/2013
Oath Date: 05/21/2013
Surety Expiration Date: 09/29/2019
Annual Report Current: Yes

Notary Events

Suspension	From: 12/13/2017	To: 12/19/2017
Parish Change	Previous Parish: ORLEANS	Previous Commission Date: 10/22/2004

Deceased, Inactivated, Leave of Absence, Pre-Assessment Registration, Pre-Assessment Taken, Resigned, Retirement, and Revoked events are not available prior to February 11, 2012.

[Back to Search Results](#)[New Search](#)

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability, Workmen's Compensation Insurance and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

☒ WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being

BID NO.: 50-00123633

rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☒ **COMMERCIAL GENERAL LIABILITY**

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

☒ **COMPREHENSIVE AUTOMOBILE LIABILITY**

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES

No insurance required shall include a deductible not greater than \$10,000.00. The cost of the deductible shall be borne by the contractor.

NOTE: If the vendor requires a change in deductibles, the request must be submitted in writing to the Purchasing Department prior to the due date of the bid. Such request shall be reviewed by the Parish Attorney's Office with the concurrence of the Director of Risk Management.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required unless otherwise specified in the bid. Such insurance is due upon contract execution.

1) OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

2) BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.



(<https://www.sos.la.gov/Pages/default.aspx>)

Search for Louisiana Business Filings

[Buy Certificates and Certified Copies](#)

[Subscribe to Electronic Notification](#)

[Print Detailed Record](#)

Name	Type	City	Status
TRUCK & TRANSPORTATION EQUIPMENT CO., INC.	Business Corporation	HARAHAN	Active

Previous Names

TRUCK EQUIPMENT COMPANY, INC. (Changed: 12/8/1970)

Business: TRUCK & TRANSPORTATION EQUIPMENT CO., INC.

Charter Number: 29109900D

Registration Date: 8/6/1970

Domicile Address

5801 CITRUS BLVD.
HARAHAN, LA 70123

Mailing Address

P. O. BOX 23890
HARAHAN, LA 70183

Principal Office Address

5801 CITRUS BLVD.
HARAHAN, LA 70123

Status

Status: Active

Annual Report Status: In Good Standing

File Date: 8/6/1970

Last Report Filed: 7/9/2018

Type: Business Corporation

Registered Agent(s)

Agent:	VICKI H. KIHNE MANN
Address 1:	5801 CITRUS BLVD.
City, State, Zip:	HARAHAN, LA 70123
Appointment Date:	1/20/1998

Agent:	ALEX FABIO
Address 1:	5801 CITRUS BLVD.
City, State, Zip:	HARAHAN, LA 70123
Appointment Date:	5/10/2016

GET HELP

Officer(s)

Additional Officers: No

Officer:	VICKI H. KIHNEMANN
Title:	Vice-President
Address 1:	5801 CITRUS BLVD.
City, State, Zip:	HARAHAN, LA 70123
Officer:	GEORGE WILSON
Title:	President
Address 1:	260 INDUSTRIAL AVE.
City, State, Zip:	JEFFERSON, LA 70121

Amendments on File (9)

Description	Date
Name Change	12/8/1970
Amendment	3/29/1972
Domicile, Agent Change or Resign of Agent	3/29/1972
Domicile, Agent Change or Resign of Agent	7/12/1972
Domicile, Agent Change or Resign of Agent	9/3/1975
Domicile, Agent Change or Resign of Agent	4/13/1981
Domicile, Agent Change or Resign of Agent	1/20/1998
Amendment	5/20/1998
Domicile, Agent Change or Resign of Agent	5/10/2016

[Back to Search Results](#)[New Search](#)[View Shopping Cart](#)

GET HELP

© 2018 Louisiana Department of State

R. Kyle Ardoin
Secretary of State

**State of
Louisiana
Secretary of
State**



COMMERCIAL DIVISION
225.925.4704

Fax Numbers
225.932.5317 (Admin. Services)
225.932.5314 (Corporations)
225.932.5318 (UCC)

Name	Type	City	Status
TRUCK & TRANSPORTATION EQUIPMENT CO., INC.	Business Corporation	HARAHAN	Active

Previous Names

TRUCK EQUIPMENT COMPANY, INC. (Changed: 12/8/1970)

Business: TRUCK & TRANSPORTATION EQUIPMENT CO., INC.

Charter Number: 29109900D

Registration Date: 8/6/1970

Domicile Address

5801 CITRUS BLVD.
HARAHAN, LA 70123

Mailing Address

P. O. BOX 23890
HARAHAN, LA 70183

Principal Office Address

5801 CITRUS BLVD.
HARAHAN, LA 70123

Status

Status: **Active**

Annual Report Status: **In Good Standing**

File Date: 8/6/1970

Last Report Filed: 7/9/2018

Type: Business Corporation

Registered Agent(s)

Agent:	VICKI H. KIHNEBANN
Address 1:	5801 CITRUS BLVD.
City, State, Zip:	HARAHAN, LA 70123
Appointment Date:	1/20/1998

Agent:	ALEX FABIO
Address 1:	5801 CITRUS BLVD.
City, State, Zip:	HARAHAN, LA 70123
	5/10/2016

**Appointment
Date:**

Officer(s)**Additional Officers: No**

Officer: VICKI H. KIHNEMANN
Title: Vice-President
Address 1: 5801 CITRUS BLVD.
City, State, Zip: HARAHAHAN, LA 70123

Officer: GEORGE WILSON
Title: President
Address 1: 260 INDUSTRIAL AVE.
City, State, Zip: JEFFERSON, LA 70121

Amendments on File (9)

Description	Date
Name Change	12/8/1970
Amendment	3/29/1972
Domicile, Agent Change or Resign of Agent	3/29/1972
Domicile, Agent Change or Resign of Agent	7/12/1972
Domicile, Agent Change or Resign of Agent	9/3/1975
Domicile, Agent Change or Resign of Agent	4/13/1981
Domicile, Agent Change or Resign of Agent	1/20/1998
Amendment	5/20/1998
Domicile, Agent Change or Resign of Agent	5/10/2016

Print

Request for Taxpayer Identification Number and Certification

Give Form to the
requester. Do not
send to the IRS.

► Go to www.irs.gov/FormW9 for instructions and the latest information.

Print or type.
See Specific Instructions on page 3.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.

TRUCK AND TRANSPORTATION EQUIPMENT CO, INC

2 Business name/disregarded entity name, if different from above

3 Check appropriate box for federal tax classification of the person whose name is entered on line 1. Check only **one** of the following seven boxes.

☐ Individual/sole proprietor or single-member LLC ☒ C Corporation ☐ S Corporation ☐ Partnership ☐ Trust/estate

☐ Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ► _____

Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC is another LLC that is **not** disregarded from the owner for U.S. federal tax purposes. Otherwise, a single-member LLC that is disregarded from the owner should check the appropriate box for the tax classification of its owner.

☐ Other (see instructions) ► _____

4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):

Exempt payee code (if any) _____

Exemption from FATCA reporting code (if any) _____

(Applies to accounts maintained outside the U.S.)

5 Address (number, street, and apt. or suite no.) See instructions.

260 INDUSTRIAL AVENUE

6 City, state, and ZIP code

NEW ORLEANS, LOUISIANA 70121

Requester's name and address (optional)

**JEFFERSON PARISH
DEPARTMENT OF PURCHASING**

7 List account number(s) here (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. Also see *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Social security number

____ - ____ - _____

or

Employer identification number

7 2 - 0 6 9 1 8 2 1

Part II Certification

Under penalties of perjury, I certify that:

1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
3. I am a U.S. citizen or other U.S. person (defined below); and
4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign
Here

Signature of
U.S. person ►

Amir D. Bata

Date ►

08/06/2018

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to www.irs.gov/FormW9.

Purpose of Form


An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following.

- Form 1099-INT (interest earned or paid)

- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding, later.

PRODUCER		INSURED		COVERAGES	
PRODUCER BancorpSouth Insurance Services, Inc. P. O. BOX 3809 BATON ROUGE, LA 70821-3809		INSURED Truck and Transportation Equipment Company, Inc. P. O. Box 23890 Harahan, LA 70183-0890		COVERAGES THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES, LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.	
COMPANIES AFFORDING COVERAGE COMPANY A THE GRAY INSURANCE COMPANY COMPANY B COMPANY C COMPANY D					
CO LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
A	GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> OWNER'S & CONTRACTOR'S PROT	XSGL-074372	7/1/2018	7/1/2021	GENERAL AGGREGATE: Unlimited PRODUCTS - COMP/OP AGG: \$3,000,000.00 PERSONAL & ADV INJURY: \$1,000,000.00 EACH OCCURRENCE: \$1,000,000.00 FIRE DAMAGE (Any one fire): \$50,000.00 MED EXP (Any one person): \$5,000.00 COMBINED SINGLE LIMIT: \$1,000,000.00
A	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input checked="" type="checkbox"/> ALL OWNED AUTOS <input checked="" type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS	XSAL-075366	7/1/2018	7/1/2021	BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE
	GARAGE LIABILITY <input type="checkbox"/> ANY AUTO				AUTO ONLY - EA ACCIDENT OTHER THAN AUTO ONLY EACH ACCIDENT AGGREGATE
A	EXCESS LIABILITY <input type="checkbox"/> UMBRELLA FORM <input checked="" type="checkbox"/> OTHER THAN UMBRELLA FORM	GXS-043389	7/1/2018	7/1/2019	EACH OCCURRENCE: \$4,000,000.00 AGGREGATE: \$4,000,000.00
A	WORKER'S COMPENSATION AND EMPLOYERS' LIABILITY THE PROPRIETOR/ PARTNERS/EXECUTIVE OFFICERS ARE: <input checked="" type="checkbox"/> INCL <input type="checkbox"/> EXCL	XSWC-071092	7/1/2018	7/1/2021	X WC STATUTORY LIMITS OTH ER EL EACH ACCIDENT: \$1,000,000.00 EL DISEASE - POLICY LIMIT: \$1,000,000.00 EL DISEASE - EA EMPLOYEE: \$1,000,000.00
	OTHER				
DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/SPECIAL ITEMS The certificate holder is an additional insured on all policies except Workers' Compensation and is provided a Waiver of Subrogation, all if required by written contract. The above insurance policies shall be primary and noncontributory to any other insurance policies maintained by the certificate holder, if required by written contract.					
CERTIFICATE HOLDER 2168#1 JEFFERSON PARISH DEPARTMENT OF PURCHASING 1221 ELMWOOD PARK BLVD, SUITE 404 JEFFERSON, LA 70123		CANCELLATION In the event of cancellation by The Gray Insurance Company and if required by written contract, 30 days written notice will be given to the Certificate Holder. AUTHORIZED REPRESENTATIVE  THE GRAY INSURANCE COMPANY			

License No. RP-2017-00144
DPS Code: RNTTE

2017-2019

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

Truck & Transportation Equipment Co., Inc.

260 Industrial Avenue
New Orleans, LA 70121

George Wilson - Dealer-Operator

is duly licensed as a

Recreational Product(s) Dealer

of the following

Conversion(s): Truck & Trans Equip Custom
Eager Beaver (TAGALONGS, EASY LOADERS, LOWBOYS), Holden Industries
Kalyn Siebert, McElrath, Warren Trailers

For the period ending April 30, 2019, unless license is sooner revoked.

In Witness whereof, LOUISIANA MOTOR VEHICLE COMMISSION, under and by virtue of the
authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal
imprinted hereon.

LOUISIANA MOTOR VEHICLE COMMISSION

Dated May 15, 2017
Signed, Sealed and Attested

Stella Davis
Executive Director

Samuel D. Smith
Chairman

(To be prominently displayed in place of business)



License No. CV-2017-00173

2017-2019

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

Truck & Transportation Equipment Co., Inc.
260 Industrial Avenue
Jefferson, LA 70121

is duly licensed as a

Converter/Secondary Manufacturer

of the following

Conversion(s) : Truck & Trans Equip Custom (Custom Made)

For the period ending April 30, 2019, unless license is sooner revoked.

In Witness whereof, LOUISIANA MOTOR VEHICLE COMMISSION, under and by virtue of the authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal imprinted hereon.

Dated May 1, 2017
Signed, Sealed and Attested


LOUISIANA MOTOR VEHICLE COMMISSION


Executive Director


Chairman

(To be prominently displayed in place of business)





Specifications

Capacity	14,000 lbs.
Weight	3,570 lbs.
Axles & Suspension	(2) 7,200 lb., Dexter Torflex
Brakes	(4) 12-1/4" x 2-1/2" Electric
Wheels	(4) 6.75" x 17.5" (8 bolt on 6 1/2" b.c.)
Tires	(4) 215/75R17.5, load range "H"

All dimensions are approx. and subject to change

Features

- 8" Channel Grade 65 Steel Mainframe
- 6" 3.7#/ft L-Beam Crossmembers
- Sealed Modular Wiring and Lights
- 12 volt wet cell break-away with charging system
- (3) Rolo Rings swivels 360° per side
- 2" Nominal Pine, Structural No. 1 treated decking
- (2) 3/8" Safety chains with safety hook and latch
- Adjustable alignment axles
- Jack- 12,000 lbs. bolt-on drop leg
- Color- Eager Beaver Standard Colors

SK-7

14,000 lbs. Capacity
Skid Steel Trailer

Prepared for:

10436.dwg


Date: 12-19-07

Eager Beaver

14893 Highway 27
Lake Wales, FL 33859
800-257-8163

This drawing and specifications are the property of General Engines Co., Inc. dba Eager Beaver Trailers shall not be reproduced, copied or used in any fashion without express written permission. Also, General Engines Co., Inc. reserves the right to change designs, specification or materials without notice and without incurring any obligation to such changes.

10 HDB-PT *Easy Loader Series 10 Ton Tag - Electric Brake*



Capacity: 20,000 lbs. Trailer Weight: 5,940 lbs.
Deck Width: 8 ft. 6 in. Length: 19 ft. Height: 34 in.
Hi Tensile V-50 Steel Mainframe
Pierced Crossmembers
Cold-Formed Drawbar & Nose Plate

Heavy Duty Jack
Drawbar Storage Area
8" Beaver Tail (Safe Low Loading Angle)
Patented "ROTO RINGS"® Swivel 360°
100% Sealed Modular Wiring Harness

SPECIFICATIONS

Frame	Mainrails: W12" x 16 lbs. wide flange I-Beam, one piece cold formed Hi-tensile 50,000 P.S.I. steel mainrails from front to drawbar to rear of trailer
Crossmembers	6" x 3.7 lbs. per ft. I-Beam pierced through mainbeam
Decking	Nominal 2" Hardwood
Headboard	8" high, full width of trailer Drawbar Storage Area
Lights	12 volt, DOT approved
Wiring Harness	USA Star PLUS Sealed Modular Wiring Harness w/ 7-Way ATA Plug
Hitch	One piece solid cast steel (adjustable) lunette eye & flange mount
Safety Chains	Two 3/8" Blue-Krome plated high test, safety hook w/ latch
Parking Jack	12,000 lbs. static / 10,000 lbs. lift (Heavy Duty drop leg screw type)
Tie Down	Five per side - Patented "ROTO RINGS"® Swivel 360°
Colors	Yellow (Standard), Red, Black w/ matching RPC Undercoating

RUNNING GEAR

Tires	Eight 235/85R16 (E) Steel Belted Radial
Hubs/Wheels	Four 8 stud on 6 1/2" BC (2 pc hub & drum), Eight 6.00 x 16 Disc Type Wheels, Oil seals
Suspension	3" wide rubber bushed Slipper Spring w/ equalizer, capacity 20,000 lbs. tandem (Adj. Alignment)
Axles	Two Heavy Duty Dexter, 10,000 lbs. each, Inner Bearing Size 2.625", Outer Bearing Size 2.250"
Brakes	12 1/4" x 4" Electric
Break-away	12 Volt, wet cell battery with integrated battery charging system


OPTIONS

Additional Deck Length & Width (20'-21'-22'-23'-24' Optional Lengths) (102" Optional Width)
 Additional "ROTO-RINGS"®
 Tool Box Lid (Lockable) Optional: Expanded Metal Tray Plate
 Spare Tire & Disc Wheel 235/85R16 (E) Optional: Spare Tire Carrier
 Traction 2" x 2" Angle 6" C/C Wheel Paths Optional: Traction Center Section, Bucket Pocket or Plate
 Ramps Wood (standard) Ladder (Optional N/C)
 Extension Ramps T-6 Alum. 22" x 75" 8° angle (SET)
 Brake controller: Cab mounted w/ complete truck wiring harness and receptacle
 Parking Jack Optional: 2-Speed Jack Optional: Jack mounted on Headboard Optional: 2-Speed Landing Gear is Available
 Apitong Decking in lieu of Oak
 Paint (other than standard Yellow) Price on Request

Call (800) 257-8163 for more information



I2 HDB-PT *Easy Loader Series 12 Ton Tag - Electric Brake*



**Capacity: 24,000 lbs. Trailer Weight: 6,450 lbs.
Deck Width: 8 ft. 6 in. Length: 19 ft. Height: 34 in.
Hi Tensile V-50 Steel Mainframe
Pierced Crossmembers
Cold-Formed Drawbar & Nose Plate**

Heavy Duty Jack
Drawbar Storage Area
8° Beaver Tail (Safe Low Loading Angle)
Patented "ROTO RINGS"® Swivel 360°
100% Sealed Modular Wiring Harness

SPECIFICATIONS

Frame	Mainrails: W12" x 16 lbs. wide flange I-Beam, one piece cold formed Hi-tensile 50,000 P.S.I. steel mainrails from front to drawbar to rear of trailer
Crossmembers	6" x 3.7 lbs. per ft. I-Beam pierced through mainbeam
Decking	Nominal 2" Hardwood
Headboard	8" high, full width of trailer Drawbar Storage Area
Lights	12 volt, DOT approved
Wiring Harness	USA Star PLUS Sealed Modular Wiring Harness w/ 7-Way ATA Plug
Hitch	One piece solid cast steel (adjustable) lunette eye & flange mount
Safety Chains	Two 3/8" Blue-Krome plated high test, safety hook w/ latch
Parking Jack	12,000 lbs. static / 10,000 lbs. lift (Heavy Duty drop leg screw type)
Tie Down	Five per side - Patented "ROTO RINGS"® Swivel 360°
Colors	Yellow (Standard), Red, Black w/ matching RPC Undercoating

RUNNING GEAR

Tires	Eight 235/85R16 (E) Steel Belted Radial
Hubs/Wheels	Four 8 stud on 6 1/2" BC (2 pc hub & drum), Eight 6.00 x 16 Disc Type Wheels, Oil seals
Suspension	3" wide rubber bushed Slipper Spring w/ equalizer, capacity 24,000 lbs. tandem (Adj. Alignment)
Axles	Two Heavy Duty Dexter, 12,000 lbs. each
Brakes	12 1/4" x 5" Electric
Break-away	12 Volt, wet cell battery with integrated battery charging system

OPTIONS

Additional Deck Length & Width (20'-21'-22'-23'-24' Optional Lengths) (102" Optional Width)

Additional "ROTO-RINGS"®

Tool Box Lid (Lockable) Optional: Expanded Metal Tray Plate

Spare Tire & Disc Wheel 235/85R16 (E) Optional: Spare Tire Carrier

Traction 2" x 2" Angle 6" C/C Wheel Paths Optional: Traction Center Section, Bucket Pocket or Plate

Ramps Wood (standard) Ladder (Optional N/C)

Extension Ramps T-6 Alum. 22" x 75" 8° angle (SET)

Brake controller: Cab mounted w/ complete truck wiring harness and receptacle

Parking Jack Optional: 2-Speed Jack Optional: Jack mounted on Headboard Optional: 2-Speed Landing Gear is Available


Apitong Decking in lieu of Oak

Paint (other than standard Yellow) Price on Request



Call (800) 257-8163 for more information

15 HDB-PT *Easy Loader Series 15 Ton Tag - (2) 15K Electric Brake Axles*



Capacity: 30,000 lbs. Trailer Weight: 8,100 lbs.
Deck Width: 8 ft. 6 in. Length: 19 ft. Height: 34 in.
Hi Tensile V-50 Steel Mainframe
Pierced Crossmembers
Suspension: Hutch H-9700, Three Leaf, Capacity 50,000 lbs.

Heavy Duty Jack
Drawbar Storage Area
Axles: Dexter Heavy Duty
Patented "ROTO RINGS"® Swivel 360°
Cold-Formed Drawbar & Nose Plate

SPECIFICATIONS

Frame	Mainrails: W14" x 22 lbs. wide flange I-Beam, one piece cold formed Hi-tensile 50,000 P.S.I. steel mainrails from front to drawbar to rear of trailer
Crossmembers	6" x 3.7 lbs. per ft. I-Beam pierced through mainbeam
Decking	Nominal 2" Hardwood
Headboard	8" high, full width of trailer Drawbar Storage Area
Lights	Sealed L.E.D., 12 volt, DOT approved
Wiring Harness	USA Star PLUS Sealed Modular Wiring Harness w/ 7-Way ATA Plug
Hitch	One piece solid cast steel (adjustable) lunette eye & flange mount
Safety Chains	Two 1/2" Blue-Krome plated high test, safety hook w/ latch
Parking Jack	70,000 lbs. static / 40,000 lbs. lift (Heavy Duty screw type)
Tie Down	Five per side - Patented "ROTO RINGS"® Swivel 360°
Colors	Yellow (Standard), Red, Black w/ matching RPC Undercoating


RUNNING GEAR

Tires	Eight 215/75R17.5 (H) Steel Belted Radial
Hubs/Wheels	Four 10 Hole Stud Disc Type Hubs, Eight 6.75 x 17.5 Disc Type Wheels, Oil seals
Suspension	Hutch H-9700, Three leaf, capacity 50,000 lbs. tandem
Axles	Two Heavy Duty Dexter, 15,000 lbs. each
Brakes	12 1/4" x 5" Electric
Break-away	12 Volt, wet cell battery with integrated battery charging system

OPTIONS

Additional Deck Length & Width (20'-21'-22'-23'-24' Optional Lengths) (96" Optional Width)
 Additional "ROTO-RINGS"®
 Tool Box Lid (Lockable) Optional: Expanded Metal Tray Plate
 Spare Tire & Rim 215/75R17.5 (H) Optional: Spare Tire Carrier
 Traction 2" x 2" Angle 6" C/C Wheel Paths Optional: Traction Center Section, Bucket Pocket or Plate
 Ramps Wood (standard) Ladder (Optional N/C)
 Extension Ramps T-6 Alum. 22" x 75" 8° angle (SET)
 Brake controller: Cab mounted w/ complete truck wiring harness and receptacle
 Parking Jack Optional: 2-Speed Jack Optional: Jack mounted on Headboard Optional: 2-Speed Landing Gear is Available
 Apitong Decking in lieu of Oak
 Paint (other than standard Yellow) Price on Request

20 XPT *Easy Loader Series 20 Ton Tag - (2) 20K ABS Air Brake Axles*



Capacity: 40,000 lbs. Trailer Weight: 8,380 lbs.
Deck Width: 8 ft. 6 in. Length: 19 ft. Height: 34 in.
Hi Tensile V-50 Steel Mainframe
Pierced Crossmembers
Suspension: Hutch H-9700, Three Leaf, Capacity 50,000 lbs.

Heavy Duty Jack
Drawbar Storage Area
8° Beaver Tail (Safe Low Loading Angle)
Patented "ROTO RINGS"® Swivel 360°
100% Sealed Modular Wiring Harness

SPECIFICATIONS

Frame	Mainrails: W14" x 22 lbs. wide flange I-Beam, one piece cold formed Hi-tensile 50,000 P.S.I. steel mainrails from front to drawbar to rear of trailer
Crossmembers	6" x 3.7 lbs. per ft. I-Beam pierced through mainbeam
Decking	Nominal 2" Hardwood
Headboard	Headboard: 8" high, full width of trailer Drawbar Storage Area
Lights	Sealed L.E.D., 12 volt, DOT approved
Wiring Harness	USA Star PLUS Sealed Modular Wiring Harness w/ 7-Way ATA Plug
Hitch	One piece solid cast steel (adjustable) lunette eye & flange mount
Safety Chains	Two 1/2" Blue-Krome plated high test, safety hook w/ latch
Parking Jack	70,000 lbs. static / 40,000 lbs. lift, (Heavy Duty 2-Speed screw type)
Tie Down	Five per side - Patented "ROTO RINGS"® Swivel 360°
Colors	Yellow (Standard), Red, Black w/ matching RPC Undercoating


RUNNING GEAR

Tires	Eight (8) 215/75R 17.5 (H) Michelin Steel Belted Radial
Hubs/Wheels	Four Disc Type Hubs, Eight 6.75 x 17.5, 8-Bolt, Hub-Piloted Disc Wheels
Suspension	Hutch H-9700, Three leaf, capacity 50,000 lbs. tandem
Axles	Two 5" diameter 20,000 lbs. each, H.M. series bearings (maximum axle track width)
ALL WHEEL ABS	Anti-Lock Brake System 4S2M Sensor All Wheels Two Modular Valves
Parking Brake	Spring Brake on All Axles

OPTIONS

Additional Deck Length & Width (20'-21'-22'-23'-24' Optional Lengths) (96" Optional Width)
 Additional "ROTO-RINGS"®
 Tool Box Lid (Lockable) Optional: Expanded Metal Tray Plate
 Spare Tire & Rim 215/75R 17.5 (H) Optional: Spare Tire Carrier
 Traction 2" x 2" Angle 6" C/C Wheel Paths Optional: Traction Center Section, Bucket Pocket or Plate
 Ramps Wood (standard) Ladder (Optional N/C)
 Extension Ramps T-6 Alum. 22" x 75" 8-degree angle (SET)
 Parking Jack Optional: Jack mounted on Headboard
 Apitong Decking in lieu of Oak
 Paint (other than standard Yellow) Price on Request

20 HALX 20 Ton Tag - (2) 20K ABS Air Brake Axles



Capacity: 40,000 lbs. Trailer Weight: 8,140 lbs.
Deck Width: 8 ft. 6 in. Length: 19 ft. Height: 34 in.
Hi Tensile V-50 Steel Mainframe
Pierced Crossmembers
Suspension: Hutch H-9700, Three Leaf, Capacity 50,000 lbs.

Heavy Duty Jack
Drawbar Storage Area
Cold-Formed Drawbar & Nose Plate
Patented "ROTO RINGS"® Swivel 360°
100% Sealed Modular Wiring Harness

SPECIFICATIONS

Frame	Mainrails: W14" x 22 lbs. wide flange I-Beam, one piece cold formed Hi-tensile 50,000 P.S.I. steel mainrails from front to drawbar to rear of trailer
Crossmembers	6" x 3.7 lbs. per ft. I-Beam pierced through mainbeam
Decking	Nominal 2" Hardwood
Headboard	8" high, full width of trailer Drawbar Storage Area
Lights	Sealed L.E.D., 12 volt, DOT approved
Wiring Harness	USA Star PLUS Sealed Modular Wiring Harness w/ 7-Way ATA Plug
Hitch	One piece solid cast steel (adjustable) lunette eye & flange mount
Safety Chains	Two 1/2" Blue-Krome plated high test, safety hook w/ latch
Parking Jack	70,000 lbs. static / 40,000 lbs. lift, (Heavy Duty screw type)
Tie Down	Five per side - Patented "ROTO RINGS"® Swivel 360°
Colors	Yellow (Standard), Red, Black w/ matching RPC Undercoating


RUNNING GEAR

Tires	Eight 215/75R17.5 (H) Michelin Steel Belted Radial
Hubs/Wheels	Four Disc Type Hubs, Eight 6.75 x 17.5, 8-Bolt, Hub-Piloted Disc Wheels
Suspension	Hutch H-9700, Three leaf, capacity 50,000 lbs. tandem
Axles	Two 5" diameter 20,000 lbs. each, H.M. series bearings (maximum axle track width)
Brakes	12 1/4" x 7 1/2" Air, "S" Cam, Auto Slack Adjusters
ALL WHEEL ABS	Anti-lock brake system 4S2M, Sensors All Wheels, Two modulator valves
Parking Brake	Spring Brakes on All Wheels

OPTIONS

Additional Deck Length & Width (20'-21'-22'-23'-24' Optional Lengths) (96" Optional Width)
 Additional "ROTO-RINGS"®
 Tool Box Lid (Lockable) Optional: Expanded Metal Tray Plate
 Spare Tire & Rim 215/75R17.5 (H) Optional: Spare Tire Carrier
 Traction 2" x 2" Angle 6" C/C Wheel Paths Optional: Traction Center Section, Bucket Pocket or Plate
 Ramps Wood (standard) Ladder (Optional N/C)
 Parking Jack Optional: 2-Speed Jack Optional: Jack mounted on Headboard Optional: 2-Speed Landing Gear is Available
 Apitong Decking in lieu of Oak
 Paint (other than standard Yellow) Price on Request

35 GSL-S 35 Ton Self-Lifting Detachable Lowboy - ABS Air Brake Axles



Capacity: 70,000 lbs. Trailer Weight: 15,900 lbs.
Deck Width: 8 ft. 6 in. Length: 22 ft. Height: 24 in. (Loaded)
80,000 lb. Minimum Yield Steel Mainframe
Pierced Crossmembers
Suspension: Hutch H-900-50 Single Point, Capacity 50,000 lbs.

Front Flip Ramps
Cast Steel Outriggers
Patented "ROTO RINGS"® Swivel 360°
100% Sealed Modular Wiring Harness
Gooseneck 82" Std. (Add'l lengths available)

SPECIFICATIONS

Frame	Mainrails: Four fabricated 16" Deep cambered I-Beam, 80,000 P.S.I. steel
Crossmembers	10" x 9 lbs. per ft. I-Beam, pierced through mainbeam (24" spacing Std.)
Gooseneck Length	82", 86", 90", 94", 98" and 102" available (For special lengths contact sales)
Decking	Nominal 2" Hardwood
Wiring Harness	Sealed L.E.D. Lights & USA Star PLUS Sealed Modular Wiring Harness w/ 7-Way ATA Plug
Front Ramps	Front Flip Steel w/ Grousers (Wood filled is available)
Hydraulics	Wetline hook-up for tractor PTO operation • REQUIREMENT: Low Flow/High Pressure System
Hydraulic Cylinders	Two Main 6", One 3" Locking, One 4" Gooseneck Support
Controls	Control Valve eye level
Tie Down	6 per side - Patented "ROTO RINGS"® Swivel 360°
Outriggers	Cast Steel (Locks both in and out position)
Colors	Yellow (Standard), Red, Black w/ matching RPC Undercoating


RUNNING GEAR

Tires	Eight 255/70R22.5 (H) Michelin Steel Belted Radial
Hubs/Wheels	Four Disc Type Hubs, Eight 8.25 x 22.5 Disc Type Wheels, Stemco Oil Seals, Hub Piloted
Suspension	Hutch H-900-50 Single Point, capacity 50,000 lbs. tandem
Axles	Two 5" diameter 25,000 lbs. each, H.M. series bearings
Brakes	16 1/2" x 7" Air, "S" Cam., Auto Slack Adjusters
ALL WHEEL ABS	Anti-lock brake system 4S2M, Sensors on All Wheels, Two modulator valves
Parking Brake	Spring Brakes on All Wheels

OPTIONS

Additional Deck Length: (23'-24'-25'-26' Optional Lengths)
 Additional Deck Width: (108" w/ 102" axles or 108" axles) - (120" w/ 120" axles)
 Gooseneck Fenders
 Power Pack: 11hp, 12hp Kohler, 13hp Honda, or 16hp Kohler (Combination Power Pack/Wet Kit Available)
 Lockable Tool & Chain Storage: Forward center deck area (1 or 2 compartments)
 Additional "ROTO-RINGS"®
 Spare Tire & Disc Wheel 255/70R22.5 (H) Optional: Spare Tire Carrier
 Tire & Disc Wheel 275/70R22.5 (H) Upgrade
 Wheel Covers (Raised)
 Suspension - Air Ride (2) Axle (Combined Capacity 50,000 lbs.)
 Apitong Decking in lieu of Oak
 Paint (other than standard Yellow) Price on Request

50 GSL-3 50 Ton Self-Lifting Detachable Lowboy - ABS Air Brake Axles



Capacity: 100,000 lbs. Trailer Weight: 20,500 lbs.
Deck Width: 8 ft. 6 in. Length: 24 ft. Height: 24 in. (Loaded)
80,000 lb. Minimum Yield Steel Mainframe
Pierced Crossmembers
Gooseneck 82" STD. (Additional Lengths Available)

Front Flip Ramps
Cast Steel Outriggers
Patented "ROTO RINGS"® Swivel 360°
100% Sealed Modular Wiring Harness
Boom Well
Air Lift 3rd Axle

SPECIFICATIONS

Frame	Mainrails: Four fabricated 16" Deep cambered I-Beam, 80,000 P.S.I. steel
Crossmembers	10" x 9 lbs. per ft. I-Beam, pierced through mainbeam (24" spacing Std.)
Gooseneck Length	82", 86", 90", 94", 98" and 102" available (For special lengths contact sales)
Decking	Nominal 2" Hardwood
Wiring Harness	Sealed L.E.D. Lights & USA Star PLUS Sealed Modular Wiring Harness w/ 7-Way ATA Plug
Front Ramps	Front Flip Steel w/ Grousers (Wood filled is available)
Hydraulics	Wetline hook-up for tractor PTO operation •REQUIREMENT: Low Flow/High Pressure System
Hydraulic Cylinders	Two Main 7", One 3" Locking, One 4" Gooseneck Support
Controls	Control Valve eye level
Lift Axle	Air Lift 3rd Axle
Tie Down	7 per side - Patented "ROTO RINGS"® Swivel 360°
Outriggers	Cast Steel (Locks both in and out position)
Colors	Yellow (Standard), Red, Black w/ matching RPC Undercoating


RUNNING GEAR

Tires	Twelve 255/70R22.5 (H) Michelin Steel Belted Radial
Hubs/Wheels	Six Disc Type Hubs, Twelve 8.25 x 22.5 Disc Type Wheels, Stemco Oil Seals, Hub Piloted
Suspension	Air Ride (Combined Capacity 75,000 lbs.) Dump Valve
Axles	Three 5" diameter 25,000 lbs. each, H.M. series bearings
Brakes	16 1/2" x 7" Air, "S" Cam., Auto Slack Adjusters
ALL WHEEL ABS	Anti-lock brake system 4S3M, Sensors on (2) Axles, 3 modulator valves
Parking Brake	Spring Brakes on All Wheels

OPTIONS

Additional Deck Length: (25'-26'-27'-28' Optional Lengths)
 Additional Deck Width: (108" w/ 102" axles or 108" axles) - (120" w/ 120" axles)
 Gooseneck Fenders
 Power Pack: 11hp, 12hp Kohler, 13hp Honda, or 16hp Kohler (Combination Power Pack/Wet Kit Available)
 Lockable Tool & Chain Storage: Forward center deck area (1 or 2 compartments)
 Additional "ROTO-RINGS"®
 Spare Tire & Disc Wheel 255/70R22.5 (H) Optional: Spare Tire Carrier
 Tire & Disc Wheel 275/70R22.5 (H) Upgrade
 Wheel Covers (Raised)
 Apitong Decking in lieu of Oak
 Paint (other than standard Yellow) Price on Request

55 GSL-3 55 Ton Self-Lifting Detachable Lowboy - ABS Air Brake Axles



Capacity: 110,000 lbs. Trailer Weight: 21,225 lbs.
Deck Width: 8 ft. 6 in. Length: 25 ft. Height: 24 in. (Loaded)
80,000 lb. Minimum Yield Steel Mainframe
Pierced Crossmembers
Front Flip Ramps, Stressed for 4th Flip

Gooseneck 102" STD.
Cast Steel Outriggers
Patented "ROTO RINGS"® Swivel 360°
100% Sealed Modular Wiring Harness
Boom Well

SPECIFICATIONS

Frame	Mainrails: Four fabricated 16" Deep cambered I-Beam, 80,000 P.S.I. steel
Crossmembers	10" x 9 lbs. per ft. I-Beam, pierced through mainbeam (24" spacing Std.)
Gooseneck Length	Standard 102" (For special lengths contact sales)
Decking	Nominal 2" Hardwood
Wiring Harness	Sealed L.E.D. Lights & USA Star PLUS Sealed Modular Wiring Harness w/ 7-Way ATA Plug
Front Ramps	Front Flip w/ Grousers (Wood filled is available)
Hydraulics	Wetline hook-up for tractor PTO operation •REQUIREMENT: Low Flow/High Pressure System
Hydraulic Cylinders	Two Main 7.75", One 3" Locking, One 4" Gooseneck Support
Controls	Control Valve eye level
Lift Axle	Air Lift 3rd Axle
Tie Down	7 per side - Patented "ROTO RINGS"® Swivel 360°
Outriggers	Cast Steel (Locks both in and out position)
Colors	Yellow (Standard), Red, Black w/ matching RPC Undercoating


RUNNING GEAR

Tires	Twelve 275/70R22.5 (H) Michelin Steel Belted Radial
Hubs/Wheels	Six Disc Type Hubs, Twelve 8.25 x 22.5 Disc Type Wheels, Stemco Oil Seals, Hub Piloted
Suspension	Air Ride (Combined Capacity 75,000 lbs.) Dump Valve
Axles	Three 5" diameter 25,000 lbs. each, H.M. series bearings
Brakes	16 1/2" x 7" Air, "S" Cam., Auto Slack Adjusters
ALL WHEEL ABS	Anti-lock brake system 4S3M, Sensors on (2) Axles, 3 modulator valves
Parking Brake	Spring Brakes on All Wheels

OPTIONS

Additional Deck Length: (26'-27'-28' Optional Lengths)
 Additional Deck Width: (108" w/ 102" axles or 108" axles) - (120" w/ 120" axles)
 Gooseneck Fenders
 Power Pack: 11hp, 12hp Kohler, 13hp Honda, or 16hp Kohler (Combination Power Pack/Wet Kit Available)
 Lockable Tool & Chain Storage: Forward center deck area (1 or 2 compartments)
 Additional "ROTO-RINGS"®
 Spare Tire & Disc Wheel 275/70R22.5 (H) Optional: Spare Tire Carrier
 Wheel Covers (Raised)
 Apitong Decking in lieu of Oak
 Paint (other than standard Yellow) Price on Request

60 GSL-3 60 Ton Self-Lifting Detachable Lowboy - ABS Air Brake Axles



Capacity: 120,000 lbs. Trailer Weight: 23,270 lbs.
Deck Width: 8 ft. 6 in. Length: 25 ft. Height: 24 in. (Loaded)
80,000 lb. Minimum Yield Steel Mainframe
Pierced Crossmembers
Front Flip Ramps, Stressed for 4th Flip

Gooseneck 102" STD.
Cast Steel Outriggers
Patented "ROTO RINGS"® Swivel 360°
100% Sealed Modular Wiring Harness
Boom Well

SPECIFICATIONS

Frame	Mainrails: Four fabricated 16" Deep cambered I-Beam, 80,000 P.S.I. steel
Crossmembers	10" x 12 lbs. per ft. I-Beam, pierced through mainbeam (24" spacing Std.)
Gooseneck Length	Standard 102" (For special lengths contact sales)
Decking	Nominal 2" Hardwood
Wiring Harness	Sealed L.E.D. Lights & USA Star PLUS Sealed Modular Wiring Harness w/ 7-Way ATA Plug
Front Ramps	Front Flip w/ Grousers (Wood filled is available)
Hydraulics	Wetline hook-up for tractor PTO operation •REQUIREMENT: Low Flow/High Pressure System
Hydraulic Cylinders	Two Main 7.75", One 3" Locking, One 4" Gooseneck Support
Controls	Control Valve eye level
Lift Axle	Air Lift 3rd Axle
Tie Down	7 per side - Patented "ROTO RINGS"® Swivel 360°
Outriggers	Cast Steel (Locks both in and out position)
Colors	Yellow (Standard), Red, Black w/ matching RPC Undercoating

RUNNING GEAR


Tires	Twelve 275/70R22.5 (H) Michelin Steel Belted Radial
Hubs/Wheels	Six Disc Type Hubs, Twelve 8.25 x 22.5 Disc Type Wheels, Stemco Oil Seals, Hub Piloted
Suspension	Air Ride (Combined Capacity 75,000 lbs.) Dump Valve
Axles	Three 5" diameter 25,000 lbs. each, H.M. series bearings
Brakes	16 1/2" x 7" Air, "S" Cam., Auto Slack Adjusters
ALL WHEEL ABS	Anti-lock brake system 4S3M, Sensors on (2) Axles, 3 modulator valves
Parking Brake	Spring Brakes on All Wheels

OPTIONS

Additional Deck Length: (26'-27'-28' Optional Lengths)
 Additional Deck Width: (108" w/ 102" axles or 108" axles) - (120" w/ 120" axles)
 Gooseneck Fenders: Aluminum bolt on (STD), Optional: Steel
 Power Pack: 11hp, 12hp Kohler, 13hp Honda, or 16hp Kohler (Combination Power Pack/Wet Kit Available)
 Lockable Tool & Chain Storage: Forward center deck area (1 or 2 compartments)
 Additional "ROTO-RINGS"®
 Spare Tire & Disc Wheel 275/70R22.5 (H) Optional: Spare Tire Carrier
 Wheel Covers (Raised)
 Apitong Decking in lieu of Oak
 Paint (other than standard Yellow) Price on Request



60-75 Ton Mechanical Fold Lowboy Trailers



Holden Trailers

"Built as tough as the load they Haul"

A Holden Trailer is one you can be proud of today ... tomorrow ... and for many years to come ... because they are built to last! Maybe they are overbuilt ... we think so ... but our manufacturing policy is to provide the best trailer money can buy for your dollars invested.

A Holden Trailer gives you more, too, in design and features. The design is eye appealing .. combining

strength and stability with easy loading and low profile features ... and integrates capacity and brute strength into unsurpassed trailer engineering.

Need a specially designed trailer? Many customers do, and Holden will build a special model to fit your individual requirements. Whatever your needs, there is a Holden trailer that will do the job better.




HOLDEN INDUSTRIES, INC.

ROUTE 1, BOX 151
SOUTHWEST CITY, MISSOURI 64863

DEALER INFORMATION

TRUCK & TRANSPORTATION EQUIPMENT CO., INC.
P.O. BOX 10455
NEW ORLEANS, LOUISIANA 70181

60-75 TON



60 TON MODEL

A	44'2"
B	10'11"
C	18'
D	12'4"
E	N/A
F	59"
G	51"
H	18"
I	87"
J	30"
K	20"
L	10"
M	N/A
N	41"
O	35'10"
P	50"
Q	42'4"
R	96"
S	96"
T	31"

75 TON MODEL

A	48'11"
B	11'1"
C	18'
D	16'4"
E	N/A
F	72"
G	51"
H	18"
I	87"
J	30"
K	20"
L	10"
M	N/A
N	43'0"
O	38'5"
P	50"
Q	47"
R	96"
S	96"
T	31"

60 Ton Mechanical Fold -

Triple Axles HMF 60

60 TON STANDARD SPECIFICATIONS

FRAME:

21" Wide flange main rails
18" Outer rails
18" Platform ahead of axle openings
Double-drop design
Hardwood floor
Wide bolster in axle area
8 Lashing rings per side
DOT bumper and mud flaps

RUNNING GEAR:

22,500# Axles with 16 1/2" x 7" air brakes
Automatic slack adjusters
Heavy duty spring beam suspension
10 hole outboard hubs
255/70R x 22.5 LR H tires on 8.25x22.5 disc wheels

ELECTRICAL SYSTEM:

7-Way electrical connector
Moisture-proof wiring system
Circuit breaker-protected lighting system
Sealed beam lights to DOT specifications
Wiring to DOT specifications

75 Ton Mechanical Fold -

Quad Axles HMF 75

75 TON STANDARD SPECIFICATIONS

FRAME:

21" Wide flange main rails
21" Outer rails
18" Platform ahead of axle openings
Double-drop design
Hardwood floor
Wide bolster in axle area
8 Lashing rings per side
DOT bumper and mud flaps

RUNNING GEAR:

22,500# Axles with 16 1/2" x 7" air brakes
Automatic slack adjusters
Heavy duty spring beam suspension
10 hole outboard hubs
255/70R x 22.5 LR H tires on 8.25x22.5 disc wheels

ELECTRICAL SYSTEM:

7-Way electrical connector
Moisture-proof wiring system
Circuit breaker-protected lighting system
Sealed beam lights to DOT specifications
Wiring to DOT specifications

ASK ABOUT OTHER MODELS, LENGTHS OR DESIGNS

Note: Due to innovative company policy, specifications, designs, material subject to change without notice or obligation.

60 TON AND 75 TON STANDARD OPTIONS

Level deck design
Tapered front approach
Apron decking
Air actuated locking pins

Various lengths and widths
Swing-out widening brackets
Self-contained power pack
Wet line kit

Various suspensions
Beavertail with traction cleats
Cast spoke hubs
Additional lashing rings



HOLDEN INDUSTRIES, INC.

ROUTE 1, BOX 151
SOUTHWEST CITY, MISSOURI 64863

[Home](#)[About Us](#)[Product Inquiry](#)[Products](#)[Contact Us](#)[Inventory](#)[News](#)

Aluminum Body & Frame Dump Trailers

Warren Model WRDT-AA Specifications



(Click Image to See Aluminum Body & Frame Dump Trailers Photo Gallery)

WRDT-AA

Standard Body Features

Standard Alum Chassis Frame

Options

The Aluminum body and frame of the WRDT-AA model trailer is precision engineered, fabricated and welded to provide years of trouble free service.

AA model trailers can be specified with numerous optional features to meet your exact requirements; various tailgate designs, special lighting and paint are just a few of these items. Lengths are available in 22 to 38 ft. and can be equipped with multiple axles to achieve your weight and bridge goals.

The Warren aluminum dump trailer is engineered to insure maximum stability. The full depth frame cross-members help prevent torsional twisting when dumping and even when turning.



Recent Posts



24 ft Aluminum Dump Trailer

Featured Trailer of the Month 24 ft Aluminum Dump Trailer This month's fea...



Trailer of the Month – Walking Floor Refuse Trailer

Trailer of the Month Walking Floor Refuse Trailer This month's trailer of...

Get Your Monthly Payment:

Cost/Budget:

Email:

[Email My Options Instantly!](#)

In Partnership with:
Crest Capital Equipment Finance

Contact Us:

813-752-5126

800-752-9469

813-754-9545

2299 US 92 East

Plant City, FL 33563


[Home](#)
[About Us](#)
[Product Inquiry](#)
[Products](#)
[Contact Us](#)
[Inventory](#)
[News](#)

Aluminum Body & Frame Dump Trailers

Warren Model WRDT-AA Specifications



(Click Image to See Aluminum Body & Frame Dump Trailers Photo Gallery)

WRDT-AA	Standard Body Features	Standard Alum Chassis Frame	Options
Length:	22 feet and up		
Width:	96" outside; 87" inside		
Floor Material:	250" alloy, 5454-H34		
Cross Members:	4" X 2.5" X .300 I-Beam extruded 6061 -T6 alloy w/3/8" aluminum wear pads		
Longitudinal:	4" X 6" X 1/4" 6061 Stud longitudinal 72" long @ rear of trailer		
Side Material:	.160 alloy, 5454-H34 STD .190" & .250" optional		
Top Rail:	4" boxed top, extruded 6061-T6 alloy		
Bottom Rail:	Extruded Aluminum 6061-T6 w/integral inner clean-out		
Vertical Uprights:	8.5" extruded 6061-T6 alloy		
Front:	Full wrap around bulkhead and continuous welding		
Tailgate:	.190 plate, 5454-H34, extruded 6061-T6 braces, 3 1/2" air cylinder operated latch, steel bolt-on hinges		
Steps:	(3) outside rear panel—drivers side		



Recent Posts



24 ft Aluminum Dump Trailer
Featured Trailer of the Month 24 ft Aluminum Dump Trailer This month's fea...



Trailer of the Month - Walking Floor Refuse Trailer
Trailer of the Month Walking Floor Refuse Trailer This month's trailer of...

Get Your Monthly Payment:

Cost/Budget:

Email:

[Email My Options Instantly!](#)

In Partnership with:
Crest Capital Equipment Finance

Contact Us:

813-752-5126

800-752-9469

813-754-9545

2299 US 92 East

Plant City, FL 33563


[Home](#)
[About Us](#)
[Product Inquiry](#)
[Products](#)
[Contact Us](#)
[Inventory](#)
[News](#)

Aluminum Body & Frame Dump Trailers

Warren Model WRDT-AA Specifications



(Click Image to See Aluminum Body & Frame Dump Trailers Photo Gallery)

WRDT-AA	Standard Body Features	Standard Alum Chassis Frame	Options
Suspension:	Hutchens, multi-leaf, auto-slacks, STD		
Axles:	25,000 lb. capacity, 5" round		
Brakes:	16 1/2" X 7" X 3/4" -"S" cam air, quick-change non-asbestos		
Hubs/Drums:	30/30 chambers 2S/1M ABS		
Wheels:	Outboard mount 10-stud, steel hub, piloted		
Tires:	8.25 X 24.5 or 22.5 steel disc		
Lights:	11R-22.5 or 11R-24.5		
Landing Gear:	LED FMVSS 108, 12 volt		
	Holland drop stand		
	Web 1/4" X length of trailer, 5083-H34, Top flange 1/2" X 4" 6061-T6, bottom flange,		
Frame Rails:	3/4" X 4" X 10' 6061-T6 neck area, 1/2" X 4" 6061-T6 balance of trailer length		
Frame Construction:	Fabricated, full depth, 1/4" 5052-H32 cross-members, 3/8" suspension-5082-H32		
King Pin Plate:	3/8" steel with 2" SAE kingpin		



Recent Posts



24 ft Aluminum Dump Trailer
Featured Trailer of the Month 24 ft Aluminum Dump Trailer This month's fea...



Trailer of the Month - Walking Floor Refuse Trailer
Trailer of the Month Walking Floor Refuse Trailer This month's trailer of...

Get Your Monthly Payment:

Cost/Budget:

Email:

Email My Options Instantly!

In Partnership with:
Crest Capital Equipment Finance

Contact Us:

813-752-5126

800-752-9469

813-754-9545

2299 US 92 East

Plant City, FL 33563



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Renny Simno
Director

July 2018

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

Other Changes Continued:

- For all advertised sealed bids, written evidence of signature authority must be included with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- **Proof of insurance in the form of a current certificate evidencing coverages is required with bid submission.** Bidders must read the insurance requirements attachment included in each bid package for specific instructions. Upon contract execution, successful bidder must produce final insurance certificates in accordance with Jefferson Parish insurance requirements.

Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.

Joseph S. Yenni Building – 1221 Elmwood Park Blvd., Ste. 404, Jefferson, LA 70123
Office 504.364.2678
General Government Bldg. – 200 Derbigny St – Suite 4400 - Gretna, LA 70053
Office 504.364.2678
Email: Purchasing@jeffparish.net Website: www.jeffparish.net

ONE (1) YEAR CONTRACT FOR TRAILERS FOR JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT

General: Vendors are required to indicate the following information where required in the appropriate line items of the bid form: Manufacturer, manufacturer part number and vendor part number.

Louisiana State Dealer's License: In accordance with LA RS 32:1254 et seq and LA RS 38:2212.8, a Louisiana State Dealer's License is required. All bidders must provide a copy of their Louisiana Dealer's License with their bid submission. Failure to submit this copy will result in bid rejection.

Order Placement and Delivery of Trailers:

Upon order placement approved by Fleet Management, the successful vendor shall deliver trailers within 160 days of order placement.

Servicing of Trailers:

Successful vendor must pick up and/or deliver trailers for factory maintenance and/or warranty services within one (1) hour of notification by the Jefferson Parish Fleet Management Department. The trailers will be picked up and delivered to 4901 Jefferson Hwy., Suite A, Jefferson, LA 70121.

Brand Names:

Where brand names are specified, it is for the purpose of establishing minimum standard of quality. Bids may be submitted for products for equal quality, provided the brand names are specified in the respective line items as indicated.

Pricing:

All pricing shall be firm for one (1) year as stated in contract or until contract expiration whichever is later.

Trailer Warranty Information:

All new trailers must be delivered complete with standard factory warranty of a minimum of one year.

Trailer Manuals:

Upon delivery of trailers, the successful vendor must provide manuals as indicated by each appropriate line item. Electronic copies of these manuals may be supplied at the successful vendor's cost.

Safety Specifications for All Trailers:

Must meet or exceed all federal and state safety standards.



Bid Number 50-00123633

**ONE (1) YEAR CONTRACT FOR TRAILERS FOR THE JEFFERSON PARISH
DEPARTMENT OF FLEET MANAGEMENT**

BID DUE: AUGUST 9, 2018 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received in the Purchasing Department by the bid due date and time.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053**

**Buyer Name: Misty A. Camardelle
Buyer Email: mcamardelle@jeffparish.net
Buyer Phone: 504-364-2683**

DATE: 7/25/2018
BID NO.: 50-00123633

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: MCamardelle@jeffparish.net

BIDS WILL BE RECEIVED IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 8/09/2018 AND PUBLICLY OPENED THEREAFTER.

For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only. All bids will be publicly opened at the West Bank location.

At no charge, bidders may also submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

DATE: 7/25/2018

BID NO.: 50-00123633

Page: 2

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office which will then respond in writing as soon as possible.

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

DATE: 7/25/2018

BID NO.: 50-00123633

Page: 3

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise stated in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Prior to contract executions/purchase order issuance, the successful bidder will be required to provide final insurance certificates which shall name Jefferson Parish as an additional insured in accordance with the instructions in the aforementioned "Standard Insurance Requirements" sheet.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations or warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.