

7/24

DATE: 7/22/2019

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00127439

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: Basic Supply LLC

BUYER: BBELLOW

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

<b>DELIVERY: FOB JEFFERSON PARISH</b>	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>2-3 weeks</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

<b>*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***</b>	
FIRM NAME: <u>Basic Supply</u>	
SIGNATURE: (Must be signed here)	TITLE: <u>Manager</u>
PRINT OR TYPE NAME: <u>John Atkinson</u>	
ADDRESS: <u>PO Box 63066</u>	
CITY, STATE: <u>Lafayette LA</u>	ZIP: <u>70596</u>
TELEPHONE: <u>337-769-0122</u>	FAX: <u>337-247-7699</u>
EMAIL ADDRESS: <u>charlotte@basicsupply.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 404.30

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00127439

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	6.00	EA	ONE TIME PURCHASE OF INDUSTRIAL SUPPLIES FOR THE WESTBANK WAREHOUSE. 0010 SHACKLE, ANCHOR, 1 INCH, WITH FORGED SCREW PIN, HOT DIP GALVANIZED, 8-1/2 TON LOAD LIMIT, CROSBY #G-209, MSC #07845647, GRAINGER #2G802 STK. # 0271160	20.30	121.80
2	6.00	EA	0020 GOGGLE, WELDING, JACKSON #WS-80 STK. # 0306810 6459036	8.50	51.00
3	240.00	EA	0030 PAIL, 5 GALLON, WHITE HIGH DENSITY POLYETHYLENE, .090 MIL THICKNESS, NO LID, WITH WIRE HANDLE, CENTURY BRAND OR EQUAL STK. # 0480980 55301		
4	24.00	EA	0040 GASKET, BLACK NEOPRENE, 4 IN X 4-7/8 IN X 1/4 IN, FOR QUICK DISCONNECT HOSE FITTING STK. # 0487120		
5	40.00	EA	0050 WHEEL, ABRASIVE, 12 IN X 5/32 IN X 1 IN ARBOR, REINFORCED FOR MASONRY, NORTON #66252837839 STK. # 0488540		
6	10.00	EA	0060 GOGGLES, MONO VPC, CHEMICAL SPLASH PROTECTION, ANTISCRATCH/ANTI-FOG CLEAR LENS, NEOPRENE STRAP, GRAINGER #1VT70 OR EQUAL STK. # 0589400	3.15	31.50
7	20.00	EA	0070 SCRAPER, DOUBLE END, 15 IN LONG, X 1-3/4 IN WIDE, LEETONIA #393 STK. # 0592610 (STOCK ITEMS FOR WESTBANK WAREHOUSE- MR. BRIAN BOUDREAUX) 55.525	10.00	200

Koch 081593/MC654G Anchor Shackle, 1700 lb Weight Capacity, Galvanized Steel  
Meets requirements of Federal Specification RR-C-271D Amendment 1. Shackle pins are forged from alloy steel, heat treated and tempered to give greater strength. Galvanized per ASTM A153. Design factor 5:1

SCREW PIN  
HOT DIPPED GALVANIZED  
Pin Dia.x Body Size : 1-1/8 x 1  
WLL Tons : 8-1/2  
Product Details  
Size:1 in  
Pin Type:Screw  
Body Material:Steel  
Pin Material:Alloy Steel  
Finish:Hot Dip Galvanized  
Standards:RR-C-271D  
Special Features:5 to 1 Design Factor



Forney 55301 Welding Goggles, Glass Lens, #5 Lens, Clear Lens, Black/Green Frame  
Featuring 2" (50.8mm) x 4-1/4" (107.95mm) #5 shade hardened lens with clear glass cover lens. Meets ANSI Z87.1 safety standards. Conforms comfortably to the head and allows ample room to fit over regular eye glasses. Provides 99.9% UV protection. DESIGNED FOR GAS WELDING ONLY.

OXY-ACETYLENE  
Product Details  
Frame Color:Green and Black  
Type:Oxy-Acetylene  
Lens Color:Clear  
Lens Size:2 x 4-1/4 in  
Size:NO 5 in  
Usage:For Gas Welding  
Lens Coating:Shade 5  
Frame Style:Opaque  
Includes:Elastic Headband  
Standards:ANSI Z87.1 Specified  
Special Features:99.9% UV Protection  
Features  
Oxy-acetylene welding goggles featuring #5 shade hardened lens with clear glass cover lens  
Conforms comfortably to the head and allows ample room to fit over regular eye glasses  
Provides 99.9% UV protection



## MSA 10031205 Chemical Shield Safety Goggles, Clear Frame

Protects the wearer from both high impact and from chemical splashes; indirect venting allows the air to move through the goggles, helping to keep the wearer more comfortable while the vents help prevent liquids from getting directly to the eyes. Goggles can be worn over prescription glasses. The elastic goggle band helps customize the fit of these goggles to the users' head. Used in applications such as power tool work, sawing/drilling metal or wood, hammering, overhead work, applying pesticides or mixing liquid chemicals. Meets the high impact requirements of the American National Standards Institute's ANSI Z87.1-2010 standard.

### SPLASH RESISTANT

#### Product Details

Type:Chemical Shield, Splash Resistant

Usage:For Power Tool Work, Sawing/Drilling Metal or Wood, Hammering, Overhead Work, Applying Pesticides or Mixing Liquid Chemicals

Standards:ANSI Z87.1-2010 Specified

#### Features

Indirect vents on top and bottom allow air to enter from the reverse direction, providing excellent liquid splash protection

Clear vinyl body fits snug to the face

Curved anti-fog lens for clarity and a wide field of vision

Fits comfortably over most prescription glasses



## STANLEY 55-525 Pry Bar, 1-3/4 in Claw Blade Width Tip, Beveled Tip, Powder-Coated

Made from forged, heat treated, high-carbon steel with polished, beveled cutting edges.

Arched center gives more swing during nail pulling; tight radius on bend angle aids in positioning bar. Extended tongue improves grip and reach, can be used as a foot levered, hands free panel lift. High visibility, powder coated finish.

### DOUBLE ENDED

Brand: "SUPER WONDER BAR"

Wdth x Lgth In : 1-3/4x15-1/2

#### Product Details

Weight:1.75 lb

Overall Length:15-1/2 in

Finish:Powder Coated

Handle Finish/ Color:Black/Yellow

Material:High Carbon Steel

Special Features:1/4 in Thickness

Tip Width:1-3/4 in

Type:Contoured

#### Features

Foot-levered, hands-free panel lift

Forged, high-carbon steel for strength and durability

Polished and beveled cutting edges

Arched center for swing during nail pulling and requires no need of a wood block

Tight radius on bend angle aids in positioning bar

Extended tongue for grip and access in hard-to-reach places

