



Bid Number 50-00118654

**ONE (1) YEAR CONTRACT TO SUPPLY MODEL YEAR 2017 HEAVY DUTY
VEHICLES FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET
MANAGEMENT**

BID DUE: FEBRUARY 9, 2017 AT 2:00 PM

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received in the Purchasing
Department by the bid due date and time.**

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Misty A. Camardelle
Buyer Email: mcamardelle@jeffparish.net
Buyer Phone: 504-364-2683**

DATE: 1/25/2017

BID NO.: 50-00118654

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: MCamardelle@jeffparish.net

BIDS WILL BE RECEIVED IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 2/09/2017 AND PUBLICLY OPENED THEREAFTER.

For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only. All bids will be publicly opened at the West Bank location.

At no charge, bidders may also submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing and fax them to the Purchasing Department at (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests. Questions may also be emailed to the buyer for this bid at the email address listed above. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

If the bid exceeds \$30,000.00 and the company is duly authorized to do business in the state of Louisiana, a corporate resolution must be submitted with the bid or the person signing the bid documents must be listed on the Louisiana Secretary of State's website as an officer of the corporation, unless bidder has otherwise complied with LSA-R.S. 38:2212 (B)(5). If the bid is in excess of \$30,000 and bidder is registered out of the state of Louisiana, a corporate resolution must be submitted with the bid, unless bidder has otherwise complied with LSA-R.S. 38:2212 (B)(5). Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. Bids submitted by Owner or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

Preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA-R.S.38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached "insurance requirements" sheet. All bidders must comply with the instructions in this sheet. Failure to comply will cause bid to be rejected.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session – Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 1/25/2017

Page: 5

BID NO.: 50-00118654

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO ✓

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

90 Days After Signed P.O

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: ITA Truck Sales & Service, LLC

ADDRESS: 301 Hord St

CITY, STATE: Harahan, LA ZIP: 70123

TELEPHONE: (337) 296-0085 FAX: (337) 234-4814

EMAIL ADDRESS: bspringer@ita-trucks.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 1,828,997.00

AUTHORIZED
SIGNATURE: [Signature]

TITLE: Marketing Manager

Ben Springer
Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118654

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	15.00	EA	<p>ONE (1) YEAR CONTRACT FOR MODEL YEAR 2017 HEAVY DUTY VEHICLES FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT</p> <p>0001 - 2017 25,000 LB./29,000 LB. CAB & CHASSIS</p> <p>GVW: 25,000 LBS CA 103.9 IN ENGINE: 6.7 LITER V8 DIESEL H.P.: 220 AT 2300 RPM 6 CYLINDER TURBO & AIR TO AIR AFTER COOLER MIN TORQUE: 520 FT. LBS AIR FILTER: DRY TYPE PAPER ELEMENT HORIZONTAL MUFFLER WITH VERTICAL STACK. 12 V STARTER OIL FILTER: FULL FLOW FUEL/WATER SEPARATOR ENGINE OIL COOLER ENGINE COOLANT FILTER/CONDITIONER TRANSMISSION: FORD 6R140 6 SPEED **AUTOMATIC TRANSMISSION** REAR AXLE: SINGLE SPEED FRONT SUSPENSION: 8,000 LBS. CAPACITY REAR SUSPENSION: 17,500 LBS. CAPACITY AUXILIARY SPRINGS: 4500 LBS. BRAKES: FULL AIR, AIR PARKING BRAKES SPRING SET TYPE WITH DASH MOUNTED CTRL AIR COMPRESSOR: MIN. 12 CFM AIR DRYPER: BENDIX - WESTINGHOUSE AD-9 HEATED AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE EJECTOR ON WET TANK DRIVESHAFT: SPICER U-JOINTS 1610 H.D. FRAME: SINGLE CHANNEL FRAME 14.2 MIN SECTION MODULUS 12.64 SM HORN: DUAL AIR SINGLE HOOD AND FENDER ASSEMBLY - TILT TYPE INTERGRAL POWER STEERING FACTORY INSTALLED AIR CONDITION ELECTRICAL: ALTERNATOR - 85 AMPS BATTERIES: MIN. NO. 2 TOTAL CCA 1800 EMERGENCY FLASHERS CAB LIGHTS - 5 HEAD LIGHTS - HALOGEN TURN SIGNALS - STANDARD TAIL LIGHTS - (2) WITH INTEGRAL STOP-RUN REVERSE LIGHT - 2 BACK-UP CAMERA CIRCUIT PROTECTORS FUEL TANK - STEP TYPE - MIN. 45 GALLON TIRES - 10R22.5 HIGHWAY TREAT FRONT MUD AND SNOW REAR SPARE - WHEEL CAB - STANDARD TRIM CAB INTERIOR VINYL FLOOR COVERING - NO CARPET HEATER</p>	<p>\$55,991.00</p>	<p>\$839,865.00</p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118654

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
2	10.00	EA	SUN VISORS - LEFT AND RIGHT SEAT IN VINYL MID-BACK DRIVER'S W/2 PERSON PASS. SEAT BELTS RADIO - AM/FM INSTRUMENT PANEL: AIR CLEANER RESTRICTION INDICATOR MOUNTED ON DASH PARKING BRAKE CONTROL - DASH MOUNTED SPEEDOMETER MPH/KHM WITH ODOMETER WARNING LIGHTS: LOW OIL PRESSURE LOW COOLANT LEVEL HIGH COOLANT TEMPREATURE FUEL WARNING LIGHT WATER IN FUEL WARNING LIGHT BUZZER: LOW AIR PRESSURE GAUGES: VOLTMETER OR AMPMETER OIL PRESSURE TEMPREATURE FUEL AIR PRESSURE TACHOMETER WINDSHIELD WIPERS - 2 SPEED INTERMITTENT WITH WASHER WHEELS - 22.5 X 7.5 HOLE 10 STEEL DISC. ISO HUB PILOT MOUNTED ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING MANUALS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTED. 4 SETS OF KEYS ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.		
			0002 - 2017 33,000 LB./37,000 LB. CAB AND CHASSIS GVW: 33,000 LBS. CA 84 IN. ENGINE - 6.7L V8 TURBO CHARGE H.P. - 250 AT 2300 RPM TURBO WITH AIR AFTER COOLER MIN TORQUE - 660 LBS. AIR FILTER - DRY TYPE PAPER ELEMENT SINGLE EXHAUST - VERTICAL WITH RAIN CAP 12 VOLT STARTER OIL FILTER - FULL FLOW FUEL/WATER SEPARATOR ENGINE OIL COOLER ENGINE COOLANT FILTER/CONDITIONER WATER CONDITIONER NOT REQUIRED TRANSMISSION - FORD 6R140 6 SPEED **AUTOMATIC TRANSMISSION** AUTOMATIC W/PTO PROVISION REAR AXLE - 12,000 LB. GVW	\$58,937.00	589,370.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118654

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			FRONT SUSPENSION - 12,000 LB. CAPACITY REAR SUSPENSION - 21,000 LB. CAPACITY AUXILIARY SPRINGS - 4,500 LBS. BRAKES - FULL AIR FRONT CAM - 15 IN X 4 IN REAR CAM - 16.5 IN X 7 IN. AIR PARKING BRAKES - SPRING SET TYPE WITH DASH MOUNTED CONTROL. AIR COMPRESSOR - MIN. 15.5 CFM AIR DRYER - BENDIX - WESTINGHOUSE AD-9 HEATED AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE EJECTOR ON WET TANK DRIVESHAFT - SPICER U-JOINTS 1610 H.D. SPICER 1710-MERITOR 17T FRAME - 15.9 SM 110,000 PSI - 15.48 SECTION MODULAR 120,000 PSI HORN - DUAL AIR HOOD & FENDER ASSEMBLY - TILT TYPE ELECTRICAL - ALTERNATOR - 13 AMPS BATTERIES - MIN. NO. 2 TOTAL CCA 1900 EMERGENCY FLASHERS (5) CAB LIGHTS HALOGEN HEADLIGHTS TURN SIGNALS - STANDARD (2) RESERVE LIGHTS CIRCUIT PROTECTORS FUEL TANK - LH STEP TYPE - 50 GALLON ALUMINUM - STEEL TIRES - 11R22.5 HIGHWAY TREAD FRONT MUD AND SNOW REAR SPARE - WHEEL CAB - STANDARD TRIM CAB INTERIOR - HEATER, LEFT AND RIGHT SUNVISORS VINYL FLOOR COVERING - NO CARPET SEAT IN VINYL MID-BACK DRIVERS WITH 2 PASSENGERS SEAT BELTS RADIO - AM/FM INSTRUMENTATION - AIR CLEANING WARNING LIGHT ON DASH RESTRICTION INDICATOR AND PARKING BRAKE CONTROL DASH MOUNTED, SPEEDOMETER MPH/ KMH WITH ODOMETER. TURN SIGNAL SWITCH, BACKUP CAMERA WARNING LIGHT LOW OIL PRESSURE LOW COOLANT LEVEL HIGH COOLANT TEMPREATURE FUEL WARNING LIGHT WATER IN FUEL WARNING LIGHT BUZZER: LOW AIR PRESSURE GAUGES - VOLMETER OR AMPMETER OIL PRESSURE TEMPERATURE FUEL AIR PRESSURE TACHOMETER CAB EXTERIOR - WEST COAST MIRRORS 7 IN X 16 IN WITH 8 IN ROUND CONVEX		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118654

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
3	3.00	EA	MIRROR MOUNTED BELOW. WINDSHIELD WIPERS - 2 SPEED INTERMITTENT WITH WASHER WHEELS - 22.5 X 8.25 10 HOLE STEEL DISC. ISO HUB PILOT MOUNTED (7) WIRE TRAILER CONNECTORS IN REAR OF TRUCK. BRAKE CONTROLLERS MOUNTED IN TRUCK TO CONTROL TRAILERS WITH ELECTRIC BRAKES. PINTLE HOOK - HOLLAND PH-T125A 30,000 LB. GROSS TRAILER WEIGHT 6,000 LB. VERTICAL SPRING LOADED PIVOT MOUNTED TO FRAME. AC - FACTORY INSTALLED 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAMS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTED. 2 UNIT OVERHAUL MANUALS 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT SERVICE ABILITY - TRUCK TO BE DELIVERED COMPELTLEY SERVICED AND IN READY TO WORK CONDITION. ALL SAFETY AND FEDERAL EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.		
			0003 - 2017 52,000 GVWR CAB & CHASSIS GVW: 52,000 LBS. CA 108 IN. ENGINE: MINIMUM STANARD ENGINE C.I.D. - 9 LITERS OR EQUAL H.P. - 300 MIN. TORQUE - 860 LBS. FT. TORQUE AIR FILTER - DRY TYPE PAPER ELEMENT SINGLE EXHAUST - HORIZONTAL MUFFLER VERTICAL STACK 12 VOLT STARTER OIL FLOW - FULL FLOW FUEL/WATER SEPARATOR ENGINE OIL COOLER FILTER/CONDITIONER TRANSMISSION-AUTOMATIC ALLISON WITH PTO NEW WORLD CURRENT YEAR MODEL MD3560 6 SPEED REAR AXLE - ROCKWELL RT 40-145 STEEL 40,000 LBS. TOP SPEED: 60 MPH FRONT AXLE - 12,000 LB. CAPACITY REAR SUSPENTION - 40,000 LB. HENDRICKSON SUSPENSION BRAKES - FULL AIR FRONT CAM - 16.5 IN X 5.0 IN REAR CAM - 16.5 IN X 7 IN. AIR PARKING BRAKES, SPRINT SET TYPE WITH DASH MOUNTED CONTROL AIR COMPRESSOR - MIN. 13.2 CFM WATER COOLED AIR DRYER - BENDIX - WESTINGHOUSE	\$75,368.00	\$226,104.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118654

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			AD-9 HEATED. AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE EJECTOR ON WET TANK DRIVESHAFT - SPICER - U-JOINTS 1710 H.D. FRAME - 13.72 SM 110,000 PSI DOUBLE CHANNEL BOLTED DUAL AIR HORN HOOD AND FENDER ASSEMBLY - TILT TYPE INTEGRAL POWER STEERING PINTLE HITCH - HOLLAND PHT 760 PINTLE HITCH PROVIDED WITH FULL REINFORCE ELEMENTS TO TRUCK FRAME AND MOUNTED AT PROPER HEIGHTS TO MATCH TRAILER. TOW HOOKS - HEAVY DUTY REAR TOW HOOKS MOUNTED ON THE OUTSIDE OF FRAME WITH CASE HARDENED BOLTS. ELECTRICAL - ALTERNATOR - 90 AMPS BATTERIES - MIN. NO. 2 TOTAL CCA 1850 EMERGENCY FLASHERS (5) CAB LIGHTS HALOGEN HEADLIGHTS TURN SIGNAL - STANDARD TAILLIGHTS - TWO WITH INTEGRAL STOP/TURN (2) REVERSE LIGHTS BACK-UP ALARM - CAMERA TYPE CIRCUIT PROTECTORS REAR CLEARANCE LIGHT TRIO BAR FUEL TANK - LH STEP TYPE - 45 GAL. CAP TIRES - 11R22.5 HIGHWAY TREAD FRONT MUD AND SNOW REAR SPARE - WHEEL CAB - STANDARD TRIM CAB INTERIOR - HEATER SUN VISORS - LEFT AND RIGHT VINYL FLOOR COVERINGS - NO CARPET SEAT IN VINYL - MID-BACK DRIVERS WITH TWO PASSENGERS SEAT BELTS RADIO - AM/FM INSTRUMENTATION - AIR CLEANER RESTRICTION INDICATOR PARKING BRAKE CONTROL DASH MOUNTED SPEEDOMETER MPH/KMH WITH ODOMETER WARNING LIGHT: AMPS FUEL WARNING LIGHT WATER IN FUEL WARNING LIGHT LOW OIL PRESSURE LOW COOLANT LEVEL HIGH COOLANT LEVEL BUZZER: AIR PRESSURE GAUGES - VOLTMETER OR AMPMETER OIL PRESSURE TEMPERATURE FUEL AIR PRESSURE TACHOMETER CAB EXTERIOR - WEST COAST MIRRORS 7 IN X 16 IN WITH 5 IN ROUND COMPLEX MIRRORS MOUNTED BELOW. WINDSHIELD - TINTED		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118654

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
4	2.00	EA	<p>WINDSHIELD WIPERS - 2 SPEED INTERMITTENT WITH WASHER. WHEELS - 22.5 X 8.25 10 HOLE STEEL DISC. ISO HUB PILOT MOUNTED. TRAILER PACKAGE WITH AIR AND ELECTRIC CONNECTION (7 PIN TRAILER PLUG) TO REAR OF FRAME. SERVICEABILITY - VEHICLE TO BE IN READY TO WORK CONDITION. AC - FACTORY INSTALLED 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAM IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTABLE 2 UNIT OVERHAUL MANUALS 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT</p> <p>0004 - 2017 52,000 GVWR HEAVY DUTY CAB & CHASSIS</p> <p>GVW: 52,000 LBS. CA 108 IN. ENGINE - DIESEL - 12.8 380 HD OR EQUAL HP 380 MIN TORQUE 1350 LB. FT. C.I.D. 12.8L AIR FILTER - DRY TYPE PAPER ELEMENT SINGLE EXHAUST - HORIZONTAL MUFFLER WITH VERTICAL STACK. 12 VOLT STARTER OIL FILTER FULL FLOW FUEL/WATER SEPARATOR **AUTOMATIC TRANSMISSION** REAR AXLE ROCKWELL RT40-145 40,000 LB. TOP SPEED: 60 MPH FRONT AXLE 12,000 LB. FRONT SUSPENSION 12,000 LB REAR SUSPENSION 40,000 LB. HENDRICKSON BRAKES - FULL AIR FRONT CAM - 16.5 IN X 7.0 IN AIR COMPRESSOR - MIN 13.2 CFM AIR DRYER BENDIX AD-9 HEATED AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE ADJUSTER ON WET TANK FRAME 30.0SM 110,000 PSI DOUBLE CHANNEL BOLTED DUAL AIR HORNS HOOD AND FENDER ASSEMBLY TILT TYPE INTEGRAL POWER STEERING PINTLE HITCH - HOLLAND PHT 760 PINTLE HITCH PROVIDED WITH FULL REINFORCEMENT TO TRUCK MOUNTED AT PROPER HEIGHT TO MATCH TRAILER. TOW HOOKS HEAVY DUTY REAR TWO HOOKS MOUNTED ON THE OUTSIDE OF FRAME WITH CASE HARDENED BOLTS. ELECTRICAL - ALTERNATOR 90 AMPS BATTERIES MIN. NO. 2 TOTAL CCA 1850 EMERGENCY FLASHERS</p>	<p>\$86,825.00</p> <p>\$173,650</p>	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118654

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			5 CAB LIGHTS HALOGEN HEADLIGHTS TURN SIGNAL - STANDARD TAILLIGHTS - TWO WITH INTEGRAL STOP/TURN (2) REVERSE LIGHTS BACK-UP ALARM - ELECTRIC CIRCUIT PROTECTORS REAR CLEARANCE LIGHTS TRIO BAR FUEL TANK - IN STEP TYPE 45 GAL CAPACITY TIRES - 11R22.5 HIGHWAY TREAD FRONT MUD REAR W/SPARE CAB STANARD TRIM SUN VISOR - LEFT AND RIGHT VINYL FLOOR COVERINGS - NO CARPET SEAT IN VINYL - MID BACK DRIVERS WITH TWO MAN PASSENGER SEAT SAFETY BELTS RADIO AM/FM INSTRUMENTATION - AIR CLEANER RESTRICTION INDICATOR PARKING BRAKE CONTROL DASH MOUNTED SPEEDOMETER MPH/KHM WITH ODOMETER WARNING LIGHTS: AMPS, FUEL WARNING LIGHT WATER IN FUEL LIGHT, LOW OIL PRESSURE, LOW COOLANT LEVEL, HIGH COOLANT TEMP BUZZER: AIR PRESSURE GAUGES: VOLTOMETER OR AMMETER, OIL PRESSURE, WATER TEMPREATURE, FUEL, AIR PRESSURE. TACHOMETER CAB EXTERIOR: WEST COAST MIRRORS 7 IN X 16 IN WITH 5 IN ROUND CONVEX MIRROR MOUNTED BELOW WINDSHIELD - TINTED WINDSHIELD WIPERS - 2 SPEED INTERMITTENT WITH WASHER WHEELS 22.5 X 8.25 10 HOLE STEEL DISC. ISO HUB PILOT MOUNTED TRAILER PACKAGE WITH AIR AND ELECTRIC CONNECTION (7 PIN TRAILER PLUG) TO REAR OF FRAME SERVICE ABILITY - VEHICLE TO BE DELIVERED COMPLETELY SERVICED AND IN READY TO WORK CONDITION. AC FACTORY INSTALLED 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAMS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTED. 2 UNIT OVERHAUL MANUALS 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT.		
5	50.00	EA	0005 - OPTIONS SEE PRICING SECTION IN SPECIFICATIONS *DO NOT BID THIS LINE ITEM; THIS WILL BE USED FOR INVOICING AND PAYMENT PURPOSES FOR OPTIONS TO VEHICLES. ALL OPTIONS SHALL BE INVOICED PER THE MANUFACTURER'S COST LIST WHICH MUST BE INCLUDED IN THE BID SUBMISSION."		

DATE: 1/25/2017

Page 13

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118654

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS


CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
ITA Truck Sales and Service, LLC
INCORPORATED.

AT THE MEETING OF DIRECTORS OF ITA Truck Sales and Service, LLC
INCORPORATED, DULY NOTICED AND HELD ON January, 28 2017
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT Ben Springer, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.



SECRETARY-TREASURER

2/8/2017

DATE

Non-Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF LouisianaPARISH/COUNTY OF Lafayette

BEFORE ME, the undersigned authority, personally came and appeared: Ben Springer
_____, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized Representative of ITA Truck Sales & Service, L.L.C. (Entity),
the party who submitted a bid in response to Bid Number 50-00118654, to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B ✓ there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B ✓ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

B. Springer
Signature of Affiant

Ben Springer
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 8th DAY OF February, 2017.

Christopher D. Schavest
Notary Public

Christopher D. Schavest
Printed Name of Notary

31538
Notary/Bar Roll Number

My commission expires At Death.

[Print](#)

Notary Search - Detail

Name: MR. CHRISTOPHER D. SCHOUEST
Address: 2901 MOSS STREET
LAFAYETTE, LA 70501
Phone: (337) 233-2337
Notary ID Number: 86838
Parish: LAFAYETTE with STATEWIDE JURISDICTION
Agency: N/A
Notary Type: Attorney
Bar Roll #: 31538
Status: Active
Commission Date: 05/27/2008
Oath Date: 05/22/2008
Surety Expiration Date: Not Required
Annual Report Current: Not Applicable

[Back to Search Results](#)[New Search](#)

STANDARD INSURANCE REQUIREMENTS – PUBLICLY ADVERTISED BIDS

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the advertised bid. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability, Workmen's Compensation Insurance and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE**☒ WORKER'S COMPENSATION INSURANCE**

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☒ **COMMERCIAL GENERAL LIABILITY**

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

☒ **COMPREHENSIVE AUTOMOBILE LIABILITY**

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES

No insurance required shall include a deductible not greater than \$10,000.00. The cost of the deductible shall be borne by the contractor.

NOTE: If the vendor requires a change in deductibles, the request must be submitted in writing to the Purchasing Department prior to the due date of the bid. Such request shall be reviewed by the Parish Attorney's Office with the concurrence of the Director of Risk Management.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required unless otherwise specified in the bid. Such insurance is due upon contract execution.

1) OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

2) BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda J. Campos
Director

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

Other Changes Continued:

- Effective June 1, 2017, bidders may no longer send bid responses via facsimile, as some bid solicitations may provide. Vendors responding to bid solicitations may only submit via USPS, courier service, hand delivery or via online by registering free of charge at www.jeffparishbids.net. For more information, please contact the Purchasing Department or visit jeffparish.net.
- Affidavits (Non-Public Works Affidavit or Public Works Affidavit) – as you are aware, bidders are required to submit affidavits pursuant to LA public bid law and Jefferson Parish Code of Ordinances. Bidders must read each bid package to ensure compliance. Effective August 1, 2016, ***affidavits are required with bid submission***. While copies are acceptable to include with bid submission, original affidavits are required upon contract execution. Original affidavits are encouraged with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- Upon contract execution, successful bidder must continue producing final insurance certificates per standard Jefferson Parish insurance requirements. Proof of insurance is required for bidding purposes. Bidders must read the insurance requirements attachment included in each bid package for specific instructions.

Bidders should reference the “Additional Requirements” section of the bid instructions and/or the “Important Notice to Bidders” included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.

**CONTRACT FOR MODEL YEAR 2017 HEAVY DUTY VEHICLES
FOR JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT**

Louisiana State Dealer's License:

In accordance with LA RS 32:1254 et seq and LA RS 38:2212.8, a Louisiana State Dealers License is required. All bidders must provide a copy of their Louisiana Dealer's License with their bid submission. Failure to submit this copy shall result in bid rejection.

Order Placement and Delivery of New Vehicles:

Upon order placement approved by Fleet Management, the successful vendor shall deliver vehicles within 220 days of order placement. All vehicles shall be delivered with 4 sets of keys.

Color of Vehicles (Exterior and Interior):

Exterior: Vehicles must be delivered in either white or red as specified by Fleet Management upon order placement.

Interior: Jefferson Parish will accept any available interior color, however this will be subject to approval by Jefferson Parish Fleet Management.

Servicing of Vehicles:

Successful vendor must pick up and/or deliver vehicles for factory maintenance and/or warranty services within one (1) hour of notification by the Jefferson Parish Fleet Management Department. The vehicles will be picked up and delivered to 4901 Jefferson Hwy., Suite A, Jefferson, LA 70121.

Brand Names:

Where brand names are specified, it is for the purpose of establishing minimum standard of quality. Bids may be submitted for products for equal quality, provided the brand names are specified in the respective line items as indicated. Complete equivalent product data will be required with bid submission. Failure to provide this documentation will result in bid rejection.

Pricing:

All pricing shall be firm until end of the 2017 model year or until contract expiration whichever is later. All pricing for dealer options must be invoiced at manufacturer's cost. Bidders must submit complete manufacturer's cost list with bid submission. Failure to submit will result in bid rejection.

Vehicle Warranty Information:

All new vehicles must be delivered complete with standard factory warranty. Warranty period (years/mileage) must be provided with bid submission. Failure to submit will result in bid rejection.

Vehicle Manuals:

Upon delivery of new vehicles, the successful vendor must provide (2) sets of manuals as indicated by each appropriate line item. Electronic copies of these manuals may be supplied at the successful vendor's cost.

Safety Specifications for All Vehicles:

Must meet or exceed all federal and state safety standards.

License No. N - 2015-00150
DPS Code: NHIE

2015-2017

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

ITA Truck Sales & Service, L.L.C.

301 Hord Street

Harahan, LA 70123


Christopher D. Schouest, Dealer-Operator

is duly licensed as a

New Motor Vehicle Dealer

of the following make or makes

International Series



For the period ending April 30, 2017, unless license is sooner revoked.

In Witness whereof, LOUISIANA MOTOR VEHICLE COMMISSION, under and by virtue of the authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal imprinted hereon.

Dated May 1, 2015
Signed, Sealed and Attested

Executive Director

Chairman

(To be prominently displayed in place of business)

LOUISIANA MOTOR VEHICLE COMMISSION

INTERNATIONAL®

February 09, 2017

Prepared For:
 Jefferson Parish
 Nicholas DiGerolamo
 200 Derbigny St.
 Gretna, LA 70053-5850
 (504)364 - 2678
 Reference ID: 25/29 C&C

Presented By:
 ITA-NOLA, LLC
 Ben Springer
 301 HORD
 HARAHA LA 70123 -
 (504)733-7711

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2018 4300 SBA 4X2 (MA025)

APPLICATION:	Stake Flat
MISSION:	Requested GVWR: 25500. Calc. GVWR: 25500 Calc. Start / Grade Ability: 21.89% / 0.83% @ 55 MPH Calc. Geared Speed: 94.4 MPH
DIMENSION:	Wheelbase: 171.00, CA: 103.90, Axle to Frame: 53.00
ENGINE, DIESEL:	{Cummins B6.7 220} EPA 2017, 220 HP @ 2400 RPM, 520 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 220 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 2100_HS} 5th Generation Controls; Close Ratio, 6-Speed, with Double Overdrive; Less PTO Provision, Less Retarder, with 26,000-lb GVW & GCW Max.
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-08-153B} I-Beam Type, 8,000-lb Capacity
AXLE, REAR, SINGLE:	{Navistar Select} Single Reduction, 17,500-lb Capacity, With 190 Wheel Ends Gear Ratio: 5.29
CAB:	Conventional
TIRE, FRONT:	(2) 10R22.5 Load Range G ENDURANCE RSA (GOODYEAR), 514 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(4) 10R22.5 Load Range G G622 RSD (GOODYEAR), 512 rev/mile, 75 MPH, Drive
SUSPENSION, RR, SPRING, SINGLE:	Vari-Rate; 18,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring
PAINT:	Cab schematic 100GA Location 1: 9219, Winter White (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>
MA02500	Base Chassis, Model 4300 SBA 4X2 with 171.00 Wheelbase, 103.90 CA, and 53.00 Axle to Frame.
1CAD	FRAME RAILS High Strength Low Alloy Steel (80,000 PSI Yield); 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5mm); 427.0" (10846mm) Maximum OAL
1LLD	BUMPER, FRONT Full Width, Aerodynamic, Steel; 0.142" Material Thickness <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color
1WEH	WHEELBASE RANGE 134" (340cm) Through and Including 197" (500cm)
2ATK	AXLE, FRONT NON-DRIVING {Meritor MFS-08-153B} I-Beam Type, 8,000-lb Capacity <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
3ADA	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 8,000-lb Capacity; with Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4 <u>Notes</u> : Front and Rear Dust Shields not Included : Rear Axle is Limited to 19,000-LB GAWR with Code 04091 BRAKE SYSTEM, AIR and Code 04NDC BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered : Rear Axle is Limited to 20,000-LB GAWR with Code 04092 BRAKE SYSTEM, AIR and Code 04NCW BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered : Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)
4EBS	AIR DRYER {Bendix AD-9} With Heater <u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 Sqn
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake

<u>Code</u>	<u>Description</u>
4JCG	<p>BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers</p> <p><u>Notes</u> : Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM. : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.</p>
4NDB	<p>BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake</p> <p><u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.</p>
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM Capacity
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black
5PRG	STEERING GEAR {TRW (Ross) TAS40} Power
7BEV	AFTERTREATMENT COVER Steel, Black
7BKS	EXHAUST SYSTEM Single Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab
7WDM	EXHAUST HEIGHT 10'
7WDN	MUFFLER/TAIL PIPE GUARD (1) Non-Bright Aluminum
7WDT	TAIL PIPE (1) Straight Type, Non-Bright, for Single Exhaust
8000	<p>ELECTRICAL SYSTEM 12-Volt, Standard Equipment</p> <p><u>Includes</u> : BATTERY BOX Steel : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered</p>
8541	HORN, ELECTRIC (2) Disc Style
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn

<u>Code</u>	<u>Description</u>
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total
8RKB	RADIO {Panasonic CQ120} AM/FM, Includes Multiple Speakers, Includes Auxiliary Input
	<u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior
8VUL	BATTERY BOX Steel With Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm
8WZK	HEADLIGHTS Halogen; Composite Aero Design for Two Light System
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses
9HAD	GRILLE Chrome
9WAY	FRONT END Tilting, Fiberglass, With Three Piece Construction
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GA"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
11001	CLUTCH Omit Item (Clutch & Control)
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
12EJG	ENGINE, DIESEL {Cummins B6.7 220} EPA 2017, 220 HP @ 2400 RPM, 520 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 220 Peak HP (Max)
12EMZ	VENDOR WARRANTY, ENGINE {Cummins} B6.7 Engine, 3-Year Unlimited Miles Standard Warranty
12TSY	FAN DRIVE {Borg-Warner SA85} Viscous Type, Screw On
	<u>Includes</u> : FAN Nylon
12UYE	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, With 313 SqIn Charge Air Cooler. With In-Tank Transmission Cooler
	<u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber
12VBR	AIR CLEANER With Service Protection Element
	<u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
12VXV	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel
12WPV	OIL PAN 15 Quart Capacity, For Cummins ISB/B6.7 Engines
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Idle Regulations

Code	Description
12XAT	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines
12XZE	FEDERAL EMISSIONS {Cummins B6.7} EPA, OBD and GHG Certified for Calendar Year 2017
13ATC	TRANSMISSION, AUTOMATIC {Allison 2100_HS} 5th Generation Controls; Close Ratio, 6-Speed, with Double Overdrive; Less PTO Provision, Less Retarder, with 26,000-lb GVW & GCW Max. <u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan
13WLN	TRANSMISSION OIL Synthetic; 20 thru 28 Pints
13WYY	SHIFT CONTROL PARAMETERS Allison 1000 or 2000 Series Transmissions, 5th Generation Controls, Performance Programming
14AJT	AXLE, REAR, SINGLE {Navistar Select} Single Reduction, 17,500-lb Capacity, With 190 Wheel Ends . Gear Ratio: 5.29
14VAD	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 18,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
15LMS	FUEL/WATER SEPARATOR Cummins Supplied on Engine, with 12 Volt DC Heater, with Water-in-Fuel Sensor
15SGJ	FUEL TANK Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Left Side, Under Cab
15WDG	DEF TANK 7 U.S. Gal. 26.5L Capacity, Frame Mounted Outside Left Rail, Under Cab
16030	CAB Conventional <u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color
16HBA	GAUGE CLUSTER English With English Electronic Speedometer <u>Includes</u> : GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)
16HCS	GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster
16HGN	GAUGE, AIR APPLICATION
16HHT	AMMETER 150 Amp
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16HLJ	GAUGE, DEF FLUID LEVEL

Code	Description
16KAV	SEAT, DRIVER {National} Non-Suspension, High Back With Integral Head Rest, Vinyl, With Fixed Back
16SMP	SEAT, TWO-MAN PASSENGER {National} Vinyl, Less Under Seat Storage Compartment
16SNA	MIRRORS (2) {Lang Mekra} Rectangular, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing
16VHG	CAB MOUNTING HEIGHT EFFECTS Mid Cab in Lieu of Low Cab Mounting Height (Approx. 4") With Cab Air Suspension
16WCT	AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster
	<u>Includes</u> : HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door
16WRX	CAB INTERIOR TRIM Deluxe
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console
26DTU	WHEEL, SPARE, DISC {Accuride 29001} 22.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole 10-Stud, 285.75mm BC, Hub-Piloted
27DTU	WHEELS, FRONT {Accuride 29001} DISC; 22.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DTU	WHEELS, REAR {Accuride 29001} DUAL DISC; 22.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
7372118102	(4) TIRE, REAR 10R22.5 Load Range G G622 RSD (GOODYEAR), 512 rev/mile, 75 MPH, Drive
7372118132	(2) TIRE, FRONT 10R22.5 Load Range G ENDURANCE RSA (GOODYEAR), 514 rev/mile, 75 MPH, All-Position
Services Section:	
40116	WARRANTY Standard for Durastar 1000/4000 Series, Effective with Vehicles Built January 2, 2015 or Later, CTS-2475P
1	Back Up Camera Installed

INTERNATIONAL®

February 09, 2017

Prepared For:

Jefferson Parish
 Nicholas DiGerolamo
 200 Derbigny St.
 Gretna, LA 70053-5850
 (504)364 - 2678
 Reference ID: 33/37 C&C

Presented By:

ITA-NOLA, LLC
 Ben Springer
 301 HORD
 HARAHA LA 70123 -
 (504)733-7711

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2018 4300 SBA 4X2 (MA025)

APPLICATION:	Stake Flat
MISSION:	Requested GVWR: 33000. Calc. GVWR: 33000 Calc. Start / Grade Ability: 21.97% / 2.13% @ 55 MPH Calc. Geared Speed: 76.2 MPH
DIMENSION:	Wheelbase: 152.00, CA: 84.90, Axle to Frame: 63.00
ENGINE, DIESEL:	{Cummins B6.7 250} EPA 2017, 250 HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 250 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 2500_RDS_P} 5th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; On/Off Hwy; 33,000 lb GVW & GCW Max., With PTO Provision, Less Retarder
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Navistar Select} I-Beam Type, 12,000-lb Capacity
AXLE, REAR, SINGLE:	{Navistar Select} Single Reduction, 21,000-lb Capacity, 190 Wheel Ends Gear Ratio: 5.57
CAB:	Conventional
TIRE, FRONT:	(2) 11R22.5 Load Range G ENDURANCE RSA (GOODYEAR), 496 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(4) 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive
SUSPENSION, RR, SPRING, SINGLE:	Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring
PAINT:	Cab schematic 100GA Location 1: 9219, Winter White (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>
MA02500	Base Chassis, Model 4300 SBA 4X2 with 152.00 Wheelbase, 84.90 CA, and 63.00 Axle to Frame.
1CAD	FRAME RAILS High Strength Low Alloy Steel (80,000 PSI Yield); 10.250" x 3.092" x 0.375" (260.4mm x 78.5mm x 9.5mm); 427.0" (10846mm) Maximum OAL
1LLD	BUMPER, FRONT Full Width, Aerodynamic, Steel; 0.142" Material Thickness <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color
1WEH	WHEELBASE RANGE 134" (340cm) Through and Including 197" (500cm)
2AUV	AXLE, FRONT NON-DRIVING {Navistar Select} I-Beam Type, 12,000-lb Capacity
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; with Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4 <u>Notes</u> : Front and Rear Dust Shields not Included : Rear Axle is Limited to 19,000-LB GAWR with Code 04091 BRAKE SYSTEM, AIR and Code 04NDC BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered : Rear Axle is Limited to 20,000-LB GAWR with Code 04092 BRAKE SYSTEM, AIR and Code 04NCW BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered : Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)
4EBS	AIR DRYER {Bendix AD-9} With Heater <u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 SqIn
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake
4JCG	BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers <u>Notes</u>

<u>Code</u>	<u>Description</u>
	: Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM. : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM Capacity
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black
5PSA	STEERING GEAR {Sheppard M100} Power
7BEV	AFTERTREATMENT COVER Steel, Black
7BKS	EXHAUST SYSTEM Single Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab
7WDM	EXHAUST HEIGHT 10'
7WDN	MUFFLER/TAIL PIPE GUARD (1) Non-Bright Aluminum
7WDT	TAIL PIPE (1) Straight Type, Non-Bright, for Single Exhaust
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u> : BATTERY BOX Steel : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered
8541	HORN, ELECTRIC (2) Disc Style
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense
8HAB	BODY BUILDER WIRING Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn
8HAH	ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket

<u>Code</u>	<u>Description</u>
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total
8RKB	RADIO {Panasonic CQ120} AM/FM, Includes Multiple Speakers, Includes Auxiliary Input <u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior
8VUL	BATTERY BOX Steel With Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab
8WCL	HORN, AIR Black, Single Trumpet, Air Solenoid Operated
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm
8WZK	HEADLIGHTS Halogen; Composite Aero Design for Two Light System
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses
9HAD	GRILLE Chrome
9WAY	FRONT END Tilting, Fiberglass, With Three Piece Construction
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GA"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
11001	CLUTCH Omit Item (Clutch & Control)
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
12EJS	ENGINE, DIESEL {Cummins B6.7 250} EPA 2017, 250 HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 250 Peak HP (Max)
12EMZ	VENDOR WARRANTY, ENGINE {Cummins} B6.7 Engine, 3-Year Unlimited Miles Standard Warranty
12TSY	FAN DRIVE {Borg-Warner SA85} Viscous Type, Screw On <u>Includes</u> : FAN Nylon
12UYE	RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, With 313 SqIn Charge Air Cooler. With In-Tank Transmission Cooler <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber
12VBR	AIR CLEANER With Service Protection Element <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
12VXV	THROTTLE, HAND CONTROL Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel
12WPV	OIL PAN 15 Quart Capacity, For Cummins ISB/B6.7 Engines
12WZE	EMISSION COMPLIANCE Federal, Does Not Comply With California Clean Air Idle Regulations

<u>Code</u>	<u>Description</u>
12XAT	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines
12XZE	FEDERAL EMISSIONS {Cummins B6.7} EPA, OBD and GHG Certified for Calendar Year 2017
13ASP	TRANSMISSION, AUTOMATIC {Allison 2500_RDS_P} 5th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; On/Off Hwy; 33,000 lb GVW & GCW Max., With PTO Provision, Less Retarder
	<u>Includes</u> : OIL FILTER, TRANSMISSION Mounted on Transmission : TRANSMISSION OIL PAN Magnet in Oil Pan
13WLN	TRANSMISSION OIL Synthetic; 20 thru 28 Pints
13WYY	SHIFT CONTROL PARAMETERS Allison 1000 or 2000 Series Transmissions, 5th Generation Controls, Performance Programming
13XAK	PTO LOCATION Right Side of Transmission
14AJV	AXLE, REAR, SINGLE {Navistar Select} Single Reduction, 21,000-lb Capacity, 190 Wheel Ends . Gear Ratio: 5.57
14VAH	SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
15LMS	FUEL/WATER SEPARATOR Cummins Supplied on Engine, with 12 Volt DC Heater, with Water-in-Fuel Sensor
15SGJ	FUEL TANK Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Left Side, Under Cab
15WDG	DEF TANK 7 U.S. Gal. 26.5L Capacity, Frame Mounted Outside Left Rail, Under Cab
16030	CAB Conventional
	<u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted : GLASS, ALL WINDOWS Tinted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color
16HBA	GAUGE CLUSTER English With English Electronic Speedometer
	<u>Includes</u> : GAUGE CLUSTER (5) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)
16HCS	GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster
16HGN	GAUGE, AIR APPLICATION
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel
16HHT	AMMETER 150 Amp

Code	Description
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16HLJ	GAUGE, DEF FLUID LEVEL
16KAV	SEAT, DRIVER {National} Non-Suspension, High Back With Integral Head Rest, Vinyl, With Fixed Back
16SMP	SEAT, TWO-MAN PASSENGER {National} Vinyl, Less Under Seat Storage Compartment
16SNA	MIRRORS (2) {Lang Mekra} Rectangular, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing
16VHG	CAB MOUNTING HEIGHT EFFECTS Mid Cab in Lieu of Low Cab Mounting Height (Approx. 4") With Cab Air Suspension
16WCT	AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster
	<u>Includes</u>
	: HEATER HOSES Premium
	: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps
	: REFRIGERANT Hydrofluorocarbon HFC-134A
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door
16WRX	CAB INTERIOR TRIM Deluxe
	<u>Includes</u>
	: "A" PILLAR COVER Molded Plastic
	: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering
	: CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket
	: DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors
	: FLOOR COVERING Rubber, Black
	: HEADLINER Soft Padded Cloth
	: INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section
	: STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door
	: SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console
26DTU	WHEEL, SPARE, DISC {Accuride 29001} 22.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole 10-Stud, 285.75mm BC, Hub-Piloted
27DTU	WHEELS, FRONT {Accuride 29001} DISC; 22.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DTU	WHEELS, REAR {Accuride 29001} DUAL DISC; 22.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
7372138102	(4) TIRE, REAR 11R22.5 Load Range G G622 RSD (GOODYEAR), 497 rev/mile, 75 MPH, Drive
7372138132	(2) TIRE, FRONT 11R22.5 Load Range G ENDURANCE RSA (GOODYEAR), 496 rev/mile, 75 MPH, All-Position
	Services Section:
40116	WARRANTY Standard for Durastar 1000/4000 Series, Effective with Vehicles Built January 2, 2015 or Later, CTS-2475P
2	30K Pintle Hitch Installed

INTERNATIONAL®

February 09, 2017

Prepared For:
 Jefferson Parish
 Nicholas DiGerolamo
 200 Derbigny St.
 Gretna, LA 70053-5850
 (504)364 - 2678
 Reference ID: 52k 2017 JP

Presented By:
 ITA-NOLA, LLC
 Ben Springer
 301 HORD
 HARAHAN LA 70123 -
 (504)733-7711

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile
2018 7400 SBA 6X4 (SF625)

APPLICATION:	Stake Flat
MISSION:	Requested GVWR: 52000. Calc. GVWR: 52000 Calc. Start / Grade Ability: 24.38% / 1.42% @ 55 MPH Calc. Geared Speed: 83.6 MPH
DIMENSION:	Wheelbase: 181.00, CA: 113.90, Axle to Frame: 65.00
ENGINE, DIESEL:	{Cummins L9 300} EPA 2017, 300 HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)
TRANSMISSION, AUTOMATIC:	{Allison 3500_RDS_P} 5th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.
CLUTCH:	Omit Item (Clutch & Control)
AXLE, FRONT NON-DRIVING:	{Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-4DFR} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends Gear Ratio: 4.88
CAB:	Conventional
TIRE, FRONT:	(2) 11R22.5 Load Range G ECO PLUS HS3 (CONTINENTAL), 495 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(8) 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position
SUSPENSION, REAR, TANDEM:	{Hendrickson RT-403} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings
FRAME REINFORCEMENT:	Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
PAINT:	Cab schematic 100GN Location 1: 9219, Winter White (Std) Chassis schematic N/A

<u>Code</u>	<u>Description</u>
SF62500	Base Chassis, Model 7400 SBA 6X4 with 181.00 Wheelbase, 113.90 CA, and 65.00 Axle to Frame.
1572	TOW HOOK, REAR (2)
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL
1GBP	FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
1LLA	BUMPER, FRONT Steel, Swept Back <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color
1WGX	WHEELBASE RANGE 169" (430cm) Through and Including 219" (555cm)
2ARW	AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 12,000-lb Capacity; with Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4 <u>Notes</u> : Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered.
4619	TRAILER CONNECTIONS Four-Wheel, with Hand Control Valve and Tractor Protection Valve, for Straight Truck
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank
4AZA	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel)
4EBS	AIR DRYER {Bendix AD-9} With Heater <u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab
4EXP	BRAKE CHAMBERS, FRONT AXLE {Bendix} 20 SqIn

<u>Code</u>	<u>Description</u>
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake
4JCJ	BRAKES, FRONT, AIR CAM S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers
	<u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4LAA	SLACK ADJUSTERS, FRONT {Haldex} Automatic
4LGA	SLACK ADJUSTERS, REAR {Haldex} Automatic
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
4SPA	AIR COMPRESSOR {Cummins} 18.7 CFM Capacity
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black
5PSA	STEERING GEAR {Sheppard M100} Power
7BEV	AFTERTREATMENT COVER Steel, Black
7BKS	EXHAUST SYSTEM Single Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; for Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab
7WDM	EXHAUST HEIGHT 10'
7WDN	MUFFLER/TAIL PIPE GUARD (1) Non-Bright Aluminum
7WDT	TAIL PIPE (1) Straight Type, Non-Bright, for Single Exhaust
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u> : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered
8GXD	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense
8HAA	BODY BUILDER WIRING To Rear of Frame, With Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket
8MEZ	BATTERY SYSTEM {International} Maintenance-Free, (2) 12-Volt 1850CCA Total

<u>Code</u>	<u>Description</u>
8RKB	RADIO {Panasonic CQ120} AM/FM, Includes Multiple Speakers, Includes Auxiliary Input <u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior
8VAY	HORN, ELECTRIC Disc Style
8VUL	BATTERY BOX Steel With Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab
8WML	HEADLIGHTS Long Life Halogen; for Two Light System
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
8WTK	STARTING MOTOR {Delco Remy 38MT Type 300} 12 Volt; less Thermal Over-Crank Protection
8WVP	HORN, AIR (2) Single Tone, Rectangular; Chrome. Roof Mounted
8WWJ	INDICATOR, LOW COOLANT LEVEL With Audible Alarm
8XAH	CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender
9HAN	INSULATION, UNDER HOOD for Sound Abatement
9HBM	GRILLE Stationary, Chrome
9HBN	INSULATION, SPLASH PANELS for Sound Abatement
9WBC	FRONT END Tilting, Fiberglass, With Three Piece Construction; for WorkStar
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100 <u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GN"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
11001	CLUTCH Omit Item (Clutch & Control)
12703	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection
12EHU	ENGINE, DIESEL {Cummins L9 300} EPA 2017, 300 HP @ 2000 RPM, 860 lb-ft Torque @ 1300 RPM, 2200 RPM Governed Speed, 300 Peak HP (Max)
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed <u>Includes</u> : FAN Nylon
12UWY	RADIATOR Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core and 1167 SqIn Charge Air Cooler <u>Includes</u> : DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber
12VBC	AIR CLEANER Single Element <u>Includes</u> : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted

<u>Code</u>	<u>Description</u>
12VXT	THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel
12WZB	EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood
12XAT	ENGINE CONTROL, REMOTE MOUNTED Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines
12XZG	FEDERAL EMISSIONS {Cummins L9} EPA, OBD and GHG Certified for Calendar Year 2017
13AVL	TRANSMISSION, AUTOMATIC {Allison 3500_RDS_P} 5th Generation Controls; Wide Ratio, 6-Speed, With Double Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max.
13AWW	OIL COOLER, AUTO TRANSMISSION {Modine} Water to Oil Type
13WBL	TRANSMISSION SHIFT CONTROL {Allison} Push-Button Type; for Allison 3000 & 4000 Series Transmission
13WLP	TRANSMISSION OIL Synthetic; 29 thru 42 Pints
13WUC	ALLISON SPARE INPUT/OUTPUT for Rugged Duty Series (RDS); General Purpose Trucks, Construction
13WYU	SHIFT CONTROL PARAMETERS Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming
13XAK	PTO LOCATION Right Side of Transmission
14GVY	AXLE, REAR, TANDEM {Meritor MT-40-14X-4DFR} Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends . Gear Ratio: 4.88
	<u>Includes</u> : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light : REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
14UHC	SUSPENSION, REAR, TANDEM {Hendrickson RT-403} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings
	<u>Includes</u> : CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
14WAL	SUSPENSION/REAR-AXLE IDENTITY for Meritor Tandem Rear Axles With Bar-Pin Beam Attachment Type Suspensions
15LLZ	LOCATION FUEL/WATER SEPARATOR Mounted Outside Left Rail 41" Back of Cab
15LMR	FUEL/WATER SEPARATOR {Racor 400 Series,} Unheated, with Primer Pump, and WIF Sensor
15SGJ	FUEL TANK Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Left Side, Under Cab
15WDG	DEF TANK 7 U.S. Gal. 26.5L Capacity, Frame Mounted Outside Left Rail, Under Cab
16030	CAB Conventional
	<u>Includes</u> : ARM REST (2) Molded Plastic; One Each Door : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window

<u>Code</u>	<u>Description</u>
	: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel
	: DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted
	: GLASS, ALL WINDOWS Tinted
	: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side
	: GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side
	: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color
	: STEP (4) Two Steps Per Door
16HBA	GAUGE CLUSTER English With English Electronic Speedometer
	<u>Includes</u>
	: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level
	: ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout
	: WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)
16HHE	GAUGE, AIR CLEANER RESTRICTION {Filter-Minder} With Black Bezel Mounted in Instrument Panel
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16HLJ	GAUGE, DEF FLUID LEVEL
16KAV	SEAT, DRIVER {National} Non-Suspension, High Back With Integral Head Rest, Vinyl, With Fixed Back
16SMH	SEAT, TWO-MAN PASSENGER {National} Fixed Back, Integrated Headrest in Both Occupant Positions, Vinyl, With Under Seat Storage Compartment
16SNA	MIRRORS (2) {Lang Mekra} Rectangular, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing
16WCT	AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster
	<u>Includes</u>
	: HEATER HOSES Premium
	: HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps
	: REFRIGERANT Hydrofluorocarbon HFC-134A
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WKY	HVAC FRESH AIR FILTER
16WRX	CAB INTERIOR TRIM Deluxe
	<u>Includes</u>
	: "A" PILLAR COVER Molded Plastic
	: CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering
	: CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket
	: DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors
	: FLOOR COVERING Rubber, Black
	: HEADLINER Soft Padded Cloth
	: INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section
	: STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door
	: SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console
16WSK	CAB REAR SUSPENSION Air Bag Type
26DUG	WHEEL, SPARE, DISC {Accuride 50408} 22.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted

<u>Code</u>	<u>Description</u>
27DTJ	WHEELS, FRONT {Maxion 90541} DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DUG	WHEELS, REAR {Accuride 50408} DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
29PAR	PAINT IDENTITY, FRONT WHEELS Disc Front Wheels; With Vendor Applied White Powder Coat Paint
7372135415	(8) TIRE, REAR 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position
7372135429	(2) TIRE, FRONT 11R22.5 Load Range G ECO PLUS HS3 (CONTINENTAL), 495 rev/mile, 75 MPH, All-Position

Services Section:

40115	WARRANTY Standard for WorkStar 7300/7400 (4x2, 4x4, 6x4, 6x6), Effective with Vehicles Built January 2, 2015 or Later, CTS-2002U
1	Truck and Transportation Equipment Costs

INTERNATIONAL®

February 09, 2017

Prepared For:

Jefferson Parish
 Nicholas DiGerolamo
 200 Derbigny St.
 Gretna, LA 70053-5850
 (504)364 - 2678
 Reference ID: 52HD JP 2017

Presented By:

ITA-NOLA, LLC
 Ben Springer
 301 HORD
 HARAHAN LA 70123 -
 (504)733-7711

Thank you for the opportunity to provide you with the following quotation on a new International truck. I am sure the following detailed specification will meet your operational requirements, and I look forward to serving your business needs.

Model Profile**2018 7600 SBA 6X4 2010 (SF667)**

APPLICATION:	Stake Flat
MISSION:	Requested GVWR: 52000. Calc. GVWR: 52000 Calc. Start / Grade Ability: 29.51% / 2.61% @ 55 MPH Calc. Geared Speed: 95.0 MPH
DIMENSION:	Wheelbase: 177.00, CA: 109.90, Axle to Frame: 63.00
ENGINE, DIESEL:	{Navistar N13} EPA 2010, SCR, 390 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max)
TRANSMISSION, MANUAL:	{Eaton Fuller Advantage FAO-14810C-EA3} 10-Speed Fully Automated Manual; Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid
CLUTCH:	{Eaton Fuller ECA-1850} Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity
AXLE, FRONT NON-DRIVING:	{Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity
AXLE, REAR, TANDEM:	{Meritor MT-40-14X-5DFR} Single Reduction, 0.500"(12.7mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends Gear Ratio: 3.70
CAB:	Conventional
TIRE, FRONT:	(2) 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position
TIRE, REAR:	(8) 11R22.5 Load Range G HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
SUSPENSION, REAR, TANDEM:	{Hendrickson HMX-400-52} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers
FRAME REINFORCEMENT:	Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
PAINT:	Cab schematic 100GS Location 1: 9219, Winter White (Std) Chassis schematic N/A

Code	Description
SF66700	Base Chassis, Model 7600 SBA 6X4 2010 with 177.00 Wheelbase, 109.90 CA, and 63.00 Axle to Frame.
1572	TOW HOOK, REAR (2)
1CBU	FRAME RAILS Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL
1GBP	FRAME REINFORCEMENT Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL
1LLA	BUMPER, FRONT Steel, Swept Back <u>Includes</u> : BUMPER, FRONT Powder Coated Gray (Argent) Color
1WHN	WHEELBASE RANGE 152" (385cm) Through and Including 181" (460cm)
2ARW	AXLE, FRONT NON-DRIVING {Meritor MFS-12-143A} Wide Track, I-Beam Type, 12,000-lb Capacity <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
3ADC	SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf, 12,000-lb Capacity; with Shock Absorbers <u>Includes</u> : SPRING PINS Rubber Bushings, Maintenance-Free <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4091	BRAKE SYSTEM, AIR Dual System for Straight Truck Applications <u>Includes</u> : BRAKE LINES Color and Size Coded Nylon : DRAIN VALVE Twist-Type : GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : PARKING BRAKE VALVE For Truck : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : SPRING BRAKE MODULATOR VALVE R-7 for 4x2, SR-7 with relay valve for 6x4 <u>Notes</u> : Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered.
4196	BRAKES, FRONT, AIR CAM 16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers <u>Notes</u> : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.
4722	DRAIN VALVE {Bendix DV-2} Automatic, with Heater, for Air Tank <u>Includes</u> : DRAIN VALVE Mounted in Wet Tank
4AZJ	AIR BRAKE ABS {Bendix AntiLock Brake System} Full Vehicle Wheel Control System (4-Channel) with Automatic Traction Control
4EBS	AIR DRYER {Bendix AD-9} With Heater

<u>Code</u>	<u>Description</u>
	<u>Includes</u> : AIR DRYER LOCATION Inside Left Rail, Back of Cab
4EXU	BRAKE CHAMBERS, REAR AXLE {Bendix EverSure} 30/30 Spring Brake
4EXV	BRAKE CHAMBERS, FRONT AXLE {Bendix} 24 SqIn
4NDB	BRAKES, REAR, AIR CAM S-Cam; 16.5" x 7.0"; Includes 30/30 Sq.In. Long Stroke Brake Chamber and Spring Actuated Parking Brake
	<u>Notes</u> : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.
4SPM	AIR COMPRESSOR {Bendix BA-921 Head Unload} 15.9 CFM Capacity, Single Cylinder
5AAA	STEERING COLUMN Stationary
5CAL	STEERING WHEEL 2-Spoke, 18" Dia., Black
5PSA	STEERING GEAR {Sheppard M100} Power
7BEP	EXHAUST SYSTEM Switchback Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; Includes Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab
	<u>Includes</u> : EXHAUST HEIGHT 10' Exhaust Height - Based on Empty Chassis with Standard Components (+ or - 1" Height)
8000	ELECTRICAL SYSTEM 12-Volt, Standard Equipment
	<u>Includes</u> : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab : FUSES, ELECTRICAL SAE Blade-Type : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : JUMP START STUD Located on Positive Terminal of Outermost Battery : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : STARTER SWITCH Electric, Key Operated : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WIRING, CHASSIS Color Coded and Continuously Numbered
8541	HORN, ELECTRIC (2) Disc Style
8GXJ	ALTERNATOR {Leece-Neville AVI160P2013} Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount
8HAA	BODY BUILDER WIRING To Rear of Frame, With Stop, Tail, Turn, and Marker Lights Circuits, Ignition Controlled Auxiliary Feed and Ground, Less Trailer Socket
8MKL	BATTERY SYSTEM {International} Maintenance-Free, (3) 12-Volt 1950CCA Total
8RKB	RADIO {Panasonic CQ120} AM/FM, Includes Multiple Speakers, Includes Auxiliary Input
	<u>Includes</u> : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior : SPEAKERS IN CAB (4) Coaxial with Premium Interior
8THB	BACK-UP ALARM Electric, 102 dBA

<u>Code</u>	<u>Description</u>
8VUL	BATTERY BOX Steel With Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab
8WML	HEADLIGHTS Long Life Halogen; for Two Light System
8WPH	CLEARANCE/MARKER LIGHTS (5) {Truck Lite} Amber LED Lights, Flush Mounted on Cab or Sunshade
8WVP	HORN, AIR (2) Single Tone, Rectangular; Chrome. Roof Mounted
8WXG	STARTING MOTOR {Mitsubishi Electric Automotive America 105P} 12-Volt, with Soft-Start
8XGT	TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender
9593	FENDER EXTENSIONS Omit
9HBM	GRILLE Stationary, Chrome
9HBN	INSULATION, SPLASH PANELS for Sound Abatement
9WBK	FRONT END Tilting, Fiberglass, With Three Piece Construction Includes Long Hood
10060	PAINT SCHEMATIC, PT-1 Single Color, Design 100
	<u>Includes</u> : PAINT SCHEMATIC ID LETTERS "GS"
10761	PAINT TYPE Base Coat/Clear Coat, 1-2 Tone
10UAD	VEHICLE REGISTRATION IDENTITY ID for 49 States, Excluding California
11MGP	CLUTCH {Eaton Fuller ECA-1850} Two-Plate, Ceramic, 7-Spring with Pre-Damper, 15.5" Diameter, with Adjustment-Free Feature, 1850 lb-ft Torque Capacity
	<u>Includes</u> : CLUTCH RELEASE BEARING Greasable
12772	ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection, for N13 Engines
12BCP	ENGINE, DIESEL {Navistar N13} EPA 2010, SCR, 390 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max)
12THT	FAN DRIVE {Horton Drivemaster} Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed
	<u>Includes</u> : FAN Nylon
12UNT	FEDERAL EMISSIONS {Navistar N13} EPA, OBD and GHG Certified for Calendar Year 2017
12VBC	AIR CLEANER Single Element
	<u>Includes</u> : AIR CLEANER with Vacuator : GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted
12WEG	COLD STARTING EQUIPMENT Automatic; With Engine ECM Control
12WZB	EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood
12XAW	RADIATOR Aluminum; Welded, Front to Back CrossFlow System, 1593 SqIn, 1012 SqIn CAC, 1543 SqIn 3 Core LTR
13GYC	TRANSMISSION, MANUAL {Eaton Fuller Advantage FAO-14810C-EA3} 10-Speed Fully Automated Manual; Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid

<u>Code</u>	<u>Description</u>
13XAN	PTO LOCATION No PTO
14GVZ	<p>AXLE, REAR, TANDEM {Meritor MT-40-14X-5DFR} Single Reduction, 0.500"(12.7mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends . Gear Ratio: 3.70</p> <p><u>Includes</u></p> <p>: POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light</p> <p>: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle</p> <p><u>Notes</u></p> <p>: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.</p>
14UMB	<p>SUSPENSION, REAR, TANDEM {Hendrickson HMX-400-52} Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers</p> <p><u>Includes</u></p> <p>: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone</p> <p><u>Notes</u></p> <p>: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.</p>
15DYP	DEF TANK 9.5 U.S. Gal. 35.9L Capacity, Frame Mounted Outside Left Rail, Under Cab
15LKU	FUEL/WATER SEPARATOR {Racor} Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor
15SGJ	FUEL TANK Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Left Side, Under Cab
15WCS	FUEL COOLER Less Thermostat; Mounted in Front of Cooling Module
16030	<p>CAB Conventional</p> <p><u>Includes</u></p> <p>: ARM REST (2) Molded Plastic; One Each Door</p> <p>: COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window</p> <p>: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel</p> <p>: DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted</p> <p>: GLASS, ALL WINDOWS Tinted</p> <p>: GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side</p> <p>: GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side</p> <p>: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color</p> <p>: STEP (4) Two Steps Per Door</p>
16HBA	<p>GAUGE CLUSTER English With English Electronic Speedometer</p> <p><u>Includes</u></p> <p>: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level</p> <p>: ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout</p> <p>: WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible)</p>
16HKT	IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster
16HLJ	GAUGE, DEF FLUID LEVEL
16KAV	SEAT, DRIVER {National} Non-Suspension, High Back With Integral Head Rest, Vinyl, With Fixed Back
16SNA	MIRRORS (2) {Lang Mekra} Rectangular, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing
16WCT	AIR CONDITIONER {Blend-Air} With Integral Heater & Defroster

Code	Description
	<u>Includes</u> : HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A
16WJS	INSTRUMENT PANEL Center Section, Flat Panel
16WKY	HVAC FRESH AIR FILTER
16WLE	STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door
16WRX	CAB INTERIOR TRIM Deluxe
	<u>Includes</u> : "A" PILLAR COVER Molded Plastic : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : FLOOR COVERING Rubber, Black : HEADLINER Soft Padded Cloth : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console
16WSK	CAB REAR SUSPENSION Air Bag Type
26DUG	WHEEL, SPARE, DISC {Accuride 50408} 22.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted
27DUG	WHEELS, FRONT {Accuride 50408} DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
28DTJ	WHEELS, REAR {Maxion 90541} DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs
29PAS	PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; With Vendor Applied White Powder Coat Paint
7372135415	(2) TIRE, FRONT 11R22.5 Load Range G HSR2 (CONTINENTAL), 498 rev/mile, 75 MPH, All-Position
7372135423	(8) TIRE, REAR 11R22.5 Load Range G HDR2 (CONTINENTAL), 491 rev/mile, 75 MPH, Drive
	Services Section:
40118	WARRANTY Standard for Paystar 5000, and Workstar 7500/7600, Effective with Vehicles Built January 2, 2015 or Later, CTS-2003Z
1	Truck and Transportation Equipment Costs

USER NAME

PASSWORD

LOG IN

[Forgot Username?](#)[Forgot Password?](#)[Create an Account](#)

Entity Dashboard

[Entity Overview](#)[Entity Registration](#)[Core Data](#)[Assertions](#)[Reps & Certs](#)[POCs](#)[Exclusions](#)[Active Exclusions](#)[Inactive Exclusions](#)[Excluded Family Members](#)[RETURN TO SEARCH](#)

Ita Truck Sales & Service, L.L.C.

DUNS: 961758344 CAGE Code: 6RDC6

Status: Expired

2835 NW Evangeline Trwy

Lafayette, LA, 70507-3420,

UNITED STATES

Expiration Date: 10/21/2016

Purpose of Registration: All Awards

Entity Overview

Entity Registration Summary

Name: Ita Truck Sales & Service, L.L.C.
Business Type: Business or Organization
Last Updated By: Jene Boulet
Registration Status: Expired
Activation Date: 10/27/2015
Expired On: 10/21/2016

Exclusion Summary

Active Exclusion Records? No

SAM | System for Award Management 1.0

IBM v1.P.60.20161222-1237

WWW8



Note to all Users: This is a Federal Government computer system. Use of this system constitutes consent to monitoring at all times.

248.51.3

W-9

Form (Rev. October 2007)

Department of the Treasury
Internal Revenue Service

**Request for Taxpayer
Identification Number and Certification**

Give form to the requester. Do not send to the IRS.

Part or type of business or other organization on page 2

Name (as shown on your income tax return)
ITA-NYA

Business name, if different from above

Check appropriate box: ☐ Individual/sole proprietor ☐ Corporation ☐ Partnership

☐ Limited liability company. Enter the tax classification (D=disregarded entity, C=corporation, P=partnership) >

☐ Other (see instructions) >

☐ Exempt payee

Address (number, street, and apt. or suite no.)
301 Herd St

City, state, and ZIP code
Herndon, VA 70123

List account number(s) here (optional)

Requester's name and address (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on Line 1 to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Notes: If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and
- I am a U.S. citizen or other U.S. person (defined below).

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the Certification, but you must provide your correct TIN. See the instructions on page 4.

Social security number

OR

Employer identification number
27-2447953

Sign Here

Signature of U.S. person

Date **9-20-10**

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Purpose of Form

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued).
- Certify that you are not subject to backup withholding, or
- Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income.

Note, if a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States,
- An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income.

The person who gives Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States is in the following cases:

- The U.S. owner of a disregarded entity and not the entity,

Cat. No. 10221X

Form W-9 (Rev. 10-2007)



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
FRAME RAILS (SEE PREV PAGE) NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book N/A: Code 10EYN FIFTH WHEEL, STATIONARY AVAIL: Code 01WDR FRAME EXTENSION, FRONT Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 460.0" (11684mm) Maximum OAL Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 420.0" (10668mm) Maximum OAL, Limited to 33,000 lb Maximum GVWR REQS: Code 03ADA(std), 03ADB, 03ADC, 03ADD, 03AGE, 03AGS or 03AGW SUSPENSION, FRONT, SPRING REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE N/A: Code 01GBP FRAME REINFORCEMENT Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL N/A: Code 01GBP FRAME REINFORCEMENT AVAIL: Code 01WDR FRAME EXTENSION, FRONT Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL, Limited to 33,000 lb Maximum GVWR REQS: Code 03ADA(std), 03ADB, 03ADC, 03ADD, 03AGE, 03AGS or 03AGW SUSPENSION, FRONT, SPRING REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE N/A: Code 01GBP FRAME REINFORCEMENT Heat Treated Alloy Steel (120,000 PSI Yield); 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1mm); 456.0" (11582mm) Maximum OAL N/A: Code 01GBP FRAME REINFORCEMENT : Code 10EYN FIFTH WHEEL, STATIONARY Heat Treated Alloy Steel (120,000 PSI Yield); 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1mm); 456.0" (11582mm) Maximum OAL, Limited to 33,000 lb Maximum GVWR REQS: Code 03ADA(std), 03ADB, 03ADC, 03ADD, 03AGE, 03AGS or 03AGW SUSPENSION, FRONT, SPRING (SEE NEXT PAGE)			
	01CAD		
	01CAE	\$515 0/0	N/A
	01CEK	\$763 0/0	N/A
	01CAG	\$852 0/0	N/A
	01CEL	\$1,100 0/0	N/A
	01CAH	\$1,026 0/0	N/A
	01CEM	\$1,274 0/0	N/A

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION NO. 35

SECTION 090

PRICES EFFECTIVE 01/02/2017

PAGE 090-2

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
FRAME RAILS (SEE PREV PAGE) NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE N/A: Code 01GBP FRAME REINFORCEMENT	01CEM		
FRAME REINFORCEMENT NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL REQS: Code 16VHG CAB MOUNTING HEIGHT EFFECTS, when in combination with Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL REQS: Code 01CAE FRAME RAILS REQS: Code 14TAX SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, RR, SPRING, SINGLE REQS: Code 15DMV, 15DTA, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SWU(std), 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 10021 CHASSIS COATING : Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE	01GBP	\$1,650 0/0	N/A
BRACKET, CAB MOUNT Heavy Duty REQS: Code 16030(std) CAB	01WRN	\$57 +13/+4	\$57 +13/+4
BUMPER EXTENSION, FRONT 4.0" REQS: Code 01LLD(std), 01LLE, 01LLK, 01LNG or 01LNN BUMPER, FRONT N/A: Code 01WDR and 01WRS FRAME EXTENSION, FRONT - for 4300 SBA 4X2	01WAC	\$50 +15/-3	\$50 +15/-3



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BUMPER, FRONT			
Full Width, Aerodynamic, Steel; 0.142" Material Thickness INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color AVAIL: Code 01WRS FRAME EXTENSION, FRONT - for 4300 SBA 4X2	01LLD	STD	STD
Full Width, Aerodynamic, Heavy Duty, Steel INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color AVAIL: Code 01WRS FRAME EXTENSION, FRONT - for 4300 SBA 4X2	01LLE	\$105 +63/-15	\$105 +52/-9
Omit Item N/A: Code 01LEG LICENSE PLATE HOLDER : Code 12WTW BLOCK HEATER SOCKET AVAIL: Code 01WDR FRAME EXTENSION, FRONT - for 4300 SBA 4X2 : Code 08585 FOG LIGHTS	01LLK	\$30CR -82/+16	\$30CR -70/+13
Steel, Swept Back INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color REQS: Code 01WDR FRAME EXTENSION, FRONT N/A: Code 01WAC BUMPER EXTENSION, FRONT : Code 01LEG LICENSE PLATE HOLDER	01LLA	\$48 +12/0	N/A
Full Width, Aerodynamic, Chrome Plated Steel; 0.142" Material Thickness AVAIL: Code 01WRS FRAME EXTENSION, FRONT - for 4300 SBA 4X2	01LNN	\$397 -1/0	\$397 0/0
Full Width, Aerodynamic, Steel; 0.142" Material Thickness, Gloss Black AVAIL: Code 01WRS FRAME EXTENSION, FRONT - for 4300 SBA 4X2	01LNG	\$54 -1/0	\$54 +18/-4
CROSSMEMBER, REAR, AF			
(02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR	01SAM	\$227 0/0	N/A
(1) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR - for 4300 SBA 4X2	01SAL	\$116 0/+20	\$116 0/+20
FRAME EXTENSION, FRONT			
Bolt On Type; 20" In Front of Grille, With Crossmember REQS: Code 09HBM GRILLE REQS: Code 01570 TOW HOOK, FRONT REQS: Code 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT N/A: Code 02AGM and 02AUT AXLE, FRONT NON-DRIVING : Code 01CAB, 01CAD and 01CAG FRAME RAILS : Code 01WAC BUMPER EXTENSION, FRONT	01WRS	\$1,120 +227/-53	N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-4

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-7

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Meritor - MFS-10-122A - N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04AZS AIR BRAKE ABS - for 4300 SBA LP 4X2 : FRAME RAILS - for 4300 SBA LP 4X2 : Code 27DAN, 27DTT, 27DTX, 27DUL, 27DUR and 27DUS WHEELS, FRONT - for 4300 SBA 4X2 AVAIL: Code 10WGD SPECIAL RATING, GVWR NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02ASH		
- MFS-11-122A - I-Beam Type, 11,000-lb Capacity REQS: Code 04JBZ or 04JBZ BRAKES, FRONT, AIR DISC or Code 04196 or 04196 BRAKES, FRONT, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 27DAR, 27DMB, 27DMC, 27DPN, 27DPS, 27DTH, 27DTJ, 27DUG, 27DUK or 27DUS WHEELS, FRONT REQS: Code 03AGE SUSPENSION, FRONT, SPRING REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04AZS AIR BRAKE ABS : Code 01CAB FRAME RAILS AVAIL: Code 10WGD SPECIAL RATING, GVWR NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02ATM	\$344 + 81/0	N/A
- MFS-12-122A - I-Beam Type, 12,000-lb Capacity REQS: Code 04JBZ or 04JBZ BRAKES, FRONT, AIR DISC or Code 04196 or 04196 BRAKES, FRONT, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 03ADC SUSPENSION, FRONT, SPRING	02ASC	\$371 + 41/0	N/A
(SEE NEXT PAGE)			



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-10

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-13

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Navistar Select -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04EUB BRAKE LININGS, FRONT : Code 04AZS AIR BRAKE ABS : Code 29ADX HUB BRAND, FRONT : Code 27DPN, 27DPS, 27DTH, 27DTS, 27DTT, 27DUK, 27DUL, 27DUR and 27DUS WHEELS, FRONT	02AUS		
SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 8,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEM, 02ATK(std) or 02AUS AXLE, FRONT NON-DRIVING NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADA	STD	STD
Parabolic, Taper Leaf; 10,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGM, 02ASH or 02AUT AXLE, FRONT NON-DRIVING NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADB	\$117 +66/0	\$117 +65/0
Parabolic, Taper Leaf; 11,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AHZ or 02ATM AXLE, FRONT NON-DRIVING N/A: Code 04AZS AIR BRAKE ABS NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03AGE	\$184 +73/0	N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-17

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SUSPENSION, FRONT, SPRING (CONTINUED) Parabolic, Taper Leaf; 12,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGB, 02ASC or 02AUV AXLE, FRONT NON-DRIVING NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADC	\$184 +69/0	N/A
Parabolic, Taper Leaf; 13,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AJE or 02ATN AXLE, FRONT NON-DRIVING REQS: Code 01CAE, 01CAG, 01CAH, 01CEK, 01CEL or 01CEM FRAME RAILS NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03AGS	\$246 +112/+1	N/A
Parabolic, Taper Leaf; 14,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEZ or 02AST AXLE, FRONT NON-DRIVING REQS: Code 01CAE, 01CAG, 01CAH, 01CEK, 01CEL or 01CEM FRAME RAILS NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADD	\$662 +93/0	N/A
Parabolic, Taper Leaf; 14,600-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEZ or 02AST AXLE, FRONT NON-DRIVING REQS: Code 01CAE, 01CAG or 01CAH FRAME RAILS	03AGT	\$668 +40/-2	N/A
Parabolic, Taper Leaf; 9,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AHY or 02ATL AXLE, FRONT NON-DRIVING NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03AGW	\$117 +59/0	\$117 +59/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-18

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SPRINGS, FRONT AUXILIARY			
Rubber	03770	\$104 +10/0	\$104 +20/0
BRAKE SYSTEM, HYDRAULIC			
Meritor Wabco Split System, Full Power, With Automatic Adjustment And With Four Channel ABS REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 14AHM, 14AHP, 14ANR, 14ANT or 14ATZ AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 14AEW, 14AGR, 14AGX, 14AHC, 14AHJ, 14AHL, 14AHM, 14AHP, 14ANR, 14ANT, 14ANX, 14ANY, 14ANZ, 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASD or 14ATZ AXLE, REAR, SINGLE - for 4300 SBA 4X2 REQS: Code 04JNG TRACTION CONTROL, HYDRAULIC, when in combination with Code 04GAW BRAKE, PARKING REQS: Code 04EBT or 04EDC AIR DRYER REQS: Code 04SPK or 04SPN AIR COMPRESSOR REQS: Code 14SAH, 14SAM, 14SCD, 14SCE, 14VAB, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAC, 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKJ, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ(std), 14APL, 14APU, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 07BKP, 07BKS, 07BKY(std), 07BKZ or 07BLH EXHAUST SYSTEM N/A: Code 04774 SPECIAL RATING, GAWR - for 4300 SBA 4X2 : Code 16ZGM ACCESS, FRAME : Code 16HGN GAUGE, AIR APPLICATION : Code 02AEZ, 02AJE, 02AST and 02ATN AXLE, FRONT NON-DRIVING : Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04WEZ BRAKE PACKAGE, FRONT - for 4300 SBA 4X2 (SEE NEXT PAGE)	04085	STD	STD

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-19

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE SYSTEM, HYDRAULIC (SEE PREV PAGE) Meritor Wabco N/A: Code 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE : Code 04EUB BRAKE LININGS, FRONT : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCH, 04JCJ and 04196 BRAKES, FRONT, AIR CAM : Code 04WEY BRAKE PACKAGE, REAR - for 4300 SBA 4X2 : Code 04EVH, 04EVP, 04EVR, 04EXS, 04EXT and 04EXU BRAKE CHAMBERS, REAR AXLE : Code 04773 BRAKE SHOES, REAR - for 4300 SBA 4X2 : Code 04EUD BRAKE LININGS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN and 04NDP BRAKES, REAR, AIR CAM : Code 04AZA, 04AZE, 04AZJ and 04AZS AIR BRAKE ABS : Code 04WXL, 04WXS and 04803 TRAILER HOSES AND CABLES - for 4300 SBA 4X2 : Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 04VGM AIR TANK : Code 04WDU HAND CONTROL VALVE, AIR - for 4300 SBA 4X2 : Code 04ERC BRAKE CHAMBERS, SPRING : Code 04619 TRAILER CONNECTIONS : Code 04692 and 04808 HOSE TENDER - for 4300 SBA 4X2 : Code 01616 FRAME RAILS WITH TAPERED REAR : Code 27DAR, 27DPN, 27DTS, 27DUL, 27DUR and 27DUS WHEELS, FRONT : Code 28DAR and 28DTS WHEELS, REAR : Code 08WAA and 08WLL LIGHT, WORK : Code 08WEZ TURN SIGNAL SWITCH : Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE - for 4300 SBA 4X2 : FIFTH WHEEL, STATIONARY - for 4300 SBA 4X2 AVAIL: Code 04EVD DUST SHIELDS, FRONT BRAKE : Code 04EVE DUST SHIELDS, REAR BRAKE : Code 08VBA POWER SOURCE, SPECIAL	04085		
BRAKE SYSTEM, AIR Dual System for Straight Truck Applications INCLS: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : BRAKE LINES Color and Size Coded Nylon : SPRING BRAKE MODULATOR VALVE {Bendix} R-7 for 4x2, SR-7 with relay valve for 6x4 : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : PARKING BRAKE VALVE For Truck : DRAIN VALVE Twist-Type (SEE NEXT PAGE)	04091	\$339CR +85/+45	\$339CR +85/+45

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-20

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE SYSTEM, AIR (SEE PREV PAGE) REQS: Code 04SPA AIR COMPRESSOR REQS: Code 04AZA, 04AZE, 04AZJ or 04AZS AIR BRAKE ABS REQS: Code 27DAR, 27DMB, 27DMC, 27DPS, 27DPZ, 27DTE, 27DTJ, 27DTS, 27DTT, 27DTU, 27DUG or 27DUR WHEELS, FRONT - for 4300 SBA LP 4X2 REQS: Code 28DAR, 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTE, 28DTJ, 28DTS, 28DTT, 28DTU, 28DUG or 28DUR WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 14SAN, 14SCD, 14SCE, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- Code 14TBM or 14TBN SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04774 SPECIAL RATING, GAWR : Code 16ZGM ACCESS, FRAME : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04WCX PARKING BRAKE CONTROL : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 04WXL, 04WXS and 04803 TRAILER HOSES AND CABLES : Code 04JNG TRACTION CONTROL, HYDRAULIC : Code 04692 and 04808 HOSE TENDER : Code 27DAN and 27DTX WHEELS, FRONT - for 4300 SBA 4X2 : Code 28DAN and 28DTX WHEELS, REAR - for 4300 SBA 4X2 : Code 08WAA LIGHT, WORK : Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE (SEE NEXT PAGE)	04091		



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE SYSTEM, AIR (SEE PREV PAGE) REQS: Code 14SAH, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU or 13AVV TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL REQS: Code 07BKN, 07BKP, 07BKS or 07BKY(std) EXHAUST SYSTEM N/A: Code 10WGC and 10WGD SPECIAL RATING, GVWR : Code 16196 CAB : Code 02AHY and 02ATL AXLE, FRONT NON-DRIVING : Code 04VJL AIR DRYER LOCATION or Code 04JDG BRAKES, REAR, AIR DISC or Code 08XDU BATTERY BOX or Code 03AGS SUSPENSION, FRONT, SPRING or Code 08TPS and 08TRS STOP, TURN, TAIL & B/U LIGHTS : Code 04EUB BRAKE LININGS, FRONT : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04EUD BRAKE LININGS, REAR : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04WCX PARKING BRAKE CONTROL : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 04JNG TRACTION CONTROL, HYDRAULIC : Code 04619 TRAILER CONNECTIONS : Code 01CAB FRAME RAILS : Code 27DAN, 27DAR and 27DTX WHEELS, FRONT : Code 28DAN and 28DTX WHEELS, REAR : Code 13WCP TRANSMISSION SHIFT CONTROL : Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 08WEB SPECIAL WIRING HARNESS, BODY : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 08TKK TRAILER AUXILIARY FEED CIRCUIT : Code 08TMJ SWITCH, MARKER INTERRUPT AVAIL: Code 16973 MOUNTING BRACKETS (SEE NEXT PAGE)	04092		



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AIR DRYER (SEE PREV PAGE) Meritor Wabco - System Saver 1200 - N/A: Code 04VBC, 04VGA and 04VJL AIR DRYER LOCATION, when in combination with Code 16CAB CAB and Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL : Code 04085(std) BRAKE SYSTEM, HYDRAULIC AVAIL: Code 04VJL AIR DRYER LOCATION Bendix - AD-IP - With Heater INCLS: AIR DRYER LOCATION Inside Left Rail, Back of Cab REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 With IPC, Heater and IPC Cartridge (Enhanced w/Integrated Puraguard Coalescing Filtration) REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 REQS: Code 04SPA or 04SPK AIR COMPRESSOR N/A: Code 04VJL AIR DRYER LOCATION - AD-9 - With Heater INCLS: AIR DRYER LOCATION Inside Left Rail, Back of Cab REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 N/A: Code 04VBC AIR DRYER LOCATION : Code 04VBC, 04VGA and 04VJL AIR DRYER LOCATION, when in combination with Code 16CAB CAB and Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL : Code 04085(std) BRAKE SYSTEM, HYDRAULIC AVAIL: Code 04VJL AIR DRYER LOCATION	04EBD		
	04EBT	\$526 +17/+20	\$526 0/0
	04EDC	\$578 -48/+51	\$578 -48/+51
	04EBS	\$450 +21/+6	\$450 +21/+6

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-28

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO.

35

SECTION 090

PAGE 090-30

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE CHAMBERS, SPRING (SEE PREV PAGE) REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBL, 14TBM, 14TBN and 14TBS SUSPENSION, REAR, AIR, SINGLE	04ERC		
BRAKE IDENTITY, REAR <i>Meritor</i> - Cast Plus - 16.5" x 8.63" REQS: Code 04NDH, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, HYDRAULIC DISC	04NNP	\$1,935 0/0	N/A
BRAKE LININGS, FRONT <i>Meritor</i> - R301 - Non-Asbestos for S-Cam Brake REQS: Code 04091 BRAKE SYSTEM, AIR N/A: Code 02AEM, 02AHZ and 02AUS AXLE, FRONT NON-DRIVING : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04EUB	\$29 0/0	\$29 0/0
BRAKE LININGS, REAR <i>Meritor</i> - R301 - Non-Asbestos for S-Cam Brake REQS: Code 04091 BRAKE SYSTEM, AIR N/A: Code 04WEY BRAKE PACKAGE, REAR : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04EUD	\$29 0/0	\$29 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-31

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE PACKAGE, FRONT Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5" REQS: Code 02AGB or 02AGM AXLE, FRONT NON-DRIVING REQS: Code 04JBZ or 04JCA BRAKES, FRONT, AIR DISC REQS: Code 04WEY BRAKE PACKAGE, REAR REQS: Code 27DMB, 27DMC, 27DPN, 27DPS, 27DTH, 27DTJ, 27DTT, 27DUG, 27DUK, 27DUL, 27DUR or 27DUS WHEELS, FRONT N/A: Code 04EUB BRAKE LININGS, FRONT : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCH, 04JCJ and 04196 BRAKES, FRONT, AIR CAM : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14TAX SUSPENSION, REAR, AIR, SINGLE or Code 14SAN, 14SCE, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE, when in combination with Code 02AEM, 02AGB, 02AGM, 02AHY, 02AHZ, 02ASC, 02ASH, 02ATK, 02ATL, 02ATM, 02AUS, 02AUT or 02AUV AXLE, FRONT NON-DRIVING and Code 04091 BRAKE SYSTEM, AIR and Code 14AHH, 14AHJ, 14AHL, 14ASA or 14ASD AXLE, REAR, SINGLE	04WEZ	N/C 0/0	N/A
BRAKE PACKAGE, REAR Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5" REQS: Code 04WEZ BRAKE PACKAGE, FRONT REQS: Code 04JCC or 04JDG BRAKES, REAR, AIR DISC REQS: Code 28DMB, 28DMC, 28DPS, 28DTH, 28DTJ, 28DTT, 28DTX, 28DUG, 28DUK or 28DUS WHEELS, REAR N/A: Code 04773 BRAKE SHOES, REAR : Code 04EUD BRAKE LININGS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN and 04NDP BRAKES, REAR, AIR CAM : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14TAX SUSPENSION, REAR, AIR, SINGLE or Code 14SAN, 14SCE, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE, when in combination with Code 02AEM, 02AGB, 02AGM, 02AHY, 02AHZ, 02ASC, 02ASH, 02ATK, 02ATL, 02ATM, 02AUS, 02AUT or 02AUV AXLE, FRONT NON-DRIVING and Code 04091 BRAKE SYSTEM, AIR and Code 14AHH, 14AHJ, 14AHL, 14ASA or 14ASD AXLE, REAR, SINGLE	04WEY	N/C 0/0	N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-32

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE, PARKING Bosch DSSA Type, 12" x 3"; for Hydraulic Brake Chassis; Activated by Lever in Cab; Differential Mounted INCLS: PARKING BRAKE CONTROL {Orschein} Lever, Floor Mounted, Located Right of Driver REQS: Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AKC, 14AKD, 14AKE, 14AKG, 14AKJ, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ(std), 14APL, 14APU, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKC, 14AKD, 14AKE, 14AKG, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04091 and 04092 BRAKE SYSTEM, AIR DSSA Drum Type; 12" x 3", Spring Actuated; For Hydraulic Brake Chassis With Air Source; Activated by Parking Brake Knob on Instrument Panel; Differential Mounted INCLS: PARKING BRAKE CONTROL Applies Hydraulic Actuated Powered Park Brake REQS: Code 04SPN AIR COMPRESSOR REQS: Code 14AGA, 14AGE, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AKC, 14AKD, 14AKE, 14AKG, 14AKJ, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ(std), 14APL, 14APU, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKC, 14AKD, 14AKE, 14AKG, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04091 and 04092 BRAKE SYSTEM, AIR DSSA Drum Type; 12" x 3", Spring Actuated; for Hydraulic Brake Chassis; Activated by Parking Brake Knob on Instrument Panel; With Key Switch Interlock, Park Brake Cannot be released Until Ignition Switch is in "On" Position; Differential Mounted INCLS: PARKING BRAKE CONTROL Applies Hydraulic Actuated Powered Park Brake REQS: Code 04JNG TRACTION CONTROL, HYDRAULIC, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC REQS: Code 04SPK or 04SPN AIR COMPRESSOR REQS: Code 14AGA, 14AGE, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AKC, 14AKD, 14AKE, 14AKG, 14AKJ, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ(std), 14APL, 14APU, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA 4X2	04GAR	STD	STD
	04GAS	\$515 0/-3	\$515 0/-3
	04GAW	\$719 0/0	\$719 0/+8
	(SEE NEXT PAGE)		

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-33

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE, PARKING (SEE PREV PAGE) Bosch -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKC, 14AKD, 14AKE, 14AKG, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04091 and 04092 BRAKE SYSTEM, AIR	04GAW		
BRAKE SHOES, REAR Cast REQS: Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDC or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC : Code 04WEY BRAKE PACKAGE, REAR : Code 04085(std) BRAKE SYSTEM, HYDRAULIC NOTE: Provides Rear Axle GAWR Up to 26,000-Lb. : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04773	\$1,021 0/+50	N/A
BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 04EXP BRAKE CHAMBERS, FRONT AXLE REQS: Code 27DAR, 27DMB, 27DMC, 27DPS, 27DPZ, 27DTE, 27DTJ, 27DTS, 27DTT, 27DTU, 27DUG or 27DUR WHEELS, FRONT - for 4300 SBA LP 4X2 N/A: Code 02AEZ and 02AST AXLE, FRONT NON-DRIVING, when in combination with Code 04091 or 04092 BRAKE SYSTEM, AIR - for 4300 SBA 4X2 : Code 02AEZ and 02AST AXLE, FRONT NON-DRIVING : Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC (SEE NEXT PAGE)	04JCG	\$265CR +83/0	N/C +83/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-34

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKES, FRONT, AIR CAM (SEE PREV PAGE) N/A: Code 27DAN and 27DTX WHEELS, FRONT - for 4300 SBA 4X2 AVAIL: Code 04WBX DUST SHIELDS, FRONT BRAKE NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires. : Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM.	04JCG		
S-Cam; 15.0" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 04EXP BRAKE CHAMBERS, FRONT AXLE REQS: Code 27DAR, 27DMB, 27DMC, 27DPS, 27DPZ, 27DTE, 27DTJ, 27DTS, 27DTT, 27DTU, 27DUG or 27DUR WHEELS, FRONT - for 4300 SBA LP 4X2 N/A: Code 02AEZ, 02AST and 02ATN AXLE, FRONT NON-DRIVING : Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04EVD and 04WBX DUST SHIELDS, FRONT BRAKE : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 27DAN and 27DTX WHEELS, FRONT - for 4300 SBA 4X2 NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires. : Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM.	04JCH	\$116CR +116/0	\$149 +116/0
S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 02AEZ, 02AGB, 02AGM, 02AHZ, 02AJE, 02ASC, 02ASH, 02AST, 02ATM, 02ATN, 02AUT or 02AUV AXLE, FRONT NON-DRIVING REQS: Code 04EXP BRAKE CHAMBERS, FRONT AXLE REQS: Code 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC (SEE NEXT PAGE)	04JCJ	N/C +165/0	N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO.

35

SECTION 090

PAGE 090-35

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKES, FRONT, AIR DISC (SEE PREV PAGE) N/A: Code 04EVD and 04WBX DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCH, 04JCJ and 04196 BRAKES, FRONT, AIR CAM : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04JBZ		
BRAKES, FRONT, HYDRAULIC DISC Quadraulic; Four 70mm Diameter Pistons REQS: Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ATY, 14AWA, 14CDE or 14CEG AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 02AEZ, 02AJE, 02AST and 02ATN AXLE, FRONT NON-DRIVING : Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04JCG, 04JCH, 04JCJ and 04196 BRAKES, FRONT, AIR CAM : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN and 04NDP BRAKES, REAR, AIR CAM : Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 27DAR, 27DPN, 27DTS, 27DTT, 27DUL, 27DUR and 27DUS WHEELS, FRONT AVAIL: Code 04EVD DUST SHIELDS, FRONT BRAKE	04JNP	STD	STD
BRAKE CHAMBERS, FRONT AXLE Bendix 20 Sqn REQS: Code 04JCG, 04JCH or 04JCJ BRAKES, FRONT, AIR CAM - for 4300 SBA 4X2 -OR- BRAKES, FRONT, AIR CAM - for 4300 SBA LP 4X2 -OR- BRAKES, FRONT, HYDRAULIC DISC N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04EXP	N/C +17/0	N/C +17/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-37

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE CHAMBERS, FRONT AXLE (CONTINUED) Bendix 24 SqIn REQ: Code 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, HYDRAULIC DISC N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04EXV	N/C 0/0	N/A
BRAKES, REAR, AIR CAM S-Cam; 15.0" x 8.63"; Includes 24/30 Sq. In. Long Stroke Brake Chambers and Spring Actuated Parking Brake REQ: Code 04EXS BRAKE CHAMBERS, REAR AXLE REQ: Code 27DAN, 27DAR, 27DTS or 27DTX WHEELS, FRONT - for 4300 SBA LP 4X2 REQ: Code 27DAN, 27DAR, 27DTS or 27DTX WHEELS, FRONT - for 4300 SBA 4X2 REQ: Code 28DAN, 28DAR, 28DTS or 28DTX(std) WHEELS, REAR - for 4300 SBA LP 4X2 REQ: Code 28DAN, 28DAR, 28DTS or 28DTX WHEELS, REAR - for 4300 SBA 4X2 REQ: Code 04JCG or 04JCH BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 REQ: Code 04091 BRAKE SYSTEM, AIR REQ: Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 REQ: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ASA, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG or 14CVB AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04774 SPECIAL RATING, GAWR : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04NNP BRAKE IDENTITY, REAR : Code 04WEY BRAKE PACKAGE, REAR : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC (SEE NEXT PAGE)	04NCW	\$278 0/+209	\$278 0/+209

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-38

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKES, REAR, AIR CAM (SEE PREV PAGE)			
N/A: Code 04ERC BRAKE CHAMBERS, SPRING AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE NOTE: Rear Axle is Limited to 20,000-LB GAWR with Code 04092 BRAKE SYSTEM, AIR and Code 04NCW BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered	04NCW		
S-Cam; 16.5" x 7.0"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04774 SPECIAL RATING, GAWR : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04NNP BRAKE IDENTITY, REAR : Code 04WEY BRAKE PACKAGE, REAR : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 04ERC BRAKE CHAMBERS, SPRING : Code 28DAN, 28DAR and 28DTS WHEELS, REAR AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	04NDL	N/C 0/+179	N/C 0/+179
S-Cam; 16.5" x 7.0"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston-Type Spring Activated Parking Brakes REQS: Code 04EVR BRAKE CHAMBERS, REAR AXLE REQS: Code 04091 BRAKE SYSTEM, AIR	04NCZ	N/C 0/+180	N/C 0/+180

(SEE NEXT PAGE)

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-39

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKES, REAR, AIR CAM (SEE PREV PAGE) N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 04ERC BRAKE CHAMBERS, SPRING : Code 28DAN, 28DAR and 28DTS WHEELS, REAR AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE S-Cam; 16.5" x 8.625"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 14AET, 14AEW, 14AEY, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHW, 14AJW, 14AKH, 14AKL, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APT, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14CDE, 14CDL, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AKH, 14AKL, 14ATY or 14ATZ AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04WEY BRAKE PACKAGE, REAR : Code 04773 BRAKE SHOES, REAR : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 28DAN, 28DAR and 28DTS WHEELS, REAR AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	04NDH		
	04NDP	\$111 0/+229	\$111 0/+229
S-Cam; 16.5" x 8.625"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVR BRAKE CHAMBERS, REAR AXLE REQS: Code 14AET, 14AEW, 14AEY, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHW, 14AJW, 14AKH, 14AKL, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APT, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14CDE, 14CDL, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AKH, 14AKL, 14ATY or 14ATZ AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04774 SPECIAL RATING, GAWR : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04WEY BRAKE PACKAGE, REAR : Code 04773 BRAKE SHOES, REAR : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC (SEE NEXT PAGE)	04NDN	\$111 0/+257	\$111 0/+257

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO.

35

PAGE 090-43

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
DRAIN VALVE (CONTINUED) Bendix - DV-2 - (1) Automatic, with Heater, with (2) Berg Pull Chains, for Air Tank Automatic, with Heater, for Air Tank INCLS: DRAIN VALVE Mounted in Wet Tank REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC	04WXX 04722	\$112 \$119 + 1/0	\$112 \$119 + 1/0
DUST SHIELDS, FRONT BRAKE for Air Brakes REQS: Code 27DMB, 27DMC, 27DPS, 27DPZ, 27DTE, 27DTJ, 27DTT, 27DTU, 27DUG or 27DUR WHEELS, FRONT - for 4300 SBA LP 4X2 REQS: Code 04JCG, 04JCJ or 04196 BRAKES, FRONT, AIR CAM - for 4300 SBA 4X2 -OR- Code 04JCG BRAKES, FRONT, AIR CAM - for 4300 SBA LP 4X2 N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 27DAN, 27DAR, 27DTS and 27DTX WHEELS, FRONT - for 4300 SBA 4X2 for Hydraulic Brakes N/A: Code 02AEZ, 02AGB, 02AJE, 02AST, 02ATN and 02AUV AXLE, FRONT NON-DRIVING : Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04JCG, 04JCH, 04JCJ and 04196 BRAKES, FRONT, AIR CAM : Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 27DAR, 27DPN and 27DTS WHEELS, FRONT	04WBX 04EVD	\$35 + 4/0 \$35 + 2/0	\$35 + 4/0 \$35 + 2/0
DUST SHIELDS, REAR BRAKE for Air Brakes REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTE, 28DTJ, 28DTT, 28DTU, 28DUG or 28DUR WHEELS, REAR - for 4300 SBA LP 4X2 N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR - for 4300 SBA 4X2 for Hydraulic Brakes N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN and 04NDP BRAKES, REAR, AIR CAM : Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 28DAR and 28DTS WHEELS, REAR	04WDM 04EVE	\$70 0/+6 \$35 0/+2	\$70 0/+6 \$35 0/+2

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-47

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
HAND CONTROL VALVE, AIR for Trailer Brakes, Omit Item. REQ: Code 04619 TRAILER CONNECTIONS, when in combination with Code 04091 BRAKE SYSTEM, AIR N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04WDU	N/C - 2 / 0	N/A
HOSE TENDER Flexible Pogo Stick Type REQ: Code 16ZGM ACCESS, FRAME, when in combination with Code 04092 BRAKE SYSTEM, AIR REQ: Code 04092 BRAKE SYSTEM, AIR REQ: Code 07BKN, 07BKP, 07BKS, 07BKY(std) or 07BLH EXHAUST SYSTEM N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC Slide Bar With Single Spring Bracket; Bar Extended 4.0" From Cab REQ: Code 04092 BRAKE SYSTEM, AIR REQ: Code 07BKN, 07BKP, 07BKS, 07BKY(std) or 07BLH EXHAUST SYSTEM N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04692 04808	\$76 \$143 + 8 / + 7	N/A N/A
PARKING BRAKE CONTROL For Automatic Actuation; Use With Allison 2000 Transmission, With Dual Neutral, With Hydraulic Brakes, and Powered Parking Brakes REQ: Code 04GAS or 04GAW BRAKE, PARKING REQ: Code 13ARA, 13ARB, 13ARJ, 13ASL, 13ASM, 13ASN, 13ASP, 13ASY, 13ATC, 13ATD, 13ATG or 13ATH TRANSMISSION, AUTOMATIC N/A: Code 08WXD ALARM, PARKING BRAKE : Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	04WCX	\$259 + 2 / 0	\$259 + 2 / 0
SLACK ADJUSTERS, FRONT <i>Haldex</i> Automatic REQ: Code 04LGA SLACK ADJUSTERS, REAR N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04LAA	\$138 + 6 / 0	\$138 + 6 / 0
SLACK ADJUSTERS, REAR <i>Haldex</i> Automatic REQ: Code 04LAA SLACK ADJUSTERS, FRONT - for 4300 SBA LP 4X2 REQ: Code 04LAA SLACK ADJUSTERS, FRONT or Code 04JBZ or 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 <div style="text-align: right;">(SEE NEXT PAGE)</div>	04LGA	\$188 0 / 0	\$188 0 / 0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-48

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SLACK ADJUSTERS, REAR (SEE PREV PAGE) Haldex REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04WEY BRAKE PACKAGE, REAR : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04LGA		
SPECIAL RATING, GAWR Provides Rear Tractor Brake Rating Equal to Axle Rating up to 23,000-lbs for Single Axles, 46,000-lbs for Tandem Axles, or 69,000-lb for Tridem REQS: Code 04NDB, 04NDH or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC NOTE: Provides Rear Axle GAWR Up to 23,000-Lb. : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04774	N/C 0/0	N/A
TRACTION CONTROL, HYDRAULIC Automatic; With Full Power Hydraulic Brake System N/A: Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING	04JNG	\$217 0/0	\$217 0/0



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
DRIVESHAFT (SEE PREV PAGE) Dana Spicer -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 SPL100XS in lieu of SPL90 Series SPL140 in lieu of SPL90 Series REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 1710 Series in lieu of SPL90 Series REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ARB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG or 14CVB AXLE, REAR, SINGLE N/A: Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING	06DBZ 06DDL 06DCZ 06DAC	\$448 \$233 0/+2 \$272 +6/+17	\$448 \$233 0/+2 N/A
EXHAUST SYSTEM Single, Horizontal Aftertreatment Device, Frame Mounted Under Right Rail, Back of Cab, Includes Short Horizontal Tail Pipe REQS: Code 08VTJ, 08VUL, 08VUM, 08VUR or 08VUX(std) BATTERY BOX, when in combination with Code 16CAB or 16030 CAB REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SWU(std) or 15SWY FUEL TANK N/A: Code 16SJA GRAB HANDLE : Code 04VJE and 04WZJ AIR TANK LOCATION : Code 08VUN, 08WJJ and 08XDU BATTERY BOX (SEE NEXT PAGE)	07BKY	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-52

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
MUFFLER/TAIL PIPE GUARD (CONTINUED) (2) Bright Stainless Steel N/A: Code 07BES, 07BEU and 07BEV AFTERTREATMENT COVER : Code 07BKN, 07BKP, 07BKS, 07BKY(std), 07BKZ and 07BLH EXHAUST SYSTEM AVAIL: Code 08VUL, 08VUM, 08VUX(std) and 08VUY BATTERY BOX : Code 07WAY, 07WAZ and 07WBA TAIL PIPE	07WDL	\$383 0/0	N/A
RAIN CAP With Single Exhaust, Chrome Finish REQS: Code 07WAY TAIL PIPE REQS: Code 07BKN or 07BKS EXHAUST SYSTEM AVAIL: Code 07WAY, 07WAZ and 07WBA TAIL PIPE With Single Exhaust, Non-Bright Finish REQS: Code 07BKN or 07BKS EXHAUST SYSTEM AVAIL: Code 07WDT TAIL PIPE	07WAG 07WAE	\$62 + 2/0 \$21 + 2/0	\$62 + 2/0 \$21 + 2/0
SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF 2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position	07WZX 07WZY	\$42 + 2/0 \$31 + 2/0	\$42 + 2/0 \$31 + 2/0
TAIL PIPE (1) Straight Type, Bright, for Single Exhaust REQS: Code 07BKN or 07BKS EXHAUST SYSTEM N/A: Code 07WCM EXHAUST HEIGHT AVAIL: Code 07WAG RAIN CAP (1) Straight Type, Non-Bright, for Single Exhaust REQS: Code 07BKN or 07BKS EXHAUST SYSTEM N/A: Code 07WDL MUFFLER/TAIL PIPE GUARD AVAIL: Code 07WAE RAIN CAP (1) Turnback Type, Bright, for Single Exhaust REQS: Code 07BKN or 07BKS EXHAUST SYSTEM AVAIL: Code 07WAG RAIN CAP (1) Turnback Type, Non-Bright, for Single Exhaust REQS: Code 07BKN or 07BKS EXHAUST SYSTEM AVAIL: Code 07WAG RAIN CAP Horizontal, Exits Right Side Outside of Body, At Rear Wheels REQS: Code 07BKZ or 07BLH EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS, 07WDL and 07WDN MUFFLER/TAIL PIPE GUARD (SEE NEXT PAGE)	07WAY 07WDT 07WBA 07WAZ 07WBZ	\$144 0/0 N/C \$162 0/0 \$64 0/0 \$361 0/0	\$144 0/0 N/C \$162 0/0 \$64 0/0 \$361 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-57

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ELECTRICAL SYSTEM (SEE PREV PAGE) INCLS: WIRING, CHASSIS Color Coded and Continuously Numbered : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : FUSES, ELECTRICAL SAE Blade-Type : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab	08000		
ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, With Ignition "OFF" and any Door Opened N/A: Code 04WCX PARKING BRAKE CONTROL	08WXD	\$42 0/0	\$42 0/0
ALTERNATOR Leece-Neville - AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense - AVI160P2003 - Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, With Remote Sense - AVI160P2007 - Brush Type; 12 Volt 210 Amp. Capacity, Pad Mount, With Remote Sense - AVI160P2012 - Brush Type; 12 Volt 190 Amp. Capacity, Pad Mount, With Remote Sense - BLP4006HN - Brushless, 12 Volt 325 Amp. Capacity, Pad Mount, with Remote Sense Bosch - LH160 - Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount	08GXD 08GXB 08GXC 08GXE 08GXK 08GGN	STD \$601 +1/0 \$476 +1/0 \$368 0/0 \$1,358 +1/0 \$151 -5/0	STD \$601 +1/0 \$476 +1/0 \$368 0/0 \$1,358 +1/0 \$151 -5/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-59

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ALTERNATOR (CONTINUED) Bosch - LH200 - Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount Delco Remy - 28SI - Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount, with Remote Voltage Sensor Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount, with Remote Voltage Sensor - 36SI - Brushless, 12 Volt 165 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GGR 08GHP 08GHU 08GGG	\$459 - 2 / 0 \$277 - 1 / 0 \$404 - 1 / 0 \$491 + 8 / - 1	\$459 - 2 / 0 \$277 0 / - 1 \$404 - 1 / 0 \$491 + 8 / - 1
AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications N/A: Code 08THV DISCONNECT, FRONT HARNESS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	08THJ	\$158 + 2 / 0	N/A
BACK-UP ALARM Electric, 102 dBA Preco - 1059 - Electronic; Solid State, Dual Function, 112 dBA N/A: Code 08TRS STOP, TURN, TAIL & B/U LIGHTS	08THB 08WDG	\$120 0 / + 3 \$211 0 / + 1	\$120 0 / + 3 \$211 0 / + 1
BATTERY BOX Steel, with Plastic Cover, 25" Wide, 2 or 3 Battery Capacity, Mounted Right Side Under Cab REQS: Code 16VHG CAB MOUNTING HEIGHT EFFECTS or Code 04EBD, 04EBS, 04EBT or 04EDC AIR DRYER, when in combination with Code 04091 BRAKE SYSTEM, AIR - for 4300 SBA LP 4X2 REQS: Code 16VHG CAB MOUNTING HEIGHT EFFECTS or Code 04EBD, 04EBS, 04EBT or 04EDC AIR DRYER, when in combination with Code 04091 or 04092 BRAKE SYSTEM, AIR - for 4300 SBA 4X2 REQS: Code 07BKY(std) or 07BLH EXHAUST SYSTEM REQS: Code 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE, 15SWU(std) or 15SWY FUEL TANK N/A: Code 04VJE and 04WZJ AIR TANK LOCATION : Code 07BES, 07BEU and 07BEV AFTERTREATMENT COVER : Code 15WCN DEF TANK AVAIL: Code 08RMH BATTERY DISCONNECT SWITCH	08VUX	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-60

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BATTERY BOX (CONTINUED) Steel, With Plastic Cover, 18" Long By 30" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side, 19" Back of Cab REQS: Code 16030(std) CAB REQS: Code 08MKL, 08MKX, 08MMG, 08MRR or 08NBR BATTERY SYSTEM REQS: Code 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZX, 15DZY, 15DZZ, 15SGJ, 15SGK, 15SRE, 15SWU(std) or 15SWY FUEL TANK, when in combination with Code 04VJE AIR TANK LOCATION REQS: Code 07BKP, 07BKS, 07BKY(std), 07BKZ or 07BLH EXHAUST SYSTEM REQS: Code 15DYT, 15DYU, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZX, 15DZY, 15DZZ, 15SGG, 15SGJ, 15SGK, 15SRE, 15SWU(std) or 15SWY FUEL TANK N/A: Code 16XYV ACCESS, CAB : Code 16ZGM ACCESS, FRAME : AIR TANK : Code 07WDL MUFFLER/TAIL PIPE GUARD : Code 08WCM POWER SOURCE, SPECIAL AVAIL: Code 08XHV BATTERY DISCONNECT SWITCH : Code 04VJE AIR TANK LOCATION : Code 15WDG(std) DEF TANK	08VUT	\$76 +28/+56	N/A
Steel, With Plastic Cover, 18" Long By 30" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side, 5" Back of Cab REQS: Code 08MKL, 08MKX, 08MMG, 08MRR or 08NBR BATTERY SYSTEM REQS: Code 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZX, 15DZY, 15DZZ, 15SGJ, 15SGK, 15SRE, 15SWU(std) or 15SWY FUEL TANK, when in combination with Code 04VJE AIR TANK LOCATION REQS: Code 07BKP, 07BKS or 07BKY(std) EXHAUST SYSTEM REQS: Code 15DYT, 15DYU, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZX, 15DZY, 15DZZ, 15SGK, 15SRE, 15SWU(std) or 15SWY FUEL TANK N/A: Code 16XYV ACCESS, CAB : Code 16ZGM ACCESS, FRAME : Code 16196 CAB : Code 08XHD BATTERY DISCONNECT SWITCH : AIR TANK - for 4300 SBA LP 4X2 : AIR TANK - for 4300 SBA 4X2 : Code 07WDL MUFFLER/TAIL PIPE GUARD : Code 08WCM POWER SOURCE, SPECIAL AVAIL: Code 15WDG(std) DEF TANK	08VUU	\$76 +28/+54	\$76 +28/+54
Aluminum With Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab REQS: Code 07BKP, 07BKS, 07BKY(std), 07BKZ or 07BLH EXHAUST SYSTEM REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGG, 15SGJ, 15SMD, 15SRE, 15SWU(std) or 15SWY FUEL TANK N/A: Code 16XYV ACCESS, CAB	08VUM	\$410	\$410

(SEE NEXT PAGE)

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO.

35

SECTION 090

PAGE 090-61

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CB ANTENNA <i>Pana-Pacific</i> (02) Full Wave; 4.0' Length Includes "International" Name on Top REQS: Code 08RCB CB RADIO NOTE: To Be Installed By Dealer	08RBK	\$78 + 4/0	\$78 + 4/0
CB RADIO Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two Antenna Bases With Wiring REQS: Code 16SDT, 16SDU, 16SNB or 16SNC MIRRORS AVAIL: Code 08TPB DATA RECORDER NOTE: NOT INCLUDED: Antenna	08RCB	\$359 + 2/0	\$359 + 2/0
2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness N/A: Code 08RMA, 08RMB and 08RMC RADIO, when in combination with Code 08TPA DATA RECORDER Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab AVAIL: Code 08TPB DATA RECORDER	08REA 08RGA	\$163 + 2/0 \$68 + 1/0	\$163 + 2/0 \$68 + 1/0
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	08XAH	\$99 0/0	\$99 0/0
CIGAR LIGHTER Includes Ash Cup N/A: CUP HOLDERS	08518	\$18 + 1/0	\$18 + 1/0
CLEARANCE/MARKER LIGHTS <i>Truck Lite</i> (05) Amber LED Lights, Flush Mounted on Cab or Sunshade REQS: Code 08XGT TURN SIGNALS, FRONT	08WPH	\$70 0/0	\$70 0/0
COURTESY LIGHT (02) Mounted In Front Map Pocket Left and Right Side REQS: Code 16WLE(std) STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM REQS: Code 16WRX(std) or 16WSX CAB INTERIOR TRIM REQS: Code 16WRX(std) CAB INTERIOR TRIM, when in combination with Code 16030 CAB (SEE NEXT PAGE)	08WTP	\$48 + 1/0	\$48 + 1/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-66

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
COURTESY LIGHT (SEE PREV PAGE) REQS: Code 16WSX CAB INTERIOR TRIM, when in combination with Code 16CAB CAB N/A: Code 16196 CAB NOTE: Feature included with CAB INTERIOR TRIM, Premium (04) Mounted In Front & Rear Map Pocket Left and Right Side REQS: Code 16WLE(std) STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM REQS: Code 16WSG CAB INTERIOR TRIM, when in combination with Code 16196 CAB REQS: Code 16196 CAB NOTE: Feature included with CAB INTERIOR TRIM, Premium	08WTP 08WTR	\$75 +2/0	\$75 +2/0
DATA RECORDER Includes Display Mounted in Overhead Console REQS: Code 16JXG(std) or 16KAX SEAT, FRONT BENCH, when in combination with Code 16400 SEAT, PASSENGER REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE N/A: Code 08RMA, 08RMB and 08RMC RADIO, when in combination with Code 08REA 2-WAY RADIO : Code 08RCB CB RADIO AVAIL: Code 08REA 2-WAY RADIO Less Display REQS: Code 16JXG(std) or 16KAX SEAT, FRONT BENCH, when in combination with Code 16400 SEAT, PASSENGER REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE	08TPA 08TPB	\$1,770 +2/0 \$1,340 +2/0	\$1,770 +2/0 \$1,340 +2/0
DISCONNECT, FRONT HARNESS for Guide Post Lights; Connectors Located at Headlight Connection, for Customer Installation N/A: Code 08THJ AUXILIARY HARNESS	08THV	\$14 0/0	\$14 0/0
ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Separate Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake accommodation package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 08WJZ WORKLIGHT ON W/BACKUP : Code 08HAA BODY BUILDER WIRING : Code 08TME and 08TMG TRAILER CONNECTION SOCKET	08HAG	\$363 0/+2	\$363 0/+2



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ELECTRIC TRAILER BRAKE/LIGHTS (CONTINUED) Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 08WJZ WORKLIGHT ON W/BACKUP : Code 08HAA BODY BUILDER WIRING : Code 08TME and 08TMG TRAILER CONNECTION SOCKET	08HAH	\$363 0/+2	\$363 0/+2
FOG LIGHTS (02) Amber, Oval, With H355W Halogen Bulb REQS: Code 01LLA, 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT - for 4300 SBA 4X2 -OR- Code 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT - for 4300 SBA LP 4X2 N/A: Code 01WDR FRAME EXTENSION, FRONT - for 4300 SBA 4X2 NOTE: Fog Lights are Not Driving Lights (02) Clear, Oval, With H355W Halogen Bulb REQS: Code 01LLA, 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT - for 4300 SBA 4X2 -OR- Code 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT - for 4300 SBA LP 4X2 N/A: Code 01WDR FRAME EXTENSION, FRONT - for 4300 SBA 4X2 NOTE: Fog Lights are Not Driving Lights Prewire; Includes Auxiliary Toggle Switch and Wiring to Front Bumper, for Driving Lights or Fog Lights Mounted by Customer	08WPL 08WPM 08585	\$133 +5/0 \$133 +5/0 \$39 +1/0	\$133 +5/0 \$133 +5/0 \$39 +1/0
HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	08WXB	\$49 0/0	\$49 0/0
HEADLIGHTS Halogen; Composite Aero Design for Two Light System NOTE: STANDARD IN USA : 010002 Halogen; Composite Aero Design for Two Light System; Includes Daytime Running Lights	08WZK 08WPB	STD \$58 0/0	STD \$58 0/0
HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	08WRB	\$22 0/0	\$22 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-68

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
HORN, AIR ACCOMMODATION PACKAGE; less Horn REQ: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQ: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 N/A: Code 16XYM AERODYNAMIC PACKAGE Black, Single Trumpet, Air Solenoid Operated REQ: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQ: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2	08WHE 08WCL	\$88 + 2/0 \$94 + 2/0	\$88 + 2/0 \$94 + 2/0
HORN, ELECTRIC Disc Style (02) Disc Style	08VAY 08541	STD \$29 + 1/0	STD \$29 + 1/0
IGNITION SWITCH Keyless N/A: Code 10943 KEYS - ALL ALIKE	08630	\$35 + 2/0	\$35 + 2/0
INDICATOR, BATTERY WARNING Green BATTERY ON Indicator, Mounted on Left Side of Instrument Panel, To be Used with Factory Installed or Customer Mounted Battery Disconnect Switch REC: Code 08RMH, 08XHD or 08XHV BATTERY DISCONNECT SWITCH	08WZP	\$59 + 1/0	\$59 + 1/0
INDICATOR, LOW COOLANT LEVEL With Audible Alarm	08WWJ	STD	STD
JUMP START STUD Remote Mounted INCLS: JUMP START STUD Mounted to Battery Box	08WBW	\$168 + 2/0	\$168 + 2/0
JUNCTION BLOCK Stud, 100 Amp Battery Feed, Protected by a Fusible Link, Stud to Be Used for Body Builder Feeds Inside Cab	08WZG	\$382 0/0	\$382 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-69

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
LIGHT, WORK (1) Pedestal Mounted BOC With Switch on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 08WMA and 08WTT SWITCH, TOGGLE, FOR WORK LIGHT Truck Lite - 81 Series - LED, Pedestal Mounted BOC With Switch on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 08WMA and 08WTT SWITCH, TOGGLE, FOR WORK LIGHT	08WLL	\$119 +3/+2	N/A
	08WAA	\$169 +2/0	N/A
POWER SOURCE Cigar Type Receptacle without Plug and Cord	08718	\$30 +1/0	\$30 +1/0
POWER SOURCE, SPECIAL Special Socket; Single Terminal, for Power Lift Gate Feed, Battery Feed Thru 150 Amp Circuit Breaker, To Operate Lift Gate On Trailer, Includes a 15' Power Cable Coiled In Cab REQS: Code 16VHG CAB MOUNTING HEIGHT EFFECTS, when in combination with Code 16030 CAB and Code 15DMV, 15SGD, 15SGG, 15SGJ, 15SMD or 15SRE FUEL TANK and Code 15WDG DEF TANK and Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 07BKN, 07BKP or 07BKS EXHAUST SYSTEM N/A: Code 16196 CAB : Code 04085 BRAKE SYSTEM, HYDRAULIC or Code 04091 BRAKE SYSTEM, AIR : Code 04085(std) BRAKE SYSTEM, HYDRAULIC AVAIL: Code 08VTJ, 08VUL, 08VUM, 08VUR and 08VUX(std) BATTERY BOX Special Socket; Dual Pole Terminal, for Power Lift Gate Feed, Battery Feed Thru 150 Amp Circuit Breaker, To Operate Lift Gate On Trailer, Includes a 15' Coiled Dual Pole Power Cable Shipped in Cab REQS: Code 16VHG CAB MOUNTING HEIGHT EFFECTS, when in combination with Code 16030 CAB and Code 15DMV, 15SGD, 15SGG, 15SGJ, 15SMD or 15SRE FUEL TANK and Code 15WDG DEF TANK and Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL REQS: Code 16030(std) CAB REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 07BKN, 07BKP, 07BKS or 07BLH EXHAUST SYSTEM (SEE NEXT PAGE)	08WCM	\$177 +15/0	N/A
	08WKP	\$412 +1/0	N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-70

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
POWER SOURCE, SPECIAL (SEE PREV PAGE) N/A: Code 04085 BRAKE SYSTEM, HYDRAULIC or Code 04091 BRAKE SYSTEM, AIR : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 08VTJ BATTERY BOX : Code 15SGD FUEL TANK, when in combination with Code 08VUY BATTERY BOX for Customer Installed Lift Gate; 200 Amp Max, Includes 00ga. Power Cable to End of Frame, Optional Power (PDM) for Power Source, Latched Switch on Instrument Panel, With a Time Out Feature, Battery Discharge Protection, Controlling a Mag Switch Which Provides Power N/A: Code 08VUR BATTERY BOX	08WKP 08VBA	 \$476 + 1/+2	 \$476 + 1/+2
POWER SOURCE, TERMINAL TYPE 2-Post	08WCK	\$39 + 1/0	\$39 + 1/0
RADIO Accommodation Package; Less Radio, With Wiring and Antenna, Includes Multiple Speakers INCLS: SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers, With CD Player AM/FM/CD/WB/SiriusXM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers REQS: Code 16SDT or 16SDU MIRRORS AM/FM/CD/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers AM/FM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers	08787 08RMD 08RME 08RMC 08RMB 08RMA	\$128 + 2/0 \$368 + 1/0 \$474 + 1/0 \$886 + 1/0 \$763 + 1/0 \$483 + 1/0	\$128 + 2/0 \$368 + 1/0 \$474 + 1/0 \$886 + 1/0 \$763 + 1/0 \$483 + 1/0



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
RADIO (CONTINUED) Panasonic - CQ120 - AM/FM, Includes Multiple Speakers, Includes Auxiliary Input INCLS: SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior	08RKB	\$305 + 2/0	\$305 + 2/0
SATELLITE COMMUNICATION SYSTEM PeopleNet System Installation Package, Less System; Includes GPS Antenna, Cellular Antenna Base Outside Cab, Main Power & Datalink Cable, Options Connector Located in Dash Passenger Side, J1939 & J1708 Connection for Customer Supplied VID Multi Bus Adaptor REQS: Code 16UKJ ANTENNA MOUNTING BRACKETS, when in combination with Code 16030 CAB N/A: Code 16196 CAB	08RLK	\$983 + 7/+3	\$983 + 7/+3
SOLENOID, AIR for Customer Use; Provides (1) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC NOTE: To Be Used as a Pilot Air and NOT as an Air Supply. for Customer Use; Provides (2) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC NOTE: To Be Used as a Pilot Air and NOT as an Air Supply. for Customer Use; Provides (3) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGA 08WGB 08WGC	\$105 + 1/0 \$182 + 2/0 \$207 + 2/0	\$105 + 1/0 \$182 + 2/0 \$207 + 2/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-72

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-74

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light N/A: Code 08WAA and 08WLL LIGHT, WORK Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light N/A: Code 08WAA and 08WLL LIGHT, WORK	08WMA 08WTT	\$59 +1/+2 \$66 +1/0	\$59 +1/+2 \$66 +1/0
TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC AVAIL: Code 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS	08NAA	\$74 0/+2	\$74 0/+2
TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	08WPZ	\$42 0/0	\$42 0/0
TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; With 30 Amp Fuse and Relay, Controlled by Ignition Switch REQS: Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC	08TKK	\$79 +1/0	\$79 +1/0
TRAILER CONNECTION SOCKET 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Combined With Stop, Compatible With Trailers That Use Combined Stop, Tail, Turn Lamps REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible With Trailers That Have Amber or Side Turn Lamps REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS	08TMG 08TME	\$439 +7/0 \$439 0/+7	\$439 +7/0 \$439 0/+7

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-78

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender REQS: Code 08WPH CLEARANCE/MARKER LIGHTS	08XGT	\$25 0/0	\$25 0/0
TURN SIGNAL SWITCH Non-Canceling Self-Canceling REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC With Hazard Flasher Overrides Brake, To be Done With Programming System Controller	08WEG 08WEZ 08THN	N/C +2/0 N/C 0/0 \$42 +1/0	N/C +2/0 N/A \$42 +1/0
WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	08WGL	\$26 0/0	\$26 0/0
WIRING, SPECIAL Includes Wires Installed Through the Dash Panel and End in Engine Compartment, In Cab Wire Ends Will Have ESC Input Terminals, Engine Compartment Wire Ends will have Sealed Connectors	08HAT	\$51 0/0	\$51 0/0
WORKLIGHT ON W/BACKUP Work Lights will Activate when Vehicle is in Reverse REQS: Code 08WAA or 08WLL LIGHT, WORK - for 4300 SBA 4X2 REQS: Code 08WMA or 08WTT SWITCH, TOGGLE, FOR WORK LIGHT N/A: Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS	08WJZ	\$31 +3/0	\$31 +3/0
FRONT END Tilting, Fiberglass, With Three Piece Construction	09WAY	STD	STD
BUG SCREEN Mounted Behind Grille REQS: Code 09HAD(std) GRILLE	09WAC	\$131 +5/0	\$131 +5/0
GRILLE Chrome N/A: Code 01WDR and 01WRS FRAME EXTENSION, FRONT - for 4300 SBA 4X2	09HAD	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-79

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
GRILLE (CONTINUED) Stationary, Chrome N/A: Code 16VHG CAB MOUNTING HEIGHT EFFECTS, when in combination with Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL - for 4300 SBA LP 4X2 : Code 16VHG CAB MOUNTING HEIGHT EFFECTS, when in combination with Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL - for 4300 SBA 4X2 : Code 09WAC BUG SCREEN	09HBM	\$99 0/0	\$99 0/0
GRILLE EMBER SCREEN Mounted to Grille and Cowl Tray to Keep Hot Embers out of Engine and HVAC Air Intake System N/A: Code 16WLS FRESH AIR FILTER	09WBT	\$201 0/0	\$201 0/0
HOOD, HATCH (01) for Servicing REQ: Code 16WSE LOW WASHER FLUID INDICATOR N/A: Code 12WZB EMISSION COMPLIANCE	09ANG	\$444 +5/0	\$444 +5/0
INSULATION, SPLASH PANELS for Sound Abatement REC: Code 09HAN INSULATION, UNDER HOOD - for 4300 SBA 4X2	09HBN	\$76 +2/0	\$76 +2/0
INSULATION, UNDER HOOD for Sound Abatement REC: Code 09HBN INSULATION, SPLASH PANELS - for 4300 SBA 4X2	09HAN	\$167 +10/0	\$167 +10/0
LOGOS EXTERIOR Badges	09AAB	\$115 0/0	\$115 0/0
QUARTER FENDERS for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted	09505	\$233 +12/+53	N/A
CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails N/A: Code 01GBP FRAME REINFORCEMENT	10021	\$500 0/0	N/A



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CUSTOMER SERVICES OnCommand Repair Advocate Service; 12-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 24-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 36-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 48-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 60-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARM	\$198 0/0	\$198 0/0
	10ARN	\$396 0/0	\$396 0/0
	10ARP	\$594 0/0	\$594 0/0
	10ARR	\$792 0/0	\$792 0/0
	10ARS	\$990 0/0	\$990 0/0
FIFTH WHEEL, AIR SLIDE NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section Holland - FW17J724XL00 - 24" Slide, 6.8" Above Top of Frame, Left Hand Release REQS: Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 01GBP FRAME REINFORCEMENT : FIFTH WHEEL, STATIONARY	10HKC	\$2,336 0/+424	N/A

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO.

35

SECTION 090

PAGE 090-82

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-84

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
MUD FLAP HOLDER			
Spring Loaded, Bright Finish; With 45-Degree End, With Red and White Reflective Tape; Less Flaps	10WPU	\$226 0/+34	N/A
Spring Loaded, Painted Black; With Red and White Reflective Tape; Less Flaps	10WPR	\$105 0/+34	\$105 0/+34
Spring Loaded, Painted Black; With 45-Degree End, With Red and White Reflective Tape; Less Flaps	10WPT	\$103 0/+34	\$103 0/+34
MUD FLAPS, FRONT WHEELS			
(02) Rubber, Behind Front Wheels, Mounted on Fender Extension N/A: Code 27DAN and 27DAR WHEELS, FRONT - for 4300 SBA LP 4X2 : Code 27DAN, 27DAR, 27DTS and 27DTX WHEELS, FRONT - for 4300 SBA 4X2 : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR	10WUE	\$76 +12/0	\$76 +12/0
MUD FLAPS, REAR			
Black Poly, With International Logo; Less Holders REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER	10WSX	\$58 0/+8	N/A
Black Rubber, Anti-Sail Less Logo; Less Holders REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER	10WPY	\$74 0/+8	N/A
OVER THE AIR PROGRAMMING			
for Cummins Engines REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY or 12EKA ENGINE, DIESEL	10AAY	\$250	\$250
PAINT CLASS			
Premium Color	10769	\$500 0/0	\$500 0/0
Single Custom Color	10771	\$600 0/0	\$600 0/0
PAINT IDENTITY, PT-2			
Single Color, Instruction No. 932. Wheels N/A: Code 27DPN and 27DTS WHEELS, FRONT : Code 28DTS WHEELS, REAR : Code 29ACB WHEEL, FRONT, IDENTITY : Code 29PAR, 29PAW, 29PBA and 29PBU PAINT IDENTITY, FRONT WHEELS : Code 29PAS, 29PAX, 29PBB and 29PBV PAINT IDENTITY, REAR WHEELS AVAIL: Code 29BAG WHEEL, REAR, IDENTITY	10632	\$219 0/0	\$219 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-87

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
PAINT TYPE			
Base Coat/Clear Coat, 1-2 Tone	10761	STD	STD
Base Coat/Clear Coat, 3-4 Tone	10762	N/C 0/0	N/C 0/0
QUARTER FENDERS			
for Rear Wheels, Black Plastic; Frame Mounted.	10WTR	\$188 0/+18	\$188 0/+18
SAFETY TRIANGLES			
	10WCY	\$29 +6/0	\$29 +6/0
SPECIAL RATING, GVWR			
Limited to 17,999-lb GVWR REQS: Code 02AEM, 02ATK(std) or 02AUS AXLE, FRONT NON-DRIVING REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 14SCD, 14SCE or 14VAB SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAC SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 14AGE, 14AHM, 14AJE, 14AJH, 14AJT, 14AKD, 14AKE, 14AKG, 14AKH, 14ANP, 14ANR or 14APJ(std) AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGE, 14AHM, 14AJC, 14AJE, 14AJH, 14AJT, 14AKD, 14AKE, 14AKG, 14AKH, 14ANP, 14ANR, 14APH or 14APJ(std) AXLE, REAR, SINGLE - for 4300 SBA LP 4X2	10WGC	N/C 0/0	N/C 0/0
Limited to 25,999-lb GVWR REQS: Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE, when in combination with Code 02AGM, 02ASH or 02AUT AXLE, FRONT NON-DRIVING - for 4300 SBA LP 4X2 REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 14SAH, 14SAM, 14SCD, 14SCE, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAC, 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2	10WGD	N/C 0/0	N/C 0/0
(SEE NEXT PAGE)			

**4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION NO. 35**

Printed in the United States of America

SECTION 090

PAGE 090-89

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CLUTCH (CONTINUED) NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book No Vendor Identified Omit Item (Clutch & Control) N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	11001	N/C - 60/- 15	N/C - 60/- 15
ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use AVAIL: Code 12VYP ENGINE CONTROL, REMOTE MOUNTED	12VYL	\$45 0/0	\$45 0/0
ENGINE, DIESEL NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - B6.7 200 - EPA 2017, 200 HP @ 2400 RPM, 520 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 200 Peak HP (Max) REQS: Code 40SDD, 40SDE, 40SDG, 40SDH, 40SDJ, 40SDK, 40SDL, 40SDM, 40SDN, 40SDP, 40SDR, 40SDS, 40SDT, 40SDU, 40SDV, 40SDY, 40SDZ, 40SEA, 40SEB or 40SEC SRV CONTRACT, EXT CMMS ENGINE REQS: Code 12EMZ VENDOR WARRANTY, ENGINE REQS: Code 15LMN, 15LMR, 15LMS or 15LNG FUEL/WATER SEPARATOR REQS: Code 12WPV OIL PAN - for 4300 SBA LP 4X2 REQS: Code 12WPV or 12WPW OIL PAN - for 4300 SBA 4X2 REQS: Code 13APZ, 13ARA, 13ARC, 13ARE, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13ATA, 13ATB, 13ATC, 13ATD, 13ATG, 13ATH, 13ATJ, 13ATL, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : SRV CONT, EXT AFTERTREATMENT : Code 16ZBB ACCESS, CAB - for 4300 SBA LP 4X2 : Code 12VYL ACCESSORY WIRING, SPECIAL or Code 60AAM BDY INTG, POWER MODULE AUX : Code 16HGG GAUGE, OIL TEMP, ENGINE : Code 08RMH BATTERY DISCONNECT SWITCH : TRAILER HOSES AND CABLES or Code 01MAW and 01MAX SPECIAL FRAME PIERCING - for 4300 SBA 4X2 (SEE NEXT PAGE)	12EJC	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-92

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - B6.7 200 - N/A: Code 12V VY OVER-TEMPERATURE PROTECTION : Code 12WEH and 12WER ENGINE OIL SAMPLE VALVE AVAIL: Code 12XAT ENGINE CONTROL, REMOTE MOUNTED - B6.7 220 - EPA 2017, 220 HP @ 2400 RPM, 520 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 220 Peak HP (Max) REQS: Code 40SDD, 40SDE, 40SDG, 40SDH, 40SDJ, 40SDK, 40SDL, 40SDM, 40SDN, 40SDP, 40SDR, 40SDS, 40SDT, 40SDU, 40SDV, 40SDY, 40SDZ, 40SEA, 40SEB or 40SEC SRV CONTRACT, EXT CMMS ENGINE REQS: Code 12EMZ VENDOR WARRANTY, ENGINE REQS: Code 15LMN, 15LMR, 15LMS or 15LNG FUEL/WATER SEPARATOR REQS: Code 12WPV OIL PAN - for 4300 SBA LP 4X2 REQS: Code 12WPV or 12WPW OIL PAN - for 4300 SBA 4X2 REQS: Code 13APZ, 13ARA, 13ARC, 13ARE, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13ATA, 13ATB, 13ATC, 13ATD, 13ATG, 13ATH, 13ATJ, 13ATL, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : SRV CONT, EXT AFTERTREATMENT : Code 16ZBB ACCESS, CAB - for 4300 SBA LP 4X2 : Code 12VYL ACCESSORY WIRING, SPECIAL or Code 60AAM BDY INTG, POWER MODULE AUX : Code 16HGG GAUGE, OIL TEMP, ENGINE : TRAILER HOSES AND CABLES or Code 01MAW and 01MAX SPECIAL FRAME PIERCING - for 4300 SBA 4X2 : Code 12V VY OVER-TEMPERATURE PROTECTION : Code 12WEH and 12WER ENGINE OIL SAMPLE VALVE AVAIL: Code 12XAT ENGINE CONTROL, REMOTE MOUNTED EPA 2017, 220 HP @ 2400 RPM, 600 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 220 Peak HP (Max) REQS: Code 40SDD, 40SDE, 40SDG, 40SDH, 40SDJ, 40SDK, 40SDL, 40SDM, 40SDN, 40SDP, 40SDR, 40SDS, 40SDT, 40SDU, 40SDV, 40SDY, 40SDZ, 40SEA, 40SEB or 40SEC SRV CONTRACT, EXT CMMS ENGINE REQS: Code 12EMZ VENDOR WARRANTY, ENGINE (SEE NEXT PAGE)	12EJC		
	12EJG	\$818	\$818
	12EJH	\$1,257	\$1,257

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-93

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - B6.7 360 - REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 13ATN, 13AUK, 13AUL or 13AUM TRANSMISSION, AUTOMATIC N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : SRV CONT, EXT AFTERTREATMENT : VENDOR WARRANTY, ENGINE : Code 16ZBB ACCESS, CAB - for 4300 SBA LP 4X2 : Code 12VYL ACCESSORY WIRING, SPECIAL or Code 60AAM BDY INTG, POWER MODULE AUX : Code 16HGG GAUGE, OIL TEMP, ENGINE : TRAILER HOSES AND CABLES or Code 01MAW and 01MAX SPECIAL FRAME PIERCING - for 4300 SBA 4X2 : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 12VVY OVER-TEMPERATURE PROTECTION : Code 12WEH and 12WER ENGINE OIL SAMPLE VALVE : Code 10AAY OVER THE AIR PROGRAMMING AVAIL: Code 13WYU and 13WYY SHIFT CONTROL PARAMETERS : Code 12XAT ENGINE CONTROL, REMOTE MOUNTED	12EKE		
RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, With 313 SqIn Charge Air Cooler INCLS: DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates - Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber N/A: TRANSMISSION, AUTOMATIC	12UYB	STD	STD

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-101

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
RADIATOR (CONTINUED) Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, With 313 SqIn Charge Air Cooler. With In-Tank Transmission Cooler INCLS: DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates - Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	12UYE	N/C + 37/-6	N/C + 37/-6
FAN DRIVE Borg-Warner - SA85 - Viscous Type, Screw On INCLS: FAN Nylon N/A: Code 12WBR FAN OVERRIDE Horton - Drivemaster - Automatic On/Off Type, With Normally Closed Temperature Control REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed INCLS: FAN Nylon REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 NOTE: Recommend Code 12THT when using front mount obstructions (winches, cones, reels, etc.) that restrict air flow through the radiator.	12TSY 12THJ 12THT	STD \$394 + 48/-6 \$455 + 25/0	STD \$394 + 48/-6 \$455 + 25/0
AIR CLEANER With Service Protection Element INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	12VBR	STD	STD
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	12703	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-102

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines <i>Phillips</i> 120 Volt/750 Watt; for Cummins ISB/B6.7 Engines N/A: Code 12WTW BLOCK HEATER SOCKET 120V/1000W, With "Y" Cord From Socket in Standard Location, For a Dealer Installed 120V/300W Max Oil Pan Heater N/A: Code 12WTW BLOCK HEATER SOCKET	12849 12WSY 12WUL	\$88 +3/0 \$90 +2/0 \$116 +3/0	\$88 +3/0 \$90 +2/0 \$116 +3/0
BLOCK HEATER SOCKET Relocated to Front Bumper REQS: Code 12849 BLOCK HEATER, ENGINE REQS: Code 01LLA, 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT - for 4300 SBA 4X2 -OR- Code 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT - for 4300 SBA LP 4X2	12WTW	\$48 +2/0	\$48 +2/0
EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood N/A: Code 09ANG HOOD, HATCH NOTE: 010002 Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door Engine Shutdown System Exempt Vehicles, Complies With California Clean Air Regulations NOTE: 010002 Federal, Does Not Comply With California Clean Air Idle Regulations NOTE: 010002	12WZB 12WZJ 12WZD 12WZE	\$62 \$62 0/0 N/C 0/0 N/C 0/0	\$62 0/0 \$62 0/0 N/C 0/0 N/C 0/0
ENGINE CONTROL, REMOTE MOUNTED - No Provision Furnished for Remote Mounted Engine Control N/A: ENGINE, DIESEL Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines N/A: Code 12VYL ACCESSORY WIRING, SPECIAL	12VYP 12XAT	N/C 0/0 \$45	N/C 0/0 \$45

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-103

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ENGINE OIL SAMPLE VALVE Mounted on Engine N/A: ENGINE, DIESEL Mounted on Frame N/A: Code 01GBP FRAME REINFORCEMENT : ENGINE, DIESEL	12WEH 12WER	\$58 + 2 / 0 \$208 + 1 / 0	N/A N/A
FAN OVERRIDE Manual; With Electric Switch on Instrument Panel, (Fan On With Switch On) REQS: Code 12THJ or 12THT FAN DRIVE	12WBR	\$29 0 / 0	\$29 0 / 0
FEDERAL EMISSIONS <i>Cummins</i> - B6.7 - EPA, OBD and GHG Certified for Calendar Year 2017	12XZE	\$350	\$350
OIL PAN 15 Quart Capacity, For Cummins ISB/B6.7 Engines Extended Service Interval, 19 Quart Capacity, For Cummins ISB/B6.7 Engines	12WPV 12WPW	N/C 0 / 0 \$286 0 / 0	N/C 0 / 0 N/A
OVER-TEMPERATURE PROTECTION (For Engine Coolant) Omit Item N/A: ENGINE, DIESEL	12VVY	N/C 0 / 0	N/C 0 / 0
THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel	12VXT 12VXU 12VXV	STD N/C 0 / 0 N/C 0 / 0	STD N/C 0 / 0 N/C + 2 / 0
VENDOR WARRANTY, ENGINE <i>Cummins</i> B6.7 Engine, 3-Year Unlimited Miles Standard Warranty	12EMZ	\$250	\$250



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, MANUAL NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - FS-5406N - 6-Speed Manual; Fully Synchronized, Short Shift Stroke INCLS: CLUTCH BRAKE Torque Limiting : FILL PLUG, MAGNETIC REQS: Code 12UYB(std) RADIATOR REQS: Code 13XAK, 13XAL, 13XAM or 13XAN PTO LOCATION REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG or 12EJN ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 16HGH and 16HYC GAUGE, OIL TEMP, AUTO TRANS : Code 04WCX PARKING BRAKE CONTROL : Code 11001 CLUTCH : Code 13WYR, 13WYS, 13WYT, 13WYU, 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH, 13WUA and 13WYZ AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WGH TRANSMISSION DIPSTICK : Code 13WBL, 13WCP, 13WEN, 13WVN and 13WVR TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WDH and 13WEP WIRING, TRANS, BODY BUILDER AVAIL: Code 13WLW TRANSMISSION OIL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13GNG	STD	STD

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-105

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - FS-6406N - 6-Speed Manual; Fully Synchronized, Short Shift Stroke INCLS: CLUTCH BRAKE Torque Limiting : FILL PLUG, MAGNETIC REQS: Code 12UYB(std) RADIATOR REQS: Code 13XAK, 13XAL, 13XAM or 13XAN PTO LOCATION REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY or 12EKA ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 16HGH and 16HYC GAUGE, OIL TEMP, AUTO TRANS : Code 04WCX PARKING BRAKE CONTROL : Code 11001 CLUTCH : Code 13WYR, 13WYS, 13WYT, 13WYU, 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH, 13WUA and 13WYZ AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WGH TRANSMISSION DIPSTICK : Code 13WBL, 13WCP, 13WEN, 13WVN and 13WVR TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WDH and 13WEP WIRING, TRANS, BODY BUILDER AVAIL: Code 13WLW TRANSMISSION OIL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13GMS	\$522 0/0	\$522 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-106

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - FSO-8406A - 6-Speed Manual; Fully Synchronized, Short Shift Stroke, With Overdrive REQS: Code 12UYB(std) RADIATOR REQS: Code 13XAK, 13XAL, 13XAM or 13XAN PTO LOCATION REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA or 12EKC ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 16HGH and 16HYC GAUGE, OIL TEMP, AUTO TRANS : Code 04WCX PARKING BRAKE CONTROL : Code 11001 CLUTCH : Code 13WYR, 13WYS, 13WYT, 13WYU, 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH, 13WUA and 13WYZ AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WGH TRANSMISSION DIPSTICK : Code 13WBL, 13WCP, 13WEN, 13WVN and 13WVR TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WDH and 13WEP WIRING, TRANS, BODY BUILDER AVAIL: Code 13WLW TRANSMISSION OIL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13GMJ	\$3,122 0/0	\$3,122 0/0

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-107

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 1000_HS - 5th Generation Controls; Close Ratio, 5-Speed, With Overdrive; Less PTO Provision, Includes Park Pawl, Less Retarder, With 19,500-lb GVW & 26,000-lb GCW Max. REQS: Code 11001 CLUTCH REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA LP 4X2 REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 12UYE RADIATOR REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA LP 4X2 REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA 4X2 REQS: Code 13WDH WIRING, TRANS, BODY BUILDER REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY or 12EKA ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 04WCX PARKING BRAKE CONTROL : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13AAZ, 13WEH, 13WUA and 13WYZ AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : Code 13WGH TRANSMISSION DIPSTICK : Code 13XAJ, 13XAK, 13XAL, 13XAM, 13XAN, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION AVAIL: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : Code 13WCP TRANSMISSION SHIFT CONTROL : Code 13WLN TRANSMISSION OIL 5th Generation Controls; Close Ratio, 6-Speed, With Overdrive; Less PTO Provision, Includes Park Pawl, Less Retarder, With 19,500-lb GVW & 26,000-lb GCW Max. REQS: Code 11001 CLUTCH REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA LP 4X2 REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 12UYE RADIATOR REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA LP 4X2 REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA 4X2 REQS: Code 13WDH WIRING, TRANS, BODY BUILDER (SEE NEXT PAGE)	13APZ	\$3,170 +18/-18	\$3,170 +10/-10
	13AVU	\$3,170 +20/-18	\$3,170 +12/-10

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-108

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-113

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 2100_RDS_P - REQS: Code 12UYE RADIATOR REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA LP 4X2 REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA 4X2 REQS: Code 13WDH WIRING, TRANS, BODY BUILDER REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY or 12EKA ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13AAZ, 13WEH, 13WUA and 13WYZ AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : Code 13WGH TRANSMISSION DIPSTICK AVAIL: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : Code 13WCP TRANSMISSION SHIFT CONTROL : Code 13WLN TRANSMISSION OIL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13ARA		



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-122

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-126

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3000_HS - 5th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; Includes Oil Level Sensor, Less PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max. REQS: Code 11001 CLUTCH REQS: Code 13WYR, 13WYS, 13WYT or 13WYU SHIFT CONTROL PARAMETERS - for 4300 SBA LP 4X2 REQS: Code 13WYR, 13WYR, 13WYS, 13WYS, 13WYT, 13WYT, 13WYU, 13WYU, 13WYV, 13WYV, 13WYY or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL REQS: Code 12UYE RADIATOR REQS: Code 13WLP TRANSMISSION OIL REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA or 12EKC ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 04WCX PARKING BRAKE CONTROL : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13WGH TRANSMISSION DIPSTICK : Code 13WDH and 13WEP WIRING, TRANS, BODY BUILDER : Code 13XAJ, 13XAK, 13XAL, 13XAM, 13XAN, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION AVAIL: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB and 13WUV ALLISON SPARE INPUT/OUTPUT (SEE NEXT PAGE)	13AVE	\$8,865 +191/+57	\$8,865 +200/+48

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-128

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-130

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-135

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3500_RDS_P - REQS: Code 13WYR, 13WYR, 13WYS, 13WYS, 13WYT, 13WYT, 13WYU, 13WYU, 13WYV, 13WYV, 13WYY or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL REQS: Code 12UYE RADIATOR REQS: Code 13WLP TRANSMISSION OIL REQS: Code 13XAK, 13XAL, 13XAM or 13XAN PTO LOCATION REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA or 12EKC ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 04WCX PARKING BRAKE CONTROL : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13WYZ AUTOMATIC NEUTRAL : Code 13WDH and 13WEP WIRING, TRANS, BODY BUILDER AVAIL: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13AVP		

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-138

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3500_RDS_P - 5th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max. REQS: Code 11001 CLUTCH REQS: Code 13WYR, 13WYS, 13WYT or 13WYU SHIFT CONTROL PARAMETERS - for 4300 SBA LP 4X2 REQS: Code 13WYR, 13WYR, 13WYS, 13WYS, 13WYT, 13WYT, 13WYU, 13WYU, 13WYV, 13WYV, 13WYY or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL REQS: Code 12UYE RADIATOR REQS: Code 13WLP TRANSMISSION OIL REQS: Code 13XAK, 13XAL, 13XAM or 13XAN PTO LOCATION REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA or 12EKC ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 04WCX PARKING BRAKE CONTROL : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13WYZ AUTOMATIC NEUTRAL : Code 13WDH and 13WEP WIRING, TRANS, BODY BUILDER AVAIL: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT (SEE NEXT PAGE)	13AVG	\$9,976 +121/+67	\$9,976 +230/+58

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-139

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3500_RDS_P - AVAIL: Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION 5th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; Refuse/Mixer; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 60,000-lb GVW Max. REQS: Code 11001 CLUTCH REQS: Code 13WYR, 13WYS, 13WYT or 13WYU SHIFT CONTROL PARAMETERS - for 4300 SBA LP 4X2 REQS: Code 13WYR, 13WYR, 13WYS, 13WYS, 13WYT, 13WYT, 13WYU, 13WYU, 13WYV, 13WYV, 13WYY or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL REQS: Code 12UYE RADIATOR REQS: Code 13WLP TRANSMISSION OIL REQS: Code 13XAK, 13XAL, 13XAM or 13XAN PTO LOCATION REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA or 12EKC ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 04WCX PARKING BRAKE CONTROL : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13WYZ AUTOMATIC NEUTRAL : Code 13WDH and 13WEP WIRING, TRANS, BODY BUILDER AVAIL: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS (SEE NEXT PAGE)	13AVG		
	13AVH	\$9,976 +121/+67	\$9,976 +230/+58

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION NO. 35

SECTION 090

PRICES EFFECTIVE 01/02/2017

PAGE 090-140

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton - Procision EDCO-6F107A-P - 7-Speed, Dual Clutch, With PTO, Includes Park Pawl Provision, With 26,000-lb GVW & GCW Max REQS: Code 10WJX or 10WJY GCWR RANGE REQS: Code 11001 CLUTCH REQS: Code 13WVR TRANSMISSION SHIFT CONTROL REQS: Code 12UYE RADIATOR REQS: Code 13WLV TRANSMISSION OIL REQS: Code 13WEP WIRING, TRANS, BODY BUILDER REQS: Code 13XAJ, 13XAK, 13XAL, 13XAM, 13XAN, 13XAS or 13XAU PTO LOCATION REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS or 12EJV ENGINE, DIESEL N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 04WCX PARKING BRAKE CONTROL : Code 04GAW BRAKE, PARKING, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13WYR, 13WYS, 13WYT, 13WYU, 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : ALLISON SPARE INPUT/OUTPUT : Code 13WGH TRANSMISSION DIPSTICK : Code 13WYH TRANSMISSION TCM LOCATION : Code 13XAR and 13XAV PTO LOCATION AVAIL: Code 10WJY GCWR RANGE : Code 16HYC GAUGE, OIL TEMP, AUTO TRANS : Code 13WYZ AUTOMATIC NEUTRAL	13GBX	\$4,869 +20/+7	\$4,869 +20/+7

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-145

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-148

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AUTOMATIC NEUTRAL (SEE PREV PAGE)			
AVAIL: Code 13WUJ and 13WUK ALLISON SPARE INPUT/OUTPUT	13AAZ		
Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged, Without On/Off Switch REQS: Code 04GAS BRAKE, PARKING, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC REQS: Code 13WUL or 13WUS ALLISON SPARE INPUT/OUTPUT, when in combination with Code 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC REQS: Code 13WUL, 13WUS, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL AVAIL: Code 13WUL, 13WUS, 13WUV, 13WUZ and 13WVB ALLISON SPARE INPUT/OUTPUT	13WEH	\$129	\$129
Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged REQS: Code 04GAS BRAKE, PARKING, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC REQS: Code 13WUL or 13WUS ALLISON SPARE INPUT/OUTPUT, when in combination with Code 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC REQS: Code 13WUL, 13WUS, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL AVAIL: Code 13WUL, 13WUS, 13WUV, 13WUZ and 13WVB ALLISON SPARE INPUT/OUTPUT	13WUA	\$129 0/0	\$129 0/0
Eaton Precision Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged REQS: Code 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : ALLISON SPARE INPUT/OUTPUT	13WYZ	\$129 0/0	\$129 0/0

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-149

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring REQS: Code 04SPK AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC N/A: Code 60ABA, 60ABB, 60ABE, 60ABK, 60ABL, 60ABR and 60AKG BDY INTG, PTO ACCOMMODATION	13XAA	\$116 +3/0	\$116 +3/0
PTO LOCATION Bottom of Transmission N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC Dual, Left and Right Side of Transmission REQS: Code 13ARA, 13ARB, 13ARC, 13ARH, 13ARJ, 13ASK, 13ASM, 13ASP, 13AST, 13ASY, 13ATB, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVV, 13GBX or 13GBY TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL Dual, Left Side and Rear of Transmission REQS: Code 13GBX or 13GBY TRANSMISSION, AUTOMATIC REQS: Code 07BKN, 07BKP, 07BKY(std), 07BKZ or 07BLH EXHAUST SYSTEM N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Dual, Right Side and Bottom of Transmission REQS: Code 13ARC or 13ATH TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Dual, Right Side and Rear of Transmission REQS: Code 13ARC, 13AVS, 13GBX or 13GBY TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Left Side of Transmission REQS: Code 13ARA, 13ARB, 13ARC, 13ARH, 13ARJ, 13ASK, 13ASM, 13ASP, 13AST, 13ASY, 13ATB, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVV, 13GBX or 13GBY TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL	13XAR 13XAM 13XAU 13XAV 13XAJ 13XAL	N/C N/C N/C N/C N/C	N/C N/C N/C N/C N/C

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-150

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-151

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SHIFT CONTROL PARAMETERS (SEE PREV PAGE) N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	13WYY 13WYU	N/C 0/0	N/C 0/0
TRANSMISSION DIPSTICK Relocated to Right Side of Transmission REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	13WGH	\$61 + 1/0	\$61 + 1/0
TRANSMISSION OIL Synthetic; 20 thru 28 Pints REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13AVU or 13AVV TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Synthetic; 29 thru 42 Pints REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL EmGard - DC - Synthetic; 22 thru 33.99 Pints REQS: Code 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL - 40W - Synthetic; 1 thru 21.99 Pints N/A: TRANSMISSION, AUTOMATIC Synthetic; 22 thru 33.99 Pints N/A: TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC	13WLN 13WLP 13WLV 13WLW 13WLX	\$151 0/0 \$203 0/0 \$151 + 24/+8 \$85 + 15/+5 \$113 + 24/+8	\$151 0/0 \$203 0/0 \$151 + 24/+8 \$85 + 15/+5 N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-153

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION SHIFT CONTROL Column Mounted; for Allison 1000 and 2000 Series Transmission REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13AVU or 13AVV TRANSMISSION, AUTOMATIC N/A: Code 04619 TRAILER CONNECTIONS : Code 05710 STEERING COLUMN : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Allison Bump Shifter Type; for Allison 3000 & 4000 Transmission REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Push-Button Type; for Allison 3000 & 4000 Series Transmission REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Eaton Push-Button Type; for Eaton Procision Transmission REQS: Code 13GBY or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL T-Handle Type; for Eaton Procision Transmission REQS: Code 13GBX or 13GBZ TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	13WCP	\$50 0/0	\$50 0/0
	13WVN	\$496 0/0	\$496 0/0
	13WBL	N/C 0/0	N/C 0/0
	13WEN	N/C 0/0	N/C 0/0
	13WVR	N/C 0/0	N/C 0/0
WIRING, TRANS, BODY BUILDER Installed Wiring for Transmission/PTO Controls, for Allison 1000, 2000, 2100, 2200, 2400, 2500 Series Transmission REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13AVU or 13AVV TRANSMISSION, AUTOMATIC (SEE NEXT PAGE)	13WDH	\$24 + 1/0	\$24 + 1/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-154

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
WIRING, TRANS, BODY BUILDER (SEE PREV PAGE) N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Installed Wiring and Connector for Transmission/PTO Controls, for Eaton Procision Transmission REQS: Code 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	13WDH 13WEP	\$24 0/0	\$24 0/0
AXLE, REAR, SINGLE Meritor - MS-17-14X-3DFL - Single Reduction, 15,500-lb Capacity, With 190 Wheel Ends INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 14SAH, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAC, 14SAE(std) or 14SAH SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04773 BRAKE SHOES, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN and 04NDP BRAKES, REAR, AIR CAM : Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 04ERC BRAKE CHAMBERS, SPRING : Code 28DAR, 28DUL, 28DUR and 28DUS WHEELS, REAR : Code 06DCZ DRIVESHAFT - for 4300 SBA LP 4X2 AVAIL: Code 04AZE and 04AZS AIR BRAKE ABS : Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING (SEE NEXT PAGE)	14APJ	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-155

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (SEE PREV PAGE)			
Meritor			
- MS-17-14X-3DFL - NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance - for 4300 SBA 4X2 : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14APJ		
Single Reduction, 13,500-lb Capacity, With 190 Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90,4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 14SAC or 14SAE(std) SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE REQS: Code 13APZ, 13ARB, 13ARC, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 02AHY AXLE, FRONT NON-DRIVING : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NCW, 04NCZ, 04NDB, 04NDC, 04NDL, 04NDN and 04NDP BRAKES, REAR, AIR CAM : Code 04ERC BRAKE CHAMBERS, SPRING : Code 28DAR and 28DUR WHEELS, REAR : Code 06DCZ DRIVESHAFT AVAIL: Code 04AZE and 04AZS AIR BRAKE ABS : Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14APH	N/A	N/C 0/0
Single Reduction, 17,500-lb Capacity, With 190 Wheel Ends INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle - for 4300 SBA 4X2 REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC	14ANP	\$61 0/+29	\$61 0/+29
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-156

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (SEE PREV PAGE)			
Meritor			
- MS-17-14X-3DCL - N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 28DUL, 28DUR and 28DUS WHEELS, REAR : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING AVAIL: Code 14WMG AXLE, REAR, LUBE NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance - for 4300 SBA 4X2 : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires. - for 4300 SBA LP 4X2 : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. - for 4300 SBA 4X2	14ANR		
- MS-19-13X-3DFL - Single Reduction, 19,000-lb Capacity, 190 Wheel Ends REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAC, 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- Code 14TBM or 14TBN SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY or 12EKA ENGINE, DIESEL N/A: Code 10WGC and 10WGD SPECIAL RATING, GVWR : Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 28DUL, 28DUR and 28DUS WHEELS, REAR : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	14AKK	\$29	\$29
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-161

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (CONTINUED) Meritor - MS-19-14X-3DCL - Single Reduction, 19,000-lb Capacity, 190 Wheel Ends, Driver Controlled Locking Differential INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle - for 4300 SBA 4X2 REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14SAH, 14SAM, 14SAN, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- Code 14TBN SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 28DPZ, 28DUL, 28DUR and 28DUS WHEELS, REAR : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING AVAIL: Code 10WGD SPECIAL RATING, GWR : Code 14WMG AXLE, REAR, LUBE NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance - for 4300 SBA 4X2 : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ANT	\$633 0/+16	\$633 0/+16
- MS-19-14X-3DFL - Single Reduction, Hypoid Gearing, 19,000-lb Capacity, 190 Wheel Ends INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle - for 4300 SBA 4X2 REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14SAH, 14SAM, 14SAN, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2	14ANS	\$107 0/0	\$107 0/0

(SEE NEXT PAGE)

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-163

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE			
(SEE PREV PAGE)			
Meritor			
- MS-21-14X-4DCR -			
NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ANY		
Single Reduction, 22,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.13, 5.29, 5.57, 5.86, 6.14, 6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUR or 28DUS WHEELS, REAR REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14SAM, 14SAN, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 10WGC and 10WGD SPECIAL RATING, GVWR : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING AVAIL: Code 14WMG AXLE, REAR, LUBE NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ANZ	\$985 0/+141	N/A

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SECTION 090

PRICES EFFECTIVE 01/02/2017

PAGE 090-170

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (CONTINUED) Meritor - MS-21-14X-4DFR - Single Reduction, 20,000-lb Capacity, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90,4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUR or 28DUS WHEELS, REAR REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14SAM, 14SAN, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE N/A: Code 02AEZ AXLE, FRONT NON-DRIVING : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ANW	\$284 0/+57	N/A
Single Reduction, 21,000-lb Capacity, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90,4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14SAH, 14SAM, 14SAN, 14SCD, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE	14ANV	\$140 0/+57	N/A

(SEE NEXT PAGE)

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO.

35

SECTION 090

PAGE 090-171

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE			
(SEE PREV PAGE)			
Meritor			
- RS-21-230 - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14CVB		
- RS-23-160 - Single Reduction, 23,000-lb Capacity, With 200 Wheel Ends RATIO: 2.50,2.67,2.80,2.93,3.07,3.21,3.42,3.58, 3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63, 6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAM, 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 02AHY AXLE, FRONT NON-DRIVING : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 28DAN, 28DAR, 28DPZ, 28DTS and 28DTX WHEELS, REAR : Code 06DAC DRIVESHAFT AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14051	\$1,218 0/+209	N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-176

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (CONTINUED) Meritor - RS-23-160 - Single Reduction, 23,000-lb Capacity, 200 Wheel Ends, Driver Controlled Locking Differential RATIO: 2.50,2.67,2.80,2.93,3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCW, 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAM, 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 28DAN, 28DAR, 28DPZ, 28DTS and 28DTX WHEELS, REAR : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ARB	\$1,828 0/+253	N/A
- RS-23-161 - Single Reduction, 23,000-lb Capacity, 200 Wheel Ends, Driver Controlled Locking Differential RATIO: 2.50,2.67,2.80,2.93,3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle	14ARK	\$1,988 0/+299	N/A

(SEE NEXT PAGE)

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-177

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-185

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - S16-130 - -OR- Code 14SAC, 14SAE(std) or 14SAH SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 02AEZ AXLE, FRONT NON-DRIVING : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04773 BRAKE SHOES, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN and 04NDP BRAKES, REAR, AIR CAM : Code 04AZJ AIR BRAKE ABS : Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 04ERC BRAKE CHAMBERS, SPRING : Code 28DMB, 28DUL, 28DUR and 28DUS WHEELS, REAR AVAIL: Code 14WMN AXLE, REAR, LUBE : Code 14888 DIFFERENTIAL, LOCKING : Code 06DBZ and 06DDL DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AJE		
- S23-170 - Single Reduction, 23,000-lb Capacity, R Wheel Ends RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04LGA SLACK ADJUSTERS, REAR, when in combination with Code 14TAX SUSPENSION, REAR, AIR, SINGLE REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14SAH, 14SAM, 14SAN, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	14AHB	\$1,218 0/+263	N/A

(SEE NEXT PAGE)

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-186

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - S23-170 - N/A: Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING : Code 06DAC and 06DDL DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHB		
- S23-170D - Single Reduction, 23,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04LGA SLACK ADJUSTERS, REAR, when in combination with Code 14TAX SUSPENSION, REAR, AIR, SINGLE REQS: Code 04NCW, 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14SAM, 14SAN, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 02AEM and 02AUS AXLE, FRONT NON-DRIVING : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 28DAN, 28DAR, 28DTE, 28DTS and 28DTX WHEELS, REAR : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE : Code 06DAC and 06DDL DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHC	\$1,800 0/+263	N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO.

35

SECTION 090

PAGE 090-187

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - S26-190D - N/A: Code 02AEZ AXLE, FRONT NON-DRIVING : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 06DDL DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHL		
- S30-190 - Single Reduction, 30,000-lb Capacity, W Wheel Ends RATIO: 2.69, 2.87, 2.93, 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57, 6.14, 6.83, 7.17 or 7.83 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAN, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE N/A: Code 10WGC and 10WGD SPECIAL RATING, GVWR : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14TAX, 14TBJ and 14TBS SUSPENSION, REAR, AIR, SINGLE : Code 29597 WHEEL SEALS, REAR : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR : Code 10441 HUBODOMETER AVAIL: Code 14WMH AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING : Code 06DAC and 06DDL DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance (SEE NEXT PAGE)	14AHH	\$3,420 0/+370	N/A



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - 17060S - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AGE		
- 19055 T - Two-Speed, 19,000-lb Capacity, 190 Wheel Ends REQS: Code 04NCW, 04NCZ, 04NDB or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14SAH, 14SAM, 14SAN, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 N/A: Code 02AEZ, 02AGB, 02AHY, 02AHZ and 02AUV AXLE, FRONT NON-DRIVING : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 14TAX, 14TBJ, 14TBL, 14TBM, 14TBN and 14TBS SUSPENSION, REAR, AIR, SINGLE : Code 28DTE, 28DUL, 28DUR and 28DUS WHEELS, REAR AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 49 Days	14CEG	\$2,772 0/+69	\$2,772 0/+69
- 19060D - Single Reduction, 19,000-lb Capacity, 190 Wheel Ends, Driver Controlled Locking Differential INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14SAH, 14SAM, 14SAN, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- Code 14TBN SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 28DUL, 28DUR and 28DUS WHEELS, REAR : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMN AXLE, REAR, LUBE NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	14AHP	\$759 0/-18	\$759 0/+28

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-192

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - 19060D - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHP		
- 19060S - Single Reduction, Hypoid Gearing, 19,000-lb Capacity, 190 Wheel Ends INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14SAH, 14SAM, 14SAN, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- Code 14TBM or 14TBN SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 28DUL, 28DUR and 28DUS WHEELS, REAR AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMN AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AGA	\$140CR 0/-18	\$140CR 0/+13
- 21060D - Single Reduction, 20,000 lb Capacity, 200 Wheel Ends, Driver Controlled Locking Differential RATIO: 2.64, 2.85, 3.08, 3.25, 3.36, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.57, 6.17, 6.50 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCW, 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAM, 14SAN, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC	14AGX	\$578 0/+408	N/A
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-193

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-194

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - 23082T - REQS: Code 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 49 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14CDE		
Navistar Select Single Reduction, 17,500-lb Capacity, With 190 Wheel Ends REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14SAH, 14SAM, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAC, 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 28DUL, 28DUR and 28DUS WHEELS, REAR : Code 14WMG, 14WMH and 14WMN AXLE, REAR, LUBE (SEE NEXT PAGE)	14AJT	\$241CR 0/+13	\$241CR 0/+44

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-199

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SUSPENSION, REAR, AIR, SINGLE Hendrickson - HAS 230 - 23,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers REQS: Code 01CAD, 01CAE, 01CAG or 01CAH FRAME RAILS REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14AET, 14AEW, 14AEY, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHL, 14AHW, 14ARK, 14ARY, 14CDE or 14CDL AXLE, REAR, SINGLE N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 04AZE AIR BRAKE ABS : Code 04ERC BRAKE CHAMBERS, SPRING : SUSPENSION, RR, SPRING, SINGLE : Code 14WAP SHOCK ABSORBERS, REAR : Code 810008 FIFTH WHEEL LOCATION AVAIL: Code 10WGD SPECIAL RATING, GVWR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14TAX	\$2,379 0/+56	N/A
International Ride Optimized Suspension (IROS); 12,000-lb Capacity, 5.3" Ride Height, With Shock Absorbers REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC REQS: Code 14AGE, 14AHM, 14AJC, 14AJE, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14ANP, 14ANR, 14APH or 14APJ(std) AXLE, REAR, SINGLE N/A: Code 04091 BRAKE SYSTEM, AIR : Code 04ERC BRAKE CHAMBERS, SPRING : Code 14SAC, 14SAE(std), 14SAH and 14SAM SUSPENSION, RR, SPRING, SINGLE : Code 14WAP SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	14TBL	N/A	\$1,238 0/+18
Ride Optimized Suspension (IROS); 15,500-lb Capacity, 5.3" Ride Height, With Shock Absorbers REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC REQS: Code 14AGA, 14AGE, 14AHM, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14APH, 14APJ(std) or 14AWA AXLE, REAR, SINGLE <div style="text-align: right;">(SEE NEXT PAGE)</div>	14TBM	N/A	\$1,324 0/+18

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-202

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SUSPENSION, RR, SPRING, SINGLE (SEE PREV PAGE)			
NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14SAE		
Vari-Rate; 15,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 14AGA, 14AGE, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANV, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ATY, 14ATZ, 14AWA, 14CDL, 14CEG or 14CVB AXLE, REAR, SINGLE N/A: Code 04AZS AIR BRAKE ABS : Code 14TAX, 14TBJ and 14TBS SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 10WGD SPECIAL RATING, GVWR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14VAC	STD	N/A
Vari-Rate; 13,500-lb Capacity REQS: Code 14AGE, 14AHM, 14AJC, 14AJE, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14APH, 14APJ(std), 14ATY or 14ATZ AXLE, REAR, SINGLE N/A: Code 04AZS AIR BRAKE ABS : Code 04091 BRAKE SYSTEM, AIR : Code 14TBL, 14TBM and 14TBN SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14SAC	N/A	N/C 0/-31
Vari-Rate; 13,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring REQS: Code 14AHW, 14AJE, 14AJH, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANV, 14APJ(std), 14APT, 14APU, 14APV, 14ATY, 14ATZ, 14CDL or 14CVB AXLE, REAR, SINGLE N/A: Code 04AZS AIR BRAKE ABS : Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 14TAX, 14TBJ and 14TBS SUSPENSION, REAR, AIR, SINGLE	14VAB	N/C 0/-31	N/A
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO.

35

SECTION 090

PAGE 090-205

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SUSPENSION, RR, SPRING, SINGLE (SEE PREV PAGE) REQS: Code 14AGA, 14AGE, 14AGR, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANV, 14ANY, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ATY, 14ATZ, 14AWA, 14CDL, 14CEG or 14CVB AXLE, REAR, SINGLE N/A: Code 14TAX, 14TBJ and 14TBS SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 10WGD SPECIAL RATING, GVWR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14VAD		
Vari-Rate; 20,000-lb Capacity REQS: Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM - for 4300 SBA 4X2 -OR- BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 -OR- Code 04NCW, 04NCZ, 04NDB, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM - for 4300 SBA LP 4X2 -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 04092 BRAKE SYSTEM, AIR - for 4300 SBA 4X2 -OR- BRAKE SYSTEM, HYDRAULIC -OR- BRAKE SYSTEM, AIR - for 4300 SBA LP 4X2 REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 14TAX, 14TBJ, 14TBL, 14TBM, 14TBN and 14TBS SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 10WGD SPECIAL RATING, GVWR NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires. - for 4300 SBA LP 4X2	14SAM	\$5 0/+17	\$89 0/+44

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-207

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-214

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
FUEL TANK (CONTINUED)			
Top Draw; D-Style, Non-Polished Aluminum, 19.0" Tank Depth, 100 U.S. Gal., 378.5 L Capacity, Mounted Left Side Under Cab REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTE, 28DTJ, 28DTT, 28DTU, 28DUG or 28DUR WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 07BKP, 07BKS, 07BKY(std) or 07BLH EXHAUST SYSTEM N/A: Code 16XYV ACCESS, CAB : Code 16ZGM ACCESS, FRAME : Code 16196 CAB : Code 27DAN, 27DAR and 27DTS WHEELS, FRONT : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR - for 4300 SBA 4X2 AVAIL: Code 08VUX(std) BATTERY BOX - for 4300 SBA LP 4X2 : Code 08VUN, 08VUX(std) and 08WJJ BATTERY BOX - for 4300 SBA 4X2 : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WDG(std) DEF TANK NOTE: N/A with 19.5" Tires - for 4300 SBA 4X2	15SGD	\$403 +29/+33	\$403 +30/+32
Top Draw; D-Style, Non-Polished Aluminum, 19.0" Tank Depth, 100 U.S. Gal., 378.5 L Capacity, Mounted Right Side Under Cab REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTE, 28DTJ, 28DTT, 28DTU, 28DUG or 28DUR WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 07BKY(std) or 07BLH EXHAUST SYSTEM N/A: Code 16XYV ACCESS, CAB : Code 16196 CAB : Code 27DAN, 27DAR and 27DTS WHEELS, FRONT : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR - for 4300 SBA 4X2 AVAIL: Code 04VJE AIR TANK LOCATION : Code 08VTJ and 08VUR BATTERY BOX : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WDH DEF TANK NOTE: N/A with 19.5" Tires - for 4300 SBA 4X2	15SGE	\$403 +36/+29	\$403 +36/+29
(02) Top Draw; D-Style, Non-Polished Aluminum, 19" Tank Depth, 70 U.S. Gal., 265L, Total Capacity 140 U.S. Gal., 530L; Mounted Under Cab Left and Right Side REQS: Code 08VUL or 08VUM BATTERY BOX, when in combination with Code 16CAB or 16030 CAB and Code 12EJC ENGINE, DIESEL and Code 12EJG ENGINE, DIESEL and Code 12EJH ENGINE, DIESEL and Code 12EJN ENGINE, DIESEL and Code 12EJS ENGINE, DIESEL and Code 12EJV ENGINE, DIESEL and Code 12EJY ENGINE, DIESEL and Code 12EKA ENGINE, DIESEL and Code 12EKC ENGINE, DIESEL and Code 12EKD ENGINE, DIESEL and Code 12EKE ENGINE, DIESEL	15DMV	\$1,298 +88/+39	\$1,298 +86/+41
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-219

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
FUEL TANK (SEE PREV PAGE)			
REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTE, 28DTJ, 28DTT, 28DTU, 28DUG or 28DUR WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM N/A: Code 16ZBB ACCESS, CAB : Code 16ZGM ACCESS, FRAME : Code 16196 CAB : Code 08RMH BATTERY DISCONNECT SWITCH : Code 01MAW and 01MAX SPECIAL FRAME PIERCING - for 4300 SBA 4X2 : Code 27DAN, 27DAR, 27DTS and 27DTX WHEELS, FRONT - for 4300 SBA 4X2 : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR - for 4300 SBA 4X2 : Code 15WHV and 15WHW ANTI-SIPHON DEVICE : Code 15LMN FUEL/WATER SEPARATOR : FUEL/WATER SEPARATOR AVAIL: Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WCN DEF TANK	15SXK		
(02) Top Draw; D-Style, Polished Aluminum, 19" Tank Depth, 50 U.S. Gal., 189L, Total Capacity 100 U.S. Gal., 378L; With Quick Connect Outlet, Mounted Under Cab Left Side, and Back of Cab Right Side REQS: Code 08VUL or 08VUM BATTERY BOX, when in combination with Code 16CAB or 16030 CAB and Code 12EJC ENGINE, DIESEL and Code 12EJG ENGINE, DIESEL and Code 12EJH ENGINE, DIESEL and Code 12EJN ENGINE, DIESEL and Code 12EJS ENGINE, DIESEL and Code 12EJV ENGINE, DIESEL and Code 12EJY ENGINE, DIESEL and Code 12EKA ENGINE, DIESEL and Code 12EKC ENGINE, DIESEL and Code 12EKD ENGINE, DIESEL and Code 12EKE ENGINE, DIESEL REQS: Code 27DMB, 27DMC, 27DPS, 27DPZ, 27DTE, 27DTJ, 27DTU, 27DUG or 27DUR WHEELS, FRONT - for 4300 SBA LP 4X2 REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTE, 28DTJ, 28DTT, 28DTU, 28DUG or 28DUR WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM N/A: Code 16ZBB ACCESS, CAB : Code 27DAN, 27DAR, 27DTS, 27DTT and 27DTX WHEELS, FRONT - for 4300 SBA 4X2 : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR - for 4300 SBA 4X2 AVAIL: Code 04VJE AIR TANK LOCATION : Code 08VUL, 08VUM, 08VUU and 08VUY BATTERY BOX - for 4300 SBA LP 4X2 : Code 08VUL, 08VUM, 08VUT, 08VUU and 08VUY BATTERY BOX - for 4300 SBA 4X2 : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG(std) DEF TANK	15DZY	\$1,673 +62/+86	\$1,673 +63/+75

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-223

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
FUEL TANK (SEE PREV PAGE) AVAIL: Code 15WDH DEF TANK	15SME		
ANTI-SIPHON DEVICE for Dual Tanks; 2-Inch Diameter; Located inside Fuel Tank Fill Neck REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY or 15DZZ FUEL TANK N/A: Code 15902 and 15903 FUEL TANK CAP for Single Tank; 2-Inch Diameter; Located inside Fuel Tank Fill Neck REQS: Code 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SWU(std) or 15SWY FUEL TANK N/A: Code 15902 and 15903 FUEL TANK CAP	15WHW 15WHV	\$119 +2/0 \$61 +1/0	\$119 +2/0 \$61 +1/0
DEF TANK 7 U.S. Gal. 26.5L Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE, 15SWU(std) or 15SWY FUEL TANK N/A: Code 08VTJ, 08VUR and 08XDU BATTERY BOX 7 U.S. Gal. 26.5L Capacity, Frame Mounted Outside Left Rail, Back of Cab REQS: Code 07BKP, 07BKS, 07BKY(std), 07BKZ or 07BLH EXHAUST SYSTEM REQS: Code 15DMV, 15DYS, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD or 15SME FUEL TANK N/A: Code 16196 CAB : Code 08VUT, 08VUU, 08VUY and 08XDU BATTERY BOX : Code 15BAA DEF TANK COVER 5 U.S. Gal. 18.9L Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM REQS: Code 15SXJ or 15SXK FUEL TANK N/A: Code 16196 CAB : Code 15BAA DEF TANK COVER AVAIL: Code 08XDU BATTERY BOX	15WDG 15WDH 15WCN	STD \$89 -19/+19 \$89 -11/+24	STD \$89 -19/+19 \$89 -24/+11
DEF TANK COVER Stainless Steel N/A: Code 07BEV AFTERTREATMENT COVER AVAIL: Code 15WDG(std) DEF TANK	15BAA	\$233 0/0	\$233 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-228

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
FUEL COOLER Less Thermostat; Mounted in Front of Cooling Module	15WCS	\$276	\$276
FUEL TANK CAP (02) Locking Type REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY or 15DZZ FUEL TANK N/A: Code 15WHV and 15WHW ANTI-SIPHON DEVICE Locking Type REQS: Code 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SWU(std), 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 15WHV and 15WHW ANTI-SIPHON DEVICE	15903 15902	\$106 \$53 +2/0 +1/0	\$106 \$53 +2/0 +1/0
FUEL TANK STRAPS Bright Finish Stainless Steel REQS: Code 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SWU(std), 15SWY, 15SXJ or 15SXX FUEL TANK Bright Finish Stainless Steel, for Dual Fuel Tanks REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY or 15DZZ FUEL TANK	15924 15960	\$260 \$520 0/0 0/0	\$260 \$520 0/0 0/0
FUEL/WATER SEPARATOR <i>Racor</i> - 400 Series, - Unheated, with Primer Pump, and WIF Sensor REQS: Code 15LMA, 15LMK, 15LMU(std), 15LMW, 15LMY or 15LMZ LOCATION FUEL/WATER SEPARATOR 12 Volt Pre-Heater, with Primer Pump, and WIF Sensor REQS: Code 15LMA, 15LMK, 15LMU(std), 15LMW, 15LMY or 15LMZ LOCATION FUEL/WATER SEPARATOR REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SWU(std) or 15SWY FUEL TANK <i>No Vendor Identified</i> Cummins Supplied on Engine, with 12 Volt DC Heater, with Water-in-Fuel Sensor N/A: Code 15LMA, 15LMK, 15LMU(std), 15LMW, 15LMY and 15LMZ LOCATION FUEL/WATER SEPARATOR	15LMR 15LMN 15LMS	STD \$123 \$221 +1/+5 +4/+4	STD \$123 \$221 +4/+8 +4/+4



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CAB			
Conventional INCLS: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : ARM REST (2) Molded Plastic; One Each Door : GLASS, ALL WINDOWS Tinted : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : STEP (4) Two Steps Per Door - for 4300 SBA LP 4X2 : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted REQS: Code 16JHR, 16JJD, 16JJE, 16JNT, 16JNV, 16JNZ, 16JPA, 16JPT, 16JPX, 16JYJ, 16JYX, 16KAU, 16KAV, 16KUW, 16LJS, 16LSC or 16LSD SEAT, DRIVER REQS: Code 16WRX(std) or 16WRZ CAB INTERIOR TRIM REQS: Code 16LCZ, 16LDK, 16LER, 16LPC, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPN, 16PPY, 16RPV, 16RPX, 16RXE, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SWU(std), 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 16SAP, 16SDD and 16SET GRAB HANDLE, ADDITIONAL EXT : Code 16KAY, 16LJX, 16LJY, 16LJZ, 16LKA, 16PCS, 16SMT, 16SMU, 16SMV and 16615 SEAT, REAR : Code 16WSK CAB REAR SUSPENSION : Code 16XYV ACCESS, CAB : Code 08VUY BATTERY BOX : Code 16SBA BUNK, LOWER AVAIL: Code 16VBZ and 16VCC SEAT BELT : Code 16WJU WINDOW, POWER : Code 16GHU GRAB HANDLE, CAB INTERIOR : Code 16HCK SEATBELT WARNING PREWIRE : Code 08WTP COURTESY LIGHT	16030	STD	STD
Conventional 6-Man Crew Cab INCLS: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : ARM REST (2) Molded Plastic; One Each Door : GLASS, ALL WINDOWS Tinted : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color (SEE NEXT PAGE)	16196	\$9,411 +104/+250	\$9,411 +104/+250



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CAB (SEE PREV PAGE) INCLS: GRAB HANDLE, CAB INTERIOR (4) Two Each Side, Rear Door Mounted at Hinge Side and "C" Pillar Mounted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : STEP (8) Two Steps Per Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted REQS: Code 16KAY, 16LJX, 16LJY, 16LJZ, 16LKA, 16PCS, 16SMT, 16SMU, 16SMV or 16615 SEAT, REAR REQS: Code 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 16WSK CAB REAR SUSPENSION REQS: Code 16LCZ, 16LDK, 16LER, 16LPC, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPN, 16PPZ, 16RPV, 16RPX, 16RXE, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 07BKP, 07BKS, 07BKY(std), 07BKZ or 07BLH EXHAUST SYSTEM REQS: Code 15DYT, 15DYU, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZX, 15DZY, 15DZZ, 15SRE, 15SWU(std) or 15SWY FUEL TANK N/A: Code 16VBS CONSOLE, CENTER : Code 16KAY and 16SMV SEAT, REAR : Code 16ZGM ACCESS, FRAME - for 4300 SBA 4X2 : Code 16SJA GRAB HANDLE : Code 16917 and 16973 MOUNTING BRACKETS : Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13AVU or 13AVV TRANSMISSION, AUTOMATIC : Code 08RLK SATELLITE COMMUNICATION SYSTEM : Code 16UKJ ANTENNA MOUNTING BRACKETS : Code 16SBA BUNK, LOWER AVAIL: Code 16WJV WINDOW, POWER : Code 16GHV GRAB HANDLE, CAB INTERIOR : Code 16XYV ACCESS, CAB : Code 16XYK ROOF AIR DEFLECTOR : Code 08VUX(std) and 08VUY BATTERY BOX : Code 08WTR COURTESY LIGHT : Code 15WDG(std) DEF TANK : Code 08VBA POWER SOURCE, SPECIAL NOTE: 43.9" CA Loss	16196		

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-232

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CAB (CONTINUED) Extended Conventional INCLS: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : ARM REST (2) Molded Plastic; One Each Door : GLASS, ALL WINDOWS Tinted : WINDOWS, PRIVACY GLASS Rear Side Windows and Rear Window, Dark PrivaGuard Glass : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : STEP (4) Two Steps Per Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted REQS: Code 16KAY, 16LJX, 16LJY, 16LJZ, 16LKA, 16PCS, 16SMT, 16SMU, 16SMV or 16615 SEAT, REAR REQS: Code 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 07BKP, 07BKS, 07BKY(std), 07BKZ or 07BLH EXHAUST SYSTEM REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SWU(std), 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 16SAP, 16SDD and 16SET GRAB HANDLE, ADDITIONAL EXT : Code 16VBS CONSOLE, CENTER : Code 16WSK CAB REAR SUSPENSION : Code 16XYV ACCESS, CAB : Code 16ZGM ACCESS, FRAME - for 4300 SBA 4X2 : Code 16SDC, 16SED, 16SEE, 16SJA and 16SMW GRAB HANDLE : Code 16XYM AERODYNAMIC PACKAGE : Code 16XYK and 16XYL ROOF AIR DEFLECTOR : Code 08VUN, 08VUT and 08VUY BATTERY BOX : Code 08WKP POWER SOURCE, SPECIAL AVAIL: Code 16WJU WINDOW, POWER : Code 16KAY, 16SMV and 16615 SEAT, REAR : Code 16GHU GRAB HANDLE, CAB INTERIOR : Code 08WTP COURTESY LIGHT NOTE: 26" CA Loss	16CAB	\$3,807 +133/+77	\$3,807 +133/+77



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AERODYNAMIC PACKAGE Includes Roof Air Deflector and Cab Side Extenders, Paint and Install at the Plant REQS: Code 07BKN, 07BKP, 07BKS, 07BKY(std) or 07BKZ EXHAUST SYSTEM N/A: Code 16CAB CAB : Code 16XYK and 16XYL ROOF AIR DEFLECTOR : Code 16917 and 16973 MOUNTING BRACKETS AVAIL: Code 08WCL HORN, AIR	16XYM	\$3,078 +101/+67	N/A
AIR CONDITIONER - Blend-Air - With Integral Heater & Defroster INCLS: HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea - Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A N/A: Code 16WCS(std) HEATER	16WCT	\$923 +63/+8	\$923 +63/+8
AIR CONDITIONER, PROVISION FOR Accommodation Package, for Air Conditioning, Includes (1) TransAir 512307 Compressor, with Mounting Kit and Compressor Drive Effects for Vehicle With Primary Compressor Mounting REQS: Code 12TSY(std) FAN DRIVE N/A: Code 16WCS(std) HEATER Accommodation Package, for Air Conditioning, Includes Auxiliary Compressor in Secondary Position and Compressor Drive Effects for Vehicle With Primary Compressor Mounting N/A: Code 16WCS(std) HEATER	16135 16136	\$539 0/0 \$689	\$539 0/0 \$689
AMMETER 150 Amp N/A: Code 16VSL WINDSHIELD : Code 16HLM GPS	16HHT	\$87 +1/0	\$87 +1/0
ANTENNA MOUNTING BRACKETS for Satellite Communication System; Mounted on Back of Day Cab or Extended Cab, With or Without Aerodynamic Package N/A: Code 16196 CAB AVAIL: Code 16973 MOUNTING BRACKETS	16UKJ	\$130 +2/+1	\$130 +2/+1
ARM REST, LEFT, PASSENGER SEAT REQS: Code 16LCZ, 16LDK, 16LER, 16PPD, 16PPN, 16RPV, 16RPX, 16RXE or 16RXP SEAT, PASSENGER N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16WBZ	\$39 +3/0	\$39 +3/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-235

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CAB INTERIOR TRIM (SEE PREV PAGE)			
INCLS: GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster : COURTESY LIGHT (4) Mounted In Front and Rear Map Pockets - Left and Right Sides REQS: Code 16196 CAB N/A: Code 16WLE STORAGE POCKET, DOOR : Code 16WEE CAB SOUND INSULATION : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 08WTP and 08WTR COURTESY LIGHT : Code 16SBA BUNK, LOWER	16WSJ		
Premium; for Extended Cab INCLS: HEADLINER Soft Padded Cloth : "A" PILLAR COVER Molded Plastic : STORAGE POCKET, DOOR (2) Molded Plastic (Carpet Texture), Full-Length; Driver and Passenger Doors : SUN VISOR (3) Padded Vinyl: 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets, CB Radio Pocket, Speakers, and Reading Lights : FLOOR COVERING Rubber, Black : CAB SOUND INSULATION Includes Dash and Engine Cover Insulators : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : DOOR TRIM PANELS with Cloth Insert on Bolster Driver and Passenger Doors : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster : COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side REQS: Code 16CAB CAB N/A: Code 16WLE STORAGE POCKET, DOOR : Code 16WEE CAB SOUND INSULATION : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 08WTP and 08WTR COURTESY LIGHT AVAIL: Code 16WJU WINDOW, POWER	16WSY	\$449 0/0	\$449 0/0

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-239

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CAB MOUNTING HEIGHT EFFECTS Mid Cab in Lieu of Low Cab Mounting Height (Approx. 4") With Cab Air Suspension REQS: Code 16WLE(std) STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM - for 4300 SBA LP 4X2 REQS: Code 16WLE(std) STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM - for 4300 SBA 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SWU(std), 15SWY, 15SXJ or 15SXX FUEL TANK	16VHG	\$572 +72/-8	\$572 +72/-8
CAB REAR SUSPENSION Air Bag Type REQS: Code 16196 CAB REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2	16WSK	N/C +25/+19	N/C +25/+19
CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM NOTE: Feature included with CAB INTERIOR TRIM, Premium	16WEE	\$90 +8/0	\$90 +8/0
CONSOLE, CENTER Polypropylene, With One Coin Holder, One Cup Holder and One Thermos Holder, With Laptop PC or Clipboard Storage, Includes small Storage Area REQS: Code 16030(std) CAB N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16VBS	\$64 +12/0	\$64 +12/0



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
GAUGE, OIL TEMP, ENGINE N/A: ENGINE, DIESEL	16HGG	\$54 + 1/0	\$54 + 1/0
GAUGE, OIL TEMP, REAR AXLE REQS: Code 14AET, 14AEW, 14AEY, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJV, 14AJW, 14ANR, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AHM, 14AHP, 14ANR, 14ANT, 14ATY, 14ATZ or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 16HLM GPS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	16HGL	\$95 + 1/0	\$95 + 1/0
GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM	16HCS	\$71 0/0	\$71 0/0
GPS <i>Rand McNally</i> Flush Mounted Style In Wing Panel; Display with Color Touch Screen, Includes GPS Navigation, Rechargeable Battery, Internal Antenna & USB Port N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16HGN GAUGE, AIR APPLICATION : Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 16HHT AMMETER	16HLM	\$647 0/0	\$647 0/0
GRAB HANDLE (02) Black, Aluminum; for Cab Entry Mounted Left and Right each Side at "B" Pillar N/A: Code 16CAB CAB AVAIL: Code 16SET GRAB HANDLE, ADDITIONAL EXT Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar N/A: Code 16SET GRAB HANDLE, ADDITIONAL EXT : Code 16CAB CAB : AERODYNAMIC PACKAGE - for 4300 SBA 4X2	16SED 16SEE	\$87 + 4/0 \$118 + 3/0	\$87 + 4/0 \$118 + 3/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-243

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
HEATER HOSES Silicone REQS: Code 16WHJ HOSE CLAMPS, HEATER HOSE	16975	\$78 0/0	\$78 0/0
HOSE CLAMPS, HEATER HOSE Breeze Belleville Washer Type	16WHJ	\$25 0/0	\$25 0/0
HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line	16564	\$41 +2/0	\$41 +2/0
HOURLMETER, PTO for Customer Provided PTO; With Indicator Light and Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch N/A: Code 60ABA, 60ABB, 60ABE, 60ABK, 60ABL and 60ABR BDY INTG, PTO ACCOMMODATION AVAIL: Code 60AKG BDY INTG, PTO ACCOMMODATION	16WLM	\$138 +2/0	\$138 +2/0
HVAC FRESH AIR FILTER	16WKY	\$14 +4/0	\$14 +4/0
INSTRUMENT PANEL Center Section, Flat Panel Center Section, Ergonomic Panel REQS: Code 04GAS or 04GAW BRAKE, PARKING, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC	16WJS 16WJT	STD \$330 0/0	STD \$330 0/0
(SEE NEXT PAGE)			



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
INSTRUMENT PANEL (SEE PREV PAGE) REQS: Code 13WCP TRANSMISSION SHIFT CONTROL, when in combination with Code 04GAR BRAKE, PARKING and Code 13ARA or 13APZ TRANSMISSION, AUTOMATIC and Code 13ARB or 13ARA TRANSMISSION, AUTOMATIC and Code 13ARE or 13ARB TRANSMISSION, AUTOMATIC and Code 13ARH or 13ARC TRANSMISSION, AUTOMATIC and Code 13ARJ or 13ARE TRANSMISSION, AUTOMATIC and Code 13ASK or 13ARH TRANSMISSION, AUTOMATIC and Code 13ASL or 13ARJ TRANSMISSION, AUTOMATIC and Code 13ASM or 13ASK TRANSMISSION, AUTOMATIC and Code 13ASN or 13ASL TRANSMISSION, AUTOMATIC and Code 13ASP or 13ASM TRANSMISSION, AUTOMATIC and Code 13ASR or 13ASN TRANSMISSION, AUTOMATIC and Code 13AST or 13ASP TRANSMISSION, AUTOMATIC and Code 13ASY or 13ASR TRANSMISSION, AUTOMATIC and Code 13ATA or 13AST TRANSMISSION, AUTOMATIC and Code 13ATB or 13ASY TRANSMISSION, AUTOMATIC and Code 13ATC or 13ATA TRANSMISSION, AUTOMATIC and Code 13ATD or 13ATB TRANSMISSION, AUTOMATIC and Code 13ATE or 13ATC TRANSMISSION, AUTOMATIC and Code 13ATG or 13ATD TRANSMISSION, AUTOMATIC and Code 13ATH or 13ATE TRANSMISSION, AUTOMATIC and Code 13ATJ or 13ATG TRANSMISSION, AUTOMATIC - for 4300 SBA LP 4X2 REQS: Code 13WCP TRANSMISSION SHIFT CONTROL, when in combination with Code 04GAR BRAKE, PARKING and Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13AVU or 13AVV TRANSMISSION, AUTOMATIC - for 4300 SBA 4X2 N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 08WEE SWITCH, AIR HORN, PASSENGER	16WJT		
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster Omit Display of Fault Codes in Instrument Cluster and Disable Blink Codes, Requires Service Tool to Retrieve and View Fault Code	16HKT 16HKA	STD N/C 0/0	STD N/C 0/0



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
KEYLESS ENTRY SYSTEM REMOTE With Panic and Auxiliary Buttons, Includes One Key Fob (Transmitter) REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB With Panic Alarm and Horn Beep Lock Confirmation, With Auxiliary Button for Work Light Function Includes One Key Fob REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB REQS: Code 08WAA or 08WLL LIGHT, WORK - for 4300 SBA 4X2 REQS: Code 08WMA or 08WTT SWITCH, TOGGLE, FOR WORK LIGHT	16WKZ 16VCN	\$328 + 2 / 0 \$390 + 1 / 0	\$328 + 2 / 0 \$390 + 1 / 0
LOW WASHER FLUID INDICATOR	16WSE	\$15 + 1 / 0	\$15 + 1 / 0
MIRROR, CONVEX, LOOK DOWN Lang Mekra Right Side; 6" x 10 1/4" N/A: Code 16SDU MIRRORS Right Side; 6" x 10 1/4", With Bright Finish REQS: Code 16SDU MIRRORS	16SDE 16SDG	\$49 + 2 / 0 \$57 + 2 / 0	\$49 + 2 / 0 \$57 + 2 / 0
MIRRORS Lang Mekra (02) Rectangular, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16SJV, 16SJW and 16SJX MIRROR, CONVEX, HOOD MOUNTED : Code 16VSL WINDSHIELD : Code 08RCB CB RADIO AVAIL: Code 16SDE MIRROR, CONVEX, LOOK DOWN (02) Rectangular, Thermostatically Controlled Heated Heads, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16SJX MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SDE MIRROR, CONVEX, LOOK DOWN	16SNA 16SNB	STD \$126 - 2 / - 1	STD \$126 - 2 / - 1



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SEAT, DRIVER (SEE PREV PAGE)			
National			
- 2000 - N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 16SBA BUNK, LOWER	16JYV		
Self Contained with Compressor, Mid Back, Vinyl, Less Isolator, Less Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Seat Back Adjust INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16KAW or 16SMP SEAT, TWO-MAN PASSENGER -OR- Code 16LCZ or 16400 SEAT, PASSENGER N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 04SPA, 04SPK and 04SPN AIR COMPRESSOR AVAIL: Code 16PCS, 16SMT, 16SMV and 16615 SEAT, REAR	16JHR	\$244 + 4/0	\$244 + 4/0
Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Angle Adjust, Dual Shocks INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16WBY ARM REST, RIGHT, DRIVER SEAT REQS: Code 16KAW, 16SMH, 16SML or 16SMP SEAT, TWO-MAN PASSENGER -OR- Code 16LUM, 16PPG, 16PPN, 16PPZ, 16RPV, 16RXE, 16SMN or 16400 SEAT, PASSENGER N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR	16LJS	\$334 - 17/-23	\$334 - 17/-23
Air Suspension, Mid Back With Integral Headrest, Mordura Cloth, Isolated, With Rear Cushion Adjustment, 6 to 17 Degree Seat Back Adjustment, Air Lumbar, Rubber Bellows REQS: Code 16RPX, 16RXP or 16400 SEAT, PASSENGER N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16KAY, 16LJX, 16LJZ, 16SMU and 16615 SEAT, REAR	16JYJ	\$158 - 13/-41	\$158 - 13/-41



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SEAT, PASSENGER (CONTINUED)			
<i>Seats, Inc.</i>			
- Universal Series -			
NFPA Compliant, Air Suspension, High Back, Vinyl with Covered Back and International Logo on Headrest for Fire Truck INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16KUW SEAT, DRIVER N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16LPC	\$790 +39/+51	\$790 +39/+51
911, NFPA Compliant, Non-Suspension, High Back for SCBA, Vinyl Covered Back, Adjusters, 0 Degree Back angle, International Logo on Headrest INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JPA or 16KUW SEAT, DRIVER N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16196 CAB	16PPY	\$722 +46/+63	\$722 +46/+63
911, NFPA Compliant, Non-Suspension, High Back for SCBA, Vinyl Covered Back, Adjusters, 5 Degree Back angle, International Logo on Headrest INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JJE, 16JNT, 16JPA, 16JPT, 16KAV, 16KUW or 16LJS SEAT, DRIVER - for 4300 SBA LP 4X2 REQS: Code 16JJE, 16JNT, 16JPA, 16JPT, 16JYV, 16KAV, 16KUW or 16LJS SEAT, DRIVER - for 4300 SBA 4X2 REQS: Code 16615 SEAT, REAR, when in combination with Code 16CAB CAB REQS: Code 16CAB or 16196 CAB N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16PPZ	\$722 +46/+63	\$722 +46/+63
National			
Non Suspension, High Back, Fixed Back, Integral Headrest, Cloth REQS: Code 16JNV, 16JPA, 16JYX or 16KAU SEAT, DRIVER N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16SMM	\$398 +13/+10	\$398 +13/+10



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SEAT, REAR			
(SEE PREV PAGE)			
National			
- 2000 -			
REQS: Code 16196 CAB	16LJY		
REQS: Code 04SPK AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2			
REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC			
REQS: Code 16JXG(std) SEAT, FRONT BENCH			
-OR- SEAT, TWO-MAN PASSENGER			
N/A: Code 02AGB and 02AUV AXLE, FRONT NON-DRIVING			
: Code 16SBA BUNK, LOWER			
AVAIL: Code 16VCA and 16VCB SEAT BELT			
: Code 16HCL SEATBELT WARNING PREWIRE			
Two Individual Outboard Seats, NFPA Compliant, Air Suspension, High Back, Cloth, Isolator, Lumbar, with 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust, with 18" Wide Cushion and 20" Seat Back	16LJZ	\$1,829 +105/+67	\$1,829 +105/+67
INCLS: SEAT BELT Two 3-Point Shoulder Belts			
REQS: Code 16JJD, 16JNV, 16JPX, 16JYJ, 16JYX, 16KAU or 16LSD SEAT, DRIVER			
REQS: Code 16196 CAB			
REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC			
REQS: Code 16KAX SEAT, FRONT BENCH			
-OR- SEAT, TWO-MAN PASSENGER			
N/A: Code 02AGB and 02AUV AXLE, FRONT NON-DRIVING			
: Code 16SBA BUNK, LOWER			
AVAIL: Code 16VCA and 16VCB SEAT BELT			
: Code 16HCL SEATBELT WARNING PREWIRE			
Two Individual Outboard Seats, NFPA Compliant, Air Suspension, High Back, Vinyl, Isolator, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Lumbar, With 18" Wide Cushion and 20" Seat Back	16LKA	\$1,782 +105/+67	\$1,782 +105/+67
INCLS: SEAT BELT Two 3-Point Shoulder Belts			
REQS: Code 16JJE, 16JNT, 16JPT, 16JPX, 16KAV, 16KUW or 16LJS SEAT, DRIVER - for 4300 SBA LP 4X2			
REQS: Code 16JJE, 16JNT, 16JPT, 16JPX, 16JYV, 16KAV, 16KUW or 16LJS SEAT, DRIVER - for 4300 SBA 4X2			
REQS: Code 16196 CAB			
REQS: Code 04SPK AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2			
REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC			
REQS: Code 16JXG(std) SEAT, FRONT BENCH			
-OR- SEAT, TWO-MAN PASSENGER			
(SEE NEXT PAGE)			



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SEATBELT WARNING PREWIRE (SEE PREV PAGE) REQS: Code 16WSG, 16WSJ, 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB REQS: Code 16KAW, 16SMH, 16SML or 16SMP SEAT, TWO-MAN PASSENGER -OR- Code 16LPC, 16LUM, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN or 16400 SEAT, PASSENGER -OR- SEAT, FRONT BENCH N/A: Code 16KAY and 16615 SEAT, REAR	16HCL		
STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM	16WLE	\$25 + 1/0	\$25 + 1/0
SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights Bright Finish; Includes Integral Clearance/Marker Lights	16XWD 16XWE	\$253 + 14/+3 \$688 + 12/+5	\$253 + 14/+3 \$688 + 12/+5
WINDOW, POWER (04) And Power Door Locks, Front and Rear Doors, Left and Right, Includes Express Down Feature REQS: Code 16WLE or 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM REQS: Code 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 16196 CAB (02) and Power Door Locks, Left and Right Doors, Includes Express Down Feature REQS: Code 16WLE or 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM N/A: Code 16196 CAB	16WJV 16WJU	\$866 + 10/0 \$367 + 5/0	\$866 + 10/0 \$367 + 5/0
WINDSHIELD Heated, Single Piece REQS: Code 16SDT, 16SDU, 16SNB or 16SNC MIRRORS N/A: Code 16VEX and 16VEX CONTROLS, CENTER PANEL : Code 16HHT AMMETER	16VSL	\$632 0/0	\$632 0/0
WINDSHIELD WIPER BLADES Snow Type	16XWJ	\$26 + 2/0	\$26 + 2/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-267

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
WHEELS, FRONT (CONTINUED)			
No Vendor Identified			
DISC; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	27DMC	\$463 - 58 / 0	\$478 - 208 / 0
REQS: Code 26DAR, 26DRC, 26DTE, 26DTJ, 26DTS, 26DTU, 26DTX, 26DUE, 26DUG or 26DUL WHEEL, SPARE, DISC - for 4300 SBA 4X2			
N/A: Code 02AHY and 02AHZ AXLE, FRONT NON-DRIVING			
: Code 28DAN and 28DAR WHEELS, REAR			
: Code 29ACB WHEEL, FRONT, IDENTITY			
: Code 29PAR, 29PAW, 29PBA and 29PBU PAINT IDENTITY, FRONT WHEELS			
NOTE: COMPATIBLE TIRE SIZES: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5			
: Aluminum Wheels not Painted or Coated			
Maxion			
- 10038 -			
DISC; 22.5x7.50 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs	27DTE	\$42 + 7 / 0	\$57 - 143 / 0
REQS: Code 26DTE, 26DTJ, 26DTS, 26DTU, 26DTX, 26DUE or 26DUG WHEEL, SPARE, DISC - for 4300 SBA LP 4X2			
REQS: Code 26DTE, 26DTJ, 26DTS, 26DTU, 26DTX, 26DUE, 26DUG or 26DUL WHEEL, SPARE, DISC - for 4300 SBA 4X2			
REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAR, 29PAW or 29PBA PAINT IDENTITY, FRONT WHEELS - for 4300 SBA LP 4X2			
REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAR, 29PAW or 29PBA PAINT IDENTITY, FRONT WHEELS - for 4300 SBA 4X2			
N/A: Code 02AHZ, 02AJE and 02ATM AXLE, FRONT NON-DRIVING			
: Code 04WEZ BRAKE PACKAGE, FRONT			
: Code 28DPS WHEELS, REAR			
: Code 29174 WHEEL BRAND, FRONT/REAR			
: Code 29AAA WHEEL BRAND, FRONT			
: Code 29ACB WHEEL, FRONT, IDENTITY			
: Code 29SAJ HUB CAPS			
: Code 29PBU PAINT IDENTITY, FRONT WHEELS			
: Code 29PBT COATING IDENTITY, FRONT WHEELS			
- 10049 -			
DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .490" Thick Increased Capacity Disc and Steel Hubs	27DTH	\$90 + 5 / 0	N/A
REQS: Code 02AEZ, 02AGB, 02AGM, 02AHY, 02AHZ, 02AJE, 02ASC, 02ASH, 02AST, 02ATL, 02ATM, 02ATN, 02AUT or 02AUV AXLE, FRONT NON-DRIVING			

(SEE NEXT PAGE)

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-275

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
WHEELS, REAR (CONTINUED)			
Maxion			
- 10049 - DUAL DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .490" Thick Increased Capacity Disc and Steel Hubs REQS: Code 26DPN, 26DTE, 26DTJ, 26DTS, 26DTU, 26DTX, 26DUE, 26DUG, 26DUL or 26DUM WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAS, 29PAX or 29PBB PAINT IDENTITY, REAR WHEELS REQS: Code 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, HYDRAULIC DISC N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29ACC and 29BAG WHEEL, REAR, IDENTITY : Code 29PBV PAINT IDENTITY, REAR WHEELS : Code 29PBS COATING IDENTITY, REAR WHEELS	28DTH	\$198 0/+1023	N/A
- 90541 - DUAL DISC; 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DTE, 26DTJ, 26DTS, 26DTU, 26DTX, 26DUE or 26DUG WHEEL, SPARE, DISC - for 4300 SBA LP 4X2 REQS: Code 26DPN, 26DTE, 26DTJ, 26DTS, 26DTU, 26DTX, 26DUE, 26DUG, 26DUL or 26DUM WHEEL, SPARE, DISC - for 4300 SBA 4X2 REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAS, 29PAX or 29PBB PAINT IDENTITY, REAR WHEELS - for 4300 SBA LP 4X2 REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAS, 29PAX or 29PBB PAINT IDENTITY, REAR WHEELS - for 4300 SBA 4X2 REQS: Code 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM - for 4300 SBA 4X2 -OR- BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 -OR- Code 04NCZ, 04NDB, 04NDC, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM - for 4300 SBA LP 4X2 -OR- BRAKES, REAR, HYDRAULIC DISC N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29ACC and 29BAG WHEEL, REAR, IDENTITY : Code 29PBV PAINT IDENTITY, REAR WHEELS : Code 29PBS COATING IDENTITY, REAR WHEELS	28DTJ	\$58CR 0/+769	\$58CR 0/+799

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-288

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
WHEEL, SPARE, DISC (CONTINUED)			
Accuride			
- 50180 - 19.5x6.75 Rims, Powder Coat Steel, 4-Hand Hole, 8-Stud, 275mm BC, Hub-Piloted REQS: Code 27DTX WHEELS, FRONT or Code 28DTX WHEELS, REAR - for 4300 SBA 4X2 N/A: Code 29174 WHEEL BRAND, FRONT/REAR	26DTX	\$182	\$182
- 50408 - 22.5x8.25 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUG(std) WHEELS, FRONT or Code 28DUG WHEELS, REAR N/A: Code 29174 WHEEL BRAND, FRONT/REAR	26DUG	\$192	\$192
- 50487 - 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DPS WHEELS, FRONT or Code 28DPS WHEELS, REAR	26DUE	\$192	\$192
Maxion			
- 10038 - 22.5x7.50 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DTE WHEELS, FRONT or Code 28DTE WHEELS, REAR N/A: Code 29ACB WHEEL, FRONT, IDENTITY	26DTE	\$221 0/+76	\$221 0/+76
- 90541 - 22.5x8.25 Rims, Painted Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DTJ WHEELS, FRONT or Code 28DTJ WHEELS, REAR N/A: Code 29ACB WHEEL, FRONT, IDENTITY	26DTJ	\$226 0/+70	\$226 0/+70
COATING IDENTITY, FRONT WHEELS			
Accuride			
- Accu-shield - Disc Front Wheels; Aluminum, With Vendor Applied Clear Coat Not for Wide Base REQS: Code 26DAR, 26DRC, 26DTE, 26DTJ, 26DTS, 26DTU, 26DTX, 26DUE, 26DUG or 26DUL WHEEL, SPARE, DISC - for 4300 SBA 4X2 REQS: Code 27DAN, 27DMB or 27DMC WHEELS, FRONT - for 4300 SBA LP 4X2 REQS: Code 27DAN, 27DMB, 27DMC or 27DUS WHEELS, FRONT - for 4300 SBA 4X2 N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	29PBT	\$167 0/0	\$167 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-290

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
COATING IDENTITY, REAR WHEELS Accuride - Accu-shield - Aluminum Disc Rear Wheels, With Vendor Applied Clear Coat; Not for Super Single Wide Base REQS: Code 28DAN, 28DMB, 28DMC or 28DRA WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 28DAN, 28DMB, 28DMC, 28DRA or 28DUS WHEELS, REAR - for 4300 SBA 4X2 REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 29174 WHEEL BRAND, FRONT/REAR	29PBS	\$167 0/0	\$167 0/0
HUB BRAND, FRONT ConMet Steel Front Hubs, With Pre-Adjusted Bearings In Lieu of Standard Source Steel Hubs REQS: Code 02AHY, 02ASH or 02ATL AXLE, FRONT NON-DRIVING - for 4300 SBA LP 4X2 REQS: Code 02AGB, 02AHY, 02AHZ, 02AJE, 02ASC, 02ASH, 02AST, 02ATL, 02ATM, 02ATN or 02AUV AXLE, FRONT NON-DRIVING - for 4300 SBA 4X2 REQS: Code 27DMB, 27DMC, 27DPS, 27DPZ, 27DTE, 27DTJ, 27DTT, 27DTU, 27DUG or 27DUR WHEELS, FRONT - for 4300 SBA LP 4X2 N/A: Code 29580 and 29596 WHEEL SEALS, FRONT : Code 27DAN, 27DAR, 27DTS and 27DTX WHEELS, FRONT - for 4300 SBA 4X2	29ADX	\$248 +251/0	\$248 +251/0
HUB CAPS Stemco (02) Front with Oversize Opening. REQS: Code 27DMB, 27DMC, 27DPS, 27DTJ, 27DTX(std) or 27DUG WHEELS, FRONT - for 4300 SBA LP 4X2 REQS: Code 27DMB, 27DMC, 27DPN, 27DPS, 27DTJ, 27DTX, 27DUG or 27DUS WHEELS, FRONT - for 4300 SBA 4X2	29SAJ	\$56 0/0	\$56 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-291

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
PAINT IDENTITY, FRONT WHEELS			
Disc Front Wheels; With Vendor Applied Gray Powder Coat Paint N/A: Code 27DAN, 27DAR, 27DMB, 27DMC, 27DPZ, 27DUR and 27DUS WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAW	\$24 0/0	\$24 0/0
Disc Front Wheels; With Vendor Applied Omaha Orange Powder Coat Paint REQS: Code 27DUG or 27DUL WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBU	\$89 0/0	N/A
Disc Front Wheels; With Vendor Applied White Powder Coat Paint REQS: Code 27DTE, 27DTJ, 27DTT, 27DTU or 27DUG WHEELS, FRONT - for 4300 SBA LP 4X2 REQS: Code 27DTE, 27DTH, 27DTJ, 27DTT, 27DTU(std) or 27DUG WHEELS, FRONT - for 4300 SBA 4X2 AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAR	\$24 0/0	\$24 0/0
Disc Wheels; With Vendor Applied Black Powder Coat Paint N/A: Code 27DAN, 27DAR, 27DMB, 27DMC, 27DPZ, 27DTT, 27DUR and 27DUS WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBA	\$24 0/0	\$24 0/0
PAINT IDENTITY, REAR WHEELS			
Disc Rear Wheels; With Vendor Applied Gray Powder Coat Paint N/A: Code 28DAN, 28DAR, 28DMB, 28DMC, 28DPZ, 28DRA, 28DUR and 28DUS WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAX	\$48 0/0	\$48 0/0
Disc Rear Wheels; With Vendor Applied Omaha Orange Powder Coat Paint REQS: Code 28DUG WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBV	\$177 0/0	N/A
Disc Rear Wheels; With Vendor Applied White Powder Coat Paint REQS: Code 28DTE, 28DTJ, 28DTU or 28DUG WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 28DTE, 28DTH, 28DTJ, 28DTU(std) or 28DUG WHEELS, REAR - for 4300 SBA 4X2 AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAS	\$48 0/0	\$48 0/0
Disc Wheels; With Vendor Applied Black Powder Coat Paint N/A: Code 28DAN, 28DAR, 28DMB, 28DMC, 28DPZ, 28DRA, 28DUK, 28DUR and 28DUS WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBB	\$48 0/0	\$48 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-292

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRE, SPARE Equal to Model Standard NOTE: NOTE: Only One Spare Tire per Truck Ordered. Order Must Reflect Number of Tires Required (Including Spare). 10-Digit Tire Code and Spare Rim/Wheel Code Must be Specified.	29007	\$595 0/+91	\$513 0/+91
TIRE VALVE CAP Flo-Thru Design Alligaro - V2B - Flo-Thru Design	29ACD 29AAU	\$24 0/0 \$28 0/0	\$24 0/0 \$28 0/0
WHEEL BRAND, FRONT Alcoa Aluminum Disc Front Wheels REQS: Code 26DAR, 26DRC, 26DTE, 26DTJ, 26DTS, 26DTU, 26DTX, 26DUE, 26DUG or 26DUL WHEEL, SPARE, DISC - for 4300 SBA 4X2 REQS: Code 27DMB or 27DMC WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : WHEEL, FRONT, IDENTITY : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS - for 4300 SBA LP 4X2 : Code 29PAR, 29PAW, 29PBA and 29PBU PAINT IDENTITY, FRONT WHEELS - for 4300 SBA 4X2 : Code 29PBT COATING IDENTITY, FRONT WHEELS	29AAA	\$174 0/0	\$174 0/0
WHEEL BRAND, FRONT/REAR Alcoa Disc Wheels REQS: Code 26DTE, 26DTJ or 26DUE WHEEL, SPARE, DISC REQS: Code 27DMB or 27DMC WHEELS, FRONT REQS: Code 28DMB or 28DMC WHEELS, REAR N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT COATING IDENTITY, FRONT WHEELS	29174	\$523 0/0	\$523 0/0



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
WHEEL BEARING, FRONT, LUBE EmGard - FE-75W-90 - Synthetic Oil REQS: Code 29ADX HUB BRAND, FRONT or Code 29580 or 29596 WHEEL SEALS, FRONT	29WLK	\$59 0/0	\$59 0/0
WHEEL, FRONT, IDENTITY Accuride - Styled Steel - 10-Hand Hole, Disc Wheels; With Black Powder Coat Paint REQS: Code 26DAR, 26DRC, 26DTS, 26DTU, 26DTX, 26DUE or 26DUG WHEEL, SPARE, DISC - for 4300 SBA LP 4X2 REQS: Code 26DAR, 26DRC, 26DTS, 26DTU, 26DTX, 26DUE, 26DUG, 26DUL or 26DUM WHEEL, SPARE, DISC - for 4300 SBA 4X2 REQS: Code 27DUG WHEELS, FRONT N/A: Code 02AJE AXLE, FRONT NON-DRIVING AVAIL: Code 29ACC WHEEL, REAR, IDENTITY : Code 10636 PAINT IDENTITY, PT-2	29ACB	\$88 0/0	\$88 0/0
WHEEL GUARDS, FRONT Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	29WAP	\$24 +2/0	\$24 +2/0
WHEEL GUARDS, REAR Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels N/A: Code 28DAN, 28DAR, 28DMB, 28DMC, 28DPZ, 28DRA, 28DUR and 28DUS WHEELS, REAR	29WAR	\$24 0/+4	\$24 0/+4
WHEEL, REAR, IDENTITY Replace Inner Aluminum Wheels on Rear Duals with the Equivalent Steel Wheels - For Use with Hub Piloted Wheels Only REQS: Code 28DMB or 28DMC WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 28DMB, 28DMC or 28DUS WHEELS, REAR - for 4300 SBA 4X2 N/A: Code 29ACB WHEEL, FRONT, IDENTITY	29BAG	\$450CR 0/-40	\$450CR 0/-36

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-294

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
WHEEL, REAR, IDENTITY (CONTINUED) Accuride - Styled Steel - 10-Hand Hole, Disc Wheels; With Black Powder Coat Paint REQS: Code 28DUG WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29ACC	\$174 0/0	\$174 0/0
WHEEL SEALS, FRONT Stemco - Voyager - Oil Lubricated Wheel Bearings ILO Standard Grease Seals N/A: Code 29ADX HUB BRAND, FRONT International Oil-Lubricated Wheel Bearings N/A: Code 29ADX HUB BRAND, FRONT	29596 29580	\$57 0/0 \$37 0/0	\$57 0/0 \$37 0/0
WHEEL SEALS, REAR Stemco - Voyager - Oil Lubricated Wheel Bearings REQ: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2	29597	\$60 0/0	\$60 0/0
WARRANTY Standard for Durastar 1000/4000 Series, Effective with Vehicles Built January 2, 2015 or Later, CTS-2475P	40116	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-295

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SERVICES, TOWING			
<i>Navistar</i>			
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KLZ	\$400	\$400
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KME	\$280	\$280
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMA	\$800	\$800
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMG	\$560	\$560
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMB	\$1,100	\$1,100
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMH	\$780	\$780
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMC	\$1,300	\$1,300
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMJ	\$920	\$920

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-296

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SRV CONTRACT, EXT CMMS ENGINE (CONTINUED) <i>Cummins</i> To 96-Month/100,000 Miles (160,000 km), Extended Cummins B6.7 Engine Coverage, Full Engine Coverage, (RV/Fire Application Only) REQS: Code 12EKD or 12EKE ENGINE, DIESEL N/A: Code 40SDW, 40SDX, 40SHD, 40SHE, 40SHG, 40SHH and 40SHJ SRV CONTRACT, EXT CMMS AFTR To 36-Month/100,000 Miles (160,000 km), Extended Cummins ISB Engine Coverage, Protection Plan 2 (Truck Application Only) N/A: Code 40SDW, 40SDX, 40SHD, 40SHE, 40SHG, 40SHH and 40SHJ SRV CONTRACT, EXT CMMS AFTR : ENGINE, DIESEL	 40SEH 40KEX	 \$4,300 \$800	 \$4,300 \$800
SRV CONTRACT, EXT CMMS M/COMP <i>Cummins</i> To 120-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Major Components Coverage	 40SED	 \$1,800	 \$1,800
SRV CONTRACT, EXT COOLING SYS <i>Navistar</i> To 36-Month/100,000 Miles (160,000 km) To 36-Month/150,000 Miles (240,000 km) To 36-Month/200,000 Miles (320,000 km) To 36-Month/250,000 Miles (400,000 km) To 36-Month/50,000 Miles (80,000 km) To 48-Month/100,000 Miles (160,000 km) To 48-Month/150,000 Miles (240,000 km) To 48-Month/200,000 Miles (320,000 km) To 48-Month/250,000 Miles (400,000 km) To 48-Month/50,000 Miles (80,000 km)	 40MGW 40MGX 40MGY 40MGZ 40MGV 40MGJ 40MGK 40MGL 40MGM 40MGH	 \$140 \$240 \$320 \$400 \$100 \$220 \$300 \$480 \$640 \$160	 \$140 \$240 \$320 \$400 \$100 \$220 \$300 \$480 \$640 \$160

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-305

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SRV CONTRACT, EXT COOLING SYS (CONTINUED) Navistar To 60-Month/100,000 Miles (160,000 km) To 60-Month/150,000 Miles (240,000 km) To 60-Month/200,000 Miles (320,000 km) To 60-Month/250,000 Miles (400,000 km) To 60-Month/50,000 Miles (80,000 km)	 40MGR 40MGS 40MGT 40MGU 40MGP	 \$300 \$400 \$640 \$900 \$240	 \$300 \$400 \$640 \$900 \$240
SRV CONTRACT, EXT EATON XMSN Eaton To 60-Month Unlimited Miles/km, Extended Eaton Precision Transmission Coverage Option 1 REQS: Code 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL To 72-Month Unlimited Miles/km, Extended Eaton Precision Transmission Coverage Option 2 REQS: Code 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL To 84-Month Unlimited Miles/km, Extended Eaton Precision Transmission Coverage Option 3 REQS: Code 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	 40AWT 40AWU 40AWV	 \$900 \$1,200 \$1,500	 \$900 \$1,200 \$1,500
SRV CONTRACT, EXT ELECTRICAL Navistar - Prepackaged Components - Excludes Starter and Alternator, To 36-Month/100,000 Miles (160,000 km) Excludes Starter and Alternator, To 36-Month/150,000 Miles (240,000 km) Excludes Starter and Alternator, To 36-Month/200,000 Miles (320,000 km) Excludes Starter and Alternator, To 36-Month/250,000 Miles (400,000 km)	 40NKE 40NKG 40NKH 40NKJ	 \$100 \$160 \$220 \$260	 \$100 \$160 \$220 \$260

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-306

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SRV CONTRACT, EXT ENGINE (CONTINUED) Navistar To 72-Month/100,000 Miles (160,000 km), 3600 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce DT Engines with LESS than 660 lb-ft Torque N/A: SRV CONT, EXT AFTERTREATMENT : ENGINE, DIESEL	40HZR	\$1,760	\$1,760
SRV CONTRACT, EXT HTR/AC SYS Navistar - Prepackaged Components - To 36-Month/100,000 Miles (160,000 km) To 36-Month/150,000 Miles (240,000 km) To 36-Month/200,000 Miles (320,000 km) To 36-Month/250,000 Miles (400,000 km) To 36-Month/50,000 Miles (80,000 km) To 48-Month/100,000 Miles (160,000 km) To 48-Month/150,000 Miles (240,000 km) To 48-Month/200,000 Miles (320,000 km) To 48-Month/250,000 Miles (400,000 km) To 48-Month/50,000 Miles (80,000 km) To 60-Month/100,000 Miles (160,000 km) To 60-Month/150,000 Miles (240,000 km) To 60-Month/200,000 Miles (320,000 km) To 60-Month/250,000 Miles (400,000 km) To 60-Month/50,000 Miles (80,000 km)	40NJZ 40NKA 40NKB 40NKC 40NJY 40NGD 40NGE 40NGG 40NGH 40NGC 40NGK 40NGL 40NGM 40NGN 40NGJ	\$280 \$400 \$560 \$680 \$200 \$360 \$520 \$840 \$1,080 \$280 \$520 \$680 \$1,080 \$1,560 \$400	\$280 \$400 \$560 \$680 \$200 \$360 \$520 \$840 \$1,080 \$280 \$520 \$680 \$1,080 \$1,560 \$400

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-308

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SRV CONTRACT, EXT MAJOR COMP			
<i>Navistar</i>			
- Prepackaged Components -			
To 36-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTT	\$140	\$140
To 36-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTU	\$240	\$240
To 36-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTV	\$300	\$300
To 36-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTW	\$400	\$400
To 36-Month/50,000 Miles (80,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTS	\$100	\$100
To 48-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTY	\$220	\$220
To 48-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTZ	\$300	\$300
To 48-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUA	\$480	\$480
To 48-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUB	\$640	\$640
To 48-Month/50,000 Miles (80,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTX	\$160	\$160
To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUD	\$300	\$300
To 60-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUE	\$400	\$400
To 60-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUG	\$640	\$640
To 60-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUH	\$900	\$900
To 60-Month/50,000 Miles (80,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUC	\$240	\$240
SRV CONTRACT, EXT STARTER/ALT			
<i>Navistar</i>			
- Prepackaged Components -			
Covers Starter and Alternator Only, To 36-Month/100,000 Miles (160,000 km)	40LKC	\$200	\$200
Covers Starter and Alternator Only, To 36-Month/150,000 Miles (240,000 km)	40LKD	\$320	\$320

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-309

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SRV CONTRACT, EXT STARTER/ALT (CONTINUED) Navistar - Prepackaged Components - Covers Starter and Alternator Only, To 36-Month/200,000 Miles (320,000 km) Covers Starter and Alternator Only, To 36-Month/250,000 Miles (400,000 km) Covers Starter and Alternator Only, To 36-Month/50,000 Miles (80,000 km) Covers Starter and Alternator Only, To 48-Month/100,000 Miles (160,000 km) Covers Starter and Alternator Only, To 48-Month/150,000 Miles (240,000 km) Covers Starter and Alternator Only, To 48-Month/200,000 Miles (320,000 km) Covers Starter and Alternator Only, To 48-Month/250,000 Miles (400,000 km) Covers Starter and Alternator Only, To 48-Month/50,000 Miles (80,000 km) Covers Starter and Alternator Only, To 60-Month/100,000 Miles (160,000 km) Covers Starter and Alternator Only, To 60-Month/150,000 Miles (240,000 km) Covers Starter and Alternator Only, To 60-Month/200,000 Miles (320,000 km) Covers Starter and Alternator Only, To 60-Month/250,000 Miles (400,000 km) Covers Starter and Alternator Only, To 60-Month/50,000 Miles (80,000 km)	40LKE 40LKG 40LKB 40LKJ 40LKK 40LKL 40LKM 40LKH 40LKP 40LKR 40LKS 40LKT 40LKN	\$440 \$520 \$120 \$280 \$400 \$640 \$840 \$240 \$400 \$520 \$840 \$1,200 \$320	\$440 \$520 \$120 \$280 \$400 \$640 \$840 \$240 \$400 \$520 \$840 \$1,200 \$320
SRV CONTRACT, EXT VEH COVERAGE Navistar To 36-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission To 36-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission To 36-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission To 36-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission	40PET 40PEU 40PEV 40PES	\$960 \$1,560 \$2,100 \$600	\$960 \$1,560 \$2,100 \$600

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-310

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)			
<i>Navistar</i>			
To 48-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40PEX	\$1,460	\$1,460
To 48-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission	40PEY	\$2,060	\$2,060
To 48-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PEZ	\$3,200	\$3,200
To 48-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission	40PGA	\$4,200	\$4,200
To 48-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission	40PEW	\$1,100	\$1,100
To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40PGC	\$2,000	\$2,000
To 60-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission	40PGD	\$2,600	\$2,600
To 60-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PGE	\$4,200	\$4,200
To 60-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission	40PGG	\$6,000	\$6,000
To 60-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission	40PGB	\$1,600	\$1,600
To 72-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40PGH	\$2,800	\$2,800
To 72-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission	40PGJ	\$3,640	\$3,640
To 72-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PGK	\$5,880	\$5,880
To 84-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40PGL	\$4,200	\$4,200
To 84-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission	40PGM	\$5,460	\$5,460
To 84-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PGN	\$8,820	\$8,820



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-313

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BDY INTG, DASH IND. LT RED (CONTINUED) (6) for Optional Usage Customer to Program	60AJU	\$266	\$266
BDY INTG, DASH IND. LT GREEN (1) for Optional Usage Customer to Program (2) for Optional Usage Customer to Program (3) for Optional Usage Customer to Program (6) for Optional Usage Customer to Program	60AJV 60AJW 60AJX 60AJY	\$98 \$116 \$133 \$266	\$98 \$116 \$133 \$266
BDY INTG, DASH IND. LT YELLOW (1) for Optional Usage Customer to Program (2) for Optional Usage Customer to Program (3) for Optional Usage Customer to Program (6) for Optional Usage Customer to Program	60AJZ 60AKA 60AKB 60AKC	\$98 \$116 \$133 \$266	\$98 \$116 \$133 \$266
BDY INTG, HEADLIGHTS, WIG WAG High Beam Wig Wag With Park Brake Interlock, Park Brake Disables High Beam Wig Wag, Enables Low Beam Wig Wag High Beam Wig Wag With Park Brake Interlock, Park Brake Disables Wig Wag	60AKL 60AKK	\$268 \$268	\$268 \$268
BDY INTG, INDICATOR LIGHTS NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE (02) 1 for Gate Open and 1 for Rear Alert, Includes Audible Alarm, Programmable Mode for Various Switch Action (requires 2 Remote Power Module inputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK or 60AAL BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60AJC	\$83 0/0	\$83 0/0



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BDY INTG, REMOTE START/STOP (CONTINUED) To Start and Stop Vehicle Engine, Will Start Emergency Pump Motor, Programmable Time Intervals REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 08THJ AUXILIARY HARNESS : Code 08WEE SWITCH, AIR HORN, PASSENGER : Code 60ACW BDY INTG, I/O EXPANSION HARNESS : Code 60ACY BDY INTG, VEHICLE IDLE : Code 60ABB BDY INTG, PTO ACCOMMODATION AVAIL: Code 08TMH SWITCH, AUXILIARY	60ABD	\$563 0/0	\$563 0/0
BDY INTG, RPM I/O HARNESS Includes a Harness with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with one RPM REQS: Code 60AAA, 60AAG or 60AAL BDY INTG, REMOTE POWER MODULE Includes Two Harnesses with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with Two RPM REQS: Code 60AAB, 60AAD, 60AAH or 60AAK BDY INTG, REMOTE POWER MODULE	60ABM 60ABN	\$40 \$62	\$40 \$62
BDY INTG, SWITCH DUAL OUTPUT NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE 2 Position Latched Rocker, Backlit, with "ON" Indicator Mounted on Dash, for 1; Auxiliary Load 40 amp Maximum; Power Available Only in "Ignition" or "Accessory" Position; Controls 2 Remote Power Modules (requires 2 Remote Power Module outputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK or 60AAL BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60ACE	N/C 0/0	N/C 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-318

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-319

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BDY INTG, SWITCH MOMNTRY 3POS (SEE PREV PAGE) NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE N/A: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR Rocker, Backlit, with "ON" Indicator Mounted on Dash, Latching Software, for 2; Auxiliary Load 20 amp. Maximum; Power Available Only in "Ignition" or "Accessory" Position, Output Also Controlled by a Customer Remote Mounted Switch (requires 2 Remote Power Module inputs & 2 outputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK or 60AAL BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60ACS 60ACT	N/C 0/0	N/C 0/0
BDY INTG, THEFT DETERRENT SYS Includes one (1) Switch Pack of Six Momentary Switches REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 60ACW BDY INTG,I/O EXPANSION HARNESS - for 4300 SBA 4X2 : Code 60ACW BDY INTG,I/O EXPANSION HARNESS : Code 60ACY BDY INTG, VEHICLE IDLE AVAIL: Code 08TMH SWITCH, AUXILIARY NOTE: Programming the customer's security code is not included in the PDI reimbursement and is not a warranty expense. Sales persons must account for the labor in the sale price of the vehicle.	60ACX	\$430 0/0	\$430 0/0
BDY INTG, THROTTLE CONTROL NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE Accommodation for Single Customer Mounted External Engine Speed Control Switch, Programmable Mode for Various Switch Actions and Engine Speed Control Option; Useable Only While Vehicle is Stopped and the Park Brake is Applied (requires 1 Remote Power Module input) INCLS: NOTE: Default Parameters: Input is 12 Volts = Engine goes into First Preset Speed; Input is Open = No Change; Input is Ground = Engine Returns to Idle REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE (SEE NEXT PAGE)	60AJA	N/C 0/0	N/C 0/0



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BDY INTG, THROTTLE CONTROL (SEE PREV PAGE) NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AJG		
BDY INTG, VEHICLE IDLE Shutdown; With Programmable Timer to Shutdown Engine and Cab Electrical Power, Default Parameter is 90 Seconds N/A: Code 60ACW BDY INTG, I/O EXPANSION HARNESS : Code 60ACX BDY INTG, THEFT DETERRENT SYS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	60ACY	\$236 0/0	\$236 0/0
TIRES Continental Tire 255/70R22.5 LR-H HSR2 SA 565 rev/mile 75 MPH All-Position 10R22.5 LR-G HSR2 518 rev/mile 75 MPH All-Position 10R22.5 LR-G HDR2 512 rev/mile 75 MPH Drive-Position 11R22.5 LR-G HSR2 498 rev/mile 75 MPH All-Position 11R22.5 LR-G HDL2 DL 491 rev/mile 75 MPH Drive-Position 11R22.5 LR-G HDR2 491 rev/mile 75 MPH Drive-Position 11R22.5 LR-G HDL2 DL ECO PLUS 491 rev/mile 75 MPH Drive-Position 11R22.5 LR-G HYBRID HD3 493 rev/mile 75 MPH Drive-Position 11R22.5 LR-G ECOPLUS HS3 495 rev/mile 75 MPH All-Position 11R22.5 LR-G HDL2 493 rev/mile 75 MPH Drive-Position	7752525421 7372115415 7372115423 7372135415 7372135417 7372135423 7372135425 7372135428 7372135429 7372135432	STD \$149 +16 \$107 +20 \$109 +32 \$193 +49 \$144 +47 \$102 +49 \$125 +41 \$96 +38 \$83 +41	\$82 +89 \$231 +16 \$189 +20 \$191 +32 N/A \$226 +47 N/A \$207 +41 N/A \$165 +41
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-322

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
<i>Continental Tire</i>			
11R22.5 LR-G HDR2 ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135434	\$172 +47	\$254 +47
11R22.5 LR-H HDO 490 rev/mile 68 MPH Drive-Position	7382135413	\$214 +35	N/A
11R22.5 LR-H HSR2 498 rev/mile 75 MPH All-Position	7382135415	\$129 +33	\$211 +33
11R22.5 LR-H HDL2 DL 491 rev/mile 75 MPH Drive-Position	7382135417	\$214 +50	N/A
11R22.5 LR-H HSC1 496 rev/mile 75 MPH All-Position	7382135419	\$178 +42	N/A
11R22.5 LR-H HDC1 488 rev/mile 75 MPH Drive-Position	7382135420	\$243 +41	\$325 +41
11R22.5 LR-H HDR2 491 rev/mile 75 MPH Drive-Position	7382135423	\$161 +47	\$243 +47
11R22.5 LR-H ECOPLUS HS3 495 rev/mile 75 MPH All-Position	7382135429	\$118 +38	\$200 +38
11R22.5 LR-H HDW2 495 rev/mile 75 MPH Drive-Position	7382135430	\$174 +46	\$256 +46
11R22.5 LR-H HDL2 493 rev/mile 75 MPH Drive-Position	7382135432	\$104 +38	\$186 +38
12R22.5 LR-H HSR2 483 rev/mile 75 MPH All-Position	7382155415	\$127 +44	N/A
12R22.5 LR-H HSC1 482 rev/mile 75 MPH All-Position	7382155419	\$289 +49	\$371 +49
12R22.5 LR-H HDC1 479 rev/mile 68 MPH Drive-Position	7392155420	\$334 +63	N/A
295/75R22.5 LR-G HDL2 511 rev/mile 75 MPH Drive-Position	7702495432	\$44 +33	\$126 +33
295/75R22.5 LR-G HYBRID HS3 518 rev/mile 75 MPH All-Position	7702495433	\$119 +25	N/A
295/75R22.5 LR-G HDR2 ECO PLUS 509 rev/mile 75 MPH Drive-Position	7702495434	\$133 +40	N/A
295/75R22.5 LR-G CROSSTRAC HA3 514 rev/mile 75 MPH All-Position	7702495436	\$115 +32	\$197 +32
295/75R22.5 LR-H HDL2 511 rev/mile 75 MPH Drive-Position	7782495432	\$109 +33	\$191 +33
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-323

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
<i>Continental Tire</i>			
295/75R22.5 LR-H HYBRID HS3 518 rev/mile 75 MPH All-Position	7792495433	\$112 +26	N/A
295/75R22.5 LR-H CROSSTRAC HA3 514 rev/mile 75 MPH All-Position	7792495436	\$146 +37	\$228 +37
255/70R22.5 LR-H HDR 565 rev/mile 81 MPH Drive-Position	7752525406	\$167 +8	\$249 +8
275/80R22.5 LR-G HSR2 518 rev/mile 75 MPH All-Position	7772535415	\$100 +27	\$182 +27
275/80R22.5 LR-G HDL2 DL ECO PLUS 507 rev/mile 75 MPH Drive-Position	7772535425	\$166 +44	N/A
275/80R22.5 LR-H HSR2 518 rev/mile 75 MPH All-Position	7792535415	\$129 +28	\$211 +28
315/80R22.5 LR-L HSC1 484 rev/mile 68 MPH All-Position	7792545419	\$423 +73	N/A
315/80R22.5 LR-L CITY SERVICE HA3 480 rev/mile 68 MPH All-Position	7792545435	\$500 +73	N/A
275/70R22.5 LR-H HYBRID HD3 540 rev/mile 81 MPH Drive-Position	7792575428	\$257 +26	N/A
295/60R22.5 LR-J ECOPLUS HD3 574 rev/mile 75 MPH Drive-Position	7692625426	\$175 +26	N/A
295/60R22.5 LR-J ECOPLUS HS3 574 rev/mile 75 MPH All-Position	7692625429	\$160 +21	N/A
225/70R19.5 LR-G HDR 647 rev/mile 87 MPH Drive-Position	7779445406	N/A	\$60CR -27
245/70R19.5 LR-H HYBRID HS3 631 rev/mile 81 MPH All-Position	7789455433	\$118CR -14	\$36CR -14
<i>Michelin</i>			
10R22.5 LR-G XDE M/S 515 rev/mile 75 MPH Drive-Position	7472113217	\$161 +16	\$243 +16
10R22.5 LR-G XZE 517 rev/mile 75 MPH All-Position	7472113253	\$127 +17	\$209 +17
11R22.5 LR-G XDE M/S 498 rev/mile 75 MPH Drive-Position	7402133217	\$201 +25	N/A
11R22.5 LR-G XDN2 496 rev/mile 75 MPH Drive-Position	7472133264	\$310 +43	N/A
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION NO. 35

SECTION 090

PRICES EFFECTIVE 01/02/2017

PAGE 090-324

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
<i>Michelin</i>			
11R22.5 LR-G XZE2 501 rev/mile 75 MPH All-Position	7472133269	\$227 +30	N/A
11R22.5 LR-G X LINE ENERGY D 500 rev/mile 75 MPH Drive-Position	7472133279	\$344 +43	\$426 +43
11R22.5 LR-G X LINE ENERGY Z 502 rev/mile 75 MPH All-Position	7472133286	\$226 +29	N/A
11R22.5 LR-H XDE M/S 497 rev/mile 75 MPH Drive-Position	7452133217	\$252 +35	N/A
11R22.5 LR-H XDS2 494 rev/mile 75 MPH Drive-Position	7452133276	\$593 +48	\$675 +48
11R22.5 LR-H XZE2 501 rev/mile 75 MPH All-Position	7482133269	\$274 +37	N/A
11R22.5 LR-H X WORKS XDY 493 rev/mile 75 MPH Drive-Position	7482133281	\$482 +65	\$564 +65
11R22.5 LR-H X LINE ENERGY Z 503 rev/mile 75 MPH All-Position	7482133286	\$240 +29	N/A
11R22.5 LR-H X WORKS Z 495 rev/mile 65 MPH All-Position	7482133287	\$362 +45	\$444 +45
12R22.5 LR-H XDN2 483 rev/mile 75 MPH Drive-Position	7482153264	N/A	\$613 +59
12R22.5 LR-H X WORKS Z 483 rev/mile 65 MPH All-Position	7482153287	\$472 +62	\$554 +62
255/70R22.5 LR-H XZE 563 rev/mile 75 MPH All-Position	7652523253	\$177 +6	\$259 +6
275/80R22.5 LR-G XDE M/S 513 rev/mile 75 MPH Drive-Position	7602533217	\$198 +25	\$280 +25
275/80R22.5 LR-G XZE2 517 rev/mile 75 MPH All-Position	7602533269	\$213 +25	\$295 +25
275/80R22.5 LR-G XDA ENERGY 511 rev/mile 75 MPH Drive-Position	7602533271	\$225 +35	N/A
275/80R22.5 LR-G XDA5+ 510 rev/mile 75 MPH Drive-Position	7602533278	N/A	\$414 +42
275/80R22.5 LR-G X LINE ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533279	\$299 +39	\$381 +39
275/80R22.5 LR-G X MULTI ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533280	\$413 +38	\$495 +38
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-325

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
<i>Michelin</i>			
275/80R22.5 LR-G X LINE ENERGY Z 517 rev/mile 75 MPH All-Position	7602533286	\$195 +24	\$277 +24
275/80R22.5 LR-H XZE 516 rev/mile 75 MPH All-Position	7682533253	\$312 +24	\$394 +24
275/80R22.5 LR-H X MULTI ENERGY Z 515 rev/mile 75 MPH All-Position	7682533285	\$312 +28	\$394 +28
275/80R22.5 LR-H X LINE ENERGY Z 517 rev/mile 75 MPH All-Position	7682533286	\$230 +26	\$312 +26
315/80R22.5 LR-L X WORKS Z 485 rev/mile 65 MPH All-Position	7652543287	\$693 +74	N/A
315/80R22.5 LR-L XZU-S2 488 rev/mile 65 MPH All-Position	7682543212	\$1,000 +74	\$1,082 +74
275/70R22.5 LR-J XZE2+ 545 rev/mile 75 MPH All-Position	7652573270	\$290 +24	N/A
245/70R19.5 LR-H XZE 619 rev/mile 75 MPH All-Position	7689453253	\$13CR -14	\$69 -14
265/70R19.5 LR-G XDE2+ 605 rev/mile 75 MPH Drive-Position	7679463213	\$164 -3	\$246 -3
265/70R19.5 LR-G X MULTI Z 611 rev/mile 75 MPH All-Position	7679463288	\$76 -6	\$158 -6
<i>Bridgestone</i>			
11R22.5 LR-G M726ELA 492 rev/mile 75 MPH Drive-Position	7372139003	\$309 +46	\$391 +46
11R22.5 LR-G R283A ECOPIA 504 rev/mile 75 MPH All-Position	7372139045	\$300 +30	N/A
11R22.5 LR-G M710 ECOPIA 497 rev/mile 75 MPH Drive-Position	7372139058	\$300 +32	N/A
11R22.5 LR-G R268 ECOPIA 501 rev/mile 75 MPH All-Position	7372139059	\$261 +33	\$343 +33
11R22.5 LR-G M760 ECOPIA 492 rev/mile 75 MPH Drive-Position	7372139060	\$333 +46	N/A
295/75R22.5 LR-G M726ELA 507 rev/mile 75 MPH Drive-Position	7702499003	\$278 +42	\$360 +42
295/75R22.5 LR-G M770 506 rev/mile 75 MPH Drive-Position	7702499043	\$269 +40	\$351 +40
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-326

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
Bridgestone			
295/75R22.5 LR-G R283A ECOPIA 516 rev/mile 75 MPH All-Position	7702499045	\$288 +25	\$370 +25
295/75R22.5 LR-G M710 ECOPIA 512 rev/mile 75 MPH Drive-Position	7702499058	\$300 +29	\$382 +29
295/75R22.5 LR-G R268 ECOPIA 515 rev/mile 75 MPH All-Position	7702499059	\$261 +29	\$343 +29
295/75R22.5 LR-G M760 ECOPIA 511 rev/mile 75 MPH Drive-Position	7702499060	\$333 +37	\$415 +37
295/75R22.5 LR-H R283A ECOPIA 516 rev/mile 75 MPH All-Position	7792499045	\$354 +26	\$436 +26
225/70R19.5 LR-F M729F 639 rev/mile 75 MPH Drive-Position	7709449040	N/A	\$11CR -22
245/70R19.5 LR-H R250F 621 rev/mile 75 MPH All-Position	7689459047	\$11 -14	\$93 -14
Goodyear			
10R22.5 LR-G G622 RSD 512 rev/mile 75 MPH Drive-Position	7372118102	\$206 +23	\$288 +23
10R22.5 LR-G ENDURANCE RSA 514 rev/mile 75 MPH All-Position	7372118132	\$115 +20	\$197 +20
11R22.5 LR-G G622 RSD 497 rev/mile 75 MPH Drive-Position	7372138102	\$222 +37	\$304 +37
11R22.5 LR-G G662 FUEL MAX 497 rev/mile 75 MPH All-Position	7372138108	\$249 +33	N/A
11R22.5 LR-G G399A LHS FUEL MAX 504 rev/mile 75 MPH All-Position	7372138116	\$223 +26	N/A
11R22.5 LR-G G572A LHD FUEL MAX 492 rev/mile 75 MPH Drive-Position	7372138118	\$201 +46	N/A
11R22.5 LR-G G572 1AD 496 rev/mile 75 MPH Drive-Position	7372138121	\$239 +33	N/A
11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7372138132	\$99 +32	\$181 +32
11R22.5 LR-H G572A LHD FUEL MAX 492 rev/mile 75 MPH Drive-Position	7382138118	\$311 +46	N/A
11R22.5 LR-H G751 MSA 497 rev/mile 68 MPH All-Position	7382138123	\$379 +49	\$461 +49
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-327

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
Goodyear			
11R22.5 LR-H G731 MSA 497 rev/mile 68 MPH All-Position	7382138124	\$395 +49	\$477 +49
11R22.5 LR-H G751 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138125	\$460 +55	\$542 +55
11R22.5 LR-H G731 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138126	\$479 +54	\$561 +54
11R22.5 LR-H FUEL MAX RSA 497 rev/mile 75 MPH All-Position	7382138131	\$193 +27	N/A
11R22.5 LR-H ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7382138132	\$140 +32	N/A
11R22.5 LR-H ARMOR MAX MSD 493 rev/mile 68 MPH Drive-Position	7382138133	\$231 +52	N/A
11R22.5 LR-H ARMOR MAX MSD DURASEAL 493 rev/mile 68 MPH Drive-Position	7382138134	\$356 +58	N/A
12R22.5 LR-H G622 RSD 482 rev/mile 68 MPH Drive-Position	7382158102	\$474 +50	N/A
12R22.5 LR-H G282 MSD 481 rev/mile 68 MPH Drive-Position	7382158105	\$444 +62	N/A
12R22.5 LR-H G661 HSA 484 rev/mile 75 MPH All-Position	7382158107	\$455 +51	N/A
12R22.5 LR-H G751 MSA 483 rev/mile 68 MPH All-Position	7382158123	\$544 +61	N/A
12R22.5 LR-H ARMOR MAX MSD 478 rev/mile 68 MPH Drive-Position	7382158133	\$354 +65	N/A
295/75R22.5 LR-G G182 RSD 512 rev/mile 75 MPH Drive-Position	7702490121	\$282 +33	N/A
295/75R22.5 LR-G G661 HSA 512 rev/mile 75 MPH All-Position	7702498107	\$218 +33	N/A
295/75R22.5 LR-G G572A LHD FUEL MAX 508 rev/mile 75 MPH Drive-Position	7702498118	\$259 +41	N/A
295/75R22.5 LR-G G572 1AD 513 rev/mile 75 MPH Drive-Position	7702498121	\$258 +33	N/A
295/75R22.5 LR-G G505D FUEL MAX 511 rev/mile 75 MPH Drive-Position	7702498122	\$281 +30	N/A
295/75R22.5 LR-G FUEL MAX RSA 510 rev/mile 75 MPH All-Position	7702498131	\$139 +25	\$221 +25
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-328

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
Goodyear			
295/75R22.5 LR-H G399A LHS FUEL MAX 517 rev/mile 75 MPH All-Position	7792498116	\$386 +22	\$468 +22
255/70R22.5 LR-H G622 RSD 561 rev/mile 75 MPH Drive-Position	7752528102	\$171 +7	\$253 +7
255/70R22.5 LR-H ENDURANCE RSA 566 rev/mile 81 MPH All-Position	7752528132	\$67 +4	\$149 +4
315/80R22.5 LR-J UNISTEEL G291 491 rev/mile 75 MPH All-Position	7702540190	\$573 +43	N/A
315/80R22.5 LR-L G751 MSA 484 rev/mile 68 MPH All-Position	7772548123	\$710 +65	N/A
315/80R22.5 LR-L G751 MSA DURASEAL 484 rev/mile 68 MPH All-Position	7772548125	\$816 +73	N/A
275/70R22.5 LR-J ENDURANCE RSA 547 rev/mile 75 MPH All-Position	7792578132	\$109 +14	N/A
245/75R22.5 LR-G G622 RSD 552 rev/mile 75 MPH Drive-Position	7702608102	\$20 +4	\$102 +4
245/75R22.5 LR-G G661 HSA 566 rev/mile 75 MPH All-Position	7702608107	\$80 +1	\$162 +1
265/75R22.5 LR-G G622 RSD 534 rev/mile 75 MPH Drive-Position	7702618102	\$148 +13	\$230 +13
265/75R22.5 LR-G G661 HSA 539 rev/mile 75 MPH All-Position	7702618107	\$147 +13	\$229 +13
425/65R22.5 LR-L G296 MSA 468 rev/mile 68 MPH All-Position	7752668113	\$181 +99	N/A
225/70R19.5 LR-F G622 RSD 641 rev/mile 75 MPH Drive-Position	7709448102	N/A	\$30 -26
245/70R19.5 LR-G G647 RSS 626 rev/mile 75 MPH All-Position	7749450101	\$30 -15	\$112 -15
245/70R19.5 LR-G G622 RSD 620 rev/mile 75 MPH Drive-Position	7749458102	\$4 -14	\$86 -14
265/70R19.5 LR-G UNISTEEL G159 606 rev/mile 75 MPH All-Position	7769460179	\$67 -7	\$149 -7
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
FRAME RAILS (SEE PREV PAGE) NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book N/A: Code 10EYN FIFTH WHEEL, STATIONARY AVAIL: Code 01WDR FRAME EXTENSION, FRONT Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 460.0" (11684mm) Maximum OAL Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 420.0" (10668mm) Maximum OAL, Limited to 33,000 lb Maximum GVWR REQS: Code 03ADA(std), 03ADB, 03ADC, 03ADD, 03AGE, 03AGS or 03AGW SUSPENSION, FRONT, SPRING REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE N/A: Code 01GBP FRAME REINFORCEMENT Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL N/A: Code 01GBP FRAME REINFORCEMENT AVAIL: Code 01WDR FRAME EXTENSION, FRONT Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL, Limited to 33,000 lb Maximum GVWR REQS: Code 03ADA(std), 03ADB, 03ADC, 03ADD, 03AGE, 03AGS or 03AGW SUSPENSION, FRONT, SPRING REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE N/A: Code 01GBP FRAME REINFORCEMENT Heat Treated Alloy Steel (120,000 PSI Yield); 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1mm); 456.0" (11582mm) Maximum OAL N/A: Code 01GBP FRAME REINFORCEMENT : Code 10EYN FIFTH WHEEL, STATIONARY Heat Treated Alloy Steel (120,000 PSI Yield); 10.375" x 3.705" x 0.438" (263.5mm x 94.1mm x 11.1mm); 456.0" (11582mm) Maximum OAL, Limited to 33,000 lb Maximum GVWR REQS: Code 03ADA(std), 03ADB, 03ADC, 03ADD, 03AGE, 03AGS or 03AGW SUSPENSION, FRONT, SPRING	01CAD		
	01CAE	\$515 0/0	N/A
	01CEK	\$763 0/0	N/A
	01CAG	\$852 0/0	N/A
	01CEL	\$1,100 0/0	N/A
	01CAH	\$1,026 0/0	N/A
	01CEM	\$1,274 0/0	N/A
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION NO. 35

SECTION 090

PRICES EFFECTIVE 01/02/2017

Printed in the United States of America

PAGE 090-2

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
FRAME RAILS (SEE PREV PAGE) NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE N/A: Code 01GBP FRAME REINFORCEMENT	01CEM		
FRAME REINFORCEMENT NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL REQS: Code 16VHG CAB MOUNTING HEIGHT EFFECTS, when in combination with Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL REQS: Code 01CAE FRAME RAILS REQS: Code 14TAX SUSPENSION, REAR, AIR, SINGLE -OR- SUSPENSION, RR, SPRING, SINGLE REQS: Code 15DMV, 15DTA, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SWU(std), 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 10021 CHASSIS COATING : Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE	01GBP	\$1,650 0/0	N/A
BRACKET, CAB MOUNT Heavy Duty REQS: Code 16030(std) CAB	01WRN	\$57 +13/+4	\$57 +13/+4
BUMPER EXTENSION, FRONT 4.0" REQS: Code 01LLD(std), 01LLE, 01LLK, 01LNG or 01LNN BUMPER, FRONT N/A: Code 01WDR and 01WRS FRAME EXTENSION, FRONT - for 4300 SBA 4X2	01WAC	\$50 +15/-3	\$50 +15/-3



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BUMPER, FRONT			
Full Width, Aerodynamic, Steel; 0.142" Material Thickness INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color AVAIL: Code 01WRS FRAME EXTENSION, FRONT - for 4300 SBA 4X2	01LLD	STD	STD
Full Width, Aerodynamic, Heavy Duty, Steel INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color AVAIL: Code 01WRS FRAME EXTENSION, FRONT - for 4300 SBA 4X2	01LLE	\$105 +63/-15	\$105 +52/-9
Omit Item N/A: Code 01LEG LICENSE PLATE HOLDER : Code 12WTW BLOCK HEATER SOCKET AVAIL: Code 01WDR FRAME EXTENSION, FRONT - for 4300 SBA 4X2 : Code 08585 FOG LIGHTS	01LLK	\$30CR -82/+16	\$30CR -70/+13
Steel, Swept Back INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color REQS: Code 01WDR FRAME EXTENSION, FRONT N/A: Code 01WAC BUMPER EXTENSION, FRONT : Code 01LEG LICENSE PLATE HOLDER	01LLA	\$48 +12/0	N/A
Full Width, Aerodynamic, Chrome Plated Steel; 0.142" Material Thickness AVAIL: Code 01WRS FRAME EXTENSION, FRONT - for 4300 SBA 4X2	01LNN	\$397 -1/0	\$397 0/0
Full Width, Aerodynamic, Steel; 0.142" Material Thickness, Gloss Black AVAIL: Code 01WRS FRAME EXTENSION, FRONT - for 4300 SBA 4X2	01LNG	\$54 -1/0	\$54 +18/-4
CROSSMEMBER, REAR, AF			
(02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR	01SAM	\$227 0/0	N/A
(1) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR - for 4300 SBA 4X2	01SAL	\$116 0/+20	\$116 0/+20
FRAME EXTENSION, FRONT			
Bolt On Type; 20" In Front of Grille, With Crossmember REQS: Code 09HBM GRILLE REQS: Code 01570 TOW HOOK, FRONT REQS: Code 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT N/A: Code 02AGM and 02AUT AXLE, FRONT NON-DRIVING : Code 01CAB, 01CAD and 01CAG FRAME RAILS : Code 01WAC BUMPER EXTENSION, FRONT	01WRS	\$1,120 +227/-53	N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-4

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Meritor - MFS-10-122A - N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04AZS AIR BRAKE ABS - for 4300 SBA LP 4X2 : FRAME RAILS - for 4300 SBA LP 4X2 : Code 27DAN, 27DTT, 27DTX, 27DUL, 27DUR and 27DUS WHEELS, FRONT - for 4300 SBA 4X2 AVAIL: Code 10WGD SPECIAL RATING, GVWR NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02ASH		
- MFS-11-122A - I-Beam Type, 11,000-lb Capacity REQS: Code 04JBZ or 04JBZ BRAKES, FRONT, AIR DISC or Code 04196 or 04196 BRAKES, FRONT, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 27DAR, 27DMB, 27DMC, 27DPN, 27DPS, 27DTH, 27DTJ, 27DUG, 27DUK or 27DUS WHEELS, FRONT REQS: Code 03AGE SUSPENSION, FRONT, SPRING REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04AZS AIR BRAKE ABS : Code 01CAB FRAME RAILS AVAIL: Code 10WGD SPECIAL RATING, GVWR NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02ATM	\$344 + 81/0	N/A
- MFS-12-122A - I-Beam Type, 12,000-lb Capacity REQS: Code 04JBZ or 04JBZ BRAKES, FRONT, AIR DISC or Code 04196 or 04196 BRAKES, FRONT, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 05PRR or 05PSA STEERING GEAR REQS: Code 03ADC SUSPENSION, FRONT, SPRING	02ASC	\$371 + 41/0	N/A
(SEE NEXT PAGE)			



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Dana Spicer - E14621 - REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHB, 14AHC, 14AHH, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANS, 14ANT, 14ANU, 14ANV, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASB, 14AWA, 14CDE, 14CDL, 14CVB or 14051 AXLE, REAR, SINGLE N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 29ADX HUB BRAND, FRONT : Code 27DAN, 27DPZ, 27DTS, 27DTT, 27DTX and 27DUL WHEELS, FRONT AVAIL: Code 10WGD SPECIAL RATING, GWR : Code 04WBX DUST SHIELDS, FRONT BRAKE NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02AEZ		
Navistar Select I-Beam Type, 10,000-lb Capacity REQS: Code 04JBZ or 04JBZ BRAKES, FRONT, AIR DISC or Code 04196 or 04196 BRAKES, FRONT, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR - for 4300 SBA 4X2 REQS: Code 05PSA STEERING GEAR - for 4300 SBA LP 4X2 REQS: Code 05PRR or 05PSA STEERING GEAR - for 4300 SBA 4X2 REQS: Code 27DAR, 27DMB, 27DMC, 27DTE, 27DTJ, 27DTS, 27DTU or 27DUG WHEELS, FRONT - for 4300 SBA LP 4X2 REQS: Code 03ADB SUSPENSION, FRONT, SPRING REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04AZS AIR BRAKE ABS : FRAME RAILS - for 4300 SBA LP 4X2 : Code 29ADX HUB BRAND, FRONT	02AUT	\$165 + 41/0	\$165 + 41/0

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-15

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Navistar Select -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04EUB BRAKE LININGS, FRONT : Code 04AZS AIR BRAKE ABS : Code 29ADX HUB BRAND, FRONT : Code 27DPN, 27DPS, 27DTH, 27DTS, 27DTT, 27DUK, 27DUL, 27DUR and 27DUS WHEELS, FRONT	02AUS		
SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 8,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEM, 02ATK(std) or 02AUS AXLE, FRONT NON-DRIVING NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADA	STD	STD
Parabolic, Taper Leaf; 10,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGM, 02ASH or 02AUT AXLE, FRONT NON-DRIVING NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADB	\$117 +66/0	\$117 +65/0
Parabolic, Taper Leaf; 11,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AHZ or 02ATM AXLE, FRONT NON-DRIVING N/A: Code 04AZS AIR BRAKE ABS NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03AGE	\$184 +73/0	N/A



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SUSPENSION, FRONT, SPRING (CONTINUED) Parabolic, Taper Leaf; 12,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGB, 02ASC or 02AUV AXLE, FRONT NON-DRIVING NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADC	\$184 +69/0	N/A
Parabolic, Taper Leaf; 13,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AJE or 02ATN AXLE, FRONT NON-DRIVING REQS: Code 01CAE, 01CAG, 01CAH, 01CEK, 01CEL or 01CEM FRAME RAILS NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03AGS	\$246 +112/+1	N/A
Parabolic, Taper Leaf; 14,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEZ or 02AST AXLE, FRONT NON-DRIVING REQS: Code 01CAE, 01CAG, 01CAH, 01CEK, 01CEL or 01CEM FRAME RAILS NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADD	\$662 +93/0	N/A
Parabolic, Taper Leaf; 14,600-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEZ or 02AST AXLE, FRONT NON-DRIVING REQS: Code 01CAE, 01CAG or 01CAH FRAME RAILS	03AGT	\$668 +40/-2	N/A
Parabolic, Taper Leaf; 9,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AHY or 02ATL AXLE, FRONT NON-DRIVING NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03AGW	\$117 +59/0	\$117 +59/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-18

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SPRINGS, FRONT AUXILIARY			
Rubber	03770	\$104 +10/0	\$104 +20/0
BRAKE SYSTEM, HYDRAULIC			
Meritor Wabco Split System, Full Power, With Automatic Adjustment And With Four Channel ABS REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 14AHM, 14AHP, 14ANR, 14ANT or 14ATZ AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 14AEW, 14AGR, 14AGX, 14AHC, 14AHJ, 14AHL, 14AHM, 14AHP, 14ANR, 14ANT, 14ANX, 14ANY, 14ANZ, 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASD or 14ATZ AXLE, REAR, SINGLE - for 4300 SBA 4X2 REQS: Code 04JNG TRACTION CONTROL, HYDRAULIC, when in combination with Code 04GAW BRAKE, PARKING REQS: Code 04EBT or 04EDC AIR DRYER REQS: Code 04SPK or 04SPN AIR COMPRESSOR REQS: Code 14SAH, 14SAM, 14SCD, 14SCE, 14VAB, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAC, 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKJ, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ(std), 14APL, 14APU, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 07BKP, 07BKS, 07BKY(std), 07BKZ or 07BLH EXHAUST SYSTEM N/A: Code 04774 SPECIAL RATING, GAWR - for 4300 SBA 4X2 : Code 16ZGM ACCESS, FRAME : Code 16HGN GAUGE, AIR APPLICATION : Code 02AEZ, 02AJE, 02AST and 02ATN AXLE, FRONT NON-DRIVING : Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04WEZ BRAKE PACKAGE, FRONT - for 4300 SBA 4X2 (SEE NEXT PAGE)	04085	STD	STD

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-19

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE SYSTEM, HYDRAULIC (SEE PREV PAGE) Meritor Wabco N/A: Code 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE : Code 04EUB BRAKE LININGS, FRONT : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCH, 04JCJ and 04196 BRAKES, FRONT, AIR CAM : Code 04WEY BRAKE PACKAGE, REAR - for 4300 SBA 4X2 : Code 04EVH, 04EVP, 04EVR, 04EXS, 04EXT and 04EXU BRAKE CHAMBERS, REAR AXLE : Code 04773 BRAKE SHOES, REAR - for 4300 SBA 4X2 : Code 04EUD BRAKE LININGS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN and 04NDP BRAKES, REAR, AIR CAM : Code 04AZA, 04AZE, 04AZJ and 04AZS AIR BRAKE ABS : Code 04WXL, 04WXS and 04803 TRAILER HOSES AND CABLES - for 4300 SBA 4X2 : Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 04VGM AIR TANK : Code 04WDU HAND CONTROL VALVE, AIR - for 4300 SBA 4X2 : Code 04ERC BRAKE CHAMBERS, SPRING : Code 04619 TRAILER CONNECTIONS : Code 04692 and 04808 HOSE TENDER - for 4300 SBA 4X2 : Code 01616 FRAME RAILS WITH TAPERED REAR : Code 27DAR, 27DPN, 27DTS, 27DUL, 27DUR and 27DUS WHEELS, FRONT : Code 28DAR and 28DTS WHEELS, REAR : Code 08WAA and 08WLL LIGHT, WORK : Code 08WEZ TURN SIGNAL SWITCH : Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE - for 4300 SBA 4X2 : FIFTH WHEEL, STATIONARY - for 4300 SBA 4X2 AVAIL: Code 04EVD DUST SHIELDS, FRONT BRAKE : Code 04EVE DUST SHIELDS, REAR BRAKE : Code 08VBA POWER SOURCE, SPECIAL	04085		
BRAKE SYSTEM, AIR Dual System for Straight Truck Applications INCLS: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : BRAKE LINES Color and Size Coded Nylon : SPRING BRAKE MODULATOR VALVE {Bendix} R-7 for 4x2, SR-7 with relay valve for 6x4 : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : PARKING BRAKE VALVE For Truck : DRAIN VALVE Twist-Type (SEE NEXT PAGE)	04091	\$339CR +85/+45	\$339CR +85/+45

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-20

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE SYSTEM, AIR (SEE PREV PAGE) REQS: Code 04SPA AIR COMPRESSOR REQS: Code 04AZA, 04AZE, 04AZJ or 04AZS AIR BRAKE ABS REQS: Code 27DAR, 27DMB, 27DMC, 27DPS, 27DPZ, 27DTE, 27DTJ, 27DTS, 27DTT, 27DTU, 27DUG or 27DUR WHEELS, FRONT - for 4300 SBA LP 4X2 REQS: Code 28DAR, 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTE, 28DTJ, 28DTS, 28DTT, 28DTU, 28DUG or 28DUR WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 14SAN, 14SCD, 14SCE, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- Code 14TBM or 14TBN SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04774 SPECIAL RATING, GAWR : Code 16ZGM ACCESS, FRAME : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04WCX PARKING BRAKE CONTROL : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 04WXL, 04WXS and 04803 TRAILER HOSES AND CABLES : Code 04JNG TRACTION CONTROL, HYDRAULIC : Code 04692 and 04808 HOSE TENDER : Code 27DAN and 27DTX WHEELS, FRONT - for 4300 SBA 4X2 : Code 28DAN and 28DTX WHEELS, REAR - for 4300 SBA 4X2 : Code 08WAA LIGHT, WORK : Code 10HKC and 10HKD FIFTH WHEEL, AIR SLIDE (SEE NEXT PAGE)	04091		



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE SYSTEM, AIR (SEE PREV PAGE) REQS: Code 14SAH, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU or 13AVV TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL REQS: Code 07BKN, 07BKP, 07BKS or 07BKY(std) EXHAUST SYSTEM N/A: Code 10WGC and 10WGD SPECIAL RATING, GVWR : Code 16196 CAB : Code 02AHY and 02ATL AXLE, FRONT NON-DRIVING : Code 04VJL AIR DRYER LOCATION or Code 04JDG BRAKES, REAR, AIR DISC or Code 08XDU BATTERY BOX or Code 03AGS SUSPENSION, FRONT, SPRING or Code 08TPS and 08TRS STOP, TURN, TAIL & B/U LIGHTS : Code 04EUB BRAKE LININGS, FRONT : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04EUD BRAKE LININGS, REAR : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04WCX PARKING BRAKE CONTROL : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 04JNG TRACTION CONTROL, HYDRAULIC : Code 04619 TRAILER CONNECTIONS : Code 01CAB FRAME RAILS : Code 27DAN, 27DAR and 27DTX WHEELS, FRONT : Code 28DAN and 28DTX WHEELS, REAR : Code 13WCP TRANSMISSION SHIFT CONTROL : Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 08WEB SPECIAL WIRING HARNESS, BODY : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 08TKK TRAILER AUXILIARY FEED CIRCUIT : Code 08TMJ SWITCH, MARKER INTERRUPT AVAIL: Code 16973 MOUNTING BRACKETS (SEE NEXT PAGE)	04092		

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-23

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AIR BRAKE ABS (SEE PREV PAGE)			
Bendix			
- AntiLock Brake System - N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04AZA		
Full Vehicle Wheel Control System (4-Channel) With Automatic Traction Control REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2	04AZJ	\$1,567 +4/+1	\$1,567 0/0
-OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING			
With Electronic Stability Program (4-Channel) With Automatic Traction Control REQS: Code 02AEM AXLE, FRONT NON-DRIVING, when in combination with Code 05PRG STEERING GEAR - for 4300 SBA LP 4X2 REQS: Code 02AEM, 02AGM, 02ATK(std) or 02ATL AXLE, FRONT NON-DRIVING - for 4300 SBA LP 4X2 REQS: Code 02AGM or 02ATL AXLE, FRONT NON-DRIVING, when in combination with Code 05PSA STEERING GEAR - for 4300 SBA LP 4X2 REQS: Code 02AEM or 02AEZ AXLE, FRONT NON-DRIVING, when in combination with Code 05PRG STEERING GEAR - for 4300 SBA 4X2 REQS: Code 02AEZ, 02AGB, 02AGM, 02ASC, 02AST, 02ATL or 02AUV AXLE, FRONT NON-DRIVING, when in combination with Code 05PSA STEERING GEAR - for 4300 SBA 4X2 REQS: Code 02ASH AXLE, FRONT NON-DRIVING, when in combination with Code 05PRR STEERING GEAR - for 4300 SBA 4X2 REQS: Code 04091 BRAKE SYSTEM, AIR REQS: Code 03ADA(std), 03ADB, 03ADC, 03ADD, 03AGS, 03AGT or 03AGW SUSPENSION, FRONT, SPRING - for 4300 SBA 4X2	04AZS	\$3,558 0/0	\$3,558 0/0
-OR- Code 03ADA(std), 03ADB or 03AGW SUSPENSION, FRONT, SPRING - for 4300 SBA LP 4X2 REQS: Code 14SAM, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2			
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-25

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AIR DRYER (SEE PREV PAGE) Meritor Wabco - System Saver 1200 - N/A: Code 04VBC, 04VGA and 04VJL AIR DRYER LOCATION, when in combination with Code 16CAB CAB and Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL : Code 04085(std) BRAKE SYSTEM, HYDRAULIC AVAIL: Code 04VJL AIR DRYER LOCATION Bendix - AD-IP - With Heater INCLS: AIR DRYER LOCATION Inside Left Rail, Back of Cab REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 With IPC, Heater and IPC Cartridge (Enhanced w/Integrated Puraguard Coalescing Filtration) REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 REQS: Code 04SPA or 04SPK AIR COMPRESSOR N/A: Code 04VJL AIR DRYER LOCATION - AD-9 - With Heater INCLS: AIR DRYER LOCATION Inside Left Rail, Back of Cab REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 N/A: Code 04VBC AIR DRYER LOCATION : Code 04VBC, 04VGA and 04VJL AIR DRYER LOCATION, when in combination with Code 16CAB CAB and Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL : Code 04085(std) BRAKE SYSTEM, HYDRAULIC AVAIL: Code 04VJL AIR DRYER LOCATION	04EBD		
	04EBT	\$526 +17/+20	\$526 0/0
	04EDC	\$578 -48/+51	\$578 -48/+51
	04EBS	\$450 +21/+6	\$450 +21/+6

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-28

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO.

35

SECTION 090

PAGE 090-30

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE CHAMBERS, SPRING (SEE PREV PAGE) REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ, 14TBL, 14TBM, 14TBN and 14TBS SUSPENSION, REAR, AIR, SINGLE	04ERC		
BRAKE IDENTITY, REAR <i>Meritor</i> - Cast Plus - 16.5" x 8.63" REQS: Code 04NDH, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, HYDRAULIC DISC	04NNP	\$1,935 0/0	N/A
BRAKE LININGS, FRONT <i>Meritor</i> - R301 - Non-Asbestos for S-Cam Brake REQS: Code 04091 BRAKE SYSTEM, AIR N/A: Code 02AEM, 02AHZ and 02AUS AXLE, FRONT NON-DRIVING : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04EUB	\$29 0/0	\$29 0/0
BRAKE LININGS, REAR <i>Meritor</i> - R301 - Non-Asbestos for S-Cam Brake REQS: Code 04091 BRAKE SYSTEM, AIR N/A: Code 04WEY BRAKE PACKAGE, REAR : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04EUD	\$29 0/0	\$29 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-31

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE PACKAGE, FRONT Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5" REQS: Code 02AGB or 02AGM AXLE, FRONT NON-DRIVING REQS: Code 04JBZ or 04JCA BRAKES, FRONT, AIR DISC REQS: Code 04WEY BRAKE PACKAGE, REAR REQS: Code 27DMB, 27DMC, 27DPN, 27DPS, 27DTH, 27DTJ, 27DTT, 27DUG, 27DUK, 27DUL, 27DUR or 27DUS WHEELS, FRONT N/A: Code 04EUB BRAKE LININGS, FRONT : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCH, 04JCJ and 04196 BRAKES, FRONT, AIR CAM : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14TAX SUSPENSION, REAR, AIR, SINGLE or Code 14SAN, 14SCE, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE, when in combination with Code 02AEM, 02AGB, 02AGM, 02AHY, 02AHZ, 02ASC, 02ASH, 02ATK, 02ATL, 02ATM, 02AUS, 02AUT or 02AUV AXLE, FRONT NON-DRIVING and Code 04091 BRAKE SYSTEM, AIR and Code 14AHH, 14AHJ, 14AHL, 14ASA or 14ASD AXLE, REAR, SINGLE	04WEZ	N/C 0/0	N/A
BRAKE PACKAGE, REAR Bendix Spicer - ADB22X - Air, Disc Type, Extended Service; Size 22.5" REQS: Code 04WEZ BRAKE PACKAGE, FRONT REQS: Code 04JCC or 04JDG BRAKES, REAR, AIR DISC REQS: Code 28DMB, 28DMC, 28DPS, 28DTH, 28DTJ, 28DTT, 28DTX, 28DUG, 28DUK or 28DUS WHEELS, REAR N/A: Code 04773 BRAKE SHOES, REAR : Code 04EUD BRAKE LININGS, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN and 04NDP BRAKES, REAR, AIR CAM : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14TAX SUSPENSION, REAR, AIR, SINGLE or Code 14SAN, 14SCE, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE, when in combination with Code 02AEM, 02AGB, 02AGM, 02AHY, 02AHZ, 02ASC, 02ASH, 02ATK, 02ATL, 02ATM, 02AUS, 02AUT or 02AUV AXLE, FRONT NON-DRIVING and Code 04091 BRAKE SYSTEM, AIR and Code 14AHH, 14AHJ, 14AHL, 14ASA or 14ASD AXLE, REAR, SINGLE	04WEY	N/C 0/0	N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-32

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE, PARKING Bosch DSSA Type, 12" x 3"; for Hydraulic Brake Chassis; Activated by Lever in Cab; Differential Mounted INCLS: PARKING BRAKE CONTROL {Orschein} Lever, Floor Mounted, Located Right of Driver REQS: Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AKC, 14AKD, 14AKE, 14AKG, 14AKJ, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ(std), 14APL, 14APU, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKC, 14AKD, 14AKE, 14AKG, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04091 and 04092 BRAKE SYSTEM, AIR DSSA Drum Type; 12" x 3", Spring Actuated; For Hydraulic Brake Chassis With Air Source; Activated by Parking Brake Knob on Instrument Panel; Differential Mounted INCLS: PARKING BRAKE CONTROL Applies Hydraulic Actuated Powered Park Brake REQS: Code 04SPN AIR COMPRESSOR REQS: Code 14AGA, 14AGE, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AKC, 14AKD, 14AKE, 14AKG, 14AKJ, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ(std), 14APL, 14APU, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKC, 14AKD, 14AKE, 14AKG, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04091 and 04092 BRAKE SYSTEM, AIR DSSA Drum Type; 12" x 3", Spring Actuated; for Hydraulic Brake Chassis; Activated by Parking Brake Knob on Instrument Panel; With Key Switch Interlock, Park Brake Cannot be released Until Ignition Switch is in "On" Position; Differential Mounted INCLS: PARKING BRAKE CONTROL Applies Hydraulic Actuated Powered Park Brake REQS: Code 04JNG TRACTION CONTROL, HYDRAULIC, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC REQS: Code 04SPK or 04SPN AIR COMPRESSOR REQS: Code 14AGA, 14AGE, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AKC, 14AKD, 14AKE, 14AKG, 14AKJ, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ(std), 14APL, 14APU, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA 4X2	04GAR	STD	STD
	04GAS	\$515 0/-3	\$515 0/-3
	04GAW	\$719 0/0	\$719 0/+8
	(SEE NEXT PAGE)		

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-33

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE, PARKING (SEE PREV PAGE) Bosch -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKC, 14AKD, 14AKE, 14AKG, 14AKK, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04091 and 04092 BRAKE SYSTEM, AIR	04GAW		
BRAKE SHOES, REAR Cast REQS: Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDC or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC : Code 04WEY BRAKE PACKAGE, REAR : Code 04085(std) BRAKE SYSTEM, HYDRAULIC NOTE: Provides Rear Axle GAWR Up to 26,000-Lb. : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04773	\$1,021 0/+50	N/A
BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 04EXP BRAKE CHAMBERS, FRONT AXLE REQS: Code 27DAR, 27DMB, 27DMC, 27DPS, 27DPZ, 27DTE, 27DTJ, 27DTS, 27DTT, 27DTU, 27DUG or 27DUR WHEELS, FRONT - for 4300 SBA LP 4X2 N/A: Code 02AEZ and 02AST AXLE, FRONT NON-DRIVING, when in combination with Code 04091 or 04092 BRAKE SYSTEM, AIR - for 4300 SBA 4X2 : Code 02AEZ and 02AST AXLE, FRONT NON-DRIVING : Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC (SEE NEXT PAGE)	04JCG	\$265CR +83/0	N/C +83/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-34

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKES, FRONT, AIR CAM (SEE PREV PAGE)			
N/A: Code 27DAN, 27DAR, 27DTS and 27DTX WHEELS, FRONT AVAIL: Code 04WBX DUST SHIELDS, FRONT BRAKE NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires. : Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM.	04JCJ		
16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers REQS: Code 02AEZ, 02AGB, 02AGM, 02AHZ, 02AJE, 02ASC, 02ASH, 02AST, 02ATM, 02ATN, 02AUT or 02AUV AXLE, FRONT NON-DRIVING REQS: Code 04EXV BRAKE CHAMBERS, FRONT AXLE REQS: Code 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 27DAN, 27DAR, 27DTS and 27DTX WHEELS, FRONT AVAIL: Code 04WBX DUST SHIELDS, FRONT BRAKE	04196	N/C +150/0	N/A
BRAKES, FRONT, AIR DISC			
22.5 Diam., Includes 14" Sq. In. Brake Chambers REQS: Code 02AGB or 02AGM AXLE, FRONT NON-DRIVING REQS: Code 04091 BRAKE SYSTEM, AIR N/A: Code 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE : Code 04EVD and 04WBX DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCH, 04JCJ and 04196 BRAKES, FRONT, AIR CAM : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04JCA	\$1,768	N/A
22.5 Diam., Includes 18" Sq. In. Brake Chambers REQS: Code 02AGB or 02AGM AXLE, FRONT NON-DRIVING REQS: Code 04WEZ BRAKE PACKAGE, FRONT N/A: Code 04EXP and 04EXV BRAKE CHAMBERS, FRONT AXLE	04JBZ	\$1,814	N/A
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-36

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKES, FRONT, AIR DISC (SEE PREV PAGE) N/A: Code 04EVD and 04WBX DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG, 04JCH, 04JCJ and 04196 BRAKES, FRONT, AIR CAM : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04JBZ		
BRAKES, FRONT, HYDRAULIC DISC Quadraulic; Four 70mm Diameter Pistons REQS: Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ATY, 14AWA, 14CDE or 14CEG AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 02AEZ, 02AJE, 02AST and 02ATN AXLE, FRONT NON-DRIVING : Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04JCG, 04JCH, 04JCJ and 04196 BRAKES, FRONT, AIR CAM : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN and 04NDP BRAKES, REAR, AIR CAM : Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 27DAR, 27DPN, 27DTS, 27DTT, 27DUL, 27DUR and 27DUS WHEELS, FRONT AVAIL: Code 04EVD DUST SHIELDS, FRONT BRAKE	04JNP	STD	STD
BRAKE CHAMBERS, FRONT AXLE Bendix 20 Sqn REQS: Code 04JCG, 04JCH or 04JCJ BRAKES, FRONT, AIR CAM - for 4300 SBA 4X2 -OR- BRAKES, FRONT, AIR CAM - for 4300 SBA LP 4X2 -OR- BRAKES, FRONT, HYDRAULIC DISC N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04EXP	N/C +17/0	N/C +17/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-37

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKE CHAMBERS, FRONT AXLE (CONTINUED) Bendix 24 SqIn REQS: Code 04196 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, HYDRAULIC DISC N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04EXV	N/C 0/0	N/A
BRAKES, REAR, AIR CAM S-Cam; 15.0" x 8.63"; Includes 24/30 Sq. In. Long Stroke Brake Chambers and Spring Actuated Parking Brake REQS: Code 04EXS BRAKE CHAMBERS, REAR AXLE REQS: Code 27DAN, 27DAR, 27DTS or 27DTX WHEELS, FRONT - for 4300 SBA LP 4X2 REQS: Code 27DAN, 27DAR, 27DTS or 27DTX WHEELS, FRONT - for 4300 SBA 4X2 REQS: Code 28DAN, 28DAR, 28DTS or 28DTX(std) WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 28DAN, 28DAR, 28DTS or 28DTX WHEELS, REAR - for 4300 SBA 4X2 REQS: Code 04JCG or 04JCH BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 REQS: Code 04091 BRAKE SYSTEM, AIR REQS: Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ASA, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG or 14CVB AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04774 SPECIAL RATING, GAWR : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04NNP BRAKE IDENTITY, REAR : Code 04WEY BRAKE PACKAGE, REAR : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC (SEE NEXT PAGE)	04NCW	\$278 0/+209	\$278 0/+209

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-38

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKES, REAR, AIR CAM (SEE PREV PAGE)			
N/A: Code 04ERC BRAKE CHAMBERS, SPRING AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE NOTE: Rear Axle is Limited to 20,000-LB GAWR with Code 04092 BRAKE SYSTEM, AIR and Code 04NCW BRAKES, REAR, AIR CAM Regardless of Axle/Suspension Ordered	04NCW		
S-Cam; 16.5" x 7.0"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04774 SPECIAL RATING, GAWR : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04NNP BRAKE IDENTITY, REAR : Code 04WEY BRAKE PACKAGE, REAR : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 04ERC BRAKE CHAMBERS, SPRING : Code 28DAN, 28DAR and 28DTS WHEELS, REAR AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	04NDL	N/C 0/+179	N/C 0/+179
S-Cam; 16.5" x 7.0"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston-Type Spring Activated Parking Brakes REQS: Code 04EVR BRAKE CHAMBERS, REAR AXLE REQS: Code 04091 BRAKE SYSTEM, AIR	04NCZ	N/C 0/+180	N/C 0/+180

(SEE NEXT PAGE)

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO.

35

SECTION 090

PAGE 090-39

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BRAKES, REAR, AIR CAM (SEE PREV PAGE) N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 04ERC BRAKE CHAMBERS, SPRING : Code 28DAN, 28DAR and 28DTS WHEELS, REAR AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE S-Cam; 16.5" x 8.625"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 14AET, 14AEW, 14AEY, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHW, 14AJW, 14AKH, 14AKL, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APT, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14CDE, 14CDL, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AKH, 14AKL, 14ATY or 14ATZ AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04WEY BRAKE PACKAGE, REAR : Code 04773 BRAKE SHOES, REAR : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 28DAN, 28DAR and 28DTS WHEELS, REAR AVAIL: Code 04WDM DUST SHIELDS, REAR BRAKE NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	04NDH		
	04NDP	\$111 0/+229	\$111 0/+229
S-Cam; 16.5" x 8.625"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVR BRAKE CHAMBERS, REAR AXLE REQS: Code 14AET, 14AEW, 14AEY, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHW, 14AJW, 14AKH, 14AKL, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APT, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14CDE, 14CDL, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AKH, 14AKL, 14ATY or 14ATZ AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04774 SPECIAL RATING, GAWR : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04WEY BRAKE PACKAGE, REAR : Code 04773 BRAKE SHOES, REAR : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC (SEE NEXT PAGE)	04NDN	\$111 0/+257	\$111 0/+257

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-43

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
HAND CONTROL VALVE, AIR for Trailer Brakes, Omit Item. REQ: Code 04619 TRAILER CONNECTIONS, when in combination with Code 04091 BRAKE SYSTEM, AIR N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04WDU	N/C - 2 / 0	N/A
HOSE TENDER Flexible Pogo Stick Type REQ: Code 16ZGM ACCESS, FRAME, when in combination with Code 04092 BRAKE SYSTEM, AIR REQ: Code 04092 BRAKE SYSTEM, AIR REQ: Code 07BKN, 07BKP, 07BKS, 07BKY(std) or 07BLH EXHAUST SYSTEM N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC Slide Bar With Single Spring Bracket; Bar Extended 4.0" From Cab REQ: Code 04092 BRAKE SYSTEM, AIR REQ: Code 07BKN, 07BKP, 07BKS, 07BKY(std) or 07BLH EXHAUST SYSTEM N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04692 04808	\$76 \$143 + 8 / + 7	N/A N/A
PARKING BRAKE CONTROL For Automatic Actuation; Use With Allison 2000 Transmission, With Dual Neutral, With Hydraulic Brakes, and Powered Parking Brakes REQ: Code 04GAS or 04GAW BRAKE, PARKING REQ: Code 13ARA, 13ARB, 13ARJ, 13ASL, 13ASM, 13ASN, 13ASP, 13ASY, 13ATC, 13ATD, 13ATG or 13ATH TRANSMISSION, AUTOMATIC N/A: Code 08WXD ALARM, PARKING BRAKE : Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	04WCX	\$259 + 2 / 0	\$259 + 2 / 0
SLACK ADJUSTERS, FRONT <i>Haldex</i> Automatic REQ: Code 04LGA SLACK ADJUSTERS, REAR N/A: Code 04JBZ and 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 : Code 04WEZ BRAKE PACKAGE, FRONT : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04LAA	\$138 + 6 / 0	\$138 + 6 / 0
SLACK ADJUSTERS, REAR <i>Haldex</i> Automatic REQ: Code 04LAA SLACK ADJUSTERS, FRONT - for 4300 SBA LP 4X2 REQ: Code 04LAA SLACK ADJUSTERS, FRONT or Code 04JBZ or 04JCA BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 <div style="text-align: right;">(SEE NEXT PAGE)</div>	04LGA	\$188 0 / 0	\$188 0 / 0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-48

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SLACK ADJUSTERS, REAR (SEE PREV PAGE) Haldex REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04WEY BRAKE PACKAGE, REAR : Code 04085(std) BRAKE SYSTEM, HYDRAULIC	04LGA		
SPECIAL RATING, GAWR Provides Rear Tractor Brake Rating Equal to Axle Rating up to 23,000-lbs for Single Axles, 46,000-lbs for Tandem Axles, or 69,000-lb for Tridem REQS: Code 04NDB, 04NDH or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC NOTE: Provides Rear Axle GAWR Up to 23,000-Lb. : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04774	N/C 0/0	N/A
TRACTION CONTROL, HYDRAULIC Automatic; With Full Power Hydraulic Brake System N/A: Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING	04JNG	\$217 0/0	\$217 0/0



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
STEERING GEAR TRW (Ross) - TAS40 - Power REQS: Code 02AEM, 02ATK(std) or 02AUS AXLE, FRONT NON-DRIVING - TAS66 - Power REQS: Code 02AEZ, 02AGB, 02AGM, 02AHY, 02AHZ, 02AJE, 02ASC, 02ASH, 02AST, 02ATL, 02ATM, 02ATN, 02AUT or 02AUV AXLE, FRONT NON-DRIVING Sheppard - M100 - Power REQS: Code 02AGM, 02AHY, 02ASH, 02ATL or 02AUT AXLE, FRONT NON-DRIVING - for 4300 SBA LP 4X2 REQS: Code 02AEZ, 02AGB, 02AGM, 02AHY, 02AHZ, 02AJE, 02ASC, 02ASH, 02AST, 02ATL, 02ATM, 02ATN, 02AUT or 02AUV AXLE, FRONT NON-DRIVING - for 4300 SBA 4X2	05PRG 05PRR 05PSA	STD \$248 +16/0 \$110 +25/0	STD N/A \$110 +25/0
STEERING COLUMN Stationary Tilting N/A: Code 04AZS AIR BRAKE ABS Tilting and Telescoping N/A: Code 13WCP TRANSMISSION SHIFT CONTROL	05AAA 05708 05710	STD \$125 0/0 \$463 0/0	STD \$125 +10/0 \$463 +10/0
STEERING WHEEL 2-Spoke, 18" Dia., Black 2-Spoke; 18" Dia., Black, Leather Wrapped	05CAL 05CAN	STD \$61 0/0	STD \$61 +1/0
DRIVESHAFT Dana Spicer SPL100 in lieu of SPL90 Series REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 (SEE NEXT PAGE)	06DBZ	\$79 0/0	\$79 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-51

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AFTERTREATMENT COVER (CONTINUED) Polished Aluminum REQ: Code 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM N/A: Code 08VTJ, 08VUR and 08VUX(std) BATTERY BOX : Code 07WDL MUFFLER/TAIL PIPE GUARD Steel, Black REQ: Code 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM N/A: Code 16XTK, 16XYV and 16ZBB ACCESS, CAB : Code 08VTJ, 08VUR and 08VUX(std) BATTERY BOX : Code 07WDL MUFFLER/TAIL PIPE GUARD : Code 15BAA DEF TANK COVER	07BES 07BEV	\$498 N/C	\$498 N/C
ENGINE EXHAUST BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger	07SCP	\$184 0/0	\$184 0/0
EXHAUST HEIGHT 10' REQ: Code 07BKN or 07BKS EXHAUST SYSTEM N/A: Code 07WBZ, 07WCA and 07WCW TAIL PIPE 10' 11" REQ: Code 07BKS EXHAUST SYSTEM N/A: Code 07WBZ, 07WCA and 07WCW TAIL PIPE 11' 6" REQ: Code 07BKN or 07BKS EXHAUST SYSTEM N/A: Code 07WBZ, 07WCA and 07WCW TAIL PIPE 12' 6" REQ: Code 07BKN or 07BKS EXHAUST SYSTEM N/A: Code 07WBZ, 07WCA and 07WCW TAIL PIPE 13' 3" REQ: Code 07BKS EXHAUST SYSTEM N/A: Code 07WBZ, 07WCA and 07WCW TAIL PIPE 8' 10" REQ: Code 07WAZ or 07WBA TAIL PIPE REQ: Code 07BKS EXHAUST SYSTEM AVAIL: Code 07WAZ, 07WBA and 07WDT TAIL PIPE	07WDM 07WCR 07WBU 07WCK 07WCC 07WCM	N/C \$72 +1/+1 \$118 +2/0 \$202 \$176 +3/0 \$35 +1/+1	N/C \$72 +1/+1 \$118 +2/0 \$202 +8/+6 \$176 +3/0 \$35 +1/+1
MUFFLER/TAIL PIPE GUARD (1) Bright Stainless Steel REQ: Code 07BKN or 07BKS EXHAUST SYSTEM N/A: Code 07WBZ, 07WCA and 07WCW TAIL PIPE (1) Non-Bright Aluminum REQ: Code 07BKN or 07BKS EXHAUST SYSTEM N/A: Code 07WBZ, 07WCA and 07WCW TAIL PIPE	07WBS 07WDN	\$133 0/0 N/C	\$133 0/0 N/C

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-56

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
MUFFLER/TAIL PIPE GUARD (CONTINUED) (2) Bright Stainless Steel N/A: Code 07BES, 07BEU and 07BEV AFTERTREATMENT COVER : Code 07BKN, 07BKP, 07BKS, 07BKY(std), 07BKZ and 07BLH EXHAUST SYSTEM AVAIL: Code 08VUL, 08VUM, 08VUX(std) and 08VUY BATTERY BOX : Code 07WAY, 07WAZ and 07WBA TAIL PIPE	07WDL	\$383 0/0	N/A
RAIN CAP With Single Exhaust, Chrome Finish REQS: Code 07WAY TAIL PIPE REQS: Code 07BKN or 07BKS EXHAUST SYSTEM AVAIL: Code 07WAY, 07WAZ and 07WBA TAIL PIPE With Single Exhaust, Non-Bright Finish REQS: Code 07BKN or 07BKS EXHAUST SYSTEM AVAIL: Code 07WDT TAIL PIPE	07WAG 07WAE	\$62 + 2/0 \$21 + 2/0	\$62 + 2/0 \$21 + 2/0
SWITCH, FOR EXHAUST 3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF 2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position	07WZX 07WZY	\$42 + 2/0 \$31 + 2/0	\$42 + 2/0 \$31 + 2/0
TAIL PIPE (1) Straight Type, Bright, for Single Exhaust REQS: Code 07BKN or 07BKS EXHAUST SYSTEM N/A: Code 07WCM EXHAUST HEIGHT AVAIL: Code 07WAG RAIN CAP (1) Straight Type, Non-Bright, for Single Exhaust REQS: Code 07BKN or 07BKS EXHAUST SYSTEM N/A: Code 07WDL MUFFLER/TAIL PIPE GUARD AVAIL: Code 07WAE RAIN CAP (1) Turnback Type, Bright, for Single Exhaust REQS: Code 07BKN or 07BKS EXHAUST SYSTEM AVAIL: Code 07WAG RAIN CAP (1) Turnback Type, Non-Bright, for Single Exhaust REQS: Code 07BKN or 07BKS EXHAUST SYSTEM AVAIL: Code 07WAG RAIN CAP Horizontal, Exits Right Side Outside of Body, At Rear Wheels REQS: Code 07BKZ or 07BLH EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS, 07WDL and 07WDN MUFFLER/TAIL PIPE GUARD (SEE NEXT PAGE)	07WAY 07WDT 07WBA 07WAZ 07WBZ	\$144 0/0 N/C \$162 0/0 \$64 0/0 \$361 0/0	\$144 0/0 N/C \$162 0/0 \$64 0/0 \$361 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-57

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ELECTRICAL SYSTEM (SEE PREV PAGE) INCLS: WIRING, CHASSIS Color Coded and Continuously Numbered : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : TURN SIGNALS, FRONT Includes Reflectors and Auxiliary Side Turn Signals, Solid State Flashers; Flush Mounted : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light : HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : FUSES, ELECTRICAL SAE Blade-Type : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab	08000		
ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, With Ignition "OFF" and any Door Opened N/A: Code 04WCX PARKING BRAKE CONTROL	08WXD	\$42 0/0	\$42 0/0
ALTERNATOR Leece-Neville - AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense - AVI160P2003 - Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, With Remote Sense - AVI160P2007 - Brush Type; 12 Volt 210 Amp. Capacity, Pad Mount, With Remote Sense - AVI160P2012 - Brush Type; 12 Volt 190 Amp. Capacity, Pad Mount, With Remote Sense - BLP4006HN - Brushless, 12 Volt 325 Amp. Capacity, Pad Mount, with Remote Sense Bosch - LH160 - Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount	08GXD 08GXB 08GXC 08GXE 08GXK 08GGN	STD \$601 +1/0 \$476 +1/0 \$368 0/0 \$1,358 +1/0 \$151 -5/0	STD \$601 +1/0 \$476 +1/0 \$368 0/0 \$1,358 +1/0 \$151 -5/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-59

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ALTERNATOR (CONTINUED) Bosch - LH200 - Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount Delco Remy - 28SI - Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount, with Remote Voltage Sensor Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount, with Remote Voltage Sensor - 36SI - Brushless, 12 Volt 165 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GGR 08GHP 08GHU 08GGG	\$459 - 2 / 0 \$277 - 1 / 0 \$404 - 1 / 0 \$491 + 8 / - 1	\$459 - 2 / 0 \$277 0 / - 1 \$404 - 1 / 0 \$491 + 8 / - 1
AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications N/A: Code 08THV DISCONNECT, FRONT HARNESS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	08THJ	\$158 + 2 / 0	N/A
BACK-UP ALARM Electric, 102 dBA Preco - 1059 - Electronic; Solid State, Dual Function, 112 dBA N/A: Code 08TRS STOP, TURN, TAIL & B/U LIGHTS	08THB 08WDG	\$120 0 / + 3 \$211 0 / + 1	\$120 0 / + 3 \$211 0 / + 1
BATTERY BOX Steel, with Plastic Cover, 25" Wide, 2 or 3 Battery Capacity, Mounted Right Side Under Cab REQS: Code 16VHG CAB MOUNTING HEIGHT EFFECTS or Code 04EBD, 04EBS, 04EBT or 04EDC AIR DRYER, when in combination with Code 04091 BRAKE SYSTEM, AIR - for 4300 SBA LP 4X2 REQS: Code 16VHG CAB MOUNTING HEIGHT EFFECTS or Code 04EBD, 04EBS, 04EBT or 04EDC AIR DRYER, when in combination with Code 04091 or 04092 BRAKE SYSTEM, AIR - for 4300 SBA 4X2 REQS: Code 07BKY(std) or 07BLH EXHAUST SYSTEM REQS: Code 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE, 15SWU(std) or 15SWY FUEL TANK N/A: Code 04VJE and 04WZJ AIR TANK LOCATION : Code 07BES, 07BEU and 07BEV AFTERTREATMENT COVER : Code 15WCN DEF TANK AVAIL: Code 08RMH BATTERY DISCONNECT SWITCH	08VUX	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-60

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CB ANTENNA <i>Pana-Pacific</i> (02) Full Wave; 4.0' Length Includes "International" Name on Top REQS: Code 08RCB CB RADIO NOTE: To Be Installed By Dealer	08RBK	\$78 + 4/0	\$78 + 4/0
CB RADIO Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two Antenna Bases With Wiring REQS: Code 16SDT, 16SDU, 16SNB or 16SNC MIRRORS AVAIL: Code 08TPB DATA RECORDER NOTE: NOT INCLUDED: Antenna	08RCB	\$359 + 2/0	\$359 + 2/0
2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness N/A: Code 08RMA, 08RMB and 08RMC RADIO, when in combination with Code 08TPA DATA RECORDER Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab AVAIL: Code 08TPB DATA RECORDER	08REA 08RGA	\$163 + 2/0 \$68 + 1/0	\$163 + 2/0 \$68 + 1/0
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	08XAH	\$99 0/0	\$99 0/0
CIGAR LIGHTER Includes Ash Cup N/A: CUP HOLDERS	08518	\$18 + 1/0	\$18 + 1/0
CLEARANCE/MARKER LIGHTS <i>Truck Lite</i> (05) Amber LED Lights, Flush Mounted on Cab or Sunshade REQS: Code 08XGT TURN SIGNALS, FRONT	08WPH	\$70 0/0	\$70 0/0
COURTESY LIGHT (02) Mounted In Front Map Pocket Left and Right Side REQS: Code 16WLE(std) STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM REQS: Code 16WRX(std) or 16WSX CAB INTERIOR TRIM REQS: Code 16WRX(std) CAB INTERIOR TRIM, when in combination with Code 16030 CAB (SEE NEXT PAGE)	08WTP	\$48 + 1/0	\$48 + 1/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-66

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
COURTESY LIGHT (SEE PREV PAGE) REQS: Code 16WSX CAB INTERIOR TRIM, when in combination with Code 16CAB CAB N/A: Code 16196 CAB NOTE: Feature included with CAB INTERIOR TRIM, Premium (04) Mounted In Front & Rear Map Pocket Left and Right Side REQS: Code 16WLE(std) STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM REQS: Code 16WSG CAB INTERIOR TRIM, when in combination with Code 16196 CAB REQS: Code 16196 CAB NOTE: Feature included with CAB INTERIOR TRIM, Premium	08WTP 08WTR	\$75 +2/0	\$75 +2/0
DATA RECORDER Includes Display Mounted in Overhead Console REQS: Code 16JXG(std) or 16KAX SEAT, FRONT BENCH, when in combination with Code 16400 SEAT, PASSENGER REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE N/A: Code 08RMA, 08RMB and 08RMC RADIO, when in combination with Code 08REA 2-WAY RADIO : Code 08RCB CB RADIO AVAIL: Code 08REA 2-WAY RADIO Less Display REQS: Code 16JXG(std) or 16KAX SEAT, FRONT BENCH, when in combination with Code 16400 SEAT, PASSENGER REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE	08TPA 08TPB	\$1,770 +2/0 \$1,340 +2/0	\$1,770 +2/0 \$1,340 +2/0
DISCONNECT, FRONT HARNESS for Guide Post Lights; Connectors Located at Headlight Connection, for Customer Installation N/A: Code 08THJ AUXILIARY HARNESS	08THV	\$14 0/0	\$14 0/0
ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Separate Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake accommodation package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 08WJZ WORKLIGHT ON W/BACKUP : Code 08HAA BODY BUILDER WIRING : Code 08TME and 08TMG TRAILER CONNECTION SOCKET	08HAG	\$363 0/+2	\$363 0/+2



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ELECTRIC TRAILER BRAKE/LIGHTS (CONTINUED) Accommodation Package to Rear of Frame; for Combined Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake Accommodation Package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 08WJZ WORKLIGHT ON W/BACKUP : Code 08HAA BODY BUILDER WIRING : Code 08TME and 08TMG TRAILER CONNECTION SOCKET	08HAH	\$363 0/+2	\$363 0/+2
FOG LIGHTS (02) Amber, Oval, With H355W Halogen Bulb REQS: Code 01LLA, 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT - for 4300 SBA 4X2 -OR- Code 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT - for 4300 SBA LP 4X2 N/A: Code 01WDR FRAME EXTENSION, FRONT - for 4300 SBA 4X2 NOTE: Fog Lights are Not Driving Lights (02) Clear, Oval, With H355W Halogen Bulb REQS: Code 01LLA, 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT - for 4300 SBA 4X2 -OR- Code 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT - for 4300 SBA LP 4X2 N/A: Code 01WDR FRAME EXTENSION, FRONT - for 4300 SBA 4X2 NOTE: Fog Lights are Not Driving Lights Prewire; Includes Auxiliary Toggle Switch and Wiring to Front Bumper, for Driving Lights or Fog Lights Mounted by Customer	08WPL 08WPM 08585	\$133 +5/0 \$133 +5/0 \$39 +1/0	\$133 +5/0 \$133 +5/0 \$39 +1/0
HEADLIGHT WARNING BUZZER Sounds When Head Light Switch is on and Ignition Switch is in "Off" Position	08WXB	\$49 0/0	\$49 0/0
HEADLIGHTS Halogen; Composite Aero Design for Two Light System NOTE: STANDARD IN USA : 010002 Halogen; Composite Aero Design for Two Light System; Includes Daytime Running Lights	08WZK 08WPB	STD \$58 0/0	STD \$58 0/0
HEADLIGHTS ON W/WIPERS Headlights Will Automatically Turn on if Windshield Wipers are turned on	08WRB	\$22 0/0	\$22 0/0



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
HORN, AIR ACCOMMODATION PACKAGE; less Horn REQ: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQ: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 N/A: Code 16XYM AERODYNAMIC PACKAGE Black, Single Trumpet, Air Solenoid Operated REQ: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQ: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2	08WHE 08WCL	\$88 + 2/0 \$94 + 2/0	\$88 + 2/0 \$94 + 2/0
HORN, ELECTRIC Disc Style (02) Disc Style	08VAY 08541	STD \$29 + 1/0	STD \$29 + 1/0
IGNITION SWITCH Keyless N/A: Code 10943 KEYS - ALL ALIKE	08630	\$35 + 2/0	\$35 + 2/0
INDICATOR, BATTERY WARNING Green BATTERY ON Indicator, Mounted on Left Side of Instrument Panel, To be Used with Factory Installed or Customer Mounted Battery Disconnect Switch REC: Code 08RMH, 08XHD or 08XHV BATTERY DISCONNECT SWITCH	08WZP	\$59 + 1/0	\$59 + 1/0
INDICATOR, LOW COOLANT LEVEL With Audible Alarm	08WWJ	STD	STD
JUMP START STUD Remote Mounted INCLS: JUMP START STUD Mounted to Battery Box	08WBW	\$168 + 2/0	\$168 + 2/0
JUNCTION BLOCK Stud, 100 Amp Battery Feed, Protected by a Fusible Link, Stud to Be Used for Body Builder Feeds Inside Cab	08WZG	\$382 0/0	\$382 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-69

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
LIGHT, WORK (1) Pedestal Mounted BOC With Switch on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 08WMA and 08WTT SWITCH, TOGGLE, FOR WORK LIGHT Truck Lite - 81 Series - LED, Pedestal Mounted BOC With Switch on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 08WMA and 08WTT SWITCH, TOGGLE, FOR WORK LIGHT	08WLL	\$119 +3/+2	N/A
	08WAA	\$169 +2/0	N/A
POWER SOURCE Cigar Type Receptacle without Plug and Cord	08718	\$30 +1/0	\$30 +1/0
POWER SOURCE, SPECIAL Special Socket; Single Terminal, for Power Lift Gate Feed, Battery Feed Thru 150 Amp Circuit Breaker, To Operate Lift Gate On Trailer, Includes a 15' Power Cable Coiled In Cab REQS: Code 16VHG CAB MOUNTING HEIGHT EFFECTS, when in combination with Code 16030 CAB and Code 15DMV, 15SGD, 15SGG, 15SGJ, 15SMD or 15SRE FUEL TANK and Code 15WDG DEF TANK and Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 07BKN, 07BKP or 07BKS EXHAUST SYSTEM N/A: Code 16196 CAB : Code 04085 BRAKE SYSTEM, HYDRAULIC or Code 04091 BRAKE SYSTEM, AIR : Code 04085(std) BRAKE SYSTEM, HYDRAULIC AVAIL: Code 08VTJ, 08VUL, 08VUM, 08VUR and 08VUX(std) BATTERY BOX Special Socket; Dual Pole Terminal, for Power Lift Gate Feed, Battery Feed Thru 150 Amp Circuit Breaker, To Operate Lift Gate On Trailer, Includes a 15' Coiled Dual Pole Power Cable Shipped in Cab REQS: Code 16VHG CAB MOUNTING HEIGHT EFFECTS, when in combination with Code 16030 CAB and Code 15DMV, 15SGD, 15SGG, 15SGJ, 15SMD or 15SRE FUEL TANK and Code 15WDG DEF TANK and Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL REQS: Code 16030(std) CAB REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 07BKN, 07BKP, 07BKS or 07BLH EXHAUST SYSTEM (SEE NEXT PAGE)	08WCM	\$177 +15/0	N/A
	08WKP	\$412 +1/0	N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-70

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
POWER SOURCE, SPECIAL (SEE PREV PAGE) N/A: Code 04085 BRAKE SYSTEM, HYDRAULIC or Code 04091 BRAKE SYSTEM, AIR : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 08VTJ BATTERY BOX : Code 15SGD FUEL TANK, when in combination with Code 08VUY BATTERY BOX for Customer Installed Lift Gate; 200 Amp Max, Includes 00ga. Power Cable to End of Frame, Optional Power (PDM) for Power Source, Latched Switch on Instrument Panel, With a Time Out Feature, Battery Discharge Protection, Controlling a Mag Switch Which Provides Power N/A: Code 08VUR BATTERY BOX	08WKP 08VBA	 \$476 + 1/+2	 \$476 + 1/+2
POWER SOURCE, TERMINAL TYPE 2-Post	08WCK	\$39 + 1/0	\$39 + 1/0
RADIO Accommodation Package; Less Radio, With Wiring and Antenna, Includes Multiple Speakers INCLS: SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers, With CD Player AM/FM/CD/WB/SiriusXM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers REQS: Code 16SDT or 16SDU MIRRORS AM/FM/CD/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers AM/FM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers	08787 08RMD 08RME 08RMC 08RMB 08RMA	\$128 + 2/0 \$368 + 1/0 \$474 + 1/0 \$886 + 1/0 \$763 + 1/0 \$483 + 1/0	\$128 + 2/0 \$368 + 1/0 \$474 + 1/0 \$886 + 1/0 \$763 + 1/0 \$483 + 1/0



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
RADIO (CONTINUED) Panasonic - CQ120 - AM/FM, Includes Multiple Speakers, Includes Auxiliary Input INCLS: SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior	08RKB	\$305 + 2/0	\$305 + 2/0
SATELLITE COMMUNICATION SYSTEM PeopleNet System Installation Package, Less System; Includes GPS Antenna, Cellular Antenna Base Outside Cab, Main Power & Datalink Cable, Options Connector Located in Dash Passenger Side, J1939 & J1708 Connection for Customer Supplied VID Multi Bus Adaptor REQS: Code 16UKJ ANTENNA MOUNTING BRACKETS, when in combination with Code 16030 CAB N/A: Code 16196 CAB	08RLK	\$983 + 7/+3	\$983 + 7/+3
SOLENOID, AIR for Customer Use; Provides (1) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC NOTE: To Be Used as a Pilot Air and NOT as an Air Supply. for Customer Use; Provides (2) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC NOTE: To Be Used as a Pilot Air and NOT as an Air Supply. for Customer Use; Provides (3) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGA 08WGB 08WGC	\$105 + 1/0 \$182 + 2/0 \$207 + 2/0	\$105 + 1/0 \$182 + 2/0 \$207 + 2/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-72

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-74

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light N/A: Code 08WAA and 08WLL LIGHT, WORK Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light N/A: Code 08WAA and 08WLL LIGHT, WORK	08WMA 08WTT	\$59 +1/+2 \$66 +1/0	\$59 +1/+2 \$66 +1/0
TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC AVAIL: Code 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS	08NAA	\$74 0/+2	\$74 0/+2
TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	08WPZ	\$42 0/0	\$42 0/0
TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; With 30 Amp Fuse and Relay, Controlled by Ignition Switch REQS: Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC	08TKK	\$79 +1/0	\$79 +1/0
TRAILER CONNECTION SOCKET 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Combined With Stop, Compatible With Trailers That Use Combined Stop, Tail, Turn Lamps REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS 7-Way; Mounted at Rear of Frame, Wired for Turn Signals Independent of Stop, Compatible With Trailers That Have Amber or Side Turn Lamps REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08HAA BODY BUILDER WIRING : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS	08TMG 08TME	\$439 +7/0 \$439 0/+7	\$439 +7/0 \$439 0/+7

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-78

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TURN SIGNALS, FRONT Includes LED Side Turn Lights Mounted on Fender REQS: Code 08WPH CLEARANCE/MARKER LIGHTS	08XGT	\$25 0/0	\$25 0/0
TURN SIGNAL SWITCH Non-Canceling Self-Canceling REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC With Hazard Flasher Overrides Brake, To be Done With Programming System Controller	08WEG 08WEZ 08THN	N/C + 2/0 N/C 0/0 \$42 + 1/0	N/C + 2/0 N/A \$42 + 1/0
WINDSHIELD WIPER SPD CONTROL Force Wipers to Slowest Intermittent Speed When Park Brake Set and Wipers Left on for a Predetermined Time	08WGL	\$26 0/0	\$26 0/0
WIRING, SPECIAL Includes Wires Installed Through the Dash Panel and End in Engine Compartment, In Cab Wire Ends Will Have ESC Input Terminals, Engine Compartment Wire Ends will have Sealed Connectors	08HAT	\$51 0/0	\$51 0/0
WORKLIGHT ON W/BACKUP Work Lights will Activate when Vehicle is in Reverse REQS: Code 08WAA or 08WLL LIGHT, WORK - for 4300 SBA 4X2 REQS: Code 08WMA or 08WTT SWITCH, TOGGLE, FOR WORK LIGHT N/A: Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS	08WJZ	\$31 + 3/0	\$31 + 3/0
FRONT END Tilting, Fiberglass, With Three Piece Construction	09WAY	STD	STD
BUG SCREEN Mounted Behind Grille REQS: Code 09HAD(std) GRILLE	09WAC	\$131 + 5/0	\$131 + 5/0
GRILLE Chrome N/A: Code 01WDR and 01WRS FRAME EXTENSION, FRONT - for 4300 SBA 4X2	09HAD	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-79

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
GRILLE (CONTINUED) Stationary, Chrome N/A: Code 16VHG CAB MOUNTING HEIGHT EFFECTS, when in combination with Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL - for 4300 SBA LP 4X2 : Code 16VHG CAB MOUNTING HEIGHT EFFECTS, when in combination with Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL - for 4300 SBA 4X2 : Code 09WAC BUG SCREEN	09HBM	\$99 0/0	\$99 0/0
GRILLE EMBER SCREEN Mounted to Grille and Cowl Tray to Keep Hot Embers out of Engine and HVAC Air Intake System N/A: Code 16WLS FRESH AIR FILTER	09WBT	\$201 0/0	\$201 0/0
HOOD, HATCH (01) for Servicing REQ: Code 16WSE LOW WASHER FLUID INDICATOR N/A: Code 12WZB EMISSION COMPLIANCE	09ANG	\$444 +5/0	\$444 +5/0
INSULATION, SPLASH PANELS for Sound Abatement REC: Code 09HAN INSULATION, UNDER HOOD - for 4300 SBA 4X2	09HBN	\$76 +2/0	\$76 +2/0
INSULATION, UNDER HOOD for Sound Abatement REC: Code 09HBN INSULATION, SPLASH PANELS - for 4300 SBA 4X2	09HAN	\$167 +10/0	\$167 +10/0
LOGOS EXTERIOR Badges	09AAB	\$115 0/0	\$115 0/0
QUARTER FENDERS for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted	09505	\$233 +12/+53	N/A
CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails N/A: Code 01GBP FRAME REINFORCEMENT	10021	\$500 0/0	N/A



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CUSTOMER SERVICES OnCommand Repair Advocate Service; 12-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 24-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 36-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 48-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 60-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARM	\$198 0/0	\$198 0/0
	10ARN	\$396 0/0	\$396 0/0
	10ARP	\$594 0/0	\$594 0/0
	10ARR	\$792 0/0	\$792 0/0
	10ARS	\$990 0/0	\$990 0/0
FIFTH WHEEL, AIR SLIDE NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section Holland - FW17J724XL00 - 24" Slide, 6.8" Above Top of Frame, Left Hand Release REQS: Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 01GBP FRAME REINFORCEMENT : FIFTH WHEEL, STATIONARY	10HKC	\$2,336 0/+424	N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-81

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
MUD FLAP HOLDER			
Spring Loaded, Bright Finish; With 45-Degree End, With Red and White Reflective Tape; Less Flaps	10WPU	\$226 0/+34	N/A
Spring Loaded, Painted Black; With Red and White Reflective Tape; Less Flaps	10WPR	\$105 0/+34	\$105 0/+34
Spring Loaded, Painted Black; With 45-Degree End, With Red and White Reflective Tape; Less Flaps	10WPT	\$103 0/+34	\$103 0/+34
MUD FLAPS, FRONT WHEELS			
(02) Rubber, Behind Front Wheels, Mounted on Fender Extension N/A: Code 27DAN and 27DAR WHEELS, FRONT - for 4300 SBA LP 4X2 : Code 27DAN, 27DAR, 27DTS and 27DTX WHEELS, FRONT - for 4300 SBA 4X2 : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR	10WUE	\$76 +12/0	\$76 +12/0
MUD FLAPS, REAR			
Black Poly, With International Logo; Less Holders REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER	10WSX	\$58 0/+8	N/A
Black Rubber, Anti-Sail Less Logo; Less Holders REQS: Code 10WPR, 10WPT or 10WPU MUD FLAP HOLDER	10WPY	\$74 0/+8	N/A
OVER THE AIR PROGRAMMING			
for Cummins Engines REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY or 12EKA ENGINE, DIESEL	10AAY	\$250	\$250
PAINT CLASS			
Premium Color	10769	\$500 0/0	\$500 0/0
Single Custom Color	10771	\$600 0/0	\$600 0/0
PAINT IDENTITY, PT-2			
Single Color, Instruction No. 932. Wheels N/A: Code 27DPN and 27DTS WHEELS, FRONT : Code 28DTS WHEELS, REAR : Code 29ACB WHEEL, FRONT, IDENTITY : Code 29PAR, 29PAW, 29PBA and 29PBU PAINT IDENTITY, FRONT WHEELS : Code 29PAS, 29PAX, 29PBB and 29PBV PAINT IDENTITY, REAR WHEELS AVAIL: Code 29BAG WHEEL, REAR, IDENTITY	10632	\$219 0/0	\$219 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-87

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
PAINT TYPE			
Base Coat/Clear Coat, 1-2 Tone	10761	STD	STD
Base Coat/Clear Coat, 3-4 Tone	10762	N/C 0/0	N/C 0/0
QUARTER FENDERS			
for Rear Wheels, Black Plastic; Frame Mounted.	10WTR	\$188 0/+18	\$188 0/+18
SAFETY TRIANGLES			
	10WCY	\$29 +6/0	\$29 +6/0
SPECIAL RATING, GVWR			
Limited to 17,999-lb GVWR REQS: Code 02AEM, 02ATK(std) or 02AUS AXLE, FRONT NON-DRIVING REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 14SCD, 14SCE or 14VAB SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAC SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 14AGE, 14AHM, 14AJE, 14AJH, 14AJT, 14AKD, 14AKE, 14AKG, 14AKH, 14ANP, 14ANR or 14APJ(std) AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGE, 14AHM, 14AJC, 14AJE, 14AJH, 14AJT, 14AKD, 14AKE, 14AKG, 14AKH, 14ANP, 14ANR, 14APH or 14APJ(std) AXLE, REAR, SINGLE - for 4300 SBA LP 4X2	10WGC	N/C 0/0	N/C 0/0
Limited to 25,999-lb GVWR REQS: Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE, when in combination with Code 02AGM, 02ASH or 02AUT AXLE, FRONT NON-DRIVING - for 4300 SBA LP 4X2 REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 14SAH, 14SAM, 14SCD, 14SCE, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAC, 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2	10WGD	N/C 0/0	N/C 0/0
(SEE NEXT PAGE)			

**4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION NO. 35**

Printed in the United States of America

SECTION 090

PAGE 090-89

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CLUTCH (CONTINUED) NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Eaton Fuller			
- Solo 1401 MF - Maintenance Free; Single Plate, Stamped Cover Assembly; Ceramic, 14" Diam., 8-Spring Coaxial Free Travel Damper, With 1.75" Splines, Mechanical Pull-Type Control, With Maintenance Free Adjustment and Roller Yoke; 620 lb-ft Torque Rating INCLS: CLUTCH RELEASE BEARING Sealed REQS: Code 12EJC(std), 12EJG or 12EJH ENGINE, DIESEL N/A: TRANSMISSION, AUTOMATIC	11LEK	\$242 - 2 / 0	\$242 - 2 / 0
- Solo 1402 - Two-Plate, Stamped Angle Spring; 3 Super Button Ceramic, 14" Diameter, 7+1 Low Rate Damper, With 1.75" Splines, Mechanical Pull Type Control and Adjustment Free, 860 lb-ft Torque Capacity INCLS: CLUTCH RELEASE BEARING Greasable REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL N/A: TRANSMISSION, AUTOMATIC	11LGB	\$407 + 25 / + 6	\$407 + 25 / + 6
Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 7+1 Low Rate Damper, With 1.75" Splines, Mechanical Pull Type Control and Adjustment Free, 860 lb-ft Torque Capacity INCLS: CLUTCH RELEASE BEARING Greasable N/A: TRANSMISSION, AUTOMATIC	11LEV	\$359 + 21 / + 5	\$359 + 21 / + 5
- Solo 1402 MF - Maintenance Free; Two-Plate, Stamped Cover Assembly; Ceramic, 14" Diam., 7+1 Low Rate Damper, With 1.75" Splines, Mechanical Pull-Type Control, With Maintenance Free Adjustment and Roller Yoke; 860 lb-ft Torque Rating INCLS: CLUTCH RELEASE BEARING Sealed N/A: TRANSMISSION, AUTOMATIC	11LEZ	\$477 + 21 / + 6	\$477 + 21 / + 6
- SAS1402 - Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 7+1 Low Rate Damper, With 1.75" Splines, Mechanical Pull Type Control and With Kwik-Adjust(Manual) Feature 860 lb-ft Torque Capacity INCLS: CLUTCH RELEASE BEARING Greasable N/A: TRANSMISSION, AUTOMATIC	11LEY	\$278 + 26 / + 6	\$278 + 26 / + 6

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-91

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CLUTCH (CONTINUED) NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book No Vendor Identified Omit Item (Clutch & Control) N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	11001	N/C - 60/- 15	N/C - 60/- 15
ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use AVAIL: Code 12VYP ENGINE CONTROL, REMOTE MOUNTED	12VYL	\$45 0/0	\$45 0/0
ENGINE, DIESEL NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - B6.7 200 - EPA 2017, 200 HP @ 2400 RPM, 520 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 200 Peak HP (Max) REQS: Code 40SDD, 40SDE, 40SDG, 40SDH, 40SDJ, 40SDK, 40SDL, 40SDM, 40SDN, 40SDP, 40SDR, 40SDS, 40SDT, 40SDU, 40SDV, 40SDY, 40SDZ, 40SEA, 40SEB or 40SEC SRV CONTRACT, EXT CMMS ENGINE REQS: Code 12EMZ VENDOR WARRANTY, ENGINE REQS: Code 15LMN, 15LMR, 15LMS or 15LNG FUEL/WATER SEPARATOR REQS: Code 12WPV OIL PAN - for 4300 SBA LP 4X2 REQS: Code 12WPV or 12WPW OIL PAN - for 4300 SBA 4X2 REQS: Code 13APZ, 13ARA, 13ARC, 13ARE, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13ATA, 13ATB, 13ATC, 13ATD, 13ATG, 13ATH, 13ATJ, 13ATL, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : SRV CONT, EXT AFTERTREATMENT : Code 16ZBB ACCESS, CAB - for 4300 SBA LP 4X2 : Code 12VYL ACCESSORY WIRING, SPECIAL or Code 60AAM BDY INTG, POWER MODULE AUX : Code 16HGG GAUGE, OIL TEMP, ENGINE : Code 08RMH BATTERY DISCONNECT SWITCH : TRAILER HOSES AND CABLES or Code 01MAW and 01MAX SPECIAL FRAME PIERCING - for 4300 SBA 4X2 (SEE NEXT PAGE)	12EJC	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-92

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - B6.7 200 - N/A: Code 12VVY OVER-TEMPERATURE PROTECTION : Code 12WEH and 12WER ENGINE OIL SAMPLE VALVE AVAIL: Code 12XAT ENGINE CONTROL, REMOTE MOUNTED - B6.7 220 - EPA 2017, 220 HP @ 2400 RPM, 520 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 220 Peak HP (Max) REQS: Code 40SDD, 40SDE, 40SDG, 40SDH, 40SDJ, 40SDK, 40SDL, 40SDM, 40SDN, 40SDP, 40SDR, 40SDS, 40SDT, 40SDU, 40SDV, 40SDY, 40SDZ, 40SEA, 40SEB or 40SEC SRV CONTRACT, EXT CMMS ENGINE REQS: Code 12EMZ VENDOR WARRANTY, ENGINE REQS: Code 15LMN, 15LMR, 15LMS or 15LNG FUEL/WATER SEPARATOR REQS: Code 12WPV OIL PAN - for 4300 SBA LP 4X2 REQS: Code 12WPV or 12WPW OIL PAN - for 4300 SBA 4X2 REQS: Code 13APZ, 13ARA, 13ARC, 13ARE, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13ATA, 13ATB, 13ATC, 13ATD, 13ATG, 13ATH, 13ATJ, 13ATL, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : SRV CONT, EXT AFTERTREATMENT : Code 16ZBB ACCESS, CAB - for 4300 SBA LP 4X2 : Code 12VYL ACCESSORY WIRING, SPECIAL or Code 60AAM BDY INTG, POWER MODULE AUX : Code 16HGG GAUGE, OIL TEMP, ENGINE : TRAILER HOSES AND CABLES or Code 01MAW and 01MAX SPECIAL FRAME PIERCING - for 4300 SBA 4X2 : Code 12VVY OVER-TEMPERATURE PROTECTION : Code 12WEH and 12WER ENGINE OIL SAMPLE VALVE AVAIL: Code 12XAT ENGINE CONTROL, REMOTE MOUNTED EPA 2017, 220 HP @ 2400 RPM, 600 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 220 Peak HP (Max) REQS: Code 40SDD, 40SDE, 40SDG, 40SDH, 40SDJ, 40SDK, 40SDL, 40SDM, 40SDN, 40SDP, 40SDR, 40SDS, 40SDT, 40SDU, 40SDV, 40SDY, 40SDZ, 40SEA, 40SEB or 40SEC SRV CONTRACT, EXT CMMS ENGINE REQS: Code 12EMZ VENDOR WARRANTY, ENGINE (SEE NEXT PAGE)	12EJC		
	12EJG	\$818	\$818
	12EJH	\$1,257	\$1,257

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-93

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Cummins			
- B6.7 240 - N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : SRV CONT, EXT AFTERTREATMENT : Code 16ZBB ACCESS, CAB - for 4300 SBA LP 4X2 : Code 12VYL ACCESSORY WIRING, SPECIAL or Code 60AAM BDY INTG, POWER MODULE AUX : Code 16HGG GAUGE, OIL TEMP, ENGINE : TRAILER HOSES AND CABLES or Code 01MAW and 01MAX SPECIAL FRAME PIERCING - for 4300 SBA 4X2 : Code 11LEK and 11LGB CLUTCH : Code 12VVY OVER-TEMPERATURE PROTECTION : Code 12WEH and 12WER ENGINE OIL SAMPLE VALVE AVAIL: Code 12XAT ENGINE CONTROL, REMOTE MOUNTED	12EJN		
- B6.7 250 - EPA 2017, 250 HP @ 2400 RPM, 660 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 250 Peak HP (Max) REQS: Code 40SDD, 40SDE, 40SDG, 40SDH, 40SDJ, 40SDK, 40SDL, 40SDM, 40SDN, 40SDP, 40SDR, 40SDS, 40SDT, 40SDU, 40SDV, 40SDY, 40SDZ, 40SEA, 40SEB or 40SEC SRV CONTRACT, EXT CMMS ENGINE REQS: Code 12EMZ VENDOR WARRANTY, ENGINE REQS: Code 11LEV, 11LEY, 11LEZ, 11LGB or 11001 CLUTCH REQS: Code 15LMN, 15LMR, 15LMS or 15LNG FUEL/WATER SEPARATOR REQS: Code 12WPV OIL PAN - for 4300 SBA LP 4X2 REQS: Code 12WPV or 12WPW OIL PAN - for 4300 SBA 4X2 REQS: Code 13GMJ or 13GMS TRANSMISSION, MANUAL -OR- Code 13APZ, 13ARA, 13ARC, 13ARE, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13ATA, 13ATB, 13ATC, 13ATD, 13ATG, 13ATH, 13ATJ, 13ATL, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : SRV CONT, EXT AFTERTREATMENT : Code 16ZBB ACCESS, CAB - for 4300 SBA LP 4X2 : Code 12VYL ACCESSORY WIRING, SPECIAL or Code 60AAM BDY INTG, POWER MODULE AUX : Code 16HGG GAUGE, OIL TEMP, ENGINE : TRAILER HOSES AND CABLES or Code 01MAW and 01MAX SPECIAL FRAME PIERCING - for 4300 SBA 4X2	12EJS	\$2,530	\$2,530
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO.

35

SECTION 090

PAGE 090-95

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

SECTION 090

PAGE 090-96

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - B6.7 325 - REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 13GMJ TRANSMISSION, MANUAL -OR- Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : SRV CONT, EXT AFTERTREATMENT : Code 16ZBB ACCESS, CAB - for 4300 SBA LP 4X2 : Code 12VYL ACCESSORY WIRING, SPECIAL or Code 60AAM BDY INTG, POWER MODULE AUX : Code 16HGG GAUGE, OIL TEMP, ENGINE : TRAILER HOSES AND CABLES or Code 01MAW and 01MAX SPECIAL FRAME PIERCING - for 4300 SBA 4X2 : Code 12VVY OVER-TEMPERATURE PROTECTION : Code 12WEH and 12WER ENGINE OIL SAMPLE VALVE : Code 10AAY OVER THE AIR PROGRAMMING AVAIL: Code 12XAT ENGINE CONTROL, REMOTE MOUNTED - B6.7 340 - EPA 2017, 340 HP @ 2600 RPM, 700 lb-ft Torque @ 1600 RPM, 2600 RPM Governed Speed, 340 Peak HP (Max) (RATED FOR EMERGENCY VEHICLES ONLY) REQS: Code 40SEE, 40SEG or 40SEH SRV CONTRACT, EXT CMMS ENGINE REQS: Code 11LEV, 11LEY, 11LEZ, 11LGB or 11001 CLUTCH REQS: Code 15LMN, 15LMR, 15LMS or 15LNG FUEL/WATER SEPARATOR REQS: Code 12WPV OIL PAN - for 4300 SBA LP 4X2 REQS: Code 12WPV or 12WPW OIL PAN - for 4300 SBA 4X2	<p>12EKC</p> <p>12EKD</p>	<p>\$6,104</p>	<p>\$6,104</p>
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO.

35

SECTION 090

PAGE 090-99

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - B6.7 360 - REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 13ATN, 13AUK, 13AUL or 13AUM TRANSMISSION, AUTOMATIC N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : SRV CONT, EXT AFTERTREATMENT : VENDOR WARRANTY, ENGINE : Code 16ZBB ACCESS, CAB - for 4300 SBA LP 4X2 : Code 12VYL ACCESSORY WIRING, SPECIAL or Code 60AAM BDY INTG, POWER MODULE AUX : Code 16HGG GAUGE, OIL TEMP, ENGINE : TRAILER HOSES AND CABLES or Code 01MAW and 01MAX SPECIAL FRAME PIERCING - for 4300 SBA 4X2 : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 12VVY OVER-TEMPERATURE PROTECTION : Code 12WEH and 12WER ENGINE OIL SAMPLE VALVE : Code 10AAY OVER THE AIR PROGRAMMING AVAIL: Code 13WYU and 13WYY SHIFT CONTROL PARAMETERS : Code 12XAT ENGINE CONTROL, REMOTE MOUNTED	12EKE		
RADIATOR Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, With 313 SqIn Charge Air Cooler INCLS: DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates - Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber N/A: TRANSMISSION, AUTOMATIC	12UYB	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-101

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
RADIATOR (CONTINUED) Aluminum; 2-Row, Cross Flow, Over Under System, 717 SqIn Louvered, With 313 SqIn Charge Air Cooler. With In-Tank Transmission Cooler INCLS: DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates - Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	12UYE	N/C + 37/-6	N/C + 37/-6
FAN DRIVE Borg-Warner - SA85 - Viscous Type, Screw On INCLS: FAN Nylon N/A: Code 12WBR FAN OVERRIDE Horton - Drivemaster - Automatic On/Off Type, With Normally Closed Temperature Control REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed INCLS: FAN Nylon REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 NOTE: Recommend Code 12THT when using front mount obstructions (winches, cones, reels, etc.) that restrict air flow through the radiator.	12TSY 12THJ 12THT	STD \$394 + 48/-6 \$455 + 25/0	STD \$394 + 48/-6 \$455 + 25/0
AIR CLEANER With Service Protection Element INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	12VBR	STD	STD
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection	12703	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-102

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BLOCK HEATER, ENGINE 120V/1000W, for Cummins ISB/B6.7/ISL/L9 Engines <i>Phillips</i> 120 Volt/750 Watt; for Cummins ISB/B6.7 Engines N/A: Code 12WTW BLOCK HEATER SOCKET 120V/1000W, With "Y" Cord From Socket in Standard Location, For a Dealer Installed 120V/300W Max Oil Pan Heater N/A: Code 12WTW BLOCK HEATER SOCKET	12849 12WSY 12WUL	\$88 +3/0 \$90 +2/0 \$116 +3/0	\$88 +3/0 \$90 +2/0 \$116 +3/0
BLOCK HEATER SOCKET Relocated to Front Bumper REQS: Code 12849 BLOCK HEATER, ENGINE REQS: Code 01LLA, 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT - for 4300 SBA 4X2 -OR- Code 01LLD(std), 01LLE, 01LNG or 01LNN BUMPER, FRONT - for 4300 SBA LP 4X2	12WTW	\$48 +2/0	\$48 +2/0
EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood N/A: Code 09ANG HOOD, HATCH NOTE: 010002 Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door Engine Shutdown System Exempt Vehicles, Complies With California Clean Air Regulations NOTE: 010002 Federal, Does Not Comply With California Clean Air Idle Regulations NOTE: 010002	12WZB 12WZJ 12WZD 12WZE	\$62 \$62 0/0 N/C 0/0 N/C 0/0	\$62 0/0 \$62 0/0 N/C 0/0 N/C 0/0
ENGINE CONTROL, REMOTE MOUNTED - No Provision Furnished for Remote Mounted Engine Control N/A: ENGINE, DIESEL Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines N/A: Code 12VYL ACCESSORY WIRING, SPECIAL	12VYP 12XAT	N/C 0/0 \$45	N/C 0/0 \$45

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-103

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
ENGINE OIL SAMPLE VALVE			
Mounted on Engine N/A: ENGINE, DIESEL	12WEH	\$58 + 2/0	N/A
Mounted on Frame N/A: Code 01GBP FRAME REINFORCEMENT : ENGINE, DIESEL	12WER	\$208 + 1/0	N/A
FAN OVERRIDE			
Manual; With Electric Switch on Instrument Panel, (Fan On With Switch On) REQS: Code 12THJ or 12THT FAN DRIVE	12WBR	\$29 0/0	\$29 0/0
FEDERAL EMISSIONS			
<i>Cummins</i>			
- B6.7 - EPA, OBD and GHG Certified for Calendar Year 2017	12XZE	\$350	\$350
OIL PAN			
15 Quart Capacity, For Cummins ISB/B6.7 Engines	12WPV	N/C 0/0	N/C 0/0
Extended Service Interval, 19 Quart Capacity, For Cummins ISB/B6.7 Engines	12WPW	\$286 0/0	N/A
OVER-TEMPERATURE PROTECTION			
(For Engine Coolant) Omit Item N/A: ENGINE, DIESEL	12VVY	N/C 0/0	N/C 0/0
THROTTLE, HAND CONTROL			
Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel	12VXT	STD	STD
Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel	12VXU	N/C 0/0	N/C 0/0
Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel	12VXV	N/C 0/0	N/C + 2/0
VENDOR WARRANTY, ENGINE			
<i>Cummins</i>			
B6.7 Engine, 3-Year Unlimited Miles Standard Warranty	12EMZ	\$250	\$250



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, MANUAL NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - FS-5406N - 6-Speed Manual; Fully Synchronized, Short Shift Stroke INCLS: CLUTCH BRAKE Torque Limiting : FILL PLUG, MAGNETIC REQS: Code 12UYB(std) RADIATOR REQS: Code 13XAK, 13XAL, 13XAM or 13XAN PTO LOCATION REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG or 12EJN ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 16HGH and 16HYC GAUGE, OIL TEMP, AUTO TRANS : Code 04WCX PARKING BRAKE CONTROL : Code 11001 CLUTCH : Code 13WYR, 13WYS, 13WYT, 13WYU, 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH, 13WUA and 13WYZ AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WGH TRANSMISSION DIPSTICK : Code 13WBL, 13WCP, 13WEN, 13WVN and 13WVR TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WDH and 13WEP WIRING, TRANS, BODY BUILDER AVAIL: Code 13WLW TRANSMISSION OIL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13GNG	STD	STD

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-105

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - FS-6406N - 6-Speed Manual; Fully Synchronized, Short Shift Stroke INCLS: CLUTCH BRAKE Torque Limiting : FILL PLUG, MAGNETIC REQS: Code 12UYB(std) RADIATOR REQS: Code 13XAK, 13XAL, 13XAM or 13XAN PTO LOCATION REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY or 12EKA ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 16HGH and 16HYC GAUGE, OIL TEMP, AUTO TRANS : Code 04WCX PARKING BRAKE CONTROL : Code 11001 CLUTCH : Code 13WYR, 13WYS, 13WYT, 13WYU, 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH, 13WUA and 13WYZ AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WGH TRANSMISSION DIPSTICK : Code 13WBL, 13WCP, 13WEN, 13WVN and 13WVR TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WDH and 13WEP WIRING, TRANS, BODY BUILDER AVAIL: Code 13WLW TRANSMISSION OIL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13GMS	\$522 0/0	\$522 0/0

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-106

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - FSO-8406A - 6-Speed Manual; Fully Synchronized, Short Shift Stroke, With Overdrive REQS: Code 12UYB(std) RADIATOR REQS: Code 13XAK, 13XAL, 13XAM or 13XAN PTO LOCATION REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA or 12EKC ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 16HGH and 16HYC GAUGE, OIL TEMP, AUTO TRANS : Code 04WCX PARKING BRAKE CONTROL : Code 11001 CLUTCH : Code 13WYR, 13WYS, 13WYT, 13WYU, 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH, 13WUA and 13WYZ AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WGH TRANSMISSION DIPSTICK : Code 13WBL, 13WCP, 13WEN, 13WVN and 13WVR TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WDH and 13WEP WIRING, TRANS, BODY BUILDER AVAIL: Code 13WLW TRANSMISSION OIL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13GMJ	\$3,122 0/0	\$3,122 0/0

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-107

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 1000_HS - 5th Generation Controls; Close Ratio, 5-Speed, With Overdrive; Less PTO Provision, Includes Park Pawl, Less Retarder, With 19,500-lb GVW & 26,000-lb GCW Max. REQS: Code 11001 CLUTCH REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA LP 4X2 REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 12UYE RADIATOR REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA LP 4X2 REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA 4X2 REQS: Code 13WDH WIRING, TRANS, BODY BUILDER REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY or 12EKA ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 04WCX PARKING BRAKE CONTROL : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13AAZ, 13WEH, 13WUA and 13WYZ AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : Code 13WGH TRANSMISSION DIPSTICK : Code 13XAJ, 13XAK, 13XAL, 13XAM, 13XAN, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION AVAIL: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : Code 13WCP TRANSMISSION SHIFT CONTROL : Code 13WLN TRANSMISSION OIL 5th Generation Controls; Close Ratio, 6-Speed, With Overdrive; Less PTO Provision, Includes Park Pawl, Less Retarder, With 19,500-lb GVW & 26,000-lb GCW Max. REQS: Code 11001 CLUTCH REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA LP 4X2 REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 12UYE RADIATOR REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA LP 4X2 REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA 4X2 REQS: Code 13WDH WIRING, TRANS, BODY BUILDER (SEE NEXT PAGE)	13APZ	\$3,170 +18/-18	\$3,170 +10/-10
	13AVU	\$3,170 +20/-18	\$3,170 +12/-10



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-110

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-111

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 2100_RDS_P - REQS: Code 12UYE RADIATOR REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA LP 4X2 REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA 4X2 REQS: Code 13WDH WIRING, TRANS, BODY BUILDER REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY or 12EKA ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13AAZ, 13WEH, 13WUA and 13WYZ AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : Code 13WGH TRANSMISSION DIPSTICK AVAIL: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : Code 13WCP TRANSMISSION SHIFT CONTROL : Code 13WLN TRANSMISSION OIL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13ARA		



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-117

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-120

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 2500_HS - 5th Generation Controls; Wide Ratio, 6-Speed, with Double Overdrive; Less PTO Provision, Less Retarder, with 33,000-lb GVW & GCW Max. INCLS: TRANSMISSION OIL PAN Magnet in Oil Pan : OIL FILTER, TRANSMISSION Mounted on Transmission REQS: Code 11001 CLUTCH REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA LP 4X2 REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 12UYE RADIATOR REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA LP 4X2 REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA 4X2 REQS: Code 13WDH WIRING, TRANS, BODY BUILDER REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY or 12EKA ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13AAZ, 13WEH, 13WUA and 13WYZ AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : Code 13WGH TRANSMISSION DIPSTICK : Code 60ACX BDY INTG, THEFT DETERRENT SYS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13XAJ, 13XAK, 13XAL, 13XAM, 13XAN, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION AVAIL: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : Code 13WCP TRANSMISSION SHIFT CONTROL : Code 13WLN TRANSMISSION OIL 5th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; Less PTO Provision, Less Retarder, With 33,000-lb GVW & GCW Max. INCLS: TRANSMISSION OIL PAN Magnet in Oil Pan : OIL FILTER, TRANSMISSION Mounted on Transmission REQS: Code 11001 CLUTCH REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA LP 4X2 REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 12UYE RADIATOR (SEE NEXT PAGE)	13ATD	\$4,089 0/0	\$4,089 0/0
	13ASL	\$4,089 0/0	\$4,089 0/0

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-122

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 2500_RDS_P - 5th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; Refuse; With PTO Provision, Less Retarder, With 24,200-lb GVW Max. INCLS: TRANSMISSION OIL PAN Magnet in Oil Pan : OIL FILTER, TRANSMISSION Mounted on Transmission REQS: Code 11001 CLUTCH REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA LP 4X2 REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 12UYE RADIATOR REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA LP 4X2 REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA 4X2 REQS: Code 13WDH WIRING, TRANS, BODY BUILDER REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJY or 12EKA ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13AAZ, 13WEH, 13WUA and 13WYZ AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : Code 13WGH TRANSMISSION DIPSTICK AVAIL: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : Code 13WCP TRANSMISSION SHIFT CONTROL : Code 13WLN TRANSMISSION OIL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION - 2550_EVS_P - 5th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; Includes Park Pawl, With PTO Provision, Less Retarder, With 30,000-lb GVW & GCW Max. INCLS: TRANSMISSION OIL PAN Magnet in Oil Pan : OIL FILTER, TRANSMISSION Mounted on Transmission REQS: Code 11001 CLUTCH REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA LP 4X2 REQS: Code 13WYV, 13WYW, 13WYX or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 12UYE RADIATOR REQS: Code 13WLN TRANSMISSION OIL - for 4300 SBA LP 4X2			
	13ASM	\$4,457 0/0	\$4,457 0/0
	13AST	\$5,299 +12/-10	\$5,299 +12/-10

(SEE NEXT PAGE)

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-125

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3000_HS - 5th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; Includes Oil Level Sensor, Less PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max. REQS: Code 11001 CLUTCH REQS: Code 13WYR, 13WYS, 13WYT or 13WYU SHIFT CONTROL PARAMETERS - for 4300 SBA LP 4X2 REQS: Code 13WYR, 13WYR, 13WYS, 13WYS, 13WYT, 13WYT, 13WYU, 13WYU, 13WYV, 13WYV, 13WYY or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL REQS: Code 12UYE RADIATOR REQS: Code 13WLP TRANSMISSION OIL REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA or 12EKC ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 04WCX PARKING BRAKE CONTROL : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13WGH TRANSMISSION DIPSTICK : Code 13WDH and 13WEP WIRING, TRANS, BODY BUILDER : Code 13XAJ, 13XAK, 13XAL, 13XAM, 13XAN, 13XAR, 13XAS, 13XAU and 13XAV PTO LOCATION AVAIL: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB and 13WUV ALLISON SPARE INPUT/OUTPUT (SEE NEXT PAGE)	13AVE	\$8,865 +191/+57	\$8,865 +200/+48

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-128

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-133

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-135

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3500_RDS_P - REQS: Code 13WYR, 13WYR, 13WYS, 13WYS, 13WYT, 13WYT, 13WYU, 13WYU, 13WYV, 13WYV, 13WYY or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL REQS: Code 12UYE RADIATOR REQS: Code 13WLP TRANSMISSION OIL REQS: Code 13XAK, 13XAL, 13XAM or 13XAN PTO LOCATION REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA or 12EKC ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 04WCX PARKING BRAKE CONTROL : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13WYZ AUTOMATIC NEUTRAL : Code 13WDH and 13WEP WIRING, TRANS, BODY BUILDER AVAIL: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13XAK, 13XAL, 13XAM and 13XAN PTO LOCATION	13AVP		

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-138

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3500_RDS_P - 5th Generation Controls; Wide Ratio, 5-Speed, With Overdrive; On/Off Hwy; Includes Oil Level Sensor, With PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max. REQS: Code 11001 CLUTCH REQS: Code 13WYR, 13WYS, 13WYT or 13WYU SHIFT CONTROL PARAMETERS - for 4300 SBA LP 4X2 REQS: Code 13WYR, 13WYR, 13WYS, 13WYS, 13WYT, 13WYT, 13WYU, 13WYU, 13WYV, 13WYV, 13WYY or 13WYY SHIFT CONTROL PARAMETERS - for 4300 SBA 4X2 REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUL, 13WUS, 13WUT, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL REQS: Code 12UYE RADIATOR REQS: Code 13WLP TRANSMISSION OIL REQS: Code 13XAK, 13XAL, 13XAM or 13XAN PTO LOCATION REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA or 12EKC ENGINE, DIESEL N/A: Code 40AWT, 40AWU and 40AWV SRV CONTRACT, EXT EATON XMSN : Code 10WJX and 10WJY GCWR RANGE : Code 04WCX PARKING BRAKE CONTROL : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13WYZ AUTOMATIC NEUTRAL : Code 13WDH and 13WEP WIRING, TRANS, BODY BUILDER AVAIL: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13WUC, 13WUJ, 13WUK and 13WUS ALLISON SPARE INPUT/OUTPUT (SEE NEXT PAGE)	13AVG	\$9,976 +121/+67	\$9,976 +230/+58

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-139

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-143

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton - Procision EDCO-6F107A-P - 7-Speed, Dual Clutch, With PTO, Includes Park Pawl Provision, With 26,000-lb GVW & GCW Max REQS: Code 10WJX or 10WJY GCWR RANGE REQS: Code 11001 CLUTCH REQS: Code 13WVR TRANSMISSION SHIFT CONTROL REQS: Code 12UYE RADIATOR REQS: Code 13WLV TRANSMISSION OIL REQS: Code 13WEP WIRING, TRANS, BODY BUILDER REQS: Code 13XAJ, 13XAK, 13XAL, 13XAM, 13XAN, 13XAS or 13XAU PTO LOCATION REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS or 12EJV ENGINE, DIESEL N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 04WCX PARKING BRAKE CONTROL : Code 04GAW BRAKE, PARKING, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 13WYR, 13WYS, 13WYT, 13WYU, 13WYV, 13WYW, 13WYX and 13WYY SHIFT CONTROL PARAMETERS : ALLISON SPARE INPUT/OUTPUT : Code 13WGH TRANSMISSION DIPSTICK : Code 13WYH TRANSMISSION TCM LOCATION : Code 13XAR and 13XAV PTO LOCATION AVAIL: Code 10WJY GCWR RANGE : Code 16HYC GAUGE, OIL TEMP, AUTO TRANS : Code 13WYZ AUTOMATIC NEUTRAL	13GBX	\$4,869 +20/+7	\$4,869 +20/+7

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

SECTION 090

PAGE 090-145

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-148

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AUTOMATIC NEUTRAL (SEE PREV PAGE)			
AVAIL: Code 13WUJ and 13WUK ALLISON SPARE INPUT/OUTPUT	13AAZ		
Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged, Without On/Off Switch REQS: Code 04GAS BRAKE, PARKING, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC REQS: Code 13WUL or 13WUS ALLISON SPARE INPUT/OUTPUT, when in combination with Code 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC REQS: Code 13WUL, 13WUS, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL AVAIL: Code 13WUL, 13WUS, 13WUV, 13WUZ and 13WVB ALLISON SPARE INPUT/OUTPUT	13WEH	\$129	\$129
Allison WT Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged REQS: Code 04GAS BRAKE, PARKING, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC REQS: Code 13WUL or 13WUS ALLISON SPARE INPUT/OUTPUT, when in combination with Code 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC REQS: Code 13WUL, 13WUS, 13WUV, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL AVAIL: Code 13WUL, 13WUS, 13WUV, 13WUZ and 13WVB ALLISON SPARE INPUT/OUTPUT	13WUA	\$129 0/0	\$129 0/0
Eaton Precision Transmission Shifts to Neutral When Parking Brake is Engaged and Remains in Neutral When Parking Brake is Disengaged REQS: Code 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : ALLISON SPARE INPUT/OUTPUT	13WYZ	\$129 0/0	\$129 0/0

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-149

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SHIFT CONTROL PARAMETERS (SEE PREV PAGE) N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, Performance Programming REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	13WYY 13WYU	N/C 0/0	N/C 0/0
TRANSMISSION DIPSTICK Relocated to Right Side of Transmission REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	13WGH	\$61 + 1/0	\$61 + 1/0
TRANSMISSION OIL Synthetic; 20 thru 28 Pints REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13AVU or 13AVV TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Synthetic; 29 thru 42 Pints REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL EmGard - DC - Synthetic; 22 thru 33.99 Pints REQS: Code 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL - 40W - Synthetic; 1 thru 21.99 Pints N/A: TRANSMISSION, AUTOMATIC Synthetic; 22 thru 33.99 Pints N/A: TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC	13WLN 13WLP 13WLV 13WLW 13WLX	\$151 0/0 \$203 0/0 \$151 + 24/+8 \$85 + 15/+5 \$113 + 24/+8	\$151 0/0 \$203 0/0 \$151 + 24/+8 \$85 + 15/+5 N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-153

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TRANSMISSION SHIFT CONTROL Column Mounted; for Allison 1000 and 2000 Series Transmission REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13AVU or 13AVV TRANSMISSION, AUTOMATIC N/A: Code 04619 TRAILER CONNECTIONS : Code 05710 STEERING COLUMN : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Allison Bump Shifter Type; for Allison 3000 & 4000 Transmission REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Push-Button Type; for Allison 3000 & 4000 Series Transmission REQS: Code 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Eaton Push-Button Type; for Eaton Procision Transmission REQS: Code 13GBY or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL T-Handle Type; for Eaton Procision Transmission REQS: Code 13GBX or 13GBZ TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	13WCP	\$50 0/0	\$50 0/0
	13WVN	\$496 0/0	\$496 0/0
	13WBL	N/C 0/0	N/C 0/0
	13WEN	N/C 0/0	N/C 0/0
	13WVR	N/C 0/0	N/C 0/0
WIRING, TRANS, BODY BUILDER Installed Wiring for Transmission/PTO Controls, for Allison 1000, 2000, 2100, 2200, 2400, 2500 Series Transmission REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13AVU or 13AVV TRANSMISSION, AUTOMATIC (SEE NEXT PAGE)	13WDH	\$24 + 1/0	\$24 + 1/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-154

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
WIRING, TRANS, BODY BUILDER (SEE PREV PAGE) N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL Installed Wiring and Connector for Transmission/PTO Controls, for Eaton Procision Transmission REQS: Code 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	13WDH 13WEP	\$24 0/0	\$24 0/0
AXLE, REAR, SINGLE Meritor - MS-17-14X-3DFL - Single Reduction, 15,500-lb Capacity, With 190 Wheel Ends INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 14SAH, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAC, 14SAE(std) or 14SAH SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04773 BRAKE SHOES, REAR : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN and 04NDP BRAKES, REAR, AIR CAM : Code 04091 and 04092 BRAKE SYSTEM, AIR : Code 04ERC BRAKE CHAMBERS, SPRING : Code 28DAR, 28DUL, 28DUR and 28DUS WHEELS, REAR : Code 06DCZ DRIVESHAFT - for 4300 SBA LP 4X2 AVAIL: Code 04AZE and 04AZS AIR BRAKE ABS : Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING (SEE NEXT PAGE)	14APJ	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-155

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (SEE PREV PAGE)			
Meritor			
- MS-17-14X-3DFL - NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance - for 4300 SBA 4X2 : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14APJ		
Single Reduction, 13,500-lb Capacity, With 190 Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86, 6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 14SAC or 14SAE(std) SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE REQS: Code 13APZ, 13ARB, 13ARC, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 02AHY AXLE, FRONT NON-DRIVING : Code 04LGA SLACK ADJUSTERS, REAR : Code 04NCW, 04NCZ, 04NDB, 04NDC, 04NDL, 04NDN and 04NDP BRAKES, REAR, AIR CAM : Code 04ERC BRAKE CHAMBERS, SPRING : Code 28DAR and 28DUR WHEELS, REAR : Code 06DCZ DRIVESHAFT AVAIL: Code 04AZE and 04AZS AIR BRAKE ABS : Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14APH	N/A	N/C 0/0
Single Reduction, 17,500-lb Capacity, With 190 Wheel Ends INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle - for 4300 SBA 4X2 REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC	14ANP	\$61 0/+29	\$61 0/+29
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-156

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (SEE PREV PAGE) Meritor - MS-19-13X-3DFL - AVAIL: Code 14WMG AXLE, REAR, LUBE - MS-19-13X-3DFR - Single Reduction, 19,000-lb Capacity, R Wheel Ends REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTJ, 28DTT, 28DUG or 28DUR WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUR or 28DUS WHEELS, REAR - for 4300 SBA 4X2 REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM - for 4300 SBA 4X2 -OR- BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 -OR- BRAKES, REAR, AIR CAM - for 4300 SBA LP 4X2 REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAC, 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- Code 14TBM or 14TBN SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY or 12EKA ENGINE, DIESEL N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE	14AKK 14AKL	\$29	\$29

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-162

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (CONTINUED) Meritor - MS-19-14X-3DCL - Single Reduction, 19,000-lb Capacity, 190 Wheel Ends, Driver Controlled Locking Differential INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle - for 4300 SBA 4X2 REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14SAH, 14SAM, 14SAN, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- Code 14TBN SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 28DPZ, 28DUL, 28DUR and 28DUS WHEELS, REAR : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING AVAIL: Code 10WGD SPECIAL RATING, GWWR : Code 14WMG AXLE, REAR, LUBE NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance - for 4300 SBA 4X2 : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ANT	\$633 0/+16	\$633 0/+16
- MS-19-14X-3DFL - Single Reduction, Hypoid Gearing, 19,000-lb Capacity, 190 Wheel Ends INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle - for 4300 SBA 4X2 REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14SAH, 14SAM, 14SAN, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2	14ANS	\$107 0/0	\$107 0/0

(SEE NEXT PAGE)

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-163

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (CONTINUED)			
Meritor			
- MS-21-14X-4DFR - Single Reduction, 20,000-lb Capacity, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86, 6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUR or 28DUS WHEELS, REAR REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14SAM, 14SAN, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE N/A: Code 02AEZ AXLE, FRONT NON-DRIVING : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ANW	\$284 0/+57	N/A
Single Reduction, 21,000-lb Capacity, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86, 6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14SAH, 14SAM, 14SAN, 14SCD, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE	14ANV	\$140 0/+57	N/A

(SEE NEXT PAGE)

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO.

35

SECTION 090

PRICES EFFECTIVE 01/02/2017

PAGE 090-171

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

SECTION 090

PRICES EFFECTIVE 01/02/2017

PAGE 090-173

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (CONTINUED)			
Meritor			
- RS-21-160 -			
Single Reduction, 20,000-lb Capacity, 200 Wheel Ends, Driver Control Locking Differential INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTE, 28DTJ, 28DTT, 28DTU, 28DUG or 28DUR WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM - for 4300 SBA 4X2 -OR- BRAKES, REAR, AIR CAM - for 4300 SBA LP 4X2 REQS: Code 14SAH, 14SAM, 14SAN, 14VAB, 14VAC(std), 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAC, 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 N/A: Code 10WGC and 10WGD SPECIAL RATING, GVWR : Code 02AEZ AXLE, FRONT NON-DRIVING : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14TAX, 14TBJ, 14TBL, 14TBM, 14TBN and 14TBS SUSPENSION, REAR, AIR, SINGLE : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR - for 4300 SBA 4X2 : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING AVAIL: Code 14WMG AXLE, REAR, LUBE	14ATZ	\$1,804 0/+340	\$1,804 0/+31
Single Reduction, 21,000-lb Capacity, 200 Wheel Ends RATIO: 2.80,2.93,3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 REQS: Code 04NCW, 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAM, 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE N/A: Code 02AEZ AXLE, FRONT NON-DRIVING : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC	14ATE	\$1,228 0/+251	N/A

(SEE NEXT PAGE)

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-174

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-178

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-185

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - S23-170 - N/A: Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING : Code 06DAC and 06DDL DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHB		
- S23-170D - Single Reduction, 23,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04LGA SLACK ADJUSTERS, REAR, when in combination with Code 14TAX SUSPENSION, REAR, AIR, SINGLE REQS: Code 04NCW, 04NCZ, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, AIR DISC REQS: Code 14SAM, 14SAN, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 02AEM and 02AUS AXLE, FRONT NON-DRIVING : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 28DAN, 28DAR, 28DTE, 28DTS and 28DTX WHEELS, REAR : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE : Code 06DAC and 06DDL DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHC	\$1,800 0/+263	N/A

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-187

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - S26-190D - N/A: Code 02AEZ AXLE, FRONT NON-DRIVING : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14877, 14881 and 14888 DIFFERENTIAL, LOCKING AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 06DDL DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHL		
- S30-190 - Single Reduction, 30,000-lb Capacity, W Wheel Ends RATIO: 2.69, 2.87, 2.93, 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57, 6.14, 6.83, 7.17 or 7.83 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAN, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE N/A: Code 10WGC and 10WGD SPECIAL RATING, GVWR : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 14TAX, 14TBJ and 14TBS SUSPENSION, REAR, AIR, SINGLE : Code 29597 WHEEL SEALS, REAR : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR : Code 10441 HUBODOMETER AVAIL: Code 14WMH AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING : Code 06DAC and 06DDL DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	14AHH	\$3,420 0/+370	N/A
(SEE NEXT PAGE)			



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - 23082T - REQS: Code 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC : Code 04NNL(std) BRAKES, REAR, HYDRAULIC DISC : Code 04GAR(std), 04GAS and 04GAW BRAKE, PARKING : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR AVAIL: Code 10WGD SPECIAL RATING, GVWR : Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 49 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14CDE		
Navistar Select Single Reduction, 17,500-lb Capacity, With 190 Wheel Ends REQS: Code 04NCW, 04NCZ, 04NDB, 04NDC or 04NDL BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14SAH, 14SAM, 14VAC(std), 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA 4X2 -OR- Code 14SAC, 14SAE(std), 14SAH or 14SAM SUSPENSION, RR, SPRING, SINGLE- for 4300 SBA LP 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA LP 4X2 -OR- Code 14TBJ or 14TBS SUSPENSION, REAR, AIR, SINGLE - for 4300 SBA 4X2 REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 04JCC and 04JDG BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 : Code 28DUL, 28DUR and 28DUS WHEELS, REAR : Code 14WMG, 14WMH and 14WMN AXLE, REAR, LUBE (SEE NEXT PAGE)	14AJT	\$241CR 0/+13	\$241CR 0/+44

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-199

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SUSPENSION, REAR, AIR, SINGLE Hendrickson - HAS 230 - 23,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers REQS: Code 01CAD, 01CAE, 01CAG or 01CAH FRAME RAILS REQS: Code 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 14AET, 14AEW, 14AEY, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHL, 14AHW, 14ARK, 14ARY, 14CDE or 14CDL AXLE, REAR, SINGLE N/A: Code 04JCC and 04JDG BRAKES, REAR, AIR DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 04AZE AIR BRAKE ABS : Code 04ERC BRAKE CHAMBERS, SPRING : SUSPENSION, RR, SPRING, SINGLE : Code 14WAP SHOCK ABSORBERS, REAR : Code 810008 FIFTH WHEEL LOCATION AVAIL: Code 10WGD SPECIAL RATING, GVWR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14TAX	\$2,379 0/+56	N/A
International Ride Optimized Suspension (IROS); 12,000-lb Capacity, 5.3" Ride Height, With Shock Absorbers REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC REQS: Code 14AGE, 14AHM, 14AJC, 14AJE, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14ANP, 14ANR, 14APH or 14APJ(std) AXLE, REAR, SINGLE N/A: Code 04091 BRAKE SYSTEM, AIR : Code 04ERC BRAKE CHAMBERS, SPRING : Code 14SAC, 14SAE(std), 14SAH and 14SAM SUSPENSION, RR, SPRING, SINGLE : Code 14WAP SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	14TBL	N/A	\$1,238 0/+18
Ride Optimized Suspension (IROS); 15,500-lb Capacity, 5.3" Ride Height, With Shock Absorbers REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC REQS: Code 14AGA, 14AGE, 14AHM, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14APH, 14APJ(std) or 14AWA AXLE, REAR, SINGLE <div style="text-align: right;">(SEE NEXT PAGE)</div>	14TBM	N/A	\$1,324 0/+18

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-202

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SUSPENSION, RR, SPRING, SINGLE (SEE PREV PAGE) REQS: Code 14AGA, 14AGE, 14AGR, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANV, 14ANY, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ATY, 14ATZ, 14AWA, 14CDL, 14CEG or 14CVB AXLE, REAR, SINGLE N/A: Code 14TAX, 14TBJ and 14TBS SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 10WGD SPECIAL RATING, GWR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14VAD		
Vari-Rate; 20,000-lb Capacity REQS: Code 04NCW, 04NCZ, 04NDA, 04NDB, 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM - for 4300 SBA 4X2 -OR- BRAKES, REAR, AIR DISC - for 4300 SBA 4X2 -OR- Code 04NCW, 04NCZ, 04NDB, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM - for 4300 SBA LP 4X2 -OR- BRAKES, REAR, HYDRAULIC DISC REQS: Code 04092 BRAKE SYSTEM, AIR - for 4300 SBA 4X2 -OR- BRAKE SYSTEM, HYDRAULIC -OR- BRAKE SYSTEM, AIR - for 4300 SBA LP 4X2 REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHM, 14AHP, 14AHW, 14AJG, 14AJH, 14AJT, 14AJV, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 14TAX, 14TBJ, 14TBL, 14TBM, 14TBN and 14TBS SUSPENSION, REAR, AIR, SINGLE : Code 16HKE GAUGE, LOAD INDICATING REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 10WGD SPECIAL RATING, GWR NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires. - for 4300 SBA LP 4X2	14SAM	\$5 0/+17	\$89 0/+44

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-207

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
FUEL TANK (SEE PREV PAGE)			
AVAIL: Code 08VUL, 08VUM, 08VUU and 08VUY BATTERY BOX - for 4300 SBA LP 4X2 : Code 08VUL, 08VUM, 08VUT, 08VUU and 08VUY BATTERY BOX - for 4300 SBA 4X2 : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG(std) DEF TANK	15DYT		
(02) Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, (1) 40 U.S. Gal. 151 L Left Side, (1) 50 U.S. Gal. 189 L Right Side, Total Capacity 90 U.S. Gal. 340 L; With Quick Connect Outlet, Mounted Under Cab Left Side, and Back of Cab Right Side REQS: Code 08VUL or 08VUM BATTERY BOX, when in combination with Code 16CAB or 16030 CAB and Code 12EJC ENGINE, DIESEL and Code 12EJG ENGINE, DIESEL and Code 12EJH ENGINE, DIESEL and Code 12EJN ENGINE, DIESEL and Code 12EJS ENGINE, DIESEL and Code 12EJV ENGINE, DIESEL and Code 12EJY ENGINE, DIESEL and Code 12EKA ENGINE, DIESEL and Code 12EKC ENGINE, DIESEL and Code 12EKD ENGINE, DIESEL and Code 12EKE ENGINE, DIESEL REQS: Code 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM N/A: Code 16ZBB ACCESS, CAB AVAIL: Code 04VJE AIR TANK LOCATION : Code 08VUL, 08VUM, 08VUU and 08VUY BATTERY BOX - for 4300 SBA LP 4X2 : Code 08VUL, 08VUM, 08VUT, 08VUU and 08VUY BATTERY BOX - for 4300 SBA 4X2 : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG(std) DEF TANK	15DZT	\$1,064 +92/+48	\$1,064 +39/+94
(02) Top Draw; D-Style, Polished Aluminum, 16" Tank Depth, (1) 40 U.S. Gal. 151 L Left Side, (1) 50 U.S. Gal. 189 L Right Side, Total Capacity 90 U.S. Gal. 340 L; Mounted Under Cab Left and Right Side REQS: Code 08VUL or 08VUM BATTERY BOX, when in combination with Code 16CAB or 16030 CAB and Code 12EJC ENGINE, DIESEL and Code 12EJG ENGINE, DIESEL and Code 12EJH ENGINE, DIESEL and Code 12EJN ENGINE, DIESEL and Code 12EJS ENGINE, DIESEL and Code 12EJV ENGINE, DIESEL and Code 12EJY ENGINE, DIESEL and Code 12EKA ENGINE, DIESEL and Code 12EKC ENGINE, DIESEL and Code 12EKD ENGINE, DIESEL and Code 12EKE ENGINE, DIESEL REQS: Code 07BKN, 07BKY(std) or 07BLH EXHAUST SYSTEM N/A: Code 16ZBB ACCESS, CAB : Code 16ZGM ACCESS, FRAME - for 4300 SBA 4X2	15DYU	\$1,624 +74/+38	\$1,624 +75/+37
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-214

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
FUEL TANK (SEE PREV PAGE)			
AVAIL: Code 08VUL, 08VUM, 08VUT, 08VUU and 08VUY BATTERY BOX - for 4300 SBA 4X2 : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG(std) DEF TANK	15DYZ		
(02) Top Draw; D-Style, Non-Polished Aluminum, 19" Tank Depth, (1) 50 U.S. Gal. 189L Left Side, (1) 70 U.S. Gal. 265L Right Side, Total Capacity 120 U.S. Gal. 454L; With Quick Connect Outlet, Mounted Under Cab Left Side, and Back of Cab Right Side REQS: Code 08VUL or 08VUM BATTERY BOX, when in combination with Code 16CAB or 16030 CAB and Code 12EJC ENGINE, DIESEL and Code 12EJG ENGINE, DIESEL and Code 12EJH ENGINE, DIESEL and Code 12EJN ENGINE, DIESEL and Code 12EJS ENGINE, DIESEL and Code 12EJV ENGINE, DIESEL and Code 12EJY ENGINE, DIESEL and Code 12EKA ENGINE, DIESEL and Code 12EKC ENGINE, DIESEL and Code 12EKD ENGINE, DIESEL and Code 12EKE ENGINE, DIESEL REQS: Code 27DMB, 27DMC, 27DPS, 27DPZ, 27DTE, 27DTJ, 27DTU, 27DUG or 27DUR WHEELS, FRONT - for 4300 SBA LP 4X2 REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTE, 28DTJ, 28DTT, 28DTU, 28DUG or 28DUR WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM N/A: Code 16ZBB ACCESS, CAB : Code 27DAN, 27DAR, 27DTS, 27DTT and 27DTX WHEELS, FRONT - for 4300 SBA 4X2 : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR - for 4300 SBA 4X2 AVAIL: Code 04VJE AIR TANK LOCATION : Code 08VUL, 08VUM, 08VUU and 08VUY BATTERY BOX - for 4300 SBA LP 4X2 : Code 08VUL, 08VUM, 08VUT, 08VUU and 08VUY BATTERY BOX - for 4300 SBA 4X2 : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG(std) DEF TANK	15DZV	\$1,211 +89/+52	\$1,211 +60/+82
(02) Top Draw; D-Style, Polished Aluminum, 19" Tank Depth, (1) 50 U.S. Gal. 189L Left Side, (1) 70 U.S. Gal. 265L Right Side, Total Capacity 120 U.S. Gal. 454L; with Quick Connect Outlet, Mounted Under Cab Left and Right Side REQS: Code 16196 CAB REQS: Code 08VUL or 08VUM BATTERY BOX, when in combination with Code 16030 CAB and Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTE, 28DTJ, 28DTT, 28DTU, 28DUG or 28DUR WHEELS, REAR - for 4300 SBA LP 4X2	15DZA	\$1,504 +83/+36	\$1,504 +89/+38
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-216

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
FUEL TANK (SEE PREV PAGE)			
REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTE, 28DTJ, 28DTT, 28DTU, 28DUG or 28DUR WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM N/A: Code 16196 CAB : Code 27DAN, 27DAR, 27DTS and 27DTX WHEELS, FRONT - for 4300 SBA 4X2 : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR - for 4300 SBA 4X2 AVAIL: Code 16XTK ACCESS, CAB : Code 04VJE AIR TANK LOCATION : Code 08VUL and 08VUM BATTERY BOX : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG(std) DEF TANK	15DTA		
(02) Top Draw; D-Style, Polished Aluminum, 19" Tank Depth, 70 U.S. Gal., 265 L, Total Capacity 140 U.S. Gal., 530 L; Mounted Under Cab Left and Right Side REQS: Code 08VUL or 08VUM BATTERY BOX, when in combination with Code 16CAB or 16030 CAB and Code 12EJC ENGINE, DIESEL and Code 12EJG ENGINE, DIESEL and Code 12EJH ENGINE, DIESEL and Code 12EJN ENGINE, DIESEL and Code 12EJS ENGINE, DIESEL and Code 12EJV ENGINE, DIESEL and Code 12EJY ENGINE, DIESEL and Code 12EKA ENGINE, DIESEL and Code 12EKC ENGINE, DIESEL and Code 12EKD ENGINE, DIESEL and Code 12EKE ENGINE, DIESEL REQS: Code 08VUL or 08VUM BATTERY BOX, when in combination with Code 16030 CAB and Code 12EJC, 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA, 12EKC, 12EKD or 12EKE ENGINE, DIESEL REQS: Code 28DMB, 28DMC, 28DPS, 28DPZ, 28DRA, 28DTE, 28DTJ, 28DTT, 28DTU, 28DUG or 28DUR WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 07BKN, 07BKY(std) or 07BLH EXHAUST SYSTEM N/A: Code 16ZGM ACCESS, FRAME - for 4300 SBA 4X2 : Code 16196 CAB : Code 01GBP FRAME REINFORCEMENT - for 4300 SBA 4X2 : Code 27DAN, 27DAR and 27DTS WHEELS, FRONT : Code 28DAN, 28DAR, 28DTS and 28DTX WHEELS, REAR - for 4300 SBA 4X2 : Code 15WCN DEF TANK AVAIL: Code 16XTK ACCESS, CAB : Code 04VJE AIR TANK LOCATION : Code 08VUL and 08VUM BATTERY BOX : Code 08WSK SWITCH, BODY CIRCUITS, REAR - for 4300 SBA 4X2 : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS	15DYS	\$1,644 +84/+48	\$1,644 +85/+47



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
FUEL TANK (SEE PREV PAGE) AVAIL: Code 15WDH DEF TANK	15SME		
ANTI-SIPHON DEVICE for Dual Tanks; 2-Inch Diameter; Located inside Fuel Tank Fill Neck REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY or 15DZZ FUEL TANK N/A: Code 15902 and 15903 FUEL TANK CAP for Single Tank; 2-Inch Diameter; Located inside Fuel Tank Fill Neck REQS: Code 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SWU(std) or 15SWY FUEL TANK N/A: Code 15902 and 15903 FUEL TANK CAP	15WHW 15WHV	\$119 +2/0 \$61 +1/0	\$119 +2/0 \$61 +1/0
DEF TANK 7 U.S. Gal. 26.5L Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE, 15SWU(std) or 15SWY FUEL TANK N/A: Code 08VTJ, 08VUR and 08XDU BATTERY BOX 7 U.S. Gal. 26.5L Capacity, Frame Mounted Outside Left Rail, Back of Cab REQS: Code 07BKP, 07BKS, 07BKY(std), 07BKZ or 07BLH EXHAUST SYSTEM REQS: Code 15DMV, 15DYS, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD or 15SME FUEL TANK N/A: Code 16196 CAB : Code 08VUT, 08VUU, 08VUY and 08XDU BATTERY BOX : Code 15BAA DEF TANK COVER 5 U.S. Gal. 18.9L Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 07BKP, 07BKS or 07BKZ EXHAUST SYSTEM REQS: Code 15SXJ or 15SXK FUEL TANK N/A: Code 16196 CAB : Code 15BAA DEF TANK COVER AVAIL: Code 08XDU BATTERY BOX	15WDG 15WDH 15WCN	STD \$89 -19/+19 \$89 -11/+24	STD \$89 -19/+19 \$89 -24/+11
DEF TANK COVER Stainless Steel N/A: Code 07BEV AFTERTREATMENT COVER AVAIL: Code 15WDG(std) DEF TANK	15BAA	\$233 0/0	\$233 0/0



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CAB (SEE PREV PAGE) INCLS: GRAB HANDLE, CAB INTERIOR (4) Two Each Side, Rear Door Mounted at Hinge Side and "C" Pillar Mounted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : STEP (8) Two Steps Per Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted REQS: Code 16KAY, 16LJX, 16LJY, 16LJZ, 16LKA, 16PCS, 16SMT, 16SMU, 16SMV or 16615 SEAT, REAR REQS: Code 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 16WSK CAB REAR SUSPENSION REQS: Code 16LCZ, 16LDK, 16LER, 16LPC, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPN, 16PPZ, 16RPV, 16RPX, 16RXE, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH REQS: Code 04091 BRAKE SYSTEM, AIR -OR- BRAKE SYSTEM, HYDRAULIC REQS: Code 07BKP, 07BKS, 07BKY(std), 07BKZ or 07BLH EXHAUST SYSTEM REQS: Code 15DYT, 15DYU, 15DYZ, 15DZA, 15DZT, 15DZU, 15DZV, 15DZX, 15DZY, 15DZZ, 15SRE, 15SWU(std) or 15SWY FUEL TANK N/A: Code 16VBS CONSOLE, CENTER : Code 16KAY and 16SMV SEAT, REAR : Code 16ZGM ACCESS, FRAME - for 4300 SBA 4X2 : Code 16SJA GRAB HANDLE : Code 16917 and 16973 MOUNTING BRACKETS : Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13AVU or 13AVV TRANSMISSION, AUTOMATIC : Code 08RLK SATELLITE COMMUNICATION SYSTEM : Code 16UKJ ANTENNA MOUNTING BRACKETS : Code 16SBA BUNK, LOWER AVAIL: Code 16WJV WINDOW, POWER : Code 16GHV GRAB HANDLE, CAB INTERIOR : Code 16XYV ACCESS, CAB : Code 16XYK ROOF AIR DEFLECTOR : Code 08VUX(std) and 08VUY BATTERY BOX : Code 08WTR COURTESY LIGHT : Code 15WDG(std) DEF TANK : Code 08VBA POWER SOURCE, SPECIAL NOTE: 43.9" CA Loss	16196		

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-232

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CAB (CONTINUED) Extended Conventional INCLS: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : ARM REST (2) Molded Plastic; One Each Door : GLASS, ALL WINDOWS Tinted : WINDOWS, PRIVACY GLASS Rear Side Windows and Rear Window, Dark PrivaGuard Glass : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : STEP (4) Two Steps Per Door : CLEARANCE/MARKER LIGHTS (5) Flush Mounted : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted REQS: Code 16KAY, 16LJX, 16LJY, 16LJZ, 16LKA, 16PCS, 16SMT, 16SMU, 16SMV or 16615 SEAT, REAR REQS: Code 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 07BKP, 07BKS, 07BKY(std), 07BKZ or 07BLH EXHAUST SYSTEM REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SWU(std), 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 16SAP, 16SDD and 16SET GRAB HANDLE, ADDITIONAL EXT : Code 16VBS CONSOLE, CENTER : Code 16WSK CAB REAR SUSPENSION : Code 16XYV ACCESS, CAB : Code 16ZGM ACCESS, FRAME - for 4300 SBA 4X2 : Code 16SDC, 16SED, 16SEE, 16SJA and 16SMW GRAB HANDLE : Code 16XYM AERODYNAMIC PACKAGE : Code 16XYK and 16XYL ROOF AIR DEFLECTOR : Code 08VUN, 08VUT and 08VUY BATTERY BOX : Code 08WKP POWER SOURCE, SPECIAL AVAIL: Code 16WJU WINDOW, POWER : Code 16KAY, 16SMV and 16615 SEAT, REAR : Code 16GHU GRAB HANDLE, CAB INTERIOR : Code 08WTP COURTESY LIGHT NOTE: 26" CA Loss	16CAB	\$3,807 +133/+77	\$3,807 +133/+77



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
AERODYNAMIC PACKAGE Includes Roof Air Deflector and Cab Side Extenders, Paint and Install at the Plant REQS: Code 07BKN, 07BKP, 07BKS, 07BKY(std) or 07BKZ EXHAUST SYSTEM N/A: Code 16CAB CAB : Code 16XYK and 16XYL ROOF AIR DEFLECTOR : Code 16917 and 16973 MOUNTING BRACKETS AVAIL: Code 08WCL HORN, AIR	16XYM	\$3,078 +101/+67	N/A
AIR CONDITIONER - Blend-Air - With Integral Heater & Defroster INCLS: HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea - Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A N/A: Code 16WCS(std) HEATER	16WCT	\$923 +63/+8	\$923 +63/+8
AIR CONDITIONER, PROVISION FOR Accommodation Package, for Air Conditioning, Includes (1) TransAir 512307 Compressor, with Mounting Kit and Compressor Drive Effects for Vehicle With Primary Compressor Mounting REQS: Code 12TSY(std) FAN DRIVE N/A: Code 16WCS(std) HEATER Accommodation Package, for Air Conditioning, Includes Auxiliary Compressor in Secondary Position and Compressor Drive Effects for Vehicle With Primary Compressor Mounting N/A: Code 16WCS(std) HEATER	16135 16136	\$539 0/0 \$689	\$539 0/0 \$689
AMMETER 150 Amp N/A: Code 16VSL WINDSHIELD : Code 16HLM GPS	16HHT	\$87 +1/0	\$87 +1/0
ANTENNA MOUNTING BRACKETS for Satellite Communication System; Mounted on Back of Day Cab or Extended Cab, With or Without Aerodynamic Package N/A: Code 16196 CAB AVAIL: Code 16973 MOUNTING BRACKETS	16UKJ	\$130 +2/+1	\$130 +2/+1
ARM REST, LEFT, PASSENGER SEAT REQS: Code 16LCZ, 16LDK, 16LER, 16PPD, 16PPN, 16RPV, 16RPX, 16RXE or 16RXP SEAT, PASSENGER N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16WBZ	\$39 +3/0	\$39 +3/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-235

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CAB INTERIOR TRIM (SEE PREV PAGE)			
INCLS: GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster : COURTESY LIGHT (4) Mounted In Front and Rear Map Pockets - Left and Right Sides REQS: Code 16196 CAB N/A: Code 16WLE STORAGE POCKET, DOOR : Code 16WEE CAB SOUND INSULATION : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 08WTP and 08WTR COURTESY LIGHT : Code 16SBA BUNK, LOWER	16WSJ		
Premium; for Extended Cab INCLS: HEADLINER Soft Padded Cloth : "A" PILLAR COVER Molded Plastic : STORAGE POCKET, DOOR (2) Molded Plastic (Carpet Texture), Full-Length; Driver and Passenger Doors : SUN VISOR (3) Padded Vinyl: 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets, CB Radio Pocket, Speakers, and Reading Lights : FLOOR COVERING Rubber, Black : CAB SOUND INSULATION Includes Dash and Engine Cover Insulators : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : DOOR TRIM PANELS with Cloth Insert on Bolster Driver and Passenger Doors : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster : COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side REQS: Code 16CAB CAB N/A: Code 16WLE STORAGE POCKET, DOOR : Code 16WEE CAB SOUND INSULATION : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 08WTP and 08WTR COURTESY LIGHT AVAIL: Code 16WJU WINDOW, POWER	16WSY	\$449 0/0	\$449 0/0

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-239

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
CAB MOUNTING HEIGHT EFFECTS Mid Cab in Lieu of Low Cab Mounting Height (Approx. 4") With Cab Air Suspension REQS: Code 16WLE(std) STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM - for 4300 SBA LP 4X2 REQS: Code 16WLE(std) STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM - for 4300 SBA 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2 REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SMD, 15SME, 15SRE, 15SWU(std), 15SWY, 15SXJ or 15SXX FUEL TANK	16VHG	\$572 +72/-8	\$572 +72/-8
CAB REAR SUSPENSION Air Bag Type REQS: Code 16196 CAB REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA 4X2	16WSK	N/C +25/+19	N/C +25/+19
CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM NOTE: Feature included with CAB INTERIOR TRIM, Premium	16WEE	\$90 +8/0	\$90 +8/0
CONSOLE, CENTER Polypropylene, With One Coin Holder, One Cup Holder and One Thermos Holder, With Laptop PC or Clipboard Storage, Includes small Storage Area REQS: Code 16030(std) CAB N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16VBS	\$64 +12/0	\$64 +12/0



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
GAUGE, OIL TEMP, ENGINE N/A: ENGINE, DIESEL	16HGG	\$54 + 1/0	\$54 + 1/0
GAUGE, OIL TEMP, REAR AXLE REQS: Code 14AET, 14AEW, 14AEY, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHJ, 14AHL, 14AHM, 14AHP, 14AHW, 14AJV, 14AJW, 14ANR, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APL, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AHM, 14AHP, 14ANR, 14ANT, 14ATY, 14ATZ or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 16HLM GPS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	16HGL	\$95 + 1/0	\$95 + 1/0
GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM	16HCS	\$71 0/0	\$71 0/0
GPS <i>Rand McNally</i> Flush Mounted Style In Wing Panel; Display with Color Touch Screen, Includes GPS Navigation, Rechargeable Battery, Internal Antenna & USB Port N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16HGN GAUGE, AIR APPLICATION : Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 16HHT AMMETER	16HLM	\$647 0/0	\$647 0/0
GRAB HANDLE (02) Black, Aluminum; for Cab Entry Mounted Left and Right each Side at "B" Pillar N/A: Code 16CAB CAB AVAIL: Code 16SET GRAB HANDLE, ADDITIONAL EXT Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar N/A: Code 16SET GRAB HANDLE, ADDITIONAL EXT : Code 16CAB CAB : AERODYNAMIC PACKAGE - for 4300 SBA 4X2	16SED 16SEE	\$87 + 4/0 \$118 + 3/0	\$87 + 4/0 \$118 + 3/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-243

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
HEATER HOSES Silicone REQS: Code 16WHJ HOSE CLAMPS, HEATER HOSE	16975	\$78 0/0	\$78 0/0
HOSE CLAMPS, HEATER HOSE <i>Breeze</i> Belleville Washer Type	16WHJ	\$25 0/0	\$25 0/0
HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line	16564	\$41 +2/0	\$41 +2/0
HOURLMETER, PTO for Customer Provided PTO; With Indicator Light and Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch N/A: Code 60ABA, 60ABB, 60ABE, 60ABK, 60ABL and 60ABR BDY INTG, PTO ACCOMMODATION AVAIL: Code 60AKG BDY INTG, PTO ACCOMMODATION	16WLM	\$138 +2/0	\$138 +2/0
HVAC FRESH AIR FILTER	16WKY	\$14 +4/0	\$14 +4/0
INSTRUMENT PANEL Center Section, Flat Panel Center Section, Ergonomic Panel REQS: Code 04GAS or 04GAW BRAKE, PARKING, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC	16WJS 16WJT	STD \$330 0/0	STD \$330 0/0
(SEE NEXT PAGE)			



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
INSTRUMENT PANEL (SEE PREV PAGE) REQS: Code 13WCP TRANSMISSION SHIFT CONTROL, when in combination with Code 04GAR BRAKE, PARKING and Code 13ARA or 13APZ TRANSMISSION, AUTOMATIC and Code 13ARB or 13ARA TRANSMISSION, AUTOMATIC and Code 13ARE or 13ARB TRANSMISSION, AUTOMATIC and Code 13ARH or 13ARC TRANSMISSION, AUTOMATIC and Code 13ARJ or 13ARE TRANSMISSION, AUTOMATIC and Code 13ASK or 13ARH TRANSMISSION, AUTOMATIC and Code 13ASL or 13ARJ TRANSMISSION, AUTOMATIC and Code 13ASM or 13ASK TRANSMISSION, AUTOMATIC and Code 13ASN or 13ASL TRANSMISSION, AUTOMATIC and Code 13ASP or 13ASM TRANSMISSION, AUTOMATIC and Code 13ASR or 13ASN TRANSMISSION, AUTOMATIC and Code 13AST or 13ASP TRANSMISSION, AUTOMATIC and Code 13ASY or 13ASR TRANSMISSION, AUTOMATIC and Code 13ATA or 13AST TRANSMISSION, AUTOMATIC and Code 13ATB or 13ASY TRANSMISSION, AUTOMATIC and Code 13ATC or 13ATA TRANSMISSION, AUTOMATIC and Code 13ATD or 13ATB TRANSMISSION, AUTOMATIC and Code 13ATE or 13ATC TRANSMISSION, AUTOMATIC and Code 13ATG or 13ATD TRANSMISSION, AUTOMATIC and Code 13ATH or 13ATE TRANSMISSION, AUTOMATIC and Code 13ATJ or 13ATG TRANSMISSION, AUTOMATIC - for 4300 SBA LP 4X2 REQS: Code 13WCP TRANSMISSION SHIFT CONTROL, when in combination with Code 04GAR BRAKE, PARKING and Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ASY, 13ATA, 13ATB, 13ATC, 13ATD, 13ATE, 13ATG, 13ATH, 13ATJ, 13AVU or 13AVV TRANSMISSION, AUTOMATIC - for 4300 SBA 4X2 N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 08WEE SWITCH, AIR HORN, PASSENGER	16WJT		
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster Omit Display of Fault Codes in Instrument Cluster and Disable Blink Codes, Requires Service Tool to Retrieve and View Fault Code	16HKT 16HKA	STD N/C 0/0	STD N/C 0/0



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
KEYLESS ENTRY SYSTEM REMOTE With Panic and Auxiliary Buttons, Includes One Key Fob (Transmitter) REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB With Panic Alarm and Horn Beep Lock Confirmation, With Auxiliary Button for Work Light Function Includes One Key Fob REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB REQS: Code 08WAA or 08WLL LIGHT, WORK - for 4300 SBA 4X2 REQS: Code 08WMA or 08WTT SWITCH, TOGGLE, FOR WORK LIGHT	16WKZ 16VCN	\$328 + 2/0 \$390 + 1/0	\$328 + 2/0 \$390 + 1/0
LOW WASHER FLUID INDICATOR	16WSE	\$15 + 1/0	\$15 + 1/0
MIRROR, CONVEX, LOOK DOWN Lang Mekra Right Side; 6" x 10 1/4" N/A: Code 16SDU MIRRORS Right Side; 6" x 10 1/4", With Bright Finish REQS: Code 16SDU MIRRORS	16SDE 16SDG	\$49 + 2/0 \$57 + 2/0	\$49 + 2/0 \$57 + 2/0
MIRRORS Lang Mekra (02) Rectangular, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16SJV, 16SJW and 16SJX MIRROR, CONVEX, HOOD MOUNTED : Code 16VSL WINDSHIELD : Code 08RCB CB RADIO AVAIL: Code 16SDE MIRROR, CONVEX, LOOK DOWN (02) Rectangular, Thermostatically Controlled Heated Heads, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16SJX MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SDE MIRROR, CONVEX, LOOK DOWN	16SNA 16SNB	STD \$126 - 2/- 1	STD \$126 - 2/- 1

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-247

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SEAT, DRIVER (SEE PREV PAGE)			
National			
- 2000 -			
-OR- Code 16LDK, 16LUM, 16LUN, 16PPY, 16PPZ, 16SMM, 16SMR or 16400 SEAT, PASSENGER	16JPA		
N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH			
: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE			
: Code 04SPA, 04SPK and 04SPN AIR COMPRESSOR			
AVAIL: Code 16KAY, 16LJX, 16SMU and 16615 SEAT, REAR			
NFPA Compliant, Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust	16JJE	\$165 +63/+37	\$165 +63/+37
INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type			
REQS: Code 16KAW, 16SMH, 16SML or 16SMP SEAT, TWO-MAN PASSENGER			
-OR- Code 16LUM, 16PPG, 16PPN, 16PPZ, 16RPV, 16RXE, 16SMN or 16400 SEAT, PASSENGER			
N/A: Code 16WBY ARM REST, RIGHT, DRIVER SEAT			
: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH			
: Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR			
Self Contained with Compressor, High Back With Integral Headrest, Vinyl, Isolated, Mechanical Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust, Dual Shocks	16LSC	\$402 -15/-25	\$402 -15/-25
INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type			
REQS: Code 16KAW, 16SMH, 16SML or 16SMP SEAT, TWO-MAN PASSENGER			
-OR- Code 16LCZ, 16LUM, 16PPG, 16PPN, 16RPV, 16RXE, 16SMN or 16400 SEAT, PASSENGER			
N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH			
: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE			
: Code 04SPA, 04SPK and 04SPN AIR COMPRESSOR			
AVAIL: Code 16PCS, 16SMT, 16SMV and 16615 SEAT, REAR			
Air Suspension, High Back With Integral Headrest, Vinyl, Isolated, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Angle Adjustment, Single, Swivel	16JYV	\$234 +4/+3	N/A
INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type			
REQS: Code 16CAB or 16196 CAB			
REQS: Code 05708 STEERING COLUMN			
REQS: Code 16KAW, 16SMH, 16SML or 16SMP SEAT, TWO-MAN PASSENGER			
-OR- Code 16LUM, 16PPG, 16PPN, 16PPZ, 16RPV, 16RXE, 16SMN or 16400 SEAT, PASSENGER			
N/A: Code 16WBY ARM REST, RIGHT, DRIVER SEAT			
(SEE NEXT PAGE)			



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SEAT, DRIVER (CONTINUED)			
National			
- 2000 -			
Air Suspension, High Back With Integral Headrest, Vinyl, Isolator, 1 Chamber Lumbar, With 2 Position Front Cushion Adjust, -3 to +14 Degree Angle Back Adjust INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16KAW, 16SMH, 16SML or 16SMP SEAT, TWO-MAN PASSENGER -OR- Code 16LUM, 16PPG, 16PPN, 16PPZ, 16RPV, 16RXE, 16SMN or 16400 SEAT, PASSENGER N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR	16JNT	\$116 +1/+1	\$116 +1/+1
Air Suspension, Hi Back, Vinyl Boxing w/Leather Facing, 1 Inboard Arm Rest, Isolator, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, -3 to 14 Degree Back Angle Adjustment, Adj Side Bolster, Vinyl Suspension Cover, Heat INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16PNX or 16400 SEAT, PASSENGER N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16JPX	\$698 -9/-16	\$698 -9/-16
Air Suspension, Mid Back, Vinyl, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16KAW or 16SMP SEAT, TWO-MAN PASSENGER -OR- Code 16PPG, 16PPN, 16PPZ, 16RPV, 16RXE or 16400 SEAT, PASSENGER N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR	16JPT	\$89 -11/-27	\$89 -11/-27
- 2000 195 - Air Suspension, High Back With Integral Headrest, Cloth, Isolator, 3 Chamber Lumbar, 2 Position Front Cushion Adjust, -3 to +14 Degree Back Angle Adjust, Cushion and Back Bolsters INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16PPD, 16RPX, 16SMR or 16400 SEAT, PASSENGER N/A: Code 16KAW, 16SMH, 16SMJ, 16SMK, 16SML, 16SMP and 16SMS SEAT, TWO-MAN PASSENGER (SEE NEXT PAGE)	16JJD	\$453 -13/-19	\$453 -13/-19

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-254

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SEAT, REAR (SEE PREV PAGE)			
National			
AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16SMU		
BENCH; Full Width; Vinyl, With Fixed Back and Two Integral Outboard Headrests REQS: Code 16JHR, 16JJE, 16JNT, 16JNZ, 16JPT, 16JPX, 16KAV, 16KUW, 16LJS or 16LSC SEAT, DRIVER - for 4300 SBA LP 4X2 REQS: Code 16JHR, 16JJE, 16JNT, 16JNZ, 16JPT, 16JPX, 16JYV, 16KAV, 16KUW, 16LJS or 16LSC SEAT, DRIVER - for 4300 SBA 4X2 REQS: Code 16196 CAB REQS: Code 16JXG(std) SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16SMT	\$836 +35/+59	\$836 +35/+59
- 2000 - Three Individual Seats, NFPA Compliant, Air Suspension, High Back, Cloth, Isolator, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Lumbar, With 18" Wide Cushion and 20" Seat Back INCLS: SEAT BELT (3) Two 3-Point Shoulder Belts for Driver and Outer Passenger and One 2-Point Lap Belt for Center Passenger REQS: Code 16JJD, 16JNV, 16JPA, 16JPX, 16JYJ, 16JYX, 16KAU or 16LSD SEAT, DRIVER REQS: Code 16196 CAB REQS: Code 04SPK AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC - for 4300 SBA LP 4X2 REQS: Code 04SPK or 04SPN AIR COMPRESSOR, when in combination with Code 04085 BRAKE SYSTEM, HYDRAULIC REQS: Code 16KAX SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER N/A: Code 02AGB and 02AUV AXLE, FRONT NON-DRIVING : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16LJX	\$2,673 +146/+94	\$2,673 +146/+94
Three Individual Seats, NFPA Compliant, Air Suspension, High Back, Vinyl, Isolator, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Lumbar, With 18" Wide Cushion and 20" Seat Back INCLS: SEAT BELT (3) Two 3-Point Shoulder Belts for Driver and Outer Passenger and One 2-Point Lap Belt for Center Passenger REQS: Code 16JJE, 16JNT, 16JPT, 16JPX, 16KAV, 16KUW or 16LJS SEAT, DRIVER - for 4300 SBA LP 4X2 REQS: Code 16JJE, 16JNT, 16JPT, 16JPX, 16JYV, 16KAV, 16KUW or 16LJS SEAT, DRIVER - for 4300 SBA 4X2	16LJY	\$2,604 +146/+94	\$2,604 +146/+94
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

SECTION 090

PAGE 090-262

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SEATBELT WARNING PREWIRE (SEE PREV PAGE) REQS: Code 16WSG, 16WSJ, 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB REQS: Code 16KAW, 16SMH, 16SML or 16SMP SEAT, TWO-MAN PASSENGER -OR- Code 16LPC, 16LUM, 16PPD, 16PPG, 16PPN, 16PPY, 16PPZ, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN or 16400 SEAT, PASSENGER -OR- SEAT, FRONT BENCH N/A: Code 16KAY and 16615 SEAT, REAR	16HCL		
STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM	16WLE	\$25 + 1/0	\$25 + 1/0
SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights Bright Finish; Includes Integral Clearance/Marker Lights	16XWD 16XWE	\$253 + 14/+3 \$688 + 12/+5	\$253 + 14/+3 \$688 + 12/+5
WINDOW, POWER (04) And Power Door Locks, Front and Rear Doors, Left and Right, Includes Express Down Feature REQS: Code 16WLE or 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM REQS: Code 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 16196 CAB (02) and Power Door Locks, Left and Right Doors, Includes Express Down Feature REQS: Code 16WLE or 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM N/A: Code 16196 CAB	16WJV 16WJU	\$866 + 10/0 \$367 + 5/0	\$866 + 10/0 \$367 + 5/0
WINDSHIELD Heated, Single Piece REQS: Code 16SDT, 16SDU, 16SNB or 16SNC MIRRORS N/A: Code 16VEX and 16VEX CONTROLS, CENTER PANEL : Code 16HHT AMMETER	16VSL	\$632 0/0	\$632 0/0
WINDSHIELD WIPER BLADES Snow Type	16XWJ	\$26 + 2/0	\$26 + 2/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-267

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
WHEELS, FRONT (SEE PREV PAGE)			
Accuride			
- 29169 - N/A: Code 29PBT COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS	27DUK		
- 29195 - DISC; 19.5x7.50 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 02AEM, 02AGM, 02AHY, 02ASH, 02ATK(std), 02ATL or 02AUT AXLE, FRONT NON-DRIVING - for 4300 SBA LP 4X2 REQS: Code 02AEM, 02AGM, 02AHY, 02ASC, 02ASH, 02ATK(std), 02ATL or 02AUT AXLE, FRONT NON-DRIVING - for 4300 SBA 4X2 REQS: Code 26DAR, 26DTE, 26DTJ, 26DTS, 26DTU, 26DTX, 26DUE or 26DUG WHEEL, SPARE, DISC - for 4300 SBA LP 4X2 REQS: Code 26DAR, 26DTE, 26DTJ, 26DTS, 26DTU, 26DTX, 26DUE, 26DUG or 26DUL WHEEL, SPARE, DISC - for 4300 SBA 4X2 REQS: Code 04JCG or 04JCH BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC - for 4300 SBA 4X2 REQS: Code 15DYT, 15DYU, 15DZT, 15DZX, 15SGJ, 15SGK or 15SWU(std) FUEL TANK N/A: Code 04WEZ BRAKE PACKAGE, FRONT : Code 04EVD and 04WBX DUST SHIELDS, FRONT BRAKE : Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 29ADX HUB BRAND, FRONT : Code 28DAN, 28DPS and 28DRA WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29ACB WHEEL, FRONT, IDENTITY : Code 29SAJ HUB CAPS : Code 10632 PAINT IDENTITY, PT-2 : Code 29PBT COATING IDENTITY, FRONT WHEELS AVAIL: Code 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS	27DTS	\$58	\$73
- 29300 - DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 02AHY or 02AHZ AXLE, FRONT NON-DRIVING REQS: Code 26DAR, 26DTE, 26DTJ, 26DTS, 26DTU, 26DTX, 26DUE, 26DUG or 26DUL WHEEL, SPARE, DISC N/A: Code 04JNP(std) BRAKES, FRONT, HYDRAULIC DISC : Code 04085(std) BRAKE SYSTEM, HYDRAULIC : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29ACB WHEEL, FRONT, IDENTITY : Code 29SAJ HUB CAPS	27DUL	\$204	N/A
(SEE NEXT PAGE)			

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-271

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-273

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-277

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-288

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
COATING IDENTITY, REAR WHEELS Accuride - Accu-shield - Aluminum Disc Rear Wheels, With Vendor Applied Clear Coat; Not for Super Single Wide Base REQS: Code 28DAN, 28DMB, 28DMC or 28DRA WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 28DAN, 28DMB, 28DMC, 28DRA or 28DUS WHEELS, REAR - for 4300 SBA 4X2 REQS: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHH, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ASB, 14ASD, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2 N/A: Code 29174 WHEEL BRAND, FRONT/REAR	29PBS	\$167 0/0	\$167 0/0
HUB BRAND, FRONT ConMet Steel Front Hubs, With Pre-Adjusted Bearings In Lieu of Standard Source Steel Hubs REQS: Code 02AHY, 02ASH or 02ATL AXLE, FRONT NON-DRIVING - for 4300 SBA LP 4X2 REQS: Code 02AGB, 02AHY, 02AHZ, 02AJE, 02ASC, 02ASH, 02AST, 02ATL, 02ATM, 02ATN or 02AUV AXLE, FRONT NON-DRIVING - for 4300 SBA 4X2 REQS: Code 27DMB, 27DMC, 27DPS, 27DPZ, 27DTE, 27DTJ, 27DTT, 27DTU, 27DUG or 27DUR WHEELS, FRONT - for 4300 SBA LP 4X2 N/A: Code 29580 and 29596 WHEEL SEALS, FRONT : Code 27DAN, 27DAR, 27DTS and 27DTX WHEELS, FRONT - for 4300 SBA 4X2	29ADX	\$248 +251/0	\$248 +251/0
HUB CAPS Stemco (02) Front with Oversize Opening. REQS: Code 27DMB, 27DMC, 27DPS, 27DTJ, 27DTX(std) or 27DUG WHEELS, FRONT - for 4300 SBA LP 4X2 REQS: Code 27DMB, 27DMC, 27DPN, 27DPS, 27DTJ, 27DTX, 27DUG or 27DUS WHEELS, FRONT - for 4300 SBA 4X2	29SAJ	\$56 0/0	\$56 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-291

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
PAINT IDENTITY, FRONT WHEELS			
Disc Front Wheels; With Vendor Applied Gray Powder Coat Paint N/A: Code 27DAN, 27DAR, 27DMB, 27DMC, 27DPZ, 27DUR and 27DUS WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAW	\$24 0/0	\$24 0/0
Disc Front Wheels; With Vendor Applied Omaha Orange Powder Coat Paint REQS: Code 27DUG or 27DUL WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBU	\$89 0/0	N/A
Disc Front Wheels; With Vendor Applied White Powder Coat Paint REQS: Code 27DTE, 27DTJ, 27DTT, 27DTU or 27DUG WHEELS, FRONT - for 4300 SBA LP 4X2 REQS: Code 27DTE, 27DTH, 27DTJ, 27DTT, 27DTU(std) or 27DUG WHEELS, FRONT - for 4300 SBA 4X2 AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAR	\$24 0/0	\$24 0/0
Disc Wheels; With Vendor Applied Black Powder Coat Paint N/A: Code 27DAN, 27DAR, 27DMB, 27DMC, 27DPZ, 27DTT, 27DUR and 27DUS WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBA	\$24 0/0	\$24 0/0
PAINT IDENTITY, REAR WHEELS			
Disc Rear Wheels; With Vendor Applied Gray Powder Coat Paint N/A: Code 28DAN, 28DAR, 28DMB, 28DMC, 28DPZ, 28DRA, 28DUR and 28DUS WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAX	\$48 0/0	\$48 0/0
Disc Rear Wheels; With Vendor Applied Omaha Orange Powder Coat Paint REQS: Code 28DUG WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBV	\$177 0/0	N/A
Disc Rear Wheels; With Vendor Applied White Powder Coat Paint REQS: Code 28DTE, 28DTJ, 28DTU or 28DUG WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 28DTE, 28DTH, 28DTJ, 28DTU(std) or 28DUG WHEELS, REAR - for 4300 SBA 4X2 AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAS	\$48 0/0	\$48 0/0
Disc Wheels; With Vendor Applied Black Powder Coat Paint N/A: Code 28DAN, 28DAR, 28DMB, 28DMC, 28DPZ, 28DRA, 28DUK, 28DUR and 28DUS WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBB	\$48 0/0	\$48 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-292

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRE, SPARE Equal to Model Standard NOTE: NOTE: Only One Spare Tire per Truck Ordered. Order Must Reflect Number of Tires Required (Including Spare). 10-Digit Tire Code and Spare Rim/Wheel Code Must be Specified.	29007	\$595 0/+91	\$513 0/+91
TIRE VALVE CAP Flo-Thru Design Alligaro - V2B - Flo-Thru Design	29ACD 29AAU	\$24 0/0 \$28 0/0	\$24 0/0 \$28 0/0
WHEEL BRAND, FRONT Alcoa Aluminum Disc Front Wheels REQS: Code 26DAR, 26DRC, 26DTE, 26DTJ, 26DTS, 26DTU, 26DTX, 26DUE, 26DUG or 26DUL WHEEL, SPARE, DISC - for 4300 SBA 4X2 REQS: Code 27DMB or 27DMC WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : WHEEL, FRONT, IDENTITY : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS - for 4300 SBA LP 4X2 : Code 29PAR, 29PAW, 29PBA and 29PBU PAINT IDENTITY, FRONT WHEELS - for 4300 SBA 4X2 : Code 29PBT COATING IDENTITY, FRONT WHEELS	29AAA	\$174 0/0	\$174 0/0
WHEEL BRAND, FRONT/REAR Alcoa Disc Wheels REQS: Code 26DTE, 26DTJ or 26DUE WHEEL, SPARE, DISC REQS: Code 27DMB or 27DMC WHEELS, FRONT REQS: Code 28DMB or 28DMC WHEELS, REAR N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PBS COATING IDENTITY, REAR WHEELS : Code 29PBT COATING IDENTITY, FRONT WHEELS	29174	\$523 0/0	\$523 0/0



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
WHEEL BEARING, FRONT, LUBE EmGard - FE-75W-90 - Synthetic Oil REQS: Code 29ADX HUB BRAND, FRONT or Code 29580 or 29596 WHEEL SEALS, FRONT	29WLK	\$59 0/0	\$59 0/0
WHEEL, FRONT, IDENTITY Accuride - Styled Steel - 10-Hand Hole, Disc Wheels; With Black Powder Coat Paint REQS: Code 26DAR, 26DRC, 26DTS, 26DTU, 26DTX, 26DUE or 26DUG WHEEL, SPARE, DISC - for 4300 SBA LP 4X2 REQS: Code 26DAR, 26DRC, 26DTS, 26DTU, 26DTX, 26DUE, 26DUG, 26DUL or 26DUM WHEEL, SPARE, DISC - for 4300 SBA 4X2 REQS: Code 27DUG WHEELS, FRONT N/A: Code 02AJE AXLE, FRONT NON-DRIVING AVAIL: Code 29ACC WHEEL, REAR, IDENTITY : Code 10636 PAINT IDENTITY, PT-2	29ACB	\$88 0/0	\$88 0/0
WHEEL GUARDS, FRONT Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	29WAP	\$24 +2/0	\$24 +2/0
WHEEL GUARDS, REAR Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels N/A: Code 28DAN, 28DAR, 28DMB, 28DMC, 28DPZ, 28DRA, 28DUR and 28DUS WHEELS, REAR	29WAR	\$24 0/+4	\$24 0/+4
WHEEL, REAR, IDENTITY Replace Inner Aluminum Wheels on Rear Duals with the Equivalent Steel Wheels - For Use with Hub Piloted Wheels Only REQS: Code 28DMB or 28DMC WHEELS, REAR - for 4300 SBA LP 4X2 REQS: Code 28DMB, 28DMC or 28DUS WHEELS, REAR - for 4300 SBA 4X2 N/A: Code 29ACB WHEEL, FRONT, IDENTITY	29BAG	\$450CR 0/-40	\$450CR 0/-36

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-294

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
WHEEL, REAR, IDENTITY (CONTINUED) Accuride - Styled Steel - 10-Hand Hole, Disc Wheels; With Black Powder Coat Paint REQS: Code 28DUG WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29ACC	\$174 0/0	\$174 0/0
WHEEL SEALS, FRONT Stemco - Voyager - Oil Lubricated Wheel Bearings ILO Standard Grease Seals N/A: Code 29ADX HUB BRAND, FRONT International Oil-Lubricated Wheel Bearings N/A: Code 29ADX HUB BRAND, FRONT	29596 29580	\$57 0/0 \$37 0/0	\$57 0/0 \$37 0/0
WHEEL SEALS, REAR Stemco - Voyager - Oil Lubricated Wheel Bearings REQ: Code 14AET, 14AEW, 14AEY, 14AGA, 14AGE, 14AGR, 14AGX, 14AHA, 14AHB, 14AHC, 14AHL, 14AHM, 14AHP, 14AHW, 14AJE, 14AJG, 14AJH, 14AJT, 14AJV, 14AJW, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKJ, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14ANU, 14ANV, 14ANW, 14ANX, 14ANY, 14ANZ, 14APA, 14APJ(std), 14APL, 14APT, 14APU, 14APV, 14ARB, 14ARK, 14ARY, 14ASA, 14ATE, 14ATY, 14ATZ, 14AWA, 14CDE, 14CDL, 14CEG, 14CVB or 14051 AXLE, REAR, SINGLE - for 4300 SBA 4X2 -OR- Code 14AGA, 14AGE, 14AHM, 14AHP, 14AJC, 14AJE, 14AJG, 14AJH, 14AJT, 14AKA, 14AKC, 14AKD, 14AKE, 14AKG, 14AKH, 14AKK, 14AKL, 14ANP, 14ANR, 14ANS, 14ANT, 14APH, 14APJ(std), 14ATY, 14ATZ, 14AWA or 14CEG AXLE, REAR, SINGLE - for 4300 SBA LP 4X2	29597	\$60 0/0	\$60 0/0
WARRANTY Standard for Durastar 1000/4000 Series, Effective with Vehicles Built January 2, 2015 or Later, CTS-2475P	40116	STD	STD

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-295

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SERVICES, TOWING			
<i>Navistar</i>			
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KLZ	\$400	\$400
Service Call to 12-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KME	\$280	\$280
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMA	\$800	\$800
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMG	\$560	\$560
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMB	\$1,100	\$1,100
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMH	\$780	\$780
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMC	\$1,300	\$1,300
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMJ	\$920	\$920

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-296

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SERVICES, TOWING (CONTINUED) Navistar Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMD 40KMK	\$1,600 \$1,120	\$1,600 \$1,120
SRV CONT, EXT AFTERTREATMENT Navistar To 36-Month/175,000 Miles (280,000 km), 6,300 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : ENGINE, DIESEL To 36-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : ENGINE, DIESEL To 36-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : ENGINE, DIESEL To 48-Month/125,000 Miles (200,000 km), 4,500 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : ENGINE, DIESEL To 48-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : ENGINE, DIESEL	40KVA 40KVB 40KVC 40KVD 40KVE	\$800 \$900 \$1,800 \$600 \$800	\$800 \$900 \$1,800 \$600 \$800

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-297

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SRV CONT, EXT AFTERTREATMENT (CONTINUED) Navistar To 60-Month/225,000 Miles (360,000 km), 8,100 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : ENGINE, DIESEL	40KVR	\$1,700	\$1,700
To 60-Month/250,000 Miles (400,000 km), 9,000 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : ENGINE, DIESEL	40KVS	\$1,900	\$1,900
To 60-Month/275,000 Miles (440,000 km), 9,900 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : ENGINE, DIESEL	40KVT	\$2,200	\$2,200
To 60-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : ENGINE, DIESEL	40KVU	\$2,400	\$2,400
To 72-Month/100,000 Miles (160,000 km), 3,600 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : ENGINE, DIESEL	40KVV	\$1,200	\$1,200
To 72-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : ENGINE, DIESEL	40KVV	\$1,400	\$1,400
To 72-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : ENGINE, DIESEL	40KVX	\$1,800	\$1,800
To 84-Month/100,000 Miles (160,000 km), 3,600 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 9, and Navistar N9 Engines N/A: Code 40HHS, 40HUP and 40HZR SRV CONTRACT, EXT ENGINE : ENGINE, DIESEL	40KVV	\$1,600	\$1,600

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-299

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SRV CONTRACT, EXT CMMS AFTR (CONTINUED) Cummins To 60-Month/250,000 Miles (400,000 km), Extended Cummins B6.7 Aftertreatment Coverage, For Use when Protection Plan 1 of Equal or Greater Duration is Purchased (Truck Application Only) REQS: Code 40SDR, 40SDS or 40SDV SRV CONTRACT, EXT CMMS ENGINE To 60-Month/300,000 Miles (480,000 km), Extended Cummins B6.7 Aftertreatment Coverage, For Use when Protection Plan 1 of Equal or Greater Duration is Purchased (Truck Application Only) REQS: Code 40SDS SRV CONTRACT, EXT CMMS ENGINE	40SDW 40SDX	\$1,400 \$1,500	\$1,400 \$1,500
SRV CONTRACT, EXT CMMS ENGINE Cummins To 48-Month/150,000 Miles (240,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA or 12EKC ENGINE, DIESEL N/A: Code 40SDW, 40SDX, 40SHD, 40SHE, 40SHG, 40SHH and 40SHJ SRV CONTRACT, EXT CMMS AFTR To 48-Month/150,000 Miles (240,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA or 12EKC ENGINE, DIESEL AVAIL: Code 40SHD SRV CONTRACT, EXT CMMS AFTR To 48-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA or 12EKC ENGINE, DIESEL N/A: Code 40SDW, 40SDX, 40SHD, 40SHE, 40SHG, 40SHH and 40SHJ SRV CONTRACT, EXT CMMS AFTR To 48-Month/200,000 Miles (320,000 km), Extended Cummins B6.7 Engine Coverage, Protection Plan 1, (Truck Application Only) REQS: Code 12EJC(std), 12EJG, 12EJH, 12EJN, 12EJS, 12EJV, 12EJY, 12EKA or 12EKC ENGINE, DIESEL AVAIL: Code 40SHD and 40SHE SRV CONTRACT, EXT CMMS AFTR	40SDD 40SDK 40SDE 40SDL	\$1,000 \$1,500 \$1,200 \$1,800	\$1,000 \$1,500 \$1,200 \$1,800

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-301

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

PAGE 090-305

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SRV CONTRACT, EXT COOLING SYS (CONTINUED) Navistar To 60-Month/100,000 Miles (160,000 km) To 60-Month/150,000 Miles (240,000 km) To 60-Month/200,000 Miles (320,000 km) To 60-Month/250,000 Miles (400,000 km) To 60-Month/50,000 Miles (80,000 km)	 40MGR 40MGS 40MGT 40MGU 40MGP	 \$300 \$400 \$640 \$900 \$240	 \$300 \$400 \$640 \$900 \$240
SRV CONTRACT, EXT EATON XMSN Eaton To 60-Month Unlimited Miles/km, Extended Eaton Precision Transmission Coverage Option 1 REQS: Code 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL To 72-Month Unlimited Miles/km, Extended Eaton Precision Transmission Coverage Option 2 REQS: Code 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL To 84-Month Unlimited Miles/km, Extended Eaton Precision Transmission Coverage Option 3 REQS: Code 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL	 40AWT 40AWU 40AWV	 \$900 \$1,200 \$1,500	 \$900 \$1,200 \$1,500
SRV CONTRACT, EXT ELECTRICAL Navistar - Prepackaged Components - Excludes Starter and Alternator, To 36-Month/100,000 Miles (160,000 km) Excludes Starter and Alternator, To 36-Month/150,000 Miles (240,000 km) Excludes Starter and Alternator, To 36-Month/200,000 Miles (320,000 km) Excludes Starter and Alternator, To 36-Month/250,000 Miles (400,000 km)	 40NKE 40NKG 40NKH 40NKJ	 \$100 \$160 \$220 \$260	 \$100 \$160 \$220 \$260

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-306

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SRV CONTRACT, EXT ENGINE (CONTINUED) Navistar To 72-Month/100,000 Miles (160,000 km), 3600 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce DT Engines with LESS than 660 lb-ft Torque N/A: SRV CONT, EXT AFTERTREATMENT : ENGINE, DIESEL	40HZR	\$1,760	\$1,760
SRV CONTRACT, EXT HTR/AC SYS Navistar - Prepackaged Components - To 36-Month/100,000 Miles (160,000 km)	40NJZ	\$280	\$280
To 36-Month/150,000 Miles (240,000 km)	40NKA	\$400	\$400
To 36-Month/200,000 Miles (320,000 km)	40NKB	\$560	\$560
To 36-Month/250,000 Miles (400,000 km)	40NKC	\$680	\$680
To 36-Month/50,000 Miles (80,000 km)	40NJY	\$200	\$200
To 48-Month/100,000 Miles (160,000 km)	40NGD	\$360	\$360
To 48-Month/150,000 Miles (240,000 km)	40NGE	\$520	\$520
To 48-Month/200,000 Miles (320,000 km)	40NGG	\$840	\$840
To 48-Month/250,000 Miles (400,000 km)	40NGH	\$1,080	\$1,080
To 48-Month/50,000 Miles (80,000 km)	40NGC	\$280	\$280
To 60-Month/100,000 Miles (160,000 km)	40NGK	\$520	\$520
To 60-Month/150,000 Miles (240,000 km)	40NGL	\$680	\$680
To 60-Month/200,000 Miles (320,000 km)	40NGM	\$1,080	\$1,080
To 60-Month/250,000 Miles (400,000 km)	40NGN	\$1,560	\$1,560
To 60-Month/50,000 Miles (80,000 km)	40NGJ	\$400	\$400

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-308

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SRV CONTRACT, EXT MAJOR COMP			
<i>Navistar</i>			
- Prepackaged Components -			
To 36-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTT	\$140	\$140
To 36-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTU	\$240	\$240
To 36-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTV	\$300	\$300
To 36-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTW	\$400	\$400
To 36-Month/50,000 Miles (80,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTS	\$100	\$100
To 48-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTY	\$220	\$220
To 48-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTZ	\$300	\$300
To 48-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUA	\$480	\$480
To 48-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUB	\$640	\$640
To 48-Month/50,000 Miles (80,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LTX	\$160	\$160
To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUD	\$300	\$300
To 60-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUE	\$400	\$400
To 60-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUG	\$640	\$640
To 60-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUH	\$900	\$900
To 60-Month/50,000 Miles (80,000 km), Includes Front Axle, Rear Axle, and Propshaft	40LUC	\$240	\$240
SRV CONTRACT, EXT STARTER/ALT			
<i>Navistar</i>			
- Prepackaged Components -			
Covers Starter and Alternator Only, To 36-Month/100,000 Miles (160,000 km)	40LKC	\$200	\$200
Covers Starter and Alternator Only, To 36-Month/150,000 Miles (240,000 km)	40LKD	\$320	\$320

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-309

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SRV CONTRACT, EXT STARTER/ALT (CONTINUED) Navistar - Prepackaged Components - Covers Starter and Alternator Only, To 36-Month/200,000 Miles (320,000 km) Covers Starter and Alternator Only, To 36-Month/250,000 Miles (400,000 km) Covers Starter and Alternator Only, To 36-Month/50,000 Miles (80,000 km) Covers Starter and Alternator Only, To 48-Month/100,000 Miles (160,000 km) Covers Starter and Alternator Only, To 48-Month/150,000 Miles (240,000 km) Covers Starter and Alternator Only, To 48-Month/200,000 Miles (320,000 km) Covers Starter and Alternator Only, To 48-Month/250,000 Miles (400,000 km) Covers Starter and Alternator Only, To 48-Month/50,000 Miles (80,000 km) Covers Starter and Alternator Only, To 60-Month/100,000 Miles (160,000 km) Covers Starter and Alternator Only, To 60-Month/150,000 Miles (240,000 km) Covers Starter and Alternator Only, To 60-Month/200,000 Miles (320,000 km) Covers Starter and Alternator Only, To 60-Month/250,000 Miles (400,000 km) Covers Starter and Alternator Only, To 60-Month/50,000 Miles (80,000 km)	40LKE 40LKG 40LKB 40LKJ 40LKK 40LKL 40LKM 40LKH 40LKP 40LKR 40LKS 40LKT 40LKN	\$440 \$520 \$120 \$280 \$400 \$640 \$840 \$240 \$400 \$520 \$840 \$1,200 \$320	\$440 \$520 \$120 \$280 \$400 \$640 \$840 \$240 \$400 \$520 \$840 \$1,200 \$320
SRV CONTRACT, EXT VEH COVERAGE Navistar To 36-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission To 36-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission To 36-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission To 36-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission	40PET 40PEU 40PEV 40PES	\$960 \$1,560 \$2,100 \$600	\$960 \$1,560 \$2,100 \$600

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-310

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)			
<i>Navistar</i>			
To 48-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40PEX	\$1,460	\$1,460
To 48-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission	40PEY	\$2,060	\$2,060
To 48-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PEZ	\$3,200	\$3,200
To 48-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission	40PGA	\$4,200	\$4,200
To 48-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission	40PEW	\$1,100	\$1,100
To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40PGC	\$2,000	\$2,000
To 60-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission	40PGD	\$2,600	\$2,600
To 60-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PGE	\$4,200	\$4,200
To 60-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission	40PGG	\$6,000	\$6,000
To 60-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission	40PGB	\$1,600	\$1,600
To 72-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40PGH	\$2,800	\$2,800
To 72-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission	40PGJ	\$3,640	\$3,640
To 72-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PGK	\$5,880	\$5,880
To 84-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40PGL	\$4,200	\$4,200
To 84-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission	40PGM	\$5,460	\$5,460
To 84-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PGN	\$8,820	\$8,820

4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

4300 SBA 4X2
4300 SBA LP 4X2

SECTION 090

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 090-313

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BDY INTG, DASH IND. LT RED (CONTINUED) (6) for Optional Usage Customer to Program	60AJU	\$266	\$266
BDY INTG, DASH IND. LT GREEN (1) for Optional Usage Customer to Program (2) for Optional Usage Customer to Program (3) for Optional Usage Customer to Program (6) for Optional Usage Customer to Program	60AJV 60AJW 60AJX 60AJY	\$98 \$116 \$133 \$266	\$98 \$116 \$133 \$266
BDY INTG, DASH IND. LT YELLOW (1) for Optional Usage Customer to Program (2) for Optional Usage Customer to Program (3) for Optional Usage Customer to Program (6) for Optional Usage Customer to Program	60AJZ 60AKA 60AKB 60AKC	\$98 \$116 \$133 \$266	\$98 \$116 \$133 \$266
BDY INTG, HEADLIGHTS, WIG WAG High Beam Wig Wag With Park Brake Interlock, Park Brake Disables High Beam Wig Wag, Enables Low Beam Wig Wag High Beam Wig Wag With Park Brake Interlock, Park Brake Disables Wig Wag	60AKL 60AKK	\$268 \$268	\$268 \$268
BDY INTG, INDICATOR LIGHTS NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE (02) 1 for Gate Open and 1 for Rear Alert, Includes Audible Alarm, Programmable Mode for Various Switch Action (requires 2 Remote Power Module inputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK or 60AAL BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60AJC	\$83 0/0	\$83 0/0



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BDY INTG, REMOTE START/STOP (CONTINUED) To Start and Stop Vehicle Engine, Will Start Emergency Pump Motor, Programmable Time Intervals REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 13GMJ, 13GMS and 13GNG(std) TRANSMISSION, MANUAL : Code 08THJ AUXILIARY HARNESS : Code 08WEE SWITCH, AIR HORN, PASSENGER : Code 60ACW BDY INTG, I/O EXPANSION HARNESS : Code 60ACY BDY INTG, VEHICLE IDLE : Code 60ABB BDY INTG, PTO ACCOMMODATION AVAIL: Code 08TMH SWITCH, AUXILIARY	60ABD	\$563 0/0	\$563 0/0
BDY INTG, RPM I/O HARNESS Includes a Harness with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with one RPM REQS: Code 60AAA, 60AAG or 60AAL BDY INTG, REMOTE POWER MODULE Includes Two Harnesses with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with Two RPM REQS: Code 60AAB, 60AAD, 60AAH or 60AAK BDY INTG, REMOTE POWER MODULE	60ABM 60ABN	\$40 \$62	\$40 \$62
BDY INTG, SWITCH DUAL OUTPUT NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE 2 Position Latched Rocker, Backlit, with "ON" Indicator Mounted on Dash, for 1; Auxiliary Load 40 amp Maximum; Power Available Only in "Ignition" or "Accessory" Position; Controls 2 Remote Power Modules (requires 2 Remote Power Module outputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK or 60AAL BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60ACE	N/C 0/0	N/C 0/0

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-318

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BDY INTG, SWITCH MOMNTRY 3POS (SEE PREV PAGE) NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE N/A: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR Rocker, Backlit, with "ON" Indicator Mounted on Dash, Latching Software, for 2; Auxiliary Load 20 amp. Maximum; Power Available Only in "Ignition" or "Accessory" Position, Output Also Controlled by a Customer Remote Mounted Switch (requires 2 Remote Power Module inputs & 2 outputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK or 60AAL BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60ACS 60ACT	N/C 0/0	N/C 0/0
BDY INTG, THEFT DETERRENT SYS Includes one (1) Switch Pack of Six Momentary Switches REQS: Code 13APZ, 13ARA, 13ARB, 13ARC, 13ARE, 13ARH, 13ARJ, 13ASK, 13ASL, 13ASM, 13ASN, 13ASP, 13ASR, 13AST, 13ATJ, 13ATL, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR, 13AVS, 13AVU, 13AVV, 13GBX, 13GBY, 13GBZ or 13GCA TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 60ACW BDY INTG,I/O EXPANSION HARNESS - for 4300 SBA 4X2 : Code 60ACW BDY INTG,I/O EXPANSION HARNESS : Code 60ACY BDY INTG, VEHICLE IDLE AVAIL: Code 08TMH SWITCH, AUXILIARY NOTE: Programming the customer's security code is not included in the PDI reimbursement and is not a warranty expense. Sales persons must account for the labor in the sale price of the vehicle.	60ACX	\$430 0/0	\$430 0/0
BDY INTG, THROTTLE CONTROL NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE Accommodation for Single Customer Mounted External Engine Speed Control Switch, Programmable Mode for Various Switch Actions and Engine Speed Control Option; Useable Only While Vehicle is Stopped and the Park Brake is Applied (requires 1 Remote Power Module input) INCLS: NOTE: Default Parameters: Input is 12 Volts = Engine goes into First Preset Speed; Input is Open = No Change; Input is Ground = Engine Returns to Idle REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE (SEE NEXT PAGE)	60AJA	N/C 0/0	N/C 0/0



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
BDY INTG, THROTTLE CONTROL (SEE PREV PAGE) NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AJG		
BDY INTG, VEHICLE IDLE Shutdown; With Programmable Timer to Shutdown Engine and Cab Electrical Power, Default Parameter is 90 Seconds N/A: Code 60ACW BDY INTG, I/O EXPANSION HARNESS : Code 60ACX BDY INTG, THEFT DETERRENT SYS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	60ACY	\$236 0/0	\$236 0/0
TIRES Continental Tire 255/70R22.5 LR-H HSR2 SA 565 rev/mile 75 MPH All-Position 10R22.5 LR-G HSR2 518 rev/mile 75 MPH All-Position 10R22.5 LR-G HDR2 512 rev/mile 75 MPH Drive-Position 11R22.5 LR-G HSR2 498 rev/mile 75 MPH All-Position 11R22.5 LR-G HDL2 DL 491 rev/mile 75 MPH Drive-Position 11R22.5 LR-G HDR2 491 rev/mile 75 MPH Drive-Position 11R22.5 LR-G HDL2 DL ECO PLUS 491 rev/mile 75 MPH Drive-Position 11R22.5 LR-G HYBRID HD3 493 rev/mile 75 MPH Drive-Position 11R22.5 LR-G ECOPLUS HS3 495 rev/mile 75 MPH All-Position 11R22.5 LR-G HDL2 493 rev/mile 75 MPH Drive-Position	7752525421 7372115415 7372115423 7372135415 7372135417 7372135423 7372135425 7372135428 7372135429 7372135432	STD \$149 +16 \$107 +20 \$109 +32 \$193 +49 \$144 +47 \$102 +49 \$125 +41 \$96 +38 \$83 +41	\$82 +89 \$231 +16 \$189 +20 \$191 +32 N/A \$226 +47 N/A \$207 +41 N/A \$165 +41
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-322

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
<i>Continental Tire</i>			
11R22.5 LR-G HDR2 ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135434	\$172 +47	\$254 +47
11R22.5 LR-H HDO 490 rev/mile 68 MPH Drive-Position	7382135413	\$214 +35	N/A
11R22.5 LR-H HSR2 498 rev/mile 75 MPH All-Position	7382135415	\$129 +33	\$211 +33
11R22.5 LR-H HDL2 DL 491 rev/mile 75 MPH Drive-Position	7382135417	\$214 +50	N/A
11R22.5 LR-H HSC1 496 rev/mile 75 MPH All-Position	7382135419	\$178 +42	N/A
11R22.5 LR-H HDC1 488 rev/mile 75 MPH Drive-Position	7382135420	\$243 +41	\$325 +41
11R22.5 LR-H HDR2 491 rev/mile 75 MPH Drive-Position	7382135423	\$161 +47	\$243 +47
11R22.5 LR-H ECOPLUS HS3 495 rev/mile 75 MPH All-Position	7382135429	\$118 +38	\$200 +38
11R22.5 LR-H HDW2 495 rev/mile 75 MPH Drive-Position	7382135430	\$174 +46	\$256 +46
11R22.5 LR-H HDL2 493 rev/mile 75 MPH Drive-Position	7382135432	\$104 +38	\$186 +38
12R22.5 LR-H HSR2 483 rev/mile 75 MPH All-Position	7382155415	\$127 +44	N/A
12R22.5 LR-H HSC1 482 rev/mile 75 MPH All-Position	7382155419	\$289 +49	\$371 +49
12R22.5 LR-H HDC1 479 rev/mile 68 MPH Drive-Position	7392155420	\$334 +63	N/A
295/75R22.5 LR-G HDL2 511 rev/mile 75 MPH Drive-Position	7702495432	\$44 +33	\$126 +33
295/75R22.5 LR-G HYBRID HS3 518 rev/mile 75 MPH All-Position	7702495433	\$119 +25	N/A
295/75R22.5 LR-G HDR2 ECO PLUS 509 rev/mile 75 MPH Drive-Position	7702495434	\$133 +40	N/A
295/75R22.5 LR-G CROSSTRAC HA3 514 rev/mile 75 MPH All-Position	7702495436	\$115 +32	\$197 +32
295/75R22.5 LR-H HDL2 511 rev/mile 75 MPH Drive-Position	7782495432	\$109 +33	\$191 +33
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-323

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
<i>Continental Tire</i>			
295/75R22.5 LR-H HYBRID HS3 518 rev/mile 75 MPH All-Position	7792495433	\$112 +26	N/A
295/75R22.5 LR-H CROSSTRAC HA3 514 rev/mile 75 MPH All-Position	7792495436	\$146 +37	\$228 +37
255/70R22.5 LR-H HDR 565 rev/mile 81 MPH Drive-Position	7752525406	\$167 +8	\$249 +8
275/80R22.5 LR-G HSR2 518 rev/mile 75 MPH All-Position	7772535415	\$100 +27	\$182 +27
275/80R22.5 LR-G HDL2 DL ECO PLUS 507 rev/mile 75 MPH Drive-Position	7772535425	\$166 +44	N/A
275/80R22.5 LR-H HSR2 518 rev/mile 75 MPH All-Position	7792535415	\$129 +28	\$211 +28
315/80R22.5 LR-L HSC1 484 rev/mile 68 MPH All-Position	7792545419	\$423 +73	N/A
315/80R22.5 LR-L CITY SERVICE HA3 480 rev/mile 68 MPH All-Position	7792545435	\$500 +73	N/A
275/70R22.5 LR-H HYBRID HD3 540 rev/mile 81 MPH Drive-Position	7792575428	\$257 +26	N/A
295/60R22.5 LR-J ECOPLUS HD3 574 rev/mile 75 MPH Drive-Position	7692625426	\$175 +26	N/A
295/60R22.5 LR-J ECOPLUS HS3 574 rev/mile 75 MPH All-Position	7692625429	\$160 +21	N/A
225/70R19.5 LR-G HDR 647 rev/mile 87 MPH Drive-Position	7779445406	N/A	\$60CR -27
245/70R19.5 LR-H HYBRID HS3 631 rev/mile 81 MPH All-Position	7789455433	\$118CR -14	\$36CR -14
<i>Michelin</i>			
10R22.5 LR-G XDE M/S 515 rev/mile 75 MPH Drive-Position	7472113217	\$161 +16	\$243 +16
10R22.5 LR-G XZE 517 rev/mile 75 MPH All-Position	7472113253	\$127 +17	\$209 +17
11R22.5 LR-G XDE M/S 498 rev/mile 75 MPH Drive-Position	7402133217	\$201 +25	N/A
11R22.5 LR-G XDN2 496 rev/mile 75 MPH Drive-Position	7472133264	\$310 +43	N/A
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

4300 SBA 4X2
4300 SBA LP 4X2
PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-324

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
<i>Michelin</i>			
11R22.5 LR-G XZE2 501 rev/mile 75 MPH All-Position	7472133269	\$227 +30	N/A
11R22.5 LR-G X LINE ENERGY D 500 rev/mile 75 MPH Drive-Position	7472133279	\$344 +43	\$426 +43
11R22.5 LR-G X LINE ENERGY Z 502 rev/mile 75 MPH All-Position	7472133286	\$226 +29	N/A
11R22.5 LR-H XDE M/S 497 rev/mile 75 MPH Drive-Position	7452133217	\$252 +35	N/A
11R22.5 LR-H XDS2 494 rev/mile 75 MPH Drive-Position	7452133276	\$593 +48	\$675 +48
11R22.5 LR-H XZE2 501 rev/mile 75 MPH All-Position	7482133269	\$274 +37	N/A
11R22.5 LR-H X WORKS XDY 493 rev/mile 75 MPH Drive-Position	7482133281	\$482 +65	\$564 +65
11R22.5 LR-H X LINE ENERGY Z 503 rev/mile 75 MPH All-Position	7482133286	\$240 +29	N/A
11R22.5 LR-H X WORKS Z 495 rev/mile 65 MPH All-Position	7482133287	\$362 +45	\$444 +45
12R22.5 LR-H XDN2 483 rev/mile 75 MPH Drive-Position	7482153264	N/A	\$613 +59
12R22.5 LR-H X WORKS Z 483 rev/mile 65 MPH All-Position	7482153287	\$472 +62	\$554 +62
255/70R22.5 LR-H XZE 563 rev/mile 75 MPH All-Position	7652523253	\$177 +6	\$259 +6
275/80R22.5 LR-G XDE M/S 513 rev/mile 75 MPH Drive-Position	7602533217	\$198 +25	\$280 +25
275/80R22.5 LR-G XZE2 517 rev/mile 75 MPH All-Position	7602533269	\$213 +25	\$295 +25
275/80R22.5 LR-G XDA ENERGY 511 rev/mile 75 MPH Drive-Position	7602533271	\$225 +35	N/A
275/80R22.5 LR-G XDA5+ 510 rev/mile 75 MPH Drive-Position	7602533278	N/A	\$414 +42
275/80R22.5 LR-G X LINE ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533279	\$299 +39	\$381 +39
275/80R22.5 LR-G X MULTI ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533280	\$413 +38	\$495 +38
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

**4300 SBA 4X2
4300 SBA LP 4X2**

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-325

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
<i>Michelin</i>			
275/80R22.5 LR-G X LINE ENERGY Z 517 rev/mile 75 MPH All-Position	7602533286	\$195 +24	\$277 +24
275/80R22.5 LR-H XZE 516 rev/mile 75 MPH All-Position	7682533253	\$312 +24	\$394 +24
275/80R22.5 LR-H X MULTI ENERGY Z 515 rev/mile 75 MPH All-Position	7682533285	\$312 +28	\$394 +28
275/80R22.5 LR-H X LINE ENERGY Z 517 rev/mile 75 MPH All-Position	7682533286	\$230 +26	\$312 +26
315/80R22.5 LR-L X WORKS Z 485 rev/mile 65 MPH All-Position	7652543287	\$693 +74	N/A
315/80R22.5 LR-L XZU-S2 488 rev/mile 65 MPH All-Position	7682543212	\$1,000 +74	\$1,082 +74
275/70R22.5 LR-J XZE2+ 545 rev/mile 75 MPH All-Position	7652573270	\$290 +24	N/A
245/70R19.5 LR-H XZE 619 rev/mile 75 MPH All-Position	7689453253	\$13CR -14	\$69 -14
265/70R19.5 LR-G XDE2+ 605 rev/mile 75 MPH Drive-Position	7679463213	\$164 -3	\$246 -3
265/70R19.5 LR-G X MULTI Z 611 rev/mile 75 MPH All-Position	7679463288	\$76 -6	\$158 -6
<i>Bridgestone</i>			
11R22.5 LR-G M726ELA 492 rev/mile 75 MPH Drive-Position	7372139003	\$309 +46	\$391 +46
11R22.5 LR-G R283A ECOPIA 504 rev/mile 75 MPH All-Position	7372139045	\$300 +30	N/A
11R22.5 LR-G M710 ECOPIA 497 rev/mile 75 MPH Drive-Position	7372139058	\$300 +32	N/A
11R22.5 LR-G R268 ECOPIA 501 rev/mile 75 MPH All-Position	7372139059	\$261 +33	\$343 +33
11R22.5 LR-G M760 ECOPIA 492 rev/mile 75 MPH Drive-Position	7372139060	\$333 +46	N/A
295/75R22.5 LR-G M726ELA 507 rev/mile 75 MPH Drive-Position	7702499003	\$278 +42	\$360 +42
295/75R22.5 LR-G M770 506 rev/mile 75 MPH Drive-Position	7702499043	\$269 +40	\$351 +40
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
Bridgestone			
295/75R22.5 LR-G R283A ECOPIA 516 rev/mile 75 MPH All-Position	7702499045	\$288 +25	\$370 +25
295/75R22.5 LR-G M710 ECOPIA 512 rev/mile 75 MPH Drive-Position	7702499058	\$300 +29	\$382 +29
295/75R22.5 LR-G R268 ECOPIA 515 rev/mile 75 MPH All-Position	7702499059	\$261 +29	\$343 +29
295/75R22.5 LR-G M760 ECOPIA 511 rev/mile 75 MPH Drive-Position	7702499060	\$333 +37	\$415 +37
295/75R22.5 LR-H R283A ECOPIA 516 rev/mile 75 MPH All-Position	7792499045	\$354 +26	\$436 +26
225/70R19.5 LR-F M729F 639 rev/mile 75 MPH Drive-Position	7709449040	N/A	\$11CR -22
245/70R19.5 LR-H R250F 621 rev/mile 75 MPH All-Position	7689459047	\$11 -14	\$93 -14
Goodyear			
10R22.5 LR-G G622 RSD 512 rev/mile 75 MPH Drive-Position	7372118102	\$206 +23	\$288 +23
10R22.5 LR-G ENDURANCE RSA 514 rev/mile 75 MPH All-Position	7372118132	\$115 +20	\$197 +20
11R22.5 LR-G G622 RSD 497 rev/mile 75 MPH Drive-Position	7372138102	\$222 +37	\$304 +37
11R22.5 LR-G G662 FUEL MAX 497 rev/mile 75 MPH All-Position	7372138108	\$249 +33	N/A
11R22.5 LR-G G399A LHS FUEL MAX 504 rev/mile 75 MPH All-Position	7372138116	\$223 +26	N/A
11R22.5 LR-G G572A LHD FUEL MAX 492 rev/mile 75 MPH Drive-Position	7372138118	\$201 +46	N/A
11R22.5 LR-G G572 1AD 496 rev/mile 75 MPH Drive-Position	7372138121	\$239 +33	N/A
11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7372138132	\$99 +32	\$181 +32
11R22.5 LR-H G572A LHD FUEL MAX 492 rev/mile 75 MPH Drive-Position	7382138118	\$311 +46	N/A
11R22.5 LR-H G751 MSA 497 rev/mile 68 MPH All-Position	7382138123	\$379 +49	\$461 +49
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-327

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
<i>Goodyear</i>			
11R22.5 LR-H G731 MSA 497 rev/mile 68 MPH All-Position	7382138124	\$395 +49	\$477 +49
11R22.5 LR-H G751 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138125	\$460 +55	\$542 +55
11R22.5 LR-H G731 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138126	\$479 +54	\$561 +54
11R22.5 LR-H FUEL MAX RSA 497 rev/mile 75 MPH All-Position	7382138131	\$193 +27	N/A
11R22.5 LR-H ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7382138132	\$140 +32	N/A
11R22.5 LR-H ARMOR MAX MSD 493 rev/mile 68 MPH Drive-Position	7382138133	\$231 +52	N/A
11R22.5 LR-H ARMOR MAX MSD DURASEAL 493 rev/mile 68 MPH Drive-Position	7382138134	\$356 +58	N/A
12R22.5 LR-H G622 RSD 482 rev/mile 68 MPH Drive-Position	7382158102	\$474 +50	N/A
12R22.5 LR-H G282 MSD 481 rev/mile 68 MPH Drive-Position	7382158105	\$444 +62	N/A
12R22.5 LR-H G661 HSA 484 rev/mile 75 MPH All-Position	7382158107	\$455 +51	N/A
12R22.5 LR-H G751 MSA 483 rev/mile 68 MPH All-Position	7382158123	\$544 +61	N/A
12R22.5 LR-H ARMOR MAX MSD 478 rev/mile 68 MPH Drive-Position	7382158133	\$354 +65	N/A
295/75R22.5 LR-G G182 RSD 512 rev/mile 75 MPH Drive-Position	7702490121	\$282 +33	N/A
295/75R22.5 LR-G G661 HSA 512 rev/mile 75 MPH All-Position	7702498107	\$218 +33	N/A
295/75R22.5 LR-G G572A LHD FUEL MAX 508 rev/mile 75 MPH Drive-Position	7702498118	\$259 +41	N/A
295/75R22.5 LR-G G572 1AD 513 rev/mile 75 MPH Drive-Position	7702498121	\$258 +33	N/A
295/75R22.5 LR-G G505D FUEL MAX 511 rev/mile 75 MPH Drive-Position	7702498122	\$281 +30	N/A
295/75R22.5 LR-G FUEL MAX RSA 510 rev/mile 75 MPH All-Position	7702498131	\$139 +25	\$221 +25
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

4300 SBA 4X2
4300 SBA LP 4X2

PLM-282 REVISION NO. 35

Printed in the United States of America

SECTION 090

PAGE 090-328

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



4300 SBA 4X2 AND 4300 SBA LP 4X2 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	4300 SBA 4X2	4300 SBA LP 4X2
TIRES (CONTINUED)			
Goodyear			
295/75R22.5 LR-H G399A LHS FUEL MAX 517 rev/mile 75 MPH All-Position	7792498116	\$386 +22	\$468 +22
255/70R22.5 LR-H G622 RSD 561 rev/mile 75 MPH Drive-Position	7752528102	\$171 +7	\$253 +7
255/70R22.5 LR-H ENDURANCE RSA 566 rev/mile 81 MPH All-Position	7752528132	\$67 +4	\$149 +4
315/80R22.5 LR-J UNISTEEL G291 491 rev/mile 75 MPH All-Position	7702540190	\$573 +43	N/A
315/80R22.5 LR-L G751 MSA 484 rev/mile 68 MPH All-Position	7772548123	\$710 +65	N/A
315/80R22.5 LR-L G751 MSA DURASEAL 484 rev/mile 68 MPH All-Position	7772548125	\$816 +73	N/A
275/70R22.5 LR-J ENDURANCE RSA 547 rev/mile 75 MPH All-Position	7792578132	\$109 +14	N/A
245/75R22.5 LR-G G622 RSD 552 rev/mile 75 MPH Drive-Position	7702608102	\$20 +4	\$102 +4
245/75R22.5 LR-G G661 HSA 566 rev/mile 75 MPH All-Position	7702608107	\$80 +1	\$162 +1
265/75R22.5 LR-G G622 RSD 534 rev/mile 75 MPH Drive-Position	7702618102	\$148 +13	\$230 +13
265/75R22.5 LR-G G661 HSA 539 rev/mile 75 MPH All-Position	7702618107	\$147 +13	\$229 +13
425/65R22.5 LR-L G296 MSA 468 rev/mile 68 MPH All-Position	7752668113	\$181 +99	N/A
225/70R19.5 LR-F G622 RSD 641 rev/mile 75 MPH Drive-Position	7709448102	N/A	\$30 -26
245/70R19.5 LR-G G647 RSS 626 rev/mile 75 MPH All-Position	7749450101	\$30 -15	\$112 -15
245/70R19.5 LR-G G622 RSD 620 rev/mile 75 MPH Drive-Position	7749458102	\$4 -14	\$86 -14
265/70R19.5 LR-G UNISTEEL G159 606 rev/mile 75 MPH All-Position	7769460179	\$67 -7	\$149 -7
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FRAME RAILS			
NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 14TBZ SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 10022 CHASSIS COATING N/A: Code 01GBP FRAME REINFORCEMENT, when in combination with Code 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM and Code 10EYC or 10EYD FIFTH WHEEL, STATIONARY - for 7400 SBA 6X4 : Code 14WCB AXLE STOPS, REAR REAR	01CBU	STD	STD
Heat Treated Alloy Steel (120,000 PSI Yield); 10.125" x 3.580" x 0.312" (257.2mm x 90.9mm x 8.0mm); 480.0" (12192) Maximum OAL, Limited to 33,000 lb Maximum GVWR REQS: Code 09WBC(std) FRONT END REQS: Code 02AGC, 02AGE, 02AGG, 02ARV, 02ARW or 02ARX(std) AXLE, FRONT NON-DRIVING REQS: Code 03ADB(std), 03ADC, 03ADD or 03AGU SUSPENSION, FRONT, SPRING REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 01UAN FRAME EXTENSION, FRONT : Code 01GBP FRAME REINFORCEMENT : Code 14WCB AXLE STOPS, REAR REAR : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 10021 CHASSIS COATING	01CEZ	\$248 0/0	N/A
Heat Treated Alloy Steel (120,000 PSI Yield); 10.250" x 3.610" x 0.375" (260.4mm x 91.7mm x 9.5mm); 456.0" (11582mm) Maximum OAL REQS: Code 03ACP, 03ACR, 03ADB(std), 03ADC, 03ADD, 03ADE, 03ADG, 03AGA, 03AGU or 03AHU SUSPENSION, FRONT, SPRING - for 7400 SBA 4X2 -OR- Code 03ACP, 03ACR, 03ADC(std), 03ADD, 03ADE, 03ADG, 03AGA, 03AGU or 03AHU SUSPENSION, FRONT, SPRING - for 7400 SBA 6X4	01CAG	\$337 0/0	\$337 0/0

(SEE NEXT PAGE)

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-1

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-2

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FRAME RAILS (CONTINUED) NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Heat Treated Alloy Steel (120,000 PSI Yield); 10.866" x 3.622" x 0.433" (276.0mm x 92.0mm x 11.1mm); 456.0" (11582mm) Maximum OAL, Limited to 33,000 lb Maximum GVWR REQS: Code 09WBC(std) FRONT END REQS: Code 03ADB(std), 03ADC, 03ADD or 03AGU SUSPENSION, FRONT, SPRING REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 02AEV, 02AEW, 02ARY and 02ARZ AXLE, FRONT NON-DRIVING : Code 01UAN FRAME EXTENSION, FRONT : Code 01GBP FRAME REINFORCEMENT : Code 14WCB AXLE STOPS, REAR REAR : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 10021 CHASSIS COATING	01CGA	\$913 0/0	N/A
FRAME REINFORCEMENT NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL REQS: Code 01CBU(std) FRAME RAILS REQS: Code 14TAX or 14TBZ SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 01616 FRAME RAILS WITH TAPERED REAR - for 7400 SBA 4X2 : Code 01WDR FRAME EXTENSION, FRONT : Code 14UZW SUSPENSION, REAR, TANDEM or Code 14UNT SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 01616 FRAME RAILS WITH TAPERED REAR - for 7400 SBA 6X4 : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE <div style="text-align: right;">(SEE NEXT PAGE)</div>	01GBP	\$1,650 0/0	\$1,650 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-3

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FRAME REINFORCEMENT (SEE PREV PAGE) NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book N/A: Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE, when in combination with Code 14UNA SUSPENSION, REAR, TANDEM AVAIL: Code 10022 CHASSIS COATING	01GBP		
BRACKET, CAB MOUNT Heavy Duty REQ: Code 16CAB or 16030(std) CAB	01WRN	\$57 +13/+4	\$57 +13/+4
BUMPER EXTENSION, FRONT 2.0" REQ: Code 01LLD, 01LLE, 01LLK, 01LNG or 01LNN BUMPER, FRONT N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01586 TOW LOOP, FRONT 4.0" N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01586 TOW LOOP, FRONT	01WMS 01WAC	\$50 0/0 \$50 +20/0	\$50 +3/0 \$50 +20/0
BUMPER, FRONT Steel, Swept Back INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color REQ: Code 09WBC(std) FRONT END N/A: Code 08WPL and 08WPM FOG LIGHTS AVAIL: Code 01WAC BUMPER EXTENSION, FRONT Full Width, Aerodynamic, Heavy Duty, Steel INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color REQ: Code 09WBM FRONT END N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 08WLM and 08WLN FOG LIGHTS Omit Item REQ: Code 09WBC(std) FRONT END N/A: Code 01LEH LICENSE PLATE HOLDER : Code 12WTW BLOCK HEATER SOCKET AVAIL: Code 08585 FOG LIGHTS Stainless Steel Clad Aluminum, Swept Back REQ: Code 09WBC(std) FRONT END N/A: Code 08WPL and 08WPM FOG LIGHTS AVAIL: Code 01WAC BUMPER EXTENSION, FRONT	01LLA 01LLE 01LLK 01LZD	STD \$105 +74/-15 \$30CR -90/+20 \$469 0/0	STD \$105 +74/-15 \$30CR -90/+20 \$469 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-4

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BUMPER, FRONT (CONTINUED)			
Steel, Swept Back; Painted 0001 Canyon Black REQS: Code 09WBC(std) FRONT END N/A: Code 08WPL and 08WPM FOG LIGHTS AVAIL: Code 01WAC BUMPER EXTENSION, FRONT	01LNR	N/C 0/0	N/C 0/0
Full Width, Aerodynamic, Polished Stainless Steel; 0.125" Material Thickness REQS: Code 09WBC(std) FRONT END AVAIL: Code 01WAC BUMPER EXTENSION, FRONT	01MDP	\$362	\$362
Full Width, Aerodynamic, Polished Stainless Steel; 0.125" Material Thickness, Includes Mounting Holes for 1 CPI Bumper Mounted Siren REQS: Code 09WBC(std) FRONT END AVAIL: Code 01WAC BUMPER EXTENSION, FRONT	01MDS	\$414	\$414
Full Width, Aerodynamic, Chrome Plated Steel; 0.142" Material Thickness REQS: Code 09WBM FRONT END N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 08WLM and 08WLN FOG LIGHTS	01LNN	\$397 +6/+1	\$397 +6/+1
Full Width, Aerodynamic, Steel; 0.142" Material Thickness INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color REQS: Code 09WBM FRONT END N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 08WLM and 08WLN FOG LIGHTS	01LLD	\$15 +6/+1	\$15 +6/+1
Full Width, Aerodynamic, Steel; 0.142" Material Thickness, Gloss Black REQS: Code 09WBM FRONT END N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 08WLM and 08WLN FOG LIGHTS	01LNG	\$54 +16/-8	\$54 +16/-8
Full Width, Aerodynamic, Painted Steel; 0.189" Material Thickness INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color REQS: Code 09WBC(std) FRONT END N/A: Code 08WPL and 08WPM FOG LIGHTS AVAIL: Code 01WAC BUMPER EXTENSION, FRONT	01LMX	\$79 -15/0	\$79 -15/0
Full Width, Aerodynamic, Steel, Painted 0001 Canyon Black; 0.189" Material Thickness REQS: Code 09WBC(std) FRONT END N/A: Code 08WPL and 08WPM FOG LIGHTS AVAIL: Code 01WAC BUMPER EXTENSION, FRONT	01LNS	\$79 -15/0	\$79 -15/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-5

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CROSSMEMBER, REAR, AF (02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR (1) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR (1) 89" Rear of Center of Tandem Suspension or Single Rear Axle REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU or 15SWY FUEL TANK N/A: Code 01616 FRAME RAILS WITH TAPERED REAR	01SAM 01SAL 01SAZ	\$227 -15/+95 \$116 -5/+45 N/A	\$227 -15/+95 \$116 -5/+45 \$116 -8/+31
CROSSMEMBER, SUSPENSION (1) 7-Piece Steel Replacing (1) Double Dogbone, Forward REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZH, 14UZR, 14UZZ, 14UZT, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM N/A: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM (02) 7-Piece Steel Replacing (2) Double Dogbone, Forward and Center REQS: Code 14UHK, 14UNA or 14VKL SUSPENSION, REAR, TANDEM N/A: SUSPENSION, REAR, AIR, TANDEM	01WBC 01WBA	N/A N/A	\$644 +9/+20 \$1,288 +9/+49
FRAME EXTENSION, FRONT Integral; 20" In Front of Grille REQS: Code 09WBC(std) FRONT END REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT N/A: Code 09HAD GRILLE : Code 01WAC and 01WMS BUMPER EXTENSION, FRONT Integral; 27" In Front of Grille REQS: Code 09WBC(std) FRONT END REQS: Code 01LLA(std), 01LLK, 01LMX, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT N/A: Code 09HAD GRILLE : Code 01CAG and 01CEL FRAME RAILS : Code 01WAC and 01WMS BUMPER EXTENSION, FRONT	01WDS 01UAM	\$590 +148/-43 \$640 +110/-20	\$590 +148/-43 \$640 +110/-20

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-7

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRE CARRIER Underslung Basket Type REQ: Code 14UNA SUSPENSION, REAR, TANDEM or Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQ: Code 14UNA or 14VKL SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQ: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXK FUEL TANK N/A: Code 14TAX SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE - for 7400 SBA 6X4 : Code 08THM, 08TKB, 08TKJ, 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	01553	\$199 -20/+97	\$199 -20/+97
TOW HOOK, FRONT (02) Frame Mounted N/A: Code 01586 TOW LOOP, FRONT	01570	\$84 +9/-1	\$84 +9/-1
TOW HOOK, REAR (02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08THM and 08TKJ STOP, TURN, TAIL & B/U LIGHTS : Code 01GTA REINFORCEMENT, PINTLE HOOK - for 7400 SBA 6X4 : Code 01580 TOW LOOP, REAR	01572	\$75 0/+10	\$75 0/+10
TOW LOOP, FRONT REQ: Code 09WBC(std) FRONT END N/A: Code 01WDR FRAME EXTENSION, FRONT : Code 01WAC and 01WMS BUMPER EXTENSION, FRONT : Code 01570 TOW HOOK, FRONT	01586	\$375 +85/0	\$375 +85/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-9

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TOW LOOP, REAR Heavy Duty REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZH, 14UZR, 14UZZ, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08THM, 08TKB, 08TKJ, 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 01572 TOW HOOK, REAR	01580	\$408 0/+86	\$408 0/+86
WHEELBASE RANGE 138" (350cm) Through and Including 187" (475cm) 152" (385cm) Through and Including 167" (425cm) 128" (325cm) Through and Including 136" (345cm) 169" (430cm) Through and Including 219" (555cm) 189" (480cm) Through and Including 256" (650cm) 221" (560cm) Through and Including 262" (665cm) 258" (650cm) Through and Including 311" (790cm) 264" (670cm) Through and Including 311" (790cm) 313" (795cm) Through and Including 340" (864cm)	01WGR 01WGW 01WGP 01WGX 01WGS 01WGY 01WGT 01WGZ 01WJU	STD N/A N/C 0/0 N/A \$544 0/0 N/A \$1,103 0/0 N/A N/A	N/A STD N/A \$611 0/0 N/A \$1,049 0/0 N/A \$1,607 0/0 \$1,655 0/0
LICENSE PLATE HOLDER Single Plate, Swing Type, Mounted Below Front Bumper REQS: Code 01LLA(std), 01LLD, 01LLE, 01LMX, 01LNG, 01LNN, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT	01LEH	\$29 +3/0	\$29 +3/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-10

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, FRONT NON-DRIVING Meritor - MFS-10-143A - Wide Track, I-Beam Type, 10,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 04JCG(std), 04JCJ or 04196 BRAKES, FRONT, AIR CAM REQS: Code 03ADB(std) SUSPENSION, FRONT, SPRING N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WZK BRAKE PACKAGE, FRONT : Code 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DME, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL and 27DUN WHEELS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02ARX	STD	N/A
- MFS-12-143A - Wide Track, I-Beam Type, 12,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 03ADC SUSPENSION, FRONT, SPRING - for 7400 SBA 4X2 -OR- Code 03ADC(std) SUSPENSION, FRONT, SPRING - for 7400 SBA 6X4 N/A: Code 10NZL SPECIAL RATING, GVWR : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WZK BRAKE PACKAGE, FRONT : Code 27DHz, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL and 27DUN WHEELS, FRONT : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02ARW	\$273 0/0	STD
- MFS-14-143A - Wide Track, I-Beam Type, 14,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM - for 7400 SBA 4X2 -OR- Code 04JCJ(std), 04193 or 04196 BRAKES, FRONT, AIR CAM - for 7400 SBA 6X4 REQS: Code 03ADD, 03ADE or 03AGU SUSPENSION, FRONT, SPRING N/A: Code 10NZL SPECIAL RATING, GVWR : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WZK BRAKE PACKAGE, FRONT : Code 27DHz, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL and 27DUN WHEELS, FRONT : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE (SEE NEXT PAGE)	02ARV	\$973 +58/0	\$700 +58/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-11

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Dana Spicer - E-1002W - N/A: Code 27DEM, 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DME, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL and 27DUN WHEELS, FRONT : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02AGG		
- E-1202W - Wide Track, I-Beam Type, 12,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 03ADC SUSPENSION, FRONT, SPRING - for 7400 SBA 4X2 -OR- Code 03ADC(std) SUSPENSION, FRONT, SPRING - for 7400 SBA 6X4 N/A: Code 10NZL SPECIAL RATING, GVWR : Code 04WZK BRAKE PACKAGE, FRONT : Code 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL, 27DUN, 27DUR and 27DUS WHEELS, FRONT : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02AGE	\$460 - 11/0	\$187 - 11/0
- E-1462W - Wide Track, I-Beam Type, 14,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 04JCJ, 04193 or 04196 BRAKES, FRONT, AIR CAM - for 7400 SBA 4X2 -OR- BRAKES, FRONT, AIR DISC -OR- Code 04JCJ(std), 04193 or 04196 BRAKES, FRONT, AIR CAM - for 7400 SBA 6X4 REQS: Code 03ADD, 03ADE or 03AGU SUSPENSION, FRONT, SPRING N/A: Code 10NZL SPECIAL RATING, GVWR : Code 04WZK BRAKE PACKAGE, FRONT : Code 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL, 27DUM and 27DUN WHEELS, FRONT : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	02AGC	\$1,401 + 26/0	\$1,128 + 26/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-16

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Dana Spicer - I-180W - REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS REQS: Code 05PTB STEERING GEAR REQS: Code 27DEL, 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMB, 27DMC, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DTD, 27DTH, 27DTJ, 27DTT, 27DTZ, 27DUA, 27DUG, 27DUK, 27DUL, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 6X4 REQS: Code 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMB, 27DMC, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DPR, 27DTD, 27DTH, 27DTJ, 27DTT, 27DTZ, 27DUA, 27DUG, 27DUK, 27DUL, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 4X2 REQS: Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR - for 7400 SBA 4X2 -OR- BRAKE SYSTEM, AIR - for 7400 SBA 6X4 REQS: Code 03ACR, 03ACS, 03ADG or 03AHU SUSPENSION, FRONT, SPRING N/A: Code 16LJX, 16LJY, 16LJZ and 16LKA SEAT, REAR : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 29331 BRAKE DRUMS, FRONT - for 7400 SBA 6X4 : Code 29ADX HUB BRAND, FRONT NOTE: Axle Lead Time is 52 Days : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02AEV		
- I-200W - Wide Track, I-Beam Type, 20,000-lb Capacity REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14GVJ, 14GVK, 14GVL, 14GVN, 14GVR, 14GVU or 14GVY AXLE, REAR, TANDEM - for 7400 SBA 6X4 REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14UHC, 14UHD, 14UHE, 14ULP, 14ULX, 14UMB, 14UNA, 14UZR or 14UZS SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 (SEE NEXT PAGE)	02AEW	\$2,716 +140/0	\$2,443 +140/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-18

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, FRONT NON-DRIVING (SEE PREV PAGE) Dana Spicer - I-200W - REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 01CAJ or 01CBU(std) FRAME RAILS REQS: Code 05PTB STEERING GEAR REQS: Code 27DEL, 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMB, 27DMC, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DTD, 27DTH, 27DTJ, 27DTT, 27DTZ, 27DUA, 27DUG, 27DUK, 27DUL, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 6X4 REQS: Code 27DHJ, 27DHK, 27DHz, 27DJH, 27DJJ, 27DMB, 27DMC, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DPR, 27DTD, 27DTH, 27DTJ, 27DTT, 27DTZ, 27DUA, 27DUG, 27DUK, 27DUL, 27DUN, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 4X2 REQS: Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR - for 7400 SBA 4X2 -OR- BRAKE SYSTEM, AIR - for 7400 SBA 6X4 REQS: Code 03ACS, 03AGA or 03AHU SUSPENSION, FRONT, SPRING N/A: Code 16LJX, 16LJY, 16LJZ and 16LKA SEAT, REAR : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 29331 BRAKE DRUMS, FRONT - for 7400 SBA 6X4 : Code 29ADX HUB BRAND, FRONT NOTE: Axle Lead Time is 52 Days : The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	02AEW		
SUSPENSION, FRONT, SPRING Parabolic, Taper Leaf; 10,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGG or 02ARX(std) AXLE, FRONT NON-DRIVING N/A: Code 04AZS AIR BRAKE ABS : Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADB	STD	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-19

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, FRONT, SPRING (CONTINUED) Parabolic, Taper Leaf; 12,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGE or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 REQS: Code 02AGE or 02ARW AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 N/A: Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADC	\$67 0/0	STD
Multileaf, Shackle Type; 14,000-lb Capacity; With Shock Absorbers, for Reduced Deflection Vocational Use INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING N/A: Code 04AZS AIR BRAKE ABS : Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03AGU	\$311 +127/+1	\$244 +154/0
Parabolic, Taper Leaf; 14,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AGC or 02ARV AXLE, FRONT NON-DRIVING N/A: Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADD	\$311 +37/0	\$244 +28/0
Multileaf, Shackle Type; 16,000-lb Capacity; Less Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEU, 02ARU or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ACP	\$350 +234/+2	\$283 +139/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-20

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, FRONT, SPRING (CONTINUED) Parabolic, Taper Leaf; 16,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEU, 02AGC, 02ARU, 02ARV or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS N/A: Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADE	\$350 +75/+1	\$283 +87/0
Multileaf, Shackle Type; 18,000-lb Capacity; Less Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEV or 02ARZ AXLE, FRONT NON-DRIVING REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ACR	\$384 +270/+2	\$317 +175/0
Parabolic, Taper Leaf; 18,000-lb Capacity; With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEV or 02ARZ AXLE, FRONT NON-DRIVING REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS N/A: Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ADG	\$517 +121/+1	\$450 +113/0
Multileaf, Shackle Type, Single Stage Spring; 20,000-lb Capacity; Less Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEV, 02AEW, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING REQS: Code 01CAJ or 01CBU(std) FRAME RAILS NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03ACS	\$595 +263/+2	\$528 +202/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-21

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKE SYSTEM, AIR (SEE PREV PAGE)			
INCLS: QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : PARKING BRAKE VALVE For Truck : DRAIN VALVE Twist-Type REQ: Code 04JCJ(std), 04193 or 04196 BRAKES, FRONT, AIR CAM - for 7400 SBA 6X4 -OR- BRAKES, FRONT, AIR CAM - for 7400 SBA 4X2 N/A: Code 04774 and 04795 SPECIAL RATING, GAWR : Code 16ZGM ACCESS, FRAME : Code 02AUR AXLE, FRONT NON-DRIVING : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WZK BRAKE PACKAGE, FRONT : Code 04AAA and 04AAU BRAKE CHAMBERS, ADDITIONAL : Code 04WDT SPRING BRAKE MODULATOR VALVE : Code 04692 HOSE TENDER : Code 14WLR AXLE, TAG, LIFT TYPE or Code 14WLM and 14WLU AXLE, PUSHER, LIFT TYPE, when in combination with Code 04AZS or 04AZY AIR BRAKE ABS - for 7400 SBA 6X4 : Code 08WAA and 08WLL LIGHT, WORK : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY : Code 10STA FIFTH WHEEL MOUNTING ANGLES REC: Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 04WDM DUST SHIELDS, REAR BRAKE : Code 08HAA, 08HAB, 08HAE or 08HAU BODY BUILDER WIRING NOTE: Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered - for 7400 SBA 4X2 : Rear Axle is Limited to 46,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle /Suspension Ordered. - for 7400 SBA 6X4	04091		
Dual System for Tractor Applications INCLS: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : PARKING BRAKE CONTROL Yellow and Red Knobs, Located on Instrument Panel : BRAKE LINES Color and Size Coded Nylon : TRAILER HOSES AND CABLES 12' Coiled Trailer Lighting Cable and with 7-Way Connector and with 12' Coiled Nylon Trailer Brake Hose : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for Forward Rear Axle : HAND CONTROL VALVE, AIR {Bendix} Mounted on Steering Column : TRACTOR PROTECTION VALVE	04092	\$346 0/0	\$346 0/0
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-23

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKE SYSTEM, AIR (SEE PREV PAGE) INCLS: GLAD HANDS (2) One for Service and One for Emergency; Trailer Hoses from Cab : PARKING BRAKE VALVE Combination Valve for Tractor and Trailer : HOSE TENDER Back of Cab Mounted : DRAIN VALVE Twist-Type - for 7400 SBA 4X2 : SWITCH, AUXILIARY Interrupter for Cab and Trailer Clearance/Marker Lights (Blinks Lights with Headlight Switch in "OFF" or "ON" Position) Instrument Panel Mounted REQS: Code 04795 SPECIAL RATING, GAWR or Code 04AAA, 04AAA, 04AAU or 04AAU BRAKE CHAMBERS, ADDITIONAL, when in combination with Code 04EVH or 04EXU BRAKE CHAMBERS, REAR AXLE - for 7400 SBA 6X4 REQS: Code 10WSX or 10WSX MUD FLAPS, REAR REQS: Code 10WPR, 10WPR, 10WPT or 10WPT MUD FLAP HOLDER REQS: Code 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 14AET, 14AGA, 14AGE, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AHP, 14AJG, 14AJH, 14AJY, 14ANK, 14ANM, 14ANP(std), 14ANS, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB, 14CVC, 14ERB, 14ERC or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- AXLE, REAR, TANDEM - for 7400 SBA 6X4 REQS: Code 07BEM, 07BEP, 07BJX, 07BKE or 07BKG EXHAUST SYSTEM N/A: Code 10NZL SPECIAL RATING, GVWR : Code 16XWY WINDSHIELD WASHER RESERVOIR or Code 04WZJ AIR TANK LOCATION or Code 08VZP BEACON MOUNTING BRACKET or Code 08TPS STOP, TURN, TAIL & B/U LIGHTS or Code 15SNT and 15SNU FUEL TANK or Code 08VUN, 08WJJ and 08XDU BATTERY BOX : Code 16196 CAB : Code 16917 MOUNTING BRACKETS : Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY and 02ARZ AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 : Code 04AZE AIR BRAKE ABS : Code 04619 TRAILER CONNECTIONS : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 32WAA WHEELS, REAR : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE (SEE NEXT PAGE)	04092		

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-24

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKE SYSTEM, AIR (SEE PREV PAGE) N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE or Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 08TKK TRAILER AUXILIARY FEED CIRCUIT : Code 08TMJ SWITCH, MARKER INTERRUPT AVAIL: Code 04WDU HAND CONTROL VALVE, AIR : Code 04ERC BRAKE CHAMBERS, SPRING - for 7400 SBA 4X2 : Code 14881 DIFFERENTIAL, LOCKING - for 7400 SBA 4X2 : Code 08HAA BODY BUILDER WIRING REC: Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH or 10HKP FIFTH WHEEL, STATIONARY - for 7400 SBA 6X4 : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN or 10HKP FIFTH WHEEL, STATIONARY - for 7400 SBA 4X2 : Code 10STA FIFTH WHEEL MOUNTING ANGLES or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ or 10HKK FIFTH WHEEL, AIR SLIDE NOTE: Rear Axle is Limited to 20,000-lb GAWR with Code 04092 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered - for 7400 SBA 4X2 : Rear Axle is Limited to 40,000-lb GAWR with Code 04092 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered - for 7400 SBA 6X4 : Front and Rear Dust Shields not Included	04092		
AIR BRAKE ABS Bendix - AntiLock Brake System - Full Vehicle Wheel Control System (4-Channel) Full Vehicle Wheel Control System (6-Channel 6 Sensor/6 Modulator) INCLS: BOB TAIL PROPORTIONING SYSTEM for Rear Axles is Included With 04092, BRAKE SYSTEM, AIR (Tractor) When Ordered With Code 04AZG, ABS OMIT ITEM REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08WEK or 08XGJ(std) BATTERY BOX, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM <div style="text-align: right;">(SEE NEXT PAGE)</div>	04AZA 04AZU	STD N/A	STD \$644 0/+7

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-25

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AIR BRAKE ABS (CONTINUED) Bendix - AntiLock Brake System - With Electronic Stability Program (6-Channel; 6 Sensor/6 Modulator) With Automatic Traction Control REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING, when in combination with Code 04091 or 04092 BRAKE SYSTEM, AIR and Code 05PTB STEERING GEAR REQS: Code 02AGC, 02AGE, 02ARV or 02ARW AXLE, FRONT NON-DRIVING, when in combination with Code 04091 or 04092 BRAKE SYSTEM, AIR and Code 05PSA STEERING GEAR REQS: Code 04JCG(std) BRAKES, FRONT, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR REQS: Code 04NDB BRAKES, REAR, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR - for 7400 SBA 6X4 REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08WEK or 08XGJ(std) BATTERY BOX, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 03ADC SUSPENSION, FRONT, SPRING, when in combination with Code 04092 BRAKE SYSTEM, AIR - for 7400 SBA 6X4 REQS: Code 15DMV, 15DPL, 15DPM, 15DYS, 15DYT, 15DYU, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK, when in combination with Code 04WDT SPRING BRAKE MODULATOR VALVE and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14UZB, 14UZR or 14UZU SUSPENSION, REAR, TANDEM -OR- Code 14ULT, 14ULU, 14UNT, 14UNU, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM REQS: Code 13GHJ, 13GHL, 13GHW, 13GKJ or 13GMZ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU or 15SWY FUEL TANK N/A: Code 02AUR AXLE, FRONT NON-DRIVING : Code 04583 HAND CONTROL VALVE, AIR : Code 05708 STEERING COLUMN : Code 14877 and 14881 DIFFERENTIAL, LOCKING	04AZY	N/A	\$2,957 - 7 / - 6

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-27

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AIR DRYER (CONTINUED) Bendix - AD-9 - With Heater INCLS: AIR DRYER LOCATION Inside Left Rail, Back of Cab N/A: Code 04VGJ AIR DRYER LOCATION	04EBS	\$450 0/0	\$450 +19/+18
AIR DRYER LOCATION Mounted Outside Left Rail 25" BOC REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER N/A: Code 16196 CAB Mounted Outside Right Rail 25" BOC REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER N/A: Code 16196 CAB or BATTERY BOX Mounted To Battery Box, Left Side, Back of Cab for DayCab/ Extended Cabs. Mounted to Battery Box or Step Package, Left Side, Under Rear Door for Crew Cab REQS: Code 04EBT AIR DRYER	04VBD 04VBE 04VGJ	\$79 0/0 \$79 0/0 \$70 0/0	\$79 0/0 \$79 0/0 \$70 0/0
AIR TANK Painted Aluminum, With Straight Thread O-Ring Ports Polished Aluminum, With Straight Thread O-Ring Ports N/A: Code 04WZJ AIR TANK LOCATION	04VGN 04VGM	\$432 0/0 \$502 0/0	\$432 - 11/- 5 \$502 - 11/- 5
AIR TANK LOCATION (02) Mounted Under Cab, Outside Left Rail, on Step Bracket, with Ground Clearance REQS: Code 08TST or 08TTR BATTERY BOX, when in combination with Code 07BJX EXHAUST SYSTEM REQS: Code 08VTN, 08VUJ, 08VUK or 08WEK BATTERY BOX, when in combination with Code 07BKE EXHAUST SYSTEM and Code 15SNU FUEL TANK REQS: Code 08VTN, 08VUJ, 08VUK, 08VUN, 08WEK or 08WJJ BATTERY BOX, when in combination with Code 07BKE EXHAUST SYSTEM and Code 15SPS or 15SSC FUEL TANK REQS: Code 08VTR, 08VUN, 08WEJ or 08WJJ BATTERY BOX, when in combination with Code 07BKE EXHAUST SYSTEM and Code 15SNT FUEL TANK REQS: Code 15WDG DEF TANK REQS: Code 07BEM, 07BEP, 07BJY(std) or 07BKE EXHAUST SYSTEM REQS: Code 15DMV, 15DPL, 15DPM, 15DYS, 15DYT, 15DYU, 15DZT, 15SGE, 15SGH, 15SGK(std), 15SJM, 15SJN, 15SME, 15SNT, 15SNU, 15SPS or 15SSC FUEL TANK N/A: Code 04VBD, 04VBE and 04VGJ AIR DRYER LOCATION, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL (SEE NEXT PAGE)	04VHZ	\$434 +10/+6	\$434 +11/+5

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-31

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AIR TANK LOCATION (SEE PREV PAGE) REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE or Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE, when in combination with Code 16030 CAB and Code 15LLZ LOCATION FUEL/WATER SEPARATOR and Code 12EHN ENGINE, DIESEL - for 7400 SBA 4X2 REQS: Code 14TAX, 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE or Code 14SAH, 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE, when in combination with Code 04619 TRAILER CONNECTIONS - for 7400 SBA 4X2 REQS: Code 14ULT, 14ULU or 14UNX SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14UZH, 14UZR, 14UZZ or 14UZU SUSPENSION, REAR, TANDEM, when in combination with Code 04619 TRAILER CONNECTIONS - for 7400 SBA 6X4 REQS: Code 14ULT, 14ULU, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14UZH, 14UZR, 14UZZ, 14UZT, 14UZU or 14UZV SUSPENSION, REAR, TANDEM, when in combination with Code 16030 CAB and Code 15LLZ LOCATION FUEL/WATER SEPARATOR and Code 12EHN ENGINE, DIESEL - for 7400 SBA 6X4 REQS: Code 15LLZ or 15LMA LOCATION FUEL/WATER SEPARATOR, when in combination with Code 15LGM FUEL/WATER SEPARATOR and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 15LGM FUEL/WATER SEPARATOR, when in combination with Code 15LLZ or 15LMA LOCATION FUEL/WATER SEPARATOR and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 07BEM, 07BEP, 07BET or 07BJX EXHAUST SYSTEM - for 7400 SBA 4X2 -OR- Code 07BEM, 07BEP or 07BJX EXHAUST SYSTEM - for 7400 SBA 6X4 REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 08TST, 08TTR, 08VTK, 08WEL, 08WJN and 08XGJ(std) BATTERY BOX AVAIL: Code 04VGN AIR TANK	04WZJ		
AIR SUPPLY, AUXILIARY on Air Reservoir with Glad Hand Connector	04RUJ	\$173 +2/+1	\$173 +2/+1

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-34

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKE CHAMBERS, SPRING (SEE PREV PAGE) N/A: Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE	04ERC		
BRAKE IDENTITY, REAR Meritor - Cast Plus - 16.5" x 8.63" REQS: Code 04NDH, 04NDN or 04NDP BRAKES, REAR, AIR CAM N/A: Code 04NDH BRAKES, REAR, AIR CAM - for 7400 SBA 6X4	04NNP	\$1,935 0/0	\$3,870 0/0
BRAKE LININGS, REAR Meritor - R403 - Non-Asbestos for S-Cam Brake	04EUE	\$123 0/0	\$246 0/0
BRAKE PACKAGE, FRONT Meritor - EX225H2 - Air, Disc Type, 22.5" REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 27DEL, 27DEM, 27DHJ, 27DHK, 27DJH, 27DJJ, 27DMB, 27DMC, 27DME, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DTD, 27DTH, 27DTT, 27DUK, 27DUL, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 6X4 REQS: Code 27DHJ, 27DHK, 27DJH, 27DJJ, 27DMB, 27DMC, 27DME, 27DMJ, 27DMK, 27DMZ, 27DNZ, 27DPN, 27DPR, 27DTD, 27DTH, 27DTT, 27DUK, 27DUL, 27DUP, 27DUR or 27DUS WHEELS, FRONT - for 7400 SBA 4X2 REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG(std), 04JCJ(std), 04193 and 04196 BRAKES, FRONT, AIR CAM	04WZK	N/C 0/0	N/C 0/0
BRAKE SHOES, REAR Cast REQS: Code 04NCZ, 04NDA, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM - for 7400 SBA 4X2 -OR- Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM - for 7400 SBA 6X4 NOTE: Provides Rear Axle GAWR Up to 26,000-Lb. - for 7400 SBA 4X2 : Provides Rear Axle GAWR Up to 52,000-Lb. - for 7400 SBA 6X4 (SEE NEXT PAGE)	04773	\$1,021 0/+50	\$2,042 0/+100

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-36

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKE SHOES, REAR (SEE PREV PAGE) NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04773		
BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 02AGE, 02AGG or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 REQS: Code 02AGE, 02AGG, 02ARW or 02ARX(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 REQS: Code 04EXP(std) BRAKE CHAMBERS, FRONT AXLE REQS: Code 04092 BRAKE SYSTEM, AIR - for 7400 SBA 6X4 -OR- BRAKE SYSTEM, AIR - for 7400 SBA 4X2 N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WZK BRAKE PACKAGE, FRONT : Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB and 14UMC SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires. : Front Axle with 14,000-lb GAWR is Limited to 13,200-lb GAWR when used in Conjunction with 15" BRAKES, FRONT, AIR CAM.	04JCG	STD	\$265CR 0/0
S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 02AGC, 02AGE, 02AGG, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 REQS: Code 02AGC, 02AGE, 02AGG, 02ARV, 02ARW or 02ARX(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 REQS: Code 04EXP(std) BRAKE CHAMBERS, FRONT AXLE N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WZK BRAKE PACKAGE, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	04JCJ	\$265 0/0	STD
16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers REQS: Code 02AGC, 02AGE, 02AGG, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 REQS: Code 02AGC, 02AGE, 02AGG, 02ARV, 02ARW or 02ARX(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2	04196	\$265 +23/0	N/C +10/0
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-37

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKES, REAR, AIR CAM (CONTINUED) S-Cam; 16.5" x 7.0"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston-Type Spring Activated Parking Brakes REQS: Code 04EVR BRAKE CHAMBERS, REAR AXLE REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04NNP BRAKE IDENTITY, REAR AVAIL: Code 04795 SPECIAL RATING, GAWR - for 7400 SBA 6X4 : Code 04WYB BRAKE CHAMBERS, SPRING - for 7400 SBA 4X2 NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04NCZ	N/C 0/+48	N/C 0/+96
S-Cam; 16.5" x 7.0"; Includes 36/36 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brakes REQS: Code 04EXT BRAKE CHAMBERS, REAR AXLE REQS: Code 04773 BRAKE SHOES, REAR REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14SCD, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, SINGLE -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE REQS: Code 14AHH, 14AHJ, 14AJY, 14ASB, 14ASC, 14ASD, 14ATG, 14ERB or 14ERC AXLE, REAR, SINGLE N/A: Code 04774 SPECIAL RATING, GAWR : Code 04NNP BRAKE IDENTITY, REAR NOTE: Provides Rear Axle GAWR Up to 31,000-Lb. : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04NDA	N/C 0/0	N/A
S-Cam; 16.5" x 8.625" Includes 30/30 Sq.In. Long Stroke Brake Chambers and Spring Actuated Parking Brake REQS: Code 04EVH or 04EXU(std) BRAKE CHAMBERS, REAR AXLE REQS: Code 14AET, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHL, 14AJY, 14ANK, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CVB, 14ERB, 14ERC, 14ERP or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- AXLE, REAR, TANDEM - for 7400 SBA 6X4 N/A: Code 04773 BRAKE SHOES, REAR : Code 32WAA WHEELS, REAR AVAIL: Code 04WYB BRAKE CHAMBERS, SPRING - for 7400 SBA 4X2	04NDH	\$111 0/+10	\$222 0/+20
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-40

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKES, REAR, AIR CAM (SEE PREV PAGE) NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04NDH		
S-Cam; 16.5" x 8.625"; Includes 30/24 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVP BRAKE CHAMBERS, REAR AXLE REQS: Code 14AET, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ANK, 14ANM, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CVB, 14CVC, 14ERB, 14ERC, 14ERP or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- AXLE, REAR, TANDEM - for 7400 SBA 6X4 N/A: Code 04773 BRAKE SHOES, REAR : Code 04WDW BRAKE CHAMBERS, SPRING NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04NDP	\$111 0/0	\$222 0/+104
S-Cam; 16.5" x 8.625"; Includes 30/28 Sq.In. Long Stroke Brake Chambers and Piston Type Spring Actuated Parking Brakes REQS: Code 04EVR BRAKE CHAMBERS, REAR AXLE REQS: Code 14AET, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ANK, 14ANM, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CVB, 14CVC, 14ERB, 14ERC, 14ERP or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- AXLE, REAR, TANDEM - for 7400 SBA 6X4 N/A: Code 04773 BRAKE SHOES, REAR AVAIL: Code 04795 SPECIAL RATING, GAWR - for 7400 SBA 6X4 : Code 04WYB BRAKE CHAMBERS, SPRING - for 7400 SBA 4X2 NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04NDN	\$111 0/0	\$222 0/+112

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-41

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKE CHAMBERS, REAR AXLE Bendix - EverSure - 30/30 Spring Brake REQS: Code 04NDB(std) or 04NDH BRAKES, REAR, AIR CAM AVAIL: Code 04AAU BRAKE CHAMBERS, ADDITIONAL - for 7400 SBA 6X4 36/36 Spring Brake REQS: Code 04NDA BRAKES, REAR, AIR CAM MGM - MJS3024ET - 30/24 Piston Spring Brake INCLS: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb. : BRAKE CHAMBERS, SPRING (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater - for 7400 SBA 6X4 REQS: Code 04NDL or 04NDP BRAKES, REAR, AIR CAM N/A: Code 04AAA and 04AAU BRAKE CHAMBERS, ADDITIONAL - MJS3028ET - 30/28 Piston Spring Brake INCLS: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb. : BRAKE CHAMBERS, SPRING (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater - for 7400 SBA 6X4 REQS: Code 04NCZ or 04NDN BRAKES, REAR, AIR CAM N/A: Code 04AAA and 04AAU BRAKE CHAMBERS, ADDITIONAL - TR3030LP3TSHD - 30/30 Spring Brake INCLS: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb. : BRAKE CHAMBERS, SPRING (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater - for 7400 SBA 6X4 REQS: Code 04NDB(std) or 04NDH BRAKES, REAR, AIR CAM (SEE NEXT PAGE)	04EXU	STD	STD
	04EXT	\$144 0/0	N/A
	04EVP	\$454 0/0	\$908 0/0
	04EVR	\$458 0/0	\$916 0/0
	04EVH	\$150 0/0	\$300 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-42

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BRAKE CHAMBERS, REAR AXLE (SEE PREV PAGE) MGM - TR3030LP3TSHD - AVAIL: Code 04AAA BRAKE CHAMBERS, ADDITIONAL - for 7400 SBA 6X4	04EVH		
BRAKES, AIR CAM, PUSHER AXLE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished With One Pusher Lift Axle AVAIL: Code 14WLU and 14WNH AXLE, PUSHER, LIFT TYPE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished With Two Pusher Lift Axles AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE S-Cam; 16.5" x 6.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished With One Pusher Lift Axle AVAIL: Code 14WNM AXLE, PUSHER, LIFT TYPE S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished With One Pusher Lift Axle AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE	04JBR 04JBU 04JCK 04JBS	N/A N/A N/A N/A	N/C 0/0 N/C 0/0 N/C 0/0 N/C 0/0
BRAKES, AIR CAM, TAG AXLE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished With Tag Lift Axle AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished With Tag Lift Axle AVAIL: Code 14WLR AXLE, TAG, LIFT TYPE	04JBW 04JBT	N/A N/A	N/C 0/0 N/C 0/0
DRAIN VALVE Berg with Pull Chain, for Air Tank INCLS: DRAIN VALVE Mounted in Wet Tank No Vendor Identified (03) Petcocks, for Air Tanks Automatic, with (3) Pull Chains, for Air Tanks (03) with Pull Chains for Air Tanks	04732 04WDA 04WRP 04WWZ	STD N/C 0/0 \$44 0/0 \$105 0/0	STD N/C 0/0 \$44 0/0 \$105 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-43

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
DRAIN VALVE (CONTINUED) Bendix - DV-2 - (1) Automatic, with Heater, with (2) Berg Pull Chains, for Air Tank Automatic, with Heater, for Air Tank INCLS: DRAIN VALVE Mounted in Wet Tank	04WXX	\$112	\$112
	04722	\$119 0/0	\$119 0/0
DUST SHIELDS, FRONT BRAKE for Air Brakes N/A: Code 02AUR AXLE, FRONT NON-DRIVING : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC	04WBX	\$35 + 4/0	\$35 + 4/0
DUST SHIELDS, REAR BRAKE for Air Brakes	04WDM	\$70 0/+6	\$102 0/+12
HAND CONTROL VALVE, AIR for Trailer Brakes, Omit Item. REQ: Code 04619 TRAILER CONNECTIONS, when in combination with Code 04091 BRAKE SYSTEM, AIR For Rear Chassis Brakes; With Pressure Reducing Valve INCLS: HAND CONTROL VALVE, AIR Mounted on Steering Column REQ: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04619 TRAILER CONNECTIONS NOTE: Not Intended to be Used for Locally Installed Trailer Connections	04WDU	N/C - 2/0	N/C - 2/0
	04583	\$255 + 5/0	\$255 + 5/0
HOSE TENDER Flexible Pogo Stick Type REQ: Code 16ZGM ACCESS, FRAME, when in combination with Code 04092 BRAKE SYSTEM, AIR REQ: Code 04092 BRAKE SYSTEM, AIR REQ: Code 07BEM, 07BEP or 07BJX EXHAUST SYSTEM	04692	\$76 0/0	\$76 0/0
SLACK ADJUSTERS, FRONT Haldex Automatic REQ: Code 04LGA SLACK ADJUSTERS, REAR N/A: Code 02AUR AXLE, FRONT NON-DRIVING : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WZK BRAKE PACKAGE, FRONT	04LAA	\$138 + 6/0	\$138 + 6/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-44

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SLACK ADJUSTERS, REAR Haldex Automatic REQ: Code 04LAA SLACK ADJUSTERS, FRONT or Code 04JDD or 04JDE BRAKES, FRONT, AIR DISC	04LGA	\$188 0/0	\$268 0/0
SLACK ADJUSTER, PUSHER AXLE Haldex Automatic; for (2) Pusher Axles N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Automatic; for Single Pusher Axle N/A: Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	04JNL 04JNJ	N/A N/A	\$98 0/0 \$58 0/0
SLACK ADJUSTER, TAG AXLE Haldex Automatic; for 1 Tag Axle N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	04JNK	N/A	\$58 0/0
SPECIAL RATING, GAWR WARNING; Rear Axle Limited to 34,000 lb 6x4 Tandem Tractor REQ: Code 04092 BRAKE SYSTEM, AIR NOTE: 010002 Provides Rear Tractor Brake Rating Equal to Axle Rating up to 23,000-lbs for Single Axles, 46,000-lbs for Tandem Axles, or 69,000-lb for Tridem REQ: Code 04NDB(std), 04NDH or 04NDP BRAKES, REAR, AIR CAM REQ: Code 04092 BRAKE SYSTEM, AIR NOTE: Provides Rear Axle GAWR Up to 23,000-Lb. - for 7400 SBA 4X2 : Provides Rear Axle GAWR Up to 46,000-Lb. - for 7400 SBA 6X4 : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	04795 04774	N/A N/C 0/0	N/C 0/0 N/C 0/0
SPRING BRAKE MODULATOR VALVE With Relay function REQ: Code 04092 BRAKE SYSTEM, AIR or Code 14TBZ SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2	04WDT	\$151 0/0	\$151 0/0
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-45

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SPRING BRAKE MODULATOR VALVE (SEE PREV PAGE) REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK, 08WEK or 08XGJ(std) BATTERY BOX, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 15DMV, 15DPL, 15DPM, 15DYS, 15DYT, 15DYU, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK, 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM REQS: Code 04092 BRAKE SYSTEM, AIR	04WDT		
TRAILER CONNECTIONS Four-Wheel, With Hand Control Valve and Tractor Protection Valve, for Straight Truck REQS: Code 08HAA BODY BUILDER WIRING or Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS or Code 08TME or 08TMG TRAILER CONNECTION SOCKET, when in combination with Code 12EHN, 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 08TKK TRAILER AUXILIARY FEED CIRCUIT, when in combination with Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS and Code 12EHN, 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04AZS AIR BRAKE ABS, when in combination with Code 04091 BRAKE SYSTEM, AIR - for 7400 SBA 4X2 : Code 01616 FRAME RAILS WITH TAPERED REAR AVAIL: Code 04WDU HAND CONTROL VALVE, AIR	04619	\$542 + 2/0	\$542 + 2/0
TRAILER HOSES Glad Hands for Four-Wheel Connections, Temporarily Mounted with Bulkhead Connectors on End of Frame, Includes Additional Hosing and Dummy Glad Hands	04677	\$523 - 6/+22	\$523 - 5/+21
STEERING GEAR Sheppard - M100 - Power REQS: Code 02AGC, 02AGE, 02AGG, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 REQS: Code 02AGC, 02AGE, 02AGG, 02ARV, 02ARW or 02ARX(std) AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2	05PSA	STD	STD

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-46

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
EXHAUST SYSTEM (SEE PREV PAGE)			
N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDL MUFFLER/TAIL PIPE GUARD : Code 15WCN and 15WDH(std) DEF TANK : Code 07WBU, 07WCC, 07WCM and 07WCR EXHAUST HEIGHT AVAIL: Code 04VDU AIR TANK LOCATION - for 7400 SBA 6X4 : Code 04VDU and 04WZJ AIR TANK LOCATION - for 7400 SBA 4X2 : Code 08VTR, 08VUL, 08VUM, 08VUN, 08WDB, 08WJJ, 08WRG, 08XDU and 08XGJ(std) BATTERY BOX : Code 07WBZ and 07WCA TAIL PIPE	07BET		
Switchback Horizontal Aftertreatment Device, Frame Mounted Right Side Under Cab; Includes Single Vertical Tail Pipe, Frame Mounted Right Side Back of Cab, for Improved Ground Clearance REQS: Code 16030(std) CAB REQS: Code 04VCL, 04VHZ or 04WZJ AIR TANK LOCATION, when in combination with Code 16030 CAB and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 08VTN, 08VUJ, 08VUK or 08WEK BATTERY BOX, when in combination with Code 04VHZ AIR TANK LOCATION and Code 15SNU FUEL TANK REQS: Code 08VTN, 08VUJ, 08VUK, 08VUN, 08WEK or 08WJJ BATTERY BOX, when in combination with Code 04VHZ AIR TANK LOCATION and Code 15SPS or 15SSC FUEL TANK REQS: Code 08VTR, 08VUN, 08WEJ or 08WJJ BATTERY BOX, when in combination with Code 04VHZ AIR TANK LOCATION and Code 15SNT FUEL TANK REQS: Code 15SGD, 15SGG, 15SGJ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWE or 15SWY FUEL TANK N/A: Code 16917 MOUNTING BRACKETS : Code 04692 HOSE TENDER : Code 14WLM and 14WLU AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 07BES AFTERTREATMENT COVER : Code 07BES AFTERTREATMENT COVER or Code 16XTK and 16ZBB ACCESS, CAB : Code 07WBZ and 07WCA TAIL PIPE : Code 07WBS and 07WDL MUFFLER/TAIL PIPE GUARD : Code 07WCM EXHAUST HEIGHT AVAIL: Code 04VCL and 04VHZ AIR TANK LOCATION : Code 08VTN, 08VTR, 08VUJ, 08VUK, 08VUL, 08VUM, 08VUN, 08WEJ, 08WEK and 08WJJ BATTERY BOX : Code 15DYP and 15WDG DEF TANK	07BKE	\$2,178 +162/+1	\$2,178 +164/+3

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-51

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AFTERTREATMENT with Special Temperature Control, for Stationary Applications REQS: Code 07BEP or 07BJY(std) EXHAUST SYSTEM, when in combination with Code 12EHN ENGINE, DIESEL	07BEW	\$201	\$201
AFTERTREATMENT COVER Polished Aluminum REQS: Code 16XTK or 16ZBB ACCESS, CAB, when in combination with Code 07BEM or 07BEP EXHAUST SYSTEM REQS: Code 07BEM, 07BEP, 07BET or 07BKG EXHAUST SYSTEM N/A: Code 16VBU ACCESS, CAB : Code 08TST and 08TTR BATTERY BOX AVAIL: Code 07WBS MUFFLER/TAIL PIPE GUARD	07BES	\$498 0/0	\$498 0/0
ENGINE COMPRESSION BRAKE for Navistar N9/10 I6 Engines; Electronically Activated REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 07SCP and 07SDM ENGINE EXHAUST BRAKE Jacobs for Cummins ISL/L9 Engines; with Selector Switch and On/Off Switch REQS: Code 12EHN ENGINE, DIESEL N/A: Code 07SCP and 07SDM ENGINE EXHAUST BRAKE	07SDL 07SDP	\$2,132 +42/+5 \$2,132	\$2,132 +45/+2 \$2,132
ENGINE EXHAUST BRAKE for Navistar N9/10 I6 Engines; Electronically Activated REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 13WBA HYDRAULIC RETARDER : Code 07SDL and 07SDP ENGINE COMPRESSION BRAKE for Cummins ISB/B6.7/ISL/L9 Engine with Variable Vane Turbo Charger REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SPS, 15SRE, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK REQS: Code 12EHN ENGINE, DIESEL N/A: Code 13WBA HYDRAULIC RETARDER : Code 07SDL and 07SDP ENGINE COMPRESSION BRAKE	07SDM 07SCP	\$184 0/0 \$184	\$184 0/0 \$184

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-52

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
EXHAUST HEIGHT			
10' 11" REQS: Code 07BEP, 07BKE or 07BKG EXHAUST SYSTEM N/A: Code 07WBZ and 07WCA TAIL PIPE	07WCR	\$72 +1/+1	\$72 +1/+1
11' 6" REQS: Code 07BEP, 07BJX, 07BKE or 07BKG EXHAUST SYSTEM N/A: Code 07WBZ and 07WCA TAIL PIPE	07WBU	\$118 +2/0	\$118 +2/0
13' 3" REQS: Code 07BEP, 07BKE or 07BKG EXHAUST SYSTEM N/A: Code 07WBZ and 07WCA TAIL PIPE	07WCC	\$176 +3/0	\$176 +3/0
8' 10" REQS: Code 07WAZ or 07WBA TAIL PIPE REQS: Code 07BEP EXHAUST SYSTEM AVAIL: Code 07WAZ and 07WBA TAIL PIPE	07WCM	\$35 +1/+1	\$35 +1/+1
MUFFLER/TAIL PIPE GUARD			
(1) Bright Stainless Steel REQS: Code 07BEP or 07BKG EXHAUST SYSTEM N/A: Code 07WBZ and 07WCA TAIL PIPE	07WBS	\$133 0/0	\$133 0/0
(2) Bright Stainless Steel REQS: Code 07BJX EXHAUST SYSTEM N/A: Code 07BES AFTERTREATMENT COVER : Code 07WBZ and 07WCA TAIL PIPE AVAIL: Code 08TST, 08TTR, 08VTK, 08VUJ, 08VUL, 08VUM and 08WEL BATTERY BOX	07WDL	\$383 0/0	\$383 0/0
RAIN CAP			
With Single Exhaust, Chrome Finish REQS: Code 07WAY TAIL PIPE REQS: Code 07BEP, 07BJX, 07BKE or 07BKG EXHAUST SYSTEM N/A: Code 07WBZ and 07WCA TAIL PIPE	07WAG	\$62 +2/0	\$62 +2/0
With Single Exhaust, Non-Bright Finish REQS: Code 07BEP, 07BJX, 07BKE or 07BKG EXHAUST SYSTEM N/A: Code 07WAY, 07WAZ, 07WBA, 07WBZ and 07WCA TAIL PIPE	07WAE	\$21 +2/0	\$21 +2/0
SWITCH, FOR EXHAUST			
3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	07WZX	\$56 +2/0	\$56 +2/0
2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position	07WZY	\$31 +2/0	\$31 +2/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-53

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TAIL PIPE			
(1) Straight Type, Bright, for Single Exhaust REQS: Code 07BEP, 07BJX, 07BKE or 07BKG EXHAUST SYSTEM N/A: Code 07WCM EXHAUST HEIGHT AVAIL: Code 07WAG RAIN CAP	07WAY	\$144 0/0	\$144 0/0
(1) Turnback Type, Bright, for Single Exhaust REQS: Code 07BEP, 07BJX, 07BKE or 07BKG EXHAUST SYSTEM AVAIL: Code 07WAG RAIN CAP	07WBA	\$162 0/0	\$162 0/0
(1) Turnback Type, Non-Bright, for Single Exhaust REQS: Code 07BEP, 07BJX, 07BKE or 07BKG EXHAUST SYSTEM AVAIL: Code 07WAG RAIN CAP	07WAZ	\$64 0/0	\$64 0/0
Horizontal, Exits Right Side Outside of Body, At Rear Wheels REQS: Code 14ULT or 14ULU SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULP(std), 14ULX, 14ULY or 14UMB SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 REQS: Code 07BET EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDL MUFLER/TAIL PIPE GUARD : Code 07WBU, 07WCC, 07WCM and 07WCR EXHAUST HEIGHT	07WBZ	\$361 0/0	\$361 0/0
Horizontal, Exits Right Side Outside of Body REQS: Code 07BET EXHAUST SYSTEM N/A: Code 07WAE and 07WAG RAIN CAP : Code 07WBS and 07WDL MUFLER/TAIL PIPE GUARD : Code 07WBU, 07WCC, 07WCM and 07WCR EXHAUST HEIGHT	07WCA	\$255 0/0	\$255 0/0
ELECTRICAL SYSTEM			
12-Volt, Standard Equipment INCLS: WINDSHIELD WIPERS Single Motor, Electric, Cowl Mounted : WINDSHIELD WIPER SWITCH 2-Speed with Wash and Intermittent Feature (5 Pre-Set Delays), Integral with Turn Signal Lever : JUMP START STUD Located on Positive Terminal of Outermost Battery : STARTER SWITCH Electric, Key Operated : WIRING, CHASSIS Color Coded and Continuously Numbered : HEADLIGHTS (2) Sealed Beam, Round, with Chrome Plated Bezels : HEADLIGHT DIMMER SWITCH Integral with Turn Signal Lever : STOP, TURN, TAIL & B/U LIGHTS Dual, Rear, Combination with Reflector : PARKING LIGHT Integral with Front Turn Signal and Rear Tail Light (SEE NEXT PAGE)	08000	STD	STD

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-54

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ELECTRICAL SYSTEM (SEE PREV PAGE) INCLS: HAZARD SWITCH Push On/Push Off, Located on Top of Steering Column Cover : TURN SIGNAL SWITCH Self-Cancelling for Trucks, Manual Cancelling for Tractors, with Lane Change Feature : FUSES, ELECTRICAL SAE Blade-Type : DATA LINK CONNECTOR For Vehicle Programming and Diagnostics In Cab	08000		
ALARM, PARKING BRAKE Electric Horn Sounds in Repetitive Manner When Vehicle Park Brake is "NOT" Set, With Ignition "OFF" and any Door Opened	08WXD	\$42 0/0	\$42 0/0
ALTERNATOR Leece-Neville - AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount, With Remote Sense Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount - AVI160P2003 - Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, With Remote Sense - AVI160P2007 - Brush Type; 12 Volt 210 Amp. Capacity, Pad Mount, With Remote Sense - AVI160P2012 - Brush Type; 12 Volt 190 Amp. Capacity, Pad Mount, With Remote Sense - BLP4006HN - Brushless, 12 Volt 325 Amp. Capacity, Pad Mount, with Remote Sense REQS: Code 12EHN or 12NWD ENGINE, DIESEL - 14931PAH - Brush Type, 12 Volt 320 Amp. Capacity, Pad Mount REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL Bosch - LH160 - Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount - LH200 - Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount	08GXD 08GXJ 08GXB 08GXC 08GXE 08G XK 08GWY 08GGN 08GGR	STD N/C \$601 +1/0 \$476 +1/0 \$368 0/0 \$1,358 \$1,297 +12/-1 \$151 -6/+1 \$459 -2/0	STD N/C \$601 +1/0 \$476 +1/0 \$368 0/0 \$1,358 \$1,297 +12/-1 \$151 -5/0 \$459 -2/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-55

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ALTERNATOR (CONTINUED) Delco Remy - 28SI - Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount, with Remote Voltage Sensor Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount, with Remote Voltage Sensor - 36SI - Brushless, 12 Volt 165 Amp. Capacity, Pad Mount, with Remote Voltage Sensor - 40SI - Brushless, 12 Volt 240 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GHP 08GHU 08GGG 08GHK	\$277 - 1 / 0 \$404 - 1 / 0 \$491 + 7 / 0 \$1,022 + 13 / - 2	\$277 - 1 / 0 \$404 - 1 / 0 \$491 + 8 / - 1 \$1,022 + 13 / - 1
ALTERNATOR PULLEY 2.4" Diameter for Increased Alternator Output at Idle; for Fire Truck Application With International Engines, Must Include Fire Truck Identity Code REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	08WEA	\$17 0 / 0	\$17 0 / 0
AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications N/A: Code 08THV DISCONNECT, FRONT HARNESS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP 5.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications N/A: Code 08WPL, 08WPM and 08XJH FOG LIGHTS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	08THJ 08TNP	\$158 + 2 / 0 N/A	\$158 + 2 / 0 \$178 + 3 / 0
BACK-UP ALARM Electric, 102 dBA Preco - 1059 - Electronic; Solid State, Dual Function, 112 dBA N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 08THM STOP, TURN, TAIL & B/U LIGHTS	08THB 08WDG	\$120 0 / + 3 \$211 0 / + 1	\$120 0 / + 3 \$211 0 / + 1



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BATTERY BOX Steel with Plastic Cover, 30" Wide, 2, 3 or 4 Battery Capacity, Mounted Left Side Under Cab REQS: Code 07BEM, 07BEP, 07BET, 07BJY(std) or 07BKG EXHAUST SYSTEM REQS: Code 15SGE, 15SGH, 15SGK(std), 15SME, 15SNU, 15SSC, 15SVN or 15SWS FUEL TANK - for 7400 SBA 4X2 -OR- Code 15SGE, 15SGH, 15SGK(std), 15SJM, 15SJM, 15SME, 15SNU, 15SSC, 15SVN or 15SWS FUEL TANK - for 7400 SBA 6X4 N/A: Code 16CAB CAB : Code 08RMH BATTERY DISCONNECT SWITCH : Code 08RMH BATTERY DISCONNECT SWITCH, when in combination with Code 12EHN, 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL : Code 04VCL, 04VDU, 04VHZ and 04WZJ AIR TANK LOCATION : Code 08TNR and 08TRV BATTERY CABLES : Code 15WCN and 15WDG DEF TANK AVAIL: Code 08WGU BATTERY BOX COVER : Code 14WNH AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : Code 08WBW JUMP START STUD : Code 07WBS MUFFLER/TAIL PIPE GUARD Aluminum With Plastic Cover, 30" Wide, 2, 3 or 4 Battery Capacity, Mounted Right Side Under Cab REQS: Code 07BJX or 07BJY(std) EXHAUST SYSTEM REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU or 15SWY FUEL TANK N/A: Code 16VBU ACCESS, CAB : Code 08TNR and 08TRV BATTERY CABLES : Code 07BES AFTERTREATMENT COVER : Code 15DYS and 15WCN DEF TANK AVAIL: Code 04VHZ AIR TANK LOCATION : Code 08WGU BATTERY BOX COVER : Code 14WNM AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : Code 08WBW JUMP START STUD Aluminum With Plastic Cover, 30" Wide, 2, 3 or 4 Battery Capacity, Mounted Left Side Under Cab REQS: Code 07BJY(std) or 07BKG EXHAUST SYSTEM REQS: Code 15SGE, 15SGH, 15SGK(std), 15SME, 15SNU, 15SSC, 15SVN or 15SWS FUEL TANK N/A: Code 08RMH BATTERY DISCONNECT SWITCH : Code 08RMH BATTERY DISCONNECT SWITCH, when in combination with Code 12EHN, 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL : Code 04VCL, 04VDU, 04VHZ and 04WZJ AIR TANK LOCATION : Code 08TNR and 08TRV BATTERY CABLES : Code 15WCN and 15WDG DEF TANK AVAIL: Code 08WGU BATTERY BOX COVER : Code 14WNM AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : Code 08WBW JUMP START STUD : Code 07WBS MUFFLER/TAIL PIPE GUARD	08XGJ	STD	STD
	08TST	\$468 - 9/- 17	\$468 - 11/- 15
	08WJN	\$590 - 9/- 21	\$590 - 11/- 19

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-57

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BODY BUILDER WIRING (CONTINUED) Rear of Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn REQS: Code 04091(std) BRAKE SYSTEM, AIR INSIDE CAB; Includes Sealed Connectors for Tail/Amber, Turn/Marker/Backup/Accessory, Power/Ground, and Stop/Turn REQS: Code 04091(std) BRAKE SYSTEM, AIR Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/ Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn REQS: Code 04091(std) BRAKE SYSTEM, AIR	08HAE 08HAU 08HAB	\$209 0/+3 \$302 0/0 \$100 +2/0	\$209 0/+3 \$302 0/0 \$100 +2/0
CB ANTENNA <i>Pana-Pacific</i> (02) Full Wave; 4.0' Length Includes "International" Name on Top REQS: Code 08RCB CB RADIO	08RBK	\$78 +3/0	\$78 +3/0
CB RADIO Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two Antenna Bases With Wiring REQS: Code 16SDT, 16SDU, 16SNB or 16SNC MIRRORS AVAIL: Code 08TPB DATA RECORDER NOTE: NOT INCLUDED: Antenna	08RCB	\$359 +2/0	\$359 +2/0
2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness N/A: Code 08RMA, 08RMB and 08RMC RADIO, when in combination with Code 08TPA DATA RECORDER Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab AVAIL: Code 08TPB DATA RECORDER	08REA 08RGA	\$163 +2/0 \$68 +1/0	\$163 +2/0 \$68 +1/0
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	08XAH	\$99 0/0	\$99 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-68

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CIGAR LIGHTER Includes Ash Cup	08518	\$18 +1/0	\$18 +1/0
CLEARANCE/MARKER LIGHTS <i>Truck Lite</i> (05) Amber LED Lights, Flush Mounted on Cab or Sunshade	08WPH	STD	STD
COURTESY LIGHT (02) Mounted In Front Map Pocket Left and Right Side REQS: Code 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM REQS: Code 16WRX(std) or 16WSX CAB INTERIOR TRIM N/A: Code 16196 CAB NOTE: Feature included with CAB INTERIOR TRIM, Premium (04) Mounted In Front & Rear Map Pocket Left and Right Side REQS: Code 16WLE STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM REQS: Code 16WSG CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 60AAM BDY INTG, POWER MODULE AUX NOTE: Feature included with CAB INTERIOR TRIM, Premium	08WTP 08WTR	\$48 +1/0 \$75 +2/0	\$48 +1/0 \$75 +2/0
DATA RECORDER Includes Display Mounted in Overhead Console REQS: Code 16JXG(std) or 16KAX SEAT, FRONT BENCH, when in combination with Code 16400 SEAT, PASSENGER REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE N/A: Code 08RMA, 08RMB and 08RMC RADIO, when in combination with Code 08REA 2-WAY RADIO : Code 08RCB CB RADIO AVAIL: Code 08REA 2-WAY RADIO Less Display REQS: Code 16JXG(std) or 16KAX SEAT, FRONT BENCH, when in combination with Code 16400 SEAT, PASSENGER REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE	08TPA 08TPB	\$1,770 +2/0 \$1,340 +2/0	\$1,770 +2/0 \$1,340 +2/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-69

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
HORN, AIR (CONTINUED)			
ACCOMMODATION PACKAGE; less Horn N/A: Code 08695 SNOW SHIELD	08WHE	\$88 + 2/0	\$88 + 2/0
Black, Single Trumpet, Air Solenoid Operated N/A: Code 08695 SNOW SHIELD	08WCL	\$94 0/0	\$94 0/0
HORN, ELECTRIC			
Disc Style	08VAY	STD	STD
(02) Disc Style	08541	\$29 + 1/0	\$29 + 1/0
IGNITION SWITCH			
Keyless N/A: Code 10943 KEYS - ALL ALIKE	08630	\$35 + 2/0	\$35 + 2/0
INDICATOR, BATTERY WARNING			
Green BATTERY ON Indicator, Mounted on Left Side of Instrument Panel, To be Used with Factory Installed or Customer Mounted Battery Disconnect Switch REC: Code 08RMH, 08XHD or 08XHV BATTERY DISCONNECT SWITCH	08WZP	\$59 + 1/0	\$59 + 1/0
INDICATOR, LOW COOLANT LEVEL			
With Audible Alarm	08WWJ	STD	STD
JUMP START STUD			
(02) Remote Mounted REQS: Code 08VUJ, 08VUK or 08XDZ BATTERY BOX, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 08MHD, 08MKL, 08MKX, 08MMG or 08MUE BATTERY SYSTEM REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE, 15SSC, 15STM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 16196 CAB : Code 08875 BATTERY TERMINALS AVAIL: Code 08VUJ, 08VUK and 08XDZ BATTERY BOX	08899	\$214	\$214
Remote Mounted INCLS: JUMP START STUD Mounted to Battery Box N/A: Code 08XDZ BATTERY BOX	08WBW	\$168 + 2/0	\$168 + 2/0
JUNCTION BLOCK			
Stud, 100 Amp Battery Feed, Protected by a Fusible Link, Stud to Be Used for Body Builder Feeds Inside Cab	08WZG	\$382 0/0	\$382 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-72

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
LIGHT, WORK (1) Pedestal Mounted BOC With Switch on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 08WMA SWITCH, TOGGLE, FOR WORK LIGHT Truck Lite - 81 Series - LED, Pedestal Mounted BOC With Switch on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 08WMA SWITCH, TOGGLE, FOR WORK LIGHT	08WLL	\$119 +3/+2	\$119 +3/+2
POWER SOURCE Cigar Type Receptacle without Plug and Cord	08718	\$30 +1/0	\$30 +1/0
POWER SOURCE, SPECIAL for Customer Installed Lift Gate; 200 Amp Max, Includes 00ga. Power Cable to End of Frame, Optional Power (PDM) for Power Source, Latched Switch on Instrument Panel, With a Time Out Feature, Battery Discharge Protection, Controlling a Mag Switch Which Provides Power N/A: Code 08VTK and 08WEL BATTERY BOX : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4	08VBA	\$476 +1/+2	\$476 +1/+2
POWER SOURCE, TERMINAL TYPE 2-Post	08WCK	\$39 +1/0	\$39 +1/0
RADIO Accommodation Package; Less Radio, With Wiring and Antenna, Includes Multiple Speakers INCLS: SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers, With CD Player AM/FM/CD/WB/SiriusXM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers REQS: Code 16SDT or 16SDU MIRRORS N/A: CURTAIN, WINDSHIELD	08787	\$128 +2/0	\$128 +2/0
	08RMD	\$368 +1/0	\$368 +1/0
	08RME	\$474 +1/0	\$474 +1/0
	08RMC	\$886 +1/0	\$886 +1/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-73

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SWITCH, BODY CIRCUITS, MID (SEE PREV PAGE)			
N/A: Code 60ABA, 60ABB, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION	08WSM		
for Body Builders; 12 Switches in Instrument Panel, with Two Power Modules with 6 Channels, 20 Amp Max. per Channel, 80 Amp Max Output, Switch Control Power Modules Through Multiplex Wiring, Mounted on Battery Box BOC	08SAJ	\$1,150 + 4/0	\$1,150 + 4/0
N/A: Code 08XDU and 08XDZ BATTERY BOX : Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK and 60AAL BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60AJA, 60AJE, 60AJG, 60AJH and 60AJJ BDY INTG, THROTTLE CONTROL : Code 60ABA, 60ABB, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION			
for Bodybuilder, 12 Momentary Switches in Instrument Panel, Two Power Modules with 6 Channels, 20 Amp Max. Per Channel, 80 Amp Max Output, Switch Control Power Modules Through Multiplex Wiring, Mounted In Cab Behind Driver	08VZS	\$1,250 + 2/0	\$1,250 + 2/0
N/A: Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 60AAM BDY INTG, POWER MODULE AUX : Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK and 60AAL BDY INTG, REMOTE POWER MODULE : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 60AAM BDY INTG, POWER MODULE AUX : Code 60AJA, 60AJE, 60AJG, 60AJH and 60AJJ BDY INTG, THROTTLE CONTROL : Code 60ABA, 60ABB, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION : Code 16SBA BUNK, LOWER			
AVAIL: Code 08WSK SWITCH, BODY CIRCUITS, REAR			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-78

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SWITCH, BODY CIRCUITS, REAR (SEE PREV PAGE) -OR- Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXK FUEL TANK N/A: Code 08VZR SWITCH, BODY CIRCUITS, MID : Code 60ACE BDY INTG, SWITCH DUAL OUTPUT : Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 01553 TIRE CARRIER : Code 10WPR and 10WPT MUD FLAP HOLDER - for 7400 SBA 6X4 AVAIL: Code 60AAA, 60AAB and 60AAD BDY INTG, REMOTE POWER MODULE	08WSK		
SWITCH, MARKER INTERRUPT Interrupter; for Cab and Body Clearance/Marker Lights, Single Position Blinks Lights When Headlight Switch Is In "On" or "Off" Position REQS: Code 04091(std) BRAKE SYSTEM, AIR	08TMJ	\$24 + 1/0	\$24 + 1/0
SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light N/A: Code 08WAA and 08WLL LIGHT, WORK	08WMA	\$59 + 1/+2	\$59 + 1/+2
TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights REQS: Code 04091(std) BRAKE SYSTEM, AIR AVAIL: Code 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 08THB BACK-UP ALARM	08NAA	\$74 0/+2	\$74 0/+2
TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	08WPZ	\$42 0/0	\$42 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-80

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BUG DEFLECTOR Smoked Colored Plastic, Mounted on Hood REQS: Code 09WBC(std) FRONT END N/A: Code 09ANG HOOD, HATCH	09WAD	\$327 0/0	\$327 0/0
BUG SCREEN Mounted Behind Grille	09WAC	\$131 +5/0	\$131 +5/0
FENDER EXTENSIONS Rubber REQS: Code 09WBC(std) FRONT END	09585	\$104 +6/0	\$104 +6/0
GRILLE Stationary, Chrome REQS: Code 09WBC(std) FRONT END Chrome REQS: Code 09WBM FRONT END N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT Stationary, with Vendor Painted Grille & Headlight Bezels, Argent NAV 8752 REQS: Code 09WBC(std) FRONT END	09HBM 09HAD 09HAT	STD N/C 0/0 \$22CR 0/0	STD N/C 0/0 \$22CR 0/0
GRILLE EMBER SCREEN Mounted to Grille and Cowl Tray to Keep Hot Embers out of Engine and HVAC Air Intake System N/A: Code 16WLS FRESH AIR FILTER	09WBT	\$201 0/0	\$201 0/0
HOOD, HATCH (01) for Servicing N/A: Code 09WAD BUG DEFLECTOR : Code 12WZB EMISSION COMPLIANCE	09ANG	\$444 +5/0	\$444 +5/0
INSULATION, SPLASH PANELS for Sound Abatement REC: Code 09HAN INSULATION, UNDER HOOD	09HBN	\$76 +2/0	\$76 +2/0
INSULATION, UNDER HOOD for Sound Abatement REC: Code 09HBN INSULATION, SPLASH PANELS	09HAN	\$167 +10/0	\$167 +10/0
LOGOS EXTERIOR Badges	09AAB	\$115 0/0	\$115 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-83

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
QUARTER FENDERS for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	09505	\$233 0/+18	\$233 0/+18
CHASSIS COATING Corrosion Resistant E-Coat Primer Coating for Single Frame Rails REQS: Code 09WBC(std) FRONT END N/A: Code 01GBP FRAME REINFORCEMENT Corrosion Resistant E-Coat Primer Coating for Reinforced Frame Rails REQS: Code 09WBC(std) FRONT END REQS: Code 01CBU(std) FRAME RAILS REQS: Code 01GBP FRAME REINFORCEMENT	10021 10022	\$500 0/0 \$1,000 0/0	\$500 0/0 \$1,000 0/0
CUSTOMER SERVICES OnCommand Repair Advocate Service; 12-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 24-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 36-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 48-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU OnCommand Repair Advocate Services; 60-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARM 10ARN 10ARP 10ARR 10ARS	\$258 0/0 \$516 0/0 \$774 0/0 \$1,032 0/0 \$1,290 0/0	\$258 0/0 \$516 0/0 \$774 0/0 \$1,032 0/0 \$1,290 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-84

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FIFTH WHEEL, AIR SLIDE (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section Fontaine			
- SL7LWB725024 - -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 01GBP FRAME REINFORCEMENT : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY : Code 10STA FIFTH WHEEL MOUNTING ANGLES	10HJB		
- SL7LWB825024 - 24" Slide, Cast Top Plate, 8.25" Above Top of Frame, Left Hand Release REQS: Code 810000 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 01GBP FRAME REINFORCEMENT : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY : Code 10STA FIFTH WHEEL MOUNTING ANGLES	10HJC	\$2,589 +8/+458	\$2,589 +8/+458
- SL7LWB925024 - 24" Slide, Cast Top Plate, 9.25" Above Top of Frame, Left Hand Release REQS: Code 810000 or 810006 FIFTH WHEEL LOCATION REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 01GBP FRAME REINFORCEMENT : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY : Code 10STA FIFTH WHEEL MOUNTING ANGLES	10HJD	\$2,663 +8/+465	\$2,663 +8/+465

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-87

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FIFTH WHEEL, STATIONARY (SEE PREV PAGE) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section Jost			
- JSK36NSL-DB7-N001 - N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10STA FIFTH WHEEL MOUNTING ANGLES : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14ULP SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4	10HKP		
- JSK37USL-PM-003 - 7.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10STA FIFTH WHEEL MOUNTING ANGLES : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14ULP SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4	10HKH	\$1,735 0/+309	\$1,735 0/+309
- JSK37USL-PM-004 - 8.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10STA FIFTH WHEEL MOUNTING ANGLES (SEE NEXT PAGE)	10HKE	\$1,682 0/+313	\$1,682 0/+313

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-90

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
<i>ITEM DESCRIPTION</i>	<i>CODE</i>	<i>7400 SBA 4X2</i>	<i>7400 SBA 6X4</i>
FIFTH WHEEL LOCATION (CONTINUED) 14.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE 16.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY, when in combination with Code 14TBJ SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2	810014	N/C 0/0	N/C 0/0
FIFTH WHEEL MOUNTING ANGLES Special; FMA MTG STYLE, Accommodate 38" Spread With 3/4" Bolts for Stationary 5th Wheel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY	10STA	\$281 +44/0	\$281 +44/0
FIRE EXTINGUISHER - Cinglar -	10WCU	\$120 +8/0	\$120 +8/0
HUBODOMETER <i>Stemco</i> English Reading (Miles) Mounted Rear Wheels Left Side REQS: Code 14AET, 14AGA, 14AGE, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHJ, 14AHK, 14AHL, 14AHP, 14AJG, 14AJH, 14ANK, 14ANM, 14ANP(std), 14ANS, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB, 14CVC, 14ERB, 14ERC, 14ERP or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- AXLE, REAR, TANDEM - for 7400 SBA 6X4	10441	\$82 0/+2	\$82 0/+2
KEYS - ALL ALIKE Fleet - Includes Ignition and Cab Door Keys N/A: Code 08630 IGNITION SWITCH	10943	\$39 0/0	\$39 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-92

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
LANGUAGE IDENTITY for French NOTE: 010003	10WAW	N/C 0/0	N/C 0/0
MUD FLAP HOLDER Spring Loaded, Painted Black; With Red and White Reflective Tape; Less Flaps REQS: Code 01616 FRAME RAILS WITH TAPERED REAR, when in combination with Code 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR - for 7400 SBA 6X4 Spring Loaded, Painted Black; With 45-Degree End, With Red and White Reflective Tape; Less Flaps REQS: Code 01616 FRAME RAILS WITH TAPERED REAR, when in combination with Code 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 N/A: Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR - for 7400 SBA 6X4	10WPR 10WPT	\$105 0/+34 \$103 0/+34	\$105 0/+34 \$103 0/+34
MUD FLAPS, FRONT WHEELS (02) Rubber, Behind Front Wheels, Mounted on Fender Extension, for Tire Size 425/445	10WWP	\$114 +2/+1	\$114 +2/+1
MUD FLAPS, REAR Black Poly, With International Logo; Less Holders REQS: Code 10WPR or 10WPT MUD FLAP HOLDER	10WSX	\$58 0/+8	\$58 0/+8
OVER THE AIR PROGRAMMING for Cummins Engines N/A: Code 12EHN, 12NWC, 12NWD, 12NWE and 12NWK(std) ENGINE, DIESEL for Navistar Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	10AAY 10AAX	\$250 \$250	\$250 \$250
PAINT, CAB SUNSHADE Single Color other than Cab Roof Color REQS: Code 16XWD SUNSHADE, EXTERIOR	10614	\$420 0/0	\$420 0/0
PAINT CLASS Premium Color Single Custom Color	10769 10771	\$500 0/0 \$600 0/0	\$500 0/0 \$600 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-93

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
PAINT IDENTITY, PT-2			
Single Color, Instruction No. 932. Wheels N/A: Code 27DME, 27DPN, 27DPR and 27DTZ WHEELS, FRONT : Code 28DME, 28DPR, 32DPW and 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS - for 7400 SBA 4X2	10632	\$219 0/0	\$219 0/0
Single Color, Instruction No. 936. Frame/Running Gear, Less Fuel Tanks INCLS: NOTE: Battery Box, Air Tanks, Fuel Tanks, Steps and Straps NOT Painted N/A: Code 28DTC WHEELS, REAR	10636	\$500 0/0	\$500 0/0
Two Tone, Instruction No. 946. Frame/Running Gear and Wheels, Less Fuel Tank INCLS: NOTE: Battery Box, Air Tanks, Fuel Tanks, Steps and Straps NOT Painted N/A: Code 27DPN, 27DPR and 27DTZ WHEELS, FRONT : Code 28DPR and 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS - for 7400 SBA 4X2	10646	\$500 0/0	\$500 0/0
PAINT, NON-REFLECTING			
Non-Reflecting Paint	10661	\$462 0/0	\$462 0/0
PAINT SCHEMATIC, PT-1			
Single Color, Design 100 INCLS: PAINT SCHEMATIC ID LETTERS "GN"	10060	STD	STD
Three Tone, Design 320 or 34S	10220	\$1,050 0/0	\$1,050 0/0
Three Tone, Design 321 or 34T	10221	\$1,050 0/0	\$1,050 0/0
Three Tone, Design 322 or 34U	10222	\$1,050 0/0	\$1,050 0/0
Two Tone, Design 208.	10208	\$500 0/0	\$500 0/0
Two Tone, Design 209.	10209	\$650 0/0	\$650 0/0
Two Tone, Design 211 or 2AF	10211	\$500 0/0	\$500 0/0
Two Tone, Design 212.	10212	\$500 0/0	\$500 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-94

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
PAINT SCHEMATIC, PT-1 (CONTINUED) Two Tone, Design 214. Two Tone, Design 216.	10214 10216	\$650 0/0 \$650 0/0	\$650 0/0 \$650 0/0
PAINT TYPE Base Coat/Clear Coat, 1-2 Tone	10761	STD	STD
QUARTER FENDERS for Rear Wheels, Black Plastic; Frame Mounted. N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE	10WTR	\$188 0/+18	\$188 0/+18
SAFETY TRIANGLES	10WCY	\$29 +6/0	\$29 +6/0
SPECIAL RATING, GVWR Limited to 80,000-lb Maximum Capacity REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 16196 CAB : Code 01CAG FRAME RAILS	10NZL	N/A	N/C
TOOL KIT Rim Wrench and Handle Only	10506	\$69 +10/0	\$69 +10/0
VEHICLE REGISTRATION IDENTITY ID for the State of California REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL NOTE: 010002 ID for 49 States, Excluding California REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL NOTE: 010002	10UAC 10UAD	N/C N/C	N/C N/C

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CLUTCH			
NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Eaton Fuller			
- SAS1402 -			
Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 7+1 Low Rate Damper, With 1.75" Spline, Mechanical Pull Type Control and With Kwik-Adjust(Manual) Feature 860 lb-ft Torque Capacity	11LEY	STD	STD
INCLS: CLUTCH RELEASE BEARING Greasable REQS: Code 12NWC or 12NWK(std) ENGINE, DIESEL N/A: Code 11WAE GREASE FITTINGS : TRANSMISSION, AUTOMATIC			
Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 8-Spring Low Rate Damper, with 2" Spline, Mechanical Pull Type Control and with Kwik-Adjust (Manual) Feature, 1150 lb-ft Torque Capacity	11LGN	\$227 + 7/-5	\$227 + 7/-5
REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: TRANSMISSION, AUTOMATIC			
- Solo 1402 -			
Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 7+1 Low Rate Damper, With 1.75" Spline, Mechanical Pull Type Control and Adjustment Free, 1000 lb-ft Torque Capacity	11LEU	\$369 + 25/-3	\$369 + 25/-3
INCLS: CLUTCH RELEASE BEARING Greasable REQS: Code 13GHL, 13GHW, 13GJR or 13GJT TRANSMISSION, MANUAL REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 11WAE GREASE FITTINGS : TRANSMISSION, AUTOMATIC			
Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 7+1 Low Rate Damper, With 1.75" Spline, Mechanical Pull Type Control and Adjustment Free, 860 lb-ft Torque Capacity	11LEV	\$81 + 32/-10	\$81 + 25/-3
INCLS: CLUTCH RELEASE BEARING Greasable REQS: Code 12NWC or 12NWK(std) ENGINE, DIESEL N/A: Code 11WAE GREASE FITTINGS : TRANSMISSION, AUTOMATIC			
Two-Plate, Stamped Angle Spring; Ceramic, 14" Diameter, 8-Spring Low Rate Damper, with 2" Spline, Mechanical Pull Type Control and Adjustment Free, 1150 lb-ft Torque Capacity	11LGP	\$251 + 5/-5	\$251 + 5/-5
N/A: TRANSMISSION, AUTOMATIC : Code 12EHN, 12NWC, 12NWD, 12NWE and 12NWK(std) ENGINE, DIESEL			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-96

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CLUTCH (CONTINUED) NOTE: For ENGINE/CLUTCH COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book No Vendor Identified Omit Item (Clutch & Control) N/A: Code 11WAE GREASE FITTINGS : Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL	11001	N/C - 60/- 15	N/C - 60/- 15
GREASE FITTINGS Remote; for Clutch Cross Shaft REQS: Code 11LGN or 11LGP CLUTCH	11WAE	\$31 0/0	\$31 0/0
ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use REQS: Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 13ATL TRANSMISSION, AUTOMATIC and Code 12EHN ENGINE, DIESEL N/A: Code 12XAT ENGINE CONTROL, REMOTE MOUNTED	12VYL	\$45 0/0	\$45 0/0
ENGINE, DIESEL NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Navistar - N9 - EPA 2010, SCR, 275 HP @ 2000 RPM, 860 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 275 Peak HP (MAX) INCLS: ENGINE SHUTDOWN Electric, Key Operated : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only) : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted : GOVERNOR Electronic : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : WET TYPE CYLINDER SLEEVES : OIL FILTER, ENGINE Spin-On Type : ENGINE OIL DRAIN PLUG Magnetic (SEE NEXT PAGE)	12NWK	STD	STD

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-97

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Navistar - N9 - INCLS: CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : WET TYPE CYLINDER SLEEVES : OIL FILTER, ENGINE Spin-On Type : ENGINE OIL DRAIN PLUG Magnetic REQS: Code 40LBP, 40LBR, 40LBS, 40LBT, 40LBU, 40LBV, 40LBW, 40LBX, 40LBY, 40LBZ, 40LCA, 40LCB, 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCL, 40LCM, 40LCN, 40LCP, 40LCR, 40LCS, 40LCT, 40LCU, 40LCV, 40LCW, 40LCX or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 11LEU, 11LGN or 11001 CLUTCH REQS: Code 12UPA or 12VGE FEDERAL EMISSIONS REQS: Code 04SBC(std) or 04SBD AIR COMPRESSOR REQS: Code 13GHJ, 13GHL, 13GHW, 13GJT, 13GKJ or 13GMZ TRANSMISSION, MANUAL -OR- Code 13ATL, 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVJ, 13AVK, 13AVL, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4 -OR- Code 13ATL, 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVJ, 13AVK, 13AVL, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2 REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 40RAA SRV CONT, EXT AFTERTREATMENT : SRV CONTRACT, EXT CMMS ENGINE : Code 40MKU, 40MKV, 40MKW, 40MKX, 40MKY, 40MKZ, 40MLA, 40MLB and 40MLC SRV CONTRACT, EXT CMMS AFTR : Code 12UWY and 12UWZ RADIATOR : Code 12WUL and 12849 BLOCK HEATER, ENGINE : Code 15LMN, 15LMP and 15LMR FUEL/WATER SEPARATOR : Code 12XAT ENGINE CONTROL, REMOTE MOUNTED : Code 15WCS FUEL COOLER AVAIL: Code 07SDM ENGINE EXHAUST BRAKE : Code 07SDL ENGINE COMPRESSION BRAKE : Code 10AAX OVER THE AIR PROGRAMMING	12NWD		

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-100

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ENGINE, DIESEL (CONTINUED) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Navistar - N9 - EPA 2010, SCR, 330 HP @ 2000 RPM, 950 lb-ft Torque @ 1200 RPM, 2200 RPM Governed Speed, 330 Peak HP (Max) INCLS: ENGINE SHUTDOWN Electric, Key Operated : AIR COMPRESSOR AIR SUPPLY LINE Naturally-Aspirated (Air Brake Chassis Only) : COLD STARTING EQUIPMENT Intake Manifold Electric Grid Heater with Engine ECM Control : FUEL FILTER Included with Fuel/Water Separator : FUEL/WATER SEPARATOR Fuel/Water Separator and Fuel Filter in a Single Assembly; With Water-in-Fuel Sensor; Engine Mounted : GOVERNOR Electronic : CRUISE CONTROL Electronic; Controls Integral to Steering Wheel : WET TYPE CYLINDER SLEEVES : OIL FILTER, ENGINE Spin-On Type : ENGINE OIL DRAIN PLUG Magnetic REQs: Code 40LBP, 40LBR, 40LBS, 40LBT, 40LBU, 40LBV, 40LBW, 40LBX, 40LBY, 40LBZ, 40LCA, 40LCB, 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCL, 40LCM, 40LCN, 40LCP, 40LCR, 40LCS, 40LCT, 40LCU, 40LCV, 40LCW, 40LCX or 40MBV SRV CONTRACT, EXT ENGINE REQs: Code 04EBD, 04EBS or 04EBT AIR DRYER REQs: Code 11LEU, 11LGN or 11001 CLUTCH REQs: Code 12UPA or 12VGE FEDERAL EMISSIONS REQs: Code 04SBC(std) or 04SBD AIR COMPRESSOR REQs: Code 13GHJ, 13GHL, 13GHW, 13GJT, 13GKJ or 13GMZ TRANSMISSION, MANUAL -OR- Code 13ATL, 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVJ, 13AVK, 13AVL, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4 -OR- Code 13ATL, 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVJ, 13AVK, 13AVL, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2 REQs: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXK FUEL TANK N/A: Code 40RAA SRV CONT, EXT AFTERTREATMENT : SRV CONTRACT, EXT CMMS ENGINE (SEE NEXT PAGE)	12NWE	\$1,418 0/0	\$1,418 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-101

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-102

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Cummins - ISL9 350 - N/A: Code 04AZE AIR BRAKE ABS : Code 08XDZ BATTERY BOX : Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 13WBA HYDRAULIC RETARDER : Code 08GWY ALTERNATOR : Code 08WEA ALTERNATOR PULLEY : Code 60ABB BDY INTG, PTO ACCOMMODATION or AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : Code 12VVY OVER-TEMPERATURE PROTECTION : Code 12WCG HOSE CLAMPS, RADIATOR HOSES : Code 12VZA ENGINE CONTROL, REMOTE MOUNTED : Code 12WPY OIL PAN : Code 10AAX and 10AAY OVER THE AIR PROGRAMMING AVAIL: Code 12WUL and 12849 BLOCK HEATER, ENGINE : Code 07SCP ENGINE EXHAUST BRAKE : Code 07SDP ENGINE COMPRESSION BRAKE : Code 15LMN, 15LMP and 15LMR FUEL/WATER SEPARATOR	12EHN		
RADIATOR Aluminum, Cross Flow, Series System; 1228 SqIn Core and 648 SqIn Charge Air Cooler REQS: Code 09WBC(std) FRONT END REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 13WGJ OIL COOLER MANUAL TRANSMISSION Cross Flow, Series System; 1228 SqIn Aluminum Radiator Core and 1167 SqIn Charge Air Cooler INCLS: DEAERATION SYSTEM with Surge Tank : HOSE CLAMPS, RADIATOR HOSES Gates - Shrink Band Type; Thermoplastic Coolant Hose Clamps : RADIATOR HOSES Premium, Rubber REQS: Code 09WBC(std) FRONT END REQS: Code 12EHN ENGINE, DIESEL N/A: Code 13WGJ OIL COOLER MANUAL TRANSMISSION Aluminum, Cross Flow, Series System; 1228 SqIn Core and 648 SqIn Charge Air Cooler and With Transmission Oil Cooler REQS: Code 09WBC(std) FRONT END REQS: Code 13GKJ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4 -OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2 REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 13WBA HYDRAULIC RETARDER : Code 13WAW OIL COOLER, AUTO TRANSMISSION (SEE NEXT PAGE)	<div style="text-align: center;">12UCV</div> <div style="text-align: center;">12UWY</div> <div style="text-align: center;">12UCW</div>	<div style="text-align: center;">STD</div> <div style="text-align: center;">N/C +37/-19</div> <div style="text-align: center;">N/C 0/0</div>	<div style="text-align: center;">STD</div> <div style="text-align: center;">N/C +20/-12</div> <div style="text-align: center;">N/C 0/0</div>

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-103

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FAN DRIVE			
<i>Horton</i>			
- Drivemaster Polar Extreme - Direct Drive Type, Two Speed, With Residual Torque Device for Disengaged Fan Speed INCLS: FAN Nylon REQS: Code 09WBC(std) FRONT END REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	12THZ	STD	STD
- Drivemaster - Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed INCLS: FAN Nylon	12THT	\$229CR -38/+4	\$229CR -38/+4
AIR CLEANER			
Single Element INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted REQS: Code 09WBC(std) FRONT END	12VBC	STD	STD
Dual Element INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted REQS: Code 09WBC(std) FRONT END	12VBB	\$108 +4/0	\$108 +4/0
Dual Element, with Integral Snow Valve and In-Cab Control INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted REQS: Code 09WBC(std) FRONT END REQS: Code 14RAA, 14RAB, 14RAR or 14RAV AXLE, LIFT, CONTROLS - for 7400 SBA 6X4 N/A: Code 13WBA HYDRAULIC RETARDER : Code 08WEE SWITCH, AIR HORN, PASSENGER : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	12VAL	\$334 +6/0	\$334 +6/0
Dual Element, With Integral Pre Cleaner INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted REQS: Code 09WBC(std) FRONT END	12VBG	\$159 +12/0	\$159 +12/0
Single Element, with Integral Snow Valve and In-Cab Control INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted REQS: Code 09WBC(std) FRONT END REQS: Code 14RAA, 14RAB, 14RAR or 14RAV AXLE, LIFT, CONTROLS - for 7400 SBA 6X4 N/A: Code 13WBA HYDRAULIC RETARDER : Code 08WEE SWITCH, AIR HORN, PASSENGER : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	12VAG	\$301 +2/0	\$301 +2/0



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BLOCK HEATER, ENGINE (SEE PREV PAGE) Phillips NOTE: MPM material is single sheet composite with two layers of sheet metal sandwiching plastic material. MPM material has electro-deposition prime coat with powder coating for the final finish coat.	12WTH		
BLOCK HEATER SOCKET Relocated to Front Bumper REQS: Code 12WTH BLOCK HEATER, ENGINE REQS: Code 01LLA(std), 01LLD, 01LLE, 01LMX, 01LNG, 01LNN, 01LNR, 01LNS, 01LZD, 01MDP or 01MDS BUMPER, FRONT N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT - for 7400 SBA 6X4 : Code 01586 TOW LOOP, FRONT or Code 01WAC and 01WMS BUMPER EXTENSION, FRONT	12WTW	\$48 + 2/0	\$48 + 2/0
EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood N/A: Code 09ANG HOOD, HATCH NOTE: 010002 Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door NOTE: 010002 Engine Shutdown System Exempt Vehicles, Complies With California Clean Air Regulations NOTE: 010002 Federal, Does Not Comply With California Clean Air Idle Regulations NOTE: 010002	12WZB 12WZJ 12WZD 12WZE	\$62 0/0 \$62 0/0 N/C 0/0 N/C 0/0	\$62 0/0 \$62 0/0 N/C 0/0 N/C 0/0
ENGINE CONTROL, REMOTE MOUNTED - No Provision Furnished for Remote Mounted Engine Control Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for MaxxForce and Navistar post 2007 Emissions Electronic Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	12VYP 12VZA	N/C 0/0 \$45 0/0	N/C 0/0 \$45 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-107

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ENGINE CONTROL, REMOTE MOUNTED (CONTINUED) Provision for; Includes Wiring for Body Builder Installation of PTO Controls; With Ignition Switch Control for Cummins ISB/B6.7 or ISL/L9 Engines REQS: Code 12EHN ENGINE, DIESEL N/A: Code 12VYL ACCESSORY WIRING, SPECIAL : Code 08VTK and 08WEL BATTERY BOX	12XAT	\$45	\$45
ENGINE WATER COOLER Auxiliary, for Use with Auxiliary Water Source Sen-Dure Auxiliary, For Use With Fire Trucks	12WZG 12WYK	\$518 + 11/- 1 \$687 + 6/0	\$518 + 11/- 1 \$687 + 6/0
FAN OVERRIDE Manual; With Electric Switch on Instrument Panel, (Fan On With Switch On)	12WBR	\$29 0/0	\$29 0/0
FEDERAL EMISSIONS Cummins - ISL9 - EPA, OBD and GHG Certified for Calendar Year 2017 REQS: Code 12EHN ENGINE, DIESEL EPA, OBD and GHG Certified for Calendar Year 2016 REQS: Code 12EHN ENGINE, DIESEL Navistar - N9 & N10 - EPA, OBD and GHG Certified for Calendar Year 2016 REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL EPA, OBD and GHG Certified for Calendar Year 2017 REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	12UMY 12UNY 12UPA 12VGE	N/C N/C N/C N/C	N/C N/C N/C N/C
HOSE CLAMPS, RADIATOR HOSES R.G. Ray - Mini Flex Seal - Coil Spring/"T"-Bolt Type, for Radiator Hoses over 1" I.D. REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	12WCG	\$54	\$54

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-108

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
OIL PAN Stainless Steel, for N9/N10 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	12WPY	\$1,600	\$1,600
OVER-TEMPERATURE PROTECTION (For Engine Coolant) Omit Item REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	12VVY	N/C 0/0	N/C 0/0
PTO EFFECTS, ENGINE FRONT Less PTO Unit, Includes Adapter Plate on Engine Front Mounted REQS: Code 09WBC(std) FRONT END N/A: Code 16990 AIR CONDITIONER, PROVISION FOR : Code 12UAV and 12UAW RADIATOR	12851	\$353 +10/0	\$353 +10/0
RADIATOR HOSES Silicone; Molded REQS: Code 12UCV(std), 12UCW or 12UWY RADIATOR, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 12UWY or 12UWZ RADIATOR, when in combination with Code 12EHN ENGINE, DIESEL REQS: Code 12THZ FAN DRIVE, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL	12926	\$272 0/0	\$272 0/0
THROTTLE, HAND CONTROL Engine Speed Control; Electronic, Stationary, Variable Speed; Mounted on Steering Wheel Engine Speed Control for PTO; Electronic, Stationary Pre-Set, Two Speed Settings; Mounted on Steering Wheel Engine Speed Control for PTO; Electronic, Mobile, Variable Speed; (Range 2 to 20 MPH) Mounted on Steering Wheel	12VXT 12VXU 12VXV	STD N/C 0/0 N/C 0/0	STD N/C 0/0 N/C 0/0
TRANSMISSION, MANUAL NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - FSO-8406A - 6-Speed Manual; Fully Synchronized, Short Shift Stroke, With Overdrive INCLS: FILL PLUG, MAGNETIC - for 7400 SBA 4X2 REQS: Code 12UAV, 12UCV(std) or 12UWY RADIATOR REQS: Code 13XAK, 13XAL, 13XAM or 13XAN PTO LOCATION - for 7400 SBA 4X2 REQS: Code 12NWC or 12NWK(std) ENGINE, DIESEL (SEE NEXT PAGE)	13GMJ	STD	STD

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-109

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - RT-8908LL - REQS: Code 14AET, 14AGA, 14AGE, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AHP, 14AJY, 14ANK, 14ANM, 14ANP(std), 14ANS, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB, 14CVC, 14ERB, 14ERC, 14ERP or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- AXLE, REAR, TANDEM - for 7400 SBA 6X4 REQS: Code 12NWC or 12NWK(std) ENGINE, DIESEL N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 12VYL ACCESSORY WIRING, SPECIAL, when in combination with Code 12EHN ENGINE, DIESEL - for 7400 SBA 6X4 : Code 12VYL ACCESSORY WIRING, SPECIAL, when in combination with Code 12EHN ENGINE, DIESEL - for 7400 SBA 4X2 : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 04AZV and 04AZY AIR BRAKE ABS : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7400 SBA 4X2 : Code 11001 CLUTCH : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WDC, 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WGH TRANSMISSION DIPSTICK : Code 13WBA HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 13607 TRANSMISSION, AUXILIARY : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW OIL COOLER, AUTO TRANSMISSION : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO : Code 13WDH WIRING, TRANS, BODY BUILDER AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAR and 13XAS PTO LOCATION	13GJR		

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-113

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TRANSMISSION, MANUAL (SEE PREV PAGE) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - RTO(F)-14909ALL - N/A: Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW OIL COOLER, AUTO TRANSMISSION : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO : Code 13WDH WIRING, TRANS, BODY BUILDER AVAIL: Code 13WLX TRANSMISSION OIL : Code 13XAL, 13XAN, 13XAR and 13XAS PTO LOCATION	13GMZ		
TRANSMISSION, AUTOMATIC NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 3000_HS - 5th Generation Controls; Close Ratio, 6-Speed, With Double Overdrive; Includes Oil Level Sensor, Less PTO Provision, Less Retarder, With 80,000-lb GVW & GCW Max. REQS: Code 11001 CLUTCH REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS, 13WUZ or 13WVB ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL - for 7400 SBA 6X4 REQS: Code 13WLP TRANSMISSION OIL - for 7400 SBA 6X4 N/A: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 13WAP TRANSMISSION LUBE PUMP : Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL : Code 12UAV RADIATOR : Code 13WGJ OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO : Code 13WDH WIRING, TRANS, BODY BUILDER : Code 13XAJ, 13XAK, 13XAL, 13XAM, 13XAN, 13XAP, 13XAR, 13XAS, 13XAT and 13XAV PTO LOCATION AVAIL: Code 13WUB ALLISON SPARE INPUT/OUTPUT : Code 13WLP TRANSMISSION OIL	13AVE	N/A	\$6,987 +153/+56

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-116

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-117

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
OIL COOLER, AUTO TRANSMISSION - Modine - Water to Oil Type REQS: Code 09WBC(std) FRONT END REQS: Code 13ATL, 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC, when in combination with Code 09WBC FRONT END and Code 12EHN ENGINE, DIESEL - for 7400 SBA 6X4 REQS: Code 13ATL, 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC, when in combination with Code 09WBC FRONT END and Code 12EHN ENGINE, DIESEL - for 7400 SBA 4X2 REQS: Code 12UCV(std) or 12UWY RADIATOR N/A: Code 16990 AIR CONDITIONER, PROVISION FOR : Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : Code 13WBA HYDRAULIC RETARDER	13WAW	\$667 +25/0	\$667 +25/0
OIL COOLER MANUAL TRANSMISSION NOTE: See ENGINE/TRANSMISSION COMPATIBILITY Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book for Recommended and Mandatory Applications Water to Oil Type Included in Radiator End Tank (REQUIRES TRANSMISSION LUBE PUMP) REQS: Code 13WAP TRANSMISSION LUBE PUMP, when in combination with Code 13GJT TRANSMISSION, MANUAL REQS: Code 12UAW or 12UWZ RADIATOR REQS: Code 13GHW or 13GJT TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WGJ	\$350 +12/+8	\$350 +12/+8
PROVISION FOR PTO Top Mount; With Allison 3000 Transmission REQS: Code 13XAL PTO LOCATION REQS: Code 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : HYDRAULIC RETARDER AVAIL: Code 13XAL, 13XAP and 13XAT PTO LOCATION	13905	\$1,990	\$1,990
PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring N/A: Code 60ABA, 60ABB, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION	13XAA	\$116 +3/0	\$116 +3/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-129

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
PTO LOCATION			
Bottom of Transmission REQS: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ or 13GMZ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC : Code 13WBA HYDRAULIC RETARDER : Code 13905 PROVISION FOR PTO	13XAR	N/C	N/C
Dual, Left and Right Side of Transmission REQS: Code 13GHJ, 13GHL, 13GJT or 13GMJ(std) TRANSMISSION, MANUAL -OR- Code 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC REQS: Code 07BEM, 07BEP, 07BET or 07BKE EXHAUST SYSTEM N/A: Code 13WBA HYDRAULIC RETARDER : Code 13905 PROVISION FOR PTO	13XAM	N/C	N/C
Dual, Left Side and Top of Transmission REQS: Code 13905 PROVISION FOR PTO N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC : Code 13WBA HYDRAULIC RETARDER	13XAT	N/C	N/C
Dual, Right Side and Bottom of Transmission REQS: Code 13GHJ, 13GHL or 13GJT TRANSMISSION, MANUAL REQS: Code 07BEM, 07BEP, 07BET or 07BKE EXHAUST SYSTEM N/A: TRANSMISSION, AUTOMATIC : Code 13WBA HYDRAULIC RETARDER : Code 13905 PROVISION FOR PTO	13XAV	N/C	N/C
Dual, Right Side and Rear of Transmission REQS: Code 13GHJ, 13GHL or 13GJT TRANSMISSION, MANUAL -OR- Code 13AVS TRANSMISSION, AUTOMATIC REQS: Code 07BEM, 07BEP, 07BET or 07BKE EXHAUST SYSTEM N/A: Code 13WBA HYDRAULIC RETARDER : Code 13905 PROVISION FOR PTO	13XAJ	N/C	N/C
Left Side of Transmission REQS: Code 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL	13XAL	N/C	N/C
No PTO REQS: Code 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 13905 PROVISION FOR PTO	13XAN	N/C	N/C

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-130

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
PTO LOCATION (CONTINUED)			
Rear of Transmission REQS: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ or 13GMZ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC : Code 13WBA HYDRAULIC RETARDER : Code 13905 PROVISION FOR PTO	13XAS	N/C	N/C
Right Side of Transmission REQS: Code 13GHJ, 13GHL, 13GJT or 13GMJ(std) TRANSMISSION, MANUAL -OR- Code 13ATM, 13ATN, 13AUK, 13AUL, 13AUM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC REQS: Code 07BEM, 07BEP, 07BET or 07BKE EXHAUST SYSTEM N/A: Code 13WBA HYDRAULIC RETARDER : Code 13905 PROVISION FOR PTO	13XAK	N/C	N/C
Top of Transmission REQS: Code 13905 PROVISION FOR PTO N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL : TRANSMISSION, AUTOMATIC : Code 13WBA HYDRAULIC RETARDER	13XAP	N/C	N/C
SHIFT CONTROL PARAMETERS			
Allison S-1 Performance Programming in Primary and Allison Fixed Programming in Secondary N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL	13WDZ	\$33 0/0	\$33 0/0
Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with EcoCal and Dynamic Shift Sensing (FuelSense Basic) REQS: Code 13ATL, 13ATM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2 -OR- Code 13ATL, 13ATM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4 N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL	13WYR	N/C 0/0	N/C 0/0
Allison 3000 or 4000 Series Transmissions, 5th Generation Controls, with EcoCal, Dynamic Shift Sensing and Neutral at Stop-Premium (FuelSense Plus) REQS: Code 13ATL, 13ATM, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2 -OR- Code 13ATL, 13ATM, 13AVE, 13AVG, 13AVH, 13AVJ, 13AVK, 13AVL, 13AVP, 13AVR or 13AVS TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4 N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL	13WYS	\$350 0/0	\$350 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-131

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TRANSMISSION, AUXILIARY (SEE PREV PAGE) Fuller - AT-1202 - REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14GXC(std), 14HRB, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7400 SBA 6X4 -OR- AXLE, REAR, SINGLE - for 7400 SBA 4X2 REQS: Code 13GHJ, 13GHL, 13GHW, 13GKJ, 13GMJ(std) or 13GMZ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 6X4 -OR- TRANSMISSION, AUTOMATIC - for 7400 SBA 4X2 REQS: Code 07BEP or 07BJX EXHAUST SYSTEM REQS: Code 15DTA, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15WS or 15SWY FUEL TANK N/A: Code 04ECH AIR DRYER or Code 08WJJ BATTERY BOX : Code 01WMA CROSSMEMBER, INTERMEDIATE or Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : CROSSMEMBER, INTERMEDIATE - for 7400 SBA 4X2 : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2	13607		
TRANSMISSION DIPSTICK Relocated to Right Side of Transmission N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL	13WGH	\$61 0/0	\$61 0/0
TRANSMISSION LUBE PUMP for International, Fuller, Meritor or Spicer Transmissions; USE ONLY WHEN PUMP IS NOT INCLUDED STANDARD IN TRANSMISSION REQS: Code 13GHJ, 13GHL, 13GHW, 13GJT or 13GMZ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WAP	\$324 +7/+3	\$324 +7/+3
TRANSMISSION OIL Synthetic; 29 thru 42 Pints N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL	13WLP	\$203 0/0	\$203 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-133

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35 PAGE 170-134 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Meritor - MS-17-14X-3DFL - N/A: Code 28DME, 28DMJ, 28DTC, 28DUL, 28DUR, 28DUS and 32WAA WHEELS, REAR AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ANP		
- MS-19-14X-3DCR - Single Reduction, 19,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86, 6.14,6.43,6.83 or 7.17 REQS: Code 28DMB, 28DMC, 28DME, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS or 32DPW WHEELS, REAR REQS: Code 04NCZ, 04NDB(std), 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD or 14VAG SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 29334 BRAKE DRUMS, REAR : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMG AXLE, REAR, LUBE NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ANM	\$503 0/+31	N/A
- MS-19-14X-3DFL - Single Reduction, Hypoid Gearing, 19,000-lb Capacity, 190 Wheel Ends RATIO: 2.64,3.08,3.25,3.42,3.55,3.70,3.90,4.11, 4.33,4.63,4.88,5.13,5.29,5.57,5.86,6.14, 6.43,6.83 or 7.17 REQS: Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 29334 BRAKE DRUMS, REAR (SEE NEXT PAGE)	14ANS	N/C 0/0	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-135

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Meritor - MS-19-14X-3DFL - N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 28DME, 28DMJ, 28DTC, 28DUL, 28DUR, 28DUS and 32WAA WHEELS, REAR AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ANS		
- MS-21-14X-4DCR - Single Reduction, 21,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86, 6.14,6.43,6.83 or 7.17 REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14SCD, 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 28DTE and 32WAA WHEELS, REAR : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING : Code 14WMG AXLE, REAR, LUBE NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ANY	\$587 0/+45	N/A
- MS-21-14X-4DFR - Single Reduction, 20,000-lb Capacity, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.13,5.29,5.57,5.86, 6.14,6.43,6.83 or 7.17 REQS: Code 28DMB, 28DMC, 28DME, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS or 32DPW WHEELS, REAR REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM (SEE NEXT PAGE)	14ANW	\$223 0/+61	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-136

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE			
(SEE PREV PAGE)			
Meritor			
- RS-23-160 -			
NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	14051		
: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.			
Single Reduction, 23,000-lb Capacity, 200 Wheel Ends, Driver Controlled Locking Differential			
RATIO: 2.50,2.67,2.80,2.93,3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17	14ARB	\$1,767 0/+241	N/A
INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle			
REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
REQS: Code 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE			
-OR- Code 14TBJ or 14TBZ SUSPENSION, REAR, AIR, SINGLE			
N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE			
: Code 32WAA WHEELS, REAR			
: Code 14WBT 2-SPEED SHIFT PACKAGE			
: Code 14877 and 14881 DIFFERENTIAL, LOCKING			
AVAIL: Code 14WMG AXLE, REAR, LUBE			
NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance			
: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.			
- RS-23-161 -			
Single Reduction, 23,000-lb Capacity, 200 Wheel Ends, Driver Controlled Locking Differential			
RATIO: 2.50,2.67,2.80,2.93,3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.89,5.38,5.63,6.14,6.43,6.83 or 7.17	14ARK	\$1,927 0/+266	N/A
INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle			
REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM			
REQS: Code 14SAL, 14SAM, 14SAN, 14SCD, 14SCE or 14VAH SUSPENSION, RR, SPRING, SINGLE			
-OR- SUSPENSION, REAR, SINGLE			
-OR- Code 14TAX or 14TBZ SUSPENSION, REAR, AIR, SINGLE			
N/A: Code 14WCB AXLE STOPS, REAR REAR			
: Code 32WAA WHEELS, REAR			
: Code 14WBT 2-SPEED SHIFT PACKAGE			
: Code 14877 and 14881 DIFFERENTIAL, LOCKING			
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-141

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Meritor - RS-23-240 - AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14881 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 90 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14CVC		
- RS-26-185 - Single Reduction, Standard Track, 26,000-lb Capacity, R Wheel Ends RATIO: 3.42,3.58,4.30,4.56,4.89,5.13,5.38,5.63, 5.86,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14TBU SUSPENSION, REAR, SINGLE -OR- Code 14SAL, 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE N/A: Code 14WCB AXLE STOPS, REAR REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 28DME, 28DMJ, 28DTE and 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMH AXLE, REAR, LUBE NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. : Axle Lead Time is 60 Days	14ARZ	\$3,947 0/+300	N/A
Single Reduction, Standard Track, 26,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential RATIO: 3.42,3.58,4.30,4.56,4.89,5.13,5.38,5.63, 5.86,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 28DMB, 28DMC, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS or 32DPW WHEELS, REAR REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14TBU SUSPENSION, REAR, SINGLE (SEE NEXT PAGE)	14ASA	\$4,532 0/+320	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-144

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35 PAGE 170-145 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (CONTINUED)			
<i>Meritor</i>			
- RS-30-185 -			
Single Reduction, Standard Track, 30,000-lb Capacity, T Wheel Ends RATIO: 3.42,3.58,4.30,4.56,4.89,5.13,5.38,5.63, 5.86,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 28DPR, 28DRA, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS or 32DPW WHEELS, REAR REQS: Code 14SAL, 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE N/A: Code 29334 BRAKE DRUMS, REAR : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMH AXLE, REAR, LUBE NOTE: Axle Lead Time is 60 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ASB	\$4,385 0/+317	N/A
Single Reduction, Standard Track, 30,000-lb Capacity, T Wheel Ends, Driver Controlled Locking Differential RATIO: 3.42,3.58,4.30,4.56,4.89,5.13,5.38,5.63, 5.86,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 28DMB, 28DMC, 28DPR, 28DRA, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS or 32DPW WHEELS, REAR REQS: Code 14TBU SUSPENSION, REAR, SINGLE -OR- Code 14SAL, 14SAN, 14SCD, 14SCE, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE N/A: Code 29334 BRAKE DRUMS, REAR : Code 14WCB AXLE STOPS, REAR REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 29597 WHEEL SEALS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMH AXLE, REAR, LUBE NOTE: Axle Lead Time is 60 Days	14ASD	\$4,959 0/+337	N/A

(SEE NEXT PAGE)

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-146

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (CONTINUED)			
Dana Spicer			
- S140 - Single Reduction, 17,500-lb Capacity, 190 Wheel Ends RATIO: 3.31,3.58,3.73,3.91,4.10,4.30,4.56,4.88, 5.29,5.57,6.14 or 6.50 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE REQS: Code 13GHJ, 13GHL, 13GHW, 13GJT, 13GKJ, 13GMJ(std) or 13GMZ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 29334 BRAKE DRUMS, REAR : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 28DME, 28DMJ, 28DTC, 28DUL, 28DUR, 28DUS and 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE AVAIL: Code 14WMN AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AJH	\$160CR 0/-103	N/A
Single Reduction, 19,000-lb Capacity, 190 Wheel Ends RATIO: 3.31,3.58,3.73,3.91,4.10,4.30,4.56,4.88, 5.29,5.57,6.14 or 6.50 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE REQS: Code 13GHJ, 13GHL, 13GHW, 13GJT, 13GKJ, 13GMJ(std) or 13GMZ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 29334 BRAKE DRUMS, REAR : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 28DME, 28DMJ, 28DTC, 28DUL, 28DUR, 28DUS and 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE	14AJG	N/C 0/-103	N/A
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-149

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - S140 - N/A: Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMN AXLE, REAR, LUBE NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AJG		
- S23-170 - Single Reduction, 23,000-lb Capacity, R Wheel Ends RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SAM, 14SAN, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING : Code 06DAX DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHB	\$1,157 0/+225	N/A
- S23-170D - Single Reduction, 23,000-lb Capacity, R Wheel Ends, Driver Controlled Locking Differential RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SAM, 14SAN, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TAX SUSPENSION, REAR, AIR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 28DTE and 32WAA WHEELS, REAR (SEE NEXT PAGE)	14AHC	\$1,739 0/+299	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-150

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - S23-170D - N/A: Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 06DAX DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHC		
- S23-190 - Single Reduction, Hypoid Gearing, 23,000-lb Capacity, R Wheel Ends RATIO: 2.69,2.87,2.93,3.07,3.21,3.42,3.58,3.73, 3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57, 6.14,6.83,7.17 or 7.83 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 28DMB, 28DMC, 28DME, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS or 32DPW WHEELS, REAR REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAL, 14SAM, 14SAN, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, AIR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14WBT 2-SPEED SHIFT PACKAGE AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING : Code 06DAX DRIVESHAFT NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHE	\$1,920 0/+386	N/A
- S23-190D - Single Reduction, Hypoid Gearing, 23,000-lb Capacity, R Wheel Ends, Driver Control Locking Differential RATIO: 2.69,2.87,2.93,3.07,3.21,3.42,3.58,3.73, 3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57, 6.14,6.83,7.17 or 7.83 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle	14AHG	\$2,267 0/+396	N/A
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-151

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - S30-190D - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AHJ		
- 17060S - Single Reduction, 17,500-lb Capacity, 190 Wheel Ends RATIO: 2.64,2.85,3.08,3.25,3.36,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.57,6.17,6.50 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAM, 14VAD or 14VAG SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 29334 BRAKE DRUMS, REAR : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 28DME, 28DMJ, 28DTC, 28DUL, 28DUR, 28DUS and 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE AVAIL: Code 14WMN AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AGE	\$78CR 0/0	N/A
- 19055 T - Two-Speed, 19,000-lb Capacity, 190 Wheel Ends RATIO: 3.90/5.32,4.11/5.61,4.33/5.91,4.63/6.31, 4.88/6.65,5.29/7.21,5.57/7.60,6.17/8.41, 6.50/8.86 or 7.17/9.77 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 29334 BRAKE DRUMS, REAR : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 28DME, 28DTC, 28DTE, 28DUL, 28DUR, 28DUS and 32WAA WHEELS, REAR (SEE NEXT PAGE)	14CEG	\$2,711 0/+35	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-155

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - 19055 T - AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 49 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14CEG		
- 19060D - Single Reduction, 19,000-lb Capacity, 190 Wheel Ends, Driver Controlled Locking Differential RATIO: 3.36,3.55,3.70,3.90,4.11,4.33,4.63,4.88, 5.29,5.57,6.17,6.50 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 29334 BRAKE DRUMS, REAR : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 28DME, 28DMJ, 28DTC, 28DUL, 28DUR, 28DUS and 32WAA WHEELS, REAR : Code 14WBT 2-SPEED SHIFT PACKAGE : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING : Code 14WMN AXLE, REAR, LUBE	14AHP	\$698 0/+18	N/A
- 19060S - Single Reduction, Hypoid Gearing, 19,000-lb Capacity, 190 Wheel Ends RATIO: 2.64,2.85,3.08,3.25,3.36,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.57,6.17,6.50 or 7.17 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAM, 14SAN, 14VAD, 14VAG or 14VAH SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 29334 BRAKE DRUMS, REAR : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 28DME, 28DMJ, 28DTC, 28DUL, 28DUR, 28DUS and 32WAA WHEELS, REAR (SEE NEXT PAGE)	14AGA	N/C 0/0	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-156

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - 21060S - -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 32WAA WHEELS, REAR AVAIL: Code 14WMN AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14AET		
- 21065T - Two-Speed, 21,000-lb Capacity, R Wheel Ends RATIO: 3.90/5.32, 4.11/5.61, 4.33/5.91, 4.88/6.65, 5.29/7.21, 5.57/7.60, 6.17/8.42, 6.50/8.87 or 7.17/9.77 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TAX or 14TBJ SUSPENSION, REAR, AIR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 28DME, 28DTC, 28DTE and 32WAA WHEELS, REAR AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 49 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14CDL	\$2,781 0/+48	N/A
- 23082T - Two-Speed, 23,000-lb Capacity, 200 Wheel Ends RATIO: 3.70/5.04, 3.90/5.31, 4.11/5.60, 4.33/5.90, 4.56/6.20, 4.88/6.64, 5.43/7.39, 6.17/8.40 or 6.67/9.08 INCLS: REAR AXLE DRAIN PLUG (1) Magnetic, For Single Rear Axle REQS: Code 04NCZ, 04NDB(std), 04NDH, 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM (SEE NEXT PAGE)	14CDE	\$4,556 0/+235	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-158

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, SINGLE (SEE PREV PAGE) Dana Spicer - 23082T - REQS: Code 14SAL, 14SAN, 14SCD, 14SCE, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE -OR- Code 14TAX SUSPENSION, REAR, AIR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 32WAA WHEELS, REAR AVAIL: Code 14WMG AXLE, REAR, LUBE : Code 14877 DIFFERENTIAL, LOCKING NOTE: Axle Lead Time is 49 Days : When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14CDE		
AXLE, REAR, TANDEM Meritor - MT-34-14X-3DFR - Single Reduction, 0.375" (9.5mm) Wall Housing Thickness, 34,000-lb Capacity, R Wheel Ends RATIO: 2.64, 3.08, 3.25, 3.36, 3.42, 3.55, 3.70, 3.90, 4.11, 4.33, 4.63, 4.88, 5.29, 5.86, 6.14, 6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS or 32DPW WHEELS, REAR REQS: Code 14UHC, 14UHD, 14UMB or 14UNA SUSPENSION, REAR, TANDEM -OR- Code 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 29597 WHEEL SEALS, REAR : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GXC	N/A	STD

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-159

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (SEE PREV PAGE) Meritor - MT-40-14X-3DFR - AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GVX		
- MT-40-14X-4DCR - Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends, With Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM -OR- Code 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GVN	N/A	\$1,579 0/+124
- MT-40-14X-4DCR-P - Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends, Lube Pump, With Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM N/A: Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY (SEE NEXT PAGE)	14GVL	N/A	\$2,074 0/+30

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-162

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (SEE PREV PAGE) Meritor - MT-40-14X-5DER-P - REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZR, 14UZS or 14UZW SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GVK		
- MT-40-14X-5DFR - Single Reduction, 0.500"(12.7mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHC, 14UHD, 14UHE, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZR, 14UZS or 14UZW SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GVZ	N/A	\$138 0/+151
- RT-46-160 - Single Reduction 46,000-lb Capacity, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZH, 14UZI, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING (SEE NEXT PAGE)	14GRD	N/A	\$4,734 0/+516

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-166

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35 PAGE 170-167 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (SEE PREV PAGE) Meritor - RT-46-160 - AVAIL: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14HRM		
- RT-46-160P - Single Reduction, 46,000-lb Capacity, With Lube Pump, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZH, 14UZI, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14881 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GRR	N/A	\$5,045 0/+508
Single Reduction, 46,000-lb Capacity, With Lube Pump, Driver Controlled Main Locking Differential in Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZH, 14UZI, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DTE WHEELS, REAR : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE (SEE NEXT PAGE)	14GRS	N/A	\$5,636 0/+562

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-168

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-169

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM			
(SEE PREV PAGE)			
Meritor			
- RT-46-164EH -			
N/A: Code 13607 TRANSMISSION, AUXILIARY	14HRC		
AVAIL: Code 14WMK AXLE, REAR, LUBE			
: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY			
NOTE: Axle Lead Time is 45 Days			
: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance			
: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.			
Single Reduction, Standard Width, 46,000-lb Capacity, With Driver Controlled Locking Differential in Rear-Rear Axle, 200 Wheel Ends	14HRD	N/A	\$5,736
RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17			0/+613
INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle			
: POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light			
REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU or 14UZV			
SUSPENSION, REAR, TANDEM			
-OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM			
N/A: Code 29597 WHEEL SEALS, REAR			
: Code 32DHY WHEELS, REAR			
: Code 14WBN DIFF. SWITCH CONTROLS			
: Code 14877 and 14881 DIFFERENTIAL, LOCKING			
AVAIL: Code 14WMK AXLE, REAR, LUBE			
: Code 14WAL SUSPENSION/REAR-AXLE IDENTITY			
NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance			
: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.			
Single Reduction, 46,000-lb Capacity, 200 Wheel Ends	14HRB	N/A	\$5,107
RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17			0/+593
INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle			
: POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light			
REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV or 14UZW			
SUSPENSION, REAR, TANDEM			
-OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM			
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-170

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (SEE PREV PAGE) Meritor - RT-46-164EH - N/A: Code 29597 WHEEL SEALS, REAR : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14881 DIFFERENTIAL, LOCKING NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14HRB		
- RT-46-164P - Single Reduction, Standard Width, 46,000-lb Capacity, With Lube Oil Pump, With Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV or 14VKL SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14HRE	N/A	\$6,673 0/+659
Single Reduction, 46,000-lb Capacity, Lube Oil Pump, R Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS, 32DHY or 32DPW WHEELS, REAR	14HRW	N/A	\$5,074 0/+503
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-171

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (SEE PREV PAGE) Meritor - RT-46-164P - REQS: Code 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14881 DIFFERENTIAL, LOCKING NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14HRW		
Dana Spicer - D46-170/R46-170 - Single Reduction 46,000-lb Capacity, R Wheel Ends RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DTE WHEELS, REAR : Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 40EUA SRV CONTRACT, EXT CAB : Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY : Code 14877 DIFFERENTIAL, LOCKING : Code 06DDA DRIVESHAFT SYSTEM NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GJR	N/A	\$5,699 0/+517

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-172

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (CONTINUED)			
<i>Dana Spicer</i>			
- D46-170DHP/R46-170DH - Single Reduction 46,000-lb Capacity; With Lube Oil Pump, R Wheel Ends, With Driver Controlled Locking Differential in Forward-Rear & Rear-Rear Axle RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS, 32DHY or 32DPW WHEELS, REAR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY : Code 06DDA DRIVESHAFT SYSTEM NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GJK	N/A	\$8,539 0/+674
- D46-170DP/R46-170D - Single Reduction 46,000-lb Capacity; With Lube Oil Pump, R Wheel Ends, and Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS, 32DHY or 32DPW WHEELS, REAR REQS: Code 14UHC, 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14877 and 14881 DIFFERENTIAL, LOCKING (SEE NEXT PAGE)	14GJN	N/A	\$8,439 0/+437

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-173

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (SEE PREV PAGE) Dana Spicer - D46-170DP/R46-170D - AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY : Code 06DDA DRIVESHAFT SYSTEM NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GJN		
- D46-170HP/R46-170DH - Single Reduction 46,000-lb Capacity; With Lube Oil Pump, R Wheel Ends, With Driver Controlled Locking Differential in Rear-Rear Axle RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS, 32DHY or 32DPW WHEELS, REAR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY : Code 06DDA DRIVESHAFT SYSTEM NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GJJ	N/A	\$7,119 0/+618
- D46-170HP/R46-170H - Single Reduction 46,000-lb Capacity; With Lube Oil Pump, R Wheel Ends RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30, 4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light	14GJH	N/A	\$6,881 0/+562
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-174

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (SEE PREV PAGE) Dana Spicer - D46-170HP/R46-170H - REQS: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS, 32DHY or 32DPW WHEELS, REAR REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UNA, 14UZB, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY : Code 14877 DIFFERENTIAL, LOCKING : Code 06DDA DRIVESHAFT SYSTEM NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GJH		
- D46-170P/R46-170 - Single Reduction 46,000-lb Capacity; With Lube Oil Pump, R Wheel Ends RATIO: 3.07, 3.21, 3.42, 3.58, 3.73, 3.91, 4.10, 4.30, 4.56, 4.78, 5.25, 5.38, 5.57, 6.14, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS, 32DHY or 32DPW WHEELS, REAR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY : Code 14877 DIFFERENTIAL, LOCKING : Code 06DDA DRIVESHAFT SYSTEM NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GJL	N/A	\$6,039 0/+522

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-175

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, REAR, TANDEM (CONTINUED) Dana Spicer - D46-170P/R46-170D - Single Reduction 46,000-lb Capacity; With Lube Oil Pump, R Wheel Ends, With Driver Controlled Locking Differential in Rear-Rear Axle RATIO: 3.07,3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56,4.78,5.25,5.38,5.57,6.14,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DPR, 28DRA, 28DTC, 28DTD, 28DTH, 28DTJ, 28DTT, 28DUG, 28DUK, 28DUL, 28DUP, 28DUR, 28DUS, 32DHY or 32DPW WHEELS, REAR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ or 14UMC SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM N/A: Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 and 14881 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAK SUSPENSION/REAR-AXLE IDENTITY : Code 06DDA DRIVESHAFT SYSTEM NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GJM	N/A	\$7,089 0/+578
SUSPENSION, REAR, AIR, SINGLE Hendrickson - HAS 230 - 23,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers REQS: Code 04LGA SLACK ADJUSTERS, REAR, when in combination with Code 04NDB BRAKES, REAR, AIR CAM and Code 14AHB, 14AHC, 14AHE or 14AHG AXLE, REAR, SINGLE REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS REQS: Code 14AET, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHK, 14AHL, 14ARK, 14ARX, 14ARY, 14CDE, 14CDL or 14CVC AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWs, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK (SEE NEXT PAGE)	14TAX	\$2,415 0/+52	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-176

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, AIR, SINGLE (SEE PREV PAGE) International REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04ERC and 04WYB BRAKE CHAMBERS, SPRING : Code 01GBP FRAME REINFORCEMENT : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAD, 14VAG, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14TBJ		
SUSPENSION, REAR, AIR, TANDEM Hendrickson - HAS-402-55 - 55" Axle Spacing; 40,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted Inboard INCLS: CROSSMEMBER, SUSPENSION 3-Piece REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 01WBA and 01WBC CROSSMEMBER, SUSPENSION : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY AVAIL: Code 08WTJ SWITCH, BODY CIRCUITS, REAR (SEE NEXT PAGE)	14ULU	N/A	\$1,650 0/-199

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-178

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) Hendrickson - HAS-460-55 - REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 01WBA and 01WBC CROSSMEMBER, SUSPENSION : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY AVAIL: Code 08WTJ SWITCH, BODY CIRCUITS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULT		
- HAS-460-60 - 60" Axle Spacing; 46,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted Inboard INCLS: CROSSMEMBER, SUSPENSION 3-Piece REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVK, 14GVM, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE, 04AZS and 04AZY AIR BRAKE ABS : Code 01WBA and 01WBC CROSSMEMBER, SUSPENSION : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 13607 TRANSMISSION, AUXILIARY AVAIL: Code 08WTJ SWITCH, BODY CIRCUITS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULS	N/A	\$1,848 0/-181

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-180

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) Hendrickson - PRIMAAX EX - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UNW		
International Ride Optimized Suspension (IROS) Heavy Duty; 52" Axle Spacing; 40,000-lb Capacity, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, With Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION 3-Piece with Steel C-Channel and Cast Iron Ends REQS: Code 01616 FRAME RAILS WITH TAPERED REAR, when in combination with Code 10WPR or 10WPT MUD FLAP HOLDER REQS: Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14GXC(std) or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 01WBA and 01WBC CROSSMEMBER, SUSPENSION : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UNU	N/A	\$214CR 0/-492
Ride Optimized Suspension (IROS) Heavy Duty; 55" Axle Spacing; 40,000-lb Capacity, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, With Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION 3-Piece with Steel C-Channel and Cast Iron Ends (SEE NEXT PAGE)	14UNT	N/A	\$65CR 0/-492

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-183

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) International REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE, 04AZS and 04AZY AIR BRAKE ABS : Code 01WBA and 01WBC CROSSMEMBER, SUSPENSION : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UNS		
SUSPENSION, REAR, SINGLE Chalmers - 1023 Series - 23,000 lb. Capacity, Shocks Mounted Ahead of Drive Axle, 10.97"/8.66" Unladen/Laden Ride Height REQS: Code 04AZA(std) or 04AZJ AIR BRAKE ABS REQS: Code 01GBP FRAME REINFORCEMENT or Code 01CAJ or 01CGA FRAME RAILS REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14ANV, 14ARK, 14ARY or 14ASK AXLE, REAR, SINGLE N/A: Code 16CAB CAB : Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14SCD, 14SCE, 14VAD, 14VAG, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 13607 TRANSMISSION, AUXILIARY : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10HHY FIFTH WHEEL, AIR SLIDE or Code 09505 and 10WTR QUARTER FENDERS or FUEL TANK (SEE NEXT PAGE)	14TBW	\$1,883 0/-57	N/A

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-185

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35 PAGE 170-186 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, RR, SPRING, SINGLE (CONTINUED) Vari-Rate; 23,500-lb Capacity, With 4500 lb Auxiliary Rubber Spring REQS: Code 14AET, 14AGA, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AHP, 14AJG, 14AJH, 14AJY, 14ANK, 14ANS, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14VAH	\$169 0/+62	N/A
Vari-Rate; 31,000-lb Capacity; Includes (3) Torque Rods REQS: Code 04AZA(std) or 04AZJ AIR BRAKE ABS REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14AET, 14AHK, 14AHL, 14ANV, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14ATG, 14CDE, 14CVC or 14051 AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJM, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14WCB AXLE STOPS, REAR REAR : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH, 10HKN and 10HKP FIFTH WHEEL, STATIONARY	14SCD	\$2,296 0/+167	N/A
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-190

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - HMX-400-52 - N/A: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBV SHOCK ABSORBERS, REAR : Code 14WLU AXLE, PUSHER, LIFT TYPE NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UMB		
- HMX-400-54 - Walking Beam Type 54" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBV SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULX	N/A	\$1,103 0/-618
- HMX-460-54 - Walking Beam Type 54" Axle Spacing; 46,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone (SEE NEXT PAGE)	14ULY	N/A	\$1,735 0/-610

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-193

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - HMX-460-54 - REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WLU AXLE, PUSHER, LIFT TYPE : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBV SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULY		
- HMX-460-60 - Walking Beam Type 60" Axle Spacing; 46,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 02AGG AXLE, FRONT NON-DRIVING : Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 04AZU and 04AZV AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14WAS SUSPENSION LEVELING VALVE	14ULZ	N/A	\$1,922 0/-564
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-194

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - HMX-460-60 - N/A: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WLU AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBV SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULZ		
- HMX-460-72.5 - Walking Beam Type 72.5" Axle Spacing; 46,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGG, 15SGJ, 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZU, 04AZV and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBV SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UMC	N/A	\$3,010 0/-499

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-195

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - RT-463 - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UHL		
Chalmers - 854-40L - Walking Beam Type, With Rubber Spring, 54" Axle Spacing; 40,000-lb Capacity, With Standard Restrictor Cans, (8) Torque Rods, Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJR, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY or 14GVZ AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 02AGG AXLE, FRONT NON-DRIVING : Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZS	N/A	\$1,430 0/-282
- 854-40L-HS - Walking Beam Type, With Rubber Spring, 54" Axle Spacing; 40,000-lb Capacity, With High Stability (HS) Restrictor Cans, (8) Torque Rods Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJR, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY or 14GVZ AXLE, REAR, TANDEM	14UZR	N/A	\$1,430 0/-282
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-199

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35 PAGE 170-200 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Chalmers - 854-46H - N/A: Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZU		
- 854-46H-HS - Walking Beam Type, Rubber Spring, 54" Axle Spacing; 46,000-lb Capacity, With High Stability (HS) Restrictor Cans and (8) Torque Rods Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 02AGG AXLE, FRONT NON-DRIVING : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZB	N/A	\$2,016 0/-148
- 860-46H - Walking Beam Type, With Rubber Spring, 60" Axle Spacing; 46,000-lb Capacity, With Standard Restrictor Cans, (8) Torque Rods, Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone	14UZV	N/A	\$2,204 0/-130
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-201

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Chalmers - 860-46H - REQS: Code 14GJH, 14GJJ, 14GJK, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 02AGG AXLE, FRONT NON-DRIVING : Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR : Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZV		
- 860-46H-HS - Walking Beam Type, With Rubber Spring, 60" Axle Spacing; 46,000-lb Capacity, With High Stability (HS) Restrictor Cans, (8) Torque Rods, Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK	14UZT	N/A	\$2,204 0/-137
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-202

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Chalmers - 860-46H-HS - N/A: Code 02AGG AXLE, FRONT NON-DRIVING : Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 13607 TRANSMISSION, AUXILIARY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZT		
- 872-46H-HS - Walking Beam Type, With Rubber Spring, 72" Axle Spacing; 46,000-lb Capacity, With High Stability Restrictor Cans, (8) Torque Rods, Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXK FUEL TANK N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR (SEE NEXT PAGE)	14UZW	N/A	\$2,960 0/-333

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-203

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Chalmers - 872-46H-HS - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZW		
Link - AL-460 Airlink - Walking Beam & Air Type, 54" Axle Spacing; 46,000-lb Capacity, With Walking Beam and 2 Air Bag Springs; Shock Absorbers and 2 Transverse Torque Rods. 10 1/2" Ride Height INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJK, 14GRD, 14GRS, 14GVL, 14GVN or 14HRE AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJZ, 15SMD, 15SNT, 15SRE, 15STM, 15SVM, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 16196 CAB or Code 04092 BRAKE SYSTEM, AIR or Code 01SAM CROSSMEMBER, REAR, AF or Code 01GTA REINFORCEMENT, PINTLE HOOK or AXLE, TAG, LIFT TYPE or Code 08THM, 08TKJ and 08TPR STOP, TURN, TAIL & B/U LIGHTS or Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 04AZE, 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 01580 TOW LOOP, REAR AVAIL: Code 08WTJ SWITCH, BODY CIRCUITS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14VKL	N/A	\$9,246 0/-369

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-204

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SUSPENSION, REAR, TANDEM (CONTINUED) International 4-Spring Type, Multileaf, 52" Axle Spacing; 40,000-lb Capacity INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ or 14GXC(std) AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJM, 15SJR, 15SJJ, 15SMD, 15SME, 15SNT, 15SRE, 15STM, 15SVM, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 04AZE AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE, when in combination with Code 01GBP FRAME REINFORCEMENT AVAIL: Code 01WBA CROSSMEMBER, SUSPENSION NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UNA	N/A	\$1,546CR 0/-501
AXLE, PUSHER, LIFT TYPE NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY , See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Watson & Chalin - AL-2200 - 20,000-lb Capacity; Includes One Non-Steer Axle REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04JBS BRAKES, AIR CAM, PUSHER AXLE (SEE NEXT PAGE)	14WLM	N/A	\$9,731 +420/+832

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-205

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY , See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Watson & Chalin - SL-2065 Tru-Track - REQS: Code 14RAA, 14RAB or 14RAR AXLE, LIFT, CONTROLS REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT or 14UZU SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM REQS: Code 07BEM, 07BEP or 07BJY(std) EXHAUST SYSTEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 09505 and 10WTR QUARTER FENDERS : Code 16196 CAB : Code 04JNK SLACK ADJUSTER, TAG AXLE : Code 01CAG FRAME RAILS : Code 08VTN and 08WEK BATTERY BOX, when in combination with Code 14UAD AXLE SPACING, FIRST PUSHER : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW and 14VKL SUSPENSION, REAR, TANDEM, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW and 14VKL SUSPENSION, REAR, TANDEM, when in combination with Code 14UAB AXLE SPACING, FIRST PUSHER : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 04JNJ SLACK ADJUSTER, PUSHER AXLE : Code 08TST, 08VUK, 08VUL, 08VUM and 08WJN BATTERY BOX	14WNM		

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-207

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE, PUSHER, LIFT TYPE (SEE PREV PAGE) NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Watson & Chalin - SL1190SSR Tru-Trk Alumilite - N/A: Code 01CAG FRAME RAILS : Code 08TST, 08TTR, 08VUN, 08WDB, 08WJJ, 08WJN, 08WRG, 08XDU and 08XDZ BATTERY BOX : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 04JNJ SLACK ADJUSTER, PUSHER AXLE : Code 14WNL AXLE, TAG, LIFT TYPE	14WNH		
AXLE, PUSHER, LIFT TYPE, ID Customer Installed Pusher Type Axle; Nothing Installed at Manufacturing Plant REQS: Code 01CAJ or 01CBU(std) FRAME RAILS N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : Code 14WLR and 14WNL AXLE, TAG, LIFT TYPE - for 7400 SBA 6X4 : Code 14RAA, 14RAB, 14RAR, 14RAV and 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4	14WLT	N/C 0/0	N/C 0/0
AXLE SPACING, FIRST PUSHER 100" Ahead of Drive Axle N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE AVAIL: Code 14WLM and 14WNL AXLE, PUSHER, LIFT TYPE 45" Ahead of Drive Axle N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE 49" Ahead of Drive Axle REQS: Code 14XAB or 14XAC PUSHER LIFT AXLE TIRE SLR, when in combination with Code 14UHK, 14ULX, 14ULY or 14UZB SUSPENSION, REAR, TANDEM and Code 14WLM AXLE, PUSHER, LIFT TYPE N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE 54" Ahead of Drive Axle N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLU and 14WNJ AXLE, PUSHER, LIFT TYPE	14UAH 14UAA 14UAB 14UAC	N/A N/A N/A N/A	N/C 0/0 N/C 0/0 N/C 0/0 N/C 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-210

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
AXLE SPACING, FIRST PUSHER (CONTINUED) 55" Ahead of Drive Axle N/A: Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLU and 14WNJ AXLE, PUSHER, LIFT TYPE	14UAD	N/A	N/C 0/0
PUSHER LIFT AXLE TIRE SLR NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY , See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book 0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER 2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER 4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER	14XAB 14XAC 14XAD	N/A N/A N/A	N/C 0/0 N/C 0/0 N/C 0/0
AXLE, TAG, LIFT TYPE NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, S ee Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Watson & Chalin - AL-2200 - 20,000-lb Capacity; Includes One Non-Steer Axle REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04JBT BRAKES, AIR CAM, TAG AXLE REQS: Code 14UBB AXLE SPACING, TAG REQS: Code 14RAA, 14RAB or 14RAR AXLE, LIFT, CONTROLS REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 04SBD or 04SPA AIR COMPRESSOR REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UZB, 14UZR, 14UZS, 14UZT or 14UZU SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU or 14ULV SUSPENSION, REAR, AIR, TANDEM N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16196 CAB : Code 04JNJ and 04JNL SLACK ADJUSTER, PUSHER AXLE : Code 01CAG FRAME RAILS : WHEELS, LIFT AXLE PUSHER : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE (SEE NEXT PAGE)	14WLR	N/A	\$9,731 -610/+1862

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-211

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4	SECTION 170	PRICES EFFECTIVE 01/02/2017
PLM-282 REVISION NO. 35	PAGE 170-212	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TRANSVERSE TORQUE RODS with Hendrickson Suspensions REQ: Code 14UHC, 14UHD, 14UHK or 14ULP(std) SUSPENSION, REAR, TANDEM -OR- Code 14UNX SUSPENSION, REAR, AIR, TANDEM N/A: Code 14803 BUSHINGS, EQUALIZER BEAM	14WBS	N/A	\$929 0/+115
2-SPEED SHIFT PACKAGE Controlled Shifting for 2-Speed Rear Axle, Requires Automatic Transmission in Neutral & Brake Pedal Pressed & Zero Vehicle Speed, Not With 30 psi Brakes Application REQ: Code 14AET, 14ANK, 14ANM, 14ANP(std), 14ANS, 14ANV, 14ANW, 14ANY, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB or 14CVC AXLE, REAR, SINGLE N/A: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL	14WBT	\$308 0/0	N/A
FUEL TANK Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Right Side, Under Cab REQ: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW or 14VKL SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQ: Code 07BJY(std) EXHAUST SYSTEM N/A: Code 16VBU ACCESS, CAB : Code 16196 CAB AVAIL: Code 04VHZ AIR TANK LOCATION - for 7400 SBA 6X4 : Code 04VDU and 04VHZ AIR TANK LOCATION - for 7400 SBA 4X2 : Code 08VTK, 08VTN, 08VTR, 08WEJ, 08WEK, 08WEL, 08WJN and 08XGJ(std) BATTERY BOX : Code 08WWD BATTERY BOX COVER : Code 08WBW JUMP START STUD : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WDH(std) DEF TANK	15SGK	STD	STD

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-218

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FUEL TANK (CONTINUED) Top Draw; D-Style, Non-Polished Aluminum, 19.0" Tank Depth, 100 U.S. Gal., 378.5 L Capacity, Mounted Left Side BOC, 6" Above the frame rail REQS: Code 16030(std) CAB REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 08VTN, 08VUJ, 08VUK or 08WEK BATTERY BOX, when in combination with Code 16030 CAB REQS: Code 14UHC, 14UHD, 14UHK, 14ULP, 14ULX, 14ULY, 14UMB, 14UZZB, 14UZZR, 14UZZS or 14UZZU SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 REQS: Code 14UHC, 14UHD, 14UHK, 14ULP, 14ULX, 14ULY, 14UMB, 14UZZB, 14UZZR, 14UZZS or 14UZZU SUSPENSION, REAR, TANDEM, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 REQS: Code 14SAH(std), 14SAL, 14SAM, 14SAN, 14VAD, 14VAG, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- Code 14UHC, 14UHD, 14UHK, 14ULP(std), 14ULX, 14ULY, 14UMB, 14UZZB, 14UZZR or 14UZZS SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- Code 14TBZ SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 REQS: Code 07BJX or 07BKE EXHAUST SYSTEM - for 7400 SBA 4X2 -OR- Code 07BEP, 07BJX or 07BKE EXHAUST SYSTEM - for 7400 SBA 6X4 N/A: QUARTER FENDERS : Code 16VBU, 16XTK, 16ZBA and 16ZBB ACCESS, CAB : Code 16ZGM ACCESS, FRAME : Code 04092 BRAKE SYSTEM, AIR : Code 08XDU and 08XDZ BATTERY BOX : SUSPENSION, REAR, SINGLE or SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 : Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNS, 14UNT, 14UNU, 14UNW, 14UNX and 14UNY SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 15LKV FUEL/WATER SEPARATOR AVAIL: Code 04VHZ AIR TANK LOCATION : Code 07SDM ENGINE EXHAUST BRAKE : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WDG DEF TANK	15SNU	\$315 +48/+25	\$315 +54/+25

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-222

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FUEL TANK (SEE PREV PAGE)			
N/A: Code 08VTK, 08VTR, 08WDB, 08WEL, 08WJN, 08WRG, 08XDU and 08XGJ(std) BATTERY BOX - for 7400 SBA 4X2 : Code 08NBP BATTERY SYSTEM AVAIL: Code 04VCL and 04WZJ AIR TANK LOCATION : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15DYP and 15DYR DEF TANK	15SWE		
Top Draw; Non-Polished Aluminum, 26" Diam., 70 U.S. Gal., 265 L Capacity Mounted Right Side, Back of Cab REQS: Code 16030(std) CAB REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 07BKG EXHAUST SYSTEM N/A: Code 04VCL, 04VDU, 04VHZ and 04WZJ AIR TANK LOCATION : Code 15WHC, 15WHD, 15WHV and 15WHW ANTI-SIPHON DEVICE AVAIL: Code 08WJN and 08XGJ(std) BATTERY BOX : Code 08WBW JUMP START STUD : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15DYR and 15WDH(std) DEF TANK	15SWS	\$150 -25/+51	\$150 -17/+49
Top Draw; Polished Aluminum, 26" Diam., 70 U.S. Gal., 265 L Capacity Mounted Left Side, Under Cab REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 07BEM, 07BEP, 07BET, 07BJX or 07BJY(std) EXHAUST SYSTEM N/A: Code 16196 CAB : Code 08VTK, 08WDB, 08WEL, 08WJN, 08WRG, 08XDU and 08XGJ(std) BATTERY BOX : Code 08NBP BATTERY SYSTEM : Code 15LKG, 15LKH and 15LKV FUEL/WATER SEPARATOR AVAIL: Code 04WZJ AIR TANK LOCATION : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15DYP DEF TANK	15SWG	\$531 +25/+16	\$531 +26/+15
Top Draw; Non-Polished Aluminum, 26" Diam., 80 U.S. Gal., 302 L Capacity Mounted Right Side, Under Cab REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 01SAL or 01SAM CROSSMEMBER, REAR, AF REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV or 14UZW SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2	15SJM	\$304 +41/+14	\$304 +42/+13
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-229

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
FUEL TANK (SEE PREV PAGE)			
N/A: Code 08MUE, 08NBP and 08NBR BATTERY SYSTEM AVAIL: Code 04VHZ AIR TANK LOCATION : Code 08XGJ(std) BATTERY BOX - for 7400 SBA 6X4 : Code 08WBW JUMP START STUD : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15WDH(std) DEF TANK	15SJN		
Top Draw; Polished Aluminum, 26" Diam., 80 U.S. Gal., 302 L Capacity Mounted Left Side, Under Cab REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULP(std), 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZH, 14UZR, 14UZZ, 14UZZ, 14UZZ, 14UZZ or 14UZZ SUSPENSION, REAR, TANDEM - for 7400 SBA 6X4 -OR- SUSPENSION, REAR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7400 SBA 4X2 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7400 SBA 6X4 REQS: Code 07BEM, 07BEP, 07BET, 07BJX or 07BJY(std) EXHAUST SYSTEM N/A: Code 16196 CAB : Code 08VTK, 08WDB, 08WEL, 08WJN, 08WRG, 08XDU and 08XGJ(std) BATTERY BOX : Code 08NBP BATTERY SYSTEM AVAIL: Code 04WZJ AIR TANK LOCATION : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15DYP and 15DYR DEF TANK	15SWD	\$583 +33/+22	\$583 +34/+21
(02) Top Draw; D-Style, Non-Polished Aluminum, 19" Tank Depth, 50 U.S. Gal. 189 L, Total Capacity 100 U.S. Gal., 378 L; With Quick Connect Outlet, Mounted Under Cab Left Side, and Back of Cab Right Side REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 07BEM, 07BEP or 07BET EXHAUST SYSTEM N/A: Code 27DPR WHEELS, FRONT : Code 14WLM and 14WLU AXLE, PUSHER, LIFT TYPE : Code 15LKV FUEL/WATER SEPARATOR AVAIL: Code 16XTK and 16ZBB ACCESS, CAB : Code 04VDU AIR TANK LOCATION : Code 08VUL, 08VUM, 08WDB and 08WRG BATTERY BOX : Code 08WBW JUMP START STUD : Code 15WHW ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15WDG DEF TANK	15DZU	\$1,061 +44/+68	\$1,061 +53/+65

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-231

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ANTI-SIPHON DEVICE (CONTINUED) for Single Tank; 2-Inch Diameter; Located inside Fuel Tank Fill Neck REQS: Code 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15SVM, 15SWU or 15SWY FUEL TANK N/A: Code 15902 and 15903 FUEL TANK CAP	15WHV	\$61 + 1/0	\$61 + 1/0
DEF TANK 7 U.S. Gal. 26.5L Capacity, Frame Mounted Outside Left Rail, Back of Cab REQS: Code 07BJY(std) or 07BKG EXHAUST SYSTEM REQS: Code 15SGE, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SME, 15SVM or 15SWS FUEL TANK AVAIL: Code 08TST, 08TTR, 08VTR, 08VUU, 08VVN, 08WEK, 08WJN and 08XGJ(std) BATTERY BOX 7 U.S. Gal. 26.5L Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std) or 07BKE EXHAUST SYSTEM REQS: Code 15DMV, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGG, 15SGJ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15SVM, 15SWU or 15SWY FUEL TANK N/A: Code 08VTK, 08WEL, 08WJN, 08XDU and 08XGJ(std) BATTERY BOX 9.5 U.S. Gal. 35.9L Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 07BEM, 07BEP, 07BET, 07BJX, 07BJY(std) or 07BKE EXHAUST SYSTEM REQS: Code 15DPL, 15DPM, 15SJR, 15SJZ, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 16196 CAB Code 08WDB, 08WRG and 08XDU BATTERY BOX 9.5 U.S. Gal. 35.9L Capacity, Frame Mounted Outside Left Rail, Back of Cab REQS: Code 16196 CAB REQS: Code 07BEM, 07BEP or 07BET EXHAUST SYSTEM REQS: Code 15SJZ, 15STM, 15SVN, 15SWD, 15SWE, 15SWJ or 15SWS FUEL TANK AVAIL: Code 08VTK, 08WEL, 08WJN and 08XGJ(std) BATTERY BOX 5 U.S. Gal. 18.9L Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 16030(std) CAB - for 7400 SBA 6X4 REQS: Code 15LPE LOCATION FUEL/WATER SEPARATOR, when in combination with Code 15LMN or 15LMR FUEL/WATER SEPARATOR and Code 12EHF ENGINE, DIESEL REQS: Code 07BEM or 07BEP EXHAUST SYSTEM REQS: Code 15SXJ or 15SXK FUEL TANK N/A: Code 16196 CAB - for 7400 SBA 4X2	15WDH 15WDG 15DYP 15DYR 15WCN	STD N/C \$52 + 15/+6 \$110 - 13/+25 \$89 - 12/+25	STD N/C \$52 + 16/+5 \$110 - 11/+23 \$89 - 10/+23

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-238

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35 PAGE 170-242 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35 PAGE 170-243 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
LOCATION FUEL/WATER SEPARATOR			
Mounted Inboard of DEF Tank, Under Cab REQS: Code 04VCL or 04WZJ AIR TANK LOCATION REQS: Code 15WCN DEF TANK AVAIL: Code 15LMN and 15LMR FUEL/WATER SEPARATOR NOTE: For Use With 5 Gallon DEF Tank Only	15LPE	\$50	\$50
Mounted Outside Left Rail 11" Back of Cab REQS: Code 15LGM or 15LKV FUEL/WATER SEPARATOR, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL N/A: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SMD, 15SRE, 15STM, 15SVM, 15SWJ, 15SWK, 15SWU, 15SWY, 15SXJ and 15SXX FUEL TANK, when in combination with Code 16CAB or 16030 CAB and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL AVAIL: Code 15LGM and 15LKV FUEL/WATER SEPARATOR	15LMG	\$50 +7/+10	\$50 +7/+10
Mounted Outside Left Rail 15" Back of Cab REQS: Code 15LGM or 15LKV FUEL/WATER SEPARATOR, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 15LMN, 15LMP or 15LMR FUEL/WATER SEPARATOR, when in combination with Code 12EHN ENGINE, DIESEL N/A: Code 15LKG and 15LKH FUEL/WATER SEPARATOR	15LMA	\$50 +6/+10	\$50 +7/+9
Mounted Outside Left Rail 24" Back of Cab REQS: Code 15DPL, 15DPM, 15SGG, 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 15LKV FUEL/WATER SEPARATOR, when in combination with Code 15SGG or 15SMD FUEL TANK and Code 12EHN, 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 6X4 REQS: Code 15LKV FUEL/WATER SEPARATOR, when in combination with Code 15SGG or 15SMD FUEL TANK and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL - for 7400 SBA 4X2 REQS: Code 15LGM or 15LKV FUEL/WATER SEPARATOR, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL REQS: Code 15LGM, 15LKV, 15LMN, 15LMP or 15LMR FUEL/WATER SEPARATOR, when in combination with Code 15DPL, 15DPM, 15SJM, 15SJN, 15SJR, 15SJZ, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL N/A: Code 15LKG, 15LKH and 15LMP FUEL/WATER SEPARATOR	15LMV	\$50	\$50
Mounted Outside Left Rail 34" Back of Cab REQS: Code 15LMN, 15LMP or 15LMR FUEL/WATER SEPARATOR, when in combination with Code 12EHN ENGINE, DIESEL AVAIL: Code 15LMN, 15LMP and 15LMR FUEL/WATER SEPARATOR	15LMW	\$50	\$50

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-244

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35 PAGE 170-245 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CAB (SEE PREV PAGE)			
INCLS: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : STEP (4) Two Steps Per Door : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted REQS: Code 16JJD, 16JJE, 16JJG, 16JNT, 16JNV, 16JPX, 16JPY, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL, 16LJS, 16LRX, 16LSA or 16LSD SEAT, DRIVER REQS: Code 16WRX(std) or 16WRZ CAB INTERIOR TRIM REQS: Code 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PXG, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16UZY and 16UZZ CURTAIN, WINDSHIELD : SEAT, REAR : Code 16ZBA ACCESS, CAB : Code 08XH V BATTERY DISCONNECT SWITCH, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 08SAJ or 08WSM SWITCH, BODY CIRCUITS, MID : Code 08VTK and 08WEL BATTERY BOX, when in combination with Code 15SSC FUEL TANK : Code 08WDB and 08WRG BATTERY BOX : Code 15DYR DEF TANK : Code 16SBA BUNK, LOWER AVAIL: Code 16VBZ and 16VCC SEAT BELT : Code 16WJU WINDOW, POWER : Code 16GHU GRAB HANDLE, CAB INTERIOR : Code 16HCK SEATBELT WARNING PREWIRE : Code 01WLZ CROSSMEMBER, INTERMEDIATE - for 7400 SBA 4X2 : Code 08WTP COURTESY LIGHT	16030		
Conventional 6-Man Crew Cab INCLS: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : ARM REST (2) Molded Plastic; One Each Door : GLASS, ALL WINDOWS Tinted	16196	\$9,411 +234/+120	\$9,411 +234/+120
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-246

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CAB (SEE PREV PAGE) INCLS: INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : GRAB HANDLE, CAB INTERIOR (4) Two Each Side, Rear Door Mounted at Hinge Side and "C" Pillar Mounted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : STEP (8) Two Steps Per Door : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted REQS: Code 16KAY, 16LJX, 16LJY, 16LJZ, 16LKA, 16PCS, 16RDZ, 16RZL, 16SMT, 16SMU, 16SMV or 16615 SEAT, REAR REQS: Code 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 16JAJ, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPZ, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 07BEM, 07BEP, 07BET or 07BJY(std) EXHAUST SYSTEM REQS: Code 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZX, 15DZY, 15DZZ, 15SRE, 15SVN, 15SWU or 15SWY FUEL TANK N/A: Code 10NZL SPECIAL RATING, GVWR : Code 16VBS CONSOLE, CENTER : Code 16KAY and 16SMV SEAT, REAR : Code 16XWY WINDSHIELD WASHER RESERVOIR : Code 16917 MOUNTING BRACKETS : Code 01WLZ and 01WMA CROSSMEMBER, INTERMEDIATE : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14RAA, 14RAB, 14RAR, 14RAV and 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4 : Code 13607 TRANSMISSION, AUXILIARY : BEACON MOUNTING BRACKET, when in combination with Code 12EHN ENGINE, DIESEL - for 7400 SBA 6X4 : BEACON MOUNTING BRACKET, when in combination with Code 12EHN ENGINE, DIESEL - for 7400 SBA 4X2 : Code 15DYP and 15WCN DEF TANK : Code 16SBA BUNK, LOWER : Code 08WVP HORN, AIR AVAIL: Code 16WJV WINDOW, POWER : Code 16GHV GRAB HANDLE, CAB INTERIOR : Code 16ZBA ACCESS, CAB : Code 08TST, 08TTR, 08WDB, 08WJN, 08WRG and 08XGJ(std) BATTERY BOX : Code 08WBW JUMP START STUD (SEE NEXT PAGE)	16196		

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-247

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CAB (SEE PREV PAGE)			
AVAIL: Code 08WTR COURTESY LIGHT NOTE: 43.9" CA Loss	16196		
Extended Conventional INCLS: CUP HOLDERS Two Cup Holders, Located in Lower Center of Instrument Panel : COAT HOOK, CAB Located on Rear Wall, Centered Above Rear Window : ARM REST (2) Molded Plastic; One Each Door : GLASS, ALL WINDOWS Tinted : WINDOWS, PRIVACY GLASS Rear Side Windows and Rear Window, Dark PrivaGuard Glass : INTERIOR SHEET METAL Upper Door (Above Window Ledge) Painted Exterior Color : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : STEP (4) Two Steps Per Door : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted REQS: Code 16JJD, 16JJE, 16JJG, 16JNT, 16JNV, 16JPX, 16JPY, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL, 16LJS, 16LRV, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16KAY, 16LJX, 16LJY, 16LJZ, 16LKA, 16PCS, 16RDZ, 16RZL, 16SMT, 16SMU, 16SMV or 16615 SEAT, REAR REQS: Code 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 14RAR or 14RAV AXLE, LIFT, CONTROLS - for 7400 SBA 6X4 REQS: Code 16PJV, 16PJW, 16SMH or 16SMJ SEAT, TWO-MAN PASSENGER -OR- Code 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER -OR- SEAT, FRONT BENCH REQS: Code 07BEM, 07BEP, 07BET or 07BJY(std) EXHAUST SYSTEM REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU, 15SWY, 15SXJ or 15SXK FUEL TANK - for 7400 SBA 4X2 -OR- Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SME, 15SRE, 15STM, 15SVM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWU or 15SWY FUEL TANK - for 7400 SBA 6X4 N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16VBS CONSOLE, CENTER	16CAB	\$3,807 +138/+72	\$3,807 +138/+72
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-248

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ACCESS, FRAME (SEE PREV PAGE) N/A: Code 01WLZ CROSSMEMBER, INTERMEDIATE - for 7400 SBA 4X2 : Code 08WJJ, 08XDU and 08XDZ BATTERY BOX : Code 14WLM, 14WLU, 14WNH, 14WNJ and 14WNM AXLE, PUSHER, LIFT TYPE - for 7400 SBA 6X4 : Code 15SGD FUEL TANK, when in combination with Code 16030 CAB : Code 15LGM, 15LKV, 15LMN, 15LMP and 15LMR FUEL/WATER SEPARATOR, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL	16ZGM		
AIR CONDITIONER - Blend-Air - With Integral Heater & Defroster INCLS: HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea - Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A N/A: Code 16WCS(std) HEATER	16WCT	\$923 +42/+5	\$923 +43/+4
AIR CONDITIONER, PROVISION FOR Accommodation Package, for Air Conditioning, Includes (1) SD7 Sanden Auxiliary Compressor in Secondary Compressor Position and Compressor Drive Effects for Vehicle with Primary Compressor Mounting REQ: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 16WCS(std) HEATER : ALTERNATOR PULLEY, when in combination with Code 12NWC, 12NWD, 12NWE or 12NWK ENGINE, DIESEL : Code 13WAW OIL COOLER, AUTO TRANSMISSION : Code 12851 PTO EFFECTS, ENGINE FRONT	16990	\$689 0/0	\$689 0/0
AMMETER 150 Amp N/A: Code 16VSL WINDSHIELD : Code 16HLM GPS	16HHT	\$87 +1/0	\$87 +1/0
ARM REST, LEFT, PASSENGER SEAT REQ: Code 16PPD, 16PPH, 16PPN, 16RPV, 16RPX or 16RXP SEAT, PASSENGER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16WBZ	\$39 +3/0	\$39 +3/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-251

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
ARM REST, RIGHT, DRIVER SEAT REQS: Code 16JJD, 16JNT, 16JNV, 16JYX, 16LJL, 16LJS, 16LRV, 16LRW or 16LSD SEAT, DRIVER N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16WBY	\$39 +3/0	\$39 +3/0
BUNK, LOWER 26" Wide; Includes Mattress, Occupant Restraints and Under Bunk Storage Compartment REQS: Code 16WRX(std), 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB CAB N/A: Code 13WYH TRANSMISSION TCM LOCATION AVAIL: Code 16615 SEAT, REAR : Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAA, 60AAB and 60AAD BDY INTG, REMOTE POWER MODULE	16SBA	\$2,300 +15/+29	\$2,300 +15/+29
CAB INTERIOR TRIM Deluxe INCLS: HEADLINER Soft Padded Cloth : "A" PILLAR COVER Molded Plastic : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : FLOOR COVERING Rubber, Black : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section REQS: Code 16JJD, 16JJE, 16JJG, 16JNT, 16JNV, 16JPX, 16JPY, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL, 16LJS, 16LRV, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16030(std) CAB REQS: Code 16JJU, 16LPC, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH AVAIL: Code 16VBZ and 16VCC SEAT BELT : Code 16WJU WINDOW, POWER : Code 16HCK SEATBELT WARNING PREWIRE : Code 08WTP COURTESY LIGHT	16WRX	STD	STD

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-252

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CAB INTERIOR TRIM (SEE PREV PAGE)			
REQS: Code 16JJU, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH AVAIL: Code 16WJU WINDOW, POWER : Code 08WTP COURTESY LIGHT	16WSX		
Premium INCLS: HEADLINER Soft Padded Cloth : "A" PILLAR COVER Molded Plastic : STORAGE POCKET, DOOR (2) Molded Plastic (Carpet Texture), Full-Length; Driver and Passenger Doors : SUN VISOR (3) Padded Vinyl: 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets, CB Radio Pocket, Speakers, and Reading Lights : FLOOR COVERING Rubber, Black : CAB SOUND INSULATION Includes Dash and Engine Cover Insulators : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : DOOR TRIM PANELS with Cloth Insert on Bolster Driver and Passenger Doors : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster : COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side REQS: Code 16030(std) CAB REQS: Code 16JJU, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR, 16SMX, 16SMY, 16SMZ or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH N/A: Code 16WLE STORAGE POCKET, DOOR : Code 16WEE CAB SOUND INSULATION : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 08WTP and 08WTR COURTESY LIGHT : Code 16SBA BUNK, LOWER AVAIL: Code 16VBZ and 16VCC SEAT BELT	16WRZ	\$375 0/0	\$375 0/0
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-254

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CAB INTERIOR TRIM (SEE PREV PAGE)			
AVAIL: Code 16WJU WINDOW, POWER : Code 16HCK SEATBELT WARNING PREWIRE	16WRZ		
Premium; for Crew Cab INCLS: HEADLINER Soft Padded Cloth : "A" PILLAR COVER Molded Plastic : STORAGE POCKET, DOOR (2) Molded Plastic (Carpet Texture), Full-Length; Driver and Passenger Doors : SUN VISOR (3) Padded Vinyl: 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets, CB Radio Pocket, Speakers, and Reading Lights : FLOOR COVERING Rubber, Black : CAB SOUND INSULATION Includes Dash and Engine Cover Insulators : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : DOOR TRIM PANELS with Cloth Insert on Bolster Driver and Passenger Doors : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster : COURTESY LIGHT (4) Mounted In Front and Rear Map Pockets - Left and Right Sides REQS: Code 16196 CAB REQS: Code 16JAJ, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH N/A: Code 16WLE STORAGE POCKET, DOOR : Code 16WEE CAB SOUND INSULATION : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 08WTP and 08WTR COURTESY LIGHT : Code 16SBA BUNK, LOWER	16WSJ	\$743 0/0	\$743 0/0
Premium; for Extended Cab INCLS: HEADLINER Soft Padded Cloth : "A" PILLAR COVER Molded Plastic : STORAGE POCKET, DOOR (2) Molded Plastic (Carpet Texture), Full-Length; Driver and Passenger Doors	16WSY	\$449 0/0	\$449 0/0
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-255

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CAB INTERIOR TRIM (SEE PREV PAGE) INCLS: SUN VISOR (3) Padded Vinyl: 2 Moveable (Front-to-Side) Primary Visors, Driver Side with Vanity Mirror and Toll Ticket Strap, plus 1 Auxiliary Visor (Front Only), Driver Side : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets, CB Radio Pocket, Speakers, and Reading Lights : FLOOR COVERING Rubber, Black : CAB SOUND INSULATION Includes Dash and Engine Cover Insulators : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : DOOR TRIM PANELS with Cloth Insert on Bolster Driver and Passenger Doors : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section : GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster : COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side REQS: Code 16JJD, 16JJE, 16JJG, 16JNT, 16JNV, 16JPX, 16JPY, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL, 16LJS, 16LRV, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16CAB CAB REQS: Code 16JJU, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER -OR- SEAT, TWO-MAN PASSENGER -OR- SEAT, FRONT BENCH N/A: Code 16WLE STORAGE POCKET, DOOR : Code 16WEE CAB SOUND INSULATION : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 08WTP and 08WTR COURTESY LIGHT AVAIL: Code 16WJU WINDOW, POWER	16WSY		
CAB REAR SUSPENSION Air Bag Type	16WSK	STD	STD

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-256

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM NOTE: Feature included with CAB INTERIOR TRIM, Premium	16WEE	\$90 +12/0	\$90 +12/0
CONSOLE, CENTER Polypropylene, With One Coin Holder, One Cup Holder and One Thermos Holder, With Laptop PC or Clipboard Storage, Includes small Storage Area REQS: Code 16030(std) CAB REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4 REQS: Code 16JAJ, 16JJU, 16LPC, 16LPZ, 16LUM, 16LUN, 16PNX, 16PPD, 16PPG, 16PPH, 16PPN, 16PPY, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16RXP, 16SMM, 16SMN, 16SMR or 16400 SEAT, PASSENGER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16VBS	\$64 +12/0	\$64 +12/0
CONTROLS, CENTER PANEL Includes Ignition Switch, Headlights and Power Mirror Controls Located in Center Panel REQS: Code 16WJS(std) INSTRUMENT PANEL REQS: Code 16SDT or 16SDU MIRRORS REQS: Code 16SDT, 16SDU, 16SNB or 16SNC MIRRORS or Code 08WLM, 08WLN, 08XJG or 08585 FOG LIGHTS, when in combination with Code 08THJ AUXILIARY HARNESS REQS: Code 16SNB or 16SNC MIRRORS, when in combination with Code 08WLM, 08WLN or 08585 FOG LIGHTS REQS: Code 16WRZ, 16WSJ or 16WSY CAB INTERIOR TRIM, when in combination with Code 16WJU or 16WJV WINDOW, POWER N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE or Code 08630 IGNITION SWITCH : Code 16HLM GPS	16VEX	\$666 0/0	\$666 0/0
COWL TRAY LID	16XXC	\$200 +6/+5	\$200 +7/+4
CURTAIN, WINDSHIELD Privacy for the Windshield and Door Windows REQS: Code 16CAB or 16196 CAB Privacy for Windshield, Doors and Rear Windows REQS: Code 16CAB or 16196 CAB	16UZY 16UZZ	\$250 +8/0 \$338 +10/0	\$250 +8/0 \$338 +10/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-257

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4	SECTION 170	PRICES EFFECTIVE 01/02/2017
PLM-282 REVISION NO. 35	PAGE 170-258	SUBJECT TO CHANGE WITHOUT NOTICE
Printed in the United States of America		All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
GAUGE, AIR CLEANER RESTRICTION <i>Filter-Minder</i> With Black Bezel Mounted in Instrument Panel	16HHE	\$30 + 2/0	\$30 + 2/0
GAUGE, DEF FLUID LEVEL N/A: GAUGE, OIL TEMP, AUTO TRANS or GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HGG GAUGE, OIL TEMP, ENGINE : Code 16HGG GAUGE, OIL TEMP, ENGINE, when in combination with Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : GAUGE, OIL TEMP, ENGINE, when in combination with Code 16HGH GAUGE, OIL TEMP, AUTO TRANS	16HLJ	STD	STD
GAUGE, OIL TEMP, AUTO TRANS , for Allison Transmission N/A: GAUGE, OIL TEMP, ENGINE, when in combination with Code 16HLJ GAUGE, DEF FLUID LEVEL : Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ, 13GMJ(std) and 13GMZ TRANSMISSION, MANUAL	16HGH	\$48 + 1/0	\$48 + 1/0
GAUGE, OIL TEMP, ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: GAUGE, OIL TEMP, AUTO TRANS or GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HLJ GAUGE, DEF FLUID LEVEL	16HGG	\$54 + 1/0	\$54 + 1/0
GAUGE, OIL TEMP, MANUAL TRAN for Manual Transmission REQS: Code 13GHJ, 13GHL, 13GHW, 13GJR, 13GJT, 13GKJ or 13GMZ TRANSMISSION, MANUAL N/A: Code 16HGG GAUGE, OIL TEMP, ENGINE, when in combination with Code 16HLJ GAUGE, DEF FLUID LEVEL : TRANSMISSION, AUTOMATIC : Code 16WLM HOURMETER, PTO	16HGJ	\$48 + 1/0	\$48 + 1/0
GAUGE, OIL TEMP, REAR AXLE REQS: Code 14AET, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AHP, 14AJY, 14ANK, 14ANM, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB, 14CVC, 14ERB, 14ERC, 14ERP or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- AXLE, REAR, TANDEM - for 7400 SBA 6X4 (SEE NEXT PAGE)	16HGL	\$95 + 1/0	\$190 + 1/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-259

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
GAUGE, OIL TEMP, REAR AXLE (SEE PREV PAGE) N/A: Code 16HLM GPS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	16HGL		
GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM	16HCS	\$71 0/0	\$71 0/0
GPS Rand McNally Flush Mounted Style In Wing Panel; Display with Color Touch Screen, Includes GPS Navigation, Rechargeable Battery, Internal Antenna & USB Port N/A: Code 16VEX CONTROLS, CENTER PANEL : Code 16HGN GAUGE, AIR APPLICATION : Code 16HGL GAUGE, OIL TEMP, REAR AXLE : Code 16HHT AMMETER	16HLM	\$647 0/0	\$647 0/0
GRAB HANDLE (02) Black, Aluminum; for Cab Entry Mounted Left and Right each Side at "B" Pillar N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16CAB CAB Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar N/A: Code 16CAB CAB (02) Chrome Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry, Mounted Left and Right, Each Side at "B" Pillar N/A: Code 16CAB CAB	16SED 16SEE 16SDC	\$87 \$118 +3/0 \$236 +6/0	\$87 \$118 +3/0 \$236 +6/0
GRAB HANDLE, ADDITIONAL EXT (02) Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; Mounted Left and Right Side on Exterior, Rear of Rear Doors, With Crew Cab REQS: Code 16196 CAB N/A: Code 16SED GRAB HANDLE	16SDD	\$236 +5/0	\$236 +5/0
GRAB HANDLE, CAB INTERIOR (2) Safety Yellow N/A: Code 16196 CAB (4) Safety Yellow, Crew Cab REQS: Code 16196 CAB	16GHU 16GHV	\$33 0/0 \$64 0/0	\$33 0/0 \$64 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-260

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
HEATER - Blend-Air - with Defroster INCLS: HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea - Constant Tension Clamps REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: Code 16990 AIR CONDITIONER, PROVISION FOR : Code 16WCT AIR CONDITIONER	16WCS	STD	STD
HEATER HOSES Silicone REQS: Code 16WHJ HOSE CLAMPS, HEATER HOSE	16975	\$78 0/0	\$78 0/0
HOSE CLAMPS, HEATER HOSE Breeze Belleville Washer Type	16WHJ	\$25 0/0	\$25 0/0
HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line	16564	\$69 +5/0	\$69 +5/0
HOURLY METER, PTO for Customer Provided PTO; With Indicator Light and Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch N/A: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN AVAIL: Code 60AKG BDY INTG, PTO ACCOMMODATION	16WLM	\$138 +2/0	\$138 +2/0
HVAC FRESH AIR FILTER	16WKY	STD	STD
INSTRUMENT PANEL Center Section, Flat Panel Center Section, Ergonomic Panel N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 08WEE SWITCH, AIR HORN, PASSENGER	16WJS 16WJT	STD \$330 0/0	STD \$330 0/0
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster Omit Display of Fault Codes in Instrument Cluster and Disable Blink Codes, Requires Service Tool to Retrieve and View Fault Code	16HKT 16HKA	STD N/C 0/0	STD N/C 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-261

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35 PAGE 170-264 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-269

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-270

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, PASSENGER (CONTINUED)			
National			
Non Suspension, High Back With Integral Headrest, Mordura Cloth, With Fixed Back REQS: Code 16LSD SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16LUN	\$427 +14/+10	\$427 +14/+10
Non Suspension, High Back With Integral Headrest, Cloth, With Fixed Back, With Under Seat Storage REQS: Code 16JJD, 16JNV, 16JYX, 16KAU, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16SMR	\$504 +23/+18	\$504 +25/+16
Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl REQS: Code 16JJE, 16JJG, 16JNT, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16SMN	\$368 +13/+10	\$368 +14/+9
Non Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back, With Under Seat Storage REQS: Code 16JJE, 16JJG, 16JNT, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16LUM	\$518 +23/+18	\$518 +25/+16
- 2000 - Air-Suspension, High Back With Integral Headrest, Cloth, Isolator, 1 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Dual Shocks INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16WBZ ARM REST, LEFT, PASSENGER SEAT REQS: Code 16JNV, 16JYX, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16RXP	\$794 +24/+15	\$794 +24/+15

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-274

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, PASSENGER (SEE PREV PAGE)			
<i>National</i>			
- 2000 -			
N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16RPV		
Air Suspension, High Back, Vinyl Boxing w/Leather Facing, 1 Inboard Arm Rest, Isolator, 3 Chamber Lumbar, 6 Way Front Adjust, -3 to 14 Degree Back Angle Adjustment, Vinyl Suspension Cover, Heat INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type	16PNX	\$1,097 +27/+19	\$1,097 +27/+19
REQS: Code 16JPX SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE			
- 2000 195 -			
Air-Suspension, High Back With Integral Headrest, Cloth, Isolator, 3 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjustment, Cushion and Back Bolsters INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type	16PPD	\$885 +22/+17	\$885 +22/+17
REQS: Code 16JJD SEAT, DRIVER N/A: Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH			
<i>H.O. Bostrom</i>			
- Sierra Air 100 -			
NFPA Compliant, Air Suspension, High Back, Vinyl with Covered Back and International on Headrest for Fire Truck INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type	16PPH	\$790 +17/+11	\$790 +17/+11
REQS: Code 16JJG or 16KUW SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH			
- Tanker 400 CT -			
for SCBA with SecureAll Locking System, Non-Suspension, High Back, Vinyl, Adjusters, 0-Degree Back Angle, with Covered Back, International Logo on Headrest INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type	16JJU	\$1,813 +29/-15	\$1,813 +28/-14
REQS: Code 16JJG or 16KUW SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT			
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-276

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, PASSENGER			
(SEE PREV PAGE)			
H.O. Bostrom			
- Tanker 400 CT - N/A: Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16WSG and 16WSJ CAB INTERIOR TRIM : Code 16CAB, 16030(std) and 16196 CAB	16JJU		
- Tanker 400CT - for SCBA; Non-Suspension, High Back, Vinyl, Adjusters, 0-Degree Back Angle, International Logo on Headrest INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JJE, 16JJG, 16JNT, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH : Code 16WSG and 16WSJ CAB INTERIOR TRIM : Code 16196 CAB	16PXG	\$740 +81/+50	\$740 +81/+50
- Tanker 450 - for SCBA with SecureAll Locking System, Non-Suspension, High Back, Vinyl, Adjusters, 7-Degree Back Angle, With Covered Back, International Logo on Headrest REQS: Code 16JJE, 16JJG, 16JNT, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 16196 CAB N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16JAJ	\$1,728 +23/-15	\$1,728 +22/-14
for SCBA; Non-Suspension, High Back, Vinyl, Adjusters, 7-Degree Back Angle, With Covered Back, International Logo on Headrest INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JJE, 16JJG, 16JNT, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16WSG, 16WSJ, 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB REQS: Code 04SBC(std) or 04SBD AIR COMPRESSOR N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV, 16PJW, 16SMH, 16SMJ, 16SMK and 16SML SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16JXG(std) and 16KAX SEAT, FRONT BENCH	16PXH	\$740 +81/+50	\$740 +81/+50



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, REAR BENCH; Omit Item REQ: Code 16JJD, 16JJE, 16JJG, 16JNT, 16JNV, 16JPX, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL, 16LJS, 16LRV, 16LRW or 16LSD SEAT, DRIVER REQ: Code 16CAB or 16196 CAB AVAIL: Code 16VBZ and 16VCC SEAT BELT : Code 16HCK SEATBELT WARNING PREWIRE Seats, Inc. - Universal Series - 911, NFPA Compliant, Three Individual Seats on one Riser, Non-Suspension, High Back for SCBA, Vinyl With Covered Back, International Logo on Headrest INCLS: SEAT BELT (3) Two 3-Point Shoulder Belts for Driver and Outer Passenger and One 2-Point Lap Belt for Center Passenger REQ: Code 16JJE, 16JJG, 16JNT, 16JPX, 16KAV, 16KUW, 16LJS, 16LRV or 16LSA SEAT, DRIVER REQ: Code 16196 CAB REQ: Code 16JXG(std) SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER N/A: BDY INTG, ADDITIONAL CAB HOLE : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE National BENCH; Full Width; Cloth, With Fixed Mid Back REQ: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LRW or 16LSD SEAT, DRIVER REQ: Code 16CAB CAB REQ: Code 16KAX SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER N/A: Code 16HCK and 16HCL SEATBELT WARNING PREWIRE : Code 13WYH TRANSMISSION TCM LOCATION : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT BENCH; Full Width; Vinyl, With Fixed Mid Back REQ: Code 16JJE, 16JJG, 16JNT, 16JPX, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQ: Code 16CAB CAB REQ: Code 16JXG(std) SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER N/A: Code 13WYH TRANSMISSION TCM LOCATION : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE BENCH; Full Width; Cloth, With Fixed Back and Two Integral Outboard Headrests REQ: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LRW, 16LSA or 16LSD SEAT, DRIVER REQ: Code 16196 CAB REQ: Code 16KAX SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER (SEE NEXT PAGE)	16615	N/C 0/0	N/C 0/0
	16PCS	\$2,234 +212/+141	\$2,234 +212/+141
	16KAY	\$1,057 +39/+55	\$1,057 +43/+51
	16SMV	\$980 +37/+54	\$980 +41/+50
	16SMU	\$931 +38/+56	\$931 +43/+51

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-278

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SEAT, REAR (CONTINUED)			
National			
- 2000 -			
Two Individual Outboard Seats, NFPA Compliant, Air Suspension, High Back, Cloth, Isolator, Lumbar, with 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjust, with 18" Wide Cushion and 20" Seat Back INCLS: SEAT BELT Two 3-Point Shoulder Belts REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16196 CAB REQS: Code 16KAX SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER N/A: Code 02AEV, 02AEW, 02ARY and 02ARZ AXLE, FRONT NON-DRIVING : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16LJZ	\$1,829 +105/+67	\$1,829 +105/+76
Two Individual Outboard Seats, NFPA Compliant, Air Suspension, High Back, Vinyl, Isolator, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Lumbar, With 18" Wide Cushion and 20" Seat Back INCLS: SEAT BELT Two 3-Point Shoulder Belts REQS: Code 16JJE, 16JJG, 16JNT, 16JPX, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16196 CAB REQS: Code 16JXG(std) SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER N/A: Code 02AEV, 02AEW, 02ARY and 02ARZ AXLE, FRONT NON-DRIVING : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16LKA	\$1,782 +105/+67	\$1,782 +105/+67
H.O. Bostrom			
- Tanker 400CT - for SCBA; Three Individual Seats on One Riser, Non Suspension, High Back, Vinyl, With Covered Back and International on Head Rest INCLS: SEAT BELT (3) Two 3-Point Shoulder Belts for Driver and Outer Passenger and One 2-Point Lap Belt for Center Passenger REQS: Code 16JJE, 16JJG, 16JNT, 16JPX, 16KAV, 16KUW, 16LJS, 16LRV or 16LSA SEAT, DRIVER REQS: Code 16196 CAB REQS: Code 16JXG(std) SEAT, FRONT BENCH -OR- SEAT, TWO-MAN PASSENGER N/A: Code 13WYH TRANSMISSION TCM LOCATION : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16RZL	\$2,709 +122/+99	\$2,709 +122/+99

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-280

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35 PAGE 170-284 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-288

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEELS, FRONT			
(SEE PREV PAGE)			
No Vendor Identified			
N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS NOTE: Compatible Tire Sizes: 385/65R22.5, 425/65R22.5 : Aluminum Wheels not Painted or Coated : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. - for 7400 SBA 6X4	27DHK		
DISC; 22.5x12.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARV, 02ARW, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 REQS: Code 26DRB, 26DRG, 26DRP, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 6X4 REQS: Code 26DRB, 26DRG, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 4X2 N/A: Code 02AGC, 02AGE, 02AGG and 02AUR AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 : Code 04JCG(std) BRAKES, FRONT, AIR CAM, when in combination with Code 02AGC, 02AGE, 02AGG, 02ARV or 02ARW AXLE, FRONT NON-DRIVING - for 7400 SBA 6X4 : Code 04JCG(std) BRAKES, FRONT, AIR CAM, when in combination with Code 02AGC, 02AGE, 02AGG, 02ARV, 02ARW or 02ARX AXLE, FRONT NON-DRIVING - for 7400 SBA 4X2 : Code 32WAA WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBX COATING IDENTITY, FRONT WHEELS NOTE: Compatible Tire Sizes: 385/65R22.5, 425/65R22.5 : Aluminum Wheels not Painted or Coated	27DHJ	\$995 - 9 / 0	\$995 - 9 / 0
DISC; 22.5x12.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING REQS: Code 26DRB, 26DRG, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC	27DHz	\$1,478 - 41 / 0	\$1,478 - 41 / 0
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-291

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEELS, FRONT			
(SEE PREV PAGE)			
No Vendor Identified			
N/A: Code 04WZK BRAKE PACKAGE, FRONT : Code 29ADX HUB BRAND, FRONT : Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBX COATING IDENTITY, FRONT WHEELS NOTE: Compatible Tire Sizes: 385/65R22.5, 425/65R22.5 : Aluminum Wheels not Painted or Coated : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires. - for 7400 SBA 6X4	27DHZ		
DISC; 22.5x13.00 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 26DRB, 26DRG, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 15DMV, 15DPL, 15DPM, 15DTA, 15DYS, 15DYT, 15DYU, 15DZT, 15DZU, 15DZV, 15DZW, 15DZX, 15DZY, 15DZZ, 15SGD, 15SGE, 15SGG, 15SGH, 15SGJ, 15SGK(std), 15SJM, 15SJN, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SPS, 15SRE, 15SSC, 15STM, 15SVM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK, 15SWS, 15SWU, 15SWY, 15SXJ or 15SXX FUEL TANK N/A: Code 32WAA WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS NOTE: Compatible Tire Sizes: 425/65R22.5, 445/65R22.5 : Aluminum Wheels not Painted or Coated	27DMZ	\$965 + 71/0	\$965 + 71/0
DISC; 22.5x13.00 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 26DRB, 26DRG, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC	27DNZ	\$1,096 + 71/0	\$1,096 + 71/0

(SEE NEXT PAGE)

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-292

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEELS, REAR (CONTINUED)			
Accuride			
- 28828 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and with Steel Hubs REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DRP, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 6X4 REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 4X2 N/A: Code 29334 BRAKE DRUMS, REAR : Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PAS PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS	28DTT	\$127	\$254
- 29169 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .472" Thick Increased Capacity Disc and Steel Hubs REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DRP, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 6X4 REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 4X2 N/A: Code 29334 BRAKE DRUMS, REAR : Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS AVAIL: Code 29PAX PAINT IDENTITY, REAR WHEELS - for 7400 SBA 6X4 : Code 29PAL and 29PAX PAINT IDENTITY, REAR WHEELS - for 7400 SBA 4X2	28DUK	\$127	\$254
- 29300 - DUAL DISC; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DRP, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 6X4	28DUL	\$455	\$910
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-299

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-300

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEELS, REAR (CONTINUED)			
Accuride			
- 41730 - DUAL DISC; 22.5x9.00 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DRP, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 6X4 REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 4X2 REQS: Code 14AET, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ANK, 14ANM, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CVB, 14CVC, 14ERB, 14ERP or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- AXLE, REAR, TANDEM - for 7400 SBA 6X4 N/A: Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29WAR WHEEL GUARDS, REAR AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS - for 7400 SBA 4X2 : Code 29PBS COATING IDENTITY, REAR WHEELS	28DUS	\$1,205	\$2,410
DUAL DISC; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DRP, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 6X4 REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 4X2 REQS: Code 14AET, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ANK, 14ANM, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CVB, 14CVC, 14ERB, 14ERC, 14ERP or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- AXLE, REAR, TANDEM - for 7400 SBA 6X4 N/A: Code 29334 BRAKE DRUMS, REAR : Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR	28DUR	\$1,174	\$2,348
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-301

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEELS, REAR			
(SEE PREV PAGE)			
Accuride			
- 41730 - N/A: Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS - for 7400 SBA 4X2	28DUR		
- 50408 - DUAL DISC; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DRP, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 6X4 REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 4X2 N/A: Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS	28DUG	\$104CR	\$208CR
- 50409 - DUAL DISC; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DRP, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 6X4 REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 4X2 N/A: Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS - for 7400 SBA 4X2	28DUP	\$67CR	\$134CR
No Vendor Identified			
SINGLE DISC; 22.5x13.00 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flange Nut, with Steel Hubs REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DRP, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC	32DHY	N/A	\$1,024 0/-391
(SEE NEXT PAGE)			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-302

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-308

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEELS, REAR (SEE PREV PAGE)			
Alcoa			
- 98U63 - N/A: Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS	28DEM		
Maxion			
- 10038 - DUAL DISC; 22.5x7.50 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DPN, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAS, 29PAX or 29PBB PAINT IDENTITY, REAR WHEELS REQS: Code 14AET, 14AGA, 14AGE, 14AGR, 14AHB, 14AHH, 14AHJ, 14AHP, 14AJG, 14AJH, 14AJY, 14ANP(std), 14ANS, 14ANV, 14ARB, 14ARK, 14ARX, 14ARY, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CVB, 14ERC, 14ERP or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- Code 14GRD, 14GRP, 14GRR, 14GVL, 14GVN, 14GVR, 14GVU, 14GVY, 14GVZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL or 14HRM AXLE, REAR, TANDEM - for 7400 SBA 6X4 N/A: Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PAL PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS	28DTE	\$102 0/+805	\$204 0/+191
- 10049 - DUAL DISC; 22.5x8.25 Rims, Painted Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with .490" Thick Increased Capacity Disc and Steel Hubs REQS: Code 26DPN, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 10632 or 10646 PAINT IDENTITY, PT-2 or Code 29PAS, 29PAX or 29PBB PAINT IDENTITY, REAR WHEELS N/A: Code 29334 BRAKE DRUMS, REAR : Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PAL PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS	28DTH	\$198 0/+897	\$396 0/+283

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-309

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEEL, SPARE, DISC (CONTINUED)			
Accuride			
- 28828 - 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .472" Thick Increased Capacity Disc REQS: Code 27DTT WHEELS, FRONT or Code 28DTT WHEELS, REAR N/A: Code 29174 WHEEL BRAND, FRONT/REAR	26DTT	\$219	\$219
- 29039 - 22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DPN WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	26DPN	\$268	\$268
- 29169 - 22.5x8.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, with .472" Thick Increased Capacity Disc REQS: Code 27DUK WHEELS, FRONT or Code 28DUK WHEELS, REAR N/A: Code 29174 WHEEL BRAND, FRONT/REAR	26DUK	\$219	\$219
- 29300 - 22.5x9.00 Rims, Powder Coat Steel, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DUL WHEELS, FRONT or Code 28DUL WHEELS, REAR N/A: Code 29174 WHEEL BRAND, FRONT/REAR	26DUL	\$219	\$219
- 29806 - 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DUM WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	26DUM	\$476	\$476
- 29807 - 22.5x12.25 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DUN WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	26DUN	\$476	\$476

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-313

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
PAINT IDENTITY, FRONT WHEELS (CONTINUED) Disc Wheels; With Vendor Applied Black Powder Coat Paint REQS: Code 27DPN, 27DTE, 27DTH, 27DTJ, 27DTU(std), 27DUG, 27DUK or 27DUL WHEELS, FRONT AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBA	\$24 0/0	\$24 0/0
PAINT IDENTITY, REAR WHEELS Disc Rear Wheels; With Vendor Applied Gray Powder Coat Paint REQS: Code 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU(std), 28DUG, 28DUK, 28DUL or 32DPW WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2 Disc Rear Wheels; With Vendor Applied White Powder Coat Paint REQS: Code 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTU(std) or 28DUG WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2 Disc Wheels; With Vendor Applied Black Powder Coat Paint REQS: Code 28DPR, 28DTC, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU(std), 28DUG or 28DUL WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2 Omit Paint on Rear Disc Wheels N/A: Code 28DPR, 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ and 32DPW WHEELS, REAR	29PAX 29PAS 29PBB 29PAL	\$48 0/0 \$48 0/0 \$48 0/0 N/C 0/0	\$90 0/0 \$90 0/0 \$90 0/0 N/A
TIRE, SPARE Equal to Model Standard NOTE: NOTE: Only One Spare Tire per Truck Ordered. Order Must Reflect Number of Tires Required (Including Spare). 10-Digit Tire Code and Spare Rim/Wheel Code Must be Specified.	29007	\$704 +45/+46	\$704 +45/+46
TIRE VALVE CAP Flo-Thru Design N/A: Code 27DTD WHEELS, FRONT	29ACD	\$24 0/0	\$24 0/0
WHEEL BRAND, FRONT Alcoa Aluminum Disc Front Wheels REQS: Code 26DRC, 26DRP, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 6X4 REQS: Code 26DRC, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC - for 7400 SBA 4X2 (SEE NEXT PAGE)	29AAA	\$174 0/0	\$174 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-317

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEEL BRAND, FRONT (SEE PREV PAGE) Alcoa REQS: Code 27DHZ, 27DMB, 27DMC, 27DME, 27DMZ or 27DNZ WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	29AAA		
WHEEL BRAND, FRONT/REAR Alcoa Disc Wheels REQS: Code 26DTD, 26DTJ or 26DUS WHEEL, SPARE, DISC REQS: Code 27DMB, 27DMC or 27DME WHEELS, FRONT REQS: Code 28DMB, 28DMC, 28DME or 28DMG WHEELS, REAR - for 7400 SBA 6X4 REQS: Code 28DMB, 28DMC or 28DME WHEELS, REAR - for 7400 SBA 4X2 N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	29174	\$523 0/0	\$872 0/0
WHEEL BEARING, FRONT, LUBE EmGard - FE-75W-90 - Synthetic Oil	29WLK	\$59 0/0	\$59 0/0
WHEEL GUARDS, FRONT Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	29WAP	\$24 + 2/0	\$24 + 2/0
WHEEL GUARDS, REAR Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels N/A: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DRA, 28DUR, 28DUS and 32DHY WHEELS, REAR	29WAR	\$24 0/+4	\$47 0/+8



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEEL IDENTITY Mark Rear Wheel "For Delivery Use Only" REQS: Code 32WAA WHEELS, REAR N/A: Code 27DHZ WHEELS, FRONT	29WAG	N/C 0/0	N/A
WHEEL, REAR, IDENTITY Replace Inner Aluminum Wheels on Rear Duals with the Equivalent Steel Wheels - For Use with Hub Piloted Wheels Only REQS: Code 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK or 28DUS WHEELS, REAR - for 7400 SBA 6X4 REQS: Code 28DMB, 28DMC, 28DME, 28DMJ, 28DMK or 28DUS WHEELS, REAR - for 7400 SBA 4X2	29BAG	\$450CR 0/-40	\$898CR 0/-80
WHEEL SEALS, FRONT Stemco - Voyager - Oil Lubricated Wheel Bearings ILO Standard Oil Seals N/A: Code 29ADX HUB BRAND, FRONT - for 7400 SBA 6X4	29598	\$59 0/0	\$59 0/0
WHEEL SEALS, REAR Stemco - Voyager - Oil Lubricated Wheel Bearings REQS: Code 14AET, 14AGA, 14AGE, 14AGR, 14AHB, 14AHC, 14AHE, 14AHG, 14AHK, 14AHL, 14AHP, 14AJG, 14AJH, 14ANK, 14ANM, 14ANP(std), 14ANS, 14ANV, 14ANW, 14ANY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASK, 14ATE, 14ATG, 14ATY, 14ATZ, 14CDE, 14CDL, 14CEG, 14CVB, 14CVC or 14051 AXLE, REAR, SINGLE - for 7400 SBA 4X2 -OR- Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GVZ, 14GWW, 14GWY, 14GWZ, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7400 SBA 6X4	29597	\$60 0/0	\$80 0/0



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEELS, LIFT AXLE PUSHER Accuride - 29300 - Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Powder Coat Steel, 5-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE - 41362 - Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLU and 14WNH AXLE, PUSHER, LIFT TYPE Single Wheels, for Two Lift Axles; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLU and 14WNH AXLE, PUSHER, LIFT TYPE	34ABV	N/A	\$4,525
	34ABU	N/A	\$2,263
	34ABH	N/A	\$5,278 +231/+219
	34AAM	N/A	\$2,639 +77/+148
	34ABJ	N/A	\$5,365 +230/+218
	34AAP	N/A	\$2,683 +77/+147

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-320

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEELS, LIFT AXLE PUSHER (CONTINUED) Accuride - 41644 - Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE Single Wheels, for Two Lift Axles; 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLU and 14WNH AXLE, PUSHER, LIFT TYPE Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE Single Wheels, for Two Lift Axles; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLU and 14WNH AXLE, PUSHER, LIFT TYPE			
	34AAX	N/A	\$5,199 +119/+230
	34ABE	N/A	\$5,197 +183/+173
	34AAC	N/A	\$2,599 +61/+117
	34AAY	N/A	\$5,242 +102/+196
	34ABG	N/A	\$5,284 +211/+201
	34AAK	N/A	\$2,642 +70/+136

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-321

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
WHEELS, LIFT AXLE PUSHER (CONTINUED)			
Accuride			
- 41730 - Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	34ACE	N/A	\$5,651
Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	34ACD	N/A	\$2,850
Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	34ACC	N/A	\$5,515
Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WNJ AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	34ACB	N/A	\$2,782
- 50408 - Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE	34ABW	N/A	\$4,269
Single Wheels, for Two Lift Axles; 22.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	34ABX	N/A	\$4,314

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-322

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-323

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SERVICES, TOWING (CONTINUED)			
<i>Navistar</i>			
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMA	\$800	\$800
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMG	\$560	\$560
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMB	\$1,100	\$1,100
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMH	\$780	\$780
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMC	\$1,300	\$1,300
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMJ	\$920	\$920
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMD	\$1,600	\$1,600
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMK	\$1,120	\$1,120

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-324

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONT, EXT AFTERTREATMENT			
Navistar			
To 36-Month/175,000 Miles (280,000 km), 6,300 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBS, 40LBT, 40LBX, 40LBY, 40LBZ, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCN, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVA	\$800	\$800
To 36-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBT, 40LBX, 40LBY, 40LBZ, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCN, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVB	\$900	\$900
To 36-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBT, 40LBZ or 40LCK SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVC	\$1,800	\$1,800
To 48-Month/125,000 Miles (200,000 km), 4,500 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBV, 40LBW, 40LBX, 40LBY, 40LBZ, 40LCB, 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCM, 40LCN, 40LCR, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVD	\$600	\$600
To 48-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBW, 40LBX, 40LBY, 40LBZ, 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCM, 40LCN, 40LCR, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVE	\$800	\$800
To 48-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBX, 40LBY, 40LBZ, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCN, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVG	\$1,200	\$1,200

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-325

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONT, EXT AFTERTREATMENT (CONTINUED) Navistar To 48-Month/250,000 Miles (400,000 km), 9,000 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBY, 40LBZ, 40LCH, 40LCJ, 40LCK or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVH	\$1,600	\$1,600
To 48-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LBZ or 40LCK SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVJ	\$2,000	\$2,000
To 60-Month/100,000 Miles (160,000 km), 3,600 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LCA, 40LCB, 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCL, 40LCM, 40LCN, 40LCP, 40LCR, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVK	\$900	\$900
To 60-Month/125,000 Miles (200,000 km), 4,500 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LCB, 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCM, 40LCN, 40LCR, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVL	\$800	\$800
To 60-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxForce DT, MaxxForce 7, MaxxForce 9, and Navistar N9 Engines REQS: Code 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCM, 40LCN, 40LCR, 40LCS or 40MBV SRV CONTRACT, EXT ENGINE REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL	40KVM	\$1,000	\$1,000
To 60-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for Navistar N10 and Navistar N13 Engines REQS: Code 40LCC, 40LCD, 40LCE, 40LCG, 40LCH, 40LCJ, 40LCK, 40LCM, 40LCN, 40LCR, 40LCS, 40LCX or 40MBV SRV CONTRACT, EXT ENGINE N/A: Code 12EHN, 12NWC, 12NWD, 12NWE and 12NWK(std) ENGINE, DIESEL	40RAA	\$1,200	\$1,200

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-326

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7400 SBA 4X2 and 7400 SBA 6X4 SECTION 170 PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35 PAGE 170-328 SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT CMMS AFTR (CONTINUED)			
Cummins			
To 60-Month/100,000 Miles (160,000 km), Extended Cummins ISL Aftertreatment Coverage. For Use when Protection Plan 1 of Equal or Greater Duration is Purchased (Truck Application Only) REQS: Code 40MKN, 40MKP, 40MKR, 40MKS or 40MKT SRV CONTRACT, EXT CMMS ENGINE REQS: Code 12EHN ENGINE, DIESEL	40MKY	\$1,100	\$1,100
To 60-Month/150,000 Miles (240,000 km), Extended Cummins ISL Aftertreatment Coverage. For Use when Protection Plan 1 of Equal or Greater Duration is Purchased (Truck Application Only) REQS: Code 40MKP, 40MKR, 40MKS or 40MKT SRV CONTRACT, EXT CMMS ENGINE REQS: Code 12EHN ENGINE, DIESEL	40MKZ	\$1,300	\$1,300
To 60-Month/200,000 Miles (320,000 km), Extended Cummins ISL Aftertreatment Coverage. For Use when Protection Plan 1 of Equal or Greater Duration is Purchased (Truck Application Only) REQS: Code 40MKR, 40MKS or 40MKT SRV CONTRACT, EXT CMMS ENGINE REQS: Code 12EHN ENGINE, DIESEL	40MLA	\$1,700	\$1,700
To 60-Month/250,000 Miles (400,000 km), Extended Cummins ISL Aftertreatment Coverage. For Use when Protection Plan 1 of Equal or Greater Duration is Purchased (Truck Application Only) REQS: Code 40MKS or 40MKT SRV CONTRACT, EXT CMMS ENGINE REQS: Code 12EHN ENGINE, DIESEL	40MLB	\$2,200	\$2,200
To 60-Month/300,000 Miles (480,000 km), Extended Cummins ISL Aftertreatment Coverage. For Use when Protection Plan 1 of Equal or Greater Duration is Purchased (Truck Application Only) REQS: Code 40MKT SRV CONTRACT, EXT CMMS ENGINE REQS: Code 12EHN ENGINE, DIESEL	40MLC	\$2,700	\$2,700
SRV CONTRACT, EXT CMMS ENGINE			
Cummins			
To 36-Month/100,000 Miles (160,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 1 REQS: Code 12EHN ENGINE, DIESEL AVAIL: Code 40MKU SRV CONTRACT, EXT CMMS AFTR	40MKJ	\$2,700	\$2,700
To 36-Month/100,000 Miles (160,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHN ENGINE, DIESEL N/A: Code 40MKU, 40MKV, 40MKW, 40MKX, 40MKY, 40MKZ, 40MLA, 40MLB and 40MLC SRV CONTRACT, EXT CMMS AFTR	40MLD	\$2,100	\$2,100

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-330

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT CMMS ENGINE (CONTINUED)			
Cummins			
To 36-Month/150,000 Miles (240,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 1 REQS: Code 12EHN ENGINE, DIESEL AVAIL: Code 40MKU and 40MKV SRV CONTRACT, EXT CMMS AFTR	40MKK	\$3,700	\$3,700
To 36-Month/150,000 Miles (240,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHN ENGINE, DIESEL N/A: Code 40MKU, 40MKV, 40MKW, 40MKX, 40MKY, 40MKZ, 40MLA, 40MLB and 40MLC SRV CONTRACT, EXT CMMS AFTR	40MLE	\$2,400	\$2,400
To 48-Month/150,000 Miles (240,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 1 REQS: Code 12EHN ENGINE, DIESEL AVAIL: Code 40MKU and 40MKV SRV CONTRACT, EXT CMMS AFTR	40MKL	\$4,350	\$4,350
To 48-Month/150,000 Miles (240,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHN ENGINE, DIESEL N/A: Code 40MKU, 40MKV, 40MKW, 40MKX, 40MKY, 40MKZ, 40MLA, 40MLB and 40MLC SRV CONTRACT, EXT CMMS AFTR	40MLG	\$2,900	\$2,900
To 48-Month/200,000 Miles (320,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 1 REQS: Code 12EHN ENGINE, DIESEL AVAIL: Code 40MKU, 40MKV, 40MKW and 40MKX SRV CONTRACT, EXT CMMS AFTR	40MKM	\$6,000	\$6,000
To 48-Month/200,000 Miles (320,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHN ENGINE, DIESEL N/A: Code 40MKU, 40MKV, 40MKW, 40MKX, 40MKY, 40MKZ, 40MLA, 40MLB and 40MLC SRV CONTRACT, EXT CMMS AFTR	40MLH	\$3,100	\$3,100
To 60-Month/100,000 Miles (160,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 1 REQS: Code 12EHN ENGINE, DIESEL AVAIL: Code 40MKU and 40MKY SRV CONTRACT, EXT CMMS AFTR	40MKN	\$4,200	\$4,200
To 60-Month/100,000 Miles (160,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHN ENGINE, DIESEL N/A: Code 40MKU, 40MKV, 40MKW, 40MKX, 40MKY, 40MKZ, 40MLA, 40MLB and 40MLC SRV CONTRACT, EXT CMMS AFTR	40MLJ	\$2,700	\$2,700

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-331

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT CMMS ENGINE (CONTINUED)			
Cummins			
To 60-Month/150,000 Miles (240,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 1 REQS: Code 12EHN ENGINE, DIESEL N/A: Code 40MKX, 40MLA, 40MLB and 40MLC SRV CONTRACT, EXT CMMS AFTR	40MKP	\$5,300	\$5,300
To 60-Month/150,000 Miles (240,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHN ENGINE, DIESEL N/A: Code 40MKU, 40MKV, 40MKW, 40MKX, 40MKY, 40MKZ, 40MLA, 40MLB and 40MLC SRV CONTRACT, EXT CMMS AFTR	40MLK	\$3,200	\$3,200
To 60-Month/200,000 Miles (320,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 1 REQS: Code 12EHN ENGINE, DIESEL N/A: Code 40MLB and 40MLC SRV CONTRACT, EXT CMMS AFTR	40MKR	\$7,100	\$7,100
To 60-Month/200,000 Miles (320,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHN ENGINE, DIESEL N/A: Code 40MKU, 40MKV, 40MKW, 40MKX, 40MKY, 40MKZ, 40MLA, 40MLB and 40MLC SRV CONTRACT, EXT CMMS AFTR	40MLL	\$3,400	\$3,400
To 60-Month/250,000 Miles (400,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 1 REQS: Code 12EHN ENGINE, DIESEL N/A: Code 40MLC SRV CONTRACT, EXT CMMS AFTR	40MKS	\$9,200	\$9,200
To 60-Month/250,000 Miles (400,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHN ENGINE, DIESEL N/A: Code 40MKU, 40MKV, 40MKW, 40MKX, 40MKY, 40MKZ, 40MLA, 40MLB and 40MLC SRV CONTRACT, EXT CMMS AFTR	40MLM	\$4,200	\$4,200
To 60-Month/300,000 Miles (480,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 1 REQS: Code 12EHN ENGINE, DIESEL	40MKT	\$11,500	\$11,500
To 60-Month/300,000 Miles (480,000 km), Extended Cummins ISL Engine Coverage, Protection Plan 2 (Truck Application Only) REQS: Code 12EHN ENGINE, DIESEL N/A: Code 40MKU, 40MKV, 40MKW, 40MKX, 40MKY, 40MKZ, 40MLA, 40MLB and 40MLC SRV CONTRACT, EXT CMMS AFTR	40MLN	\$4,700	\$4,700

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-332

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT ENGINE (CONTINUED)			
Navistar			
To 36-Month/300,000 Miles (480,000 km), 10,800 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVA, 40KVB and 40KVC SRV CONT, EXT AFTERTREATMENT	40LBT	\$8,080	\$8,080
To 48-Month/125,000 Miles (200,000 km), 4,500 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVD SRV CONT, EXT AFTERTREATMENT	40LBV	\$4,000	\$4,000
To 48-Month/150,000 Miles (240,000 km), 5,400 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVD and 40KVE SRV CONT, EXT AFTERTREATMENT	40LBW	\$4,400	\$4,400
To 48-Month/200,000 Miles (320,000 km), 7,200 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVA, 40KVB, 40KVD, 40KVE and 40KVG SRV CONT, EXT AFTERTREATMENT	40LBX	\$6,000	\$6,000
To 48-Month/250,000 Miles (400,000 km), 9,000 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVA, 40KVB, 40KVD, 40KVE, 40KVG and 40KVH SRV CONT, EXT AFTERTREATMENT	40LBY	\$8,000	\$8,000
To 48-Month/300,000 Miles (480,000 km), 10,800 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVA, 40KVB, 40KVC, 40KVD, 40KVE, 40KVG, 40KVH and 40KVJ SRV CONT, EXT AFTERTREATMENT	40LBZ	\$9,680	\$9,680

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-336

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT ENGINE (CONTINUED)			
Navistar			
To 48-Month/50,000 Miles (80,000 km), 1,800 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL N/A: SRV CONT, EXT AFTERTREATMENT	40LBU	\$2,080	\$2,080
To 60-Month/100,000 Miles (160,000 km), 3,600 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVK SRV CONT, EXT AFTERTREATMENT	40LCA	\$4,200	\$4,200
To 60-Month/125,000 Miles (200,000 km), 4,500 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVD, 40KVK and 40KVL SRV CONT, EXT AFTERTREATMENT	40LCB	\$4,460	\$4,460
To 60-Month/150,000 Miles (240,000 km), 5,400 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVD, 40KVE, 40KVK, 40KVL, 40KVM and 40RAA SRV CONT, EXT AFTERTREATMENT	40LCC	\$5,300	\$5,300
To 60-Month/175,000 Miles (280,000 km), 6,300 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVA, 40KVD, 40KVE, 40KVK, 40KVL, 40KVM, 40KVN and 40RAA SRV CONT, EXT AFTERTREATMENT	40LCD	\$5,900	\$5,900
To 60-Month/200,000 Miles (320,000 km), 7,200 Hours; Includes Engine, Engine Electronics and Injectors; for MaxxForce 9 and Navistar N9 Engines REQS: Code 12NWC, 12NWD, 12NWE or 12NWK(std) ENGINE, DIESEL AVAIL: Code 40KVA, 40KVB, 40KVD, 40KVE, 40KVG, 40KVK, 40KVL, 40KVM, 40KVN, 40KVP and 40RAA SRV CONT, EXT AFTERTREATMENT	40LCE	\$7,100	\$7,100

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-337

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT HTR/AC SYS			
<i>Navistar</i>			
- Prepackaged Components -			
To 24-Month/100,000 Miles (160,000 km)	40NGR	\$160	\$160
To 24-Month/150,000 Miles (240,000 km)	40NGS	\$200	\$200
To 24-Month/200,000 Miles (320,000 km)	40NGT	\$220	\$220
To 24-Month/50,000 Miles (80,000 km)	40NGP	\$120	\$120
To 36-Month/100,000 Miles (160,000 km)	40NGV	\$220	\$220
To 36-Month/150,000 Miles (240,000 km)	40NGW	\$260	\$260
To 36-Month/200,000 Miles (320,000 km)	40NGX	\$380	\$380
To 36-Month/50,000 Miles (80,000 km)	40NGU	\$180	\$180
To 48-Month/100,000 Miles (160,000 km)	40NGZ	\$380	\$380
To 48-Month/150,000 Miles (240,000 km)	40NHA	\$460	\$460
To 48-Month/200,000 Miles (320,000 km)	40NHB	\$660	\$660
To 48-Month/50,000 Miles (80,000 km)	40NGY	\$300	\$300
To 60-Month/100,000 Miles (160,000 km)	40NHD	\$460	\$460
To 60-Month/150,000 Miles (240,000 km)	40NHE	\$580	\$580
To 60-Month/200,000 Miles (320,000 km)	40NHG	\$780	\$780
To 60-Month/250,000 Miles (400,000 km)	40NHH	\$1,000	\$1,000
To 60-Month/50,000 Miles (80,000 km)	40NHC	\$380	\$380

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-341

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT MAJOR COMP			
<i>Navistar</i>			
- Prepackaged Components -			
To 24-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUK	\$200	\$200
To 24-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUL	\$260	\$260
To 24-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUM	\$280	\$280
To 24-Month/50,000 Miles (80,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUJ	\$160	\$160
To 36-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUP	\$280	\$280
To 36-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUR	\$360	\$360
To 36-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUS	\$500	\$500
To 36-Month/50,000 Miles (80,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUN	\$260	\$260
To 48-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUU	\$420	\$420
To 48-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUV	\$600	\$600
To 48-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUW	\$880	\$880
To 48-Month/50,000 Miles (80,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUT	\$320	\$320
To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUY	\$620	\$620
To 60-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LUZ	\$780	\$780

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-342

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT MAJOR COMP (CONTINUED) Navistar - Prepackaged Components - To 60-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case To 60-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case To 60-Month/50,000 Miles (80,000 km), Includes Front Axle, Rear Axle, Propshaft, and Transfer Case	40LVA 40LVB 40LUX	\$1,060 \$1,320 \$520	\$1,060 \$1,320 \$520
SRV CONTRACT, EXT STARTER/ALT Navistar - Prepackaged Components - Covers Starter and Alternator Only, To 36-Month/100,000 Miles (160,000 km) Covers Starter and Alternator Only, To 36-Month/150,000 Miles (240,000 km) Covers Starter and Alternator Only, To 36-Month/200,000 Miles (320,000 km) Covers Starter and Alternator Only, To 36-Month/250,000 Miles (400,000 km) Covers Starter and Alternator Only, To 36-Month/50,000 Miles (80,000 km) Covers Starter and Alternator Only, To 48-Month/100,000 Miles (160,000 km) Covers Starter and Alternator Only, To 48-Month/150,000 Miles (240,000 km) Covers Starter and Alternator Only, To 48-Month/200,000 Miles (320,000 km) Covers Starter and Alternator Only, To 48-Month/250,000 Miles (400,000 km) Covers Starter and Alternator Only, To 48-Month/50,000 Miles (80,000 km) Covers Starter and Alternator Only, To 60-Month/100,000 Miles (160,000 km) Covers Starter and Alternator Only, To 60-Month/150,000 Miles (240,000 km)	40LKC 40LKD 40LKE 40LKG 40LKB 40LKJ 40LKK 40LKL 40LKM 40LKH 40LKP 40LKR	\$200 \$320 \$440 \$520 \$120 \$280 \$400 \$640 \$840 \$240 \$400 \$520	\$200 \$320 \$440 \$520 \$120 \$280 \$400 \$640 \$840 \$240 \$400 \$520

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-343

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT STARTER/ALT (CONTINUED) Navistar - Prepackaged Components - Covers Starter and Alternator Only, To 60-Month/200,000 Miles (320,000 km) Covers Starter and Alternator Only, To 60-Month/250,000 Miles (400,000 km) Covers Starter and Alternator Only, To 60-Month/50,000 Miles (80,000 km)	40LKS 40LKT 40LKN	\$840 \$1,200 \$320	\$840 \$1,200 \$320
SRV CONTRACT, EXT VEH COVERAGE Navistar To 36-Month/200,000 Miles (320,000 km), Covers 100% Parts and Labor, Excludes Extended Warranty for Engine and Allison Transmission, for Rear Axle Rating of 52,000 lbs or less To 72-Month/100,000 Miles (160,000 km), Covers 100% Parts and Labor, Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less To 72-Month/150,000 Miles (240,000 km), Covers 100% Parts and Labor, Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less To 24-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission To 24-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission To 24-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission To 24-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission To 36-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission To 36-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission To 36-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission To 36-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission To 48-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission	40KMW 40MDW 40MDX 40PHH 40PHJ 40PHK 40PHG 40PHM 40PHN 40PHP 40PHL 40PHS	\$2,800 \$4,640 \$5,740 \$1,220 \$1,500 \$1,700 \$980 \$1,700 \$2,100 \$2,800 \$1,380 \$2,780	\$2,800 \$4,640 \$5,740 \$1,220 \$1,500 \$1,700 \$980 \$1,700 \$2,100 \$2,800 \$1,380 \$2,780

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-344

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
SRV CONTRACT, EXT VEH COVERAGE (CONTINUED) Navistar To 48-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission To 48-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission To 48-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission To 60-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission To 60-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission To 60-Month/250,000 Miles (400,000 km), Excludes Extended Warranty for Engine and Transmission To 60-Month/50,000 Miles (80,000 km), Excludes Extended Warranty for Engine and Transmission To 72-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission To 72-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission To 72-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission To 84-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission To 84-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission To 84-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission	40PHT 40PHU 40PHR 40PHW 40PHX 40PHY 40PHZ 40PHV 40PJA 40PJB 40PJC 40PJD 40PJE 40PJG	\$3,440 \$5,020 \$2,260 \$3,580 \$4,420 \$6,020 \$7,620 \$2,900 \$4,640 \$5,740 \$7,820 \$6,500 \$8,020 \$10,940	\$3,440 \$5,020 \$2,260 \$3,580 \$4,420 \$6,020 \$7,620 \$2,900 \$4,640 \$5,740 \$7,820 \$6,500 \$8,020 \$10,940
BDY INTG, REMOTE POWER MODULE (02) Mounted Under Cab or On Battery Box; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp. Total per Power Module (Includes 12 Latched Switches) REQ: Code 14RAA, 14RAB, 14RAV or 14RAW AXLE, LIFT, CONTROLS - for 7400 SBA 6X4 N/A: Code 08XDU BATTERY BOX : Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AAB	\$1,265 + 8/0	\$1,265 + 8/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-345

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
BDY INTG, INDICATOR LIGHTS (CONTINUED) NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE (02) 1 for Boom Out of Stow, 1 for Outriggers Deployed, Includes Audible Alarm and Interlock to Parking Brake, Programmable Mode for Various Switch Actions (requires 2 Remote Power Module inputs) REQ: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60AJD	\$83 0/0	\$83 0/0
BDY INTG,I/O EXPANSION HARNESS - for Diamond Logic Builder - In-Cab wire harness (DLB) program only, Includes a harness with five blunt cut wires routed on lower left of instrument panel. Two ground active inputs and two (.5Amp) relay drivers outputs are provided N/A: Code 60ACX BDY INTG, THEFT DETERRENT SYS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP AVAIL: Code 08TMH SWITCH, AUXILIARY	60ACW	\$71 +1/0	\$71 +1/0
BDY INTG, POWER MODULE AUX (1) Mounted on the Driver's Side Frame Rail at Rear of Frame; Up to 6 Outputs & 6 Inputs, Max. 20 Amp. per Channel, Max. 80 Amp. Total AVAIL: Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAA, 60AAB and 60AAD BDY INTG, REMOTE POWER MODULE	60AAM	\$600	\$600
BDY INTG, PTO ACCOMMODATION NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE for Electric over Air, Clutched PTO Engagement and Disengagement, Does not Include Air Solenoid, With Latched Switch Mounted on Dash, Includes Audible Alarm and Indicator Light in Gauge Cluster (requires 1 Remote Power Module Input & 1 Output) REQ: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK or 60AAL BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 16WLM HOURMETER, PTO : Code 13XAA PTO CONTROL, DASH MOUNTED	60ABL	N/C 0/0	N/C 0/0

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-349

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-350

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES			
Continental Tire			
11R22.5 LR-G HSR2 498 rev/mile 75 MPH All-Position	7372135415	N/A	STD
11R22.5 LR-G HDL2 DL 491 rev/mile 75 MPH Drive-Position	7372135417	\$84 +17	\$84 +17
11R22.5 LR-G HDR2 491 rev/mile 75 MPH Drive-Position	7372135423	\$35 +15	\$35 +15
11R22.5 LR-G HDL2 DL ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135425	\$7CR +17	\$7CR +17
11R22.5 LR-G HYBRID HD3 493 rev/mile 75 MPH Drive-Position	7372135428	\$16 +9	\$16 +9
11R22.5 LR-G ECOPLUS HS3 495 rev/mile 75 MPH All-Position	7372135429	N/A	\$13CR +6
11R22.5 LR-G HDL2 493 rev/mile 75 MPH Drive-Position	7372135432	\$26CR +9	\$26CR +9
11R22.5 LR-G HDR2 ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135434	\$63 +15	\$63 +15
11R22.5 LR-H HDO 490 rev/mile 68 MPH Drive-Position	7382135413	\$105 +3	\$105 +3
11R22.5 LR-H HDL2 DL 491 rev/mile 75 MPH Drive-Position	7382135417	\$105 +18	\$105 +18
11R22.5 LR-H HSC1 496 rev/mile 75 MPH All-Position	7382135419	N/A	\$69 +10
11R22.5 LR-H HDC1 488 rev/mile 75 MPH Drive-Position	7382135420	N/A	\$134 +9
11R22.5 LR-H HDR2 491 rev/mile 75 MPH Drive-Position	7382135423	\$52 +15	\$52 +15
11R22.5 LR-H ECOPLUS HS3 495 rev/mile 75 MPH All-Position	7382135429	N/A	\$9 +6
11R22.5 LR-H HDW2 495 rev/mile 75 MPH Drive-Position	7382135430	N/A	\$65 +14
11R22.5 LR-H HDL2 493 rev/mile 75 MPH Drive-Position	7382135432	\$5CR +6	\$5CR +6
12R22.5 LR-H HSR2 483 rev/mile 75 MPH All-Position	7382155415	N/A	\$18 +12
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-356

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
<i>Continental Tire</i>			
12R22.5 LR-H HSC1 482 rev/mile 75 MPH All-Position	7382155419	N/A	\$180 +17
12R22.5 LR-H HDC1 479 rev/mile 68 MPH Drive-Position	7392155420	\$225 +31	\$225 +31
295/75R22.5 LR-G HDR2 ECO PLUS 509 rev/mile 75 MPH Drive-Position	7702495434	\$24 +8	\$24 +8
295/75R22.5 LR-G CROSSTRAC HA3 514 rev/mile 75 MPH All-Position	7702495436	N/A	\$6 0
295/75R22.5 LR-H CROSSTRAC HA3 514 rev/mile 75 MPH All-Position	7792495436	N/A	\$37 +5
255/70R22.5 LR-H HDR 565 rev/mile 81 MPH Drive-Position	7752525406	\$58 -24	\$58 -24
275/80R22.5 LR-G HSR2 518 rev/mile 75 MPH All-Position	7772535415	N/A	\$9CR -5
275/80R22.5 LR-H HSR2 518 rev/mile 75 MPH All-Position	7792535415	N/A	\$20 -4
315/80R22.5 LR-L HDR2 491 rev/mile 75 MPH Drive-Position	7772545423	\$453 +31	N/A
315/80R22.5 LR-L HSC1 484 rev/mile 68 MPH All-Position	7792545419	N/A	\$314 +41
315/80R22.5 LR-L CITY SERVICE HA3 480 rev/mile 68 MPH All-Position	7792545435	N/A	\$391 +41
275/70R22.5 LR-H HYBRID HD3 540 rev/mile 81 MPH Drive-Position	7792575428	\$148 -6	N/A
385/65R22.5 LR-L HTC1 495 rev/mile 68 MPH All-Position	7792655412	\$351CR +43	\$351CR +43
425/65R22.5 LR-L HTC1 465 rev/mile 68 MPH All-Position	7752665412	\$126CR +62	\$126CR +62
11R24.5 LR-G HSR2 476 rev/mile 75 MPH All-Position	7374225415	N/A	\$55 +9
11R24.5 LR-G HDL2 470 rev/mile 75 MPH Drive-Position	7374225432	\$14 +12	\$14 +12
11R24.5 LR-H HSR2 476 rev/mile 75 MPH All-Position	7384225415	N/A	\$74 +9
11R24.5 LR-H HDL2 DL 468 rev/mile 75 MPH Drive-Position	7384225417	\$9 +29	\$9 +29
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-357

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
Continental Tire			
11R24.5 LR-H HSC1 472 rev/mile 68 MPH All-Position	7384225419	N/A	\$57 +14
11R24.5 LR-H HDR2 468 rev/mile 75 MPH Drive-Position	7384225423	\$105 +25	\$105 +25
11R24.5 LR-H HDL2 DL ECO PLUS 468 rev/mile 75 MPH Drive-Position	7384225425	\$125 +28	\$125 +28
11R24.5 LR-H ECOPLUS HS3 472 rev/mile 75 MPH All-Position	7384225429	N/A	\$18CR +17
285/75R24.5 LR-G HDL2 DL 490 rev/mile 75 MPH Drive-Position	7704305417	\$37CR +15	\$37CR +15
285/75R24.5 LR-G HDR2 492 rev/mile 75 MPH Drive-Position	7704305423	\$39CR +13	\$39CR +13
285/75R24.5 LR-G CROSSTRAC HA3 498 rev/mile 75 MPH All-Position	7704305436	N/A	\$20CR +11
285/75R24.5 LR-H CROSSTRAC HA3 498 rev/mile 75 MPH All-Position	7784305436	N/A	\$13 +13
Michelin			
11R22.5 LR-G XDE M/S 498 rev/mile 75 MPH Drive-Position	7402133217	\$92 -7	\$92 -7
11R22.5 LR-G XZE2 501 rev/mile 75 MPH All-Position	7472133269	N/A	\$118 -2
11R22.5 LR-G X LINE ENERGY D 500 rev/mile 75 MPH Drive-Position	7472133279	\$235 +11	\$235 +11
11R22.5 LR-G X LINE ENERGY Z 502 rev/mile 75 MPH All-Position	7472133286	\$117 -3	\$117 -3
11R22.5 LR-H XDE M/S 497 rev/mile 75 MPH Drive-Position	7452133217	\$143 +3	\$143 +3
11R22.5 LR-H XDN2 497 rev/mile 75 MPH Drive-Position	7482133264	\$242 +12	\$242 +12
11R22.5 LR-H XZE2 501 rev/mile 75 MPH All-Position	7482133269	N/A	\$165 +5
11R22.5 LR-H X WORKS XDY 493 rev/mile 75 MPH Drive-Position	7482133281	\$373 +33	\$373 +33
11R22.5 LR-H X LINE ENERGY Z 503 rev/mile 75 MPH All-Position	7482133286	N/A	\$131 -3
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-358

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
<i>Michelin</i>			
11R22.5 LR-H X WORKS Z 495 rev/mile 65 MPH All-Position	7482133287	N/A	\$253 +13
12R22.5 LR-H XDN2 483 rev/mile 75 MPH Drive-Position	7482153264	\$422 +27	\$422 +27
12R22.5 LR-H X WORKS Z 483 rev/mile 65 MPH All-Position	7482153287	N/A	\$363 +30
275/80R22.5 LR-G XDE M/S 513 rev/mile 75 MPH Drive-Position	7602533217	\$89 -7	\$89 -7
275/80R22.5 LR-G XZE2 517 rev/mile 75 MPH All-Position	7602533269	N/A	\$104 -7
275/80R22.5 LR-G X LINE ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533279	\$190 +7	\$190 +7
275/80R22.5 LR-G X MULTI ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533280	\$304 +6	\$304 +6
275/80R22.5 LR-H XZE 516 rev/mile 75 MPH All-Position	7682533253	N/A	\$203 -8
275/80R22.5 LR-H X MULTI ENERGY Z 515 rev/mile 75 MPH All-Position	7682533285	N/A	\$203 -4
275/80R22.5 LR-H X LINE ENERGY Z 517 rev/mile 75 MPH All-Position	7682533286	N/A	\$121 -6
315/80R22.5 LR-L X WORKS Z 485 rev/mile 65 MPH All-Position	7652543287	N/A	\$584 +42
315/80R22.5 LR-L XZU-S2 488 rev/mile 65 MPH All-Position	7682543212	N/A	\$891 +42
385/65R22.5 LR-J XZY-3 491 rev/mile 65 MPH All-Position	7602653208	\$119CR +57	\$119CR +57
385/65R22.5 LR-L XFE 491 rev/mile 68 MPH All-Position	7792653282	\$9 +46	\$9 +46
425/65R22.5 LR-L XZY-3 465 rev/mile 65 MPH All-Position	7652663208	\$1CR +89	\$1CR +89
425/65R22.5 LR-L XZL 467 rev/mile 65 MPH All-Position	7652663267	\$577 +94	\$577 +94
11R24.5 LR-G XDN2 473 rev/mile 75 MPH Drive-Position	7474223264	\$264 +19	\$264 +19
11R24.5 LR-G XZE2 476 rev/mile 75 MPH All-Position	7474223269	N/A	\$185 +6
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-359

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
<i>Michelin</i>			
11R24.5 LR-G X LINE ENERGY Z 479 rev/mile 75 MPH All-Position	7474223286	N/A	\$172 +8
11R24.5 LR-H XDE M/S 474 rev/mile 75 MPH Drive-Position	7484223217	\$352 +9	\$352 +9
11R24.5 LR-H X LINE ENERGY Z 479 rev/mile 75 MPH All-Position	7484223286	N/A	\$196 +6
11R24.5 LR-H X WORKS Z 473 rev/mile 65 MPH All-Position	7484223287	N/A	\$339 +20
<i>Bridgestone</i>			
11R22.5 LR-G M726ELA 492 rev/mile 75 MPH Drive-Position	7372139003	\$200 +14	\$200 +14
11R22.5 LR-G M710 ECOPIA 497 rev/mile 75 MPH Drive-Position	7372139058	N/A	\$191 0
11R22.5 LR-G M760 ECOPIA 492 rev/mile 75 MPH Drive-Position	7372139060	N/A	\$224 +14
11R22.5 LR-H R283A ECOPIA 504 rev/mile 75 MPH All-Position	7382139045	N/A	\$213 -1
295/75R22.5 LR-G M726ELA 507 rev/mile 75 MPH Drive-Position	7702499003	\$169 +10	\$169 +10
295/75R22.5 LR-G M770 506 rev/mile 75 MPH Drive-Position	7702499043	\$160 +8	\$160 +8
295/75R22.5 LR-G R283A ECOPIA 516 rev/mile 75 MPH All-Position	7702499045	N/A	\$179 -7
295/75R22.5 LR-G M710 ECOPIA 512 rev/mile 75 MPH Drive-Position	7702499058	\$191 -3	\$191 -3
295/75R22.5 LR-G R268 ECOPIA 515 rev/mile 75 MPH All-Position	7702499059	N/A	\$152 -3
295/75R22.5 LR-G M760 ECOPIA 511 rev/mile 75 MPH Drive-Position	7702499060	\$224 +5	\$224 +5
295/75R22.5 LR-H R283A ECOPIA 516 rev/mile 75 MPH All-Position	7792499045	N/A	\$245 -6
315/80R22.5 LR-L M843 480 rev/mile 65 MPH All-Position	7762549052	N/A	\$309 +35
11R24.5 LR-H M843 468 rev/mile 65 MPH All-Position	7384229052	N/A	\$368 +29
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-360

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
Bridgestone			
11R24.5 LR-H R268 ECOPIA 477 rev/mile 75 MPH All-Position	7384229059	N/A	\$273 +11
285/75R24.5 LR-G M726ELA 492 rev/mile 75 MPH Drive-Position	7704309003	\$192 +14	\$192 +14
Goodyear			
11R22.5 LR-G G622 RSD 497 rev/mile 75 MPH Drive-Position	7372138102	\$113 +5	\$113 +5
11R22.5 LR-G G662 FUEL MAX 497 rev/mile 75 MPH All-Position	7372138108	N/A	\$140 +1
11R22.5 LR-G G572A LHD FUEL MAX 492 rev/mile 75 MPH Drive-Position	7372138118	\$92 +14	\$92 +14
11R22.5 LR-G G572 1AD 496 rev/mile 75 MPH Drive-Position	7372138121	\$130 +1	\$130 +1
11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7372138132	N/A	\$10CR 0
11R22.5 LR-H G572A LHD FUEL MAX 492 rev/mile 75 MPH Drive-Position	7382138118	\$202 +14	\$202 +14
11R22.5 LR-H G751 MSA 497 rev/mile 68 MPH All-Position	7382138123	N/A	\$270 +17
11R22.5 LR-H G731 MSA 497 rev/mile 68 MPH All-Position	7382138124	N/A	\$286 +17
11R22.5 LR-H G751 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138125	N/A	\$351 +23
11R22.5 LR-H G731 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138126	N/A	\$370 +22
11R22.5 LR-H FUEL MAX RSA 497 rev/mile 75 MPH All-Position	7382138131	N/A	\$84 -5
11R22.5 LR-H ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7382138132	N/A	\$31 0
11R22.5 LR-H ARMOR MAX MSD 493 rev/mile 68 MPH Drive-Position	7382138133	\$122 +20	\$122 +20
11R22.5 LR-H ARMOR MAX MSD DURASEAL 493 rev/mile 68 MPH Drive-Position	7382138134	\$247 +26	\$247 +26
12R22.5 LR-H G622 RSD 482 rev/mile 68 MPH Drive-Position	7382158102	\$365 +18	\$365 +18
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-361

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
<i>Goodyear</i>			
12R22.5 LR-H G282 MSD 481 rev/mile 68 MPH Drive-Position	7382158105	\$335 +30	\$335 +30
12R22.5 LR-H G661 HSA 484 rev/mile 75 MPH All-Position	7382158107	N/A	\$346 +19
12R22.5 LR-H G751 MSA 483 rev/mile 68 MPH All-Position	7382158123	N/A	\$435 +29
12R22.5 LR-H ARMOR MAX MSD 478 rev/mile 68 MPH Drive-Position	7382158133	\$245 +33	\$245 +33
295/75R22.5 LR-G G661 HSA 512 rev/mile 75 MPH All-Position	7702498107	N/A	\$109 +1
295/75R22.5 LR-G G572 1AD 513 rev/mile 75 MPH Drive-Position	7702498121	\$149 +1	N/A
295/75R22.5 LR-G FUEL MAX RSA 510 rev/mile 75 MPH All-Position	7702498131	N/A	\$30 -7
295/75R22.5 LR-H G399A LHS FUEL MAX 517 rev/mile 75 MPH All-Position	7792498116	N/A	\$277 -10
255/70R22.5 LR-H G622 RSD 561 rev/mile 75 MPH Drive-Position	7752528102	\$62 -25	\$62 -25
255/70R22.5 LR-H ENDURANCE RSA 566 rev/mile 81 MPH All-Position	7752528132	\$42CR -28	N/A
315/80R22.5 LR-J UNISTEEL G291 491 rev/mile 75 MPH All-Position	7702540190	N/A	\$464 +11
315/80R22.5 LR-L UNISTEEL G291 491 rev/mile 68 MPH All-Position	7772540190	\$452 +12	N/A
315/80R22.5 LR-L G751 MSA 484 rev/mile 68 MPH All-Position	7772548123	N/A	\$601 +33
315/80R22.5 LR-L G751 MSA DURASEAL 484 rev/mile 68 MPH All-Position	7772548125	N/A	\$707 +41
315/80R22.5 LR-L G289 WHA 484 rev/mile 68 MPH All-Position	7782548109	N/A	\$635 +28
275/70R22.5 LR-J ENDURANCE RSA 547 rev/mile 75 MPH All-Position	7792578132	N/C -18	N/A
265/75R22.5 LR-G G661 HSA 539 rev/mile 75 MPH All-Position	7702618107	\$38 -19	N/A
385/65R22.5 LR-J G296 MSA 488 rev/mile 68 MPH All-Position	7702658113	\$169CR +48	\$169CR +48
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-362

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7400 SBA 4X2 AND 7400 SBA 6X4 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7400 SBA 4X2	7400 SBA 6X4
TIRES (CONTINUED)			
<i>Goodyear</i>			
425/65R22.5 LR-L G296 MSA 468 rev/mile 68 MPH All-Position	7752668113	\$37CR +67	\$37CR +67
445/65R22.5 LR-L G296 MSA 457 rev/mile 68 MPH All-Position	7702678113	\$659 +85	\$659 +85
445/65R22.5 LR-L G278 MSD 453 rev/mile 68 MPH Drive-Position	7702678130	\$834 +101	\$834 +101
11R24.5 LR-G G572A LHD FUEL MAX 470 rev/mile 75 MPH Drive-Position	7374228118	\$230 +24	\$230 +24
11R24.5 LR-G ENDURANCE RSA 473 rev/mile 75 MPH All-Position	7374228132	N/A	\$49 +9
11R24.5 LR-H G182 RSD 473 rev/mile 75 MPH Drive-Position	7384220121	\$335 +21	\$335 +21
11R24.5 LR-H G282 MSD 475 rev/mile 75 MPH Drive-Position	7384228105	\$577 +24	\$577 +24
11R24.5 LR-H G572A LHD FUEL MAX 470 rev/mile 75 MPH Drive-Position	7384228118	\$258 +24	\$258 +24
11R24.5 LR-H G751 MSA 474 rev/mile 68 MPH All-Position	7384228123	N/A	\$332 +22
11R24.5 LR-H FUEL MAX RSA 474 rev/mile 75 MPH All-Position	7384228131	N/A	\$155 +4
11R24.5 LR-H ARMOR MAX MSD 471 rev/mile 68 MPH Drive-Position	7384228133	\$171 +28	\$171 +28
12R24.5 LR-H UNISTEEL G177 457 rev/mile 68 MPH Drive-Position	7384240162	\$459 +43	\$459 +43
11.25X24 LR-D IMPLEMENT RIB 482 rev/mile 25 MPH All-Position	6104180115	\$226 -27	N/A
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7400 SBA 4X2 and 7400 SBA 6X4

SECTION 170

PRICES EFFECTIVE 01/02/2017

PLM-282 REVISION NO. 35

PAGE 170-363

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
FRAME RAILS (SEE PREV PAGE) NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010 N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAN and 01WDT FRAME EXTENSION, FRONT : Code 01GBP FRAME REINFORCEMENT : Code 14WNL AXLE, PUSHER, LIFT TYPE AVAIL: Code 10021 CHASSIS COATING	01CAJ		
FRAME REINFORCEMENT NOTE: For Application, Refer to FRAME/REINFORCEMENT SELECTION Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Outer "C" Channel, Heat Treated Alloy Steel (120,000 PSI Yield); 10.813" x 3.892" x 0.312"; (274.6mm x 98.9mm x 8.0mm); 480.0" (12192mm) Maximum OAL REQS: Code 01CBU(std) FRAME RAILS REQS: Code 14TAX or 14TBZ SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SFA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010 N/A: Code 01616 FRAME RAILS WITH TAPERED REAR - for 7600 SFA 4X2 2010 : Code 01WDR FRAME EXTENSION, FRONT : Code 14UZW SUSPENSION, REAR, TANDEM or Code 14UNT SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 01616 FRAME RAILS WITH TAPERED REAR - for 7600 SFA 6X4 2010 : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE, when in combination with Code 14UNA SUSPENSION, REAR, TANDEM AVAIL: Code 10022 CHASSIS COATING	01GBP	\$1,700 0/0	\$1,700 0/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-3

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
BUMPER EXTENSION, FRONT			
4.0" REQS: Code 01LLA(std), 01MDP or 01MDS BUMPER, FRONT N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01586 TOW LOOP, FRONT	01WAC	\$50 +20/0	\$50 +20/0
BUMPER, FRONT			
Steel, Swept Back INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color	01LLA	STD	STD
Omit Item N/A: Code 01WAC BUMPER EXTENSION, FRONT : Code 01LEH LICENSE PLATE HOLDER AVAIL: Code 08585 FOG LIGHTS	01LLK	\$30CR -96/+20	\$30CR -96/+20
Stainless Steel Clad Aluminum, Flat N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01WAC BUMPER EXTENSION, FRONT : Code 08XJG FOG LIGHTS	01LTT	\$445	\$445
Stainless Steel Clad Aluminum, Swept Back N/A: Code 01WAC BUMPER EXTENSION, FRONT	01LZD	\$469 0/0	\$469 0/0
Steel, Flat N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01WAC BUMPER EXTENSION, FRONT : Code 08XJG FOG LIGHTS	01LTR	N/C	N/C
Steel, Flat; Painted Black N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01WAC BUMPER EXTENSION, FRONT : Code 08XJG FOG LIGHTS	01LTS	\$40	\$40
Steel, Swept Back; Painted 0001 Canyon Black N/A: Code 01WAC BUMPER EXTENSION, FRONT	01LNR	N/C 0/0	N/C 0/0
Full Width, Aerodynamic, Polished Stainless Steel; 0.125" Material Thickness	01MDP	\$362	\$362
Full Width, Aerodynamic, Polished Stainless Steel; 0.125" Material Thickness, Includes Mounting Holes for 1 CPI Bumper Mounted Siren	01MDS	\$414	\$414
Full Width, Aerodynamic, Painted Steel; 0.189" Material Thickness INCLS: BUMPER, FRONT Powder Coated Gray (Argent) Color REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT - for 7600 SFA 6X4 2010 REQS: Code 01UAM, 01UAN, 01WDR, 01WDS or 01WDT FRAME EXTENSION, FRONT - for 7600 SFA 4X2 2010 N/A: Code 01WAC BUMPER EXTENSION, FRONT	01LMX	\$79 -15/0	\$79 -15/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-4

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
FRAME, SPECIAL EFFECTS Bolt Transition Plates to Frame for Mixer Body REQ: Code 01CAW FRAME RAILS REQ: Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNX or 14UNY SUSPENSION, REAR, AIR, TANDEM -OR- SUSPENSION, REAR, TANDEM REQ: Code 07BEP EXHAUST SYSTEM REQ: Code 15SJZ, 15SWD, 15SWE or 15SWG FUEL TANK AVAIL: Code 08VUJ, 08VUK, 08VUL(std) and 08VUM BATTERY BOX	01UBG	N/A	\$205 +24/+29
RECOVERY SHACKLE FRONT (02) Frame Mounted N/A: Code 01UAM, 01UAN, 01WDR, 01WDS and 01WDT FRAME EXTENSION, FRONT : Code 01570 TOW HOOK, FRONT : Code 01586 TOW LOOP, FRONT	01WPL	\$152 +25/-4	\$152 +25/-4
REINFORCEMENT, PINTLE HOOK Ahead of Rear Crossmember for Pintle Hook N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01572 TOW HOOK, REAR	01GTA	N/A	\$176 0/+27
TIRE CARRIER Underslung Basket Type REQ: Code 14UNA SUSPENSION, REAR, TANDEM or Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010 REQ: Code 14UNA or 14VKL SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SFA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010 REQ: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 4X2 2010 -OR- Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 6X4 2010	01553	\$199 -20/+97	\$199 -20/+97
(SEE NEXT PAGE)			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-9

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TIRE CARRIER (SEE PREV PAGE) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR or Code 01572 TOW HOOK, REAR or Code 01580 TOW LOOP, REAR, when in combination with Code 01CAW FRAME RAILS - for 7600 SFA 6X4 2010 : Code 14TAX SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010 : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE - for 7600 SFA 6X4 2010 : Code 08THM, 08TKB, 08TKJ, 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	01553		
TOW HOOK, FRONT (02) Frame Mounted REQS: Code 01UAM, 01UAN, 01WDS or 01WDT FRAME EXTENSION, FRONT N/A: Code 01WDR FRAME EXTENSION, FRONT : Code 01586 TOW LOOP, FRONT : Code 01WPL RECOVERY SHACKLE FRONT	01570	\$118 +9/-1	\$118 +9/-1
TOW HOOK, REAR (02) N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 08THM and 08TKJ STOP, TURN, TAIL & B/U LIGHTS : Code 01GTA REINFORCEMENT, PINTLE HOOK - for 7600 SFA 6X4 2010 : Code 01580 TOW LOOP, REAR	01572	\$75 0/+10	\$75 0/+10
TOW LOOP, FRONT N/A: Code 01WDR FRAME EXTENSION, FRONT : Code 01WAC BUMPER EXTENSION, FRONT : Code 01570 TOW HOOK, FRONT : Code 01WPL RECOVERY SHACKLE FRONT	01586	\$375 +85/0	\$375 +85/0
TOW LOOP, REAR Heavy Duty REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB(std), 14UMC, 14UNA, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX or 14698 SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SFA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010 N/A: Code 01616 FRAME RAILS WITH TAPERED REAR : Code 01UAA CROSSMEMBER, AF, SPECIAL (SEE NEXT PAGE)	01580	\$408 0/+86	\$408 0/+86

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-10

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TOW LOOP, REAR (SEE PREV PAGE) N/A: Code 08THM, 08TKB, 08TKJ, 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 01572 TOW HOOK, REAR	01580		
WHEELBASE RANGE 167" (425cm) Through and Including 197" (500cm) 144" (345cm) Through and Including 161" (390cm) 163" (415cm) Through and Including 209" (530cm) 199" (505cm) Through and Including 264" (670cm) 211" (535cm) Through and Including 280" (710cm) 266" (675cm) Through and Including 311" (790cm) 282" (715cm) Through and Including 311" (790cm)	01WTY 01WUC 01WUB 01WTX 01WUA 01WTW 01WTZ	N/A STD \$686 0/0 N/A \$1,124 0/0 N/A \$1,682 0/0	STD N/A N/A \$817 0/0 N/A \$1,390 0/0 N/A
LICENSE PLATE HOLDER Single Plate, Swing Type, Mounted Below Front Bumper REQS: Code 01LLA(std), 01LMX, 01LNR, 01LNS, 01LTR, 01LTS, 01LTT, 01LZD, 01MDP or 01MDS BUMPER, FRONT	01LEH	\$29 +3/0	\$29 +3/0
AXLE, FRONT NON-DRIVING Meritor - MFS-12-143A - Wide Track, I-Beam Type, 12,000-lb Capacity REQS: Code 05PSA(std) STEERING GEAR REQS: Code 03ADC(std) SUSPENSION, FRONT, SPRING N/A: Code 10NZL SPECIAL RATING, GVWR : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 01CAW FRAME RAILS : Code 27DHZ, 27DMZ, 27DNZ, 27DTZ, 27DUA, 27DUL and 27DUN WHEELS, FRONT : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 04WCC BRAKE PACKAGE, FRONT (SEE NEXT PAGE)	02ARW	STD	STD

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-11

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
AXLE, FRONT NON-DRIVING (CONTINUED) <i>Meritor</i> - MFS-20-133A - Wide Track, I-Beam Type, 20,000-lb Capacity REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14GVJ, 14GVK, 14GVL, 14GVN, 14GVR, 14GVU or 14GVY AXLE, REAR, TANDEM - for 7600 SFA 6X4 2010 REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14UHC, 14UHD, 14UHE, 14ULX, 14UMB, 14UNA, 14UZR or 14UZS SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 REQS: Code 04AZU, 04AZU, 04AZV, 04AZV, 04AZY or 04AZY AIR BRAKE ABS, when in combination with Code 04092 BRAKE SYSTEM, AIR and Code 14ULU, 14ULV, 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010 REQS: Code 05PTB STEERING GEAR REQS: Code 04193 BRAKES, FRONT, AIR CAM -OR- BRAKES, FRONT, AIR DISC REQS: Code 04091(std) BRAKE SYSTEM, AIR - for 7600 SFA 4X2 2010 -OR- BRAKE SYSTEM, AIR - for 7600 SFA 6X4 2010 REQS: Code 03ACS, 03AGA, 03AHL or 03AHU SUSPENSION, FRONT, SPRING N/A: Code 16LJX, 16LJY and 16LJZ SEAT, REAR, when in combination with Code 16196 CAB - for 7600 SFA 6X4 2010 : Code 16LJX, 16LJY and 16LJZ SEAT, REAR, when in combination with Code 16196 CAB - for 7600 SFA 4X2 2010 : Code 16LJX, 16LJY and 16LJZ SEAT, REAR : Code 16196 CAB : Code 29331 BRAKE DRUMS, FRONT : Code 01CAG FRAME RAILS : Code 29ADX HUB BRAND, FRONT : Code 27DEM, 27DME, 27DMG, 27DTE and 27DTU WHEELS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires. - MFS-22-133A - Wide Track, I Beam Type, 22,000-lb Capacity REQS: Code 04WCC BRAKE PACKAGE, FRONT REQS: Code 04WCD BRAKE PACKAGE, REAR REQS: Code 05PUE STEERING GEAR REQS: Code 04193 BRAKES, FRONT, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR - for 7600 SFA 4X2 2010 -OR- BRAKE SYSTEM, AIR - for 7600 SFA 6X4 2010 REQS: Code 03AHL or 03AHR SUSPENSION, FRONT, SPRING (SEE NEXT PAGE)	02ARY	\$2,153 +141/0	\$2,153 +141/0
	02ATB	\$2,312 +130/0	\$2,312 +130/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-15

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, FRONT, SPRING (CONTINUED) Multi-Stage, Taper Leaf; 20,000-lb Capacity, With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING N/A: Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03AHU	\$856 +283/+2	\$856 +283/+2
Parabolic, Taper Leaf; 22,000-lb Capacity; With Rubber Auxiliary Springs, With Shock Absorbers INCLS: SPRING PINS Rubber Bushings, Maintenance-Free REQS: Code 02AEW, 02AGT, 02ARY or 02ATB AXLE, FRONT NON-DRIVING REQS: Code 01GBP FRAME REINFORCEMENT N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 01CAG FRAME RAILS : Code 03WAJ, 03WAK and 03770 SPRINGS, FRONT AUXILIARY : Code 03708 SHOCK ABSORBERS, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	03AHL	\$658 +167/+1	\$658 +167/+1
Parabolic, Taper Leaf; 23,000-lb Capacity; With Shock Absorbers REQS: Code 02AGT or 02ATB AXLE, FRONT NON-DRIVING N/A: Code 04AZS AIR BRAKE ABS : Code 03WAM SPACER BLOCK, SPRING, FRONT : Code 03708 SHOCK ABSORBERS, FRONT	03AHR	\$1,151 +76/-15	\$1,151 +167/-1
SHOCK ABSORBERS, FRONT REQS: Code 03ACP, 03ACR or 03ACS SUSPENSION, FRONT, SPRING	03708	\$265 +47/0	\$265 +47/0
SPACER BLOCK, SPRING, FRONT (1) Left Side Only REQS: Code 03ADE, 03ADG, 03AGA or 03AHL SUSPENSION, FRONT, SPRING	03WAM	\$147 +8/0	\$147 +8/0
SPRINGS, FRONT AUXILIARY Air Bag, Left Side Only, Driver Control Air Bag, Right Side Only, Driver Control	03WAK 03WAJ	\$770 +15/0 \$770 +15/0	\$770 +15/0 \$770 +15/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-22

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SPRINGS, FRONT AUXILIARY (CONTINUED)			
Rubber	03770	\$104 +10/0	\$104 +10/0
BRAKE SYSTEM, AIR			
Dual System for Straight Truck Applications INCLS: GAUGE, AIR PRESSURE (2) Air 1 and Air 2 Gauges; Located in Instrument Cluster : SLACK ADJUSTERS, FRONT Automatic : SLACK ADJUSTERS, REAR Automatic : PARKING BRAKE CONTROL Yellow Knob, Located on Instrument Panel : BRAKE LINES Color and Size Coded Nylon : SPRING BRAKE MODULATOR VALVE {Bendix} R-7 for 4x2, SR-7 with relay valve for 6x4 : QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 for 4x2, 2 for 6x4 : PARKING BRAKE VALVE For Truck : DRAIN VALVE Twist-Type REQs: Code 04JCJ(std), 04193 or 04196 BRAKES, FRONT, AIR CAM - for 7600 SFA 6X4 2010 -OR- BRAKES, FRONT, AIR CAM - for 7600 SFA 4X2 2010 N/A: Code 04774 and 04795 SPECIAL RATING, GAWR : Code 16ZBP, 16ZGR and 16ZHH ACCESS, CAB AND FRAME : Code 16ZGM ACCESS, FRAME : Code 02AUR AXLE, FRONT NON-DRIVING : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : BRAKE DRUMS, FRONT or BRAKE DRUMS, REAR : Code 04AAA and 04AAU BRAKE CHAMBERS, ADDITIONAL : Code 04WDT SPRING BRAKE MODULATOR VALVE : Code 04692 HOSE TENDER : Code 14WLM AXLE, PUSHER, LIFT TYPE or Code 14WLR AXLE, TAG, LIFT TYPE, when in combination with Code 04AZS or 04AZY AIR BRAKE ABS - for 7600 SFA 6X4 2010 : Code 08WAA and 08WLL LIGHT, WORK : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 04WCC BRAKE PACKAGE, FRONT REC: Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 04WDM DUST SHIELDS, REAR BRAKE : Code 08HAA, 08HAB, 08HAE or 08HAU BODY BUILDER WIRING NOTE: Rear Axle is Limited to 23,000-lb GAWR with Code 04091 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered - for 7600 SFA 4X2 2010	04091	STD	STD
(SEE NEXT PAGE)			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-23

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
BRAKE SYSTEM, AIR (SEE PREV PAGE) REQS: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14CVC, 14ERB, 14ERC or 14051(std) AXLE, REAR, SINGLE - for 7600 SFA 4X2 2010 -OR- AXLE, REAR, TANDEM - for 7600 SFA 6X4 2010 REQS: Code 07BEM(std) or 07BEP EXHAUST SYSTEM - for 7600 SFA 4X2 2010 -OR- Code 07BEM(std), 07BEP or 07BJX EXHAUST SYSTEM - for 7600 SFA 6X4 2010 N/A: Code 10NZL SPECIAL RATING, GVWR : Code 16XWY WINDSHIELD WASHER RESERVOIR or Code 08VZP BEACON MOUNTING BRACKET or Code 08TPS STOP, TURN, TAIL & B/U LIGHTS or Code 15LLP LOCATION FUEL/WATER SEPARATOR or Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 16196 CAB : Code 16917 MOUNTING BRACKETS : Code 04NDA BRAKES, REAR, AIR CAM - for 7600 SFA 4X2 2010 : Code 04AZE AIR BRAKE ABS : Code 04619 TRAILER CONNECTIONS : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7600 SFA 4X2 2010 : Code 32WAA WHEELS, REAR : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE or Code 15SNT and 15SNU FUEL TANK or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010 : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : Code 08TME and 08TMG TRAILER CONNECTION SOCKET : Code 08TKK TRAILER AUXILIARY FEED CIRCUIT : Code 08TMJ SWITCH, MARKER INTERRUPT AVAIL: Code 04WDU HAND CONTROL VALVE, AIR : Code 04ERC BRAKE CHAMBERS, SPRING - for 7600 SFA 4X2 2010 : Code 14881 DIFFERENTIAL, LOCKING - for 7600 SFA 4X2 2010 : Code 13WBA HYDRAULIC RETARDER : Code 08HAA BODY BUILDER WIRING REC: Code 10STA, 10WDA or 10WDN FIFTH WHEEL MOUNTING ANGLES or Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH or 10HKP FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ or 10HKK FIFTH WHEEL, AIR SLIDE NOTE: Rear Axle is Limited to 20,000-lb GAWR with Code 04092 BRAKE SYSTEM, AIR and Standard Rear Air Cam Brakes Regardless of Axle/Suspension Ordered - for 7600 SFA 4X2 2010 <div style="text-align: right;">(SEE NEXT PAGE)</div>	04092		

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-25

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
AIR BRAKE ABS (SEE PREV PAGE) Bendix - AntiLock Brake System - REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY or 02ARZ AXLE, FRONT NON-DRIVING, when in combination with Code 04091 BRAKE SYSTEM, AIR and Code 05PTB STEERING GEAR REQS: Code 02AGE, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING, when in combination with Code 04091 BRAKE SYSTEM, AIR and Code 05PSA STEERING GEAR REQS: Code 04JCG BRAKES, FRONT, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR - for 7600 SFA 6X4 2010 REQS: Code 04JCG BRAKES, FRONT, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR - for 7600 SFA 4X2 2010 REQS: Code 04NDB BRAKES, REAR, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR - for 7600 SFA 6X4 2010 REQS: Code 04NDB BRAKES, REAR, AIR CAM, when in combination with Code 04092 BRAKE SYSTEM, AIR - for 7600 SFA 4X2 2010 REQS: Code 03ADC SUSPENSION, FRONT, SPRING, when in combination with Code 04092 BRAKE SYSTEM, AIR - for 7600 SFA 6X4 2010 REQS: Code 14SAL, 14SAN, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE, when in combination with Code 04091 BRAKE SYSTEM, AIR - for 7600 SFA 4X2 2010 REQS: Code 03ACP, 03ACR, 03ACS, 03ADC(std), 03ADD, 03ADE, 03ADG, 03AGA or 03AHU SUSPENSION, FRONT, SPRING REQS: Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB(std), 14UMC, 14UNA, 14UZB, 14UZR, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SFA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010 -OR- Code 14ULT, 14ULU, 14UNT, 14UNU, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010 REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 4X2 2010 (SEE NEXT PAGE)	04AZS		

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-28

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
AIR DRYER LOCATION (SEE PREV PAGE) REQS: Code 08TST, 08TTR, 08VTN, 08VUJ, 08VUK or 08WEK BATTERY BOX, when in combination with Code 15SSC FUEL TANK - for 7600 SFA 6X4 2010 REQS: Code 08TST, 08TTR, 08VUJ, 08WEJ or 08WEK BATTERY BOX, when in combination with Code 15SNT or 15SNU FUEL TANK REQS: Code 08VUJ or 08VUK BATTERY BOX, when in combination with Code 15SGD FUEL TANK - for 7600 SFA 6X4 2010 REQS: Code 08VUJ, 08VUK, 08VUL(std), 08VUM or 08WEL BATTERY BOX, when in combination with Code 15SJZ, 15SWD, 15SWE or 15SWG FUEL TANK REQS: Code 08VUN or 08WJJ BATTERY BOX, when in combination with Code 15SWJ or 15SWK FUEL TANK - for 7600 SFA 6X4 2010 REQS: Code 14ULX, 14ULY or 14UMB SUSPENSION, REAR, TANDEM, when in combination with Code 08VUL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK - for 7600 SFA 6X4 2010 REQS: Code 14UZB or 14UZU SUSPENSION, REAR, TANDEM, when in combination with Code 08WEL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK - for 7600 SFA 6X4 2010 REQS: Code 14VKL SUSPENSION, REAR, TANDEM or Code 14UPL SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 15SWJ or 15SWK FUEL TANK - for 7600 SFA 6X4 2010 REQS: Code 14UNX or 14UPL SUSPENSION, REAR, AIR, TANDEM or Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB, 14UZB, 14UZR, 14UZS, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM, when in combination with Code 15SGD FUEL TANK - for 7600 SFA 6X4 2010 REQS: Code 15SGD, 15SJZ, 15SNT, 15SNU, 15SSC, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK REQS: Code 15LKU or 15LKW FUEL/WATER SEPARATOR, when in combination with Code 15SGD, 15SWJ or 15SWK FUEL TANK - for 7600 SFA 6X4 2010 REQS: Code 15LKU FUEL/WATER SEPARATOR, when in combination with Code 08VUL or 08WEL BATTERY BOX and Code 15SWE FUEL TANK and Code 15SWG FUEL TANK - for 7600 SFA 6X4 2010 REQS: Code 15LKX or 15LKY FUEL/WATER SEPARATOR, when in combination with Code 15SSC FUEL TANK - for 7600 SFA 6X4 2010 N/A: AIR COMPRESSOR DISCHARGE LINE or AXLE, PUSHER, LIFT TYPE : AIR TANK LOCATION, when in combination with Code 08VUL BATTERY BOX and Code 15SWE or 15SWG FUEL TANK - for 7600 SFA 6X4 2010 : Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION, when in combination with Code 15SWJ or 15SWK FUEL TANK (SEE NEXT PAGE)	04VHT		

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-32

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
AIR DRYER LOCATION (SEE PREV PAGE) N/A: Code 15LLP LOCATION FUEL/WATER SEPARATOR or Code 16CAB and 16196 CAB, when in combination with Code 08VUL or 08WEL BATTERY BOX and Code 15SWE FUEL TANK and Code 15SWG FUEL TANK - for 7600 SFA 6X4 2010 : Code 15LLP LOCATION FUEL/WATER SEPARATOR, when in combination with Code 15SGD, 15SWJ or 15SWK FUEL TANK	04VHT		
AIR TANK Painted Aluminum, With Straight Thread O-Ring Ports N/A: Code 04VHZ AIR TANK LOCATION Polished Aluminum, With Straight Thread O-Ring Ports AVAIL: Code 04VCL AIR TANK LOCATION	04VGN 04VGM	\$432 0/0 \$502 0/0	\$432 - 11/-5 \$502 - 11/-5
AIR TANK LOCATION (02) Mounted Under Cab, Outside Left Rail, on Step Bracket, with Ground Clearance REQS: Code 04VHT AIR DRYER LOCATION, when in combination with Code 04EBD AIR DRYER - for 7600 SFA 6X4 2010 REQS: Code 04EBD or 04EBT AIR DRYER REQS: Code 04WDA, 04WWZ, 04722 or 04732 DRAIN VALVE REQS: Code 14SAL, 14SAN, 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE - for 7600 SFA 4X2 2010 REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB, 14UMC, 14UZB, 14UZR, 14UZS, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 REQS: Code 15DYP DEF TANK REQS: Code 07BKE EXHAUST SYSTEM REQS: Code 15SSC FUEL TANK - for 7600 SFA 4X2 2010 -OR- Code 15SNT, 15SNU or 15SSC FUEL TANK - for 7600 SFA 6X4 2010 N/A: Code 04VHT AIR DRYER LOCATION, when in combination with Code 04EBT AIR DRYER - for 7600 SFA 6X4 2010 : Code 04VGM and 04VGN AIR TANK : Code 15LLP LOCATION FUEL/WATER SEPARATOR or Code 04VGM and 04VGN AIR TANK or Code 03WAK and 03WAK SPRINGS, FRONT AUXILIARY or Code 16XTK, 16XTM and 16ZBB ACCESS, CAB : Code 08WHE HORN, AIR AVAIL: Code 08TST, 08TTR, 08VUJ, 08WEJ and 08WEK BATTERY BOX	04VHZ	\$434	\$434

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-33

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
AIR SUPPLY, AUXILIARY on Air Reservoir with Glad Hand Connector	04RUJ	\$173 +1/+2	\$173 +1/+2
BRAKE CHAMBERS, ADDITIONAL MGM (02) Spring Brake Type; 30/30 SqIn INCLS: QUICK RELEASE VALVE On Rear Axle for Spring Brake Release: 1 Additional for Rear Rear Axle REQS: Code 04EVH BRAKE CHAMBERS, REAR AXLE REQS: Code 04092 BRAKE SYSTEM, AIR Bendix (02) Spring Brake Type; 30/30 SqIn REQS: Code 04EXU(std) BRAKE CHAMBERS, REAR AXLE, when in combination with Code 04NDB or 04NDH BRAKES, REAR, AIR CAM REQS: Code 04092 BRAKE SYSTEM, AIR	04AAA 04AAU	N/A N/A	\$638 \$220 0/0
BRAKE CHAMBERS, SPRING on Rear/Rear Axle Located Inside Rear Tire Envelope (Meets Asphalt Spreader/Paver Clearance Requirements) REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB(std), 14UMC, 14UZR, 14UZS, 14UZT, 14UZU or 14UZX SUSPENSION, REAR, TANDEM, when in combination with Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GSX, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY, 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 04NDB(std) BRAKES, REAR, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR for Rear Axle, Located to Meet Asphalt Spreader/Paver Clearance Requirements REQS: Code 14SCE SUSPENSION, RR, SPRING, SINGLE REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14SCD or 14SCE SUSPENSION, RR, SPRING, SINGLE -OR- SUSPENSION, REAR, SINGLE REQS: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14CDE, 14ERB, 14ERC or 14051(std) AXLE, REAR, SINGLE N/A: Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE	04WDW 04WYB	N/A N/C 0/0	\$32 0/0 N/A

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-35

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
BRAKE PACKAGE, FRONT (SEE PREV PAGE) Meritor - EX225H2 - REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04LAA SLACK ADJUSTERS, FRONT : Code 04JCG(std), 04JCJ(std), 04193 and 04196 BRAKES, FRONT, AIR CAM	04WZK		
BRAKE PACKAGE, REAR Dana Spicer - ES-165-7 - Air, Cam Type, Extended Service; Size 16.5" x 7", Includes Automatic Slack Adjusters REQS: Code 04WCC BRAKE PACKAGE, FRONT REQS: Code 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM N/A: Code 04773 BRAKE SHOES, REAR : Code 04EUE BRAKE LININGS, REAR	04WCD	\$368 0/0	\$736 0/0
BRAKE SHOES, REAR Cast REQS: Code 04NCZ, 04NDA, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM - for 7600 SFA 4X2 2010 -OR- Code 04NCZ, 04NDB(std) or 04NDL BRAKES, REAR, AIR CAM - for 7600 SFA 6X4 2010 N/A: Code 04WCD BRAKE PACKAGE, REAR NOTE: Provides Rear Axle GAWR Up to 26,000-Lb. - for 7600 SFA 4X2 2010 : Provides Rear Axle GAWR Up to 52,000-Lb. - for 7600 SFA 6X4 2010	04773	\$1,021 0/+50	\$2,042 0/+100
BRAKES, FRONT, AIR CAM S-Cam; 15.0" x 4.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 02AGE or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7600 SFA 6X4 2010 REQS: Code 02AGE, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING - for 7600 SFA 4X2 2010 REQS: Code 04EXP(std) BRAKE CHAMBERS, FRONT AXLE REQS: Code 04092 BRAKE SYSTEM, AIR - for 7600 SFA 6X4 2010 -OR- BRAKE SYSTEM, AIR - for 7600 SFA 4X2 2010 N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WCC and 04WZK BRAKE PACKAGE, FRONT : Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB(std), 14UMC and 14698 SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	04JCG	STD	\$265CR 0/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-37

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
BRAKES, FRONT, AIR CAM (CONTINUED) S-Cam; 16.5" x 5.0"; Includes 20 Sq. In. Long Stroke Brake Chambers REQS: Code 02AGE, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7600 SFA 6X4 2010 REQS: Code 02AGE, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING - for 7600 SFA 4X2 2010 REQS: Code 04EXP(std) BRAKE CHAMBERS, FRONT AXLE N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WCC and 04WZK BRAKE PACKAGE, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	04JCJ	\$265 0/0	STD
16.5" x 5", Includes 24 SqIn Long Stroke Brake Chambers REQS: Code 02AGE, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7600 SFA 6X4 2010 REQS: Code 02AGE, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING - for 7600 SFA 4X2 2010 REQS: Code 04EXV BRAKE CHAMBERS, FRONT AXLE N/A: Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC : Code 04WCC and 04WZK BRAKE PACKAGE, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	04196	\$265 +23/0	N/C 0/0
16.5" x 6", Includes 24 SqIn Long Stroke Brake Chambers REQS: Code 04EXV BRAKE CHAMBERS, FRONT AXLE N/A: Code 02ATG and 02AUR AXLE, FRONT NON-DRIVING : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC AVAIL: Code 04WCC BRAKE PACKAGE, FRONT NOTE: The following features should be considered when calculating Front GAWR: Front Axles; Front Suspension; Brake System; Brakes, Front Air Cam; Wheels; Tires.	04193	\$265 0/0	N/C 0/0
BRAKES, FRONT, AIR DISC 22.5 Diam., Includes 24" Sq. In. Brake Chambers REQS: Code 02AGE, 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04EXP(std) and 04EXV BRAKE CHAMBERS, FRONT AXLE : Code 29331 BRAKE DRUMS, FRONT : Code 04WBX DUST SHIELDS, FRONT BRAKE : Code 04LAA SLACK ADJUSTERS, FRONT (SEE NEXT PAGE)	04JDD	\$2,979 +254/0	\$2,714 +254/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-38

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

ITEM DESCRIPTION	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
BRAKE CHAMBERS, REAR AXLE			
Bendix			
- EverSure - 30/30 Spring Brake REQS: Code 04NDB(std) BRAKES, REAR, AIR CAM - for 7600 SFA 4X2 2010 -OR- Code 04NDB(std) or 04NDH BRAKES, REAR, AIR CAM - for 7600 SFA 6X4 2010 AVAIL: Code 04AAU BRAKE CHAMBERS, ADDITIONAL - for 7600 SFA 6X4 2010	04EXU	STD	STD
36/36 Spring Brake REQS: Code 04NDA BRAKES, REAR, AIR CAM	04EXT	\$144 0/0	N/A
MGM			
- MJS3024ET - 30/24 Piston Spring Brake INCLS: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb. : BRAKE CHAMBERS, SPRING (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater - for 7600 SFA 6X4 2010 REQS: Code 04NDL or 04NDP BRAKES, REAR, AIR CAM N/A: Code 04AAA and 04AAU BRAKE CHAMBERS, ADDITIONAL	04EVP	\$454 0/0	\$908 0/0
- MJS3028ET - 30/28 Piston Spring Brake INCLS: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb. : BRAKE CHAMBERS, SPRING (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater - for 7600 SFA 6X4 2010 REQS: Code 04NCZ or 04NDN BRAKES, REAR, AIR CAM N/A: Code 04AAA and 04AAU BRAKE CHAMBERS, ADDITIONAL	04EVR	\$458 0/0	\$916 0/0
- TR3030LP3TSHD - 30/30 Spring Brake INCLS: BRAKE CHAMBERS, SPRING (2) Rear Parking; WITH TRUCK BRAKES: All 4x2, 4x4; WITH TRACTOR BRAKES: All 4x2, 4x4; 6x4 & 6x6 with Rear Tandem Axles Less Than 46,000-lb. or GVWR Less Than 54,000-lb.	04EVH	\$150 0/0	\$300 0/0
(SEE NEXT PAGE)			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-42

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
BRAKE CHAMBERS, REAR AXLE (SEE PREV PAGE) MGM - TR3030LP3TSHD - INCLS: BRAKE CHAMBERS, SPRING (4) Rear Parking; WITH TRUCK BRAKES: All 6x4, 6x6; WITH TRACTOR BRAKES: 6x4 & 6x6 with Rear Tandem Axles 46,000-lb. or Greater or GVWR of 54,000-lb. or Greater - for 7600 SFA 6X4 2010 REQS: Code 04NDB(std) BRAKES, REAR, AIR CAM - for 7600 SFA 4X2 2010 -OR- Code 04NDB(std) or 04NDH BRAKES, REAR, AIR CAM - for 7600 SFA 6X4 2010 AVAIL: Code 04AAA BRAKE CHAMBERS, ADDITIONAL - for 7600 SFA 6X4 2010	04EVH		
BRAKES, AIR CAM, PUSHER AXLE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished With One Pusher Lift Axle AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished With Two Pusher Lift Axles AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished With Three Pusher Lift Axles AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE S-Cam; 16.5" x 6.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished With One Pusher Lift Axle AVAIL: Code 14WNM AXLE, PUSHER, LIFT TYPE S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished With One Pusher Lift Axle AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE	04JBR 04JBU 04JBV 04JCK 04JBS	N/A N/A N/A N/A N/A	N/C 0/0 N/C 0/0 N/C 0/0 N/C 0/0 N/C 0/0
BRAKES, AIR CAM, TAG AXLE S-Cam; 15" x 4.0"; Includes MGM 20 Sq.In. Brake Chambers; Furnished With Tag Lift Axle AVAIL: Code 14WNK AXLE, TAG, LIFT TYPE S-Cam; 16.5" x 7.0"; Includes MGM 30 Sq.In. Brake Chambers; Furnished With Tag Lift Axle AVAIL: Code 14WLR AXLE, TAG, LIFT TYPE	04JBW 04JBT	N/A N/A	N/C 0/0 N/C 0/0
DRAIN VALVE Berg with Pull Chain, for Air Tank No Vendor Identified (03) Petcocks, for Air Tanks	04732 04WDA	STD N/C 0/0	STD N/C 0/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-43

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SLACK ADJUSTERS, FRONT Haldex Automatic REQS: Code 04LGA SLACK ADJUSTERS, REAR N/A: Code 02AUR AXLE, FRONT NON-DRIVING : Code 04JDD and 04JDE BRAKES, FRONT, AIR DISC AVAIL: Code 04WCC BRAKE PACKAGE, FRONT	04LAA	\$138 + 6/0	\$138 + 6/0
SLACK ADJUSTERS, REAR Haldex Automatic REQS: Code 04LAA SLACK ADJUSTERS, FRONT or Code 04JDD or 04JDE BRAKES, FRONT, AIR DISC	04LGA	\$188 0/0	\$268 0/0
SLACK ADJUSTER, PUSHER AXLE Haldex Automatic; for (2) Pusher Axles N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Automatic; for (3) Pusher Axles N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE Automatic; for Single Pusher Axle N/A: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	04JNL 04JNM 04JNJ	N/A N/A N/A	\$98 0/0 \$147 0/0 \$58 0/0
SLACK ADJUSTER, TAG AXLE Haldex Automatic; for 1 Tag Axle N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	04JNK	N/A	\$58 0/0
SPECIAL RATING, GAWR WARNING; Rear Axle Limited to 34,000 lb 6x4 Tandem Tractor REQS: Code 04092 BRAKE SYSTEM, AIR NOTE: 010002 Provides Rear Tractor Brake Rating Equal to Axle Rating up to 23,000-lbs for Single Axles, 46,000-lbs for Tandem Axles, or 69,000-lb for Tridem REQS: Code 04NDB(std) or 04NDP BRAKES, REAR, AIR CAM - for 7600 SFA 4X2 2010 -OR- Code 04NDB(std), 04NDH or 04NDP BRAKES, REAR, AIR CAM - for 7600 SFA 6X4 2010 REQS: Code 04092 BRAKE SYSTEM, AIR NOTE: Provides Rear Axle GAWR Up to 23,000-Lb. - for 7600 SFA 4X2 2010 (SEE NEXT PAGE)	04795 04774	N/A N/C 0/0	N/C 0/0 N/C 0/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-45

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SPECIAL RATING, GAWR (SEE PREV PAGE) NOTE: Provides Rear Axle GAWR Up to 46,000-Lb. - for 7600 SFA 6X4 2010	04774		
SPRING BRAKE MODULATOR VALVE With Relay function REQS: Code 04092 BRAKE SYSTEM, AIR or Code 14TBZ SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010 REQS: Code 15DMV, 15DPL, 15DPM, 15DYS, 15DYT, 15DYU, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010 REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 04VHT AIR DRYER LOCATION or Code 16CAB and 16196 CAB or Code 04VHZ and 04WZJ AIR TANK LOCATION or Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT and 12BDD ENGINE, DIESEL or Code 08VTR, 08VUL, 08VUM, 08VUN, 08WEJ, 08WEL, 08WJJ and 08WJN BATTERY BOX or Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SNT, 15SNU and 15SSC FUEL TANK, when in combination with Code 04AZU, 04AZV or 04AZY AIR BRAKE ABS and Code 14UNT SUSPENSION, REAR, AIR, TANDEM NOTE: 010003 - for 7600 SFA 4X2 2010	04WDT	\$151 0/0	\$151 0/0
TRAILER CONNECTIONS Four-Wheel, With Hand Control Valve and Tractor Protection Valve, for Straight Truck REQS: Code 08HAA BODY BUILDER WIRING or Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS or Code 08TME or 08TMG TRAILER CONNECTION SOCKET REQS: Code 08TKK TRAILER AUXILIARY FEED CIRCUIT, when in combination with Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 04AZS AIR BRAKE ABS, when in combination with Code 04091 BRAKE SYSTEM, AIR - for 7600 SFA 4X2 2010 : Code 01616 FRAME RAILS WITH TAPERED REAR AVAIL: Code 04WDU HAND CONTROL VALVE, AIR	04619	\$542 + 2/0	\$542 + 2/0
TRAILER HOSES Glad Hands for Four-Wheel Connections, Temporarily Mounted with Bulkhead Connectors on End of Frame, Includes Additional Hosing and Dummy Glad Hands	04677	\$523 - 7/+23	\$523 - 5/+21

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-46

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
STEERING GEAR Sheppard - M100 - Power REQS: Code 02AGE, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7600 SFA 6X4 2010 REQS: Code 02AGE, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING - for 7600 SFA 4X2 2010 - M100/M80 - (02) Dual Power REQS: Code 02AEU, 02AEV, 02AEW, 02ARU, 02ARY, 02ARZ or 02AUR AXLE, FRONT NON-DRIVING - M100/M90 - (02) Dual Power REQS: Code 02AGT or 02ATB AXLE, FRONT NON-DRIVING N/A: Code 04AZS AIR BRAKE ABS	05PSA 05PTB 05PUE	STD \$1,169 +119/0 \$1,694 +155/-15	STD \$1,169 +119/0 \$1,694 +154/-14
STEERING COLUMN Stationary Tilting N/A: Code 04AZS and 04AZY AIR BRAKE ABS Tilting and Telescoping	05AAA 05708 05710	STD \$125 0/0 \$463 0/0	STD \$125 0/0 \$463 0/0
STEERING WHEEL 2-Spoke, 18" Dia., Black N/A: Code 16XVZ CAB INTERIOR TRIM 2-Spoke; 18" Dia., Black, Leather Wrapped N/A: Code 16XVZ CAB INTERIOR TRIM 4-Spoke; 18" Dia., Black Leather Wrapped REQS: Code 16XVZ CAB INTERIOR TRIM	05CAL 05CAN 05CBE	STD \$69 +1/0 \$236	STD \$69 0/+1 \$236
DRIVESHAFT Dana Spicer SPL140 in lieu of 1710 Series REQS: Code 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14CVC, 14ERB, 14ERC, 14ERP or 14051(std) AXLE, REAR, SINGLE SPL170XL in lieu of 1710 Series	06DAZ 06DAX	\$105 -5/-16 \$445 0/+2	N/A N/A

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-47

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
EXHAUST SYSTEM (SEE PREV PAGE) REQS: Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 13ATL, 13ATP, 13ATR, 13AUK, 13AUL, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 15SGD, 15SGG, 15SGJ, 15SSC, 15STM, 15SWE or 15SXN FUEL TANK - for 7600 SFA 4X2 2010 -OR- Code 15SGD, 15SGG, 15SGJ, 15SNT, 15SNU, 15SSC, 15STM, 15SWE or 15SXN FUEL TANK - for 7600 SFA 6X4 2010 N/A: MODESTY PANEL : Code 16917 MOUNTING BRACKETS : Code 04692 HOSE TENDER : Code 01UBG FRAME, SPECIAL EFFECTS : FRAME RAILS - for 7600 SFA 6X4 2010 : Code 08TST, 08VTJ, 08VUN, 08VUR, 08WEL and 08WJJ BATTERY BOX : Code 14WLM AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : AFTERTREATMENT - for 7600 SFA 6X4 2010 : Code 07WCC EXHAUST HEIGHT AVAIL: Code 07WBS MUFFLER/TAIL PIPE GUARD : Code 15DYP(std) DEF TANK	07BKE		
AFTERTREATMENT with Special Temperature Control, for Stationary Applications N/A: ACCESS, CAB or ACCESS, CAB AND FRAME, when in combination with Code 16030 CAB and Code 07BEP EXHAUST SYSTEM	07BEW	\$201 0/0	\$201 0/0
AFTERTREATMENT COVER Polished Aluminum REQS: Code 16XTK or 16ZBB ACCESS, CAB or Code 16ZBP or 16ZGR ACCESS, CAB AND FRAME, when in combination with Code 07BEM or 07BEP EXHAUST SYSTEM REQS: Code 07BEM(std), 07BEP or 07BKE EXHAUST SYSTEM N/A: Code 16XTM ACCESS, CAB : Code 08TST, 08TTR, 08VTJ and 08VUR BATTERY BOX AVAIL: Code 16ZGR ACCESS, CAB AND FRAME : Code 07WBS MUFFLER/TAIL PIPE GUARD	07BES	\$498 0/0	\$498 0/0
ENGINE COMPRESSION BRAKE by Jacobs; for N13 Engines, With Selector Switch and On/Off Switch	07SDK	\$2,158 0/0	\$2,158 0/0



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
EXHAUST HEIGHT			
10' 11" REQS: Code 07BEP or 07BKE EXHAUST SYSTEM - for 7600 SFA 4X2 2010 -OR- Code 07BEP, 07BJX or 07BKE EXHAUST SYSTEM - for 7600 SFA 6X4 2010	07WCR	\$72 +1/+1	\$72 +1/+1
11' 6" REQS: Code 07BEP or 07BKE EXHAUST SYSTEM - for 7600 SFA 4X2 2010 -OR- Code 07BEP, 07BJX or 07BKE EXHAUST SYSTEM - for 7600 SFA 6X4 2010	07WBU	\$118 +2/0	\$118 +2/0
13' 3" REQS: Code 07BEP EXHAUST SYSTEM - for 7600 SFA 4X2 2010 -OR- Code 07BEP or 07BJX EXHAUST SYSTEM - for 7600 SFA 6X4 2010	07WCC	\$176 +3/0	\$176 +3/0
MUFFLER/TAIL PIPE GUARD			
(1) Bright Stainless Steel REQS: Code 07BEP or 07BKE EXHAUST SYSTEM	07WBS	\$133 0/0	\$133 0/0
(2) Bright Stainless Steel REQS: Code 07BJX EXHAUST SYSTEM - for 7600 SFA 6X4 2010 N/A: Code 07BES AFTERTREATMENT COVER : Code 07BEM(std), 07BEP and 07BKE EXHAUST SYSTEM - for 7600 SFA 4X2 2010 AVAIL: Code 08TST, 08TTR, 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUR and 08WEL BATTERY BOX	07WDL	\$383 0/0	\$383 0/0
RAIN CAP			
With Single Exhaust, Chrome Finish REQS: Code 07WAY TAIL PIPE REQS: Code 07BEP or 07BKE EXHAUST SYSTEM	07WAG	\$62 +2/0	\$62 +2/0
With Single Exhaust, Non-Bright Finish REQS: Code 07BEP or 07BKE EXHAUST SYSTEM - for 7600 SFA 4X2 2010 -OR- Code 07BEP, 07BJX or 07BKE EXHAUST SYSTEM - for 7600 SFA 6X4 2010 N/A: Code 07WAY, 07WAZ and 07WBA TAIL PIPE	07WAE	\$21 +2/0	\$21 +2/0
SWITCH, FOR EXHAUST			
3 Position, Momentary, Lighted Momentary, ON/CANCEL, Center Stable, INHIBIT REGEN, Mounted in IP Inhibits Diesel Particulate Filter Regeneration When Switch is Moved to ON While Engine is Running, Resets When Ignition is Turned OFF	07WZX	\$56 +2/0	\$56 +2/0
2 Position, Lighted & Latching, On/Off Type, Mounted in IP, Inhibits Diesel Particulate Filter Regeneration as Long as Switch is in On Position	07WZY	\$44 +2/0	\$44 +2/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-51

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
ALTERNATOR			
<i>Leece-Neville</i>			
- AVI160P2013 - Brush Type; 12 Volt 160 Amp. Capacity, Pad Mount	08GXJ	STD	STD
- AVI160P2003 - Brush Type; 12 Volt 240 Amp. Capacity, Pad Mount, With Remote Sense	08GXB	\$450 0/0	\$450 0/0
- AVI160P2007 - Brush Type; 12 Volt 210 Amp. Capacity, Pad Mount, With Remote Sense	08GXC	\$325 0/0	\$325 0/0
- AVI160P2012 - Brush Type; 12 Volt 190 Amp. Capacity, Pad Mount, With Remote Sense	08GXE	\$217 - 1/0	\$217 - 1/0
- BLP4006HN - Brushless, 12 Volt 325 Amp. Capacity, Pad Mount, with Remote Sense N/A: Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT and 12BDD(std) ENGINE, DIESEL	08G XK	\$1,207 0/0	\$1,207 0/0
- 14931PAH - Brush Type, 12 Volt 320 Amp. Capacity, Pad Mount	08GWY	\$1,146 + 15/- 2	\$1,146 + 17/- 2
<i>Bosch</i>			
- LH160 - Brush Type, 12 Volt 160 Amp. Capacity, Pad Mount	08GGN	\$83 - 6/0	\$83 - 6/0
- LH200 - Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount	08GGR	\$308 - 3/0	\$308 - 3/0
- LIL165 Long Life - Brush Type, 12 Volt 165 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GHG	\$145 - 1/0	\$145 - 5/0
- LIL200 Long Life - Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GHH	\$408 + 2/0	\$408 + 4/- 1
<i>Delco Remy</i>			
- 28SI - Brush Type, 12 Volt 200 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GHU	\$253 - 2/0	\$253 - 2/0
- 36SI - Brushless, 12 Volt 165 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GGG	\$340 + 6/0	\$340 + 6/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-53

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
ALTERNATOR (CONTINUED) Delco Remy - 40SI - Brushless, 12 Volt 240 Amp. Capacity, Pad Mount, with Remote Voltage Sensor	08GHK	\$871 + 11/0	\$871 + 11/0
AUXILIARY HARNESS 3.0' for Auxiliary Front Head Lights and Turn Signals for Front Plow Applications N/A: Code 08THV DISCONNECT, FRONT HARNESS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP for Auxiliary Power Source; 30 Amp, Key Switched, 2-Pin Connector, Located on Floor Between Seats N/A: Code 16VSL WINDSHIELD : Code 08THV DISCONNECT, FRONT HARNESS : Code 08XJH FOG LIGHTS : Code 60ACX BDY INTG, THEFT DETERRENT SYS	08THJ 08WEX	\$158 + 2/0 N/A	\$158 + 2/0 \$125 + 3/0
BACK-UP ALARM Electric, 102 dBA Preco - 1059 - Electronic; Solid State, Dual Function, 112 dBA N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 08THM STOP, TURN, TAIL & B/U LIGHTS	08THB 08WDG	\$120 0/+3 \$211 0/+1	\$120 0/+3 \$211 0/+1
BATTERY BOX Steel With Plastic Cover, 18" Wide, 2, 3, or 4 Battery Capacity, Mounted Left Side Back of Cab REQ: Code 15DMV, 15DPL, 15DPM, 15DUX, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGG, 15SGJ, 15SJZ, 15SMD, 15SRE(std), 15SWD, 15SWE or 15SWG FUEL TANK N/A: Code 16196 CAB : Code 08WJW BATTERY DISCONNECT SWITCH : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 08TNR BATTERY CABLES, when in combination with Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SMD, 15SRE, 15STM, 15SWD, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK AVAIL: Code 16ZBP ACCESS, CAB AND FRAME : Code 04WZJ AIR TANK LOCATION : Code 15DYP(std) DEF TANK Aluminum With Plastic Cover, 30" Wide, 2, 3 or 4 Battery Capacity, Mounted Right Side Under Cab REQ: Code 07BJX EXHAUST SYSTEM - for 7600 SFA 6X4 2010 REQ: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 16CAB CAB (SEE NEXT PAGE)	08VUL 08TST	STD \$468 + 17/-24	STD \$468 + 15/-22

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-54

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
BATTERY DISCONNECT SWITCH (CONTINUED) Cole-Hersee - 75920-06 - 300 Amp; Battery Box Mounted, Disconnects Cab Power, Does Not Disconnect Charging Circuits, Locks with Padlock REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX or 13AUY TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVR, 15SVS, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 4X2 2010 -OR- Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVR, 15SVS, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 6X4 2010 N/A: Code 08WEL and 08XDZ BATTERY BOX	08RLZ	\$248	\$248
BATTERY SYSTEM International Maintenance-Free, (3) 12-Volt 1950CCA Total N/A: Code 08XDZ BATTERY BOX Maintenance-Free, (3) 12-Volt 2250CCA Total N/A: Code 08XDZ BATTERY BOX Maintenance-Free, (3) 12-Volt 2775CCA Total N/A: Code 08XDZ BATTERY BOX Maintenance-Free, (4) 12-Volt 2600CCA Total REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 4X2 2010 -OR- Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 6X4 2010 N/A: Code 08VTJ, 08VUR, 08WEL and 08XDZ BATTERY BOX	08MKL 08MLM 08MKX 08MUE	STD \$126 +8/+14 \$179 +8/+14 \$199 +18/+35	STD \$126 +9/+13 \$179 +9/+13 \$199 +21/+32

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-64

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
BODY BUILDER WIRING (CONTINUED) INSIDE CAB; Includes Sealed Connectors for Tail/Amber, Turn/Marker/Backup/Accessory, Power/Ground, and Stop/Turn REQS: Code 04091(std) BRAKE SYSTEM, AIR Back of Standard Cab at Left Frame or Under Extended or Crew Cab at Left Frame; Includes Sealed Connectors for Tail/Amber Turn/Marker/Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn REQS: Code 04091(std) BRAKE SYSTEM, AIR	08HAU 08HAB	\$302 +1/0 \$100 +2/0	\$302 +1/0 \$100 +2/0
CB ANTENNA <i>Pana-Pacific</i> (02) Full Wave; 4.0' Length Includes "International" Name on Top REQS: Code 08RCB CB RADIO	08RBK	\$78 +3/0	\$78 +3/0
CB RADIO Accommodation Package; Header Mounted; Feeds From Accessory Side of Ignition Switch; Includes Power Source and Two Antenna Bases With Wiring REQS: Code 16SDT, 16SDU, 16SNB or 16SNC MIRRORS AVAIL: Code 08TPB DATA RECORDER NOTE: NOT INCLUDED: Antenna	08RCB	\$359 +2/0	\$359 +2/0
2-WAY RADIO Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and 10' Coil Taped to Base Harness N/A: Code 08RMA, 08RMB and 08RMC RADIO, when in combination with Code 08TPA DATA RECORDER Wiring Effects; Wiring With 20 Amp Fuse Protection, Includes Ignition Wire With 5 Amp Fuse, Wire Ends Heat Shrink and Routed to Center of Header Console in Cab AVAIL: Code 08TPB DATA RECORDER	08REA 08RGA	\$163 +2/0 \$68 +1/0	\$163 +2/0 \$68 +1/0
CIRCUIT BREAKERS Manual-Reset (Main Panel) SAE Type III With Trip Indicators, Replaces All Fuses Except For 5-Amp Fuses	08XAH	\$99 0/0	\$99 0/0
CIGAR LIGHTER Includes Ash Cup N/A: Code 16XVZ CAB INTERIOR TRIM	08518	\$18 +1/0	\$18 +1/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-66

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
CLEARANCE/MARKER LIGHTS <i>Truck Lite</i> (05) Amber LED Lights, Flush Mounted on Cab or Sunshade	08WPH	STD	STD
COURTESY LIGHT (02) Mounted In Front Map Pocket Left and Right Side REQS: Code 16WRX(std) or 16WSX CAB INTERIOR TRIM REQS: Code 16WRX(std) CAB INTERIOR TRIM, when in combination with Code 16030 CAB REQS: Code 16WSX CAB INTERIOR TRIM, when in combination with Code 16CAB CAB N/A: Code 16196 CAB NOTE: Feature included with CAB INTERIOR TRIM, Premium (04) Mounted In Front & Rear Map Pocket Left and Right Side REQS: Code 16WSG CAB INTERIOR TRIM, when in combination with Code 16196 CAB REQS: Code 16196 CAB N/A: Code 60AAM BDY INTG, POWER MODULE AUX NOTE: Feature included with CAB INTERIOR TRIM, Premium	08WTP 08WTR	\$48 <div style="text-align: right;">+ 1/0</div> \$75 <div style="text-align: right;">+ 2/0</div>	\$48 <div style="text-align: right;">+ 1/0</div> \$75 <div style="text-align: right;">+ 2/0</div>
DATA RECORDER Includes Display Mounted in Overhead Console REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE N/A: Code 08RMA, 08RMB and 08RMC RADIO, when in combination with Code 08REA 2-WAY RADIO : Code 08RCB CB RADIO AVAIL: Code 08REA 2-WAY RADIO Less Display REQS: Code 16HCK or 16HCL SEATBELT WARNING PREWIRE	08TPA 08TPB	\$1,770 <div style="text-align: right;">+ 2/0</div> \$1,340 <div style="text-align: right;">+ 2/0</div>	\$1,770 <div style="text-align: right;">+ 2/0</div> \$1,340 <div style="text-align: right;">+ 2/0</div>
DISCONNECT, FRONT HARNESS for Guide Post Lights; Connectors Located at Headlight Connection, for Customer Installation N/A: Code 08THJ and 08WEX AUXILIARY HARNESS	08THV	\$14 <div style="text-align: right;">0/0</div>	\$14 <div style="text-align: right;">0/0</div>
ELECTRIC TRAILER BRAKE/LIGHTS Accommodation Package to Rear of Frame; for Separate Trailer Stop, Tail, Turn, Marker Light Circuits; Includes Electric Trailer Brake accommodation package With Cab Connections for Mounting Customer Installed Electric Brake Unit, Less Trailer Socket REQS: Code 04091(std) BRAKE SYSTEM, AIR N/A: Code 08WJZ WORKLIGHT ON W/BACKUP : Code 08HAA BODY BUILDER WIRING : Code 08TME and 08TMG TRAILER CONNECTION SOCKET	08HAG	\$363 <div style="text-align: right;">0/+2</div>	\$363 <div style="text-align: right;">0/+2</div>

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-67

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
HORN, AIR (02) Single Tone, Rectangular; Chrome. Roof Mounted REQS: Code 16030(std) CAB N/A: Code 16917 MOUNTING BRACKETS ACCOMMODATION PACKAGE; less Horn N/A: Code 04VHZ AIR TANK LOCATION : Code 08695 SNOW SHIELD Black, Single Trumpet, Air Solenoid Operated N/A: Code 08695 SNOW SHIELD	08WVP 08WHE 08WCL	\$388 + 10/- 2 \$88 + 2/0 \$94 0/0	\$388 + 9/- 1 \$88 + 2/0 \$94 0/0
HORN, ELECTRIC (02) Disc Style Disc Style	08541 08VAY	\$29 0/0 N/C + 2/0	\$29 0/0 N/C + 2/0
IGNITION SWITCH Keyless N/A: Code 10943 KEYS - ALL ALIKE	08630	\$35 + 2/0	\$35 + 2/0
INDICATOR, BATTERY WARNING Green BATTERY ON Indicator, Mounted on Left Side of Instrument Panel, To be Used with Factory Installed or Customer Mounted Battery Disconnect Switch REC: Code 08RLZ, 08WJV or 08WJW BATTERY DISCONNECT SWITCH	08WZP	\$59 + 1/0	\$59 + 1/0
JUMP START STUD (02) Remote Mounted REQS: Code 15DMV, 15DPL, 15DPM, 15DUX, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 4X2 2010 -OR- Code 15DMV, 15DPL, 15DPM, 15DUX, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 6X4 2010 N/A: Code 16196 CAB : Code 08NBR BATTERY SYSTEM AVAIL: Code 08VTN, 08VUJ, 08VUK, 08VUL(std), 08WEK and 08XDZ BATTERY BOX Remote Mounted INCLS: JUMP START STUD Mounted to Battery Box N/A: Code 08XDZ BATTERY BOX	08899 08WBW	\$214 + 1/0 \$168 + 2/0	\$214 + 1/0 \$168 + 2/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-69

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
JUNCTION BLOCK Stud, 100 Amp Battery Feed, Protected by a Fusible Link, Stud to Be Used for Body Builder Feeds Inside Cab	08WZG	\$382 0/0	\$382 0/0
LIGHT, WORK (1) Pedestal Mounted BOC With Switch on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 08WMA and 08WTT SWITCH, TOGGLE, FOR WORK LIGHT Truck Lite - 81 Series - LED, Pedestal Mounted BOC With Switch on Instrument Panel REQS: Code 04092 BRAKE SYSTEM, AIR N/A: Code 08WMA and 08WTT SWITCH, TOGGLE, FOR WORK LIGHT	08WLL 08WAA	\$119 +3/+2 \$248 +3/+2	\$119 +3/+2 \$248 +3/+2
POWER SOURCE Cigar Type Receptacle without Plug and Cord	08718	\$30 +1/0	\$30 +1/0
POWER SOURCE, SPECIAL for Customer Installed Lift Gate; 200 Amp Max, Includes 2ga. Power Cable to End of Frame, Latched Switch on Instrument Panel, With a Time Out Feature, Battery Discharge Protection, Controlling a Mag Switch Which Provides Power N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE, when in combination with Code 08VTN or 08WEK BATTERY BOX - for 7600 SFA 6X4 2010 : Code 14RAV and 14RAW AXLE, LIFT, CONTROLS - for 7600 SFA 6X4 2010 : Code 08875 BATTERY TERMINALS : Code 08WBW JUMP START STUD or Code 08WJV and 08WJW BATTERY DISCONNECT SWITCH, when in combination with Code 08VTN or 08WEK BATTERY BOX AVAIL: Code 08VUJ, 08VUK, 08VUL(std), 08VUM, 08VUN, 08VUR, 08WEJ, 08WJN and 08XGJ BATTERY BOX	08WJA	\$377 +3/+6	\$377 +3/+6
POWER SOURCE, TERMINAL TYPE 2-Post	08WCK	\$39 +1/0	\$39 +1/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-70

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
RADIO			
Accommodation Package; Less Radio, With Wiring and Antenna, Includes Multiple Speakers INCLS: SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior	08787	\$128 +2/0	\$128 +2/0
AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers	08RMD	\$368 +1/0	\$368 +1/0
AM/FM/WB/Clock/3MM Auxiliary Input, with Multiple Speakers, With CD Player	08RME	\$474 +1/0	\$474 +1/0
AM/FM/CD/WB/SiriusXM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers REQS: Code 16SDT or 16SDU MIRRORS N/A: CURTAIN, WINDSHIELD	08RMC	\$886 +1/0	\$886 +1/0
AM/FM/CD/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers N/A: CURTAIN, WINDSHIELD	08RMB	\$763 +1/0	\$763 +1/0
AM/FM/WB/Clock/Bluetooth/USB Input/3MM Auxiliary Input, MP3, Apple Device Play & Control, Bluetooth for Phone & Music, with Multiple Speakers N/A: CURTAIN, WINDSHIELD	08RMA	\$483 +1/0	\$483 +1/0
Panasonic - CQ120 - AM/FM, Includes Multiple Speakers, Includes Auxiliary Input INCLS: SPEAKERS IN CAB (4) Coaxial with Premium Interior : SPEAKERS IN CAB (2) Dual-Cone with Deluxe Interior N/A: Code 16XVZ CAB INTERIOR TRIM	08RKB	\$305 +2/0	\$305 +2/0
RUNNING LIGHT (02) Daytime	08WNH	\$58	\$58
SNOW SHIELD (02) Chrome; for Dual Air Horns REQS: Code 08WVP HORN, AIR N/A: Code 16917 MOUNTING BRACKETS	08695	\$33 +2/0	\$33 +2/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-71

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SOLENOID, AIR			
for Customer Use; Provides (1) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGA	\$105 +1/0	\$105 +1/0
for Customer Use; Provides (2) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGB	\$182 +2/0	\$182 +2/0
for Customer Use; Provides (3) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGC	\$207 +2/0	\$207 +2/0
for Customer Use; Provides (4) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGD	\$259 +3/0	\$259 +3/0
for Customer Use; Provides (5) Normally Open Pilot Air Source, Approx. 4 CFM; Includes Latched Switch in Cab; Air Exhausted Only with Key in "Ignition" or "Accessory" position; Air Will be Supplied with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGP	\$311 +4/0	\$311 +4/0
for Customer Use; Provides (6) Normally Open Pilot Air Source, Approx. 4 CFM; Includes Latched Switch in Cab; Air Exhausted Only With Key in "Ignition" or "Accessory" position; Air Will be Supplied with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WGR	\$363 +4/0	\$363 +4/0
for Customer Use; Provides (6) Normally Closed Pilot Air Source, Approx. 4 CFM, Includes Latched Switch in Cab; Air Available Only With Key in "Ignition" or "Accessory" Position; Air Will Exhaust with Key in "Off" Position NOTE: To Be Used as a Pilot Air and NOT as an Air Supply.	08WKM	\$363 +4/0	\$363 +4/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-72

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
STARTING MOTOR Mitsubishi Electric Automotive America - 105P - 12-Volt, with Soft-Start Delco Remy - 39MT - 12 Volt; Gear Reduced, With Thermal Over-Crank Protection	08WXG 08WTL	STD \$42 <div>0/0</div>	STD \$42 <div>0/0</div>
STOP, TURN, TAIL & B/U LIGHTS Truck Lite Super 44, With LED Bulbs for Stop, Turn & Tail Lights, License Plate Light and Backup lights, With Power Module, "International" Termination and Less Junction Box N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 01553 TIRE CARRIER : Code 01572 TOW HOOK, REAR : Code 01580 TOW LOOP, REAR Super 44, With LED Bulbs for Stop, Turn & Tail Lights and Truck Lite Super 40 for Backup lights, With Power Module, "International" Termination and Less Junction Box N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 01553 TIRE CARRIER : Code 01580 TOW LOOP, REAR - Super 40 - Less Power Module; Less Rubber Mount; Must Include Separate Rear Reflectors N/A: Code 08NAA TAIL LIGHT WIRING MODIFIED : Code 01553 TIRE CARRIER : Code 01572 TOW HOOK, REAR : Code 01580 TOW LOOP, REAR AVAIL: Code 08THB BACK-UP ALARM Weldon - LED Multi-Function Lamp - Mounted Inside Rails N/A: Code 01553 TIRE CARRIER : Code 01580 TOW LOOP, REAR Mounted Outside Rails N/A: Code 01553 TIRE CARRIER : Code 01580 TOW LOOP, REAR : MUD FLAP HOLDER, when in combination with Code 01616 FRAME RAILS WITH TAPERED REAR	08TKJ 08TKB 08THM 08TPS 08TPR	\$476 <div>- 1/+3</div> \$191 <div>0/+5</div> \$98 <div>0/+5</div> \$250 <div>- 4/+15</div> \$178 <div>- 4/+15</div>	\$476 <div>- 2/+5</div> \$191 <div>0/+5</div> \$98 <div>0/+5</div> \$250 <div>- 4/+15</div> \$178 <div>- 4/+15</div>



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SWITCH, BODY CIRCUITS, REAR (SEE PREV PAGE) N/A: Code 60ACG and 60ACH BDY INTG, SWITCH, INTERLOCKED : Code 60ACS, 60ACT and 60ACU BDY INTG, SWITCH MOMNTRY 3POS : Code 60AJC, 60AJD and 60AJK BDY INTG, INDICATOR LIGHTS : Code 01553 TIRE CARRIER : Code 10WPR and 10WPT MUD FLAP HOLDER - for 7600 SFA 6X4 2010 AVAIL: Code 60AAA, 60AAB and 60AAD BDY INTG, REMOTE POWER MODULE	08WSK		
SWITCH, MARKER INTERRUPT Interrupter; for Cab and Body Clearance/Marker Lights, Single Position Blinks Lights When Headlight Switch Is In "On" or "Off" Position REQS: Code 04091(std) BRAKE SYSTEM, AIR	08TMJ	\$24 + 1/0	\$24 + 1/0
SWITCH, TOGGLE, FOR WORK LIGHT Lighted; on Instrument Panel and Wiring Effects for Customer Furnished Back of Cab Light N/A: Code 08WAA and 08WLL LIGHT, WORK Lighted; on Instrument Panel and Wiring Effects for Customer Furnished End of Frame Light N/A: Code 08WAA and 08WLL LIGHT, WORK	08WMA 08WTT	\$59 + 1/+2 \$66 + 1/0	\$59 + 1/+2 \$66 + 1/0
TAIL LIGHT WIRING MODIFIED Includes: Wiring for Standard Lt & Rt Tail Lights; Separate 8.0' of Extra Cable Wiring for Lt & Rt Body Mounted Tail Lights REQS: Code 04091(std) BRAKE SYSTEM, AIR AVAIL: Code 08TPR and 08TPS STOP, TURN, TAIL & B/U LIGHTS : Code 08THB BACK-UP ALARM	08NAA	\$74 0/+2	\$74 0/+2
TEST EXTERIOR LIGHTS Pre-Trip Inspection will Cycle all Exterior Lamps Except Back-up Lights	08WPZ	\$42 0/0	\$42 0/0
TRAILER AUXILIARY FEED CIRCUIT for Electric Trailer Brake Accommodation/Air Trailer ABS; With 30 Amp Fuse and Relay, Controlled by Ignition Switch REQS: Code 08HAG or 08HAH ELECTRIC TRAILER BRAKE/LIGHTS REQS: Code 04091(std) BRAKE SYSTEM, AIR	08TKK	\$79 + 1/0	\$79 + 1/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-77

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
WORKLIGHT ON W/BACKUP Work Lights will Activate when Vehicle is in Reverse REQS: Code 08WAA or 08WLL LIGHT, WORK or Code 08WMA or 08WTT SWITCH, TOGGLE, FOR WORK LIGHT N/A: Code 08HAG and 08HAH ELECTRIC TRAILER BRAKE/LIGHTS : ELECTRIC TRAILER BRAKE/LIGHTS	08WJZ	\$31 +3/0	\$31 +3/0
FRONT END Tilting, Fiberglass, With Three Piece Construction Includes Long Hood N/A: Code 12WTA FAN DRIVE SPECIAL EFFECTS	09WBK	STD	STD
BUG DEFLECTOR Smoked Colored Plastic, Mounted on Hood N/A: Code 09ANG HOOD, HATCH	09WAD	\$327 0/0	\$327 0/0
BUG SCREEN Mounted Behind Grille	09WAC	\$131 +5/0	\$131 +5/0
FENDER EXTENSIONS Rubber Omit	09585 09593	STD \$104CR -11/0	STD \$104CR -11/0
GRILLE Stationary, Chrome Stationary, with Vendor Painted Grille & Headlight Bezels, Argent NAV 8752	09HBM 09HAT	STD \$22CR 0/0	STD \$22CR 0/0
GRILLE EMBER SCREEN Mounted to Grille and Cowl Tray to Keep Hot Embers out of Engine and HVAC Air Intake System N/A: Code 16WLS FRESH AIR FILTER	09WBT	\$201 0/0	\$201 0/0
HOOD, HATCH (01) for Servicing N/A: Code 09WAD BUG DEFLECTOR : Code 12WZB EMISSION COMPLIANCE	09ANG	\$444 +5/0	\$444 +5/0
INSULATION, SPLASH PANELS for Sound Abatement	09HBN	\$76 +3/0	\$76 +2/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-79

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
LOGOS EXTERIOR			
Badges	09AAB	\$115 0/0	\$115 0/0
QUARTER FENDERS			
for Lift Axle, Mirror-Finished Stainless Steel Frame Mounted N/A: SUSPENSION, REAR, AIR, TANDEM AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE	09512	N/A	\$297
for Rear Wheels, Mirror-Finished Stainless Steel, Frame Mounted REQS: Code 14UAC or 14UAD AXLE SPACING, FIRST PUSHER, when in combination with Code 14WLM AXLE, PUSHER, LIFT TYPE and Code 14WNH AXLE, PUSHER, LIFT TYPE and Code 14WNJ AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010 N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	09505	\$233 0/+18	\$233 0/+18
CHASSIS COATING			
Corrosion Resistant E-Coat Primer Coating for Single Frame Rails N/A: Code 01GBP FRAME REINFORCEMENT	10021	\$500 0/0	\$500 0/0
Corrosion Resistant E-Coat Primer Coating for Reinforced Frame Rails REQS: Code 01CBU(std) FRAME RAILS REQS: Code 01GBP FRAME REINFORCEMENT	10022	\$1,000 0/0	\$1,000 0/0
CUSTOMER SERVICES			
OnCommand Repair Advocate Service; 12-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARM	\$258 0/0	\$258 0/0
OnCommand Repair Advocate Services; 24-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARN	\$516 0/0	\$516 0/0
OnCommand Repair Advocate Services; 36-Month Subscription, Must Have a Telematics Device, Does not Include Telematic Fees that May Apply, Consult with Your Telematics Company for Additional Details, Complete Vehicle Enrollment Form at DTU	10ARP	\$774 0/0	\$774 0/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-80

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE

7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
FIFTH WHEEL, STATIONARY (CONTINUED) NOTE: For 5th Wheel Height Formula and Calculations, Refer to CT-471 Body Builder Book, Component Section Holland - FW35-S801XL - 8.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010 N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7600 SFA 4X2 2010 : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES : Code 810006 and 810010 FIFTH WHEEL LOCATION, when in combination with Code 14UHC, 14UHD, 14UHE, 14UHK, 14UHL or 14698 SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 Jost - JSK36NSL-DB7-N001 - 7.25" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010 N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7600 SFA 4X2 2010 : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10STA, 10WDA and 10WDN FIFTH WHEEL MOUNTING ANGLES - JSK37USL-PM-003 - 7.69" Above Top of Frame, Left Hand Release REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010			
	10HKG	\$2,250 0/+330	\$2,250 0/+330
	10HKP	\$1,686 0/+296	\$1,686 0/+296
	10HKH	\$1,735 0/+309	\$1,735 0/+309

(SEE NEXT PAGE)

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-86

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-87

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
FIFTH WHEEL LOCATION (CONTINUED)			
04.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810004	N/C 0/0	N/C 0/0
06.0" Ahead of Rear Axle Centerline AVAIL: Code 10HJD FIFTH WHEEL, AIR SLIDE	810006	N/C 0/0	N/C 0/0
08.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810008	N/C 0/0	N/C 0/0
10.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810010	N/C 0/0	N/C 0/0
12.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810012	N/C 0/0	N/C 0/0
14.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE	810014	N/C 0/0	N/C 0/0
16.0" Ahead of Rear Axle Centerline N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY, when in combination with Code 14TBJ SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010	810016	N/C 0/0	N/C 0/0
FIFTH WHEEL MOUNTING ANGLES			
for Manual Sliding Type Fifth Wheels Only REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHE, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMB(std), 14UMC, 14UZB, 14UZR, 14UZS, 14UZT, 14UZU, 14UZV, 14UZW, 14UZX, 14VKL or 14698 SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SFA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010 N/A: Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY	10WDA	\$294 +10/+34	\$294 +10/+34

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-88

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
PAINT, NON-REFLECTING			
Non-Reflecting Paint	10661	\$462 0/0	\$462 0/0
PAINT SCHEMATIC, PT-1			
Single Color, Design 100 INCLS: PAINT SCHEMATIC ID LETTERS "GR"	10060	STD	STD
Three Tone, Design 320 or 34S	10220	\$1,050 0/0	\$1,050 0/0
Three Tone, Design 321 or 34T	10221	\$1,050 0/0	\$1,050 0/0
Three Tone, Design 322 or 34U	10222	\$1,050 0/0	\$1,050 0/0
Two Tone, Design 208.	10208	\$500 0/0	\$500 0/0
Two Tone, Design 209.	10209	\$650 0/0	\$650 0/0
Two Tone, Design 211 or 2AF	10211	\$500 0/0	\$500 0/0
Two Tone, Design 212.	10212	\$500 0/0	\$500 0/0
Two Tone, Design 214.	10214	\$650 0/0	\$650 0/0
Two Tone, Design 216.	10216	\$650 0/0	\$650 0/0
PAINT TYPE			
Base Coat/Clear Coat, 1-2 Tone	10761	STD	STD
QUARTER FENDERS			
for Rear Wheels, Black Plastic; Frame Mounted. REQS: Code 14UAC or 14UAD AXLE SPACING, FIRST PUSHER, when in combination with Code 14WLM AXLE, PUSHER, LIFT TYPE and Code 14WNH AXLE, PUSHER, LIFT TYPE and Code 14WNJ AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010 N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE	10WTR	\$188 0/+18	\$188 0/+18
SAFETY TRIANGLES			
	10WCY	\$29 0/+62	\$29 0/+62

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-91

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
CLUTCH EFFECTS (CONTINUED) Hydraulic Clutch Actuation System, with Air Assist REQS: Code 13WAS CLUTCH HOUSING REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GHY, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA or 13GNB TRANSMISSION, MANUAL N/A: Code 11WAE GREASE FITTINGS : TRANSMISSION, AUTOMATIC	11WAK	\$457 0/0	\$457 0/0
GREASE FITTINGS Remote; for Clutch Cross Shaft N/A: Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 11MGP and 11001 CLUTCH	11WAE	\$31 0/0	\$31 0/0
ACCESSORY WIRING, SPECIAL for Road Speed Wire Coiled Under Instrument Panel for Customer Use N/A: Code 12VGA ENGINE CONTROL, REMOTE MOUNTED	12VYL	\$45 0/0	\$45 0/0
ENGINE, DIESEL NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Navistar - N13 - EPA 2010, SCR, 365 HP @ 1700 RPM, 1250 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 365 Peak HP (Max) REQS: Code 40MCG, 40MCH, 40MCJ, 40MCK, 40MCL, 40MCM, 40MCN, 40MCP, 40MCR, 40MCS, 40MCT, 40MCU, 40MCV, 40MCW, 40MCX, 40MCY, 40MCZ, 40MDA, 40MDB, 40MDC, 40MDE, 40MDG, 40MDH, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GHY, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- Code 13ATL, 13AUK, 13AUL, 13AUR, 13AUS, 13AUZ, 13AVB, 13AVE, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 04RUJ AIR SUPPLY, AUXILIARY or Code 13GXH TRANSMISSION, MANUAL : Code 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010 : Code 08GXK ALTERNATOR : Code 12WTA FAN DRIVE SPECIAL EFFECTS	12BDD	STD	STD

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-94

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
ENGINE, DIESEL (CONTINUED) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Navistar - N13 - EPA 2010, SCR, 370 HP @ 1700 RPM, 1350 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 370 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04RUJ AIR SUPPLY, AUXILIARY or Code 13GXH TRANSMISSION, MANUAL : Code 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010 : Code 08G XK ALTERNATOR : Code 12WTA FAN DRIVE SPECIAL EFFECTS EPA 2010, SCR, 390 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 390 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 04RUJ AIR SUPPLY, AUXILIARY or Code 13GXH TRANSMISSION, MANUAL : Code 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010 : Code 08G XK ALTERNATOR : Code 12WTA FAN DRIVE SPECIAL EFFECTS EPA 2010, SCR, 410 HP @ 1700 RPM, 1450 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 410 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GHY, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWZ, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC (SEE NEXT PAGE)	12BCN	N/C 0/0	N/C 0/0
	12BCP	\$224 0/0	\$224 0/0
	12BCR	\$1,962 +15/-15	\$1,962 +19/+1

7600 SFA 4X2 2010

SECTION 475

PRICES EFFECTIVE 01/02/2017

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

PAGE 475-95

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable

7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
ENGINE, DIESEL (SEE PREV PAGE) NOTE: For ENGINE/CLUTCH and ENGINE/TRANSMISSION COMPATIBILITY, See Charts in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
Navistar			
- N13 - N/A: Code 04RUJ AIR SUPPLY, AUXILIARY or Code 13GXX TRANSMISSION, MANUAL : Code 14WNN AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010 : Code 08GXK ALTERNATOR : Code 12WTA FAN DRIVE SPECIAL EFFECTS	12BCR		
EPA 2010, SCR, 430 HP @ 1700 RPM, 1550 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 430 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 11MGP, 11MGR, 11MGS, 11MGZ or 11001 CLUTCH REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 13GHP, 13GHS, 13GHX, 13GHY, 13GJS, 13GKL, 13GKM, 13GNA, 13GNB, 13GWP, 13GWR, 13GWU, 13GWW, 13GWZ, 13GXD, 13GXX, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC N/A: Code 04RUJ AIR SUPPLY, AUXILIARY or Code 13GXX TRANSMISSION, MANUAL : Code 14WNN AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010 : Code 08GXK ALTERNATOR : Code 12WTA FAN DRIVE SPECIAL EFFECTS	12BCS	\$2,185 +15/-15	\$2,185 0/0
EPA 2010, SCR, 475 HP @ 1700 RPM, 1700 lb-ft Torque @ 1000 RPM, 2100 RPM Governed Speed, 475 Peak HP (Max) REQS: Code 10UAC or 10UAD VEHICLE REGISTRATION IDENTITY REQS: Code 11MGP, 11MGR, 11MGS, 11MGZ or 11001 CLUTCH REQS: Code 09HBN INSULATION, SPLASH PANELS REQS: Code 13GHS, 13GHX, 13GJS, 13GKL, 13GKM, 13GNB, 13GWR, 13GXD or 13GXX TRANSMISSION, MANUAL -OR- Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUW, 13AUZ or 13AVB TRANSMISSION, AUTOMATIC N/A: Code 04RUJ AIR SUPPLY, AUXILIARY or Code 13GXX TRANSMISSION, MANUAL : Code 14WNN AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010 : Code 08GXK ALTERNATOR : Code 12WTA FAN DRIVE SPECIAL EFFECTS	12BCT	\$3,007 +15/-15	\$3,007 0/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-96

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
RADIATOR Aluminum; Welded, Front to Back CrossFlow System, 1593 SqIn, 1012 SqIn CAC, 1543 SqIn 3 Core LTR	12XAW	STD	STD
FAN DRIVE <i>Horton</i> - Drivemaster - Direct Drive Type, Two Speed With Residual Torque Device for Disengaged Fan Speed INCLS: FAN Nylon	12THT	STD	STD
AIR CLEANER Single Element INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted : AIR CLEANER with Vacuator	12VBC	STD	STD
Dual Element INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	12VBB	\$108 + 4/0	\$108 + 4/0
Dual Element, with Integral Snow Valve and In-Cab Control INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM, 14RAR or 14RAV AXLE, LIFT, CONTROLS - for 7600 SFA 6X4 2010 N/A: Code 08WEE SWITCH, AIR HORN, PASSENGER : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP AVAIL: Code 13WDM HYDRAULIC RETARDER	12VAL	\$334 + 6/0	\$334 + 6/0
Dual Element, With Integral Pre Cleaner INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	12VBG	\$159 + 12/0	\$159 + 12/0
Single Element, with Integral Snow Valve and In-Cab Control INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM, 14RAR or 14RAV AXLE, LIFT, CONTROLS - for 7600 SFA 6X4 2010 N/A: Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 08WEE SWITCH, AIR HORN, PASSENGER : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	12VAG	\$301 + 2/0	\$301 + 2/0
Single Element, With Integral Pre Cleaner INCLS: GAUGE, AIR CLEANER RESTRICTION Air Cleaner Mounted	12VBH	\$130 + 5/0	\$130 + 5/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-97

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
ANTI-FREEZE Red, Extended Life Coolant; To -40 Degrees F/ -40 Degrees C, Freeze Protection, for N13 Engines	12772	STD	STD
BLOCK HEATER, ENGINE <i>Phillips</i> 120V/1500W INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door 120V/1500W With "Y" Cord for Fuel Heater; Cord to Operate Both Heaters INCLS: BLOCK HEATER SOCKET Receptacle Type; Mounted below Drivers Door REQS: Code 15LKY or 15LML FUEL/WATER SEPARATOR 120V/1500W Block and 120V/300W Oil Pan Heater with "Y" Cord from Socket to Operate both Heaters; Socket mounted in Standard Location	12864 12WCT 12WYW	\$89 + 2/0 \$125 + 3/0 \$177 + 2/0	\$89 + 2/0 \$125 + 3/0 \$177 + 2/0
COLD STARTING EQUIPMENT Automatic; With Engine ECM Control	12WEG	STD	STD
COOLANT FILTER for 2010 N13 Engines	12WUJ	\$117 +6/+1	\$117 +6/+1
EMISSION COMPLIANCE Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal on Hood N/A: Code 09ANG HOOD, HATCH NOTE: 010002 Low NOx Idle Engine, Complies with California Clean Air Regulations; Includes "Certified Clean Idle" Decal located on Driver Door NOTE: 010002 Engine Shutdown System Exempt Vehicles, Complies With California Clean Air Regulations NOTE: 010002 Federal, Does Not Comply With California Clean Air Idle Regulations NOTE: 010002	12WZB 12WZJ 12WZD 12WZE	\$62 0/0 \$62 0/0 N/C 0/0 N/C 0/0	\$62 0/0 \$62 0/0 N/C 0/0 N/C 0/0
ENGINE CONTROL, REMOTE MOUNTED for PTO with N13 Engines N/A: Code 12VYL ACCESSORY WIRING, SPECIAL	12VGA	\$82 0/0	\$82 0/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-98

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
ENGINE WATER COOLER Sen-Dure Auxiliary, For Use With Fire Trucks REQ: Code 13WDM HYDRAULIC RETARDER, when in combination with Code 13WCT OIL COOLER, AUTO TRANSMISSION REQ: Code 08GWY ALTERNATOR REQ: Code 13WCT OIL COOLER, AUTO TRANSMISSION, when in combination with Code 13WDM HYDRAULIC RETARDER - for 7600 SFA 6X4 2010 REQ: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQ: Code 12XAW RADIATOR, when in combination with Code 13WDM HYDRAULIC RETARDER N/A: RADIATOR HOSES	12WYK	\$687 + 6 / 0	\$687 + 6 / 0
FAN DRIVE SPECIAL EFFECTS Fan Cooling Ring with Fan Shroud Effects, Engine Mounted N/A: Code 09WBK(std) FRONT END : Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT and 12BDD(std) ENGINE, DIESEL	12WTA	N/C 0 / 0	N/C 0 / 0
FAN OVERRIDE Manual; With Electric Switch on Instrument Panel, (Fan On With Switch On)	12WBR	\$29 0 / 0	\$29 0 / 0
FEDERAL EMISSIONS Navistar - N13 - EPA, OBD and GHG Certified for Calendar Year 2017 EPA, OBD and GHG Certified for Calendar Year 2016	12UNT 12UNX	N/C 0 / 0 N/C	N/C 0 / 0 N/C
HOSE CLAMPS, RADIATOR HOSES R.G. Ray - Mini Flex Seal - Coil Spring/"T"-Bolt Type, for Radiator Hoses over 1" I.D.	12WCG	\$54	\$54
OIL LEVEL SENSOR Displays warning in cluster when Oil Level is low	12WEL	\$157 0 / 0	\$157 0 / 0
OIL PAN Rust Protected (Resistive Coating), For N13 Engines	12WPX	\$381 0 / 0	\$381 0 / 0



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
PTO EFFECTS, ENGINE FRONT for N13 Engines, Less PTO Unit, Includes Adapter Plate on Engine Front Mounted N/A: Code 12WPU PTO, ENGINE REAR	12850	\$257 0/0	\$257 0/0
PTO, ENGINE REAR for N13 Engines (Ratio 1.276:1) REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 4X2 2010 -OR- Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 6X4 2010 N/A: Code 16CAB CAB	12WPU	\$3,839 0/0	\$3,839 0/0
RADIATOR HOSES Silicone; Molded	12926	\$272 0/0	\$272 0/0
TRANSMISSION, MANUAL NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Fuller - FR-14210B - 10-Speed Manual, With Air Shift INCLS: CLUTCH BRAKE Torque Limiting : FILL PLUG, MAGNETIC REQS: Code 12BCN, 12BCP, 12BCR or 12BDD(std) ENGINE, DIESEL N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SFA 4X2 2010 : Code 11MGP and 11001 CLUTCH : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION (SEE NEXT PAGE)	13GHJ	STD	STD

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-100

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



NOTE: WEIGHTS - FRONT/REAR

ALL TAXES EXTRA. WHEN APPLICABLE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - Advantage FAM-15810B-EA3 - 10-Speed Fully Automated Manual; Aluminum Clutch Housing, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS - for 7600 SFA 6X4 2010 REQS: Code 04AZJ or 04AZS AIR BRAKE ABS - for 7600 SFA 4X2 2010 REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS - for 7600 SFA 6X4 2010 REQS: Code 11MGP CLUTCH REQS: Code 12BCN, 12BCP, 12BCR, 12BCS or 12BDD(std) ENGINE, DIESEL N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 04VCL AIR TANK LOCATION : Code 08WEL BATTERY BOX : Code 14TBZ SUSPENSION, REAR, AIR, SINGLE or Code 15LLP LOCATION FUEL/WATER SEPARATOR or SUSPENSION, RR, SPRING, SINGLE - for 7600 SFA 4X2 2010 : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SFA 4X2 2010 : AXLE, PUSHER, LIFT TYPE or Code 14ULS, 14ULV and 14UNY SUSPENSION, REAR, AIR, TANDEM or Code 14UHE, 14UHL, 14UMC, 14UNA, 14UZW and 14VKL SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13WAN OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 13WLW TRANSMISSION OIL (SEE NEXT PAGE)	13GYJ	\$11,811	\$11,811

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-110

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-14E309ALL-VMS - 11-Speed Fully Automatic Manual; with Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS - for 7600 SFA 6X4 2010 REQS: Code 04AZJ or 04AZS AIR BRAKE ABS - for 7600 SFA 4X2 2010 REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS - for 7600 SFA 6X4 2010 REQS: Code 11MGP CLUTCH REQS: Code 13WAN OIL COOLER MANUAL TRANSMISSION - for 7600 SFA 6X4 2010 REQS: Code 13WLX TRANSMISSION OIL REQS: Code 12BCN, 12BCP, 12BCR or 12BDD(std) ENGINE, DIESEL N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 08WEL BATTERY BOX : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SFA 4X2 2010 : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 13XAL, 13XAN, 13XAR and 13XAS PTO LOCATION	13GWV	\$17,348 +74/-109	\$17,348 +194/+78

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-118

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-16E308LL-VCS - 10-Speed Fully Automated Manual; with Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS - for 7600 SFA 6X4 2010 REQS: Code 04AZJ or 04AZS AIR BRAKE ABS - for 7600 SFA 4X2 2010 REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS - for 7600 SFA 6X4 2010 REQS: Code 11MGP CLUTCH REQS: Code 13WAN OIL COOLER MANUAL TRANSMISSION - for 7600 SFA 6X4 2010 REQS: Code 13WLX TRANSMISSION OIL REQS: Code 12BCN, 12BCP, 12BCR, 12BCS or 12BDD(std) ENGINE, DIESEL N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 08WEL BATTERY BOX : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SFA 4X2 2010 : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 13XAL, 13XAN, 13XAR and 13XAS PTO LOCATION	13GWP	\$14,570 +13/-149	\$14,570 +194/+78

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-119

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-16E309ALL-VMS - 11-Speed Fully Automated Manual; with Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS - for 7600 SFA 6X4 2010 REQS: Code 04AZJ or 04AZS AIR BRAKE ABS - for 7600 SFA 4X2 2010 REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS - for 7600 SFA 6X4 2010 REQS: Code 11MGP CLUTCH REQS: Code 13WAN OIL COOLER MANUAL TRANSMISSION - for 7600 SFA 6X4 2010 REQS: Code 13WLX TRANSMISSION OIL REQS: Code 12BCN, 12BCP, 12BCR, 12BCS or 12BDD(std) ENGINE, DIESEL N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 08WEL BATTERY BOX : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SFA 4X2 2010 : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 13XAL, 13XAN, 13XAR and 13XAS PTO LOCATION	13GWW	\$17,059 +193/+79	\$17,059 +133/+139

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-120

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-16E313A-MHP - 13-Speed Fully Automated Manual; With Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS - for 7600 SFA 6X4 2010 REQS: Code 04AZJ or 04AZS AIR BRAKE ABS - for 7600 SFA 4X2 2010 REQS: Code 04EBD, 04EBS or 04EBT AIR DRYER REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS - for 7600 SFA 6X4 2010 REQS: Code 11MGP CLUTCH REQS: Code 13WAN OIL COOLER MANUAL TRANSMISSION - for 7600 SFA 6X4 2010 REQS: Code 13WLX TRANSMISSION OIL REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GSX, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GWW, 14GWY, 14GWZ, 14HRC, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- AXLE, REAR, SINGLE - for 7600 SFA 4X2 2010 REQS: Code 12BCN, 12BCP, 12BCR, 12BCS or 12BDD(std) ENGINE, DIESEL N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 04VCL AIR TANK LOCATION : Code 08WEL BATTERY BOX : Code 14TBZ SUSPENSION, REAR, AIR, SINGLE or Code 15LLP LOCATION FUEL/WATER SEPARATOR or SUSPENSION, RR, SPRING, SINGLE - for 7600 SFA 4X2 2010 : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SFA 4X2 2010 : AXLE, PUSHER, LIFT TYPE or Code 14ULS, 14ULV and 14UNY SUSPENSION, REAR, AIR, TANDEM or Code 14UHE, 14UHL, 14UMC, 14UNA, 14UZW and 14VKL SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 : Code 11WAJ and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER (SEE NEXT PAGE)	13GWZ	\$11,773	\$11,773

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-121

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TRANSMISSION, MANUAL (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Eaton Fuller - UltraShift+ FO-18E318B-VXP - 18-Speed Fully Automated Manual; with Aluminum Clutch Housing, Overdrive, Electronic Shift Controls, Electric Clutch Actuation, Air Range Shift, Internal Lube Oil Pump, Hill Start Aid REQS: Code 04AZJ, 04AZS, 04AZV or 04AZY AIR BRAKE ABS - for 7600 SFA 6X4 2010 REQS: Code 04AZJ or 04AZS AIR BRAKE ABS - for 7600 SFA 4X2 2010 REQS: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM or 14RAR AXLE, LIFT, CONTROLS - for 7600 SFA 6X4 2010 REQS: Code 11MGP CLUTCH REQS: Code 13WAN OIL COOLER MANUAL TRANSMISSION - for 7600 SFA 6X4 2010 REQS: Code 13WLX TRANSMISSION OIL N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 08WEL BATTERY BOX : Code 14WBT 2-SPEED SHIFT PACKAGE - for 7600 SFA 4X2 2010 : Code 11WAI and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : Code 13WGP INPUT SHAFT : Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT and 13WYU SHIFT CONTROL PARAMETERS : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS and 13WUZ ALLISON SPARE INPUT/OUTPUT : TRANSMISSION, AUTOMATIC : Code 13WBA and 13WDM HYDRAULIC RETARDER : Code 13WBL and 13WVN TRANSMISSION SHIFT CONTROL : Code 13WYH TRANSMISSION TCM LOCATION : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP : Code 13WAW and 13WCT OIL COOLER, AUTO TRANSMISSION : Code 13905 PROVISION FOR PTO AVAIL: Code 13XAL, 13XAN, 13XAR and 13XAS PTO LOCATION	13GXH	\$20,517 +260/+15	\$20,517 +196/+79



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-137

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TRANSMISSION, AUTOMATIC (CONTINUED) NOTE: For ENGINE/TRANSMISSION COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Allison - 4500EVS_P - 5th Generation Controls; Wide Ratio, 5-Speed; With Overdrive; Includes Oil Level Sensor, With Provision for PTO, Less Retarder REQS: Code 11001 CLUTCH REQS: Code 13WDT, 13WDZ, 13WYR, 13WYS, 13WYT or 13WYU SHIFT CONTROL PARAMETERS REQS: Code 13WUB, 13WUC, 13WUD, 13WUE, 13WUH, 13WUJ, 13WUK, 13WUS or 13WUZ ALLISON SPARE INPUT/OUTPUT REQS: Code 13WBL or 13WVN TRANSMISSION SHIFT CONTROL REQS: Code 13WAW or 13WCT OIL COOLER, AUTO TRANSMISSION REQS: Code 13WLM or 13WLP TRANSMISSION OIL REQS: Code 12BCN, 12BCP, 12BCR, 12BCS or 12BCT ENGINE, DIESEL N/A: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 11WAK and 11WAK CLUTCH EFFECTS : Code 13WAP TRANSMISSION LUBE PUMP : Code 13WAS CLUTCH HOUSING : TRANSMISSION, MANUAL : Code 13901 THRU-SHAFT : Code 13WGP INPUT SHAFT : Code 13AAZ AUTOMATIC NEUTRAL : Code 13WAN OIL COOLER MANUAL TRANSMISSION : Code 13905 PROVISION FOR PTO : Code 13XAK, 13XAM, 13XAR and 13XAS PTO LOCATION AVAIL: Code 13WDT, 13WDZ and 13WYU SHIFT CONTROL PARAMETERS : Code 13WUD, 13WUE and 13WUZ ALLISON SPARE INPUT/OUTPUT : Code 13WDM HYDRAULIC RETARDER : Code 13WLM TRANSMISSION OIL	13AUP	\$27,194 +142/+163	\$27,194 +89/+217
TRANSMISSION TCM LOCATION Located Inside Cab N/A: Code 16KAY, 16RDZ, 16RZL and 16SMV SEAT, REAR : Code 16196 CAB : TRANSMISSION, MANUAL : Code 08VZR and 08VZS SWITCH, BODY CIRCUITS, MID or Code 60AAG, 60AAH, 60AAJ, 60AAK and 60AAL BDY INTG, REMOTE POWER MODULE, when in combination with Code 16LJX, 16LJY or 16LJZ SEAT, REAR and Code 16196 CAB : Code 60AAH, 60AAJ, 60AAK and 60AAL BDY INTG, REMOTE POWER MODULE, when in combination with Code 16PCS SEAT, REAR and Code 16196 CAB (SEE NEXT PAGE)	13WYH	\$141 0/0	\$141 0/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-141

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TRANSMISSION TCM LOCATION (SEE PREV PAGE)			
N/A: Code 16SBA BUNK, LOWER	13WYH		
ALLISON SPARE INPUT/OUTPUT NOTE: For SPARE INPUT/OUTPUT PACKAGE CONTENT, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
for Rugged Duty Series (RDS); Airport Refueler, Sewer Evac N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL : TRANSMISSION, AUTOMATIC	13WUH	N/C 0/0	N/C 0/0
for Emergency Vehicle Series (EVS); Fire/Pumper, Tank, Aerial/Ladder REQS: Code 13AUK, 13AUL, 13AUN, 13AUP, 13AUR or 13AUS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL	13WUE	N/C 0/0	N/C 0/0
for Rugged Duty Series (RDS); Front Loaders, Rear Loaders, Recycling/Packer Trucks REQS: Code 13AAZ AUTOMATIC NEUTRAL REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13WUJ	N/C 0/0	N/C 0/0
for Highway Series (HS); General Purpose Trucks REQS: Code 13ATL, 13AUZ, 13AVA, 13AVB, 13AVC or 13AVE TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL	13WUB	N/C 0/0	N/C 0/0
for Rugged Duty Series (RDS); General Purpose Trucks, Construction REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ, 13WEH and 13WUA AUTOMATIC NEUTRAL	13WUC	N/C 0/0	N/C 0/0
for Rugged Duty Series (RDS); General Purpose Trucks Modified for Single Input Auto Neutral REQS: Code 13WEH or 13WUA AUTOMATIC NEUTRAL REQS: Code 13ATP, 13ATR, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13AAZ AUTOMATIC NEUTRAL	13WUS	N/C 0/0	N/C 0/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-142

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
OIL COOLER, AUTO TRANSMISSION - Modine - Water to Oil Type N/A: TRANSMISSION, MANUAL : Code 13WBA and 13WDM HYDRAULIC RETARDER Champ Remote Mounted REQS: Code 13WBA or 13WDM HYDRAULIC RETARDER N/A: TRANSMISSION, MANUAL	13WAW 13WCT	\$667 +25/0 \$2,252 +50/0	\$667 +25/0 \$2,252 +50/0
OIL COOLER MANUAL TRANSMISSION NOTE: See ENGINE/TRANSMISSION COMPATIBILITY Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book for Recommended and Mandatory Applications for International, Fuller, Meritor or Spicer Transmission, Mounted on Radiator, Air to Oil Type, (REQUIRES TRANSMISSION LUBE PUMP) REQS: Code 13WAP TRANSMISSION LUBE PUMP, when in combination with Code 13GHJ, 13GHL, 13GHW or 13GMZ TRANSMISSION, MANUAL REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GHY, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXD or 13GXH TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13WAN	\$350 +12/+8	\$350 +12/+8
PROVISION FOR PTO Top Mount; With Allison 3000 Transmission REQS: Code 13XAL, 13XAP or 13XAT PTO LOCATION REQS: Code 13AUK, 13AUL, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL : Code 13WBA HYDRAULIC RETARDER or Code 13WCT OIL COOLER, AUTO TRANSMISSION AVAIL: Code 13XAL, 13XAP and 13XAT PTO LOCATION	13905	\$1,990	\$1,990
PTO CONTROL, DASH MOUNTED For Customer Provided PTO; Includes Switch, Electric/Air Solenoid, Piping and Wiring N/A: Code 60ABA, 60ABE, 60ABK, 60ABL and 60AKG BDY INTG, PTO ACCOMMODATION	13XAA	\$116 +3/0	\$116 +3/0
PTO LOCATION Bottom of Transmission REQS: Code 13AUT TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 13905 PROVISION FOR PTO	13XAR	N/C	N/C

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-145

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
PTO LOCATION (CONTINUED)			
Dual, Left and Right Side of Transmission REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS or 13GNB TRANSMISSION, MANUAL -OR- Code 13AUK, 13AUL, 13AUT, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO	13XAM	N/C	N/C
Dual, Left Side and Top of Transmission REQS: Code 13905 PROVISION FOR PTO or Code 13ATP, 13ATR, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB or 13AVC TRANSMISSION, AUTOMATIC REQS: Code 13ATP, 13ATR, 13AUK, 13AUL, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AUZ, 13AVA, 13AVB, 13AVC, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: TRANSMISSION, MANUAL	13XAT	N/C	N/C
Dual, Right Side and Bottom of Transmission REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS or 13GNB TRANSMISSION, MANUAL -OR- Code 13AUP or 13AUW TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO	13XAV	N/C	N/C
Dual, Right Side and Rear of Transmission REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS or 13GNB TRANSMISSION, MANUAL -OR- Code 13AUP or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO	13XAJ	N/C	N/C
Left Side of Transmission REQS: Code 13ATP, 13ATR, 13AUK, 13AUL, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL	13XAL	N/C	N/C
No PTO REQS: Code 13ATP, 13ATR, 13AUK, 13AUL, 13AUN, 13AUP, 13AUR, 13AUS, 13AUT, 13AUU, 13AUV, 13AUW, 13AUX, 13AUY, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC -OR- TRANSMISSION, MANUAL N/A: Code 13905 PROVISION FOR PTO	13XAN	N/C	N/C
Rear of Transmission N/A: TRANSMISSION, AUTOMATIC : Code 13905 PROVISION FOR PTO	13XAS	N/C	N/C
Right Side of Transmission REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS or 13GNB TRANSMISSION, MANUAL -OR- Code 13AUK, 13AUL, 13AUS, 13AVJ, 13AVK, 13AVR or 13AVS TRANSMISSION, AUTOMATIC N/A: Code 13905 PROVISION FOR PTO	13XAK	N/C	N/C

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-146

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SHIFT CONTROL PARAMETERS (CONTINUED) Allison 3 Speed S1 Secondary Shift Schedule for 5 or 6 Speed Allison Gen4/Gen 5 3000 & 4000 Series Transmissions N/A: TRANSMISSION, MANUAL	13WDT	\$48	\$48
THRU-SHAFT PTO Provision; Left Side; With Fuller Transmission REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL N/A: TRANSMISSION, AUTOMATIC	13901	\$48 0/0	\$48 0/0
TRANSMISSION, AUXILIARY Fuller - AT-1202 - 2-Speed With Air Shift Controls REQS: Code 16030(std) CAB REQS: Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB(std), 14UNA, 14UZB, 14UZR, 14UZS, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SFA 4X2 2010 -OR- Code 14TBJ SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010 -OR- Code 14ULT, 14ULU, 14UNT, 14UNU or 14UNX SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010 REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GWW, 14GWY, 14GWZ, 14HRB, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- AXLE, REAR, SINGLE - for 7600 SFA 4X2 2010 REQS: Code 07BEP EXHAUST SYSTEM REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 08WJJ BATTERY BOX : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE - for 7600 SFA 4X2 2010 : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010	13607	\$11,524 -105/-235	\$11,524 -188/-152

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-148

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
AXLE, REAR, TANDEM (SEE PREV PAGE) Meritor - MT-40-14X-3DER - -OR- Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 40EUE SRV CONTRACT, EXT FRAME : Code 28DTE and 28DTU WHEELS, REAR : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GWY		
- MT-40-14X-3DFR - Single Reduction, 0.374"(9.5mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UNA SUSPENSION, REAR, TANDEM -OR- Code 14UNS, 14UNT or 14UNU SUSPENSION, REAR, AIR, TANDEM N/A: Code 28DTE and 28DTU WHEELS, REAR : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 DIFFERENTIAL, LOCKING AVAIL: Code 14WMJ AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14GVX	N/A	\$167 0/+141
- MT-40-14X-4DCR - Single Reduction, 0.433"(11mm) Wall Housing Thickness, 40,000-lb Capacity, R Wheel Ends, With Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle RATIO: 2.64,3.08,3.25,3.36,3.42,3.55,3.70,3.90, 4.11,4.33,4.63,4.88,5.29,5.86,6.14,6.43, 6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHC, 14UHD, 14UHE, 14UHK, 14ULX, 14ULY, 14ULZ, 14UMB(std), 14UMC, 14UNA, 14UZH, 14UZR, 14UZZ, 14UZZT, 14UZZU, 14UZZV, 14UZZW, 14VKL or 14698 SUSPENSION, REAR, TANDEM	14GVN	N/A	\$1,505 0/+141
(SEE NEXT PAGE)			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-164

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
AXLE, REAR, TANDEM (CONTINUED)			
Meritor			
- RT-46-164EH -			
Single Reduction, 46,000-lb Capacity, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14UZW or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM REQS: Code 13GHJ(std), 13GHL, 13GHP, 13GHS, 13GHW, 13GHX, 13GHY, 13GJS, 13GKJ, 13GKL, 13GKM, 13GMZ, 13GNA, 13GNB, 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL -OR- TRANSMISSION, AUTOMATIC N/A: Code 29597 WHEEL SEALS, REAR : Code 14WBN DIFF. SWITCH CONTROLS : Code 14877 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	14HRB	N/A	\$5,033 0/+505
- RT-46-164P -			
Single Reduction, Standard Width, 46,000-lb Capacity, With Lube Oil Pump, With Driver Controlled Locking Differential in Forward-Rear and Rear-Rear Axle, 200 Wheel Ends RATIO: 3.21,3.42,3.58,3.73,3.91,4.10,4.30,4.56, 4.89,5.38,5.63,6.14,6.43,6.83 or 7.17 INCLS: REAR AXLE DRAIN PLUG (2) Magnetic, For Tandem Rear Axle : POWER DIVIDER LOCK Electric over Air Operated, Cab Control with Indicator Light REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UMC, 14UZB, 14UZT, 14UZU, 14UZV, 14VKL or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM N/A: Code 14877 DIFFERENTIAL, LOCKING AVAIL: Code 14WMK AXLE, REAR, LUBE : Code 14WAL SUSPENSION/REAR-AXLE IDENTITY NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance	14HRE	N/A	\$6,599 0/+610



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, REAR, AIR, SINGLE (CONTINUED) International Ride Optimized Suspension (IROS); 20,000-lb Capacity, 9.25" Ride Height, With Shock Absorbers REQS: Code 14AHB, 14AHE, 14AHG, 14ARB, 14ARX, 14ARY, 14ATE, 14CVC or 14051(std) AXLE, REAR, SINGLE REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04ERC and 04WYB BRAKE CHAMBERS, SPRING : Code 01GBP FRAME REINFORCEMENT : Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14TBJ	\$1,287 0/-71	N/A
SUSPENSION, REAR, AIR, TANDEM Hendrickson - HAS-402-55 - 55" Axle Spacing; 40,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted Inboard INCLS: CROSSMEMBER, SUSPENSION 3-Piece REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std), 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 09512 QUARTER FENDERS : Code 04AZE AIR BRAKE ABS : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR (SEE NEXT PAGE)	14ULU	N/A	\$618 +25/+272

7600 SFA 4X2 2010
7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-179

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) Hendrickson - HAS-402-55 - N/A: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNM AXLE, PUSHER, LIFT TYPE AVAIL: Code 01WPZ CROSSMEMBER, SUSPENSION : Code 08WTJ SWITCH, BODY CIRCUITS, REAR NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULU		
- HAS-402-60 - 60" Axle Spacing; 40,000-lb Capacity, 9.5" Ride Height, With Shock Absorbers Mounted Inboard INCLS: CROSSMEMBER, SUSPENSION 3-Piece REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std), 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 09512 QUARTER FENDERS : Code 04AZE, 04AZS and 04AZY AIR BRAKE ABS : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNM AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY AVAIL: Code 01WPZ CROSSMEMBER, SUSPENSION : Code 08WTJ SWITCH, BODY CIRCUITS, REAR NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULV	N/A	\$693 +25/+272

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-180

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) Hendrickson - PRIMAAX EX - REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 09512 QUARTER FENDERS : Code 04AZE, 04AZS and 04AZY AIR BRAKE ABS : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAG FRAME RAILS : SUSPENSION, REAR, TANDEM : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAS SUSPENSION LEVELING VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR AVAIL: Code 01WPZ CROSSMEMBER, SUSPENSION NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UNW		
International Ride Optimized Suspension (IROS) Heavy Duty; 52" Axle Spacing; 40,000-lb Capacity, 9.25" Ride Height, Includes Heavy Duty Spring Hangers, Crossmembers and Fasteners, With Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION 3-Piece with Steel C-Channel and Cast Iron Ends REQS: Code 01616 FRAME RAILS WITH TAPERED REAR, when in combination with Code 10WPR or 10WPT MUD FLAP HOLDER REQS: Code 14GSX, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GWW, 14GWY, 14GWZ or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 09512 QUARTER FENDERS (SEE NEXT PAGE)	14UNU	N/A	\$1,246CR +14/+126

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-185

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, REAR, AIR, TANDEM (SEE PREV PAGE) International N/A: Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY AVAIL: Code 01WPZ CROSSMEMBER, SUSPENSION NOTE: When Specifying Axle Ratio, Check Performance Guidelines and TCAPE for Startability and Performance : The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UNS		
SUSPENSION, REAR, SINGLE Chalmers - 1023 Series - 23,000 lb. Capacity, Shocks Mounted Ahead of Drive Axle, 10.97"/8.66" Unladen/Laden Ride Height REQS: Code 01CAJ FRAME RAILS or Code 01GBP FRAME REINFORCEMENT REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14ARK, 14ARY or 14ASK AXLE, REAR, SINGLE N/A: QUARTER FENDERS : Code 16CAB CAB : Code 04AZE AIR BRAKE ABS : Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 13607 TRANSMISSION, AUXILIARY : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10HHY FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY	14TBW	\$1,796 0/-92	N/A

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-188

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, REAR, SINGLE (CONTINUED) Chalmers - 1030 Series - 30,000 lb. Capacity, With 21" Lower Torque Rods and with Forward Mounted Shock Absorbers and with 7" High Spring X-Low Mount, Provides 9.37" Ride Height REQS: Code 04AZA(std) or 04AZS AIR BRAKE ABS REQS: Code 01CBU(std) FRAME RAILS REQS: Code 01GBP FRAME REINFORCEMENT REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARK, 14ARX, 14ARZ, 14ASA, 14ASD or 14ASK AXLE, REAR, SINGLE N/A: Code 14SAL, 14SAN(std), 14SCD, 14SCE, 14VAH and 14VAJ SUSPENSION, RR, SPRING, SINGLE : Code 14SZB SPRINGS, REAR AUXILIARY : Code 14WAP SHOCK ABSORBERS, REAR : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 13607 TRANSMISSION, AUXILIARY : Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE : Code 10HHY FIFTH WHEEL, AIR SLIDE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY	14TBU	\$2,405 0/-51	N/A
SUSPENSION, RR, SPRING, SINGLE Vari-Rate; 23,500-lb Capacity REQS: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE N/A: Code 14TBU and 14TBW SUSPENSION, REAR, SINGLE : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14SAN	STD	N/A
Vari-Rate; 23,000-lb Capacity; Includes (3) Torque Rods REQS: Code 04NCZ, 04NDB(std), 04NDL, 04NDN or 04NDP BRAKES, REAR, AIR CAM REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 04SBV AIR COMPRESSOR	14SCE	\$1,713 0/+47	N/A
(SEE NEXT PAGE)			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-189

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, RR, SPRING, SINGLE (SEE PREV PAGE) N/A: Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE : Code 14WAS SUSPENSION LEVELING VALVE : Code 14899 SUSPENSION AIR CONTROL VALVE AVAIL: Code 04ERC BRAKE CHAMBERS, SPRING NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14VAJ		
SUSPENSION, REAR, TANDEM Hendrickson - HMX-400-52 - Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std) or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 01WBA CROSSMEMBER, SUSPENSION : Code 14WBS TRANSVERSE TORQUE RODS : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 01553 TIRE CARRIER AVAIL: Code 14WBV SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UMB	N/A	STD
- HMX-400-54 - Walking Beam Type 54" Axle Spacing; 40,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std), 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM (SEE NEXT PAGE)	14ULX	N/A	\$71 0/+9

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-192

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - HMX-400-54 - N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 01WBA CROSSMEMBER, SUSPENSION : Code 14WBS TRANSVERSE TORQUE RODS : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 01553 TIRE CARRIER AVAIL: Code 14WBV SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULX		
- HMX-460-54 - Walking Beam Type 54" Axle Spacing; 46,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std), 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 01WBA CROSSMEMBER, SUSPENSION : Code 14WBS TRANSVERSE TORQUE RODS : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 01553 TIRE CARRIER AVAIL: Code 14WBV SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14ULY	N/A	\$703 0/+17
- HMX-460-60 - Walking Beam Type 60" Axle Spacing; 46,000-lb Capacity, With Rubber End Bushings, Transverse Torque Rods, Less Shock Absorbers INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std), 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	14ULZ	N/A	\$890 0/+63
(SEE NEXT PAGE)			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-193

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Hendrickson - HMX-460-72.5 - NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UMC		
- RT-403 - Walking Beam Type 52" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJN, 14GVJ, 14GVK, 14GVL, 14GVN, 14GVR, 14GVU or 14GVY(std) AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 04AZV AIR BRAKE ABS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 01553 TIRE CARRIER : Code 10WDA FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UHC	N/A	\$818CR 0/+683
Walking Beam Type 54" Axle Spacing; 40,000-lb Capacity With Rubber Center Bushings INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRR, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std), 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04JCG(std) BRAKES, FRONT, AIR CAM : Code 04AZV AIR BRAKE ABS (SEE NEXT PAGE)	14UHD	N/A	\$550CR 0/+722

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-195

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, REAR, TANDEM (CONTINUED) Hendrickson - RT-523 - Walking Beam Type 54" Axle Spacing; 52,000-lb Capacity With Bronze Center Bushings INCLS: CROSSMEMBER, SUSPENSION 5-Piece REQS: Code 01WBC CROSSMEMBER, SUSPENSION REQS: Code 01WMA CROSSMEMBER, INTERMEDIATE, when in combination with Code 16CAB or 16196 CAB REQS: Code 01GBP FRAME REINFORCEMENT REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVN, 14GVR, 14GVU, 14GVY(std), 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04AZV AIR BRAKE ABS : Code 14WBU and 14WBV SHOCK ABSORBERS, REAR : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 01553 TIRE CARRIER NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14698	N/A	\$1,925 +23/+346
Chalmers - 854-40L - Walking Beam Type, With Rubber Spring, 54" Axle Spacing; 40,000-lb Capacity, With Standard Restrictor Cans, (8) Torque Rods, Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJR, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU or 14GVY(std) AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE (SEE NEXT PAGE)	14UZS	N/A	\$398 0/+345

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-198

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Chalmers - 854-40L - N/A: Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZS		
- 854-40L-HS - Walking Beam Type, With Rubber Spring, 54" Axle Spacing; 40,000-lb Capacity, With High Stability (HS) Restrictor Cans, (8) Torque Rods Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJR, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU or 14GVY(std) AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR : Code 14WNL AXLE, PUSHER, LIFT TYPE NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZR	N/A	\$398 0/+345
- 854-46H - Walking Beam Type, With Rubber Spring, 54" Axle Spacing; 46,000-lb Capacity, With Standard Restrictor Cans, (8) Torque Rods, Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std), 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM	14UZU	N/A	\$984 0/+479
(SEE NEXT PAGE)			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-199

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Chalmers - 854-46H - REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZU		
- 854-46H-HS - Walking Beam Type, Rubber Spring, 54" Axle Spacing; 46,000-lb Capacity, With High Stability (HS) Restrictor Cans and (8) Torque Rods Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVJ, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std), 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 01WBA CROSSMEMBER, SUSPENSION : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 01553 TIRE CARRIER AVAIL: Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZB	N/A	\$984 0/+479

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-200

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) Chalmers - 860-46H - N/A: Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR : Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZV		
- 860-46H-HS - Walking Beam Type, With Rubber Spring, 60" Axle Spacing; 46,000-lb Capacity, With High Stability (HS) Restrictor Cans, (8) Torque Rods, Less Shocks INCLS: CROSSMEMBER, SUSPENSION Stamped Steel Double Dogbone REQS: Code 14GJH, 14GJJ, 14GJK, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVY(std), 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 04AZS and 04AZY AIR BRAKE ABS : Code 14WBS TRANSVERSE TORQUE RODS : Code 14803 BUSHINGS, EQUALIZER BEAM : Code 14WAS SUSPENSION LEVELING VALVE : SUSPENSION, REAR, AIR, TANDEM : Code 14899 SUSPENSION AIR CONTROL VALVE : Code 14WAK and 14WAL SUSPENSION/REAR-AXLE IDENTITY : Code 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 13607 TRANSMISSION, AUXILIARY : Code 01553 TIRE CARRIER AVAIL: Code 01WBC CROSSMEMBER, SUSPENSION : Code 14WBU SHOCK ABSORBERS, REAR NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UZT	N/A	\$1,172 0/+490

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-202

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SUSPENSION, REAR, TANDEM (SEE PREV PAGE) International N/A: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 10EYC, 10EYD, 10HKE, 10HKG, 10HKH and 10HKP FIFTH WHEEL, STATIONARY or Code 10GYJ, 10HHY, 10HJA, 10HJB, 10HJC, 10HJD, 10HKJ and 10HKK FIFTH WHEEL, AIR SLIDE, when in combination with Code 01GBP FRAME REINFORCEMENT : Code 10WDA FIFTH WHEEL MOUNTING ANGLES AVAIL: Code 01WBA CROSSMEMBER, SUSPENSION NOTE: The following features should be considered when calculating Rear GAWR: Rear Axles; Rear Suspension; Brake System; Brakes, Rear Air Cam; Brake Shoes, Rear; Special Rating, GAWR; Wheels; Tires.	14UNA		
AXLE, PUSHER, LIFT TYPE NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY , See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Watson & Chalin - AL-2200 - 20,000-lb Capacity; Includes One Non-Steer Axle REQS: Code 16030(std) CAB REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04JBS BRAKES, AIR CAM, PUSHER AXLE REQS: Code 08VUJ, 08VUK, 08VUL, 08VUM or 08XGJ BATTERY BOX REQS: Code 14UHK, 14ULX, 14ULY or 14UZB SUSPENSION, REAR, TANDEM, when in combination with Code 14UAB AXLE SPACING, FIRST PUSHER REQS: Code 34AAX, 34AAY, 34ABU, 34ABW, 34ACB or 34ACD WHEELS, LIFT AXLE PUSHER REQS: Code 14UAB, 14UAC, 14UAD or 14UAH AXLE SPACING, FIRST PUSHER REQS: Code 14RAA, 14RAB or 14RAR AXLE, LIFT, CONTROLS REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 14UHD, 14UHK, 14UHL, 14ULX, 14ULY, 14ULZ, 14UZB, 14UZS, 14UZT, 14UZU, 14UZX or 14698 SUSPENSION, REAR, TANDEM -OR- Code 14ULS, 14ULT, 14ULU, 14ULV, 14UNW, 14UNX, 14UNY or 14UPL SUSPENSION, REAR, AIR, TANDEM REQS: Code 07BEM(std), 07BEP or 07BJX EXHAUST SYSTEM (SEE NEXT PAGE)	14WLM	N/A	\$9,731 +385/+837

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-205

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
AXLE SPACING, SECOND PUSHER 42" Ahead of First Pusher Axle AVAIL: Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE 46" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE 48" Ahead of First Pusher Axle AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE	14UAJ 14UAK 14UAL	N/A N/A N/A	N/C 0/0 N/C 0/0 N/C 0/0
AXLE SPACING, THIRD PUSHER 42" Ahead of Second Pusher Axle AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE	14UAM	N/A	N/C 0/0
PUSHER LIFT AXLE TIRE SLR NOTE: For PUSHER LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book 0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER : Code 14WNL AXLE, PUSHER, LIFT TYPE 2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER : Code 14WNL AXLE, PUSHER, LIFT TYPE 4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Lift Axle Tires N/A: WHEELS, LIFT AXLE PUSHER : Code 14WNM AXLE, PUSHER, LIFT TYPE	14XAB 14XAC 14XAD	N/A N/A N/A	N/C 0/0 N/C 0/0 N/C 0/0
AXLE, TAG, LIFT TYPE NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book Watson & Chalin - AL-2200 - 20,000-lb Capacity; Includes One Non-Steer Axle REQS: Code 02AEU, 02AEV, 02AEW, 02AGT, 02ARU, 02ARY, 02ARZ, 02ATB or 02AUR AXLE, FRONT NON-DRIVING REQS: Code 04JBT BRAKES, AIR CAM, TAG AXLE REQS: Code 14UBA or 14UBB AXLE SPACING, TAG REQS: Code 14RAA, 14RAB or 14RAR AXLE, LIFT, CONTROLS REQS: Code 04091(std) BRAKE SYSTEM, AIR <div style="text-align: right;">(SEE NEXT PAGE)</div>	14WLR	N/A	\$9,731 -435/+1657

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-211

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
AXLE SPACING, TAG (CONTINUED)			
67" Behind Rear Drive Axle N/A: Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE	14UBB	N/A	N/C 0/0
TAG LIFT AXLE TIRE SLR NOTE: For TAG LIFT AXLE TIRE SLR COMPATIBILITY, See Chart in the Compatibility Chart Section of Electronic Price pages or CT-400 Sales Data Book			
0 to 1.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires	14XAE	N/A	N/C 0/0
2 to 3.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires	14XAG	N/A	N/C 0/0
4 to 5.99 Inches Difference Between Static Loaded Radius of Drive Axle Tires and Customer Installed Tag Axle Tires	14XAH	N/A	N/C 0/0
AXLE, LIFT, CONTROLS			
for One Lift Axle; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16CAB CAB : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE	14RAA	N/A	\$1,088 +5/0
for Three Lift Axles; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 60AAA, 60AAB, 60AAD and 60AAG BDY INTG, REMOTE POWER MODULE	14RAL	N/A	\$1,673 +15/0
for Two Lift Axles; All Controls Inside Cab; Includes Pressure Gauge, Pressure Regulator and Lift/Lower Switch REQS: Code 16030(std) CAB N/A: Code 16VBS CONSOLE, CENTER : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 14WLT AXLE, PUSHER, LIFT TYPE, ID AVAIL: Code 14WNH and 14WNJ AXLE, PUSHER, LIFT TYPE	14RAD	N/A	\$1,365 +10/0
(SEE NEXT PAGE)			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-213

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

PAGE 475-222

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
FUEL TANK (SEE PREV PAGE)			
AVAIL: Code 15LKU(std), 15LKW and 15LKY FUEL/WATER SEPARATOR	15SNU		
Temporary; Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Left Side Back of Cab REQS: Code 16030(std) CAB REQS: Code 15DYS DEF TANK, when in combination with Code 08WJN or 08XGJ BATTERY BOX REQS: Code 14SAL, 14SAN(std), 14VAH or 14VAJ SUSPENSION, RR, SPRING, SINGLE- for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, SINGLE - for 7600 SFA 4X2 2010 -OR- Code 14UHC, 14UHD, 14UHK, 14ULX, 14ULY, 14UMB(std), 14UZZ, 14UZR, 14UZZS, 14UZZU, 14UZZ or 14698 SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- Code 14UNX SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010 REQS: Code 07BKE EXHAUST SYSTEM N/A: Code 01UBG FRAME, SPECIAL EFFECTS : Code 01CAW FRAME RAILS : Code 14TAX, 14TBJ and 14TBZ SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010 : Code 14WNL AXLE, PUSHER, LIFT TYPE : Code 15924 and 15960 FUEL TANK STRAPS : Code 15LML FUEL/WATER SEPARATOR AVAIL: Code 04VHZ AIR TANK LOCATION : Code 08VTN, 08VUJ, 08VUK, 08WEK, 08WJN and 08XGJ BATTERY BOX : Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP	15SSC	N/C +2/+2	N/C +3/+1
Top Draw; D-Style, Non-Polished Aluminum, 16" Tank Depth, 50 U.S. Gal., 189 L Capacity, with Quick Connect Outlet, Mounted Left Side, Under Cab REQS: Code 07BEM(std), 07BEP or 07BKE EXHAUST SYSTEM N/A: Code 16196 CAB : Code 04VHZ AIR TANK LOCATION : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 08VTJ, 08VUR, 08WJN and 08XGJ BATTERY BOX : Code 15LML FUEL/WATER SEPARATOR AVAIL: Code 15WHV ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15DYP(std) DEF TANK	15SGJ	N/C -6/-1	N/C -6/-1
Top Draw; D-Style, Non-Polished Aluminum, 19.0" Tank Depth, 100 U.S. Gal., 378.5 L Capacity, Mounted Left Side Under Cab REQS: Code 07BEM(std), 07BEP or 07BKE EXHAUST SYSTEM N/A: Code 16ZGM ACCESS, FRAME : Code 16196 CAB	15SGD	\$272 +38/+25	\$272 +40/+23
(SEE NEXT PAGE)			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-223

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
FUEL TANK (CONTINUED)			
Top Draw; Non-Polished Aluminum, 26" Diam., 100 U.S. Gal., 379L Capacity Mounted Left Side, Back of Cab REQS: Code 16196 CAB REQS: Code 07BEM(std) EXHAUST SYSTEM N/A: Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS : Code 32WAA WHEELS, REAR : Code 14WLM and 14WNL AXLE, PUSHER, LIFT TYPE : Code 15LML FUEL/WATER SEPARATOR AVAIL: Code 16XTK ACCESS, CAB : Code 16ZGR ACCESS, CAB AND FRAME : Code 08WJV BATTERY DISCONNECT SWITCH : Code 08VTJ and 08VUR BATTERY BOX : Code 08WBW JUMP START STUD : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SVT	\$894 -27/+109	\$894 -19/+101
Top Draw; Polished Aluminum, 26" Diam., 100 U.S. Gal., 379L Capacity Mounted Left Side, Back of Cab REQS: Code 16196 CAB REQS: Code 07BEM(std) EXHAUST SYSTEM N/A: Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS : Code 14WLM and 14WNL AXLE, PUSHER, LIFT TYPE : Code 15LML FUEL/WATER SEPARATOR AVAIL: Code 16XTK ACCESS, CAB : Code 16ZGR ACCESS, CAB AND FRAME : Code 08WJV BATTERY DISCONNECT SWITCH : Code 08VTJ and 08VUR BATTERY BOX : Code 08WBW JUMP START STUD : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SVU	\$1,291 -27/+109	\$1,291 -19/+101
Top Draw; Non-Polished Aluminum, 26" Diam., 120 U.S. Gal., 454 L Capacity Mounted Left Side Under Cab REQS: Code 07BEM(std) or 07BEP EXHAUST SYSTEM N/A: Code 16196 CAB : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 08VTJ, 08VUL(std), 08VUM, 08VUR, 08WJN and 08XGJ BATTERY BOX : Code 15LML FUEL/WATER SEPARATOR AVAIL: Code 04WZJ AIR TANK LOCATION : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15DYP(std) DEF TANK	15SWK	\$350 +22/+59	\$350 +26/+55

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-227

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
FUEL TANK (SEE PREV PAGE)			
-OR- SUSPENSION, REAR, SINGLE - for 7600 SFA 4X2 2010 -OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SFA 4X2 2010 -OR- SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010 REQS: Code 07BEM(std) or 07BEP EXHAUST SYSTEM N/A: Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS : Code 15LML FUEL/WATER SEPARATOR : Code 12WPU PTO, ENGINE REAR AVAIL: Code 08VTJ, 08VUR, 08WJN and 08XGJ BATTERY BOX : Code 14WLM AXLE, PUSHHER, LIFT TYPE - for 7600 SFA 6X4 2010 : Code 08WBW JUMP START STUD : Code 15WHD ANTI-SIPHON DEVICE : Code 15903 FUEL TANK CAP : Code 15960 FUEL TANK STRAPS : Code 15DYL DEF TANK	15DYK		
Top Draw; Non-Polished Aluminum, 26" Diam., 70 U.S. Gal., 265L Capacity Mounted Left Side, Back of Cab REQS: Code 16196 CAB REQS: Code 07BEM(std) EXHAUST SYSTEM N/A: Code 04VCL, 04VHZ and 04WZJ AIR TANK LOCATION : Code 01UBG FRAME, SPECIAL EFFECTS : Code 01UAA CROSSMEMBER, AF, SPECIAL : Code 01CAW FRAME RAILS : Code 14WLM and 14WNL AXLE, PUSHHER, LIFT TYPE : Code 15LML FUEL/WATER SEPARATOR : Code 01553 TIRE CARRIER AVAIL: Code 16XTK ACCESS, CAB : Code 16ZGR ACCESS, CAB AND FRAME : Code 08VTJ and 08VUR BATTERY BOX : Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS	15SVN	\$416 -34/+53	\$416 -30/+49
Top Draw; Non-Polished Aluminum, 26" Diam., 70 U.S. Gal., 265 L Capacity Mounted Left Side, Under Cab REQS: Code 07BEM(std), 07BEP or 07BKE EXHAUST SYSTEM N/A: Code 16196 CAB : Code 04VHZ AIR TANK LOCATION : Code 08VTJ, 08VUR, 08WJN and 08XGJ BATTERY BOX AVAIL: Code 15WHC ANTI-SIPHON DEVICE : Code 15902 FUEL TANK CAP : Code 15924 FUEL TANK STRAPS : Code 15DYP(std) DEF TANK	15SWE	\$104 +8/+24	\$104 +10/+22



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
ANTI-SIPHON DEVICE			
(02) Snap-In Type, Zinc Plated Steel, for Dual Fuel Tanks; for Cylindrical Fuel Tanks REQS: Code 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM or 15DYY FUEL TANK N/A: Code 15902 and 15903 FUEL TANK CAP	15WHD	\$156 0/0	\$156 0/0
Snap-In Type; for Single Fuel Tank; for Round Fuel Tanks REQS: Code 15SJR, 15SJZ, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK N/A: Code 15902 and 15903 FUEL TANK CAP	15WHC	\$78 0/0	\$78 0/0
for Dual Tanks; 2-Inch Diameter; Located inside Fuel Tank Fill Neck REQS: Code 15DMV, 15DYS, 15DYT, 15DYU, 15DYZ or 15DZA FUEL TANK N/A: Code 15902 and 15903 FUEL TANK CAP	15WHW	\$119 + 2/0	\$119 + 2/0
for Single Tank; 2-Inch Diameter; Located inside Fuel Tank Fill Neck REQS: Code 15SGD, 15SGG, 15SGJ, 15SMD, 15SRE(std) or 15SSC FUEL TANK - for 7600 SFA 4X2 2010 -OR- Code 15SGD, 15SGG, 15SGJ, 15SMD, 15SNT, 15SNU, 15SRE(std) or 15SSC FUEL TANK - for 7600 SFA 6X4 2010 N/A: Code 15902 and 15903 FUEL TANK CAP	15WHV	\$61 + 1/0	\$61 + 1/0
DEF TANK			
9.5 U.S. Gal. 35.9L Capacity, Frame Mounted Outside Left Rail, Under Cab REQS: Code 15DPL, 15DPM, 15DUX, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 4X2 2010 -OR- Code 15DPL, 15DPM, 15DUX, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 6X4 2010 N/A: Code 16196 CAB : Code 08VTJ, 08VUR, 08WJN and 08XGJ BATTERY BOX	15DYP	STD	STD
9.5 U.S. Gal. 35.9L Capacity, Frame Mounted Outside Left Rail, Back of Cab REQS: Code 07BEM(std) or 07BEP EXHAUST SYSTEM REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SSC, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT or 15SVU FUEL TANK AVAIL: Code 08VTJ, 08VUK, 08VUR, 08WEL, 08WJN and 08XGJ BATTERY BOX	15DYR	\$110 0/0	\$110 0/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-236

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
DEF TANK COVER Stainless Steel	15BAA	\$233 0/0	\$233 0/0
FUEL COOLER Less Thermostat; Mounted in Front of Cooling Module	15WCS	\$216 +14/+1	\$216 +14/+1
FUEL TANK CAP (02) Locking Type REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ or 15DZA FUEL TANK N/A: Code 15WHC, 15WHD, 15WHV and 15WHW ANTI-SIPHON DEVICE Locking Type REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 4X2 2010 -OR- Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 6X4 2010 N/A: Code 15WHC, 15WHD, 15WHV and 15WHW ANTI-SIPHON DEVICE	15903 15902	\$106 +2/0 \$53 +1/0	\$106 +2/0 \$53 +1/0
FUEL TANK STRAPS Bright Finish Stainless Steel REQS: Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 4X2 2010 -OR- Code 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 6X4 2010 Bright Finish Stainless Steel, for Dual Fuel Tanks REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ or 15DZA FUEL TANK	15924 15960	\$260 0/0 \$520 0/0	\$260 0/0 \$520 0/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-237

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
FUEL/WATER SEPARATOR			
Racor			
Fuel Pre-Filter and Filter Base, Includes Water-In-Fuel Sensor REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK - for 7600 SFA 4X2 2010	15LKU	STD	STD
-OR- Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNT, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK - for 7600 SFA 6X4 2010			
Davco			
- Fuel Pro 382 - with Fuel Heated Fuel Heater, Thermostatic Fuel Temperature Control, Mounted In Standard Position, Includes Water-In-Fuel Light REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 4X2 2010	15LKW	\$388 0/0	\$388 0/0
-OR- Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SNU, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK - for 7600 SFA 6X4 2010			
12 Volt D.C. Pre-Heater, Includes Water-In-Fuel Light, Mounted in Standard Location REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16CAB CAB	15LKX	\$421 +4/-3	\$421 +4/-3

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-238

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE
All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
CAB (SEE PREV PAGE) INCLS: GRAB HANDLE, CAB INTERIOR (4) Two Each Side, Rear Door Mounted at Hinge Side and "C" Pillar Mounted : GRAB HANDLE, CAB INTERIOR (1) "A" Pillar Mounted, Passenger Side : GRAB HANDLE, CAB INTERIOR (2) Front of "B" Pillar Mounted, One Each Side : STEP (8) Two Steps Per Door : DOME LIGHT, CAB Rectangular, Door Activated and Push On-Off at Light Lens, Timed Theater Dimming, Integral to Console, Center Mounted REQS: Code 16KAY, 16LJX, 16LJY, 16LJZ, 16PCS, 16RDZ, 16RZL, 16SMT, 16SMU, 16SMV or 16615 SEAT, REAR REQS: Code 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 14SAN SUSPENSION, RR, SPRING, SINGLE - for 7600 SFA 4X2 2010 REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 07BEM(std) EXHAUST SYSTEM REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SVN, 15SVP, 15SVR, 15SVS, 15SVT or 15SVU FUEL TANK - for 7600 SFA 4X2 2010 -OR- Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYT, 15DYU, 15DYZ, 15DZA, 15SRE(std), 15SVN, 15SVP, 15SVR, 15SVS, 15SVT or 15SVU FUEL TANK - for 7600 SFA 6X4 2010 N/A: Code 10NZL SPECIAL RATING, GWR : Code 16VBS CONSOLE, CENTER : Code 16HYA, 16HYB, 16PPY, 16PXG, 16RAD, 16RAM, 16RAN, 16SMX, 16SMY and 16SMZ SEAT, PASSENGER : Code 16HXB, 16JCP, 16JCR, 16JYL and 16JYM SEAT, DRIVER : Code 16KAY and 16SMV SEAT, REAR : Code 16XWY WINDSHIELD WASHER RESERVOIR or Code 01GBP FRAME REINFORCEMENT or Code 15LLP LOCATION FUEL/WATER SEPARATOR : Code 16XTK, 16XTM and 16ZBB ACCESS, CAB : Code 16ZBP, 16ZGR and 16ZHH ACCESS, CAB AND FRAME : BATTERY DISCONNECT SWITCH, when in combination with Code 08TST, 08TTR, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEL or 08WJJ BATTERY BOX : Code 16917 MOUNTING BRACKETS : Code 02AEW, 02AGT, 02ARY and 02ATB AXLE, FRONT NON-DRIVING : Code 04VHT AIR DRYER LOCATION - for 7600 SFA 6X4 2010 : Code 04VCL and 04VHZ AIR TANK LOCATION : Code 01CAW FRAME RAILS : Code 01UBH and 01WLZ CROSSMEMBER, INTERMEDIATE : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE <div style="text-align: right;">(SEE NEXT PAGE)</div>	16196		

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-241

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
CAB <p style="text-align: center;">(SEE PREV PAGE)</p> <p>REQS: Code 14TBJ SUSPENSION, REAR, AIR, SINGLE, when in combination with Code 08VUJ, 08VUK, 08VUL or 08VUM BATTERY BOX and Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL - for 7600 SFA 4X2 2010</p> <p>REQS: Code 14UNX SUSPENSION, REAR, AIR, TANDEM, when in combination with Code 08VUJ, 08VUK, 08VUL or 08VUM BATTERY BOX and Code 13GWM, 13GWN, 13GWP, 13GWR, 13GWU, 13GWV, 13GWW, 13GWX, 13GWZ, 13GXD, 13GXH, 13GYC, 13GYD, 13GYG, 13GYH or 13GYJ TRANSMISSION, MANUAL - for 7600 SFA 6X4 2010</p> <p>REQS: Code 14RAR or 14RAV AXLE, LIFT, CONTROLS - for 7600 SFA 6X4 2010</p> <p>REQS: Code 14TBU SUSPENSION, REAR, SINGLE - for 7600 SFA 4X2 2010</p> <p>-OR- SUSPENSION, RR, SPRING, SINGLE- for 7600 SFA 4X2 2010</p> <p>-OR- SUSPENSION, REAR, TANDEM - for 7600 SFA 6X4 2010</p> <p>-OR- SUSPENSION, REAR, AIR, SINGLE - for 7600 SFA 4X2 2010</p> <p>-OR- SUSPENSION, REAR, AIR, TANDEM - for 7600 SFA 6X4 2010</p> <p>REQS: Code 07BEM(std) or 07BEP EXHAUST SYSTEM</p> <p>REQS: Code 15DRC, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15STM, 15SWD, 15SWE, 15SWG, 15SWJ or 15SWK FUEL TANK</p> <p>N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT</p> <p>: Code 16VBS CONSOLE, CENTER</p> <p>: Code 16SMX, 16SMY and 16SMZ SEAT, PASSENGER</p> <p>: Code 16JYM, 16LRX and 16LSA SEAT, DRIVER</p> <p>: Code 16XTM ACCESS, CAB</p> <p>: Code 16SDC and 16SEE GRAB HANDLE</p> <p>: Code 16SDC, 16SED and 16SEE GRAB HANDLE</p> <p>: BATTERY DISCONNECT SWITCH, when in combination with Code 08TST, 08TTR, 08VTR, 08VUJ, 08VUK, 08VUN, 08WEJ, 08WEL or 08WJJ BATTERY BOX</p> <p>: Code 04VHT AIR DRYER LOCATION - for 7600 SFA 6X4 2010</p> <p>: Code 04WZJ AIR TANK LOCATION - for 7600 SFA 4X2 2010</p> <p>: Code 04VCL and 04VHZ AIR TANK LOCATION</p> <p>: Code 01CAW FRAME RAILS</p> <p>: Code 01UBH and 01WLZ CROSSMEMBER, INTERMEDIATE</p> <p>: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010</p> <p>: Code 13607 TRANSMISSION, AUXILIARY</p> <p>: BEACON MOUNTING BRACKET, when in combination with Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT or 12BDD ENGINE, DIESEL</p> <p>: Code 08WVP HORN, AIR</p> <p>: Code 12WPU PTO, ENGINE REAR</p> <p style="text-align: center;">(SEE NEXT PAGE)</p>	16CAB		

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-243

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
ACCESS, CAB (CONTINUED) Bustin Driver & Passenger Sides, Two Aluminum, Self-Cleaning Steps (Bustin) Per Door, For Use with Regular & Extended Cabs REQ: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16ZBP, 16ZGR and 16ZHH ACCESS, CAB AND FRAME : Code 16ZGM ACCESS, FRAME : Code 01WLS, 01WLT and 01WLY DECK PLATE : Code 16196 CAB : Code 08VTJ BATTERY BOX	16ZBB	\$777 +12/+8	\$777 +12/+8
ACCESS, CAB AND FRAME Bright Aluminum; Includes Driver & Passenger Side Cab Access, Two Steps per Door and Left Side Frame Access Step with One Bright Flush Mounted Deck Plate and Black Grab Handle; With Daycab or Sleeper Cabs REQ: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE - for 7600 SFA 6X4 2010 REQ: Code 04092 BRAKE SYSTEM, AIR REQ: Code 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16XTK, 16XTM and 16ZBB ACCESS, CAB : Code 16ZGM ACCESS, FRAME : Code 16SDC GRAB HANDLE : Code 01WLS, 01WLT and 01WLY DECK PLATE, when in combination with Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT or 12BDD ENGINE, DIESEL - for 7600 SFA 6X4 2010 : Code 01WLT and 01WLY DECK PLATE, when in combination with Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT or 12BDD ENGINE, DIESEL - for 7600 SFA 4X2 2010 : Code 16196 CAB : Code 08VTJ, 08VUL(std), 08VUM, 08VUR, 08WEJ and 08XDZ BATTERY BOX : Code 08VUL(std), 08VUM and 08WEL BATTERY BOX : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010 AVAIL: Code 01WLT DECK PLATE	16ZGR	\$684 +7/+17	\$684 +8/+16

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-245

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable

7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
<p>ACCESS, CAB AND FRAME (CONTINUED)</p> <p>Non-Bright; Includes Driver & Passenger Side Cab Access, Two Steps per Door and Left Side Frame Access Step With One Non-Bright Flush Mounted Deck Plate and Black Grab Handle; With Daycab or Sleeper Cabs</p> <p>REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE - for 7600 SFA 6X4 2010</p> <p>REQS: Code 04092 BRAKE SYSTEM, AIR</p> <p>REQS: Code 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT</p> <p>: Code 16XTK, 16XTM and 16ZBB ACCESS, CAB</p> <p>: Code 16ZGM ACCESS, FRAME</p> <p>: Code 01WLY DECK PLATE</p> <p>: Code 01WLY DECK PLATE, when in combination with Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT or 12BDD ENGINE, DIESEL</p> <p>: Code 16196 CAB</p> <p>: Code 08VTJ, 08VUL(std), 08VUM, 08VUR, 08WEJ and 08XDZ BATTERY BOX</p> <p>: Code 08VUL(std), 08VUM and 08WEL BATTERY BOX</p> <p>: Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010</p> <p>: Code 07BES AFTERTREATMENT COVER</p> <p>AVAIL: Code 16SED GRAB HANDLE</p> <p>Bustin</p> <p>Two Aluminum, Self-Cleaning Steps Per Door, One Deck Plate and Grab Handle, for use with Regular Cab</p> <p>REQS: Code 01CAG, 01CAJ or 01CBU(std) FRAME RAILS, when in combination with Code 01WMA CROSSMEMBER, INTERMEDIATE - for 7600 SFA 6X4 2010</p> <p>REQS: Code 04092 BRAKE SYSTEM, AIR</p> <p>REQS: Code 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGD, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK</p> <p>N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT</p> <p>: Code 16XTK, 16XTM and 16ZBB ACCESS, CAB</p> <p>: Code 16ZGM ACCESS, FRAME</p> <p>: Code 01WLS and 01WLT DECK PLATE, when in combination with Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT or 12BDD ENGINE, DIESEL - for 7600 SFA 6X4 2010</p>	16ZHH	\$566 +5/+11	\$566 +5/+11
	16ZBP	\$1,929 +15/+15	\$1,929 +16/+14

(SEE NEXT PAGE)

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-246

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
ACCESS, CAB AND FRAME (SEE PREV PAGE) Bustin N/A: Code 01WLT DECK PLATE, when in combination with Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT or 12BDD ENGINE, DIESEL - for 7600 SFA 4X2 2010 : Code 16196 CAB : Code 08VTJ, 08VUR, 08WEJ and 08XDZ BATTERY BOX : Code 08WEL BATTERY BOX : Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010 : Code 07BES AFTERTREATMENT COVER AVAIL: Code 01WLY DECK PLATE	16ZBP		
ACCESS, FRAME Non-Bright, Step Mounted Left Side, With One Flush Mounted Deck Plate and Grab Handle REQS: Code 15DMV, 15DWY, 15DYL, 15SGJ, 15SVT or 15SVU FUEL TANK, when in combination with Code 16030 CAB and Code 15LKW FUEL/WATER SEPARATOR - for 7600 SFA 4X2 2010 REQS: Code 04092 BRAKE SYSTEM, AIR REQS: Code 15DMV, 15DPL, 15DPM, 15DRC, 15DUX, 15DWY, 15DYJ, 15DYK, 15DYL, 15DYM, 15DYS, 15DYT, 15DYU, 15DYY, 15DYZ, 15DZA, 15SGG, 15SGJ, 15SJR, 15SJZ, 15SMD, 15SRE(std), 15SSC, 15STM, 15SVN, 15SVP, 15SVT, 15SVU, 15SWD, 15SWE, 15SWG, 15SWJ, 15SWK or 15SXN FUEL TANK N/A: Code 16XTK, 16XTM and 16ZBB ACCESS, CAB : Code 16ZBP, 16ZGR and 16ZHH ACCESS, CAB AND FRAME : Code 01WLY DECK PLATE : Code 01WLY DECK PLATE, when in combination with Code 12BCN, 12BCP, 12BCR, 12BCS, 12BCT or 12BDD ENGINE, DIESEL : Code 01CAW FRAME RAILS or Code 14WLM, 14WNH, 14WNJ, 14WNL and 14WNM AXLE, PUSHER, LIFT TYPE - for 7600 SFA 6X4 2010 : Code 08XDZ BATTERY BOX : Code 08VZP BEACON MOUNTING BRACKET : Code 15SGD FUEL TANK, when in combination with Code 16030 CAB	16ZGM	\$227 +8/+6	\$227 +8/+6
AIR CONDITIONER - Blend-Air - With Integral Heater & Defroster INCLS: HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea - Constant Tension Clamps : REFRIGERANT Hydrofluorocarbon HFC-134A N/A: Code 16WCS(std) HEATER	16WCT	\$1,187 +43/+11	\$1,187 +44/+10

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-247

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
ARM REST, LEFT, PASSENGER SEAT N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER AVAIL: Code 16LER, 16PPD, 16PPH, 16PPN, 16RPV, 16RPX and 16RXP SEAT, PASSENGER	16WBZ	\$39 +3/0	\$39 +3/0
ARM REST, RIGHT, DRIVER SEAT REQS: Code 16JJD, 16JNT(std), 16JNV, 16JYX, 16LJL, 16LJS, 16LRV, 16LRW or 16LSD SEAT, DRIVER	16WBY	\$39 +3/0	\$39 +3/0
BUNK, LOWER 26" Wide; Includes Mattress, Occupant Restraints and Under Bunk Storage Compartment REQS: Code 16WRX(std), 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB CAB N/A: Code 13WYH TRANSMISSION TCM LOCATION AVAIL: Code 16615 SEAT, REAR : Code 08SAJ and 08WSM SWITCH, BODY CIRCUITS, MID : Code 60AAA, 60AAB and 60AAD BDY INTG, REMOTE POWER MODULE	16SBA	\$2,300 +15/+29	\$2,300 +15/+29
CAB INTERIOR TRIM Deluxe INCLS: HEADLINER Soft Padded Cloth : "A" PILLAR COVER Molded Plastic : STORAGE POCKET, DOOR (1) Molded Plastic, Full-Length; Driver Door : SUN VISOR (2) Padded Vinyl with Driver Side Toll Ticket Strap, Integral to Console : CONSOLE, OVERHEAD Molded Plastic; With Dual Storage Pockets with Retainer Nets and CB Radio Pocket : FLOOR COVERING Rubber, Black : CAB INTERIOR TRIM PANELS Cloth Covered Molded Plastic, Full Height; All Exposed Interior Sheet Metal is Covered Except for the Following: with a Two-Man Passenger Seat or with a Full Bench Seat the Back Panel is Completely Void of Covering : CAB, INTERIOR TRIM, CLOSEOUT Lower Dash Closeout Panel; Molded Plastic; Under Instrument Panel Driver Side : DOOR TRIM PANELS Molded Plastic; Driver and Passenger Doors : INSTRUMENT PANEL TRIM Molded Plastic with Black Center Section REQS: Code 16WLE(std) STORAGE POCKET, DOOR REQS: Code 16030(std) CAB REQS: Code 16GCS, 16HBA(std), 16HBB or 16HBC GAUGE CLUSTER N/A: Code 16HYA, 16HYB, 16LPZ, 16PXH, 16RAD, 16RAM and 16RAN SEAT, PASSENGER <div style="text-align: right;">(SEE NEXT PAGE)</div>	16WRX	STD	STD

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-248

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
CAB INTERIOR TRIM (SEE PREV PAGE) INCLS: GAUGE, TEMPERATURE, AMBIENT Includes Wiring and Sensor With Display Unit Mounted in Cluster : COURTESY LIGHT (2) Mounted In Front Map Pocket Left and Right Side REQS: Code 16CAB CAB N/A: Code 16WLE(std) STORAGE POCKET, DOOR : Code 16VBT and 16VBX CAB SOUND INSULATION : Code 16HYA, 16HYB, 16RAD, 16RAM, 16RAN, 16SMX, 16SMY and 16SMZ SEAT, PASSENGER : Code 16HXB, 16JCP, 16JCR, 16JYL, 16JYM, 16LRX and 16LSA SEAT, DRIVER : Code 16GCS GAUGE CLUSTER : Code 16HCS GAUGE, TEMPERATURE, AMBIENT : Code 05CBE STEERING WHEEL : Code 08WTP and 08WTR COURTESY LIGHT AVAIL: Code 16WJU WINDOW, POWER : Code 16HHE GAUGE, AIR CLEANER RESTRICTION	16WSY		
CAB REAR SUSPENSION Air Bag Type	16WSK	STD	STD
CAB SOUND INSULATION Includes Dash Insulator and Engine Cover Insulator, Premium Floormat, and Sound Dampening Patches REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM NOTE: Feature included with CAB INTERIOR TRIM, Premium Includes Dash Insulator Premium Floormat, and Sound Dampening Patches REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM NOTE: Feature included with CAB INTERIOR TRIM, Premium	16VBT 16VBX	\$162 +27/0 \$113 +10/0	\$162 +27/0 \$113 +10/0
CONSOLE, CENTER Polypropylene, With One Coin Holder, One Cup Holder and One Thermos Holder, With Laptop PC or Clipboard Storage, Includes small Storage Area REQS: Code 16030(std) CAB REQS: Code 14RAR, 14RAV or 14RAW AXLE, LIFT, CONTROLS - for 7600 SFA 6X4 2010 N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16SMX, 16SMY and 16SMZ SEAT, PASSENGER : Code 16XVZ CAB INTERIOR TRIM	16VBS	\$64 +3/+3	\$64 +3/+3
COWL TRAY LID	16XXC	\$200 +7/+3	\$200 +8/+2

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-254

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
CURTAIN, WINDSHIELD			
Privacy for the Windshield and Door Windows REQS: Code 16CAB or 16196 CAB	16UZY	\$250 + 8/0	\$250 + 8/0
Privacy for Windshield, Doors and Rear Windows REQS: Code 16CAB or 16196 CAB	16UZZ	\$338 + 10/0	\$338 + 10/0
FRESH AIR FILTER			
Attached to Air Intake Cover on Cowl Tray in Front of Windshield Under Hood N/A: Code 09WBT GRILLE EMBER SCREEN	16WLS	\$76 + 1/0	\$76 0/0
GAUGE CLUSTER			
English With English Electronic Speedometer INCLS: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout N/A: Code 16XVZ CAB INTERIOR TRIM	16HBA	STD	STD
English With Metric Electronic Speedometer INCLS: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout N/A: Code 16XVZ CAB INTERIOR TRIM NOTE: Standard in Canada	16HBB	N/C 0/0	N/C 0/0
Metric With Metric Electronic Speedometer INCLS: GAUGE CLUSTER (6) Engine Oil Pressure (Electronic), Water Temperature (Electronic), Fuel (Electronic), Tachometer (Electronic), Voltmeter, Washer Fluid Level : WARNING SYSTEM Low Fuel, Low Oil Pressure, High Engine Coolant Temp, and Low Battery Voltage (Visual and Audible) : ODOMETER DISPLAY, Miles, Trip Miles, Engine Hours, Trip Hours, Fault Code Readout N/A: Code 16XVZ CAB INTERIOR TRIM : GAUGE, AIR APPLICATION	16HBC	N/C 0/0	N/C 0/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-255

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
GAUGE CLUSTER (CONTINUED)			
- Chrome Bezel - Black Face; All Metric Gauges With Electronic Speedometer and Tachometer for Air Brake Chassis, Includes Voltmeter, Engine Coolant Temp & Oil Pressure, Prim & Sec Air Pressure, Fuel w/Warning Ind. & Alarm; Odometer, Trip, Engine Hr., Trip Hr, Fuel Econ, Trip Average Fuel Econ N/A: Code 16WRZ and 16WSY CAB INTERIOR TRIM NOTE: 010003	16GCS	\$243 0/0	\$243 0/0
Ivory Face; All Metric Gauges With Electronic Speedometer and Tachometer for Air Brake Chassis, Includes Voltmeter, Engine Coolant Temp & Oil Pressure, Prim & Sec Air Pressure, Fuel w/Warning Ind. & Alarm; Odometer, Trip, Engine Hr., Trip Hr, Fuel Econ, Trip Average Fuel Econ REQS: Code 16WSG, 16WSJ, 16WSX, 16WSY or 16XVZ CAB INTERIOR TRIM NOTE: 010003	16GCY	\$243 0/0	\$243 0/0
Ivory Face; English with English Electronic Speedometer and Tachometer for Air Brake Chassis, Includes Voltmeter, Engine Coolant Temp & Oil Pressure, Prim & Sec Air Pressure, Fuel w/Warning Ind. & Alarm; Odometer, Trip, Engine Hr., Trip Hr, Fuel Econ, Trip Average Fuel Econ REQS: Code 16WSG, 16WSJ, 16WSX, 16WSY or 16XVZ CAB INTERIOR TRIM NOTE: 010002	16GCW	\$243 0/0	\$243 0/0
Black Face; English With Metric Electronic Speedometer & for Air Brake Chassis, Includes Tachometer, Voltmeter, Engine Coolant Temp & Oil Pressure, Prim & Sec Air Pressure, Fuel w/Warning Ind. & Alarm; Odometer, Trip, Engine Hr., Trip Hr, Fuel Econ, Trip Average Fuel Econ REQS: Code 16WSG, 16WSJ, 16WSX, 16WSY or 16XVZ CAB INTERIOR TRIM NOTE: 010003	16GCR	\$243 0/0	\$243 0/0
Ivory Face; English With Metric Electronic Speedometer for Air Brake Chassis, Includes Tachometer, Voltmeter, Engine Coolant Temp & Oil Pressure, Prim & Sec Air Pressure, Fuel w/Warning Ind. & Alarm; Odometer, Trip, Engine Hr., Trip Hr, Fuel Econ, Trip Average Fuel Econ REQS: Code 16WSG, 16WSJ, 16WSX, 16WSY or 16XVZ CAB INTERIOR TRIM NOTE: 010003	16GCX	\$243 0/0	\$243 0/0
Black Face; English with English Electronic Speedometer & with Tachometer for Air Brake Chassis, Includes Voltmeter, Engine Coolant Temp & Oil Pressure, Prim & Sec Air Pressure, Fuel w/Warning Ind. & Alarm; Odometer, Trip, Engine Hr., Trip Hr, Fuel Econ, Trip Average Fuel Econ REQS: Code 16WSG, 16WSJ, 16WSX, 16WSY or 16XVZ CAB INTERIOR TRIM NOTE: 010002	16GCP	\$243 0/0	\$243 0/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-256

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
GAUGE, AIR APPLICATION N/A: Code 16HLM GPS	16HGN	\$77 + 1/0	\$77 + 1/0
GAUGE, AIR CLEANER RESTRICTION <i>Filter-Minder</i> With Black Bezel Mounted in Instrument Panel N/A: Code 16XVZ CAB INTERIOR TRIM Under Hood Cleaner Mounted With Internal Switch, With Text Message in Cluster REQS: Code 16WSG or 16XVZ CAB INTERIOR TRIM	16HHE 16HKC	\$30 + 2/0 \$76 0/0	\$30 + 2/0 \$76 0/0
GAUGE, DEF FLUID LEVEL N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS or Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HGG GAUGE, OIL TEMP, ENGINE : Code 16HGG GAUGE, OIL TEMP, ENGINE, when in combination with Code 16HGH GAUGE, OIL TEMP, AUTO TRANS : Code 16HGG GAUGE, OIL TEMP, ENGINE, when in combination with Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN	16HLJ	STD	STD
GAUGE, OIL TEMP, AUTO TRANS , for Allison Transmission REQS: Code 16HLJ(std) GAUGE, DEF FLUID LEVEL or Code 16HGG GAUGE, OIL TEMP, ENGINE, when in combination with Code 16XVZ CAB INTERIOR TRIM - for 7600 SFA 6X4 2010 N/A: Code 16HGG GAUGE, OIL TEMP, ENGINE, when in combination with Code 16HLJ GAUGE, DEF FLUID LEVEL : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HGG GAUGE, OIL TEMP, ENGINE : TRANSMISSION, MANUAL	16HGH	\$48 + 1/0	\$48 + 1/0
GAUGE, OIL TEMP, ENGINE N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS or Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HLJ GAUGE, DEF FLUID LEVEL : Code 16HGH GAUGE, OIL TEMP, AUTO TRANS, when in combination with Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN : Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN, when in combination with Code 16HGH GAUGE, OIL TEMP, AUTO TRANS	16HGG	\$54 + 1/0	\$54 + 1/0



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
GAUGE, OIL TEMP, MANUAL TRAN for Manual Transmission REQ: Code 16HLJ(std) GAUGE, DEF FLUID LEVEL or Code 16HGG GAUGE, OIL TEMP, ENGINE, when in combination with Code 16XVZ CAB INTERIOR TRIM - for 7600 SFA 6X4 2010 N/A: Code 16HGH GAUGE, OIL TEMP, AUTO TRANS, when in combination with Code 16HGG GAUGE, OIL TEMP, ENGINE : Code 16HGG GAUGE, OIL TEMP, ENGINE, when in combination with Code 16HLJ GAUGE, DEF FLUID LEVEL : TRANSMISSION, AUTOMATIC : Code 16WLM HOURMETER, PTO	16HGJ	\$48 + 1/0	\$48 + 1/0
GAUGE, OIL TEMP, REAR AXLE N/A: Code 16HLM GPS : Code 60ABC and 60ABD BDY INTG, REMOTE START/STOP	16HGL	\$95 + 1/0	\$190 + 1/0
GAUGE, TEMPERATURE, AMBIENT Sensor Wiring with Display Unit Mounted in Cluster REQ: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM	16HCS	\$71 0/0	\$71 0/0
GPS <i>Rand McNally</i> Flush Mounted Style In Wing Panel; Display with Color Touch Screen, Includes GPS Navigation, Rechargeable Battery, Internal Antenna & USB Port N/A: Code 16HGN GAUGE, AIR APPLICATION : Code 16HGL GAUGE, OIL TEMP, REAR AXLE	16HLM	\$897 0/0	\$897 0/0
GRAB HANDLE (02) Black, Aluminum; for Cab Entry Mounted Left and Right each Side at "B" Pillar N/A: Code 16SDD GRAB HANDLE, ADDITIONAL EXT : Code 16CAB CAB Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry Mounted Left Side Only at "B" Pillar N/A: Code 16ZHH ACCESS, CAB AND FRAME : Code 16CAB CAB (02) Chrome Towel Bar Type With Anti-Slip Rubber Inserts; for Cab Entry, Mounted Left and Right, Each Side at "B" Pillar N/A: Code 16CAB CAB AVAIL: Code 16ZBP ACCESS, CAB AND FRAME	16SED 16SEE 16SDC	\$87 \$118 + 3/0 \$236 + 6/0	\$87 \$118 + 3/0 \$236 + 6/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-258

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
GRAB HANDLE, ADDITIONAL EXT (02) Chrome; Towel Bar Type With Anti-Slip Rubber Inserts; Mounted Left and Right Side on Exterior, Rear of Rear Doors, With Crew Cab REQS: Code 16196 CAB N/A: Code 16ZBP, 16ZGR and 16ZHH ACCESS, CAB AND FRAME : Code 16SED GRAB HANDLE	16SDD	\$236 +5/0	\$236 +5/0
GRAB HANDLE, CAB INTERIOR (2) Safety Yellow N/A: Code 16196 CAB (4) Safety Yellow, Crew Cab REQS: Code 16196 CAB	16GHU 16GHV	\$33 \$79 0/0 0/0	\$33 \$79 0/0 0/0
HEATER - Blend-Air - with Defroster INCLS: HEATER HOSES Premium : HOSE CLAMPS, HEATER HOSE Mubea - Constant Tension Clamps N/A: Code 16WCT AIR CONDITIONER	16WCS	STD	STD
HEATER HOSES Silicone REQS: Code 16WHJ HOSE CLAMPS, HEATER HOSE	16975	\$78 0/0	\$78 0/0
HOSE CLAMPS, HEATER HOSE Breeze Belleville Washer Type	16WHJ	\$25 0/0	\$25 0/0
HEATER SHUT-OFF VALVES (1) Ball Valve Type, Supply Line	16564	\$30 0/0	\$30 0/0
HOURLMETER, PTO for Customer Provided PTO; With Indicator Light and Hourmeter in Gauge Cluster Includes Return Wire for PTO Feedback Switch N/A: Code 16HGJ GAUGE, OIL TEMP, MANUAL TRAN AVAIL: Code 60AKG BDY INTG, PTO ACCOMMODATION	16WLM	\$138 +2/0	\$138 +2/0
HVAC FRESH AIR FILTER	16WKY	STD	STD
INSTRUMENT PANEL Center Section, Flat Panel	16WJS	STD	STD

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-259

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
INSTRUMENT PANEL (CONTINUED) Center Section, Ergonomic Panel N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 08WEE SWITCH, AIR HORN, PASSENGER	16WJT	\$330 0/0	\$330 0/0
IP CLUSTER DISPLAY On Board Diagnostics Display of Fault Codes in Gauge Cluster Omit Display of Fault Codes in Instrument Cluster and Disable Blink Codes, Requires Service Tool to Retrieve and View Fault Code	16HKT 16HKA	STD N/C 0/0	STD N/C 0/0
KEYLESS ENTRY SYSTEM REMOTE With Panic and Auxiliary Buttons, Includes One Key Fob (Transmitter) REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16CAB or 16030 CAB - for 7600 SFA 6X4 2010 REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16030 CAB - for 7600 SFA 6X4 2010 REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB With Panic Alarm and Horn Beep Lock Confirmation, With Auxiliary Button for Work Light Function Includes One Key Fob REQS: Code 16WJU WINDOW, POWER - for 7600 SFA 6X4 2010 REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16CAB or 16030 CAB - for 7600 SFA 6X4 2010 REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16030 CAB - for 7600 SFA 6X4 2010 REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB REQS: Code 08WLL LIGHT, WORK or Code 08WMA or 08WTT SWITCH, TOGGLE, FOR WORK LIGHT With Panic Alarm and Horn Beep Lock Confirmation, With Auxiliary Button for Trailer Accessory Function, Includes One Key Fob REQS: Code 16WJU WINDOW, POWER - for 7600 SFA 6X4 2010 REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16CAB or 16030 CAB - for 7600 SFA 6X4 2010 REQS: Code 16WJU WINDOW, POWER, when in combination with Code 16030 CAB - for 7600 SFA 6X4 2010 REQS: Code 16WJU or 16WJV WINDOW, POWER, when in combination with Code 16CAB, 16030 or 16196 CAB	16WKZ 16VCN 16VCP	\$328 +2/0 \$390 +1/0 \$390 +2/0	\$328 +2/0 \$390 +1/0 \$390 +2/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-260

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
MIRROR, CONVEX, LOOK DOWN			
Lang Mekra			
Right Side; 6" x 10 1/4" N/A: Code 16SDU MIRRORS	16SDE	\$49 + 2/0	\$49 + 2/0
Right Side; 6" x 10 1/4", With Bright Finish REQS: Code 16SDU MIRRORS	16SDG	\$57 + 2/0	\$57 + 2/0
MIRRORS			
Lang Mekra			
(02) Rectangular, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing N/A: Code 16VSL WINDSHIELD : Code 08RCB CB RADIO AVAIL: Code 16SDH, 16SDZ, 16SEA and 16WSL MIRROR, CONVEX, HOOD MOUNTED : Code 16SDE MIRROR, CONVEX, LOOK DOWN	16SNA	STD	STD
(02) Rectangular, Thermostatically Controlled Heated Heads, Black Heads, Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing N/A: Code 16SJV and 16SJX MIRROR, CONVEX, HOOD MOUNTED : Code 16XVZ CAB INTERIOR TRIM AVAIL: Code 16SDE MIRROR, CONVEX, LOOK DOWN	16SNB	\$151 - 2/- 1	\$151 - 2/- 1
(02) Rectangular, Thermostatically Controlled Heated Heads, Bright Finish Heads, with Black Brackets and Arms, Breakaway Type, 7.55" x 14.1" Integral Convex Both Sides, 102" Inside Spacing, AVAIL: Code 16SDZ, 16SEA, 16SJX and 16WSL MIRROR, CONVEX, HOOD MOUNTED : Code 16SDE MIRROR, CONVEX, LOOK DOWN	16SNC	\$245 - 2/- 1	\$245 - 2/- 1
(02) Styled; Rectangular, Power Both Sides, Thermostatically Controlled Heated Heads, Clearance Lights LED, Bright Finish Heads & Brackets, Breakaway Type, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing N/A: Code 16SJW MIRROR, CONVEX, HOOD MOUNTED AVAIL: Code 16SDG MIRROR, CONVEX, LOOK DOWN	16SDU	\$744 + 8/0	\$744 + 8/0
(02) Styled; Rectangular, Power Both Sides Flat Glass Only, Thermostatically Controlled Heated Heads, Clearance Lights LED, Black Heads, Brackets and Arms, Breakaway Type, 7.09" x 15.75" & Integral Convex Both Sides, 102" Inside Spacing N/A: Code 16SJX MIRROR, CONVEX, HOOD MOUNTED : Code 16XVZ CAB INTERIOR TRIM AVAIL: Code 16SDE MIRROR, CONVEX, LOOK DOWN	16SDT	\$650 + 1/0	\$650 + 1/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-261

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
MIRROR, CONVEX, HOOD MOUNTED			
SPECIAL; Wiring Only for Right Side Heated Mirror, Mirror and Mounting Brackets Provided by the Customer REQS: Code 16SDT, 16SDU or 16SNB MIRRORS	16SBY	\$21 +5/0	\$21 +5/0
Lang Mekra			
(02) Bright, Heated, Left and Right Sides 7.44" Sq REQS: Code 16SDU or 16SNC MIRRORS	16SJX	\$337 +19/0	\$337 +19/0
(02) Heated, Left and Right Sides 7.44" Sq REQS: Code 16SDT or 16SNB MIRRORS	16SJW	\$265 +9/0	\$265 +9/0
Less Mirror; Single, Heated, Left Side REQS: Code 16SDT, 16SDU or 16SNB MIRRORS	16SBZ	\$21 +5/0	\$21 +5/0
Right and Left Side; 7.44" Sq., Bright	16SDZ	\$190 +11/0	\$190 +11/0
Right Side; 7.44" Sq. N/A: Code 16SNC MIRRORS	16SDH	\$70 +6/0	\$70 +6/0
Right Side; 7.44" Sq., Bright	16SEA	\$96 +6/0	\$96 +6/0
Single, Heated, Bright, Right Side REQS: Code 16SDT or 16SDU MIRRORS	16SJV	\$177 +5/0	\$177 +5/0
(02) for Left and Right Sides 7.44" Sq.	16WSL	\$137 +11/0	\$137 +11/0
MODESTY PANEL			
Painted	16XRX	\$217 0/0	\$217 0/0
MOUNTING BRACKETS			
for Catwalk, Less Roof Catwalk REQS: Code 04091(std) BRAKE SYSTEM, AIR REQS: Code 07BEM(std) or 07BEP EXHAUST SYSTEM - for 7600 SFA 4X2 2010 -OR- Code 07BEM(std), 07BEP or 07BJX EXHAUST SYSTEM - for 7600 SFA 6X4 2010 N/A: Code 16196 CAB : Code 08VZP BEACON MOUNTING BRACKET : Code 08WVP HORN, AIR : Code 08695 SNOW SHIELD	16917	\$171 +3/0	\$171 +3/0
SEAT BELT			
All Orange; 1 to 3 AVAIL: Code 16615 SEAT, REAR	16VCC	\$26 0/0	\$26 0/0
All Orange; 4 to 6 REQS: Code 16WSG, 16WSJ, 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB	16VCB	\$50 0/0	\$50 0/0
(SEE NEXT PAGE)			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-262

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SEAT, DRIVER (CONTINUED)			
National			
Non-Suspension, High Back With Integral Head Rest, Vinyl, With Fixed Back N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : Code 16KAY, 16LJX, 16LJZ and 16SMU SEAT, REAR : Code 16XVZ CAB INTERIOR TRIM AVAIL: Code 16PJW SEAT, TWO-MAN PASSENGER : Code 16LUM, 16PPG, 16PPN, 16PPZ, 16PXG, 16PXH, 16RPV, 16RPX, 16SMN and 16SMY SEAT, PASSENGER	16KAV	N/C - 18/- 39	N/C - 21/- 36
- Model HP - Air Suspension, High Back, Leather, 2 Arm Rests, Isolator, 7.5 Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjustment, Adj Side Bolster, Bellows, Back Cyclor REQS: Code 16HYB SEAT, PASSENGER REQS: Code 16XVZ CAB INTERIOR TRIM N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : SEAT, REAR : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16VCC SEAT BELT	16HXB	\$795 - 6/- 2	\$795 - 8/- 5
Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7.5 Adjuster, 3 Chamber Lumbar, 6 Way Front Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjustment, Adj Side Bolster, Bellows, Back Cyclor REQS: Code 16HYA or 16RAM SEAT, PASSENGER REQS: Code 16XVZ CAB INTERIOR TRIM N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT : SEAT, REAR : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16VCC SEAT BELT : Code 16HYA and 16RAM SEAT, PASSENGER	16JCP	\$501 - 7/- 6	\$501 - 8/- 5
Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjust, 3 Way Rear Cushion Adjust, 3-14 Degree Back Angle Adjust, Bellows REQS: Code 16HYA or 16RAM SEAT, PASSENGER REQS: Code 16XVZ CAB INTERIOR TRIM N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBY ARM REST, RIGHT, DRIVER SEAT (SEE NEXT PAGE)	16JCR	\$445 - 7/- 6	\$445 - 8/- 5

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-268

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SEAT, PASSENGER (CONTINUED)			
National			
Non Suspension, High Back With Integral Headrest, Cloth, With Fixed Back, With Under Seat Storage REQS: Code 16JJD, 16JNV, 16JYX, 16KAU, 16LJL or 16LRW SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16XVZ CAB INTERIOR TRIM : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16SMR	\$546 +20/+21	\$546 +21/+20
Non Suspension, High Back, Fixed Back, Integral Headrest, Vinyl REQS: Code 16JJE, 16JJG, 16JNT(std), 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16XVZ CAB INTERIOR TRIM	16SMN	\$400 +11/+12	\$400 +12/+11
Non Suspension, High Back With Integral Headrest, Vinyl, With Fixed Back, With Under Seat Storage REQS: Code 16JJE, 16JJG, 16JNT(std), 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16XVZ CAB INTERIOR TRIM	16LUM	\$558 +19/+22	\$558 +21/+20
- Model HP - Air Suspension, High Back, Leather, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjustment, 3-14 Degree Back Angle Adjustment, Bellows REQS: Code 16HXB SEAT, DRIVER REQS: Code 16XVZ CAB INTERIOR TRIM N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16VCC SEAT BELT	16HYB	\$1,216 +28/+48	\$1,216 +31/+45
Air Suspension, High Back, Vinyl, 2 Arm Rests, Isolator, 7.5" Adjuster, 3 Chamber Lumbar, 6 Way Front Cushion Adjustment, 3-14 Degree Back Angle Adjustment, Bellows REQS: Code 16JCP or 16JCR SEAT, DRIVER REQS: Code 16XVZ CAB INTERIOR TRIM N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE	16HYA	\$850 +28/+48	\$850 +31/+45
(SEE NEXT PAGE)			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-273

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SEAT, PASSENGER (CONTINUED)			
<i>National</i>			
- 2000 Model 292 - Non Suspension, High Back, Vinyl, 2 Arm Rests, 11 Degree Back Angle Adjustment, Map Pocket REQS: Code 16JCP or 16JCR SEAT, DRIVER REQS: Code 16XVZ CAB INTERIOR TRIM N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16196 CAB : Code 16HCK and 16HCL SEATBELT WARNING PREWIRE AVAIL: Code 16VCC SEAT BELT	16RAM	\$462 +28/+48	\$462 +31/+45
- 2000 195 - Air-Suspension, High Back With Integral Headrest, Cloth, Isolator, 3 Chamber Lumbar, 2 Position Front Cushion Adjustment, -3 to +14 Degree Back Angle Adjustment, Cushion and Back Bolsters INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JJD SEAT, DRIVER N/A: Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16XVZ CAB INTERIOR TRIM	16PPD	\$885 +45/+35	\$885 +45/+35
<i>H.O. Bostrom</i>			
- Sierra Air 100 - NFPA Compliant, Air Suspension, High Back, Vinyl with Covered Back and International on Headrest for Fire Truck INCLS: SEAT BELT 3-Point, Lap and Shoulder Belt Type REQS: Code 16JJG or 16KUW SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16XVZ CAB INTERIOR TRIM	16PPH	\$790 +43/+26	\$790 +43/+26
- Tanker 400CT - for SCBA; Non-Suspension, High Back, Vinyl, Adjusters, 0-Degree Back Angle, International Logo on Headrest REQS: Code 16JJE, 16JJG, 16JNT(std), 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER N/A: Code 16VZB SEAT BELT COMFORT CLIP : Code 16PJV and 16PJW SEAT, TWO-MAN PASSENGER : Code 16WBZ ARM REST, LEFT, PASSENGER SEAT : Code 16WSG, 16WSJ and 16XVZ CAB INTERIOR TRIM : Code 16196 CAB	16PXG	\$740 +81/+50	\$740 +81/+50



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SEAT, REAR (CONTINUED)			
<i>National</i>			
BENCH; Full Width; Vinyl, With Fixed Mid Back REQS: Code 16JJE, 16JJG, 16JNT(std), 16JPX, 16KAV, 16KUW, 16LJS or 16LRV SEAT, DRIVER REQS: Code 16CAB CAB N/A: Code 13WYH TRANSMISSION TCM LOCATION : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16SMV	\$1,098 +30/+61	\$1,098 +34/+57
BENCH; Full Width; Cloth, With Fixed Back and Two Integral Outboard Headrests REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LRW, 16LSA or 16LSD SEAT, DRIVER REQS: Code 16196 CAB N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16SMU	\$1,265 +30/+64	\$1,265 +35/+59
BENCH; Full Width; Vinyl, With Fixed Back and Two Integral Outboard Headrests REQS: Code 16JJE, 16JJG, 16JNT(std), 16JPX, 16KAV, 16KUW, 16LJS, 16LRV or 16LSA SEAT, DRIVER REQS: Code 16196 CAB N/A: Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16SMT	\$1,135 +27/+67	\$1,135 +32/+62
- 2000 - Three Individual Seats, NFPA Compliant, Air Suspension, High Back, Cloth, Isolator, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Lumbar, With 18" Wide Cushion and 20" Seat Back INCLS: SEAT BELT (3) Two 3-Point Shoulder Belts for Driver and Outer Passenger and One 2-Point Lap Belt for Center Passenger REQS: Code 16JJD, 16JNV, 16JPX, 16JYX, 16KAU, 16LJL, 16LRW or 16LSD SEAT, DRIVER REQS: Code 16196 CAB N/A: Code 02AEV, 02AEW, 02AGT, 02ARY, 02ARZ and 02ATB AXLE, FRONT NON-DRIVING : Code 16SBA BUNK, LOWER AVAIL: Code 16VCA and 16VCB SEAT BELT : Code 16HCL SEATBELT WARNING PREWIRE	16LJX	\$3,314 +15/+237	\$3,314 +33/+219
Three Individual Seats, NFPA Compliant, Air Suspension, High Back, Vinyl, Isolator, With 2 Position Front Cushion Adjustment, -3 to +14 Degree Seat Back Adjustment, Lumbar, With 18" Wide Cushion and 20" Seat Back INCLS: SEAT BELT (3) Two 3-Point Shoulder Belts for Driver and Outer Passenger and One 2-Point Lap Belt for Center Passenger REQS: Code 16JJE, 16JJG, 16JNT(std), 16JPX, 16KAV, 16KUW, 16LJS, 16LRV or 16LSA SEAT, DRIVER REQS: Code 16196 CAB	16LJY	\$3,228 +15/+237	\$3,228 +33/+219
(SEE NEXT PAGE)			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-278

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SEATBELT WARNING PREWIRE (SEE PREV PAGE) AVAIL: Code 16615 SEAT, REAR Includes Seat Belt Switches and Seat Sensors for all Belted Positions in the Cab and a Harness Routed to the Center of the Dash for the Aftermarket Installation of the Data Recorder and Seatbelt Indicator Systems, for 4 to 6 Seat Belts REQS: Code 16VCA or 16VCB SEAT BELT REQS: Code 16JJE, 16JJG, 16JNT(std), 16JNV, 16JYX, 16KAU, 16KAV, 16KUW, 16LJL or 16LJS SEAT, DRIVER REQS: Code 16LJX, 16LJY, 16LJZ, 16PCS, 16RDZ, 16RZL, 16SMT, 16SMU or 16SMV SEAT, REAR, when in combination with Code 16CAB or 16196 CAB REQS: Code 16WSG, 16WSJ, 16WSX or 16WSY CAB INTERIOR TRIM REQS: Code 16CAB or 16196 CAB N/A: Code 16HYA, 16HYB, 16LER, 16LPZ, 16LUN, 16PNX, 16RAD, 16RAM, 16RAN, 16SMR, 16SMX, 16SMY and 16SMZ SEAT, PASSENGER : Code 16KAY and 16615 SEAT, REAR	16HCK 16HCL	\$1,483 0/0	\$1,483 0/0
STORAGE POCKET, DOOR Molded Plastic, Full Width; Mounted on Passenger Door REQS: Code 16WRX(std), 16WSG or 16WSX CAB INTERIOR TRIM	16WLE	STD	STD
SUNSHADE, EXTERIOR Aerodynamic, Painted Roof Color; Includes Integral Clearance/Marker Lights Bright Finish; Includes Integral Clearance/Marker Lights	16XWD 16XWE	\$253 +13/+4 \$688 +12/+5	\$253 +13/+4 \$688 +12/+5
WINDOW, POWER (04) And Power Door Locks, Front and Rear Doors, Left and Right, Includes Express Down Feature REQS: Code 16WLE(std) STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM REQS: Code 16WSG or 16WSJ CAB INTERIOR TRIM REQS: Code 16196 CAB (02) and Power Door Locks, Left and Right Doors, Includes Express Down Feature REQS: Code 16WLE(std) STORAGE POCKET, DOOR, when in combination with Code 16WRX, 16WSG or 16WSX CAB INTERIOR TRIM N/A: Code 16196 CAB	16WJV 16WJU	\$866 +10/0 \$367 +5/0	\$866 +10/0 \$367 +5/0

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-281

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
WHEELS, FRONT (CONTINUED)			
No Vendor Identified			
DISC; 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 02AGE, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7600 SFA 6X4 2010 REQS: Code 02AGE, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING - for 7600 SFA 4X2 2010 REQS: Code 26DRB, 26DRG, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC N/A: Code 29ADX HUB BRAND, FRONT : Code 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 10632 PAINT IDENTITY, PT-2 : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS NOTE: COMPATIBLE TIRE SIZES: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	27DME	\$707 -77/0	\$707 -77/0
DISC; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DRB, 26DRC, 26DRG, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC N/A: Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS NOTE: COMPATIBLE TIRE SIZES: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	27DMC	\$524 -48/0	\$524 -48/0
DISC; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 02AGE, 02ARV or 02ARW(std) AXLE, FRONT NON-DRIVING - for 7600 SFA 6X4 2010 REQS: Code 02AGE, 02ARV, 02ARW(std) or 02ATG AXLE, FRONT NON-DRIVING - for 7600 SFA 4X2 2010 REQS: Code 26DRB, 26DRC, 26DRG, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC N/A: Code 29ADX HUB BRAND, FRONT : Code 32WAA WHEELS, REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS	27DMG	\$762 -77/0	\$762 -77/0

(SEE NEXT PAGE)

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO 34

Printed in the United States of America

SECTION 475

PAGE 475-289

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

	MODEL/SUGGESTED LIST PRICE/WEIGHT
1000 cc	1987-1990
1600 cc	1991-1995
1800 cc	1996-1999
2000 cc	2000-2002
2400 cc	2003-2005
2800 cc	2006-2008
3000 cc	2009-2011
3500 cc	2012-2014
4000 cc	2015-2017
4500 cc	2018-2020
5000 cc	2021-2023
5500 cc	2024-2026
6000 cc	2027-2029
6500 cc	2030-2032
7000 cc	2033-2035
7500 cc	2036-2038
8000 cc	2039-2041
8500 cc	2042-2044
9000 cc	2045-2047
9500 cc	2048-2050
10000 cc	2051-2053
10500 cc	2054-2056
11000 cc	2057-2059
11500 cc	2060-2062
12000 cc	2063-2065
12500 cc	2066-2068
13000 cc	2069-2071
13500 cc	2072-2074
14000 cc	2075-2077
14500 cc	2078-2080
15000 cc	2081-2083
15500 cc	2084-2086
16000 cc	2087-2089
16500 cc	2090-2092
17000 cc	2093-2095
17500 cc	2096-2098
18000 cc	2099-2101
18500 cc	2102-2104
19000 cc	2105-2107
19500 cc	2108-2110
20000 cc	2111-2113
20500 cc	2114-2116
21000 cc	2117-2119
21500 cc	2120-2122
22000 cc	2123-2125
22500 cc	2126-2128
23000 cc	2129-2131
23500 cc	2132-2134
24000 cc	2135-2137
24500 cc	2138-2140
25000 cc	2141-2143
25500 cc	2144-2146
26000 cc	2147-2149
26500 cc	2150-2152
27000 cc	2153-2155
27500 cc	2156-2158
28000 cc	2159-2161
28500 cc	2162-2164
29000 cc	2165-2167
29500 cc	2168-2170
30000 cc	2171-2173
30500 cc	2174-2176
31000 cc	2177-2179
31500 cc	2180-2182
32000 cc	2183-2185
32500 cc	2186-2188
33000 cc	2189-2191
33500 cc	2192-2194
34000 cc	2195-2197
34500 cc	2198-2200
35000 cc	2201-2203
35500 cc	2204-2206
36000 cc	2207-2209
36500 cc	2210-2212
37000 cc	2213-2215
37500 cc	2216-2218
38000 cc	2219-2221
38500 cc	2222-2224
39000 cc	2225-2227
39500 cc	2228-2230
40000 cc	2231-2233
40500 cc	2234-2236
41000 cc	2237-2239
41500 cc	2240-2242
42000 cc	2243-2245
42500 cc	2246-2248
43000 cc	2249-2251
43500 cc	2252-2254
44000 cc	2255-2257
44500 cc	2258-2260
45000 cc	2261-2263
45500 cc	2264-2266
46000 cc	2267-2269
46500 cc	2270-2272
47000 cc	2273-2275
47500 cc	2276-2278
48000 cc	2279-2281
48500 cc	2282-2284
49000 cc	2285-2287
49500 cc	2288-2290
50000 cc	2291-2293
50500 cc	2294-2296
51000 cc	2297-2299
51500 cc	2300-2302
52000 cc	2303-2305
52500 cc	2306-2308
53000 cc	2309-2311
53500 cc	2312-2314
54000 cc	2315-2317
54500 cc	2318-2320
55000 cc	2321-2323
55500 cc	2324-2326
56000 cc	2327-2329
56500 cc	2330-2332
57000 cc	2333-2335
57500 cc	2336-2338
58000 cc	2339-2341
58500 cc	2342-2344
59000 cc	2345-2347
59500 cc	2348-2350
60000 cc	2351-2353
60500 cc	2354-2356
61000 cc	2357-2359
61500 cc	2360-2362
62000 cc	2363-2365
62500 cc	2366-2368
63000 cc	2369-2371
63500 cc	2372-2374
64000 cc	2375-2377
64500 cc	2378-2380
65000 cc	2381-2383
65500 cc	

NOTE: WEIGHTS - FRONT/REAR

[illegible]

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-293

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable

7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT

NOTE: WEIGHTS - FRONT/REAR

ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
WHEELS, REAR (CONTINUED)			
Accuride - 41730 - DUAL DISC; 22.5x9.00 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQ: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC REQ: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASB, 14ASC, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14CVC, 14ERB, 14ERP or 14051(std) AXLE, REAR, SINGLE - for 7600 SFA 4X2 2010 -OR- AXLE, REAR, TANDEM - for 7600 SFA 6X4 2010 N/A: Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29WAR WHEEL GUARDS, REAR AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS - for 7600 SFA 4X2 2010 : Code 29PBS COATING IDENTITY, REAR WHEELS	28DUS	\$1,309	\$2,618
DUAL DISC; 22.5x9.00 Rims, Standard Polish Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQ: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC N/A: Code 29334 BRAKE DRUMS, REAR : Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS - for 7600 SFA 4X2 2010	28DUR	\$1,278	\$2,556
- 50409 - DUAL DISC; 24.5x8.25 Rims, Powder Coat Steel, 2-Hand Hole, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQ: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC N/A: Code 29WAG WHEEL IDENTITY : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS - for 7600 SFA 4X2 2010	28DUP	\$37	\$74

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-296

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable

7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

Refer To General Info For Metric Conversion Tables	MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR		
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
WHEELS, REAR (CONTINUED)			
No Vendor Identified			
SINGLE DISC; 22.5x13.00 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flange Nut, with Steel Hubs REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GSX, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRE or 14HRW AXLE, REAR, TANDEM N/A: Code 29334 BRAKE DRUMS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29BAG WHEEL, REAR, IDENTITY : Code 29WAR WHEEL GUARDS, REAR : Code 29PAS, 29PAX and 29PBB PAINT IDENTITY, REAR WHEELS : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS	32DHY	N/A	\$1,232 0/-312
DUAL DISC; 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud 285.75mm BC, Hub-Piloted, Flanged Nut, with Steel Hubs REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHH, 14AHJ, 14AHK, 14AHL, 14AJY, 14ARB, 14ARK, 14ARX, 14ARY, 14ARZ, 14ASA, 14ASD, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14CVC, 14ERP or 14051(std) AXLE, REAR, SINGLE - for 7600 SFA 4X2 2010 -OR- AXLE, REAR, TANDEM - for 7600 SFA 6X4 2010 N/A: Code 29WAG WHEEL IDENTITY : Code 29WAR WHEEL GUARDS, REAR AVAIL: Code 29PAL PAINT IDENTITY, REAR WHEELS - for 7600 SFA 4X2 2010 : Code 29PBS COATING IDENTITY, REAR WHEELS NOTE: COMPATIBLE TIRE SIZES: 11R22.5, 12R22.5, 255/70R22.5, 255/80R22.5, 265/75R22.5, 275/70R22.5, 275/80R22.5, 295/75R22.5, 295/80R22.5	28DMB	\$960 0/-88	\$1,920 0/-175
DUAL DISC; 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut, with Aluminum Hubs REQS: Code 26DPN, 26DRB, 26DRC, 26DRL, 26DRN, 26DSB, 26DSG, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUM, 26DUN, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 14AHB, 14AHC, 14AHE, 14AHG, 14AHK, 14AHL, 14ARB, 14ARK, 14ARX, 14ARY, 14ASK, 14ATE, 14ATY, 14ATZ, 14CDE, 14CVC or 14051(std) AXLE, REAR, SINGLE - for 7600 SFA 4X2 2010	28DME	\$1,226 0/-121	\$2,452 0/-241

(SEE NEXT PAGE)

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-297

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
WHEEL, SPARE, DISC (CONTINUED)			
22.5x13.00 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DMZ WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DRN	\$625 +34/+35	\$625 +34/+35
22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMB, 27DMC, 27DME or 27DMG WHEELS, FRONT or Code 28DMB, 28DMC, 28DME or 28DMG WHEELS, REAR N/A: Code 27DTD, 27DTE and 27DTH WHEELS, FRONT : Code 28DTD, 28DTE, 28DTH and 28DTJ WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DRB	\$464 +27/+27	\$464 +27/+27
22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Front Application Only REQS: Code 27DMC or 27DMG WHEELS, FRONT - for 7600 SFA 6X4 2010 REQS: Code 27DMC or 27DMG WHEELS, FRONT N/A: Code 28DTD, 28DTE, 28DTH and 28DTJ WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR AVAIL: Code 29PBT COATING IDENTITY, FRONT WHEELS	26DRC	\$487 +27/+27	\$487 +27/+27
22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, for Rear Application Only REQS: Code 28DEL, 28DEM or 28DMC WHEELS, REAR - for 7600 SFA 6X4 2010 REQS: Code 28DMC WHEELS, REAR - for 7600 SFA 4X2 2010 N/A: Code 27DTE WHEELS, FRONT : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DRG	\$481 +27/+27	\$481 +27/+27
24.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMJ WHEELS, FRONT or Code 28DMJ WHEELS, REAR N/A: Code 27DTE WHEELS, FRONT : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DSB	\$380 +31/+31	\$380 +31/+31
24.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted REQS: Code 27DMK WHEELS, FRONT or Code 28DMK WHEELS, REAR N/A: Code 27DTD, 27DTE, 27DTH and 27DTJ WHEELS, FRONT : Code 28DUH WHEELS, REAR : Code 29174 WHEEL BRAND, FRONT/REAR : Code 29AAA WHEEL BRAND, FRONT	26DSG	\$489 +31/+31	\$489 +31/+31

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-304

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
PAINT IDENTITY, REAR WHEELS			
Disc Rear Wheels; With Vendor Applied Gray Powder Coat Paint REQS: Code 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU, 28DUG(std), 28DUH, 28DUK or 28DUL WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAX	\$48 0/0	\$48 0/0
Disc Rear Wheels; With Vendor Applied White Powder Coat Paint REQS: Code 28DTC, 28DTD, 28DTE, 28DTH, 28DTJ, 28DTU or 28DUG(std) WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PAS	\$48 0/0	\$90 0/0
Disc Wheels; With Vendor Applied Black Powder Coat Paint REQS: Code 28DPR, 28DTC, 28DTE, 28DTH, 28DTJ, 28DTT, 28DTU, 28DUG(std), 28DUH or 28DUL WHEELS, REAR AVAIL: Code 10636 PAINT IDENTITY, PT-2	29PBB	\$48 0/0	\$90 0/0
Omit Paint on Rear Disc Wheels N/A: Code 28DPR, 28DTC, 28DTD, 28DTE, 28DTH and 28DTJ WHEELS, REAR	29PAL	N/C 0/0	N/A
TIRE, SPARE			
Equal to Model Standard NOTE: NOTE: Only One Spare Tire per Truck Ordered. Order Must Reflect Number of Tires Required (Including Spare). 10-Digit Tire Code and Spare Rim/Wheel Code Must be Specified.	29007	\$822 +45/+46	\$822 +45/+46
TIRE VALVE CAP			
Flo-Thru Design N/A: Code 27DTD WHEELS, FRONT	29ACD	\$24 0/0	\$24 0/0
WHEEL BRAND, FRONT			
Alcoa Aluminum Disc Front Wheels REQS: Code 26DRC, 26DTD, 26DTH, 26DTJ, 26DTT, 26DUC, 26DUG, 26DUK, 26DUL, 26DUR or 26DUS WHEEL, SPARE, DISC REQS: Code 27DHz, 27DMB, 27DMC, 27DME, 27DMG, 27DMZ or 27DNZ WHEELS, FRONT N/A: Code 29174 WHEEL BRAND, FRONT/REAR : Code 29PAR, 29PAW and 29PBA PAINT IDENTITY, FRONT WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	29AAA	\$174 0/0	\$174 0/0



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
WHEEL BRAND, FRONT/REAR Alcoa Disc Wheels REQS: Code 26DTD, 26DTJ or 26DUS WHEEL, SPARE, DISC REQS: Code 27DMB, 27DMC, 27DME or 27DMG WHEELS, FRONT REQS: Code 28DMB, 28DMC, 28DME or 28DMG WHEELS, REAR N/A: Code 29AAA WHEEL BRAND, FRONT : Code 29PBS and 29PBW COATING IDENTITY, REAR WHEELS : Code 29PBT and 29PBX COATING IDENTITY, FRONT WHEELS	29174	\$523 0/0	\$872 0/0
WHEEL BEARING, FRONT, LUBE EmGard - FE-75W-90 - Synthetic Oil	29WLK	\$59 0/0	\$59 0/0
WHEEL GUARDS, FRONT Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts Mounted Between Hub and Wheel	29WAP	\$24 +2/0	\$24 +2/0
WHEEL GUARDS, REAR Accuride for Metric Hub Piloted Wheels with Flanged Mounting Nuts, Mounted Between Hub & Wheel and Between Dual Wheels N/A: Code 28DEL, 28DEM, 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK, 28DRA, 28DUR, 28DUS and 32DHY WHEELS, REAR	29WAR	\$24 0/+4	\$47 0/+8
WHEEL IDENTITY Mark Rear Wheel "For Delivery Use Only" REQS: Code 32WAA WHEELS, REAR N/A: Code 27DHZ WHEELS, FRONT	29WAG	N/C 0/0	N/A
WHEEL, REAR, IDENTITY Replace Inner Aluminum Wheels on Rear Duals with the Equivalent Steel Wheels - For Use with Hub Piloted Wheels Only REQS: Code 28DMB, 28DMC, 28DME, 28DMG, 28DMJ, 28DMK or 28DUS WHEELS, REAR	29BAG	\$450CR 0/-46	\$898CR 0/+124



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
WHEELS, LIFT AXLE PUSHER (CONTINUED) Accuride - 41644 - Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Non-Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE Dual Wheels, For One Lift Axle; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WLM AXLE, PUSHER, LIFT TYPE Single Wheels, for Two Lift Axles; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 22.5x8.25 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNH AXLE, PUSHER, LIFT TYPE - 41730 - Single Wheels, for Two Lift Axles; 22.5x9.00 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE AVAIL: Code 14WNJ AXLE, PUSHER, LIFT TYPE Single Wheels, For One Lift Axle; 22.5x9.00 Rims, Polished Aluminum, 10-Stud, 285.75mm BC, Hub-Piloted, Flanged Nut <<Pricing Includes Standard Tires>> N/A: Code 14XAB, 14XAC and 14XAD PUSHER LIFT AXLE TIRE SLR : Code 14WNJ and 14WNL AXLE, PUSHER, LIFT TYPE : Code 14WLR and 14WNK AXLE, TAG, LIFT TYPE			
	34AAC	N/A	\$2,599 +58/+120
	34AAY	N/A	\$5,242 +97/+201
	34ABG	N/A	\$5,284 +201/+211
	34AAK	N/A	\$2,642 +67/+139
	34ACE	N/A	\$5,651
	34ACD	N/A	\$2,850

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-313

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SERVICES, TOWING (CONTINUED)			
<i>Navistar</i>			
Service Call to 24-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMG	\$560	\$560
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMB	\$1,100	\$1,100
Service Call to 36-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMH	\$780	\$780
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMC	\$1,300	\$1,300
Service Call to 48-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMJ	\$920	\$920
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$550 (USA) Maximum Benefit per Incident	40KMD	\$1,600	\$1,600
Service Call to 60-Month/Unlimited Mileage to the Nearest Navistar Dealer for Navistar Warrantable Failure as Contract Defined; Includes Engine Failure if Supplier Declines Tow Coverage & ESC Supplied thru Navistar; \$275 (USA) Maximum Benefit per Incident	40KMK	\$1,120	\$1,120

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-316

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SRV CONT, EXT AFTERTREATMENT			
Navistar			
To 36-Month/175,000 Miles (280,000 km), 6,300 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCH, 40MCJ, 40MCK, 40MCL, 40MCM, 40MCN, 40MCP, 40MCS, 40MCT, 40MCU, 40MCV, 40MCW, 40MCY, 40MDA, 40MDB, 40MDC, 40MDD, 40MDE, 40MDG, 40MDH, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWB	\$700	\$700
To 36-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCH, 40MCJ, 40MCK, 40MCL, 40MCM, 40MCN, 40MCP, 40MCU, 40MCV, 40MCW, 40MDB, 40MDC, 40MDD, 40MDE, 40MDG, 40MDK or 40MDL SRV CONTRACT, EXT ENGINE	40KWC	\$950	\$950
To 36-Month/350,000 Miles (560,000 km), 12,600 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCJ, 40MCK, 40MCL, 40MCM, 40MCN, 40MCP, 40MCV, 40MCW, 40MDC, 40MDD, 40MDE, 40MDG or 40MDL SRV CONTRACT, EXT ENGINE	40KWD	\$1,100	\$1,100
To 36-Month/400,000 Miles (640,000 km), 14,400 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCK, 40MCL, 40MCM, 40MCN, 40MCP, 40MCV, 40MCW, 40MDC, 40MDD, 40MDE, 40MDG or 40MDL SRV CONTRACT, EXT ENGINE	40KWE	\$1,400	\$1,400
To 36-Month/500,000 Miles (800,000 km), 18,000 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCL, 40MCP, 40MCW, 40MDD or 40MDL SRV CONTRACT, EXT ENGINE	40KWG	\$2,300	\$2,300
To 48-Month/125,000 Miles (200,000 km), 4,500 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCM, 40MCN, 40MCP, 40MCS, 40MCT, 40MCU, 40MCV, 40MCW, 40MCX, 40MCY, 40MCZ, 40MDA, 40MDD, 40MDE, 40MDG, 40MDH, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWH	\$950	\$950
To 48-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCM, 40MCN, 40MCP, 40MCS, 40MCT, 40MCU, 40MCV, 40MCW, 40MCX, 40MCY, 40MCZ, 40MDA, 40MDD, 40MDE, 40MDG, 40MDH, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWJ	\$1,000	\$1,000

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-317

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SRV CONT, EXT AFTERTREATMENT (CONTINUED)			
Navistar			
To 48-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCM, 40MCN, 40MCP, 40MCS, 40MCT, 40MCV, 40MCW, 40MCY, 40MDA, 40MDD, 40MDE, 40MDG, 40MDH, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWK	\$1,100	\$1,100
To 48-Month/250,000 Miles (400,000 km), 9,000 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCM, 40MCN, 40MCP, 40MCT, 40MCU, 40MCV, 40MCW, 40MCY, 40MDA, 40MDD, 40MDE, 40MDG, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWL	\$1,200	\$1,200
To 48-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCM, 40MCN, 40MCP, 40MCU, 40MCV, 40MCW, 40MDD, 40MDE, 40MDG, 40MDK or 40MDL SRV CONTRACT, EXT ENGINE	40KWM	\$1,300	\$1,300
To 48-Month/400,000 Miles (640,000 km), 14,400 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCM, 40MCN, 40MCP, 40MCV, 40MCW, 40MDD, 40MDE, 40MDG or 40MDL SRV CONTRACT, EXT ENGINE	40KWN	\$2,000	\$2,000
To 48-Month/450,000 Miles (720,000 km), 16,200 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCN, 40MCP, 40MCW, 40MDE, 40MDG or 40MDL SRV CONTRACT, EXT ENGINE	40KWP	\$2,300	\$2,300
To 48-Month/500,000 Miles (800,000 km), 18,000 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCP, 40MCW, 40MDG or 40MDL SRV CONTRACT, EXT ENGINE	40KWR	\$2,800	\$2,800
To 60-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for Navistar N10 and Navistar N13 Engines REQS: Code 40MCS, 40MCT, 40MCU, 40MCV, 40MCW, 40MCX, 40MCY, 40MCZ, 40MDA, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40RAA	\$1,200	\$1,200
To 60-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCS, 40MCT, 40MCU, 40MCV, 40MCW, 40MCY, 40MDA, 40MDH, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWT	\$1,300	\$1,300

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-318

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SRV CONT, EXT AFTERTREATMENT (CONTINUED)			
Navistar			
To 60-Month/250,000 Miles (400,000 km), 9,000 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCT, 40MCU, 40MCV, 40MCW, 40MCY, 40MDA, 40MDJ, 40MDK, 40MDL, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWU	\$1,400	\$1,400
To 60-Month/300,000 Miles (480,000 km), 10,800 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCU, 40MCV, 40MCW, 40MDK or 40MDL SRV CONTRACT, EXT ENGINE	40KWV	\$1,650	\$1,650
To 60-Month/400,000 Miles (640,000 km), 14,400 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCV, 40MCW or 40MDL SRV CONTRACT, EXT ENGINE	40KWW	\$2,300	\$2,300
To 60-Month/500,000 Miles (800,000 km), 18,000 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCW or 40MDL SRV CONTRACT, EXT ENGINE	40KWX	\$3,200	\$3,200
To 72-Month/100,000 Miles (160,000 km), 3,600 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCX, 40MCY, 40MCZ, 40MDA, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWY	\$1,200	\$1,200
To 72-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCX, 40MCY, 40MCZ, 40MDA, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KWZ	\$1,300	\$1,300
To 72-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCY, 40MDA, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KXA	\$1,400	\$1,400
To 72-Month/250,000 Miles (400,000 km), 9,000 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCY, 40MDA, 40MDM or 40MDN SRV CONTRACT, EXT ENGINE	40KXB	\$1,500	\$1,500
To 84-Month/100,000 Miles (160,000 km), 3,600 Hours; Aftertreatment Coverage for MaxxForce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCZ, 40MDA or 40MDN SRV CONTRACT, EXT ENGINE	40KXC	\$1,300	\$1,300

7600 SFA 4X2 2010
7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-319

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SRV CONT, EXT AFTERTREATMENT (CONTINUED) Navistar To 84-Month/150,000 Miles (240,000 km), 5,400 Hours; Aftertreatment Coverage for MaxxFoRce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MCZ, 40MDA or 40MDN SRV CONTRACT, EXT ENGINE To 84-Month/200,000 Miles (320,000 km), 7,200 Hours; Aftertreatment Coverage for MaxxFoRce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MDA or 40MDN SRV CONTRACT, EXT ENGINE To 84-Month/250,000 Miles (400,000 km), 9,000 Hours; Aftertreatment Coverage for MaxxFoRce 10, Navistar N10 and Navistar N13 Engines REQS: Code 40MDA or 40MDN SRV CONTRACT, EXT ENGINE	40KXD 40KXE 40KXG	\$1,400 \$1,500 \$1,600	\$1,400 \$1,500 \$1,600
SRV CONTRACT, EXT CAB Navistar To 120-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, With Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GRD, 14GRP, 14GRR, 14GRS, 14GSX, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- AXLE, REAR, SINGLE - for 7600 SFA 4X2 2010 To 72-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, With Rear Axle Capacity of 52,000-lb or Less To 96-Month/300,000 Miles (480,000 km); Covers Cab Structure, Perforation and Corrosion, With Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GRD, 14GRP, 14GRR, 14GRS, 14GSX, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14GWW, 14GWY, 14GWZ, 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- AXLE, REAR, SINGLE - for 7600 SFA 4X2 2010	40EUC 40EUA 40EUB	\$1,500 \$940 \$1,240	\$1,500 \$940 \$1,240
SRV CONTRACT, EXT COOLING SYS Navistar To 24-Month/100,000 Miles (160,000 km)	40MHR	\$220	\$220

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-320

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION N

SUBJECT TO CHANGE WITHOUT NOTICE



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SRV CONTRACT, EXT ELECTRICAL (CONTINUED) Navistar - Prepackaged Components - Excludes Starter and Alternator, To 48-Month/200,000 Miles (320,000 km) Excludes Starter and Alternator, To 60-Month/100,000 Miles (160,000 km) Excludes Starter and Alternator, To 60-Month/150,000 Miles (240,000 km) Excludes Starter and Alternator, To 60-Month/200,000 Miles (320,000 km)	40NLY 40NLZ 40NMA 40NMB	\$1,380 \$1,320 \$1,420 \$1,580	\$1,380 \$1,320 \$1,420 \$1,580
SRV CONTRACT, EXT ENGINE Navistar To 36-Month/300,000 Miles (480,000 km), 10,800 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB and 40KWC SRV CONT, EXT AFTERTREATMENT To 36-Month/350,000 Miles (560,000 km), 12,600 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC and 40KWD SRV CONT, EXT AFTERTREATMENT To 36-Month/400,000 Miles (640,000 km), 14,400 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD and 40KWE SRV CONT, EXT AFTERTREATMENT To 36-Month/500,000 Miles (800,000 km), 18,000 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD, 40KWE and 40KWG SRV CONT, EXT AFTERTREATMENT To 48-Month/400,000 Miles (640,000 km), 14,400 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD, 40KWE, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM and 40KWN SRV CONT, EXT AFTERTREATMENT	40MCH 40MCJ 40MCK 40MCL 40MCM	\$1,800 \$2,200 \$2,700 \$4,300 \$3,600	\$1,800 \$2,200 \$2,700 \$4,300 \$3,600

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-322

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SRV CONTRACT, EXT ENGINE (CONTINUED)			
Navistar			
To 48-Month/450,000 Miles (720,000 km), 16,200 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD, 40KWE, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM, 40KWN and 40KWP SRV CONT, EXT AFTERTREATMENT	40MCN	\$4,200	\$4,200
To 48-Month/500,000 Miles (800,000 km), 18,000 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD, 40KWE, 40KWG, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM, 40KWN, 40KWP and 40KWR SRV CONT, EXT AFTERTREATMENT	40MCP	\$5,000	\$5,000
To 60-Month/100,000 Miles (160,000 km), 3,600 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines N/A: SRV CONT, EXT AFTERTREATMENT	40MCR	\$1,500	\$1,500
To 60-Month/200,000 Miles (320,000 km), 7,200 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWH, 40KWJ, 40KWK, 40KWT and 40RAA SRV CONT, EXT AFTERTREATMENT	40MCS	\$2,100	\$2,100
To 60-Month/250,000 Miles (400,000 km), 9,000 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWT, 40KWU and 40RAA SRV CONT, EXT AFTERTREATMENT	40MCT	\$2,600	\$2,600
To 60-Month/300,000 Miles (480,000 km), 10,800 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM, 40KWT, 40KWU, 40KWV and 40RAA SRV CONT, EXT AFTERTREATMENT	40MCU	\$3,000	\$3,000
To 60-Month/400,000 Miles (640,000 km), 14,400 Hours; Includes Engine, Engine Electronics, Turbocharger, Water Pump and Fuel Injectors, for Navistar N13 Engines N/A: Code 40KWG, 40KWP, 40KWR, 40KWX, 40KWY, 40KWZ, 40KXA, 40KXB, 40KXC, 40KXD, 40KXE and 40KXG SRV CONT, EXT AFTERTREATMENT	40MCV	\$4,200	\$4,200

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-323

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SRV CONTRACT, EXT ENGINE (CONTINUED)			
<i>Navistar</i>			
To 48-Month/450,000 Miles (720,000 km), 16,200 Hours; Limited Plan for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD, 40KWE, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM, 40KWN and 40KWP SRV CONT, EXT AFTERTREATMENT	40MDE	\$2,600	\$2,600
To 48-Month/500,000 Miles (800,000 km), 18,000 Hours; Limited Plan for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWD, 40KWE, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM, 40KWN, 40KWP and 40KWR SRV CONT, EXT AFTERTREATMENT	40MDG	\$3,000	\$3,000
To 60-Month/200,000 Miles (320,000 km), 7,200 Hours; Limited Plan for Navistar N13 Engines AVAIL: Code 40KWB, 40KWH, 40KWJ, 40KWK and 40KWT SRV CONT, EXT AFTERTREATMENT	40MDH	\$1,400	\$1,400
To 60-Month/250,000 Miles (400,000 km), 9,000 Hours; Limited Plan for Navistar N13 Engines AVAIL: Code 40KWB, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWT and 40KWU SRV CONT, EXT AFTERTREATMENT	40MDJ	\$1,600	\$1,600
To 60-Month/300,000 Miles (480,000 km), 10,800 Hours; Limited Plan for Navistar N13 Engines AVAIL: Code 40KWB, 40KWC, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWM, 40KWT, 40KWU and 40KWV SRV CONT, EXT AFTERTREATMENT	40MDK	\$1,800	\$1,800
To 60-Month/500,000 Miles (800,000 km), 18,000 Hours; Limited Plan for Navistar N13 Engines N/A: Code 40KWY, 40KWZ, 40KXA, 40KXB, 40KXC, 40KXD, 40KXE, 40KXG and 40RAA SRV CONT, EXT AFTERTREATMENT	40MDL	\$3,500	\$3,500
To 72-Month/250,000 Miles (400,000 km), 9,000 Hours; Limited Plan for Navistar N13 Engines AVAIL: Code 40KWB, 40KWH, 40KWJ, 40KWK, 40KWL, 40KWT, 40KWU, 40KWY, 40KWZ, 40KXA, 40KXB and 40RAA SRV CONT, EXT AFTERTREATMENT	40MDM	\$2,900	\$2,900
To 84-Month/250,000 Miles (400,000 km), 9,000 Hours; Limited Plan for Navistar N13 Engines N/A: Code 40KWC, 40KWD, 40KWE, 40KWG, 40KWM, 40KWN, 40KWP, 40KWR, 40KWV, 40KWW and 40KWX SRV CONT, EXT AFTERTREATMENT	40MDN	\$3,500	\$3,500
Comprehensive 36-Month/300,000 Miles (480,000 km), 10,800 Hours; Limited 60-Month/500,000 Miles (800,000 km), 18,000 Hours (Excludes Turbo, Injectors, Water Pump) for N13 Engines N/A: SRV CONT, EXT AFTERTREATMENT	40MCG	\$4,200	\$4,200

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-325

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SRV CONTRACT, EXT ENG M/COMP Navistar To 72-Month/600,000 Miles (960,000 km), 21,600 Hours; Major Components Plan for Navistar N13 Engines To 84-Month/700,000 Miles (1,120,000 km), 25,200 Hours; Major Components Plan for Navistar N13 Engines	40MDP 40MDR	\$1,000 \$1,500	\$1,000 \$1,500
SRV CONTRACT, EXT FRAME To 120-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, With Rear Axle Capacity of 52,000-lb or Less To 72-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, With Rear Axle Capacity of 52,000-lb or Less To 96-Month/300,000 Miles (480,000 km); Covers Frame Rails, Cross Members and Brackets, With Rear Axle Capacity of 52,000-lb or Less REQS: Code 14GJH, 14GJJ, 14GJK, 14GJL, 14GJM, 14GJN, 14GJR, 14GRD, 14GRP, 14GRR, 14GRS, 14GSX, 14GTS, 14GTW, 14GVJ, 14GVK, 14GVL, 14GVM, 14GVN, 14GVR, 14GVU, 14GVX, 14GVY(std), 14HRB, 14HRC, 14HRD, 14HRE, 14HRL, 14HRM or 14HRW AXLE, REAR, TANDEM - for 7600 SFA 6X4 2010 -OR- AXLE, REAR, SINGLE - for 7600 SFA 4X2 2010	40EUG 40EUD 40EUE	\$380 \$240 \$300	\$380 \$240 \$300
SRV CONTRACT, EXT HTR/AC SYS Navistar - Prepackaged Components - To 24-Month/100,000 Miles (160,000 km) To 24-Month/150,000 Miles (240,000 km) To 36-Month/100,000 Miles (160,000 km) To 36-Month/150,000 Miles (240,000 km) To 36-Month/200,000 Miles (320,000 km) To 48-Month/100,000 Miles (160,000 km) To 48-Month/150,000 Miles (240,000 km)	40NHJ 40NHK 40NHL 40NHM 40NHN 40NHP 40NHR	\$460 \$540 \$940 \$1,040 \$1,160 \$1,440 \$1,540	\$460 \$540 \$940 \$1,040 \$1,160 \$1,440 \$1,540



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SRV CONTRACT, EXT HTR/AC SYS (CONTINUED) Navistar - Prepackaged Components - To 48-Month/200,000 Miles (320,000 km) To 60-Month/100,000 Miles (160,000 km) To 60-Month/150,000 Miles (240,000 km) To 60-Month/200,000 Miles (320,000 km)	40NHS 40NHT 40NHU 40NHV	\$1,160 \$1,620 \$1,720 \$1,940	\$1,160 \$1,620 \$1,720 \$1,940
SRV CONTRACT, EXT MAJOR COMP Navistar - Prepackaged Components - To 24-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 24-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 36-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 36-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 36-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 48-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 48-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 48-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 60-Month/100,000 Miles (160,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less	40LWV 40LWW 40LWX 40LWY 40LWZ 40LXA 40LXB 40LXC 40LXD	\$280 \$320 \$580 \$640 \$700 \$880 \$940 \$1,040 \$980	\$280 \$320 \$580 \$640 \$700 \$880 \$940 \$1,040 \$980

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-327

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SRV CONTRACT, EXT MAJOR COMP (CONTINUED) Navistar - Prepackaged Components - To 60-Month/150,000 Miles (240,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 60-Month/200,000 Miles (320,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less To 60-Month/250,000 Miles (400,000 km), Includes Front Axle, Rear Axle, and Propshaft, for Rear Axle Rating of 52,000 lbs or less	40LXE 40LXG 40LXH	\$1,080 \$1,180 \$1,300	\$1,080 \$1,180 \$1,300
SRV CONTRACT, EXT STARTER/ALT Navistar - Prepackaged Components - Covers Starter and Alternator Only, To 24-Month/150,000 Miles (240,000 km) Covers Starter and Alternator Only, To 36-Month/100,000 Miles (160,000 km) Covers Starter and Alternator Only, To 36-Month/200,000 Miles (320,000 km) Covers Starter and Alternator Only, To 48-Month/100,000 Miles (160,000 km) Covers Starter and Alternator Only, To 48-Month/200,000 Miles (320,000 km) Covers Starter and Alternator Only, To 60-Month/100,000 Miles (160,000 km) Covers Starter and Alternator Only, To 60-Month/200,000 Miles (320,000 km)	40MEV 40MEW 40MEX 40MEY 40MEZ 40MGA 40MGB	\$240 \$400 \$620 \$620 \$720 \$700 \$840	\$240 \$400 \$620 \$620 \$720 \$700 \$840
SRV CONTRACT, EXT VEH COVERAGE Navistar To 24-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less To 24-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less To 36-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PJW 40PJX 40PJY	\$2,400 \$2,800 \$4,800	\$2,400 \$2,800 \$4,800

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-328

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
SRV CONTRACT, EXT VEH COVERAGE (CONTINUED)			
<i>Navistar</i>			
To 36-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PJZ	\$5,400	\$5,400
To 36-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PKA	\$6,000	\$6,000
To 48-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PKB	\$7,400	\$7,400
To 48-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PKC	\$8,000	\$8,000
To 48-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PKD	\$8,800	\$8,800
To 60-Month/100,000 Miles (160,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PKE	\$8,400	\$8,400
To 60-Month/150,000 Miles (240,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PKG	\$9,000	\$9,000
To 60-Month/200,000 Miles (320,000 km), Excludes Extended Warranty for Engine and Transmission, for Rear Axle Rating of 52,000 lbs or less	40PGP	\$10,000	\$10,000
BDY INTG, REMOTE POWER MODULE			
(02) Mounted Under Cab or On Battery Box; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp. Total per Power Module (Includes 12 Latched Switches) N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AAB	\$1,265 + 8/0	\$1,265 + 8/0
(02) Mounted Inside Cab behind Driver Seat; Up to 6 Outputs & 6 Inputs each, Max. 20 amp. per Channel, Max. 80 amp Total (Includes 2 Switch Packs With Latched Switches) N/A: Code 14RAA, 14RAB, 14RAD, 14RAE, 14RAL, 14RAM, 14RAR, 14RAV and 14RAW AXLE, LIFT, CONTROLS - for 7600 SFA 6X4 2010 : Code 13WYH TRANSMISSION TCM LOCATION, when in combination with Code 60AAM BDY INTG, POWER MODULE AUX : Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR : BDY INTG, POWER MODULE AUX : Code 60AAM BDY INTG, POWER MODULE AUX (SEE NEXT PAGE)	60AAH	\$1,265	\$1,265

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-329

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

7600 SFA 4X2 2010
7600 SFA 6X4 2010
PLH-284 REVISION M

SUBJECT TO CHANGE WITHOUT NOTICE



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
BDY INTG, REMOTE POWER MODULE (SEE PREV PAGE) N/A: Code 60AAM BDY INTG, POWER MODULE AUX : Code 16SBA BUNK, LOWER Mounted Under Cab or On Battery Box; Up to 6 Outputs & 6 Inputs, Max. 20 amp. per Channel, Max. 80 amp. Total (Includes 1 Switch Pack With Latched Switches) N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID - SPECIAL - (02) Mounted Under Cab or On Battery Box; Max. 20 amp. per Channel, Max. 80 amp. Total per Power Module; Includes 1 Module With Switch Pack Containing 6 Latched Switches and 1 Module With Hardware Only N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID	60AAL 60AAA 60AAD	\$690 + 4/0 \$1,215	\$690 + 4/0 \$1,215
BDY INTG, ADDITIONAL CAB HOLE for Customer Use N/A: Code 13WYH TRANSMISSION TCM LOCATION	60AAT	\$50	\$50
BDY INTG, DASH IND. LT RED (1) for Optional Usage Customer to Program (2) for Optional Usage Customer to Program (3) for Optional Usage Customer to Program (6) for Optional Usage Customer to Program	60AJR 60AJS 60AJT 60AJU	\$98 \$116 \$133 \$266	\$98 \$116 \$133 \$266
BDY INTG, DASH IND. LT GREEN (1) for Optional Usage Customer to Program (2) for Optional Usage Customer to Program (3) for Optional Usage Customer to Program (6) for Optional Usage Customer to Program	60AJV 60AJW 60AJX 60AJY	\$98 \$116 \$133 \$266	\$98 \$116 \$133 \$266
BDY INTG, DASH IND. LT YELLOW (1) for Optional Usage Customer to Program (2) for Optional Usage Customer to Program	60AJZ 60AKA	\$98 \$116	\$98 \$116



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
BDY INTG, DASH IND. LT YELLOW (CONTINUED)			
(3) for Optional Usage Customer to Program	60AKB	\$133	\$133
(6) for Optional Usage Customer to Program	60AKC	\$266	\$266
BDY INTG, HEADLIGHTS, WIG WAG			
High Beam Wig Wag With Park Brake Interlock, Park Brake Disables High Beam Wig Wag, Enables Low Beam Wig Wag	60AKL	\$268	\$268
High Beam Wig Wag With Park Brake Interlock, Park Brake Disables Wig Wag	60AKK	\$268	\$268
BDY INTG, INDICATOR LIGHTS NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE			
(02) 1 for Gate Open and 1 for Rear Alert, Includes Audible Alarm, Programmable Mode for Various Switch Action (requires 2 Remote Power Module inputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60AJC	\$83 0/0	\$83 0/0
(02) 1 for Body Up, 1 for Gate Open, Includes Audible Alarm, Programmable Mode for Various Switch Actions. (Requires 2 Remote Power Module Inputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60AJK	\$83 0/0	\$83 0/0
(02) 1 for Boom Out of Stow, 1 for Outriggers Deployed, Includes Audible Alarm and Interlock to Parking Brake, Programmable Mode for Various Switch Actions (requires 2 Remote Power Module inputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60AJD	\$83 0/0	\$83 0/0

7600 SFA 4X2 2010
7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-332

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

[illegible]



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
BDY INTG, REMOTE START/STOP (CONTINUED) To Start and Stop Vehicle Engine, Will Start Emergency Pump Motor, Programmable Time Intervals REQS: Code 13WBL TRANSMISSION SHIFT CONTROL, when in combination with Code 13AAZ or 13WUA AUTOMATIC NEUTRAL N/A: Code 16HGL GAUGE, OIL TEMP, REAR AXLE : TRANSMISSION, MANUAL : Code 08WEE SWITCH, AIR HORN, PASSENGER : Code 60ACW BDY INTG, I/O EXPANSION HARNESS : Code 12VAG and 12VAL AIR CLEANER AVAIL: Code 08WEX AUXILIARY HARNESS - for 7600 SFA 6X4 2010 : Code 08TMH SWITCH, AUXILIARY	60ABD	\$563 0/0	\$563 0/0
BDY INTG, RPM I/O HARNESS Includes a Harness with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with one RPM REQS: Code 60AAA or 60AAG BDY INTG, REMOTE POWER MODULE Includes Two Harnesses with Six Input Blunt Cut Wires and Six Output Blunt Cut Wires, for use with Two RPM REQS: Code 60AAB, 60AAD, 60AAH or 60AAK BDY INTG, REMOTE POWER MODULE	60ABM 60ABN	\$40 \$62	\$40 \$62
BDY INTG, SWITCH DUAL OUTPUT NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE 2 Position Latched Rocker, Backlit, with "ON" Indicator Mounted on Dash, for 1; Auxiliary Load 40 amp Maximum; Power Available Only in "Ignition" or "Accessory" Position; Controls 2 Remote Power Modules (requires 2 Remote Power Module outputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ or 60AAK BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60ACE	N/C 0/0	N/C 0/0
BDY INTG, SWITCH, INTERLOCKED NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE (02) 2 Position Latched Rockers, Backlit, with "ON" Indicator Mtd on Dash, for 2; Auxiliary Load each 20 amp Maximum; Outputs will Disengage when Vehicle Exceeds 30 MPH, Programmable; Power Available Only in "Ignition" or "Accessory" Position (requires 2 Remote Power Module outputs) REQS: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK or 60AAL BDY INTG, REMOTE POWER MODULE (SEE NEXT PAGE)	60ACH	N/C 0/0	N/C 0/0

7600 SFA 4X2 2010
7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-335

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



MODEL/SUGGESTED LIST PRICE/WEIGHT
NOTE: WEIGHTS - FRONT/REAR

All Taxes Extra. When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
BDY INTG, SWITCH MOMNTRY 3POS (CONTINUED) NOTE: These Features Require ordering a BDY INTG, REMOTE POWER MODULE Rocker, Backlit, with "ON" Indicator Mounted on Dash, Latching Software, for 2; Auxiliary Load 20 amp. Maximum; Power Available Only in "Ignition" or "Accessory" Position, Output Also Controlled by a Customer Remote Mounted Switch (requires 2 Remote Power Module inputs & 2 outputs) REQs: Code 60AAA, 60AAB, 60AAD, 60AAG, 60AAH, 60AAJ, 60AAK or 60AAL BDY INTG, REMOTE POWER MODULE N/A: Code 08SAJ, 08VZR, 08VZS and 08WSM SWITCH, BODY CIRCUITS, MID : Code 08WSK and 08WTJ SWITCH, BODY CIRCUITS, REAR	60ACT	N/C 0/0	N/C 0/0
BDY INTG, THEFT DETERRENT SYS Includes one (1) Switch Pack of Six Momentary Switches N/A: Code 60ACW BDY INTG,I/O EXPANSION HARNESS AVAIL: Code 08THJ AUXILIARY HARNESS : Code 08TMH SWITCH, AUXILIARY NOTE: Programming the customer's security code is not included in the PDI reimbursement and is not a warranty expense. Sales persons must account for the labor in the sale price of the vehicle.	60ACX	\$430 0/0	\$380 0/0
TIRES Continental Tire 11R22.5 LR-G HSR2 498 rev/mile 75 MPH All-Position 11R22.5 LR-G HDR2 491 rev/mile 75 MPH Drive-Position 11R22.5 LR-G HYBRID HD3 493 rev/mile 75 MPH Drive-Position 11R22.5 LR-G ECOPLUS HS3 495 rev/mile 75 MPH All-Position 11R22.5 LR-G HDL2 493 rev/mile 75 MPH Drive-Position 11R22.5 LR-G HDR2 ECO PLUS 491 rev/mile 75 MPH Drive-Position	7372135415 7372135423 7372135428 7372135429 7372135432 7372135434	N/A \$41 +15 \$17 +9 N/A \$32CR +9 \$73 +15	STD \$41 +15 \$17 +9 \$16CR +6 \$32CR +9 \$73 +15
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-337

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TIRES (CONTINUED)			
<i>Continental Tire</i>			
11R22.5 LR-H HDO 490 rev/mile 68 MPH Drive-Position	7382135413	\$122 +3	\$122 +3
11R22.5 LR-H HDL2 DL 491 rev/mile 75 MPH Drive-Position	7382135417	\$121 +18	\$121 +18
11R22.5 LR-H HSC1 496 rev/mile 75 MPH All-Position	7382135419	N/A	\$80 +10
11R22.5 LR-H HDC1 488 rev/mile 75 MPH Drive-Position	7382135420	\$156 +9	\$156 +9
11R22.5 LR-H HDR2 491 rev/mile 75 MPH Drive-Position	7382135423	\$60 +15	\$60 +15
11R22.5 LR-H HDW2 495 rev/mile 75 MPH Drive-Position	7382135430	\$75 +14	\$75 +14
11R22.5 LR-H HDL2 493 rev/mile 75 MPH Drive-Position	7382135432	\$7CR +6	\$7CR +6
12R22.5 LR-H HSR2 483 rev/mile 75 MPH All-Position	7382155415	N/A	\$20 +12
12R22.5 LR-H HSC1 482 rev/mile 75 MPH All-Position	7382155419	N/A	\$209 +17
12R22.5 LR-H HDC1 479 rev/mile 68 MPH Drive-Position	7392155420	\$262 +31	\$262 +31
295/75R22.5 LR-G CROSSTRAC HA3 514 rev/mile 75 MPH All-Position	7702495436	N/A	\$6 0
295/75R22.5 LR-H CROSSTRAC HA3 514 rev/mile 75 MPH All-Position	7792495436	N/A	\$42 +5
275/80R22.5 LR-G HSR2 518 rev/mile 75 MPH All-Position	7772535415	N/A	\$11CR -5
275/80R22.5 LR-H HSR2 518 rev/mile 75 MPH All-Position	7792535415	N/A	\$22 -4
315/80R22.5 LR-L HDR2 491 rev/mile 75 MPH Drive-Position	7772545423	\$527 +31	N/A
315/80R22.5 LR-L HSC1 484 rev/mile 68 MPH All-Position	7792545419	\$366 +41	N/A
315/80R22.5 LR-L CITY SERVICE HA3 480 rev/mile 68 MPH All-Position	7792545435	\$456 +41	N/A
385/65R22.5 LR-L HTC1 495 rev/mile 68 MPH All-Position	7792655412	\$411CR +43	\$411CR +43
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-338

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TIRES (CONTINUED)			
Continental Tire			
425/65R22.5 LR-L HTC1 465 rev/mile 68 MPH All-Position	7752665412	\$148CR +62	\$148CR +62
11R24.5 LR-G HDL2 470 rev/mile 75 MPH Drive-Position	7374225432	\$16 +12	\$16 +12
11R24.5 LR-H HSR2 476 rev/mile 75 MPH All-Position	7384225415	N/A	\$86 +9
11R24.5 LR-H HDL2 DL 468 rev/mile 75 MPH Drive-Position	7384225417	\$10 +29	\$10 +29
11R24.5 LR-H HSC1 472 rev/mile 68 MPH All-Position	7384225419	N/A	\$65 +14
11R24.5 LR-H HDR2 468 rev/mile 75 MPH Drive-Position	7384225423	\$121 +25	\$121 +25
11R24.5 LR-H HDL2 DL ECO PLUS 468 rev/mile 75 MPH Drive-Position	7384225425	\$145 +28	\$145 +28
11R24.5 LR-H ECOPLUS HS3 472 rev/mile 75 MPH All-Position	7384225429	N/A	\$21CR +17
285/75R24.5 LR-G HDL2 DL 490 rev/mile 75 MPH Drive-Position	7704305417	\$44CR +15	\$44CR +15
285/75R24.5 LR-G HDR2 492 rev/mile 75 MPH Drive-Position	7704305423	\$46CR +13	\$46CR +13
285/75R24.5 LR-G CROSSTRAC HA3 498 rev/mile 75 MPH All-Position	7704305436	N/A	\$24CR +11
285/75R24.5 LR-H CROSSTRAC HA3 498 rev/mile 75 MPH All-Position	7784305436	N/A	\$15 +13
Michelin			
11R22.5 LR-G XDE M/S 498 rev/mile 75 MPH Drive-Position	7402133217	\$107 -7	\$107 -7
11R22.5 LR-G XZE2 501 rev/mile 75 MPH All-Position	7472133269	N/A	\$137 -2
11R22.5 LR-G X LINE ENERGY Z 502 rev/mile 75 MPH All-Position	7472133286	N/A	\$136 -3
11R22.5 LR-H XDE M/S 497 rev/mile 75 MPH Drive-Position	7452133217	\$166 +3	\$166 +3
11R22.5 LR-H XDN2 497 rev/mile 75 MPH Drive-Position	7482133264	\$281 +12	\$281 +12
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-339

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TIRES (CONTINUED)			
<i>Michelin</i>			
11R22.5 LR-H XZE2 501 rev/mile 75 MPH All-Position	7482133269	N/A	\$191 +5
11R22.5 LR-H X WORKS XDY 493 rev/mile 75 MPH Drive-Position	7482133281	\$435 +33	\$435 +33
11R22.5 LR-H X LINE ENERGY Z 503 rev/mile 75 MPH All-Position	7482133286	N/A	\$153 -3
11R22.5 LR-H X WORKS Z 495 rev/mile 65 MPH All-Position	7482133287	N/A	\$294 +13
12R22.5 LR-H XDN2 483 rev/mile 75 MPH Drive-Position	7482153264	\$492 +27	\$492 +27
12R22.5 LR-H X WORKS Z 483 rev/mile 65 MPH All-Position	7482153287	N/A	\$423 +30
275/80R22.5 LR-G XDE M/S 513 rev/mile 75 MPH Drive-Position	7602533217	\$103 -7	\$103 -7
275/80R22.5 LR-G XZE2 517 rev/mile 75 MPH All-Position	7602533269	N/A	\$121 -7
275/80R22.5 LR-G X MULTI ENERGY D 514 rev/mile 75 MPH Drive-Position	7602533280	\$354 +6	\$354 +6
275/80R22.5 LR-H XZE 516 rev/mile 75 MPH All-Position	7682533253	N/A	\$236 -8
275/80R22.5 LR-H X MULTI ENERGY Z 515 rev/mile 75 MPH All-Position	7682533285	N/A	\$236 -4
275/80R22.5 LR-H X LINE ENERGY Z 517 rev/mile 75 MPH All-Position	7682533286	N/A	\$140 -6
315/80R22.5 LR-L X WORKS Z 485 rev/mile 65 MPH All-Position	7652543287	N/A	\$681 +42
315/80R22.5 LR-L XZU-S2 488 rev/mile 65 MPH All-Position	7682543212	N/A	\$1,038 +42
385/65R22.5 LR-J XZY-3 491 rev/mile 65 MPH All-Position	7602653208	\$140CR +57	\$140CR +57
385/65R22.5 LR-L XFE 491 rev/mile 68 MPH All-Position	7792653282	\$9 +46	\$9 +46
425/65R22.5 LR-L XZY-3 465 rev/mile 65 MPH All-Position	7652663208	\$3CR +89	\$3CR +89
425/65R22.5 LR-L XZL 467 rev/mile 65 MPH All-Position	7652663267	\$672 +94	\$672 +94
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-340

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TIRES (CONTINUED)			
Michelin			
11R24.5 LR-G XDN2 473 rev/mile 75 MPH Drive-Position	7474223264	\$307 +19	\$307 +19
11R24.5 LR-G XZE2 476 rev/mile 75 MPH All-Position	7474223269	N/A	\$215 +6
11R24.5 LR-H XDE M/S 474 rev/mile 75 MPH Drive-Position	7484223217	\$410 +9	\$410 +9
11R24.5 LR-H X LINE ENERGY Z 479 rev/mile 75 MPH All-Position	7484223286	N/A	\$227 +6
11R24.5 LR-H X WORKS Z 473 rev/mile 65 MPH All-Position	7484223287	N/A	\$395 +20
Bridgestone			
295/75R22.5 LR-G M726ELA 507 rev/mile 75 MPH Drive-Position	7702499003	N/A	\$194 +10
295/75R22.5 LR-G M770 506 rev/mile 75 MPH Drive-Position	7702499043	N/A	\$184 +8
295/75R22.5 LR-G R283A ECOPIA 516 rev/mile 75 MPH All-Position	7702499045	N/A	\$206 -7
295/75R22.5 LR-G R268 ECOPIA 515 rev/mile 75 MPH All-Position	7702499059	N/A	\$175 -3
295/75R22.5 LR-G M760 ECOPIA 511 rev/mile 75 MPH Drive-Position	7702499060	N/A	\$259 +5
295/75R22.5 LR-H R283A ECOPIA 516 rev/mile 75 MPH All-Position	7792499045	N/A	\$284 -6
11R24.5 LR-H M843 468 rev/mile 65 MPH All-Position	7384229052	N/A	\$427 +29
11R24.5 LR-H R268 ECOPIA 477 rev/mile 75 MPH All-Position	7384229059	N/A	\$316 +11
285/75R24.5 LR-G M726ELA 492 rev/mile 75 MPH Drive-Position	7704309003	\$222 +14	\$222 +14
Goodyear			
11R22.5 LR-G G622 RSD 497 rev/mile 75 MPH Drive-Position	7372138102	\$131 +5	\$131 +5
11R22.5 LR-G G662 FUEL MAX 497 rev/mile 75 MPH All-Position	7372138108	N/A	\$163 +1
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SFA 4X2 2010

SECTION 475

PRICES EFFECTIVE 01/02/2017

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

PAGE 475-341

SUBJECT TO CHANGE WITHOUT NOTICE

Printed in the United States of America

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TIRES (CONTINUED)			
Goodyear			
11R22.5 LR-G G572A LHD FUEL MAX 492 rev/mile 75 MPH Drive-Position	7372138118	\$107 +14	\$107 +14
11R22.5 LR-G G572 1AD 496 rev/mile 75 MPH Drive-Position	7372138121	\$151 +1	\$151 +1
11R22.5 LR-G ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7372138132	N/A	\$13CR 0
11R22.5 LR-H G572A LHD FUEL MAX 492 rev/mile 75 MPH Drive-Position	7382138118	\$235 +14	\$235 +14
11R22.5 LR-H G751 MSA 497 rev/mile 68 MPH All-Position	7382138123	N/A	\$314 +17
11R22.5 LR-H G731 MSA 497 rev/mile 68 MPH All-Position	7382138124	N/A	\$333 +17
11R22.5 LR-H G751 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138125	N/A	\$409 +23
11R22.5 LR-H G731 MSA DURASEAL 497 rev/mile 68 MPH All-Position	7382138126	N/A	\$431 +22
11R22.5 LR-H FUEL MAX RSA 497 rev/mile 75 MPH All-Position	7382138131	N/A	\$98 -5
11R22.5 LR-H ENDURANCE RSA 496 rev/mile 75 MPH All-Position	7382138132	N/A	\$36 0
11R22.5 LR-H ARMOR MAX MSD 493 rev/mile 68 MPH Drive-Position	7382138133	\$142 +20	\$142 +20
11R22.5 LR-H ARMOR MAX MSD DURASEAL 493 rev/mile 68 MPH Drive-Position	7382138134	\$288 +26	\$288 +26
12R22.5 LR-H G622 RSD 482 rev/mile 68 MPH Drive-Position	7382158102	\$425 +18	\$425 +18
12R22.5 LR-H G282 MSD 481 rev/mile 68 MPH Drive-Position	7382158105	\$390 +30	\$390 +30
12R22.5 LR-H G661 HSA 484 rev/mile 75 MPH All-Position	7382158107	N/A	\$403 +19
12R22.5 LR-H G751 MSA 483 rev/mile 68 MPH All-Position	7382158123	N/A	\$506 +29
12R22.5 LR-H ARMOR MAX MSD 478 rev/mile 68 MPH Drive-Position	7382158133	\$285 +33	\$285 +33
295/75R22.5 LR-G G661 HSA 512 rev/mile 75 MPH All-Position	7702498107	N/A	\$126 +1
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-342

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

		MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR	
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TIRES (CONTINUED)			
Goodyear			
295/75R22.5 LR-G G572 1AD 513 rev/mile 75 MPH Drive-Position	7702498121	\$173 +1	N/A
295/75R22.5 LR-G FUEL MAX RSA 510 rev/mile 75 MPH All-Position	7702498131	N/A	\$35 -7
295/75R22.5 LR-H G399A LHS FUEL MAX 517 rev/mile 75 MPH All-Position	7792498116	N/A	\$322 -10
255/70R22.5 LR-H ENDURANCE RSA 566 rev/mile 81 MPH All-Position	7752528132	N/A	\$49CR -28
315/80R22.5 LR-J UNISTEEL G291 491 rev/mile 75 MPH All-Position	7702540190	N/A	\$540 +11
315/80R22.5 LR-L G751 MSA 484 rev/mile 68 MPH All-Position	7772548123	N/A	\$701 +33
315/80R22.5 LR-L G751 MSA DURASEAL 484 rev/mile 68 MPH All-Position	7772548125	N/A	\$825 +41
315/80R22.5 LR-L G289 WHA 484 rev/mile 68 MPH All-Position	7782548109	N/A	\$740 +28
385/65R22.5 LR-J G296 MSA 488 rev/mile 68 MPH All-Position	7702658113	\$199CR +48	\$199CR +48
425/65R22.5 LR-L G296 MSA 468 rev/mile 68 MPH All-Position	7752668113	\$45CR +67	\$45CR +67
445/65R22.5 LR-L G296 MSA 457 rev/mile 68 MPH All-Position	7702678113	\$767 +85	\$767 +85
445/65R22.5 LR-L G278 MSD 453 rev/mile 68 MPH Drive-Position	7702678130	\$972 +101	\$972 +101
11R24.5 LR-G G572A LHD FUEL MAX 470 rev/mile 75 MPH Drive-Position	7374228118	\$268 +24	\$268 +24
11R24.5 LR-H G182 RSD 473 rev/mile 75 MPH Drive-Position	7384220121	\$390 +21	\$390 +21
11R24.5 LR-H G282 MSD 475 rev/mile 75 MPH Drive-Position	7384228105	\$672 +24	\$672 +24
11R24.5 LR-H G572A LHD FUEL MAX 470 rev/mile 75 MPH Drive-Position	7384228118	\$300 +24	\$300 +24
11R24.5 LR-H G751 MSA 474 rev/mile 68 MPH All-Position	7384228123	N/A	\$386 +22
11R24.5 LR-H FUEL MAX RSA 474 rev/mile 75 MPH All-Position	7384228131	N/A	\$180 +4
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			

7600 SFA 4X2 2010

7600 SFA 6X4 2010

PLH-284 REVISION NO. 34

Printed in the United States of America

SECTION 475

PAGE 475-343

PRICES EFFECTIVE 01/02/2017

SUBJECT TO CHANGE WITHOUT NOTICE

All Taxes Extra, When Applicable



7600 SFA 4X2 2010 AND 7600 SFA 6X4 2010 AVAILABLE EQUIPMENT

Refer To General Info For Metric Conversion Tables

MODEL/SUGGESTED LIST PRICE/WEIGHT NOTE: WEIGHTS - FRONT/REAR			
ITEM DESCRIPTION	CODE	7600 SFA 4X2 2010	7600 SFA 6X4 2010
TIRES (CONTINUED) Goodyear 11R24.5 LR-H ARMOR MAX MSD 471 rev/mile 68 MPH Drive-Position 12R24.5 LR-H UNISTEEL G177 457 rev/mile 68 MPH Drive-Position 12R24.5 LR-H G751 MSA 461 rev/mile 68 MPH All-Position 11.25X24 LR-D IMPLEMENT RIB 482 rev/mile 25 MPH All-Position			
	7384228133	\$199 +28	\$199 +28
	7384240162	\$534 +43	\$534 +43
	7384248123	N/A	\$348 +39
	6104180115	\$270 -27	N/A
* PRICES/WEIGHTS SHOWN ARE FOR A SINGLE TIRE			