

DATE: 11/09/2017

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00121548

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: **BASIC SUPPLY, LLC**

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>2-3 WEEKS</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME:	BASIC SUPPLY, LLC
SIGNATURE: (Must be signed here)	TITLE: MANAGER
PRINT OR TYPE NAME:	JOHN ATKINSON
ADDRESS:	PO BOX 63066
CITY, STATE:	ZIP:
LAFAYETTE, LA	70596
TELEPHONE:	FAX:
() 337-769-0122	() 337-247-7699
EMAIL ADDRESS:	charlotte@basicsupply.com

TOTAL PRICE OF ALL BID ITEMS: \$ 2943.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00121548

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			STOCK SUPPLIES FOR THE JEFFERSON PARISH PUBLIC WORKS CENTRAL WAREHOUSE		
1	3.00	EA	0010 BIT, ROTO HAMMER, 3/8 INCH X 10 INCH SPLINE SHANK MILWAUKEE BRAND #48-20-4037 STK. #307500 <u>Speedx HC4501</u>	24.00	72.00
2	10.00	EA	0020 BRUSH, TOILET BOWL, SYNTHETIC & NYLON FILL, 21 IN LONG, GRAINGER #1VAE9 STK. # 484910	NO BID	NO BID
3	176.00	EA	0030 SQWINCHER DRINK MIX, FRUIT PUNCH FLAVOR, 16 PACKS OF DRY POWDER PER CASE EACH PACK MAKES 2-1/2 GALLONS, 2 YEAR EXPIRATION DATE FROM DATE OF MANUFACTURE GRAINER #1UFJ6 PRICED PER 2.5 GALLON STK. # 48599B PACK OF POWDER MIX	3.65	642.40
4	24.00	EA	0040 ADAPTOR, MALE, SUCTION HOSE, 4 INCH TYPE A, ALUMINUM, FEMALE THREAD X MALE DIXON BRAND OR EQUAL STK. # 487040 SEALFAST 400IAL	7.70	184.80
5	36.00	EA	0050 COUPLER, HOSE, 6 INCH, ALUMINUM, TYPE D QUICK DISCONNECT, FEMALE THREAD EVERTITE BRAND OR EQUAL STK. # 487070 SEALFAST 600IAL	30.00	1080.00
6	600.00	EA	0060 COVERALL, DISPOSABLE, XX-LARGE, WHITE, 1.25 OZ. BREATHABLE POLYPROPYLENE WITH COLLAR AND ZIPPER OPEN WRIST AND ANKLES, NO HOOD, SEWN SEAM, LAKELAND #CTL412V-2X OR EQUAL, GRAINGER#49CK56 STK. # 58041J <u>CORDOVA CO35</u>	1.03	618.00
7	36.00	EA	0070 HASP SAFETY 6 INCH, CONVENTIONAL ROTATING EYE, HARDENED STEEL, 5 YEAR WARRANTY, TAMPERPROOF, MASTER#706, GRAINGER #6X700 STK. # 580670 <u>MASTERLOCK 706D</u>	7.05	253.80
8	40.00	EA	0080 CONNECTOR, SWIVELLOK, 3/4 IN, FOR NON-METALIC LIQUIDTIGHT CONDUIT, GRAY POSITIONS FROM STRAIGHT TO 90 DEGREE KELLEMS #PS0759N-GY, GRAINGER #6D098 STK. # 877370 <u>P492</u>	2.30	92.00

Speedx HC4501 Rotary Hammer Drill Bit, 3/8 In Dia, 13 In L, (2) 8 In
Spiral Flute, Spline Shank Centric Point, Carbide
The carbide tipped bit head is harder and more resistant to extreme loads.
Fits Bosch as well as other spline hammers.

Applicable Materials: Concrete, Brick, Stone And Other Masonry

Cutting Direction: Right

Type: Rotary

Cutting Edge Material: Carbide

Diameter: 3/8 In

Flute Length: 8 In

Flute Type: Spiral

Material: Steel

Number Of Flutes: 2

Overall Length: 13 In

Point Type: Centric

Shank Type: Spline

FEATURES

With Speed-X Technology: Centric Tip Guides Bit Through Hard And
Reinforced Concrete

Angled Dust Channels Reduces Heat Build-Up Resulting In Longer Life

Inclined Side Cutters - Aggressive Edge For Faster Cutting


Wear Mark - Identifies When Bit Has Worn To Level Inappropriate For
Precision Anchoring

Long Pitch Spiral For Increased Speed And Reduced Vibration





PRODUCT SPECIFICATIONS

Item Number	CO35
Product Group	Polypropylene Coveralls
Description	Polypropylene Coverall, Zipper Front Collar, Elastic Wrists & Ankles
Fabric Weight	35 g (+/- 2 g)
<p><i>Component Materials Comply with all FFDCA Guidelines for Food Contact 21CFR, Parts 170-199</i></p>	 CO35
Unit of Sale	Case
Case Pack	25 Each
Country of Origin	China
Other Available Styles	COE & CO55

Part #	Color	Case UPC	Case HT	Case WD	Case LG	Case WT
CO35S	WHITE	50796326347114	10.2	10.2	12.2	4
CO35M	WHITE	50796326347121	10.2	10.2	12.2	4
CO35L	WHITE	50796326347138	10.2	10.2	12.2	5
CO35XL	WHITE	50796326347145	10.6	10.2	12.2	5
CO35XXL	WHITE	50796326347152	10.6	10.2	12.2	6
CO35XXXL	WHITE	50796326347169	11.5	10.2	12.2	6
CO35XXXXL	WHITE	50796326347176	11.5	10.2	12.2	6

Last Modified: August 28, 2015

Corporate Headquarters:

4025 Viscount Ave.
 Memphis, TN. 38118
 Phone 901-458-5030
 Fax 901-458-3343



www.cordovaisc.com

West Coast Office:

4451 Eucalyptus Avenue
 Chino, CA 91710
 Phone 877.264.9832
 Fax 877.264.9833

Item # D 600IAL, Contractors - Female Coupler x Female NPT

 [Printable Page](#)

 [Email This Page](#)

 [Save To Favorites](#)



[larger image](#)

Working pressure recommendation is based on use of mating fitting at ambient temperature of 70° with standard Buna-N Seal.* Parts come with 1 and 2 handles. Please specify when ordering.

Specifications

Size	6 in
Material	Aluminum
Handles	Brass or Bronze
Pins	Plated Steel
Gasket	Buna-N
Working Pressure	75PSI


[Request Information](#)

Item # A 400IAL, Contractors - Female NPT x Male Adapter

 [Printable Page](#)

 [Email This Page](#)

 [Save To Favorites](#)



[larger image](#)

Working pressure recommendation is based on use of mating fittings at ambient temperature of 70°F.

Specifications

Size	4 in
Material	Aluminum
Working Pressure	150PSI

[Request Information](#)

90° Liquidtight Connectors

Gray - Nylon

Features


- For flexible non-metallic liquidtight tubing
- Easy assembly avoids having to remove the compression nut
- 90° angle
- Gray
- Also available in black

Applications

- For use in wet and dry locations

Standard Material

- 6/6 Nylon



Catalog Number	UPC	Conduit Size	Unit Carton	Ship Case	Weight/Case	Inches		
						A	B	C
P490	21650	3/8" 1/2" KO	10	100	9	2.56	2.14	1.09
P491	21660	1/2"	10	100	8	2.56	2.14	1.09
P492	21670	3/4"	10	100	11	2.84	2.38	1.30
P493	21680	1"	5	50	8	2.25	2.81	1.50
P494	21681	1-1/4"	2	20	8	3.96	3.36	2.40
P495	21682	1-1/2"	2	20	10	4.13	3.45	2.68
P496	21683	2"	1	10	9	4.68	4.04	3.31