
**Contract for Model Year 2016 Vehicles
for the Jefferson Parish Department of Fleet Management**

Louisiana State Dealer's License:

In accordance with LA RS 32:1254 et seq and LA RS 38:2212.8, a Louisiana State Dealers License is required. All bidders must provide a copy of their Louisiana Dealer's License with their bid submission. Failure to submit this copy shall result in bid rejection.

Order Placement and Delivery of New Vehicles:

Upon order placement approved by Fleet Management, the successful vendor shall deliver vehicles within 120 days of order placement. All vehicles shall be delivered with 4 sets of keys.

Color of Vehicles (Exterior and Interior):

Exterior: Vehicles must be delivered in either white or red as specified by Fleet Management upon order placement.

Interior: Jefferson Parish will accept any available interior color, however this will be subject to approval by Jefferson Parish Fleet Management.

Servicing of Vehicles:

Successful vendor must pick up and/or deliver vehicles for factory maintenance and/or warranty services within one (1) hour of notification by the Jefferson Parish Fleet Management Department. The vehicles will be picked up and delivered to 4901 Jefferson Hwy., Suite A, Jefferson, LA 70121.

Brand Names:

Where brand names are specified, it is for the purpose of establishing minimum standard of quality. Bids may be submitted for products for equal quality, provided the brand names are specified in the respective line items as indicated. Complete equivalent product data will be required within ten (10) days after bid opening. Failure to provide this documentation will result in bid rejection.

Pricing:

All pricing shall be firm until end of the 2016 model year or until contract expiration whichever is later.

Vehicle Warranty Information:

All new vehicles must be delivered complete with standard factory warranty. Warranty information must be provided with bid submission. Failure to submit will result in bid rejection.

Vehicle Manuals:

Upon delivery of new vehicles, the successful vendor must provide (2) sets of manuals as indicated by each appropriate line item. Electronic copies of these manuals may be supplied at the successful vendor's cost.

Safety Specifications for All Vehicles:

Must meet or exceed all federal and state safety standards.

If you have any questions, please contact Mr. Nicholas F. DiGerolamo, Director of Fleet Management at (504)736-6874.

DATE: 7/29/2015

INVITATION TO BID
THIS IS NOT AN ORDER

BID NO.: 50-00113978

JEFFERSON PARISH

Page: 1

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: MCamardelle@jeffparish.net

BIDS WILL BE RECEIVED IN THE PURCHASING DEPARTMENT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 8/13/2015 AND PUBLICLY OPENED THEREAFTER.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids must register as a Jefferson Parish vendor if not already yet registered. Bidders may be required to furnish current W-9 Forms and respective Tax Identification Numbers within 10 days after bid opening if such information is not on file or not up to date. Registration forms may be downloaded from www.purchasing.jeffparish.net and clicking on Vendor Information.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing and fax them to the Purchasing Department at (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests. Questions may also be emailed to the buyer for this bid at the email address listed above. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

If the bid exceeds \$30,000.00 and the company is duly authorized to do business in the state of Louisiana, a corporate resolution must be submitted with the bid or the person signing the bid documents must be listed on the Louisiana Secretary of State's website as an officer of the corporation, unless bidder has otherwise complied with LSA-R.S. 38:2212(B)(5). If the bid is in excess of \$30,000 and bidder is registered out of the state of Louisiana, a corporate resolution must be submitted with the bid, unless bidder has otherwise complied with LSA-R.S. 38:2212(B)(5). Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. Bids submitted by Owner or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. Sole proprietors submitting bids for public works projects shall within 10 days after bid opening submit sole proprietorship certification.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. IN THE EVENT OF SPLIT AWARD, THE PURCHASING DEPARTMENT MAY CONTACT VENDORS TO REQUEST REQUIRED AFFIDAVITS. THOSE VENDORS WILL HAVE 10 DAYS FROM THE DATE OF NOTICE TO SUBMIT COMPLETE, SIGNED AND NOTARIZED AFFIDAVITS IN ORIGINAL FORMATS.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

Preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA-R.S.38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This Electronic Procurement System allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Please note requirements contained in this bid package for electronic bid submission.

Please visit the Purchasing Department webpage at <http://purchasing.jeffparish.net> to register and review Jefferson Parish solicitations.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15

1. All bidders must attend the pre-bid conference in relation to this bid; attendance is mandatory. Failure to attend will prohibit a company from submitting a bid. Vendors arriving after the mandatory pre-bid conference begins will not be allowed to sign in as evidence of attendance.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicted on the attached sheet. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected. JEFFERSON PARISH reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit and E-Verify Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department on all solicitations for construction, alteration or demolition of public building or project, including but not limited to requirements found in LSA-RS 38:2212.9; LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1. Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Collusion Affidavit, and Campaign Contribution Affidavit must be completed, signed, notarized and submitted by low bidder with bid submission within 10 days after bid opening to the Purchasing Department. See LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1 Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled NON-PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.
16. Since a bid surety is required, bid response may not be faxed. Bid submission will only be accepted online or as delivered to the Purchasing Department, 200 Derbigny Street, Suite 4400, Gretna, LA 70053 by 11am on the bid due date. All sureties must be in original format (no copies).

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES X NO _____

MAXIMUM ESCALATION PERCENTAGE REQUESTED 3 %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF 12/31/15 Delivery

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

*Jan. 1, 2016
Starts 2017
year model*

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

120 days from order

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable)

N-2014-00104
DPS CODE: NSEC

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Empire Truck Sales, LLC.

ADDRESS: 210 Frontage Rd.

CITY, STATE: Slidell, La. ZIP: 70458

TELEPHONE: 985, 641-4000 FAX: 985, 641-9808

EMAIL ADDRESS: bcarubba@empiretruck.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: (1) @
NUMBER: (2) @
NUMBER: (3) @
NUMBER: (4) @

TOTAL PRICE OF ALL BID ITEMS: \$ 1,304,976.39

AUTHORIZED SIGNATURE: [Signature]
TITLE: Sales Representative

Brett A. Carrubba
Printed Name


SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	2.00	EA	<p>ANNUAL CONTRACT FOR SUPPLY OF MODEL YEAR 2016 AUTOMOBILES FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT</p> <p>0001 - AUTOMOBILES (2016) SEDAN HYBRID 4 DOOR SEDAN</p> <p>MODEL:</p> <p>DELIVERY:</p> <p>ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 4 SETS OF KEYS ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS. 2 SETS OF PARTS MANUALS AND 2 SETS OF WIRING MANUALS IF MFG. STILL PROVIDES CD'S WILL BE ACCEPTED.</p>	<p>1672d</p>	
2	2.00	EA	<p>0002 - 2016 FULL SIZE AUTOMOBILE 4 DOOR SEDAN</p> <p>SPEC.</p> <p>MODEL QUOTED ON:</p> <p>DELIVERY IN ___ CALENDAR DAYS AFTER RECEIPT OF ORDER.</p> <p>SEAT COLOR:</p> <p>BODY STYLE - 4 DOOR SEDAN ENGINE - 3.5 LITER V6 HU RADIATOR - HEAVY DUTY TRANSMISSION - AUTOMATIC W/OVERDRIVE BRAKES - POWER ABS STANDARD STEERING - POWER TIRES - 4 FULL SIZE BLACKWALL RADIALS W/COMPACT SPARE WHEELS - STANDARD TRIM - BODY SIDE MOLDING GLASS - FACTORY TINTED MIRRORS - OUTSIDE LEFT & RIGHT HAND REAR - SIDE VIEW, INSIDE REARVIEW DAY/NIGHT HUB CAPS - STANDARD CARPETED FLOOR MATS - FRONT & REAR UPHOLSTERY - STANDARD AC - FACTORY INSTALLED RADIO - AM/FM ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS 4 SETS OF KEYS 2 WIRING DIAGRAMS ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
3	2.00	EA	0002A - 2016 FULL SIZE AUTOMOBILE 4 DOOR SEDAN	No Bid	
			OPTION: SPARE TIRE (FULL SIZE)		
4	2.00	EA	0002B - 2016 FULL SIZE AUTOMOBILE 4 DOOR SEDAN		
			OPTION: DUAL AIR BAGS		
5	2.00	EA	0002C - 2016 FULL SIZE AUTOMOBILE 4-DOOR SEDAN		
			OPTIONS: COVENTIONAL SPARE TIRE/WHEEL		
6	2.00	EA	0002D - 2016 FULL SIZE AUTOMOBILE 4-DOOR SEDAN		
			OPTIONS: AIR BAGS SIDE, DRIVER AND PASSENGER		
7	2.00	EA	0002E - 2016 FULL SIZE AUTOMOBILE 4-DOOR SEDAN		
			OPTION: CARPET FLOOR COVERING		
8	2.00	EA	0002F - 2016 FULL SIZE AUTOMOBILE 4 DOOR SEDAN		
			OPTION: BOLDING MOLDING		
9	2.00	EA	0002G - 2016 FULL SIZE AUTOMOBILE 4 DOOR SEDAN		
			OPTION: CARPETED FLOOR MATS		
10	2.00	EA	0002H - 2016 FULL SIZE AUTOMOBILE 4 DOOR SEDAN		
			OPTION: REAR WINDOW DEFOGGER		
11	6.00	EA	0003 - 2016 POLICE INTERCEPTOR SUV (4-DOOR)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>SPEC</p> <p>MODEL QUOTED ON:</p> <p>DELIVERY IN ____ CALENDAR DAYS AFTER RECEIPT OF ORDER.</p> <p>SEAT COLOR:</p> <p>GVW: 4900 LBS. ENGINE: V6 POLICE HIGH PERFORMANCE PURSUIT TYPE RADIATOR: HEAVY DUTY ALTERNATOR: 95 AMP TRANSMISSION: AUTOMATIC SHOCKS: HEAVY DUTY BRAKES: POWER WITH 4 WHEEL DISC. ANTILOCK BRAKE SHIFT INTERLOCK FUEL TANK CAPACITY: 18.6 GALLONS STEERING: POWER BACK AND PINION AC: FACTORY INSTALLED TIRES: 5 STANDARD BLACKWALL ALL SEASON RADIAL WHEELS: STANDARD DUAL AIR BAGS SPARE TIRE CARRIER: FACTORY INSTALLED CAB TYPE: 4 DOOR SEAT TYPE: DRIVER AND PASSENGER, FRONT FOLD DOWN REAR SEAT COVERING: STANDARD VINYL FLOOR MIRRORS: OUTSIDE DUAL REARVIEW, INSIDE REARVIEW FRONT BUMPER: STANDARD REAR BUMPER: STANDARD RADIO: AM/FM TOOLS: MECHANICAL JACK AND LUG WRENCH 2 SERVICE MANUALS 2 PARTS MANUALS AND 2 WIRING MANUALS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM, CD'S WILL BE ACCEPTABLE. 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT ALL STANDARD EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.</p>		
12	2.00	EA	0003A - 2016 POLICE INTERCEPTOR SUV 4-DOOR SEDAN	No Bid	
			OPTION: SPOT LAMP (DRIVER ONLY)		
13	2.00	EA	0003B - 2016 POLICE INTERCEPTOR SUV 4-DOOR SEDAN		
			OPTION: REAR STEP BUMPER/TRAILER TOWING PACKAGE		
14	2.00	EA	0003C - 2016 POLICE INTERCEPTOR SUV 4 DOOR SEDAN		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
15	2.00	EA	OPTION: BELOW EYELINE MIRROR 0003D - 2016 POLICE INTERCEPTOR SUV 4 DOOR SEDAN	No Bid	
16	2.00	EA	OPTION: REAR VIEW CAMERA 0003E - 2016 POLICE INTERCEPTOR SUV 4 DOOR SEDAN		
17	2.00	EA	OPTION: BODY SIDE MOLDING 0003F - 2016 POLICE INTERCEPTOR SUV 4 DOOR SEDAN		
18	2.00	EA	OPTION: REAR LIGHTING SOLUTIONS 0003G - 2016 POLICE INTERCEPTOR SUV 4 DOOR SEDAN		
19	2.00	EA	OPTION: BLIS BLIND SPOT MONITORING 0003H - 2016 POLICE INTERCEPTOR SUV 4 DOOR SEDAN		
20	2.00	EA	OPTION: REVERSE ALARM 0003I - 2016 POLICE INTERCEPTOR SUV 4 DOOR SEDAN		
21	2.00	EA	OPTION: VINYL INTERIOR 0003J - 2016 POLICE INTERCEPTOR SUV 4 DOOR SEDAN		
22	2.00	EA	OPTION: 2ND ROW CLOTH SEATS 0003K - 2016 POLICE INTERCEPTOR SUV 4 DOOR SEDAN		
23	2.00	EA	OPTION: SYNC BASIC VOICE COMMAND SYSTEM 0003L - 2016 POLICE INTERCEPTOR SUV 4 DOOR SEDAN		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978


SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
24	2.00	EA	OPTION: TACHOMETER 0003M - 2016 POLICE INTERCEPTOR SUV 4 DOOR SEDAN	No Bid	
25	2.00	EA	OPTION: 4 WHEEL DRIVE 0003N - 2016 POLICE INTERCEPTOR SUV 4 DOOR SEDAN		
26	4.00	EA	OPTION: ALL WHEEL DRIVE 0004 - 2016 SMALL SUV SMALL SUV 2 WHEEL DRIVE SPEC MODEL QUOTE ON: DELIVER IN ____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: ALL STANDARD EQUIPMENT 2 SERVICE MANUALS 4 SETS OF KEYS ALL SAFETY EQUIPMENT AND TWO (2) WIRING DIAGRAMS IF MANUFACTURER STILL PROVIDES. IF NO MANUAL OR DIAGRAM, CD'S ARE ACCEPTABLE.		
27	4.00	EA	0004A - 2016 SMALL SUV SMALL SUV 2 WHEEL DRIVE OPTION: 4X4 WHEEL DRIVE		
28	10.00	EA	0005 - 2016 SUV UTILITY VEHICLE (4-DOOR) SPEC MODEL QUOTED ON: DELIVERY IN ____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW: 4900 LBS.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ENGINE: V6 PURSUIT TYPE RADIATOR: HEAVY DUTY ALTERNATOR: 95 AMP TRANSMISSION: AUTOMATIC SHOCKS: HEAVY DUTY BRAKES: POWER WITH 4 DISC WHEEL ANTILOCK BRAKE SHIFT INTERLOCK FUEL TANK CAPACITY: 18.6 GALLONS STEERING: POWER BACK AND PINION AC: FACTORY INSTALLED TIRES: 5 STANDARD BLACKWALL ALL SEASON RAIDAL WHEELS: STANDARD DUAL AIR BAGS SPARE TIRE CARRIER: FACTORY INSTALLED CAB TYPE: 4 DOOR SEAT TYPE: DRIVER AND PASSENGER, FRONT FOLD DOWN REAR SEAT COVERING: STANDARD VINYL FLOOR MIRRORS: OUSTIDE DUAL REARVIEW, INSIDE REARVIEW FRONT BUMPER: STANDARD REAR BUMPER: STANDARD RADIO: AM/FM TOOLS: MECHANICAL JACK AND LUG WRENCH 2 SERVICE MANUALS 2 PARTS MANUALS AND 2 WIRING MANUALS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM, CD'S WILL BE ACCEPTABLE. 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT ALL STANDARD EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.		
29	10.00	EA	0005A - 2016 SUV UTILITY VEHICLE (4-DOOR)	No Bid 	
			OPTION: RUBBER FLOOR MATS		
30	10.00	EA	0005B - 2016 SUV UTILITY VEHICLE (4-DOOR)		
			OPTION: 4X4 WHEEL DRIVE		
31	10.00	EA	0005C - 2016 SUV UTILITY VEHICLE (4-DOOR)		
			OPTION: REVERSE ALARM		
32	10.00	EA	0005D - 2016 SUV UTILITY VEHICLE (4-DOOR)		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS	
33	10.00	EA	OPTION: NAVIGATIONAL SYSTEM 0005E - 2016 SUV UTILITY VEHICLE (4-DOOR)	No Bid		
34	20.00	EA	OPTIONS: ROOF RACK CROSSBARS 0006 - 2016 1/2 TON SUV			
35	20.00	EA	SPEC MODEL QUOTE ON: DELIVERY IN _____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW: 4900 LBS. WB - 112 INCH. MIN. ENGINE - GASOLINE (6 CYLINDER) RADIATOR - HEAVY DUTY ALTERNATOR: 95 AMP TRANSMISSION: AUTOMATIC SHOCKS: HEAVY DUTY BRAKES: POWER WITH 4 WHEEL DISC. ANTILOCK BRAKE SHIFT INTERLOCK FUEL TANK CAPACITY: 18.6 GALLONS STEERING: POWER RACK AND PINION A/C: FACTOR INSTALLED TIRES: 5 STANDARD BLACKWALL ALL SEASON RADIALS WHEELS: STANDARD DUAL AIR BAGS SPARE TIRE CARRIER: FACTORY INSTALLED CAB TYPE: 4 DOOR SEAT TYPE: DRIVER AND PASSENGER, FRONT FOLD DOWN REAR VINYL FLOOR MIRRORS: OUTSIDE DUAL REARVIEW, INSIDE REARVIEW FRONT BUMPER: STANDARD REAR BUMPER: STANDARD RADIO: AM/FM TOOLS: MECHANICAL JACK AND LUG WRENCH 2 SERVICE MANUALS 2 PARTS MANUALS AND 2 WIRING DIAGRAMS. IF MFG. STILL PROVIDES. IF NO MANUAL OR DIGRAM CD'S WILL BE ACCEPTABLE. 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT. ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.			

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
36	20.00	EA	OPTIONS: RUBBER FLOOR MATS 0006B - 2016 1/2 TON SUV	No Bid	
37	20.00	EA	OPTION: TRAILER TOWING PACKAGE 0006C - 2016 1/2 TON SUV		
38	20.00	EA	OPTION: 4X4 WHEEL DRIVE 0006D - 2016 1/2 TON SUV		
39	20.00	EA	OPTION: REVERSE ALARM 0006E - 2016 1/2 TON SUV		
40	20.00	EA	OPTION: NAVIGATIONAL SYSTEM 0006F - 2016 1/2 TON SUV		
41	20.00	EA	OPTION: ROOF RACK CROSSBARS 0006G - 2016 1/2 TON SUV		
42	20.00	EA	OPTION: 200 PKG. 0006H - 2016 1/2 TON SUV		
43	20.00	EA	OPTION: BLIS PACKAGE 0006I - 2016 1/2 TON SUV		
44	20.00	EA	OPTION: 202 PACKAGE 0006J - 2016 1/2 TON SUV		
45	20.00	EA	OPTION: 3RD ROW SEAT CLOTH/VINYL 0006K - 2016 1/2 TON SUV		
46	2.00	EA	OPTION: 201 PKG. 0007 - 2016 3/4 TON CARRYALL REGULAR LENGTH	K	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>(4-DOOR) 2 WHEEL DRIVE **COUNCIL AND PARISH PRESIDENT ONLY**</p> <p>SPEC</p> <p>MODEL QUOTE ON:</p> <p>DELIVERY IN ___ CALENDAR DAYS AFTER RECEIPT OF ORDER.</p> <p>SEAT COLOR:</p> <p>VINYL 2ND ROW GVW: 6300 LBS. WB 117.5 INCHES ENGINE - 3.5 ECOBOOST ENGINE FUEL TANK CAPACITY - 22 GALLONS RADIATOR: HEAVY DUTY ALTERNATOR: 160 AMP BATTERY: 600 CCA TRANSMISSION: 5 SPEED AUTOMATIC WITH OVERDRIVE AC: FACTORY INSTALLED SHOCKS: STANDARD BRAKES: POWER DISC/DRUM INCLUDES 4 WHEEL ANTILOCK SYSTEM - 4 WHEEL DISC ABS STEERING: POWER TIRES: FRONT/BACK P265/60RIP ALL SEASON WHEELS: FRONT/REAR STANDARD 18 X 8 SPARE: P265/60RIP MOUNTED 18 X 8 CAB TYPE: 4 DOOR SEAT TYPE: CLOTH BUCKET FRONT SEATS WITH SLIDING PASSENGER REAR SEAT: 3 PASSENGER FLOOR COVERING: VINYL DRIVE: 2 WHEEL DRIVE SEAT COVERING: BODY TYPE: UTILITY MIRRORS: BLACK DUAL - BELOW EYELINE 9.0 INCHES 6.5 INCHES RADIO: AM/FM W/CD FRONT BUMPER - STANDARD REAR BUMPER - STANDARD INSTRUMENTS: GAUGES, SPEEDOMETER, ODOMETER, FUEL LEVEL, VOLTMETER, OIL PRESSURE, ENGINE TEMPREATURE, TRIP ODOMETER. ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS 2 UNIT OVERHAUL MANUALS 2 WIRING DIAGRAMS CD'S FOR MANUALS WILL BE ACCEPTED FOR PARTS AND WIRING MANUALS 4 SETS OF KEYS HEADLIGHT WARNING BUZZER ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.</p>		
47	2.00	EA	0007A - 2016 3/4 TON CARRYALL REGULAR LENGTH	No Bid	

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
48	2.00	EA	(4-DOOR) TWO WHEEL DRIVE OPTION: TRAILER TOWING PACKAGE - HD 0007B - 2016 3/4 TON CARRYALL REGULAR LENGTH	No Bid	
49	2.00	EA	(4-DOOR) TWO WHEEL DRIVE OPTION: REVERSE ALARM 0007C - 2016 3/4 TON CARRYALL REGULAR LENGTH		
50	2.00	EA	(4-DOOR) TWO WHEEL DRIVE OPTION: LEATHER INTERIOR 0007D - 2016 3/4 TON CARRYALL REGULAR LENGTH		
51	2.00	EA	(4-DOOR) TWO WHEEL DRIVE OPTION: TIRES - ALL TERRAIN - 4X4 ONLY 0007E - 2016 3/4 TON CARRYALL REGULAR LENGTH		
52	2.00	EA	(4-DOOR) TWO WHEEL DRIVE OPTION: QUARD CAPTAINS CHAIRS (SECOND ROW BUCKETS) 0007F - 2016 3/4 TON CARRYALL REGULAR LENGTH		
53	2.00	EA	(4-DOOR) TWO WHEEL DRIVE OPTION: 4 WHEEL DRIVE 0007G - 2016 3/4 TON CARRYALL REGULAR LENGTH		
54	2.00	EA	(4-DOOR) TWO WHEEL DRIVE OPTION: 200 PKG. 0007H - 2016 3/4 TON CARRYALL REGULAR LENGTH		
			(4-DOOR) TWO WHEEL DRIVE OPTION: 202 PACKAGE VENDOR MUST LIST OPTIONAL PKG.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
55	2.00	EA	0007I - 2016 3/4 TON CARRYALL REGULAR LENGTH (4-DOOR) TWO WHEEL DRIVE OPTION: 202 PACKAGE	No Bid	
56	10.00	EA	0007J - 2016 3/4 TON CARRYALL REGULAR LENGTH (4-DOOR) TWO WHEEL DRIVE OPTION: NAVIGATION SYSTEM		
57	10.00	EA	0007K - 2016 3/4 TON CARRYALL REGULAR LENGTH (4-DOOR) TWO WHEEL DRIVE OPTION: REVERSE SENSING SYSTEM - REAR LOADING LEVELING SUSPENSION		
58	10.00	EA	0007L - 2016 3/4 TON CARRYALL REGULAR LENGTH (4-DOOR) TWO WHEEL DRIVE OPTION: 2ND ROW BUCKET SEATS		
59	10.00	EA	0007M - 2016 3/4 TON CARRYALL REGULAR LENGTH (4-DOOR) TWO WHEEL DRIVE OPTION: REMOTE START		
60	10.00	EA	0007N - 2016 3/4 TON CARRYALL REGULAR LENGTH (4-DOOR) TWO WHEEL DRIVE OPTION: ALL SEASON TIRES P265-70R-17		
61	10.00	EA	0007O - 2016 3/4 TON CARRYALL REGULAR LENGTH (4-DOOR) TWO WHEEL DRIVE OPTION: POWER FOLDING THIRD ROW SEAT		
62	2.00	EA	0008 - 2016 3/4 TON CARRYALL EXTENDED LENGTH		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
63	2.00	EA	<p>(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY**</p> <p>SPEC</p> <p>MODEL QUOTE ON:</p> <p>DELIVERY IN ___ CALENDAR DAYS AFTER RECEIPT OF ORDER.</p> <p>SEAT COLOR:</p> <p>VINYL: 2ND ROW GVW: 6300 LBS WB 117.5 INCHES ENGINE - 3.5 ECOBOOST ENGINE FUEL TANK CAPACITY - 22 GALLONS RADIATOR: HEAVY DUTY ALTERNATOR: 160 AMP BATTERY: 660 CCA TRANSMISSION: 5 SPEED AUTOMATIC WITH OVERDRIVE AC: FACTORY INSTALLED SHOCKS: STANDARD BRAKES: POWER DISC/DRUM INCLUDES 4 WHEEL ANTILOCK SYSTEM: 4 WHEEL DISC ABS STEERING: POWER TIRES: FRONT/BACK P265/60RIP ALL SEASON WHEELS: FRONT/REAR STANDARD 18 X 8 SPARE: P265/60RIP MOUNTED 18 X 8 CAB TYPE: 4 DOOR SEAT TYPE: CLOTH BUCKET FRONT SEATS WITH SLIDING PASSENGER REAR SEAT: 3 PASSENGER FLOOR COVERING: VINYL DRIVER: 2 WHEEL DRIVE SEAT COVERING: BODY TYPE: UTILITY MIRRORS: BLACK DUAL - BELOW EYELINE 9.0 INCHES 6.5 INCHES RADIO: AM/FM W/CD FRONT BUMPER: STANDARD REAR BUMPER: STANDARD INSTRUMENTS: GAUGES, SPEEDOMETER, ODOMETER, FUEL LEVEL, VOLTMETER, OIL PRESSURE, ENGINE TEMPREATURE, TRIP ODOMETER. ALL STANARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS 2 UNIT OVERHAUL MANUALS 2 WIRING DIAGRAMS CD'S FOR MANUALS WILL BE ACCEPTED FOR PARTS AND WIRING MANUALS 4 SETS OF KEYS HEADLIGHT WARNING BUZZER ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.</p> <p>0008A - 2016 3/4 TON CARRYALL EXTENDED LENGTH</p>	<p>No Bid</p>	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
64	2.00	EA	(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY OPTION: TRAILER TOWING PACKAGE - HD 0008B - 2016 3/4 TON CARRYALL EXTENDED LENGTH	No Bid	
65	2.00	EA	(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY OPTION: REVERSE ALARM 0008C - 2016 3/4 TON CARRYALL EXTENDED LENGTH		
66	2.00	EA	(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY OPTION: 4 WHEEL DRIVE 0008D - 2016 3/4 TON CARRYALL EXTENDED LENGTH		
67	10.00	EA	(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY OPTION: BASE PREMIUM PACKAGE VENDOR MUST LIST PKG. EQUIPMENT 0008E - 2016 3/4 TON CARRYALL EXTENDED LENGTH		
68	2.00	EA	(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY OPTION: PREFERRED PREMIUM PKG. VENDOR MUST LIST OPTIONAL PKG. EQUIPMENT 0008F - 2016 3/4 TON CARRYALL EXTENDED LENGTH		
69	2.00	EA	(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY OPTION: 2ND ROW BUCKET SEATS 0008G - 2016 3/4 TON CARRYALL EXTENDED LENGTH		
70	2.00	EA	(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY OPTION: NAVIGATION SYSTEM 0008H - 2016 3/4 TON CARRYALL EXTENDED LENGTH		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
71	2.00	EA	(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY OPTION: POWER FOLDING THIRD ROW SEAT 0008I - 2016 3/4 TON CARRYALL EXTENDED LENGTH	No Bid	
72	2.00	EA	(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY OPTION: REAR LOADING LEVELING SUSPENSION 0008J - 2016 3/4 TON CARRYALL EXTENDED LENGTH		
73	2.00	EA	(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY OPTION: REVERSE SENSING SYSTEM 0008K - 2016 3/4 TON CARRYALL EXTENDED LENGTH		
74	2.00	EA	(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY OPTION: RUNNING BOARDS 0008L - 2016 3/4 TON CARRYALL EXTENDED LENGTH		
75	2.00	EA	(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY OPTION: TRAILER TOWING PGK. - HD 0008M - 2016 3/4 TON CARRYALL EXTENDED LENGTH		
76	45.00	EA	(4-DOOR) **COUNCIL AND PARISH PRESIDENT ONLY OPTION: ALL SEASON TIRES P265-70R-17 0009 - 2016 1/2 TON PICKUP SPEC MODEL QUOTE ON: DELIVERY IN ___ CALENDAR DAYS AFTER RECEIPT OF ORDER.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SEAT COLOR: GVW - 5600 LBS. WB - 131.5 INCHES PAYLOAD - 1608 LBS. ENGINE - 3.7LTI - VCT RADIATOR - HEAVY DUTY ALTERNATOR - 100 AMP TRANSMISSION - 4 SPD. AUTOMATIC W/OD SHOCKS - HEAVY DUTY BRAKES - POWER W/REAR WHEEL ANTI-LOCK STEERING - POWER AC - FACTORY INSTALLED TIRES - 5 P235/70R16 ALS SBR BLACKWALL WHEELS - 16 IN X 6 IN SPARE TIRE CARRIER - UNDER FRAME MOUNTED CRANK DOWN TYPE CAB TYPE - CONVENTIONAL W/DOME LIGHT SEAT TYPE - BENCH SEAT COVERING - VINYL VINYL FLOOR COVERING - NO CARPET BODY TYPE - FLEETSIDE BED LENGTH - 96 INCHES MIRRORS - OUTSIDE DUAL REARVIEW INSIDE REARVIEW RADIO - AM/FM FRONT BUMPER - PAINTED HEAVY DUTY REAR BUMPER - PAINTED HEAVY DUTY TOOLS - MECHANICAL JACK & LUG WRENCH ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING MANUALS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM, CD'S WILL BE ACCEPTABLE. 4 SETS OF KEYS ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.		
77	45.00	EA	0009A - 2016 1/2 TON PICKUP	No Bid	
			OPTION: HD SUSPENSION		
78	45.00	EA	0009C - 2016 1/2 TON PICKUP		
			OPTION: BACK UP ALARM		
79	45.00	EA	0009D - 2016 1/2 TON PICKUP		
			OPTION: REAR VIEW CAMERA		
80	45.00	EA	0009E - 2016 1/2 TON PICKUP		
			OPTION: TRAILER TOWING PACKAGE		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
81	45.00	EA	0009F - 2016 1/2 TON PICKUP OPTION: 4X4 WHEEL DRIVE	No Bid	
82	45.00	EA	0009G - 2016 1/2 TON PICKUP OPTION: RUBBER FLOOR MATS		
83	45.00	EA	0009H - 2016 1/2 TON PICKUP OPTION: TWO HOOKS (FRAME MOUNTED) FRONT		
84	45.00	EA	0009I - 2016 1/2 TON PICKUP OPTION: ALL TERRAIN (4X4 ONLY)		
85	45.00	EA	0009J - 2016 1/2 TON PICKUP OPTION: TOW HOOKS (FRAME MOUNTED) REAR		
86	45.00	EA	0009K - 2016 1/2 TON PICKUP OPTION: V-8 ENGINE 5.0 TIVCT 86		
87	45.00	EA	0009L - 2016 1/2 TON PICKUP OPTION: 2.7 ECOBOOST ENGINE		
88	45.00	EA	0009M - 2016 1/2 TON PICKUP OPTION: 3.5 ECOBOOST ENGINE		
89	45.00	EA	0009N - 2016 1/2 TON PICKUP OPTION: 6 FOOT 6 INCH BED		
90	45.00	EA	0009O - 2016 1/2 TON PICKUP OPTION: 8 FT. BED W/HEAVY DUTY PLAYLOAD PACKAGE		
91	45.00	EA	0009P - 2016 1/2 TON PICKUP		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978


SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS	
92	45.00	EA	OPTION: EXTENDED CAB 0009Q - 2016 1/2 TON PICKUP	No Bid		
93	45.00	EA	OPTION: SUPER CREW XL 0009S - 2016 1/2 TON PICKUP			
94	45.00	EA	OPTION: POWER WINDOWS AND LOCKS 0009T - 2016 1/2 TON PICKUP			
95	45.00	EA	OPTION: BASE PREMIUM PACKAGE VENDOR MUST LIST PKG. EQUIPMENT 0009U - 2016 1/2 TON PICKUP			
96	40.00	EA	OPTION: PREFERRED PREMIUM PKG. VENDOR MUST LIST PKG. EQUIPMENT 0010 - 2016 3/4 TON HEAVY DUTY PICKUP			
			SPEC MODEL QUOTE ON: DELIVERY IN _____ CALENDAR DAYS AFTER RECEIPT OF ORDER SEAT COLOR: GVW: 8600 LBS. MIN WB - 133 INCHES MIN. PAYLOAD - 4100 LBS. ENGINE - STANDARD GASOLINE 8 CYLINDER RADIATOR - HEAVY DUTY ALTERNATOR - STANDARD TRANSMISSION - AUTO WITH OVERDRIVE SHOCKS - HEAVY DUTY BRAKES - POWER STEERING - POWER AC - FACTORY INSTALLED TIRES - 5 STANDARD BLACKWALL RADIALS FULL SIZE WHEELS - STANDARD SPARE TIRE CARRIER - STANDARD MOUNTED CAB TYPE - CONVENTIONAL WITH DOME LIGHT SEAT TYPE - BENCH SEAT COVERING - VINYL VINYL FLOOR COVERING - NO CARPET BODY TYPE - FLEETSIDE			

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS	
			BED LENGTH - 8 FT. MIN. MIRRORS - OUTSIDE DUAL REARVIEW INSIDE REARVIEW FRONT BUMPER - STANDARD REAR BUMPER - HEAVY DUTY WITH STEP TYPE TOOLS - MECHANICAL JACK & LUG WRENCH RADIO - AM/FM W/CD ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING MANUALS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM, CD'S WILL BE ACCEPTABLE. 4 SETS OF KEYS ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.			
97	40.00	EA	0010A - 2016 3/4 TON HEAVY DUTY PICKUP	No Bid 		
			OPTION: FRONT BUMPER GUARDS			
98	40.00	EA	0010B - 2016 3/4 TON HEAVY DUTY PICKUP			
			OPTION: TOW HOOKS (FRAME MOUNTED) REAR			
99	40.00	EA	0010C - 2016 3/4 TON HEAVY DUTY PICKUP			
			OPTION: POWER WINDOWS AND LOCKS			
100	40.00	EA	0010D - 2016 3/4 TON HEAVY DUTY PICKUP			
			OPTION: 4X4 WHEEL DRIVE			
101	40.00	EA	0010E - 2016 3/4 TON HEAVY DUTY PICKUP			
			OPTION: BACK-UP CAMERA			
102	40.00	EA	0010F - 2016 3/4 TON HEAVY DUTY PICKUP			
			OPTION: WHEEL WELL LINER			
103	40.00	EA	0010G - 2016 3/4 TON HEAVY DUTY PICKUP			
			OPTION: ALL TERRAIN TIRES			
104	40.00	EA	0010H - 2016 3/4 TON HEAVY DUTY PICKUP			

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
105	40.00	EA	OPTION: SKID PLATES 0010I - 2016 3/4 TON HEAVY DUTY PICKUP	No Bid	
106	40.00	EA	OPTION: BASE PREMIUM PACKAGE 0010J - 2016 3/4 TON HEAVY DUTY PICKUP		
107	40.00	EA	OPTION: CLOTH SEATS WITH CENTER CONSOLE (BASE PREMIUM PKG. ONLY) 0010K - 2016 3/4 TON HEAVY DUTY PI		
108	40.00	EA	OPTION: REVERSE SENSING SYSTEM 0010L - 2016 3/4 TON HEAVY DUTY PICKUP		
109	40.00	EA	OPTION: HD SUSPENSION 0010M - 2016 3/4 TON HEAVY DUTY PICKUP		
110	40.00	EA	OPTION: BACKUP ALARM 0010N - 2016 3/4 TON HEAVY DUTY PICKUP		
111	40.00	EA	OPTION: TRAILER TOWING PKG. 0010O - 2016 3/4 TON HEAVY DUTY PICKUP		
112	40.00	EA	OPTION: RUBBER FLOOR MATS 0010P - 2016 3/4 TON HEAVY DUTY PICKUP		
113	40.00	EA	OPTION: V8 - GASOLINE - IF OPTIONAL ENGINE IS CHOSEN, DEALER MUST NOT CHANGE MODEL OF UNIT BID IN ORDER FOR SUPPLY OF OPTIONAL ENGINE. 0010Q - 2016 3/4 TON HEAVY DUTY PICKUP		
114	40.00	EA	OPTION: DIESEL V8 - 6.7L 0010R - 2016 3/4 TON HEAVY DUTY PICKUP		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
115	40.00	EA	OPTION: DUAL ALTERNATOR 0010S - 2016 3/4 TON HEAVY DUTY PICKUP	No bid	
116	40.00	EA	OPTION: HD ALTERNATOR 0010T - 2016 3/4 TON HEAVY DUTY PICKUP		
117	40.00	EA	OPTION: CREW CAB (4-DOORS) 0010U - 2016 3/4 TON HEAVY DUTY PICKUP		
118	40.00	EA	OPTION: SHIFT ON FLY 0010V - 2016 3/4 TON HEAVY DUTY PICKUP		
119	40.00	EA	OPTION: PTO PROVISION 0010W - 2016 3/4 TON HEAVY DUTY PICKUP		
120	40.00	EA	OPTION: RUNNING BOARDS 0010W - 2016 3/4 TON HEAVY DUTY PICKUP		
121	40.00	EA	OPTION: UPFILTER SWITCHES 0010X - 2016 3/4 TON HEAVY DUTY PICKUP		
122	40.00	EA	OPTION: REMOTE START 0010Z - 2016 3/4 TON HEAVY DUTY PICKUP		
123	40.00	EA	OPTION: SKID PLATES 0010ZA - 2016 3/4 TON HEAVY DUTY PICKUP		
124	40.00	EA	OPTION: 9900 GVWR PKG. 0010ZB - 2016 3/4 TON HEAVY DUTY PICKUP OPTION: EXTENDED CAB		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
125	40.00	EA	0010ZC - 2016 3/4 TON HEAVY DUTY PICKUP OPTION: ELECTRON-LOCKING REAR AXLE	No Bid	
126	40.00	EA	0010ZD - 2016 3/4 TON HEAVY DUTY PICKUP OPTION: LIMITED SLIP		
127	40.00	EA	0010ZE - 2016 3/4 TON HEAVY DUTY PICKUP OPTION: 6FT. BED		
128	40.00	EA	0010ZF - 2016 3/4 TON HEAVY DUTY PICKUP OPTION: TOW HOOKS (FRAME MOUNTED) FRONT		
129	40.00	EA	0010ZG - 2016 3/4 TON HEAVY DUTY PICKUP OPTION: SYNC - COMMUNICATION SYSTEM		
130	40.00	EA	0010ZH - 2016 3/4 TON HEAVY DUTY PICKUP OPTION: CRUISE CONTROL		
131	40.00	EA	0010ZI - 2016 3/4 TON HEAVY DUTY PICKUP OPTION: PTO FOR AUTOMATIC TRANSMISSION		
132	15.00	EA	0011 - 2016 F450 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS SPEC MODEL QUOTE ON: DELIVERY IN ____ CALENAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW:15000 LBS. MIN WB - 135.5 INCHES CA 60 INCHES PAYLOAD - 9334 LBS. ENGINE - STD. GASOLINE 8 CYLINDER 6.8 LITER V-10 GAS STANDARD NOT V8		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			RADIATOR - STANDARD ALTERNATOR - HEAVY DUTY TRANSMISSION - AUTOMATIC WITH OVERDRIVE SHOCKS - HEAVY DUTY BRAKES - POWER STEERING - POWER AC - FACTORY INSTALLED TIRES - 7 STANDARD BLACKWALL RADIALS WHEELS - STANDARD SPARE TIRE CARRIER - STANDARD MOUNTING CAB TYPE - CONVENTIONAL WITH DOME LIGHT SEAT TYPE - BENCH SEAT COVERING - VINYL VINYL FLOOR COVERING - NO CARPET MIRRORS - INSIDE REARVIEW FRONT BUMPER - STANDARD RADIO - AM/FM TOOLS - MECHANICAL JACK AND LUG WRENCH ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING MANUALS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTABLE. 4 SETS OF KEYS ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL REQUIREMENTS.		
133	15.00	EA	0011A - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS	No Bid	
			OPTION: FRONT BUMPER GUARDS		
134	15.00	EA	0011B - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS		
			OPTION: TIRES - ALL TERRAIN		
135	15.00	EA	0011C - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS		
			NOTE: 4X4 WHEEL DRIVE		
136	15.00	EA	0011D - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS		
			OPTION: VINYL INTERIOR		
137	15.00	EA	0011E - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS		
			OPTION: WHEELBASE OPTION 165" CA 84"		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
138	15.00	EA	0011F - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS OPTION: BACK-UP ALARM	No Bid	
139	15.00	EA	0011G - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS OPTION: SHIFT ON FLY (DIESEL ONLY)		
140	15.00	EA	0011H - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS OPTION: CA 120		
141	15.00	EA	0011I - 2016 F450 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS OPTION: EXTENDED CAB		
142	15.00	EA	0011J - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS OPTION: WB 201		
143	15.00	EA	0011K - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS OPTION: TOW HOOKS (FRAME MOUNTED) REAR		
144	15.00	EA	0011L - 2016 F450 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS OPTION: PTO OPTION W/AUTO TRANSMISSION		
145	15.00	EA	0011M - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS OPTION: GASOLINE - IF OPTIONAL ENGINE IS CHOSEN, DEALER MUST NOT CHANGE MODEL OF UNIT IN ORDER TO SUPPLY THE OPTIONAL ENGINE.		
146	15.00	EA	0011N - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS	
147	15.00	EA	OPTION: TRAILER TOWING PKG. 0011O - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS	No Bid		
148	15.00	EA	OPTION: LIMITED SLIP REAR AXLE 0011P - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS			
149	15.00	EA	OPTION: WHEELBASE 165 IN. - 84 IN. CA WHEELBASE 189 IN. - 108 IN. CA WHEELBASE 201 IN. - 120 IN. CA 0011Q - 2016 F450 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS			
150	15.00	EA	OPTION:PTO PROVISION 0011R - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS			
151	15.00	EA	OPTION: RUBBER FLOOR MATS 0011S - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS			
152	15.00	EA	OPTION: POWER EQUIPMENT 0011T - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS			
153	15.00	EA	OPTION: UPFITTER SWITCHES 0011U - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS			
154	15.00	EA	OPTION:WHEELBASE 186IN/84IN CA SUPERCAB WHEELBASE 200IN/84IN CA CREWCAB 0011V - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS			
			OPTION: CREW CAB (4) DOORS			

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
155	15.00	EA	0011W - 2016 F450 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS	No Bid	
			OPTION: 6.7 LITER DIESEL		
156	10.00	EA	0012 - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		
			SPEC		
			MODEL QUOTED ON: DELIVERY IN _____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW: 9900 LBS. MIN. PAYLOAD - 4900 LBS. MIN. ENGINE - STANDARD GASOLINE 8 CYLINDER RADIATOR - HEAVY DUTY ALTERNATOR - STANDARD TRANSMISSION - AUTOMATIC WITH OVERDRIVE SHOCKS - HEAVY DUTY BRAKES - POWER STEERING - POWER AC - FACTORY INSTALLED TIRES - 5 STANDARD BLACKWALL RADIALS WHEELS - STANDARD SPARE TIRE CARRIER - STANDARD MOUNTING CAB TYPE - CONVENTIONAL WITH DOME LIGHT SEAT TYPE - BENCH SEAT COVERING - VINYL VINYL FLOOR COVERING - NO CARPET BODY TYPE - FLEETSIDE BED LENGTH - 8' MIN. MIRRORS - OUTSIDE DUAL REARVIEW/INSIDE REARVIEW FRONT BUMPER - STANDARD REAR BUMPER - HEAVY DUTY STEP TYPE TOOLS - MECHANICAL JACK & LUG WRENCH RADIO - AM/FM ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAMS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTED. 4 SETS OF KEYS ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.		
157	10.00	EA	0012A - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
158	10.00	EA	OPTION: BACKUP ALARM 0012B - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS	No Bid	
159	10.00	EA	OPTION: REVERSE SENSING SYSTEM 0012C - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		
160	10.00	EA	OPTION: CRUISE CONTROL 0012D - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		
161	10.00	EA	OPTION: REAR VIEW CAMERA 0012E - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		
162	10.00	EA	OPTION: HD SUSPENSION 0012F - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		
163	10.00	EA	OPTION: BASE PREMIUM PACKAGE VENDOR MUST LIST PKG. EQUIPMENT 0012G - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		
164	10.00	EA	OPTION: EXTENDED CAB HD 0012H - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		
165	10.00	EA	OPTION: SKID PLATES 0012I - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		
166	10.00	EA	OPTION: SHIFT ON FLY 0012J - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
167	10.00	EA	OPTION: CLOTH SEATS WITH CENTER CONSOLE (BASE PREMIUM PKG. ONLY) 0012K - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS	No Bid	
168	10.00	EA	OPTION: PTO PROVISIONS 0012L - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		
169	10.00	EA	OPTION: CREW CAB (4 DOORS) 0012M - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		
170	10.00	EA	OPTION: TOW HOOKS (FRAME MOUNTED) REAR 0012N - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		
171	10.00	EA	OPTION: TIRES - ALL TERRAIN (4X4 ONLY) 0012O - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		
172	10.00	EA	OPTION: 4X4 WHEEL DRIVE 0012P - 2016 1 TON SUPER-DUTY PICKUP SINGLE REAR WHEELS		
173	10.00	EA	OPTION: V8 GASOLINE - IF OPTION ENGINE IS CHOSEN, DEALER MUST NOT CHANGE MODEL OF UNIT BID IN ORDER TO SUPPLY THE OPTIONAL ENGINE. 0013 - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
			SPEC MODEL QUOTE ON: DELIVERY IN _____ CALENDAR DAYS AFTER RECEIPT OF ORDER.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SEAT COLOR: GVW - 11000 LBS. MIN WB - 131 IN. MIN. 56 IN. CA PAYLOAD - 5500 LBS. MIN. ENGINE - STANDARD GASOLINE 8 CYLINDER RADIATOR - HEAVY DUTY ALTERNATOR - STANDARD TRANSMISSION - AUTOMATIC WITH OVERDRIVE SHOCKS - HEAVY DUTY BRAKES - POWER STEERING - POWER AC - FACTORY INSTALLED TIRES - 7 STANDARD BLACKWALL RADIALS WHEELS - STANDARD SPARE TIRE CARRIER - STANDARD MOUNTING CAB TYPE - CONVENTIONAL WITH DOME LIGHT SEAT TYPE - BENCH SEAT COVERING - VINYL VINYL FLOOR COVERING - NO CARPET BODY TYPE - FLEETSIDE BED LENGTH - 8' MIN. MIRRORS - OUTSIDE DUAL REARVIEW/INSIDE REARVIEW FRONT BUMPER - STANDARD REAR BUMPER - HEAVY DUTY STEP TYPE TOOLS - MECHANICAL JACK AND LUG WRENCH RADIO - AM/FM ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAMS IF MFG. STILL PROVIDES. IF NO MANUAL, CD'S ARE ACCETABLE. 4 SETS OF KEYS ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.		
174	10.00	EA	0013A - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS	No Bid	
			OPTION: POWER EQUIPMENT GROUP		
175	10.00	EA	0013B - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
			OPTION: HD SUSPENSION		
176	10.00	EA	0013C - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
			OPTION: REAR VIEW CAMERA		
177	10.00	EA	0013D - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
178	10.00	EA	OPTION: REVERSE SENSING SYSTEM 0013E - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS	No Bid	
179	10.00	EA	OPTION: CRUISE CONTROL 0013F - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
180	10.00	EA	OPTION: RUBBER FLOOR MATS 0013G - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
181	10.00	EA	OPTION: V8 GAS MIN. - IF OPTIONAL ENGINE IS CHOSEN, DEALER MUST NOT CHANGE MODEL OF UNIT BID IN ORDER TO SUPPLY THE OPTIONAL ENGINE - DIESEL V8 0013H - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
182	10.00	EA	OPTION: 4X4 WHEEL DRIVE 0013I - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
183	10.00	EA	OPTION: TIRES - ALL TERRAIN - 4X4 ONLY 0013J - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
184	10.00	EA	OPTION: LIMITED SLIP REAR AXLE 0013K - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
185	10.00	EA	OPTION: UPFITTER SWITCHES 0013L - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
			OPTION: TOW HOOKS (FRAME MOUNTED) REAR		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978


SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
186	10.00	EA	0013M - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS	No Bid	
			OPTION: CREW CAB (4-DOORS)		
187	10.00	EA	0013N - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
			OPTION: EXTENDED CAB (4-DOORS)		
188	10.00	EA	0013O - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
			OPTION: PTO PROVISION		
189	10.00	EA	0013P - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
			OPTION: PTO OPTION FOR TRANSMISSION		
190	10.00	EA	0013Q - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
			OPTION: TRANSFER CASE - SKID PLATES		
191	10.00	EA	0013R - 2016 1 TON SUPER-DUTY PICKUP WITH DUAL REAR WHEELS		
			OPTION: BACK-UP ALARM		
192	10.00	EA	0013S - 2016 1 TON SUPER DUTY PICKUP WITH DUAL REAR WHEELS		
			OPTION: SHIFT ON FLY		
193	5.00	EA	0014 - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS		
			SPEC		
			MODEL QUOTE ON:		
			DELIVERY IN ____ CALENDAR DAYS AFTER RECEIPT OF ORDER.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SEAT COLOR: GVW: 9900 LBS. MIN. PAYLOAD: 4000 LBS. MIN. ENGINE: STANDARD GASOLINE 8 CYLINDER RADIATOR: HEAVY DUTY ALTERNATOR: STANDARD TRANSMISSION: AUTOMATIC WITH OVERDRIVE SHOCKS: HEAVY DUTY BRAKES: POWER AC: FACTORY INSTALLED TIRES: 5 STANARD BLACKWALL RADIALS WHEELS: STANDARD SPARE TIRE CARRIER: STANDARD MOUNTING CAB TYPE: CONVENTIONAL WITH DOME LIGHT SEAT TYPE: BENCH SEAT COVERING: VINYL VINYL FLOOR COVERING: NO CARPET MIRRORS: OUTSIDE DUAL REARVIEW/INSIDE REARVIEW RADIO: AM/FM TOOLS: MECHANICAL JACK AND LUG WRENCH ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING MANUALS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTED. ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.		
194	5.00	EA	0014A - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS	No Bid 	
			OPTION: HD SUSPENSION		
195	5.00	EA	0014B - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS		
			OPTION: CRUISE CONTROL		
196	5.00	EA	0014C - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS		
			OPTION: UPFITTER SWITCHES		
197	5.00	EA	0014D - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS		
			OPTION: TRAILER TOWING PACKAGE		
198	5.00	EA	0014E - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS	
199	5.00	EA	OPTION: BACKUP ALARM 0014F - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS	No	Bid	
200	5.00	EA	OPTION: V8 GASOLINE MIN. IF OPTIONAL ENGINE IS CHOSEN, DEALER MUST NOT CHANGE MODEL OF UNIT BID IN ORDER TO SUPPLY THE OPTIONAL ENGINE - DIESEL V8 0014G - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS			
201	5.00	EA	OPTION: SHIFT ON FLY 0014H - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS			
202	5.00	EA	OPTION: 4X4 WHEEL DRIVE 0014I - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS			
203	5.00	EA	OPTION: SKID PLATES 0014J - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS			
204	5.00	EA	OPTION: TIRES - ALL TERRAIN 0014K - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS			
205	5.00	EA	OPTION: POWER EQUIPMENT GROUP 0014L - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS			
206	5.00	EA	OPTION: SLIP REAR AXLE 0014M - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS			
			OPTION: TOW HOOKS (FRAME MOUNTED) REAR			

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS	
207	5.00	EA	0014N - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS	No Bid		
			OPTION: SUPER CAB			
208	5.00	EA	0014O - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS			
			OPTION: CREW CAB (4 DOORS)			
209	5.00	EA	0014P - 2016 1 TON CAB AND CHASSIS SINGLE REAR WHEELS			
			OPTION: PTO PROVISION			
210	10.00	EA	0015 - 2016 1 TON DUAL WHEELS CAB AND CHASSIS SPEC MODEL QUOTED ON: DELIVERY IN _____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW - 11000 LBS. MIN. WB - 131 IN. MIN. 60 IN. CA PAYLOAD - 5500 LBS. MIN. ENGINE - STANDARD GASOLINE 8 CYLINDER RADIATOR - HEAVY DUTY ALTERNATOR - STANDARD TRANSMISSION - AUTOMATIC WITH OVERDRIVE SHOCKS - HEAVY DUTY BRAKES - POWER STEERING - POWER AC - FACTOR INSTALLED TIRES - 7 STANDARD BLACKWALL RADIALS WHEELS - STANDARD SPARE TIRE CARRIER - STANDARD MOUNTING CAB TYPE - CONVENTIONAL WITH DOME LIGHT SEAT TYPE - BENCH SEAT COVERING - VINYL VINYL FLOOR COVERING - NO CARPET MIRRORS - OUTSIDE DUAL REARVIEW/INSIDE REARVIEW. FRONT BUMPER - STANDARD RADIO - AM/FM TOOLS - MECHANICAL JACK & LUG WRENCH ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS	K		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			2 WIRING DIAGRAMS IF MFG. STIL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTED. 4 SETS OF KEYS ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.		
211	10.00	EA	0015A - 2016 1 TON DUAL WHEELS CAB AND CHASSIS	No	Rjd
			OPTION: HD SUSPENSION		
212	10.00	EA	0015B - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		
			OPTION: CRUISE CONTROL		
213	10.00	EA	0015C - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		
			OPTION: UPFITTER SWITCH		
214	10.00	EA	0015D - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		
			OPTION: RUBBER FLOOR MATS		
215	10.00	EA	0015E - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		
			OPTION: BACKUP ALARM		
216	10.00	EA	0015F - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		
			OPTION: TRAILER TOWING PACKAGE		
217	10.00	EA	0015G - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		
			OPTION: V8 GASOLINE MIN - IF OPTIONAL ENGINE IS CHOSEN, DEALER MUST NOT CHANGE MODEL OF UNIT BID IN ORDER TO SUPPLY THE OPTIONAL ENGINE - DIESEL V8		
218	10.00	EA	0015H - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
219	10.00	EA	OPTION: 4X4 WHEEL DRIVE 0015I - 2016 1 TON DUAL WHEELS CAB AND CHASSIS	No Bid	
220	10.00	EA	OPTION: SHIFT ON FLY 0015J - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		
221	10.00	EA	OPTION: SKID PLATES 0015K - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		
222	10.00	EA	OPTION: TOW HOOKS (FRAME MOUNTED) REAR 0015L - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		
223	10.00	EA	OPTION: WHEELBASE 165 IN. 84 IN. CA 0015M - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		
224	10.00	EA	OPTION: POWER EQUIPMENT GROUP 0015N - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		
225	10.00	EA	OPTION: EXTENDED CAB 0015O - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		
226	10.00	EA	OPTION: LIMITED SLIP REAR AXLE 0015P - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		
227	10.00	EA	OPTION: CREW CAB (4 DOORS) 0015Q - 2016 1 TON DUAL WHEELS CAB AND CHASSIS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
228	15.00	EA	<p>OPTION: PTO PROVISION</p> <p>0016 - 2016 25,000 LB./29,000 LB. CAB & CHASSIS</p> <p>SPEC. #</p> <p>MODEL QUOTE ON:</p> <p>DELIVERY IN ____ CALENDAR DAYS AFTER RECEIPT OF ORDER.</p> <p>SEAT COLOR:</p> <p>GVW: 25,000 LBS CA 103.9 IN ENGINE: 6.7 LITER V8 DIESEL H.P.: 220 AT 2300 RPM 6 CYLINDER TURBO & AIR TO AIR AFTER COOLER MIN TORQUE: 520 FT. LBS AIR FILTER: DRY TYPE PAPER ELEMENT HORIZONTAL MUFFLER WITH VERTICAL STACK. 12 V STARTER OIL FILTER: FULL FLOW FUEL/WATER SEPARATOR ENGINE OIL COOLER ENGINE COOLANT FILTER/CONDITIONER TRANSMISSION: FORD 6R140 6 SPEED **MUST QUOTE AUTOMATIC TRANSMISSION** REAR AXLE: SINGLE SPEED FRONT SUSPENSION: 8,000 LBS. CAPACITY REAR SUSPENSION: 17,500 LBS. CAPACITY AUXILIARY SPRINGS: 4500 LBS. BRAKES: FULL AIR, AIR PARKING BRAKES SPRING SET TYPE WITH DASH MOUNTED CTRL AIR COMPRESSOR: MIN. 12 CFM AIR DRYPER: BENDIX - WESTINGHOUSE AD-9 HEATED AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE EJECTOR ON WET TANK DRIVESHAFT: SPICER U-JOINTS 1610 H.D. FRAME: SINGLE CHANNEL FRAME 14.2 MIN SECTION MODULUS 12.64 SM HORN: DUAL AIR SINGLE HOOD AND FENDER ASSEMBLY - TILT TYPE INTERGRAL POWER STEERING FACTORY INSTALLED AIR CONDITION ELECTRICAL: ALTERNATOR - 85 AMPS BATTERIES: MIN. NO. 2 TOTAL CCA 1800 EMERGENCY FLASHERS CAB LIGHTS - 5 HEAD LIGHTS - HALOGEN TURN SIGNALS - STANDARD TAIL LIGHTS - (2) WITH INTEGRAL STOP-RUN REVERSE LIGHT - 2 BACK-UP CAMERA CIRCUIT PROTECTORS</p>	<p>No</p>	<p>Bid</p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			FUEL TANK - STEP TYPE - MIN. 45 GALLON TIRES - 10R22.5 HIGHWAY TREAT FRONT MUD AND SNOW REAR SPARE - WHEEL CAB - STANDARD TRIM CAB INTERIOR VINYL FLOOR COVERING - NO CARPET HEATER SUN VISORS - LEFT AND RIGHT SEAT IN VINYL MID-BACK DRIVER'S W/2 PERSON PASS. SEAT BELTS RADIO - AM/FM INSTRUMENT PANEL: AIR CLEANER RESTRICTION INDICATOR MOUNTED ON DASH PARKING BRAKE CONTROL - DASH MOUNTED SPEEDOMETER MPH/KHM WITH ODOMETER WARNING LIGHTS: LOW OIL PRESSURE LOW COOLANT LEVEL HIGH COOLANT TEMPREATURE FUEL WARNING LIGHT WATER IN FUEL WARNING LIGHT BUZZER: LOW AIR PRESSURE GAUGES: VOLTMETER OR AMPMETER OIL PRESSURE TEMPREATURE FUEL AIR PRESSURE TACHOMETER WINDSHIELD WIPERS - 2 SPEED INTERMITTENT WITH WASHER WHEELS - 22.5 X 7.5 HOLE 10 STEEL DISC. ISO HUB PILOT MOUNTED ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING MANUALS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTED. 4 SETS OF KEYS ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.		
229	15.00	EA	0016A - 2016 25,000 LB./29,000 LB. CAB & CHASSIS	No	Rid
			OPTION: AIR RIDE DRIVERS SEAT		
230	15.00	EA	0016B - 2016 25,000 LB./29,000 LB. CAB & CHASSIS		
			OPTION: 20,000 LB PINTLE HOOK		
231	15.00	EA	0016C - 2016 25,000 LB./29,000 LB. CAB AND CHASSIS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
232	15.00	EA	OPTION: SPARE WHEEL 0016D - 2016 25,000 LB./29,000 LB. CAB AND CHASSIS	No Bid	
233	15.00	EA	OPTION: TRAILER PACKAGE FOR AIR BRAKES ON TRAILER TO REAR OF CHASSIS. 0016E - 2016 25,000 LB./29,000 LB. CAB AND CHASSIS		
234	15.00	EA	OPTION: TRAILER PACKAGE FOR ELECTRIC 0016F - 2016 25,000 LB./29,000 LB. CAB & CHASSIS		
235	15.00	EA	OPTION: 50 GAL. FUEL TANK 0016G - 2016 25,000 LB./29,000 LB. CAB & CHASSIS		
236	15.00	EA	OPTION: REGULAR CAB WHEELBASES: 158 176 182 194 200 212 218 224 230 242 260 0016H - 2016 25,000 LB./29,000 LB. CAB AND CHASSIS		
237	15.00	EA	OPTION: CHASSIS 0016I - 2016 25,000 LB./29,000 LB. CAB AND CHASSIS		
238	15.00	EA	OPTION: CREW CAB 0016J - 2016 25,000 LB./29,000 LB. CAB & CHASSIS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS	
239	15.00	EA	OPTION: TRANSMISSION TEMPERATURE GAUGE 0016K - 2016 25,000 LB./29,000 LB. CAB & CHASSIS	No	Bid	
240	15.00	EA	OPTION: PTO FOR AUTOMATIC CA 0016L - 2016 25,000 LB./29,000 LB. CAB AND CHASSIS			
241	15.00	EA	OPTION: REGULAR CAB CA 84 102 108 120 126 138 144 150 156 168 186 0016M - 2016 25,000 LB./29,000 LB. CAB & CHASSIS			
242	15.00	EA	OPTION: 102 108 120 126 138 144 150 156 168 0016N - 2016 25,000 LB./29,000 LB. CAB & CHASSIS			
243	15.00	EA	OPTION: 212 218 230 236 248 254 260 266 278 0016O - 2016 25,000 LB./29,000 LB. CAB AND CHASSIS			

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
244	15.00	EA	OPTION: SUPER CAB 0016P - 2016 25,000 LB./29,000 LB. CAB AND CHASSIS	No Bid	
245	15.00	EA	OPTION: SUPER CAB WHEELBASE 179 197 203 215 221 233 239 245 251 263 281 0016Q - 2016 25,000 LB./29,000 LB. CAB AND CHASSIS OPTION: SUPERCAB CA 84 102 108 120 126 138 144 150 156 168 186		
246	15.00	EA	0016R - 2016 25,000 LB./29,000 LB. CAB AND CHASSIS OPTION: 29,000 LB. GVWR CHASSIS CAB		
247	15.00	EA	0016S - 2016 25,000 LB./29,000 LB. CAB AND CHASSIS OPTION: REGULAR CAB YIELD STRENGTH 80,000 50,000 120,000		
248	10.00	EA	0017 - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS SPEC.# MODEL QUOTE ON:		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>DELIVER IN ____ CALENDAR DAYS AFTER RECEIPT OF ORDER.</p> <p>SEAT COLOR:</p> <p>GVW: 33,000 LBS. CA 84 IN. ENGINE - 6.7L V8 TURBO CHARGE H.P. - 250 AT 2300 RPM TURBO WITH AIR AFTER COOLER MIN TORQUE - 660 LBS. AIR FILTER - DRY TYPE PAPER ELEMENT SINGLE EXHAUST - VERTICAL WITH RAIN CAP 12 VOLT STARTER OIL FILTER - FULL FLOW FUEL/WATER SEPARATOR ENGINE OIL COOLER ENGINE COOLANT FILTER/CONDITIONER WATER CONDITIONER NOT REQUIRED TRANSMISSION - FORD 6R140 6 SPEED **MUST QUOTE AUTOMATIC TRANSMISSION** AUTOMATIC W/PTO PROVISION REAR AXLE - 12,000 LB. GVW FRONT SUSPENSION - 12,000 LB. CAPACITY REAR SUSPENSION - 21,000 LB. CAPACITY AUXILIARY SPRINGS - 4,500 LBS. BRAKES - FULL AIR FRONT CAM - 15 IN X 4 IN REAR CAM - 16.5 IN X 7 IN. AIR PARKING BRAKES - SPRING SET TYPE WITH DASH MOUNTED CONTROL. AIR COMPRESSOR - MIN. 15.5 CFM AIR DRYER - BENDIX - WESTINGHOUSE AD-9 HEATED AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE EJECTOR ON WET TANK DRIVESHAFT - SPICER U-JOINTS 1610 H.D. SPICER 1710-MERITOR 17T FRAME - 15.9 SM 110,000 PSI - 15.48 SECTION MODULAR 120,000 PSI HORN - DUAL AIR HOOD & FENDER ASSEMBLY - TILT TYPE ELECTRICAL - ALTERNATOR - 13 AMPS BATTERIES - MIN. NO. 2 TOTAL CCA 1900 EMERGENCY FLASHERS (5) CAB LIGHTS HALOGEN HEADLIGHTS TURN SIGNALS - STANDARD (2) RESERVE LIGHTS CIRCUIT PROTECTORS FUEL TANK - LH STEP TYPE - 50 GALLON ALUMINUM - STEEL TIRES - 11R22.5 HIGHWAY TREAD FRONT MUD AND SNOW REAR SPARE - WHEEL CAB - STANDARD TRIM CAB INTERIOR - HEATER, LEFT AND RIGHT SUNVISORS VINYL FLOOR COVERING - NO CARPET SEAT IN VINYL MID-BACK DRIVERS WITH 2 PASSENGERS SEAT BELTS</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			RADIO - AM/FM INSTRUMENTATION - AIR CLEANING WARNING LIGHT ON DASH RESTRICTION INDICATOR AND PARKING BRAKE CONTROL DASH MOUNTED, SPEEDOMETER MPH/KMH WITH ODOMETER. TURN SIGNAL SWITCH, BACKUP CAMERA WARNING LIGHT LOW OIL PRESSURE LOW COOLANT LEVEL HIGH COOLANT TEMPREATURE FUEL WARNING LIGHT WATER IN FUEL WARNING LIGHT BUZZER: LOW AIR PRESSURE GAUGES - VOLMETER OR AMPMETER OIL PRESSURE TEMPERATURE FUEL AIR PRESSURE TACHOMETER CAB EXTERIOR - WEST COAST MIRRORS 7 IN X 16 IN WITH 8 IN ROUND CONVEX MIRROR MOUNTED BELOW. WINDSHIELD WIPERS - 2 SPEED INTERMITTENT WITH WASHER WHEELS - 22.5 X 8.25 10 HOLE STEEL DISC. ISO HUB PILOT MOUNTED (7) WIRE TRAILER CONNECTORS IN REAR OF TRUCK. BRAKE CONTROLLERS MOUNTED IN TRUCK TO CONTROL TRAILERS WITH ELECTRIC BRAKES. PINTLE HOOK - HOLLAND PH-T125A 30,000 LB. GROSS TRAILER WEIGHT 6,000 LB. VERTICAL SPRING LOADED PIVOT MOUNTED TO FRAME. AC - FACTORY INSTALLED 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAMS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTED. 2 UNIT OVERHAUL MANUALS 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT SERVICE ABILITY - TRUCK TO BE DELIVERED COMPELTLEY SERVICED AND IN READY TO WORK CONDITION. ALL SAFETY AND FEDERAL EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.		
249	10.00	EA	0017A - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS	No	Bid
			OPTION: FIXED PASSENGER SEAT		
250	10.00	EA	0017B - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
251	10.00	EA	OPTION: AIR SEAT FOR DRIVER 0017C - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS	No Bid	
252	10.00	EA	OPTION: SPARE WHEEL 0017D - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		
253	10.00	EA	OPTION: 20,000 PINTLE HOOK 0017E - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		
254	10.00	EA	OPTION: FRONT AND REAR TOW HOOKS (MOUNTED) 0017F - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		
255	10.00	EA	OPTION: TRANSMISSION TEMPERATURE GAUGE TEMP INDICATOR LOCATED ON DASH. 0017G - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		
256	10.00	EA	OPTION: 23,000 LB. REAR AXLE 0017H - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		
257	10.00	EA	OPTIONS: TRAILER BRAKES FOR AIR BRAKES ON TRAILER EXTENDED TO REAR OF CHASSIS 0017I - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		
258	10.00	EA	OPTION: 14,000 LB FRONT AXLE 0017J - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS OPTIONS: TRAILER PACKAGE FOR ELECTRIC BRAKES ON TRAILER		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
259	10.00	EA	0017K - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS	No	Bid
			OPTION: FRONT AND REAR TOW HOOKS (MOUNTED)		
260	10.00	EA	0017L - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		
			OPTION: TRANSMISSION TEMPERATURE GAUGE		
261	10.00	EA	0017M - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		
			OPTION: ENGINE HOUR METER		
262	10.00	EA	0017N - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		
			OPTION: REGULAR WHEELBASE 146		
			158		
			176		
			182		
			194		
			200		
			212		
			218		
			224		
			230		
			242		
			260		
			281		
263	10.00	EA	0017O - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		
			OPTION: REGULAR CAB CA 72		
			84		
			102		
			108		
			120		
			126		
			138		
			144		
			150		
			156		
			168		
			186		
			207		
264	10.00	EA	0017P - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
265	10.00	EA	OPTION: CREW CAB 0017Q - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS	No Bid	
266	10.00	EA	OPTION: CREW CAB CA 84 102 108 120 126 138 144 150 156 0017R - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		
267	10.00	EA	OPTION: CREW CAB WHEELBASE 194 212 218 230 236 248 254 260 266 0017S - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		
268	10.00	EA	OPTION: SUPER CAB WHEELBASE 179 197 203 215 221 233 239 245 251 263 281 0017T - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		
269	10.00	EA	OPTION: SUPER CAB 0017U - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
270	10.00	EA	OPTION: SUPER CAB CA 84 102 108 120 126 138 144 150 156 168 186 0017V - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS	No Bid	
271	10.00	EA	OPTION: REGULAR CAB YIELD STRENGTH 120,000 80,000 0017W - 2016 33,000 LB./37,000 LB. CAB AND CHASSIS	No Bid	
272	3.00	EA	OPTION: PTO FOR FORD TRANSMISSION 0018 - 2016 52,000 GVWR CAB & CHASSIS SPEC. MODEL QUOTE ON: <i>MA-106 to 108SD</i> DELIVERY IN <i>100</i> CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: <i>Gray</i> GVW: 52,000 LBS. CA 108 IN. ENGINE: MINIMUM STANARD ENGINE C.I.D. - 9 LITERS OR EQUAL H.P. - 300 MIN. TORQUE - 860 LBS. FT. TORQUE AIR FILTER - DRY TYPE PAPER ELEMENT SINGLE EXHAUST - HORIZONTAL MUFFLER VERTICAL STACK 12 VOLT STARTER OIL FLOW - FULL FLOW FUEL/WATER SEPARATOR ENGINE OIL COOLER FILTER/CONDITIONER TRANSMISSION-AUTOMATIC ALLISON WITH PTO NEW WORLD CURRENT YEAR MODEL MD3560 6 SPEED REAR AXLE - ROCKWELL RT 40-145 STEEL 40,000 LBS. TOP SPEED: 60 MPH FRONT AXLE - 12,000 LB. CAPACITY	<i>\$79,000.⁰⁰</i>	<i>\$237,001.⁸⁹</i>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p> REAR SUSPENTION - 40,000 LB. HENDRICKSON SUSPENSION BRAKES - FULL AIR FRONT CAM - 16.5 IN X 5.0 IN REAR CAM - 16.5 IN X 7 IN. AIR PARKING BRAKES, SPRINT SET TYPE WITH DASH MOUNTED CONTROL AIR COMPRESSOR - MIN. 13.2 CFM WATER COOLED AIR DRYER - BENDIX - WESTINGHOUSE AD-9 HEATED. AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE EJECTOR ON WET TANK DRIVESHAFT - SPICER - U-JOINTS 1710 H.D. FRAME - 13.72 SM 110,000 PSI DOUBLE CHANNEL BOLTED DUAL AIR HORN HOOD AND FENDER ASSEMBLY - TILT TYPE INTEGRAL POWER STEERING PINTLE HITCH - HOLLAND PHT 760 PINTLE HITCH PROVIDED WITH FULL REINFORC ELEMENTS TO TRUCK FRAME AND MOUNTED AT PROPER HEIGHTS TO MATCH TRAILER. TOW HOOKS - HEAVY DUTY REAR TOW HOOKS MOUNTED ON THE OUTSIDE OF FRAME WITH CASE HARDENED BOLTS. ELECTRICAL - ALTERNATOR - 90 AMPS BATTERIES - MIN. NO. 2 TOTAL CCA 1850 EMERGENCY FLASHERS (5) CAB LIGHTS HALOGEN HEADLIGHTS TURN SIGNAL - STANDARD TAILLIGHTS - TWO WITH INTEGRAL STOP/TURN (2) REVERSE LIGHTS BACK-UP ALARM - CAMERA TYPE CIRCUIT PROTECTORS REAR CLEARENCE LIGHT TRIO BAR FUEL TANK - LH STEP TYPE - 45 GAL. CAP TIRES - 11R22.5 HIGHWAY TREAD FRONT MUD AND SNOW REAR SPARE - WHEEL CAB - STANDARD TRIM CAB INTERIOR - HEATER SUN VISORS - LEFT AND RIGHT VINYL FLOOR COVERINGS - NO CARPET SEAT IN VINYL - MID-BACK DRIVERS WITH TWO PASSENGERS SEAT BELTS RADIO - AM/FM INSTRUMENTATION - AIR CLEANER RESTRICITION INDICATOR PARKING BRAKE CONTROL DASH MOUNTED SPEEDOMETER MPH/KMH WITH ODOMETER WARNING LIGHT: AMPS FUEL WARNING LIGHT WATER IN FUEL WARNING LIGHT LOW OIL PRESSURE LOW COOLANT LEVEL HIGH COOLANT LEVEL BUZZER: AIR PRESSURE </p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			GAUGES - VOLTMETER OR AMPMETER OIL PRESSURE TEMPREATURE FUEL AIR PRESSURE TACHOMETER CAB EXTERIOR - WEST COAST MIRRORS 7 IN X 16 IN WITH 5 IN ROUND COMPLEX MIRRORS MOUNTED BELOW. WINDSHIELD - TINTED WINDSHIELD WIPERS - 2 SPEED INTERMITTENT WITH WASHER. WHEELS - 22.5 X 8.25 10 HOLE STEEL DISC. ISO HUB PILOT MOUNTED. TRAILER PACKAGE WITH AIR AND ELECTRIC CONNECTION (7 PIN TRAILER PLUG) TO REAR OF FRAME. SERVICEABILITY - VEHICLE TO BE IN READY TO WORK CONDITION. AC - FACTORY INSTALLED 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAM IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTABLE 2 UNIT OVERHAUL MANUALS 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT		
273	10.00	EA	0018A - 2016 52,000 GVWR CAB AND CHASSIS	\$995. ⁰⁰	\$9,950. ⁰⁰
			OPTION: BOSTROM AIR SEATS FOR DRIVER		
274	10.00	EA	0018B - 2015 52,000 GVWR CAB AND CHASSIS	495. ⁰⁰	4,950. ⁰⁰
			OPTION: FIXED PASSENGER SEAT		
275	10.00	EA	0018C - 2015 52,000 GVWR CAB AND CHASSIS	1,274. ⁰⁰	12,740. ⁰⁰
			OPTION: 20,000 LB. PINTLE HOOK		
276	10.00	EA	0018D - 2016 52,000 GVWR CAB AND CHASSIS	2,995. ⁰⁰	29,950. ⁰⁰
			OPTION: 138 C/T		
277	10.00	EA	0018E - 2015 52,000 GVWR CAB AND CHASSIS	1,950. ⁰⁰	19,500. ⁰⁰
			OPTION: TRAILER PACKAGE FOR AIR BRAKES ON TRAILER.		
278	10.00	EA	0018F - 2016 52,000 GVWR CAB AND CHASSIS	295. ⁰⁰	2,950. ⁰⁰

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
279	10.00	EA	OPTION: FRONT TOW HOOKS (MOUNTED) 0018G - 2016 52,000 GVWR CAB AND CHASSIS	\$ 395. ⁰⁰	\$ 3950. ⁰⁰
280	10.00	EA	OPTION: TRAILER PACKAGE FOR ELECTRIC BRAKES ON TRAILER 0018H - 2016 52,000 GVWR CAB AND CHASSIS	9995. ⁰⁰	99,950. ⁰⁰
281	10.00	EA	OPTION: TRANSMISSION: ALLISON RDS 2500 RTO 15908LL 10 SPEED TRANSMISSION. 0018I - 2016 52,000 GVWR CAB AND CHASSIS	19,950	199,500. ⁰⁰
282	10.00	EA	OPTION: 450 HP ENGINE WITH 1650 FT. TORQUE TRANSMISSION 0018J - 2016 52,000 GVWR CAB AND CHASSIS	6,995. ⁰⁰	69,950. ⁰⁰
283	10.00	EA	OPTION: TRACTOR PACKAGE 0018K - 2016 52,000 GVWR CAB AND CHASSIS	2,995. ⁰⁰	29,950. ⁰⁰
284	15.00	EA	OPTION: 46,000 LB REAR AXLE 0018L - 2016 52,000 GVWR CAB AND CHASSIS	6,995. ⁰⁰	69,950. ⁰⁰
285	15.00	EA	OPTION: 18,000 LB FRONT AXLE 0018M - 2016 52,000 GVWR CAB AND CHASSIS	4,995. ⁰⁰	49,950. ⁰⁰
286	15.00	EA	OPTION: 5TH WHEEL 0018N - 2016 52,000 GVWR CAB AND CHASSIS	6,995. ⁰⁰	69,950. ⁰⁰
287	15.00	EA	OPTION: 184 IN CAB TO AXLE 0018P - 2015 52,000 GVWR CAB AND CHASSIS	1,995. ⁰⁰	19,950. ⁰⁰
288	15.00	EA	OPTION: DOUBLE CHANNEL FRAME 00180 - 2016 52,000 GVWR CAB AND CHASSIS	1,995. ⁰⁰	19,950. ⁰⁰

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
289	2.00	EA	<p>OPTION: 88 IN CAB TO AXLE</p> <p>0019 - 2016 52,000 GVWR HEAVY DUTY CAB & CHASSIS</p> <p>SPEC.</p> <p>MODEL QUOTED ON: <i>M2-112 to 114SD</i></p> <p>DELIVERY IN <i>120</i> CALENDAR DAYS AFTER RECEIPT OF ORDER.</p> <p>SEAT COLOR: <i>Gray</i></p> <p>GVW: 52,000 LBS. CA 108 IN. ENGINE - DIESEL - 12.8 380 HD OR EQUAL HP 380 MIN TORQUE 1350 LB. FT. C.I.D. 12.8L AIR FILTER - DRY TYPE PAPER ELEMENT SINGLE EXHAUST - HORIZONTAL MUFFLER WITH VERTICAL STACK. 12 VOLT STARTER OIL FILTER FULL FLOW FUEL/WATER SEPARATOR **QUOTE AUTOMATIC TRANSMISSION** REAR AXLE ROCKWELL RT40-145 40,000 LB. TOP SPEED: 60 MPH FRONT AXLE 12,000 LB. FRONT SUSPENSION 12,000 LB REAR SUSPENSION 40,000 LB. HENDRICKSON BRAKES - FULL AIR FRONT CAM - 16.5 IN X 7.0 IN AIR COMPRESSOR - MIN 13.2 CFM AIR DRYER BENDIX AD-9 HEATED AUTOMATIC SLACK ADJUSTERS AUTOMATIC MOISTURE ADJUSTER ON WET TANK FRAME 30.0SM 110,000 PSI DOUBLE CHANNEL BOLTED DUAL AIR HORNS HOOD AND FENDER ASSEMBLY TILT TYPE INTEGRAL POWER STEERING PINTLE HITCH - HOLLAND PHT 760 PINTLE HITCH PROVIDED WITH FULL REINFORCEMENT TO TRUCK MOUNTED AT PROPER HEIGHT TO MATCH TRAILER. TOW HOOKS HEAVY DUTY REAR TWO HOOKS MOUNTED ON THE OUTSIDE OF FRAME WITH CASE HARDENED BOLTS. ELECTRICAL - ALTERNATOR 90 AMPS BATTERIES MIN. NO. 2 TOTAL CCA 1850 EMERGENCY FLASHERS 5 CAB LIGHTS HALOGEN HEADLIGHTS TURN SIGNAL - STANDARD TAILLIGHTS - TWO WITH INTEGRAL STOP/TURN (2) REVERSE LIGHTS BACK-UP ALARM - ELECTRIC CIRCUIT PROTECTORS</p>	<p><i>\$ 94,272.²⁵</i></p>	<p><i>\$ 188,544.⁵⁰</i></p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			REAR CLEARANCE LIGHTS TRIO BAR FUEL TANK - IN STEP TYPE 45 GAL CAPACITY TIRES - 11R22.5 HIGHWAY TREAD FRONT MUD REAR W/SPARE CAB STANARD TRIM SUN VISOR - LEFT AND RIGHT VINYL FLOOR COVERINGS - NO CARPET SEAT IN VINYL - MID BACK DRIVERS WITH TWO MAN PASSENGER SEAT SAFETY BELTS RADIO AM/FM INSTRUMENTATION - AIR CLEANER RESTRICTION INDICATOR PARKING BRAKE CONTROL DASH MOUNTED SPEEDOMETER MPH/KHM WITH ODOMETER WARNING LIGHTS: AMPS, FUEL WARNING LIGHT WATER IN FUEL LIGHT, LOW OIL PRESSURE, LOW COOLANT LEVEL, HIGH COOLANT TEMP BUZZER: AIR PRESSURE GAUGES: VOLTOMETER OR AMMETER, OIL PRESSURE, WATER TEMPREATURE, FUEL, AIR PRESSURE. TACHOMETER CAB EXTERIOR: WEST COAST MIRRORS 7 IN X 16 IN WITH 5 IN ROUND CONVEX MIRROR MOUNTED BELOW WINDSHIELD - TINTED WINDSHIELD WIPERS - 2 SPEED INTERMITTENT WITH WASHER WHEELS 22.5 X 8.25 10 HOLE STEEL DISC. ISO HUB PILOT MOUNTED TRAILER PACKAGE WITH AIR AND ELECTRIC CONNECTION (7 PIN TRAILER PLUG) TO REAR OF FRAME SERVICE ABILITY - VEHICLE TO BE DELIVERED COMPLETELY SERVICED AND IN READY TO WORK CONDITION. AC FACTORY INSTALLED 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAMS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTED. 2 UNIT OVERHAUL MANUALS 4 SETS OF KEYS ALL STANDARD FACTORY EQUIPMENT.		
290	2.00	EA	0019A - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	\$ 995. ⁰⁰	\$ 1,990. ⁰⁰
			OPTION: BOSTROM AIR SEATS FOR DRIVER	350. ⁰⁰	700. ⁰⁰
291	2.00	EA	0019B - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS		
			OPTION: SPARE WHEEL		
292	2.00	EA	0019C - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	1,075. ⁰⁰	2,550. ⁰⁰

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
293	2.00	EA	OPTION: 20,000 LB. PINTLE HOOK 0019D - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	\$ 395. ⁰⁰	\$ 790. ⁰⁰
294	2.00	EA	OPTION: FIXED PASSENGER SEAT 0019E - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	395. ⁰⁰	790. ⁰⁰
295	2.00	EA	OPTION: TRAILER PACKAGE FOR ELECTRIC BRAKES ON TRAILER 0019F - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	3,995. ⁰⁰	7,990. ⁰⁰
296	2.00	EA	OPTION: 138 IN CT 0019G - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	1,950. ⁰⁰	3,900. ⁰⁰
297	2.00	EA	OPTION: TRAILER PACKAGE ON AIR BRAKES ON TRAILER 0019H - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	1,995. ⁰⁰	3,990. ⁰⁰
298	2.00	EA	OPTION: 88 IN CT 0019I - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	350. ⁰⁰	700. ⁰⁰
299	2.00	EA	OPTION: FRONT TOW HOOKS 0019J - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	6,995. ⁰⁰	13,990. ⁰⁰
300	2.00	EA	OPTION: 184 IN CT 0019K - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	5,995. ⁰⁰	11,990. ⁰⁰
301	2.00	EA	OPTION: 450 HP ENGINE 0019L - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	5,995. ⁰⁰	11,990. ⁰⁰

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
302	2.00	EA	OPTION: 1650 LB. FT. TORQUE 0019M - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	\$ 8,995. ⁰⁰	\$ 17,990. ⁰⁰
303	2.00	EA	OPTION: ALLISON 4500 RDS AUTOMATIC TRANSMISSION 0019N - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	10,995. ⁰⁰	21,990. ⁰⁰
304	2.00	EA	OPTION: 450 H.P. ENGINE OPTION RTO 15908LL 10 SPEED TRANSMISSION 00190 - 2016 52,000 GVWR HEAVY DUTY CAB AND CHASSIS	24,995. ⁰⁰	49,990. ⁰⁰
305	10.00	EA	OPTION: PTO PROVISION 0020 - 2016 HEAVY DUTY DUAL WHEEL CAB & CHASSIS	No Bid	
			SPEC# MODEL QUOTED ON: DELIVERY IN ___ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW: 17,500 LBS. MINIMUM WB - 135.5 IN CA 60 IN. PAYLOAD - 11,000 LBS. ENGINE - STANDARD GASOLINE 10 CYLINDER MINIMUM DIESEL - STANDARD RADIATOR - STANDARD ALTERNATOR - HEAVY DUTY TRANSMISSION - AUTOMATIC W/OVERDRIVE 6 SPEED SHOCKS - HEAVY DUTY BRAKES - POWER STEERING - POWER AC - FACTORY INSTALLED TIRES - 7 STANDARD BLACKWALL RADIALS WHEELS - STANDARD SPARE TIRE CARRIER - STANDARD CAB TYPE - CONVENTIONAL W/DOME LIGHT SEAT TYPE - BENCH SEAT COVERING - VINYL VINYL FLOORING - NO CARPET		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			MIRRORS - INSIDE REARVIEW FRONT BUMPER - STANDARD RADIO - AM/FM TOOLS - MECHANICAL JACK & LUG WRENCH TINTED GLASS ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAMS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTED. 4 SETS OF KEYS ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.		
306	10.00	EA	0020A - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS	No Bid 	
			OPTION: TRAILER TOWING PACKAGE		
307	10.00	EA	0020C - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
			OPTION: V8 DIESEL - IF OPTIONAL ENGINE IS CHOSEN, DEALER MUST NOT CHANGE MODEL OF UNIT IN ORDER TO SUPPLY OPTIONAL ENGINE.		
308	10.00	EA	0020D - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
			OPTION: RUBBER FLOOR MATS		
309	10.00	EA	0020E - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
			OPTION: WHEELBASE 189 IN. - 108 IN CA		
310	10.00	EA	0020F - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
			OPTION: UPFITTER SWITCHES		
311	10.00	EA	0020G - 2016 HEAVY DUTY DUAL WHEELS CAB AND CHASSIS		
			OPTION: PAYLOAD - 8895 LBS.		
312	10.00	EA	0020H - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		


ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
313	10.00	EA	OPTION: VINYL INTERIOR 0020I - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS	No Bid	
314	10.00	EA	OPTION: 4X4 WHEEL DRIVE 0020J - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
315	10.00	EA	OPTION: SHIFT ON FLY 0020K - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
316	10.00	EA	OPTION: SKID PLATES 0020L - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
317	10.00	EA	OPTION: ALL TERRAIN 0020M - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
318	10.00	EA	OPTION: PTO PROVISION 0020N - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
319	10.00	EA	OPTION: TOW HOOKS (FRAME MOUNTED) REAR 0020O - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
320	10.00	EA	OPTION: GVW 19,000 LBS. W/PAYLOAD (12,400 LBS) 165 IN WB 0020P - 2016 HEAVY DUTY DUAL WHEEL CAB & CHASSIS		
321	10.00	EA	OPTION: WB 201 IN 19.00H 0020Q - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
322	10.00	EA	OPTION: REAR 0020R - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS	No Bid	
323	10.00	EA	OPTION: WHEELBASE 165 IN - 84 IN CA 0020S - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
324	10.00	EA	OPTION: CRUISE CONTROL 0020T - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
325	10.00	EA	OPTION: PAYLOAD 9,145 LBS. 0020U - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
326	10.00	EA	OPTION: CA 120 IN OR WB 201 IN 0020V - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
327	10.00	EA	OPTION: CREW CAB 176 IN WB 60 0020W - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
328	10.00	EA	OPTION: SUPERCAB (4-DOORS) 0020X - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
329	10.00	EA	OPTION: CREW CAB (4-DOORS) 0020Y - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		
330	10.00	EA	OPTION: WHEELBASE 200 IN - 84 IN CA (CREWCAB) 0020Z - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID


ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
331	10.00	EA	OPTION: LIMITED SLIP REAR AXLE 0020ZA - 2016 HEAVY DUTY DUAL WHEEL CAB AND CHASSIS	No	Bid
332	20.00	EA	OPTION: POWER EQUIPMENT GROUP 0021 - 2016 SPECIAL HEAVY DUTY LOW MOUNT 1 1/2 TON CUTAWAY VAN CAB & CHASSIS SPEC# MODEL QUOTE ON: DELIVER IN ___ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: CAB TYPE - CUTAWAY TYPE FOR REAR VAN ACCESS GVW: 14,000 LBS. MIN. PAYLOAD - 8,540 LBS. MIN. WHEELBASE - 176 IN. MIN. FRONT AXLE - 4,600 LBS. MIN. REAR AXLE - 9,450 LBS. MIN. REAR SPRINGS - 9,450 LBS. MIN. SHOCKS - HEAVY DUTY ENGINE - 5.4L GASOLINE V-8 FUEL TANK - 55 GALLONS MIN. ALTERNATOR - 130 AMP HEAVY DUTY BATTERY - 75 AMP-HR HEAVY DUTY TRANSMISSION - ELECTRIC 4 SPEED AUTOMATIC W/OVERDRIVE BRAKES - POWER, FRONT & REAR STEERING - POWER WHEELS - SEVEN (7) 8-HOLE DISC. 6.0 K (DUAL REAR WHEELS) TIRES - 7 LT225/75RX16E BSW ALL SEASON SEAT COVERING - VINYL SEAT TYPE - HIGH BACK DRIVER & PASSENGER BUCKET SEATS MIRRORS - DUAL WEST COAST STYLE SWING OUT TYPE AC - FACTORY INSTALLED RADIO - AM/FM FRONT BUMPER - STANDARD REAR BUMPER - STANARD FACTORY HEATER AND DEFROSTER INSTRUMENTS - ALL GAUGES FLOOR MATS - FRONT, BACK ALL STANARD FACTORY EQUIPMENT. 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING MANUALS		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
333	20.00	EA	IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM, CD'S WILL BE ACCEPTED. 4 SETS OF KEYS 0021A - 2016 SPECIAL HEAVY DUTY LOW MOUNT 1 1/2 TON CUTAWAY VAN TRUCK CAB AND CHASSIS OPTION: 158 IN WB FOR 14 FT OR 15 FT BODY	No Bid	
334	20.00	EA	0021B - 2016 SPECIAL HEAVY DUTY LOW MOUNT 1 1/2 TON CUTAWAY VAN TRUCK CAB AND CHASSIS OPTION: 138 IN WB FOR 12 FT BODY		
335	20.00	EA	0021C - 2016 SPECIAL HEAVY DUTY LOW MOUNT 1 1/2 TON CUTAWAY VAN TRUCK CAB AND CHASSIS OPTION: TOW HOOKS (FRAME MOUNTED) FRONT		
336	20.00	EA	0021D - 2016 SPECIAL HEAVY DUTY LOW MOUNT 1 1/2 TON CUTAWAY VAN TRUCK CAB AND CHASSIS OPTION: ENGINE - 6.8L EFI V10 GASOLINE		
337	20.00	EA	0021E - 2016 SPECIAL HEAVY DUTY LOW MOUNT 1 1/2 TON CUTAWAY VAN TRUCK CAB AND CHASSIS OPTION: TOW HOOKS (FRAME MOUNTED) REAR		
338	20.00	EA	0021F - 2016 SPECIAL HEAVY DUTY LOW MOUNT 1 1/2 TON CUTAWAY VAN TRUCK CAB AND CHASSIS OPTION: TRAILER TOWING PACKAGE		
339	20.00	EA	0021G - 2016 SPECIAL HEAVY DUTY LOW MOUNT 1 1/2 TON CUTAWAY VAN TRUCK CAB AND CHASSIS OPTION: BACK UP ALARM		
340	20.00	EA	0021H - 2016 SPECIAL HEAVY DUTY LOW MOUNT 1 1/2 TON CUTAWAY VAN		

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS	
341	10.00	EA	TRUCK CAB AND CHASSIS OPTION: CUTAWAY 0022 - 2016 TRANSIT CONNECT CARGO VAN	No Bid		
342	10.00	EA	SPEC# MODEL QUOTE ON: DELIVERY IN ____ CALENDAR DAYS AFTER RECEIPT OF ORDER. ALL STANDARD EQUIPMENT XLT PACKAGE RUBBER FLOOR MATS WINDOW GLASS SIDE/RR 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING DIAGRAMS 4 SETS OF KEYS ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS. IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM PROVIDED, CD'S ARE ACCEPTED.			
343	10.00	EA	0022A - 2016 TRANSIT CONNECT CARGO VAN OPTION: EXTENDED LENGTH			
344	10.00	EA	0022B - 2016 TRANSIT CONNECT CARGO VAN OPTION: MARVAN ANIMAL CONTROL PKG.			
345	10.00	EA	0022C - 2016 TRANSIT CONNECT CARGO VAN OPTION: 15 INCH AMBER LIGHT			
346	10.00	EA	0023 - 2016 TRANSIT CONNECT SMALL 7 PASSENGER VAN SPEC # MODEL QUOTE ON: DELIVERY IN ____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: OPTION OF 7 PASSENGER SEATING			

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
346	5.00	EA	<p>ALL STANDARD EQUIPMENT ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS. TWO PARTS MANUALS 2 SERVICE MANUALS 2 WIRING DIAGRAMS 4 SETS OF KEYS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM - CD'S WILL BE ACCEPTED.</p> <p>0024 - 2016 TRANSIT FULL SIZE VAN 15 PASSENGER</p> <p>SPEC. #</p> <p>MODEL QUOTED ON:</p> <p>DELIVERY IN _____ CALENDARS DAYS AFTER RECEIPT OF ORDER.</p> <p>SEAT COLOR:</p> <p>GVW: 8600 LBS. MIN. WB - 138 IN. ENGINE - 3.7L V6 TRANSMISSION - AUTOMATIC W/OVERDRIVE BATTERY - 630 CCA BRAKES - POWER 4 WHEEL ABS/FRONT DISC. REAR DRUM FUEL TANK - 33 GALLONS ALTERNATOR - 130 AMP STEERING - POWER RADIO - AM/FM AC - FACTORY INSTALLED FRONT AND REAR TOOLS - MECHANICAL JACK AND LUG WRENCH WHEELS - (5) 16 X 16.5 TIRES - (5) LT225/75R16D BLACKWALL RADIALS SHOCKS - HEAVY DUTY RADIATOR - HEAVY DUTY SEATING ARRANGEMENT - 15 PASSENGER 2 FRONT BUCKET 4 BENCH SEAT COVERING - VINYL VINYL FLOOR COVERING - NO CARPET SIDE DOOR - SLIDING WITH GLASS REAR DOOR - HINGED WITH GLASS FRONT BUMPER - STANARD REAR BUMPER - STEP TYPE ALL STANDARD FACTORY EQUIPMENT 2 SERVICE MANUALS 2 PARTS MANUALS 2 WIRING MANUALS 4 SETS OF KEYS IF MFG. STILL PROVIDES. IF NO MANUAL OR DIAGRAM, CD'S WILL BE ACCEPTED. ALL SAFETY EQUIPMENT TO MEET STATE AND FEDERAL STANDARDS.</p>	<p>No bid</p>	<p>No bid</p>
347	5.00	EA	<p>0024A - 2016 TRANSIT FULL SIZE VAN 15 PASSENGER</p>		<p>No bid</p>

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
348	5.00	EA	OPTION: REAR A/C 0024B - 2016 TRANSIT FULL SIZE VAN 15 PASSENGER	No Bid	
349	5.00	EA	OPTION: 3.2 DIESEL 0024C - 2016 TRANSIT FULL SIZE VAN 15 PASSENGER		
350	5.00	EA	OPTION: 3.5 ECOBOOST 0024D - 2016 TRANSIT FULL SIZE WAGON 15 PASSENGER		
351	5.00	EA	OPTION: AUTOMATIC TRANSMISSION 4 SPEED WITH OVERDRIVE 0024E - 2016 TRANSIT FULL SIZE VAN 15 PASSENGER		
352	5.00	EA	OPTION: ELECTRIC DOOR LOCKS 0024F - 2016 TRANSIT FULL SIZE VAN 15 PASSENGER		
353	5.00	EA	OPTION: ELECTRIC WINDOWS 0024G - 2016 TRANSIT FULL SIZE VAN 15 PASSENGER		
354	20.00	EA	OPTION: V10 0025 - 2016 TRANSIT 150 VAN MEDIUM ROOF		
			SPEC# MODEL QUOTE ON: DELIVER IN ____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW: 8,600 LBS.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			12- VOLT POWERPOINTS - 2 IN. INSTRUMENT PANEL: 1 IN CENTER CONSOLE 26-GALLON FUEL TANK CAPACITY 60/40 SPLIT SIDE CARGO DOOR (LOW ROOF) 150-AMP ALTERNATOR AIR CONDITIONING (MANUAL) ENGINE - 3.7L TI-VCT V6 FFV CAPABILITY FULL-SIZE SPARE WHEEL AND TIRE GRAB HANDLES ON A-PILLAR HALOGEN HEADLAMPS MANUAL DOOR LOCKS MANUAL WINDOWS MIRRORS - SHORT-ARM MANUALLY OPERATED SLIDING PASSENGER-SIDE CARGO DOOR (MEDIUM AND HIGH ROOF) TILT/TELESCOPING STERRING COLUMN TRANSMISSION - 6 SPEED AUTOMATIC VINYL FLOOR COVERING - FRONT ONLY WINDSHIELD WIPERS/VARIABLE/INTERMITTENT		
355	20.00	EA	0025A - 2016 TRANSIT 150 VAN MEDIUM ROOF	No Bid	
			OPTION: ADDITIONAL KEYS (4)		
356	20.00	EA	0025B - 2016 TRANSIT 150 VAN MEDIUM ROOF		
			OPTION: ENGINE 3.2L POWER STROKE I-5 TURBO DIESEL		
357	20.00	EA	0025C - 2016 TRANSIT 150 VAN MEDIUM ROOF		
			OPTION: 220-AMP ALTERNATOR		
358	20.00	EA	0025D - 2016 TRANSIT 150 VAN MEDIUM ROOF		
			OPTION: 3 WHEELBASES: REGULAR, LONG AND EXTENDED LENGTH		
359	20.00	EA	0025E - 2016 TRANSIT 150 VAN MEDIUM ROOF		
			OPTION: ENGINE - 3.5L ECOBOOST V6		
360	20.00	EA	0025F - 2016 TRANSIT 150 VAN MEDIUM ROOF		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS	
361	20.00	EA	OPTION: PRIVACY GLASS 0025G - 2016 TRANSIT 150 VAN MEDIUM ROOF	No Bid		
362	20.00	EA	OPTION: REAR VIEW CAMERA 0025H - 2016 TRANSIT 150 VAN MEDIUM ROOF			
363	20.00	EA	OPTION: TRAILER WIRING PROVISIONS 0026 - 2016 TRANSIT 150 VAN LOW ROOF			
364	20.00	EA	SPEC# MODEL QUOTE ON: DELIVERY IN ____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW: 8,600 LBS. 12-VOLT POWERPOINTS - 2 IN. INSTRUMENT PANEL: 1 IN CENTER CONSOLE 26-GALLON FUEL TANK CAPACITY 60/40 SPLIT SIDE CARGO DOOR (LOW ROOF) 150-AMP ALTERNATOR AIR CONDITIONER (MANUAL) ENGINE - 3.7L TI-VCT V6 FFV CAPABILITY FULL-SIZE SPARE WHEEL AND TIRE GRAB HANDLES ON A-PILLAR HALOGEN HEADLAMPS MANUAL DOOR LOCKS MANUAL WINDOWS MIRRORS - SHORT-ARM MANUALLY OPERATED SLIDING PASSENGER-SIDE CARGO DOOR (MEDIUM AND HIGH ROOF) TILT/TELESCOPING STERRING COLUMN VINYL FLOOR COVERING - FRONT ONLY WINDSHIELD WIPERS/VARIABLE/INTERMITTENT			
365	20.00	EA	0026A - 2016 TRANSIT 150 VAN LOW ROOF OPTION: ADDITIONAL KEYS (4)			
			0026B - 2016 TRANSIT 150 VAN LOW ROOF			

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
366	20.00	EA	OPTION: 220-AMP ALTERNATOR 0026C - 2016 TRANSIT 150 VAN LOW ROOF	No Bid	
367	20.00	EA	OPTION: 3 WHEELBASES, REGULAR, LONG AND EXTENDED LENGTH 0026D - 2016 TRANSIT 150 VAN LOW ROOF		
368	20.00	EA	OPTION: ENGINE - 3.2L POWER STROKE I-5 TURBO DIESEL 0026E - 2016 TRANSIT 150 VAN LOW ROOF		
369	20.00	EA	OPTION: ENGINE 3.5L ECOBOOST V6 0026F - 2016 TRANSIT 150 VAN LOW ROOF		
370	20.00	EA	OPTION: PRIVACY GLASS 0026G - 2016 TRANSIT 150 VAN LOW ROOF		
371	20.00	EA	OPTION: REAR VIEW CAMERA 0026H - 2016 TRANSIT 150 VAN LOW ROOF		
372	2.00	EA	OPTION: TRAILER WIRING PROVISIONS 0027 - 2016 TRANSIT 250 VAN MEDIUM ROOF		
			SPEC# MODEL QUOTED ON: DELIVER IN _____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW: 9,000 LBS. 12-VOLT POWERPOINTS - 2 IN. INSTRUMENT		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
373	2.00	EA	PANEL: 1 IN CENTER CONSOLE 26- GALLON FUEL TANK CAPACITY 60/40 SPLIT SIDE CARGO DOOR (LOW ROOF) 150-AMP ALTERNATOR AIR CONDITIONING (MANUAL) ENGINE - 3.7L TI-VCT V6 FFV CAPABILITY FULL-SIZE SPARE WHEEL AND TIRE GRAB HANDLES ON A-PILLAR HALOGEN HEADLAMPS MANUAL DOOR LOCKS MANUAL WINDOWS MIRRORS - SHORT-ARM MANUALLY OPERATED SLIDING PASSENGER-SIDE CARGO DOOR (MEDIUM AND HIGH ROOF) TILT/TELESCOPING STEERING COLUMN TRANSMISSION - 6 SPEED AUTOMATIC VINYL FLOOR COVERING - FRONT ONLY WINDSHIELD WIPERS/VARIABLE/INTERMITTENT	No bid	
374	2.00	EA	0027A - 2016 TRANSIT 250 VAN MEDIUM ROOF OPTION: 3 WHEELBASES: REGULAR, LONG AND EXTENDED LENGTH		
375	2.00	EA	0027B - 2016 TRANSIT 250 VAN MEDIUM ROOF OPTION: 220-AMP ALTERNATOR		
376	2.00	EA	0027C - 2016 TRANSIT 250 VAN MEDIUM ROOF OPTION: ENGINE 3.5L ECOBOOST V6		
377	2.00	EA	0027D - 2016 TRANSIT 250 VAN MEDIUM ROOF OPTION: PRIVACY GLASS		
378	2.00	EA	0027E - 2016 TRANSIT 250 VAN MEDIUM ROOF OPTION: ENGINE 3.2L POWER STROKE I-5 TURBO DIESEL		
			0027F - 2016 TRANSIT 250 VAN MEDIUM ROOF OPTION: ADDITIONAL KEYS (4)		

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
379	2.00	EA	0027G - 2016 TRANSIT 250 VAN MEDIUM ROOF	No	Bid
380	2.00	EA	OPTION: REAR VIEW CAMERA 0027H - 2016 TRANSIT 250 VAN MEDIUM ROOF		
381	2.00	EA	OPTION: TRAILER WIRING PROVISIONS 0028 - 2016 TRANSIT 250 VAN LOW ROOF		
382	2.00	EA	SPEC# MODEL QUOTE ON: DELIVERY IN ____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW: 9,000 LBS. 12-VOLT POWERPOINTS - 2 IN. INSTRUMENT PANEL: 1 IN CENTER CONSOLE 26-GALLON FUEL TANK CAPACITY 60/40 SPLIT SIDE CARGO DOOR (LOW ROOF) 150-AMP ALTERNATOR AIR CONDITIONING (MANUAL) ENGINE - 3.7L TIVCT V6 FFV CAPABILITY FULL-SIZE SPARE WHEEL AND TIRE GRAB HANDLES ON A-PILLAR HALOGEN HEADLAMPS MANUAL DOOR LOCKS MANUAL WINDOWS MIRRORS - SHORT-ARM MANUALLY OPERATED SLIDING PASSENGER-SIDE CARGO DOOR (MEDIUM AND HIGH ROOF) TILT/TELESCOPING STEERING COLUMN TRANSMISSION - 6 SPEED AUTOMATIC VINYL FLOOR COVERING - FRONT ONLY WINDSHIELD WIPERS/VARIABLE/INTERMITTENT		
383	2.00	EA	0028A - 2016 TRANSIT 250 VAN LOW ROOF OPTION: 3 WHEELBASES: REGULAR, LONG AND EXTENDED LENGTH		
			0028B - 2016 TRANSIT 250 VAN LOW ROOF		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
384	2.00	EA	OPTION: ENGINE - 3.2L POWER STROKE I-5 TURBO DIESEL 0028C - 2016 TRANSIT 250 VAN LOW ROOF	No Bid	
385	2.00	EA	OPTION: ENGINE - 3.5L ECOBOOST V6 0028D - 2016 TRANSIT 250 VAN LOW ROOF		
386	2.00	EA	OPTION: PRIVACY GLASS 0028E - 2016 TRANSIT 250 VAN LOW ROOF		
387	2.00	EA	OPTION: ADDITIONAL KEYS (4) 0028F - 2016 TRANSIT 250 VAN LOW ROOF		
388	2.00	EA	OPTION: 220-AMP ALTERNATOR 0028G - 2016 TRANSIT 250 VAN LOW ROOF		
389	2.00	EA	OPTION: REAR VIEW CAMERA 0028H - 2016 TRANSIT 250 VAN LOW ROOF		
390	2.00	EA	OPTION: TRAILER WIRING PROVISIONS 0029 - 2016 TRANSIT 250 VAN HIGH ROOF		
			SPEC# MODEL QUOTE ON: DELIVERY IN ____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW: 9,000 LBS. 12-VOLT POWERPOINTS - 2 IN. INSTRUMENT		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
391	2.00	EA	PANEL: 1 IN CENTER CONSOLE 26- GALLON FUEL TANK CAPACITY 60/40 SPLIT SIDE CARGO DOOR (LOW ROOF) 150-AMP ALTERNATOR AIR CONDITIONING (MANUAL) ENGINE - 3.7L TI-VCT V6 FFV CAPABILITY FULL-SIZE SPARE WHEEL AND TIRE GRAB HANDLES ON A-PILLAR HALOGEN HEADLAMPS MANUAL DOOR LOCKS MANUAL WINDOWS MIRRORS - SHORT-ARM MANUALLY OPERATED SLIDING PASSENGER-SIDE CARGO DOOR (MEDIUM AND HIGH ROOF) TILT/TELESCOPING STEERING COLUMN TRANSMISSION - 6 SPEED AUTOMATIC VINYL FLOOR COVERING - FRONT ONLY WINDSHIELD WIPERS/VARIABLE/INTERMITTENT 0029A - 2016 TRANSIT 250 VAN HIGH ROOF	No bid	
392	2.00	EA	OPTION: ENGINE - 3.5L ECOBOOST V6 0029B - 2016 TRANSIT 250 VAN HIGH ROOF		
393	2.00	EA	OPTION: PRIVACY GLASS 0029C - 2016 TRANSIT 250 VAN HIGH ROOF		
394	2.00	EA	OPTION: TRAILER WIRING PROVISIONS 0029D - 2016 TRANSIT 250 VAN HIGH ROOF		
395	2.00	EA	OPTION: REAR VIEW CAMERA 0029E - 2016 TRANSIT 250 VAN HIGH ROOF		
396	5.00	EA	OPTION: 3.2L POWER STROKE I-5 TURBO DIESEL 0030 - 2016 TRANSIT 350 VAN HIGH ROOF		
			SPEC#		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			<p>MODEL QUOTE ON:</p> <p>DELIVERY IN ____ CALENDAR DAYS AFTER RECEIPT OF ORDER.</p> <p>SEAT COLOR:</p> <p>GVW: 9,500 LBS. 12-VOLT POWERPOINTS - 2 IN. INSTRUMENT PANEL: 1 IN CENTER CONSOLE 26-GALLON FUEL TANK CAPACITY 60/40 SPLIT SIDE CARGO DOOR (LOW ROOF) 150-AMP ALTERNATOR AIR CONDITIONING (MANUAL) ENGINE - 3.7L TI-VCT V6 FFV CAPABILITY FULL-SIZE SPARE WHEEL AND TIRE GRAB HANDLES ON A-PILLAR HALOGEN HEADLAMPS MANUAL DOOR LOCKS MANUAL WINDOWS MIRRORS - SHORT-ARM MANUALLY OPERATED SLIDING PASSENGER-SIDE CARGO DOOR (MEDIUM AND HIGH ROOF) TILT/TELESCOPING STEERING COLUMN TRANSMISSION - 6 SPEED AUTOMATIC VINYL FLOOR COVERING - FRONT ONLY WINDSHIELD WIPERS/VARIABLE/INTERMITTENT</p>		
397	5.00	EA	0030A - 2016 TRANSIT 350 VAN HIGH ROOF		
			OPTION: 3 WHEELBASES: REGULAR, LONG AND EXTENDED LENGTH		
398	5.00	EA	0030B - 2016 TRANSIT 350 VAN HIGH ROOF		
			OPTION: 220-AMP ALTERNATOR		
399	5.00	EA	0030C - 2016 TRANSIT 350 VAN HIGH ROOF		
			OPTION: ADDITIONAL KEYS (4)		
400	5.00	EA	0030D - 2016 TRANSIT 350 VAN HIGH ROOF		
			OPTION: ENGINE - 3.2L POWER STROKE I-5 TURBO DIESEL		
401	5.00	EA	0030E - 2016 TRANSIT 350 VAN HIGH ROOF		

No Bid

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS	
402	5.00	EA	OPTION: PRIVACY GLASS 0030F - 2016 TRANSIT 350 VAN HIGH ROOF	No Bid		
403	5.00	EA	OPTION: REAR VIEW CAMERA 0030G - 2016 TRANSIT 350 VAN HIGH ROOF			
404	5.00	EA	OPTION: ENGINE - 3.5L ECOBOOST V6 0030H - 2016 TRANSIT 350 VAN HIGH ROOF			
405	5.00	EA	OPTION: TRAILER WIRING PROVISIONS 0031 - 2016 TRANSIT 350 VAN HIGH ROOF EXTENDED LENGTH (SRW)			
406	5.00	EA	SPEC# MODEL QUOTED ON: DELIVERY IN _____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW: 9,500/10,360 LBS. 12-VOLT POWERPOINTS - 2 IN. INSTRUMENT PANEL: 1 IN CENTER CONSOLE 26-GALLON FUEL TANK CAPACITY 60/40 SPLIT SIDE CARGO DOOR (LOW ROOF) 150-AMP ALTERNATOR AIR CONDITIONING (MANUAL) ENGINE - 3.7L TI-VCT V6 FFV CAPABILITY FULL-SIZE SPARE WHEEL AND TIRE GRAB HANDLES ON A-PILLAR HALOGEN HEADLAMPS MANUAL DOOR LOCKS MANUAL WINDOWS MIRRORS - SHORT-ARM MANUALLY OPERATED SLIDING PASSENGER-SIDE CARGO DOOR (MEDIUM AND HIGH ROOF) TILT/TELESCOPING STEERING COLUMN TRANSMISSION - 6 SPEED AUTOMATIC VINYL FLOOR COVERING - FRONT ONLY WINDSHIELD WIPERS/VARIABLE/INTERMITTENT			
			0031A - 2016 TRANSIT 350 VAN HIGH ROOF EXTENDED LENGTH			

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978


SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
407	5.00	EA	OPTION: DUAL REAR WHEELS 0031B - 2016 TRANSIT 350 VAN HIGH ROOF EXTENDED LENGTH	No Bid	
408	5.00	EA	OPTION: 3 WHEELBASES: REGULAR, LONG AND EXTENDED LENGTH 0031C - 2016 TRANSIT 350 VAN HIGH ROOF EXTENDED LENGTH		
409	5.00	EA	OPTION: 220-AMP ALTERNATOR 0031D - 2016 TRANSIT 350 VAN HIGH ROOF EXTENDED LENGTH		
410	5.00	EA	OPTION: ADDITIONAL KEYS (4) 0031E - 2016 TRANSIT 350 VAN HIGH ROOF EXTENDED LENGTH		
411	5.00	EA	OPTION: PRIVACY GLASS 0031F - 2016 TRANSIT 350 VAN HIGH ROOF EXTENDED LENGTH		
412	5.00	EA	OPTION: 3.5L ECOBOOST V6 0031G - 2016 TRANSIT 350 VAN HIGH ROOF EXTENDED LENGTH		
413	5.00	EA	OPTION: TRAILER WIRING PROVISIONS 0031H - 2016 TRANSIT 350 VAN HIGH ROOF EXTENDED LENGTH		
414	5.00	EA	OPTION: REAR VIEW CAMERA 0031I - 2016 TRANSIT 350 VAN HIGH ROOF EXTENDED LENGTH		
415	5.00	EA	OPTION: 3.2L POWER STROCK I-5 TURBO DIESEL 0032 - 2016 TRANSIT 350 VAN LOW ROOF		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			SPEC# MODEL QUOTE ON: DELIVERY IN _____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW: 9,500 LBS. 12-VOLT POWERPOINTS - 2 IN. INSTRUMENT 26-GALLON FUEL TANK CAPACITY 60/40 SPLIT SIDE CARGO DOOR (LOW ROOF) 150-AMP ALTERNATOR AIR CONDITIONING (MANUAL) ENGINE - 3.7L TI-VCT V6 FFV CAPABILITY FULL-SIZE SPARE WHEEL AND TIRE GRAB HANDLES ON A-PILLAR HALOGEN HEADLAMPS MANUAL DOOR LOCKS MANUAL WINDOWS MIRRORS - SHORT-ARM MANUALLY OPERATED SLIDING PASSENGER-SIDE CARGO DOOR (MEDIUM AND HIGH ROOF) TILT/TELESCOPING STEERING COLUMN TRANSMISSION - 6 SPEED AUTOMATIC VINYL FLOOR COVERING - FRONT ONLY WINDSHIELD WIPERS/VARIABLE/INTERMITTENT		
416	5.00	EA	0032A - 2016 TRANSIT 350 VAN LOW ROOF	<i>No Bid</i> 	
			OPTION: 220-AMP ALTERNATOR		
417	5.00	EA	0032B - 2016 TRANSIT 350 VAN LOW ROOF		
			OPTION: ADDITIONAL KEYS (4)		
418	5.00	EA	0032C - 2016 TRANSIT 350 VAN LOW ROOF		
			OPTION: 3 WHEELBASES: REGULAR, LONG AND EXTENDED LENGTH		
419	5.00	EA	0032D - 2016 TRANSIT 350 VAN LOW ROOF		
			OPTION: ENGINE - 3.2L POWER STROKE I-5 TURBO DIESEL		
420	5.00	EA	0032E - 2016 TRANSIT 350 VAN LOW ROOF		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS	
421	5.00	EA	OPTION: REAR VIEW CAMERA 0032F - 2016 TRANSIT 350 VAN LOW ROOF	No Bid		
422	5.00	EA	OPTION: TRAILER WIRING PROVISIONS 0032F - 2016 TRANSIT 350 VAN LOW ROOF			
423	5.00	EA	OPTION: ENGINE - 3.5L ECOBOOST V6 0032H - 2016 TRANSIT 350 VAN LOW ROOF			
424	6.00	EA	OPTION: PRIVACY GLASS 0033 - 2016 MAVRON ANIMAL TRANSPORT TRANSIT VAN			
425	6.00	EA	SPEC# MODEL QUOTED ON: DELIVERY IN _____ CALENDAR DAYS AFTER RECEIPT OF ORDER. SEAT COLOR: GVW: 9,000 LBS. 12-VOLT POWERPOINTS - 2 IN. INSTRUMENT PANEL: 1 IN CENTER CONSOLE 26-GALLON FUEL TANK CAPACITY 60/40 SPLIT SIDE CARGO DOOR (LOW ROOF) 150-AMP ALTERNATOR AIR CONDITIONING (MANUAL) ENGINE - 3.7L TI-VCT V6 FFV CAPABILITY FULL-SIZE SPARE WHEEL AND TIRE GRAB HANDLES ON A-PILLAR HALOGEN HEADLAMPS MANUAL DOOR LOCKS MANUAL WINDOWS MIRRORS - SHORT-ARM MANUALLY OPERATED SLIDING PASSENGER-SIDE CARGO DOOR (MEDIUM AND HIGH ROOF) TILT/TELESCOPING STEERING COLUMN TRANSMISSION - 6 SPEED AUTOMATIC VINYL FLOOR COVERING - FRONT ONLY WINDSHIELD WIPERS/VARIABLE/INTERMITTENT			
425	6.00	EA	0033A - 2016 MAVRON ANIMAL TRANSPORT TRANSIT VAN			

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
426	6.00	EA	OPTION: 3 WHEELBASES: REGULAR, LONG AND EXTENDED LENGTH 0033B - 2016 MAVRON ANIMAL TRANSPORT TRANSIT VAN	No Bid	
427	6.00	EA	OPTION: 220-AMP ALTERNATOR 0033C - 2016 MAVRON ANIMAL TRANSPORT TRANSIT VAN		
428	6.00	EA	OPTION: 3.2L POWER STRICK I-5 TURBO DIESEL 0033D - 2016 MAVRON ANIMAL TRANSPORT TRANSIT VAN		
429	6.00	EA	OPTION: ADDITIONAL KEYS (4) 0033E - 2016 MAVRON ANIMAL TRANSPORT TRANSIT VAN		
430	6.00	EA	OPTION: REAR VIEW CAMERA 0033F - 2016 MAVRON ANIMAL TRANSPORT TRANSIT VAN		
431	6.00	EA	OPTION: TRAILER TOWING PROVISIONS 0033G - 2016 MAVRON ANIMAL TRANSPORT TRANSIT VAN		
432	6.00	EA	OPTION: PRIVACY GLASS 0033H - 2016 MAVRON ANIMAL TRANSPORT TRANSIT VAN		
433	6.00	EA	OPTION: REAR A/C 0033I - 2016 MAVRON ANIMAL TRANSPORT TRANSIT VAN		
434	6.00	EA	OPTION: ENGINE - 3.5L ECOBOOST V6 0033J - 2016 MAVRON ANIMAL TRANSPORT TRANSIT VAN		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113978

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
435	6.00	EA	OPTION: 15 INCH AMBER LIGHT 0033K - 2016 MAVRON ANIMAL TRANSPORT TRANSIT VAN	No Bid	
436	6.00	EA	OPTION: REVERSE ALARM 0033L - 2016 MAVRON ANIMAL TRANSPORT TRANSIT VAN		
			OPTION: AVL-9 MODIFIED ANIMAL TRANSPORT VAN CONVERSION (L-SHAPED CONFIGURATION OF 8 CAGES)		



JEFFERSON PARISH
DEPARTMENT OF PURCHASING

WWW.JEFFPARISH.NET

JOHN F. YOUNG, JR.
PARISH PRESIDENT

BRENDA J. CAMPOS
DIRECTOR

August 12, 2015

ADDENDUM # 1

Bid No.: 50-00113978

Bid Opening Date: August 13, 2015
Bid Extended Date: August 25, 2015

**For: Annual Contract for Supply of Model Year 2016 Automobiles for the Jefferson Parish
Department of Fleet Management**

The bid opening date is being extended to 2:00 pm on Tuesday, August 25, 2015.

Sincerely,

Misty A. Camardelle

Misty A. Camardelle, Buyer II
Jefferson Parish Purchasing Department

**Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of
this addendum on the bid form as indicated. Failure to do so will result in bid rejection.**

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

Received
[Signature]
Brenda J. Carrubba

Updated: August 12, 2015



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

WWW.JEFFPARISH.NET

JOHN F. YOUNG, JR.
PARISH PRESIDENT

BRENDA J. CAMPOS
DIRECTOR

August 18, 2015

ADDENDUM # 2

Bid No.: 50-00113978

Bid Opening Date: August 25, 2015

For: Annual Contract for Supply of Model Year 2016 Automobiles for the Jefferson Parish
Department of Fleet Management

ADDITIONS

The attached revised Bid Form replaces the previous Bid Form. The new Bid Form adds vehicle options.

Sincerely,

Misty A. Camardelle

Misty A. Camardelle, Buyer II
Jefferson Parish Purchasing Department

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form as indicated. Failure to do so will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

Received
[Signature]
Misty A. Camardelle



JEFFERSON PARISH
DEPARTMENT OF PURCHASING

MASTER COPY

WWW.JEFFPARISH.NET

JOHN F. YOUNG, JR.
PARISH PRESIDENT

BRENDA J. CAMPOS
DIRECTOR

August 24, 2015

ADDENDUM # 3

Bid No.: 50-00113978

Bid Opening Date: August 25, 2015

Bid Opening Extended Date: September 3, 2015

For: Annual Contract for Supply of Model Year 2016 Automobiles for the Jefferson Parish
Department of Fleet Management

REVISIONS.

The attached revised bid form is replacing the previous bid form. This bid form deletes item 0009R.

The bid opening date is being extended until 2:00pm on Thursday, September 3, 2015.

Sincerely,

Misty A. Camardelle

Misty A. Camardelle, Buyer II
Jefferson Parish Purchasing Department

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form as indicated. Failure to do so will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

Received
[Signature]
Brenda J. Campos



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

WWW.JEFFPARISH.NET

JOHN F. YOUNG, JR.
PARISH PRESIDENT

BRENDA J. CAMPOS
DIRECTOR

August 25, 2015

ADDENDUM # 4

Bid No.: 50-00113978

Bid Opening Date: September 3, 2015

For: Annual Contract for Supply of Model Year 2016 Automobiles for the Jefferson Parish
Department of Fleet Management

ADDITIONS.

The attached Bid Form replaces all other previous Bid Forms. This amendment adds Line Item 0033L.

Sincerely,

Misty A. Camardelle

Misty A. Camardelle, Buyer II
Jefferson Parish Purchasing Department

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form as indicated. Failure to do so will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

Received
[Signature]
Misty A. Camardelle

License No. N -2014-00104
DPS Code: NSEC

2014-2016

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

Empire Truck Sales, LLC
210 Frontage Road
Slidell, LA 70458

Paul Lonnie Cook, Dealer-Operator/General Manager

is duly licensed as a

New Motor Vehicle Dealer

of the following make or makes

Detroit Diesel, Freightliner Trucks, Western Star Trucks

For the period ending March 31, 2016, unless license is sooner revoked.

In Witness whereof, LOUISIANA MOTOR VEHICLE COMMISSION, under and by virtue of the authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal imprinted hereon.

Dated April 1, 2014
Signed, Sealed and Attested



Executive Director




Chairman

LOUISIANA MOTOR VEHICLE COMMISSION

(To be prominently displayed in place of business)

MEETING OF THE
MEMBERS
OF
EMPIRE TRUCK SALES, LLC

A meeting of the Members of EMPIRE TRUCK SALES, LLC, was held on August 11, 2015, whereby a resolution was caused authorizing Brett Carrubba, Sales Representative, by his signature, enter into any and all contractual obligations on behalf of this corporation as related to Jefferson Parish – Bid number 50-00113978 – Annual contract for supply of model year 2016 automobiles or Jefferson Parish department of fleet management with a bid date of Thursday, September 3, 2015 at 2:00 p.m.



Brian W. Clegg, CPA
Secretary

License No. N -2014-00056

2014-2016

Not Transferable

Louisiana Motor Vehicle Commission

This Certifies that
 Brett A. Carrubba of Slidell, LA
 has been licensed by this Commission as a
 MOTOR VEHICLE SALESMAN,
 Employed by Motor Vehicle Dealer Licensee
 N -2014-00104
 Empire Truck Sales, LLC
 210 Frontage Road
 Slidell, LA 70458

pursuant to the laws of the State of Louisiana for the period ending March 31, 2016.

Louisiana Motor Vehicle Commission



Dated April 1, 2014

LA House
 Executive Director

NOTE: This Certificate is to be retained by the Employer.
 It is to be returned by the Employer to the Commission
 Office at 3519 12th Street, Metairie, LA 70002, within ten
 days of the termination of the Salesman's employment.

Termination Date:

Louisiana Motor Vehicle Commission

License No. N -2014-00056 2014-2016
 This is to Certify that
 Brett A. Carrubba of Slidell, LA
 has been duly licensed by this Commission as a
 MOTOR VEHICLE SALESMAN,
 Employed by Motor Vehicle Dealer Licensee
 N -2014-00104 Empire Truck Sales, LLC
 Slidell, LA 70458

For the period ending 3/31/2016.
 Louisiana Motor Vehicle Commission

LA House
 Executive Director
 (OVER)

Dated: 4/01/2014



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
02/26/2015

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).


PRODUCER FEDERATED MUTUAL INSURANCE COMPANY HOME OFFICE: P.O. BOX 328 OWATONNA, MN 55060		CONTACT NAME: CLIENT CONTACT CENTER PHONE (A/C, No, Ext): 888-333-4949 FAX (A/C, No): 507-446-4664 E-MAIL ADDRESS: CLIENTCONTACTCENTER@FEDINS.COM	
INSURED EMPIRE TRUCK SALES LLC PO BOX 54325 JACKSON, MS 39288		INSURER(S) AFFORDING COVERAGE INSURER A: FEDERATED MUTUAL INSURANCE COMPANY NAIC # 13935 INSURER B: INSURER C: INSURER D: INSURER E: INSURER F:	338-924-4

COVERAGES **CERTIFICATE NUMBER: 10** **REVISION NUMBER: 0**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN. THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	GENERAL LIABILITY <input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC	N	N	9337494	04/01/2015	04/01/2016	EACH OCCURRENCE \$500,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$100,000 MED EXP (Any one person) EXCLUDED PERSONAL & ADV INJURY \$500,000 GENERAL AGGREGATE \$1,000,000 PRODUCTS - COM/OP AGG \$1,000,000
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS						COMBINED SINGLE LIMIT (Ea accident) BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE (Per accident)
A	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> DED <input type="checkbox"/> RETENTION	N	N	9337495	04/01/2015	04/01/2016	EACH OCCURRENCE \$1,000,000 AGGREGATE
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	N	I/A	9337496	04/01/2015	04/01/2016	<input checked="" type="checkbox"/> WC STATU-TORY LIMITS <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$500,000 E.L. DISEASE - EA EMPLOYEE \$500,000 E.L. DISEASE - POLICY LIMIT \$500,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

CERTIFICATE HOLDER 338-924-4 JEFFERSON PARRISH 200 DERBIGNY ST STE 4400 GRETNA, LA 70053-5878	CANCELLATION 10 0 SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE 
--	--

STIBLING EQUIPMENT, LLC

Your Partner
Doing It Right

COMBINING THE BEST – EXCELLENCE

MISSISSIPPI

Jackson

408 U.S. Hwy. 49 South
(601) 939-1000

Brookhaven

121 Stribling Road
(601) 835-4400

Columbus

155 Wilkins Wise Road
(662) 328-0820

Greenwood

3811 Highway 82 East
(662) 453-7556

Biloxi

8480 W. Oak Lawn Rd.
(228) 365-0000

Hattiesburg

300 Sullivan-Kilrain Rd
(601) 544-3000

Meridian

125 U.S. Hwy. 11 & 80
(601) 482-5575

Natchez

275 John R. Junkin
(601) 442-3613

Philadelphia

10400 Road 383
(601) 656-1997

Tupelo

2454 McCullough Blvd.
(662) 844-3212

TENNESSEE

Jackson, TN

743 Airways Street
(731) 422-2542

Memphis, TN

1505 Corporate Avenue
(901) 345-5294

ARKANSAS

Little Rock

10601 Otter Creek E. Blvd.
(501) 455-2540

Texarkana

1800 Jim Walter Drive
(870) 772-9321

Fort Smith

3410 South Zero Street
(479) 646-8381

Camden

2380 Hwy. 79 North
(870) 574-0290

Springdale

3838 Wagon Wheel Road
(479) 756-9779

Monticello

1185 Highway 425 South
(870) 367-3496

Arkadelphia

301 High School Drive
(870) 246-8678



**24-Hour Emergency Parts
and Service Availability
at all locations!**



JOHN DEERE



TEREX
CEDARAPIDS

HITACHI

SAKAI
MASTERS OF COMPACTION

www.stribling.com

www.empire.com

1-800-682-6409

EMPIRE **E** EMPIRE TRUCK SALES

EXCEEDING YOUR EXPECTATIONS!

MISSISSIPPI

Jackson

373 U.S. Hwy. 49 South
(601) 939-5000

Jackson - Used Trucks

301 U.S. Hwy 49 South
(601) 939-6000

Jackson - Body Shop

136 Riverview Drive
(601) 933-5310

Brookhaven

121 Stribling Road
(601) 835-4400

Columbus

155 Wilkins Wise Road
(662) 328-0820

Biloxi

8480 West Oak Lawn Rd.
(228)365-0000

Hattiesburg

300 Sullivan-Kilrain Road
(601) 544-3000

Meridian

125 U.S. Hwy. 11 & 80
(601) 482-5575

ALABAMA

Mobile

2495 W. I-65 Ser. Rd. N.
(251) 330-0088

LOUISIANA

Slidell

210 Frontage Road
(985) 641-4000

FLORIDA

Pensacola

8807 Paul Starr Drive
(850) 478-0031



Direct Parts 1-800-548-DEAL
Authorized Engine
Distributor for:



equipment.com
etruck.com

1-800-872-3673



WORK SMART™

M2 106

VOCATIONAL MEDIUM DUTY





M2 106

THE ALL-AROUND PERFORMER.

The Freightliner M2 106 is a versatile member of the Freightliner Trucks family, offering the perfect platform for a variety of applications. With a GVWR of up to 56,000 pounds, this medium-duty vehicle supports a wide range of bodies and chassis-mounted equipment. A multiplex wiring system, clear frame rails and a variety of exhaust packages help you get the configuration you need for the job at hand. And the optional SmartPlex™ Electrical System offers a seamless electrical interface with the body for easier custom programming.

The M2 106 is available as a truck or a tractor and comes standard with a powerful yet fuel efficient Cummins® ISB6.7 engine or an optional ISL9 engine with up to 350 hp. It offers the choice of manual, automatic or automated transmissions from Eaton® Fuller® and Allison®. And the optional Freightliner SmartShift® feature makes shifting easy with just a fingertip push or pull of a column-mounted hand lever. Plus, for even greater efficiency, the M2 106 is available with a hybrid power system.

The stylish and functional design of the Freightliner M2 106 features a sloped, aerodynamic hood, a low-profile dash and a 2,500 square-inch windshield that gives drivers best-in-class visibility. The vehicle also provides up to a 55-degree wheel cut, set-back front axle and swept-back bumper for excellent maneuverability in tight situations.

Available cab configurations:

- 106" BBC Day Cab
- 132" BBC Extended Cab
- 154" BBC Crew Cab



WHERE TOUGHNESS MEETS EFFICIENCY.

We've applied sophisticated engineering to the structural elements of our trucks. First, our cabs are lightweight, yet extremely tough. Corrosion-resistant aluminum is reinforced with e-coated steel and assembled to precise manufacturing tolerances with Henrob rivets and welded construction. This process produces a durable and safe cab that meets stringent A-pillar impact, rollover and back wall impact tests. Plus, the chassis includes a robust backbone with single or double channel frame rails. The result is a tensile strength of up to 120,000 psi and an RBM ratio up to 3.7 million inch-pounds per rail. This means the M2 106 can handle whatever job is thrown at it, day after day, year after year.



■ Aluminum Structural Reinforcements
 ■ E-coated Steel Reinforcements
 ■ Corrosion-resistant Aluminum Panels

- Corrugated floor, roof and back-of-cab panels for added strength
- Meets Swedish A-pillar test and ECE R29 back wall impact standards, and SAE J2422 roof strength requirements
- Available in day cab, extended cab or 4-door crew cab configurations
- 2,500 square-inch one-piece windshield for outstanding job site visibility
- Wide door openings with low step-in height for safe entry and exit
- Steel firewall for solid mounting of dash panel and driver controls



Components, systems and entire vehicles are subjected to an array of virtual and physical tests to ensure our trucks deliver the expected function, performance and reliability.



M2 106

ENGINES

Cummins ISB* 200 - 325 hp / 520 - 750 lb-ft torque	•
Cummins ISL 260 - 350 hp / 660 - 1150 lb-ft torque	•


TRANSMISSIONS

Eaton Fuller Manual	•
Eaton Hybrid Automated	•
Eaton Fuller Automated	•
Allison Automatic	•


AXLES (UP TO)

Steer*	16k
AWD Steer	16k
Single Drive	30k
Tandem	40k

*Higher ratings are available for approved applications



Cummins®
ISB6.7 Engine



Cummins®
ISL9 Engine



Tilt hood for easy engine access.

- Easy headlight bulb access
- Halogen composite headlights for easy replacement
- Optional rubber fender extensions

- Corrosion-resistant durable aluminum cab reinforced with e-coated steel

- 2,500 sq. in. windshield for greater visibility

- Strong fiberglass hood

- Optional heated windshield

- Cummins ISB engine standard, optional ISL engine

- Optional bright trim package

- Optional tow hooks bolted to frame

- Front steer axle up to 16k capacity

- Up to 55-degree wheel cut, depending on wheel equipment

- Day cab, extended cab or crew cab available



- Breakaway mirrors

- Convenient grab hand for easy entry/exit

- 6-, 13- or 23-gallon DEF tanks available with flexible tank locations

- Low step-in height for easy entry/exit

- Multiple exhaust aftertreatment options and pipe routing

- Efficient SCR and exhaust packaging for clear back-of-cab

- Optional air-suspended cab

- Mid-back driver and passenger seats available

- A variety of Eaton or Allison transmission options

- Wide cab for easy installation of control tower

- Rear cab cross member flush with back-of-cab to allow for outriggers



65-degree door opening for easy entry and exit. Spacious crew cab shown.

- Custom pre-drilled frame for easy body and accessory upfit

- Eaton Hybrid Automated transmission available



Advanced heating and cooling system features 14 vents, including one in each door, for uniform air distribution throughout the cab. Optional wing dash shown.



Ergonomically-designed driver's area features an automotive-style dash, easy-to-read LED-backlit gauges and controls within easy reach.



- Clear frame rail and clear back-of-cab configurations

- Cylindrical or rectangular fuel tanks available



Up to two batteries located under cab for easy body upfit.

- A wide range of rear suspensions with optimized ratings

- Tandem drive axles available

- Optional SmartPlex Electrical System wiring

FRAME RAILS

Standard Single Channel Frame Rails	1/4" thick x 10" @ 0.5 million RBM
Optional Single Channel Frame Rails	7/16" thick x 11-1/8" @ 2.59 million RBM

**Double channel rails available*



WORK SMART™

SPECIFICATIONS AND OPTIONS

STANDARD FEATURES

- 106" BBC steel-reinforced aluminum day cab
- Set-back front axle position @ 37.6"
- Strong, durable cab and hood
- Halogen composite headlights
- Rubber cab mounts
- 63" x 14" rear window
- Up to 55-degree wheel cut, depending on wheel equipment
- Cummins® ISB engine with 200 HP, 520 lb-ft torque available with up to 16,000 lbs. front and 40,000 lbs. rear axles
- Rear cab cross member flush with back of cab to allow for outriggers
- Supports a wide range of bodies and chassis-mounted equipment

OPTIONAL FEATURES

- Emergency service application HP ratings available
- Large selection of wheelbases with frames and frame reinforcements
- Air cab mounts
- Freightliner AirLiner® rear suspension
- Full inner-frame reinforcement
- Door-mounted down-view mirrors and a passenger door lower window enhances driver vision around truck and surroundings
- Wing dash with ergonomic design brings controls and gauges closer to the driver and provides space for up to eight more switches
- SmartPlex™ Electrical System expansion
- MP3, Satellite and Bluetooth
- Heated windshield
- Cummins ISL engine with up to 350 HP, 1150 lb-ft torque
- Cummins ISB engine with up to 325 HP, 750 lb-ft torque



FREIGHTLINERTRUCKS.COM



Competitive financing available through Daimler Truck Financial. For the Freightliner Trucks dealer nearest you, call 1-800-FTL-HELP. www.freightlinertrucks.com. 20M, 2/13. FTL/MC-B-1204. Specifications are subject to change without notice. Freightliner Trucks is registered to ISO 9001:2008 and ISO 14001:2004. Copyright © 2013. Daimler Trucks North America LLC. All rights reserved. Freightliner Trucks is a division of Daimler Trucks North America LLC, a Daimler company.

FREIGHTLINER[®]

WORK SMART[™]

114SD

VOCATIONAL SEVERE DUTY





114SD

WORKING HARDER JUST GOT A LOT SMARTER.

Freightliner's 114SD was built for severe duty: packed with power and ready for work. For starters, the Detroit DD13[®] engine with BlueTec[®] emissions technology comes standard and offers 350 HP and 1,350 lb-ft of torque. Cummins ISC, ISL and ISL G also are available as options. The 114SD has optimized mid-chassis packaging and a strategically-mounted aftertreatment

system. The chassis layout simplifies upfitting for truck equipment manufacturers. And Freightliner's proprietary SmartPlex[™] Electrical System provides unmatched flexibility when configuring a truck to suit specific body installations. The 114SD also offers an incredible combination of durability and comfort. It's been through rigorous testing to ensure that it delivers performance and reliability in the most demanding situations. And the automotive-style interior is designed to keep operators safe and productive. Put simply, the 114SD sets the new standard for engineered performance and efficiency.



Set-Back Axle

48"



Set-Forward Axle

31"*

* 29.5" optional

Available axle configurations:

- 114" BBC Set-Forward Axle
- 114" BBC Set-Back Axle

Available cab configurations:

- Day Cab
- Extended Cab
- Crew Cab (Set-Back Axle Only)



WHERE TOUGHNESS MEETS EFFICIENCY.

We've applied sophisticated engineering to the structural elements of our work trucks. First, our cabs are lightweight, yet extremely tough. Corrosion-resistant aluminum is reinforced with e-coated steel and assembled to precise manufacturing tolerances with Henrob rivets and welded construction. This process produces a durable and safe cab that meets stringent A-pillar impact, rollover and back wall impact tests. Plus, the chassis includes a robust backbone with a complete offering of single and double channel frame rails. The result is a tensile strength of up to 120,000 psi and an RBM ratio up to 4.4 million inch-pounds per rail. This means the 114SD can handle whatever job is thrown at it, day after day, year after year.



- Aluminum Structural Reinforcements
- E-coated Steel Reinforcements
- Corrosion-resistant Aluminum Panels

- Corrugated floor, roof and back-of-cab panels for added strength
- Meets Swedish A-pillar test standards and SAE J2422 roof strength requirements
- Available in day cab, extended cab or 4-door crew cab configurations
- 2,500 square-inch one-piece windshield for outstanding job site visibility
- Wide door openings with low step-in height for safe entry and exit
- Steel firewall for solid mounting of dash panel and driver controls




Components, systems and entire vehicles are subjected to an array of virtual and physical tests to ensure our trucks deliver the expected function, performance and reliability.



114 SD




Detroit™ DD13® Engine



Cummins® ISL G (natural gas) Engine

ENGINES	
Detroit DD13® 350 - 470 hp / 1250 - 1650 lb-ft torque	•
Cummins ISC 260 - 380 hp / 660 - 1050 lb-ft torque	•
Cummins ISL up to 380 hp / 1300 lb-ft torque	•
Cummins Westport ISL G (natural gas) up to 320 hp / 1000 lb-ft torque	•
TRANSMISSIONS	
Eaton Fuller Manual	•
Eaton Fuller Automated	•
Allison Automatic	•
AXLES (UP TO)	
Steer	22k
Single Drive	38k
Tandem	58k
Tridem	69k



Tilt hood with radiator-mounted stationary grille for easy engine access.



12" or 24" front frame extensions are available.

- Detroit DD13® engine standard, optional Cummins ISC, ISL and ISL G (natural gas)

- Radiator-mounted grill

- Halogen composite headlights

- LED turn signals

- Hood-mounted splashguard

- Fixed or removable front tow devices

- Optional bridge formula bumper

- Day cab, extended cab, or crew cab* available (*set-back axle only)

- Corrosion-resistant durable aluminum cab reinforced with e-coated steel

- 2,500 sq. in. windshield for greater worksite visibility

- Strong fiberglass hood

- Multiple engine- and transmission-mounted PTO configurations

- Optional bright trim package

- Contoured hood for pre-cleaner and snow door. Optional passive pre-cleaner for improved intake filtration.

- Breakaway mirrors


- 3.5" fender extensions

- Front axle and suspension up to 22k capacity

- 6-, 13- or 23-gallon DEF tank

- Up to 50-degree wheel cut, depending on wheel equipment

- Cylindrical or rectangular fuel tanks available



- Multiple exhaust aftertreatment options and pipe routing

- Air-suspended cab

- Mid-back driver and passenger seats available

- A variety of Eaton or Allison transmission options

- Wide cab for easy installation of control tower

- Custom frame pre-punching available for easy body and accessory upfit



65-degree door opening for easy entry and exit.



Superior wheel cut for outstanding maneuverability.



114SD standard wing dash.



Ergonomically-designed driver's area features an automotive-style dash, easy-to-read LED-backlit gauges and controls within easy reach.




- Clear back-of-cab packaging

- Reinforced wing snow plow cross member available

- A wide range of rear suspensions with optimized ratings

- 3 under-cab mounted batteries available

- Cement mixer transition plates available



Tridem rear axles.

FRAME RAILS	
Standard Single Channel Frame Rails	11/32" thick x 10 3/16" @ 1.81 million RBM
Optional Single Channel Frame Rails	1/2" thick x 11 7/8" @ 3.2 million RBM
<small>*double channel rails available up to 4.4 million RBM</small>	



WORK SMART™

STANDARD FEATURES

- 114" BBC steel-reinforced aluminum day cab
- Set-forward front axle position @ 31"
- Strong, durable cab and hood
- Radiator-mounted mold-in color front grille with signature styling
- Front grille, headlight bezels, engine air intake grille, bumper and primary mirrors trimmed in black
- Halogen composite headlights
- Air rear cab mounts
- Ergonomic wing dash
- 63" x 14" rear window
- Up to 50-degree wheel cut, depending on wheel equipment
- Detroit™ DD13® engine with 350 HP, 1350 lb-ft torque
- Eaton® Fuller® 10-speed manual transmission
- Front axle rated at 12,000 lbs
- Rear axle rated at 40,000 lbs
- 60-gallon cylindrical fuel tank



OPTIONAL FEATURES

- Bright-accented front grille with chromed grille surround, headlight bezels and engine air intake grille
- Engine air intake pre-cleaner
- Integral front frame extensions in 12" and 24" lengths for front bumper stabilizer install
- Large selection of wheelbases with frames and frame reinforcements to meet severe duty needs
- Front engine, rear engine and transmission power take-offs
- Three batteries mounted under cab with clear back-of-cab packaging
- Range of cylindrical and rectangular aluminum fuel tanks
- Steer axles from 12,000 to 22,000 lbs
- Single drive axles from 21,000 to 38,000 lbs rating
- Tandem drive axles from 40,000 to 58,000 lbs rating
- Multiple clear frame specifications for outrigger installation
- Tridem drive axle set rated at 69,000 lbs
- Pusher and tag axles rated from 8,000 to 22,000 lbs, available in single or dual configurations
- A wide range of Eaton® and Allison® transmissions
- Freightliner AirLiner® and TufTrac® rear suspensions
- Hendrickson® and Chalmers® rear suspensions
- Expanded dash instrumentation, switches and controls to meet almost any vocational application
- Detroit™ DD13 engine with up to 470 HP, 1650 lb-ft torque
- Cummins® ISC engine with up to 350 HP, 1000 lb-ft torque
- Cummins® ISL engine with up to 380 HP, 1300 lb-ft torque
- Cummins® Westport ISL G (natural gas) engine with up to 320 HP, 1000 lb-ft torque
- Removable and frame-mounted front tow devices
- Grab handles with rubber inserts
- 3.2 million RBM single frame rail



SPECIALIZED OPTIONS

- Bridge formula bumpers for 29.5" front axle position
- Mixer body transition plates
- Set-back front axle position @ 48"
- Switch/harness pre-wire for lights (multiple configurations)
- Fresh air intake snow shield
- Snow plow crossmember for wing plow support
- Extreme climate thermal cab insulation
- Carbon fiber-reinforced aluminum type 3 compressed natural gas (CNG) fuel tanks with approximate range of 400 miles, depending on application
- 4.4 million RBM multi-channel frame rails



FREIGHTLINERTRUCKS.COM/WORKSMART




WORK SMART

Competitive financing available through Daimler Truck Financial. For the Freightliner Trucks Dealer nearest you, call 1-800-FTL-HELP. www.freightlinertrucks.com. 20M, 1/2012. FTL/MC-A-1153. Specifications are subject to change without notice. Freightliner Trucks is registered to ISO 9001:2008 and ISO 14001:2004. Copyright © 2012. Daimler Trucks North America LLC. All rights reserved. Freightliner Trucks is a division of Daimler Trucks North America LLC, a Daimler company.



Better. Where It Counts.

Cummins 2013 ISB6.7 For Truck Applications.



ISB6.7



Better. Where It Counts. Every Job.

Every aspect of the ISB6.7 has been improved, from fuel efficiency to reliability and durability. So you get the lowest cost of operation and maximum uptime, whether your operation runs pickup-and-delivery trucks, step vans or other medium-duty trucks.

The 2013 ISB6.7 gets the highest fuel economy of any engine in its class. In 2013, that advantage increases with up to 2 percent better fuel economy versus our 2012 model. The addition of an air-intake throttle makes the Exhaust Gas Recirculation (EGR) system more efficient, to increase fuel economy and lower operating costs. With its fuel-economy gain, the 2013 ISB6.7 meets 2014 greenhouse gas (GHG) and fuel-efficiency standards a year ahead of schedule.

Ratings range from 200 hp to 325 hp (149-242 kW). Low maintenance, long service intervals and better fuel economy than any other engine in its class add up to superior lifetime value. So you get financial benefits in addition to meeting emissions regulations. That's what we mean when we say Cummins ISB6.7 delivers better, where it counts.

New Standards. Proven Technology.

The U.S. Environmental Protection Agency (EPA) and the U.S. Department of Transportation (DOT) have enacted new GHG and fuel-efficiency standards, scheduled to take effect in 2014. Lowering fuel use results in less carbon dioxide (CO₂) emissions, so achieving better fuel economy actually reaches both standards.

The fact that Cummins is utilizing technology proven on commercial vehicle engines is one of the reasons we are meeting these requirements a full year ahead of schedule. The 2013 ISB6.7 will also be equipped with the required On-Board Diagnostics system that monitors the emissions system.

Every Benefit. Clear.

The Cummins Aftertreatment System has been proven for years and thoroughly tested under the most extreme conditions. This proven system consists of a Diesel Particulate Filter (DPF), Selective Catalytic Reduction (SCR) and a dosing system for the Diesel Exhaust Fluid (DEF). Designing and building the package in-house allows Cummins to calibrate the engine and aftertreatment system for optimum fuel economy, performance and near-zero emissions.

ISB6.7 Ratings

Engine Model	Advertised HP (kW)	Peak Torque LB-FT (N•M) @ RPM
ISB6.7 325	325 (242)	750 (1017) @ 1800
ISB6.7 300	300 (224)	660 (895) @ 1600
ISB6.7 280	280 (209)	660 (895) @ 1600
ISB6.7 260	260 (194)	660 (895) @ 1600
ISB6.7 250	250 (186)	660 (895) @ 1600
ISB6.7 240	240 (179)	560 (759) @ 1600
ISB6.7 220	220 (164)	520 (705) @ 1600
ISB6.7 200	200 (149)	520 (705) @ 1600



Better Warranty Coverage.

Base engine warranty coverage for Cummins ISB6.7 includes parts and labor on warrantable failures* for both the engine and the aftertreatment system.

Even consumables used in the repair are covered – all with no deductible. Cummins base warranty coverage is good for 2 years/unlimited mileage.

Every Confidence.

Peace of mind comes from knowing you've bought a quality product, and that the manufacturer will stand behind it for years to come. Cummins offers a wide variety of protection plans for ISB6.7 engines, tailored to meet the needs of specific applications and trade cycles. It's insurance that allows you to make financial plans with complete confidence, with options for up to 7 years or 300,000 miles (482,803 km) on all registered parts and labor. Cummins extended coverage plans now cover internal components and major engine systems including the turbocharger, water pump and fuel injectors and, new for 2013, the air compressor, fuel pump and select engine sensors. For additional details, contact your local Cummins distributor or dealer.

*Covers defects in Cummins materials or factory workmanship




Every Setting. PowerSpec.

On a new truck order, Cummins PowerSpec helps you find the ideal gearing specs for engine performance or fuel economy. In addition to gearing recommendations, PowerSpec allows authorized users to customize the operating parameters on individual vehicles – or easily cascade a “hot spec” through an entire fleet. It also reads fault codes, and can be programmed to collect trip information for multiple drivers on every truck. See powerspec.cummins.com for more information.

Better Customer Care.

Cummins-powered vehicles are backed by the largest and most capable parts and service network in North America, with over 3,500 locations. Our authorized service technicians are fully trained on all of our engines, and have the necessary equipment and Genuine Cummins Parts to promptly handle any type of service issue. Call Cummins Care at 1-800-DIESELS™ (1-800-343-7357), and you'll get 24/7/365 assistance from a Cummins Care representative. If you need service, your Cummins Care representative will locate the nearest available and authorized facility.



Better Answers.

With better fuel economy, lower cost of operation and maximum uptime, Cummins ISB6.7 delivers better where it counts. To learn more about the ISB6.7, visit cumminsengines.com, phone 1-800-DIESELS (1-800-343-7357) or contact your local Cummins distributor or dealer.



On-Board Diagnostics.

Cummins proven On-Board Diagnostics system has been used on thousands of on-road vehicles since 2007. This

On-Board Diagnostics system continuously monitors performance of the emissions system, providing alerts via a Malfunction Indicator Lamp (MIL) on the instrument panel. The MIL illuminates when it detects a malfunction related to the emissions control system, alerting the operator that the engine needs proper troubleshooting and possible repair.

Diesel Exhaust Fluid.

Diesel Exhaust Fluid (DEF) is sprayed at a rate of approximately 3 percent to 4 percent of fuel consumption, and will need to be refilled periodically. Simply check the DEF gauge on your dashboard at each refueling. DEF is readily available at all Cummins distributors, through Cummins Filtration's distribution network and at major service stations and truck stops.

For more information, see the fuel and DEF usage calculator at cumminsengines.com.



ISB6.7 Maintenance Intervals

Maintenance Item	Miles/Kilometers	Hours	Months
Oil and Filter	15,000 MI 24,000 KM	500	6
Fuel Filter	15,000 MI 24,000 KM	500	6
Coolant Filter	15,000 MI 24,000 KM	500	6
Overhead Adjustment	150,000 MI 240,000 KM	5,000	48
Standard Coolant Change	60,000 MI 96,000 KM	2,000	24
Coalescing Filter	Every 3rd to 4th Oil Change Interval		
DEF Filter	200,000 MI 320,000 KM	6,500	
Particulate Filter Cleaning	200,000 MI 320,000 KM	6,500	

Consult your Operation and Maintenance Manual for more information.

ISB6.7 Specifications

Advertised Horsepower	200-325 HP	149-242 kW
Peak Torque	520-750 LB-FT	705-1017 N•M
Governed Speed	2600 RPM	
Clutch Engagement Torque	400 LB-FT	542 N•M
Number of Cylinders	6	
System Weight	1,357 LB	616 KG
Engine (Dry)	1,150 LB	522 KG
Aftertreatment System*	207 LB	94 KG

*Increase over standard muffler; does not include chassis OEM-supplied components



Designed Better To Work Better.

Cummins designs, develops and supports every component from the air handling to the exhaust aftertreatment to work as a totally integrated system – so we can optimize every function better than other engine manufacturers.




VGT™ Turbocharger From Cummins Turbo Technologies

The patented design is widely recognized as the industry leader for performance. Electric actuation improves precision and responsiveness. The VGT Turbocharger also increases fuel economy and braking horsepower.



High Pressure Common Rail (HPCR) Fuel System From Cummins Fuel Systems

Higher injection pressures produce quick throttle response at every rpm. Optimized timing increases fuel efficiency, lowers emissions and enables smoother, quieter operation.




Cummins Aftertreatment System From Cummins Emission Solutions

Proprietary system consists of a Diesel Particulate Filter (DPF) and Selective Catalytic Reduction (SCR) technology for near-zero emissions.



Fleetguard® Fuel Filters, Lube Filters And DEF From Cummins Filtration

Fleetguard filters protect against corrosion and contaminants with innovative technology such as NanoNet™ media, which provides 10 times better protection than conventional fuel filters. High-quality DEF is widely available at authorized Cummins and Fleetguard locations, as well as in bulk delivery.




Single High-Capacity Electronic Control Module (ECM)

A single ECM manages the engine and aftertreatment system for optimum performance and fuel efficiency.




Better Power. Every™ Truck.

Cummins 2013 ISL9 For Truck Applications.



ISL9



Better. Where It Counts.

A great track record of proven performance continues to improve with Cummins ISL9. The ISL9 continues to have the highest power density of any engine in its class. So whether you're pulling a loaded dump truck out of the mud or a beverage truck across town, you've got the power to get the job done.

The ISL9 features common technology with the Heavy-Duty ISX15 and ISX12, including the XPI fuel system, a high-capacity Electronic Control Module (ECM) and the patented Cummins VGT™ Turbocharger from Cummins Turbo Technologies, for exceptional performance.

Replaceable wet liners make the ISL9 easier to rebuild. Heavy-duty roller followers, bypass oil filtration and targeted piston cooling all contribute to longer service in the toughest work environments.

Plus, the 2013 ISL9 gets up to 2 percent better fuel economy versus the 2012 ISL9. This fuel improvement comes from the addition of an air intake throttle that makes the Exhaust Gas Recirculation (EGR) system more efficient. The VGT Turbocharger has been modified to make it more efficient as well. With its fuel-economy gain, the 2013 ISL9 meets 2014 greenhouse gas (GHG) and fuel-efficiency standards a year ahead of schedule.

Every Benefit. Clear.

The Cummins Aftertreatment System has been proven for years and thoroughly tested under the most extreme conditions. This proven system consists of a Diesel Particulate Filter (DPF), Selective Catalytic Reduction (SCR) and a dosing system for the Diesel Exhaust Fluid (DEF). Designing and building the package in-house allows Cummins to calibrate the engine and aftertreatment system for optimum fuel economy, performance and near-zero emissions.

Expanded Ratings.

The power range has been expanded, as the ISL9 adds ratings previously offered in the ISC8.3 from 260 hp to 380 hp (194-283 kW). Optional features include engine braking for better control, Rear Engine Power Take-Off (REPTO) and Front Engine Power Take-Off (FEPTO). Maintenance intervals remain unchanged.

The ISL9 is one of the major reasons that Cummins engines are an industry favorite in medium-duty and vocational trucks, including dump trucks, mixers and refuse haulers. The ISL9 delivers better. Every truck.

ISL9 Ratings

Engine Model	Advertised HP (kW)	Peak Torque LB-FT (N•M) @ RPM
ISL9 380	380 (283)	1250 (1695) @ 1400
ISL9 370	370 (276)	1250 (1695) @ 1400
ISL9 350	350 (261)	1000 (1356) @ 1400
ISL9 345	345 (257)	1150 (1559) @ 1400
ISL9 330	330 (246)	1000 (1356) @ 1400
ISL9 300	300 (224)	860 (1166) @ 1300
ISL9 270	270 (201)	800 (1085) @ 1300
ISL9 260	260 (194)	720 (976) @ 1300

Better Warranty Coverage.

Base engine warranty coverage for Cummins ISL9 includes virtually everything from parts and labor on warrantable failures* for both the engine and the aftertreatment system. Even consumables used in the repair are covered – all with no deductible. Cummins' base warranty coverage is good for 2 years/250,000 miles (402,336 km).

*Covers defects in Cummins materials or factory workmanship

Every Confidence.

Peace of mind comes from knowing you've bought a quality product, and that the manufacturer will stand behind it for years to come. Cummins offers a wide variety of protection plans for ISL9 engines, tailored to meet the needs of specific applications and trade cycles. It's insurance that allows you to make financial plans with complete confidence, with options for up to 7 years or 300,000 miles (482,803 km) on all registered parts and labor. Cummins extended coverage plans now cover internal components and major engine systems including the turbocharger, water pump and fuel injectors and, new for 2013, the air compressor, fuel pump and select engine sensors. For additional details, contact your local Cummins distributor or dealer.




Every Setting. PowerSpec.

On a new truck order, Cummins PowerSpec helps you find the ideal gearing specs for engine performance or fuel economy. In addition to gearing recommendations, PowerSpec allows authorized users to customize the operating parameters on individual vehicles – or easily cascade a “hot spec” through an entire fleet. It also reads fault codes, and can be programmed to collect trip information for multiple drivers on every truck. See powerspec.cummins.com for more information.

Better Customer Care.

Cummins-powered vehicles are backed by the largest and most capable parts and service network in North America, with over 3,500 locations. Our authorized service technicians are fully trained on all of our engines, and have the necessary equipment and Genuine Cummins Parts to promptly handle any type of service issue. Call Cummins Care at 1-800-DIESELS™ (1-800-343-7357), and you'll get 24/7/365 assistance from a Cummins Care representative. If you need service, your Cummins Care representative will locate the nearest available and authorized facility.



Better Answers.

From lower operating costs to stronger performance, the ISL9 delivers better where it counts. To learn more, visit cumminsengines.com, phone 1-800-DIESELS (1-800-343-7357) or contact your local Cummins distributor or dealer.

New Standards. Proven Technology.

The U.S. Environmental Protection Agency (EPA) and the U.S. Department of Transportation (DOT) have enacted new GHG and fuel-efficiency standards, scheduled to take effect in 2014. Lowering fuel use results in less carbon dioxide (CO₂) emissions, so achieving better fuel economy actually reaches both standards.

The fact that Cummins is utilizing technology proven on commercial vehicle engines is one of the reasons we are meeting these requirements a full year ahead of schedule. Our Cummins 2013 engines will also be equipped with the required On-Board Diagnostics system that monitors and ensures optimal performance of the emissions system.



On-Board Diagnostics.

Cummins proven On-Board Diagnostics system has been used in thousands of on-road vehicles since 2007. This system

continuously monitors performance of the emissions system, providing alerts via a Malfunction Indicator Lamp (MIL) on the instrument panel. The MIL illuminates when it detects a malfunction related to the emissions control system, alerting the operator that the engine needs proper troubleshooting and possible repair.



Diesel Exhaust Fluid.

Diesel Exhaust Fluid (DEF) is sprayed at a rate of approximately 3 percent to 4 percent of fuel consumption, and will need to be refilled periodically. Simply check the DEF gauge on your dashboard at each refueling. DEF is readily available at all Cummins distributors, through Cummins

Filtration's distribution network and at major service stations and truck stops.

For more information, see the fuel and DEF usage calculator at cumminsengines.com.

ISL9 Maintenance Intervals

Maintenance Item	Miles/Kilometers	Hours	Months
Oil and Filter	15,000 MI 24,000 KM	500	6
Fuel Filter	15,000 MI 24,000 KM	500	6
Coolant Filter	15,000 MI 24,000 KM	500	6
Overhead Adjustment	150,000 MI 240,000 KM	5,000	48
Standard Coolant Change	60,000 MI 96,000 KM	2,000	24
Coalescing Filter	Every 3rd to 4th Oil Change Interval		
DEF Filter	200,000 MI 320,000 KM	6,500	
Particulate Filter Cleaning	200,000 MI 320,000 KM	6,500	

Consult your Operation and Maintenance Manual for more information.

ISL9 Specifications

Advertised Horsepower	260-380 HP	194-283 KW
Peak Torque	720-1250 LB-FT	976-1695 N•M
Governed Speed	2100/2200 RPM	
Clutch Engagement Torque	575 LB-FT	780 N•M
Number of Cylinders	6	
System Weight	1,912 LB	867 KG
Engine (Dry)	1,695 LB	769 KG
Aftertreatment System*	217 LB	98 KG

*Increase over standard muffler; does not include chassis OEM-supplied components



Better. In Total Performance.

Cummins designs, develops and supports every component from the air handling to the exhaust aftertreatment as a totally integrated system – so we can optimize every function better than other engine manufacturers.



VGT™ Turbocharger From Cummins Turbo Technologies

The patented design is widely recognized as the industry leader for performance. Electric actuation improves precision and responsiveness. The VGT Turbocharger also increases fuel economy and braking horsepower.




XPI Fuel System From Cummins Fuel Systems

Delivers superior performance regardless of engine rpm. Multiple injection events per cycle improve fuel efficiency and enable smoother, quieter operation.

Cummins Aftertreatment System From Cummins Emission Solutions

Proprietary system consists of a Diesel Particulate Filter (DPF) and Selective Catalytic Reduction (SCR) technology for near-zero emissions.



Fleetguard® Fuel Filters, Lube Filters And DEF From Cummins Filtration

Fleetguard filters protect against corrosion and contaminants with innovative technology such as NanoNet™ media, which provides 10 times better protection than conventional fuel filters. High-quality DEF is widely available at authorized Cummins and Fleetguard locations, as well as in bulk delivery.



Single High-Capacity Electronic Control Module (ECM)

A single ECM manages the engine and aftertreatment system for optimum performance and fuel efficiency.

DETROIT™ DD13® ENGINE


FROM
350-470
Horsepower

FROM
1250-1650
lb-ft Torque


DISPLACEMENT
12.8
Liters



DETROIT
DEMAND PERFORMANCE



BUILT FOR YOUR BOTTOM LINE



THE DETROIT™ DD13® OFFERS AN OPTIMAL BLEND OF PERFORMANCE AND EFFICIENCY. IT'S NOT ONLY RIGHT FOR THE JOB, IT'S GREAT FOR YOUR BUSINESS.

Productivity leads to profitability. Whether you're on the road or at a job site, it's important to operate vehicles that perform efficiently and reliably. That's precisely why Detroit builds the versatile DD13 engine with BlueTec® emissions technology.

Detroit engineers know what works. And what doesn't. That's why the DD13 follows the common base engine design of its successful big brother, the DD15® engine. This engine is everything you need and nothing you don't. In a time when economy means everything, the DD13 makes perfect sense.

Tailored specifically for LTL, regional distribution and vocational, the DD13 uses the latest in diesel engine technology to create a fuel-saving 12.8-liter workhorse. It's an ideal pairing for a variety of Freightliner trucks, including the 114SD, Coronado SD, Cascadia 113 and 125, as well as Western Star models like the WS 4700, WS 4800 and WS 4900. And the DD13 meets GHG14 certification and compliance.

LTL

LOADS VARY. PERFORMANCE DOESN'T.

You drive intra-city and intercity. Every day is different. But you can count on the DD13 to offer a smooth, efficient drive, no matter what route, pallet or load comes your way.

REGIONAL DISTRIBUTION

GO THE DISTANCE. AND BEYOND.

You have tight schedules to keep. The DD13 engine keeps you going with proven reliability. It's also highly efficient, so you can minimize fuel and maximize profitability.

VOCATIONAL

THE HARDER YOU PUSH, THE HARDER IT PERFORMS.

This engine is built tough. Perfect whether you're hauling, dumping or mixing. Push the DD13 to the limit. It's made to work.

**THE DD13 BOTTOM LINE BENEFITS:
ECONOMY, SERVICEABILITY, PERFORMANCE.
DEMAND IT ALL**


ECONOMY

DETROIT ENGINEERS CONTINUE TO DELIVER GREATER FUEL ECONOMY THROUGH INNOVATION. **THIS DD13 ENGINE IS BETTER THAN EVER.**

The fuel-efficient design makes the most of every gallon with an Amplified Common Rail System (ACRS™) that optimizes each injection event to minimize fuel consumption. Available exclusively in Detroit engines, ACRS works in unison with our DDEC® electronic engine controls to deliver the exact amount of fuel you need at the right moment, creating an optimal combustion event. All that work fine-tuning combustion means lower emissions, less engine noise and vibration, and less wasted time stopping at the pump. Everything, right down to the advanced cooling system that decreases fan on-time, was designed to minimize fuel consumption.

WE'VE MADE SEVERAL IMPROVEMENTS TO THE DD13, INCLUDING:

- An optional new **variable speed water pump [A]** controls flow, based on engine speed and coolant temperature, reducing engine loads and contributing to improved fuel economy.
- A **friction-optimized piston design [B]** contributes to improved fuel economy and reduced oil consumption.
- **Updated DDEC engine electronics [C]** enhance engine control and help meet compliance standards.
- A **modified fuel injector nozzle [D]** also adds to fuel economy.



OPTIMIZED DRIVETRAIN EFFICIENCY

When it comes to maximizing the return on your Detroit-powered drivetrain, vehicle gearing is an important thing to consider. Specing the right axles also is a critical factor in the fuel economy equation. To get the most out of each gallon of fuel simply consult your local Detroit representative. Our powertrain experts and vast support network will ensure you get the perfect engine and drivetrain combination to meet your needs. With the Detroit Spec Manager tool, we'll analyze your specifications and make sure that all performance and economy needs are not only met, but exceeded.

Here's what you can expect for typical on-highway tractor-trailer applications of 80,000 lb. or less.

- For maximum fuel economy at 65 mph, gear for an engine speed of 1350 RPM.
- When you need extra performance, gear for an engine speed of 1450 RPM at 65 mph.

PERFORMANCE

TORQUE RESPONSE IS THE KEY TO PERFORMANCE. THIS ENGINE WILL HAUL, CLIMB, PULL, MIX AND DUMP WHEN AND WHERE YOU NEED IT.

An extremely wide and flat torque curve maintains the power to keep the driver's foot off the clutch and hands on the wheel for less shifting and fatigue.


With the DD13, drivers also will get a wider sweet spot that makes it easier to cruise along in the fuel-saving range. So, whether you're navigating traffic or maneuvering through a construction site, the DD13 delivers great fuel economy. A three-stage integrated Jacobs® engine brake gives you more stopping power and quieter engine braking than ever before. And, thanks to its exceptional braking power, the Jake Brake also extends the service brake life.

The DD13 design is based on a sturdy rear gear train and ribbed cast iron block to minimize noise, vibration and harshness (NVH). The robust design provides a B50 life of one million miles. And, the wastegated, asymmetrical turbocharger has fewer moving parts than a VGT design, which improves performance, and reliability. The turbocharger also applies constant back-pressure to efficiently enable the EGR system, all of which add up to a dependable engine that gets drivers where they need to go, and makes work seem a little less like work. The DD13 also offers rear-engine power take-off as an option for certain applications. And, if all that isn't enough, DDEC provides a complete offering of engine and driver performance reports to help you maximize the advantages of the DD13.

DD13 Engine Power Ratings	
370 HP @ 1800 RPM	1250 lb-ft @ 1100 RPM
350 HP @ 1800 RPM	1350 lb-ft @ 1100 RPM
380 HP @ 1800 RPM	1350 lb-ft @ 1100 RPM
380 HP @ 1800 RPM	1450 lb-ft @ 1100 RPM
410 HP @ 1800 RPM	1450 lb-ft @ 1100 RPM
410 HP @ 1800 RPM	1550 lb-ft @ 1100 RPM
435 HP @ 1800 RPM	1550 lb-ft @ 1100 RPM
450 HP @ 1800 RPM	1550 lb-ft @ 1100 RPM
410 HP @ 1800 RPM	1650 lb-ft @ 1100 RPM
450 HP @ 1800 RPM	1650 lb-ft @ 1100 RPM
470 HP @ 1800 RPM	1650 lb-ft @ 1100 RPM
DD13 Engine Multi-Torque Power Ratings	
380 HP @ 1800 RPM	1350/1550 lb-ft @ 1100 RPM
410 HP @ 1800 RPM	1450/1650 lb-ft @ 1100 RPM

Horsepower and Torque Curve





**ENHANCED FUEL ECONOMY FOR A
LOWER TOTAL COST OF OWNERSHIP.**

DD13 SPECIFICATIONS

Configuration	Inline 6 Cylinder
Displacement	781 cu. in. (12.8 L)
Compression Ratio	17.3:1
Bore	5.20 in. (132 mm)
Stroke	6.15 in. (156 mm)
Weight (Dry)	2540 lb. (1152 kg)
Electronics	DDEC®
Oil Capacity	42 qt. (39.7 L)
Horsepower Range	350-470
Torque Range	1250-1650
Rear-Engine Power Take-Off	Optional

THE BEST ENGINES HAVE THE BEST TECHNOLOGY.
DETROIT INNOVATION BENEFITS OUR CUSTOMERS
AND LEADS THE INDUSTRY FORWARD.

VIRTUAL TECHNICIAN

Our factory-installed Virtual Technician™ onboard diagnostic system takes the guesswork out of engine repair. When a truck's check engine light illuminates, data is collected immediately, providing a technical snapshot of the engine's status before, during and after a fault code event. This information is sent to you and to the Detroit Customer Support Center (CSC), where a trained representative can diagnose the issue, recommend service and even contact the nearest authorized locations with parts in stock. The CSC can tell you if you need to pull over so you don't cause further damage, or if you can stay on the road. Put simply, it's like having a technician in every truck.

Virtual Technician's optional Visibility Package is a fleet management system which offers access to the Ground Traffic Control website. This groundbreaking system captures latitude, longitude, time and odometer readings for your trucks. With pinpoint accuracy, the system records vehicle stops, speeds, routes, mileage traveled by state, excessive idling, fuel consumption and other onboard events. The Visibility Package helps you manage your business more efficiently.

DDEC

Detroit DDEC is a suite of innovative features that allow you to better manage fuel economy, engine performance, driving efficiency and maintenance. You can utilize this technology to better control speed, assist in passing, optimize idle efficiency and even reward your drivers for reaching fuel economy targets. With DDEC, there are also several options available to fleet managers that will help drivers better control engine idling, shifting techniques and aftertreatment management. To learn more, contact your local Detroit dealer, distributor or representative.

BLUETEC

The DD13 features BlueTec® selective catalytic reduction (SCR) emissions technology which was first introduced to meet EPA 2010 emissions standards. This comprehensive system works in concert with exhaust gas recirculation (EGR) and has been improved while still meeting today's emissions standards.

BlueTec includes the diesel oxidation catalyst (DOC), diesel particulate filter (DPF), diesel exhaust fluid (DEF) and an SCR catalyst to remove particulate matter and nitrogen oxide from the exhaust. The system cleans emissions downstream, helping the engine run more efficiently, which improves fuel economy. Most of the harmful exhaust is converted into nitrogen and water before being released from the tailpipe.

GHG14

The DD13 is 2013 OBD (OBD13) Certified and is compliant with 2014 Greenhouse Gas (GHG14) regulations.


1-BOX™

Only available with BlueTec
Emissions Technology

1-Box™ Emissions Package:

- Combines DOC, DPF, SCR catalyst and DEF doser in the same package
- Enables lower exhaust back pressure for better fuel economy
- Provides optimal packaging solutions for a variety of truck configurations
- Enhancements to the new 1-Box make it lighter and more efficient
- Reduced number of parts for easier serviceability
- Liquid only DEF dosing for improved reliability and a less complex system

Detroit and DTNA engineers have developed several ways to package these components on the truck.



SERVICEABILITY

GETTING YOUR ENGINE SERVICED QUICKLY AND EASILY CAN MAKE A POSITIVE IMPACT ON YOUR TOTAL COST OF OWNERSHIP.

The DD13 can go up to 50,000 miles between oil drain, oil filter and fuel filter changes. That's the longest scheduled maintenance interval in its class. And better yet, it's easy to keep an eye on those important maintenance items like the cartridge style filters, which are conveniently located above the frame rails along with the oil fill. This makes it easy to replace the filters when it's time and to get you back on the road quickly. Also, the fuel filter module has a new two-filter design for simplified serviceability.

When you need genuine parts and expert service, the Detroit support network will get you back on the road fast. The DD13 drives down your cost of ownership at every turn, sharing service procedures and 65% of its parts with the DD15. And you are supported by the network: hundreds of authorized service outlets, an award-winning technician training program, an extensive parts distribution network and expert engine support from our technical support center. Detroit combines all this to give you the genuine parts and expert service you need to succeed.

FACTORY-BACKED WARRANTY

Detroit engine owners enjoy comprehensive warranty coverage, including a fast, hassle-free process and expedited parts and service for critical downtime situations.

Standard Warranty

Item	Warranty Limits (Whichever Occurs First)		Repair Charge (Paid by Owner)	
	Months	Miles / Kilometers	Parts	Labor
Engine	0-24	Unlimited	No charge	No charge
Injectors	0-24	200,000 mi 320,000 km	No charge	No charge
Upon expiration of the 24-month warranty coverage, but within 500,000 mi / 800,000 km of use, the warranty continues to apply as follows:				
Major Components	25-60	500,000 mi 800,000 km	No charge	Not covered

Maintenance Intervals

Item	Mi/Hr†	Severe Duty	Short-Haul	Long-Haul
Engine Oil and Filter Change*	Miles	25,000	35,000	50,000
	Hours	640	895	1,280
Fuel Filter Change	Miles	25,000	35,000	50,000
	Hours	640	895	1,280
Valve Lash Adjustment	Miles	Adjust at 100,000, at 500,000 and every 500,000 thereafter.		
	Hours	Adjust at 2,565, at 12,825 and every 12,825 thereafter.		
Diesel Particulate Filter	Miles	A check engine light will illuminate when ash requires removal. Normal DPF ash cleaning intervals are 300,000 to 400,000 miles.		
	Hours	A check engine light will illuminate when ash requires removal. Normal DPF ash cleaning intervals are 9,000 to 10,250 hours.		
DEF Pump Filter	Miles	150,000	175,000	250,000
	Hours	3,840	4,475	6,400

* Based on using the Detroit lube oil and oil analysis program. Severe duty is up to 30,000 annual miles and a vehicle that averages less than 5 miles per gallon (mpg). Short-haul is between 30,000 and 60,000 annual miles and a vehicle that averages between 5.1 and 5.9 mpg. Long-haul is over 60,000 annual miles and a vehicle that averages greater than 6 mpg.
† Miles/Hours, whichever occurs first.



DETROIT™ GENUINE PARTS

Authorized Detroit service outlets are staffed with factory-trained technicians who exclusively use Detroit Genuine Parts. Our technicians, graduates of our award-winning training program, know your powertrain inside and out. They're the experts who will make sure that, with normal maintenance at regular intervals, all components continue to perform at optimum power and efficiency for years to come. You can find expert technicians at hundreds of authorized Detroit service locations. Whether it's a new or remanufactured part, Detroit Genuine Parts precisely fit your engine, axles and transmission giving you the performance, reliability and durability you count on from Detroit.

Detroit Genuine Parts are covered by a factory-backed nationwide warranty so you never have to worry about unexpected repair costs.

EXTENDED SERVICE COVERAGE

Detroit engine extended service coverage (ESC) takes care of tomorrow's costs at today's pricing, extending your factory on-highway coverage for up to 5 years/500,000 miles, or 7 years/250,000 miles for vocational coverage. So, whether you need your engine serviced three years from now, or a major repair right now, your engine ESC helps protect your investment.

From covering basic engine components to complete coverage, including aftertreatment, our ESC packages fit your needs and your budget by providing:

- Service at hundreds of Detroit authorized service locations
- Repairs performed by certified technicians
- Unmatched availability of Detroit Genuine Parts
- Coverage throughout the U.S. and Canada
- Availability to purchase without a late fee for up to 12 months, or for a nominal \$400 late fee between 13-18 months
- Ability to transfer coverage to subsequent owner, enhancing resale value

UPTIME IS MONEY. THAT'S WHY SERVICEABILITY IS ESSENTIAL TO ACHIEVE A LOWER OVERALL COST OF OWNERSHIP.



EMPOWERED BY DETROIT

Here at Detroit, we've built our reputation by building high-quality products that perform beyond expectations. Today, you'll find our engines in Freightliner and Western Star trucks on roads and at job sites around the globe.

The secret to our success goes beyond the engines we build. Our people and our continuous pursuit of innovation are powerful driving forces. Our engineering and manufacturing expertise are world class. Our service network is expansive and responsive. That's why we continue to grow and evolve. That's also why we now offer a full line of products: engines, axles, transmissions and advanced technologies. That's right. The company that makes the heart of the truck now gives you the arms, legs and backbone to go with it. So, if you demand it all, demand Detroit.

DEMANDDETROIT.COM