

DATE: 3/20/2017

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00119296

JEFFERSON PARISH

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR:

*BASIC Supply*

BUYER:

SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

*2-3 weeks*

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: BASIC SUPPLY, LLC	
SIGNATURE: (Must be signed here)	TITLE: MANAGER
PRINT OR TYPE NAME: JOHN ATKINSON	
ADDRESS: P.O. BOX 63066	
CITY, STATE: LAFAYETTE, LA	ZIP: 70596
TELEPHONE: ( ) 337-232-1733	FAX: ( ) 337-232-2045
EMAIL ADDRESS: charlotte@basicsupply.com	

TOTAL PRICE OF ALL BID ITEMS: \$ *5240.22*

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119296

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ELECTRICAL STOCK SUPPLIES NEEDED FOR THE JEFFERSON PARISH EB SEWERAGE DEPARTMENT		
1	4.00	EA	0001 - Kit, solenoid rebuild, Asco Red-Hat part no. 224150  (0626480)	2. 80.00	480.00
2	6.00	EA	0002 - Kit, contact, auxiliary, Furnas no. 49AAFO, size 00 thru 3-1/2  (0851990)	3 3.00	90.00
3	30.00	EA	0003 - Fuse, glass, type 3AG, 5 AMP, Bussmann no. MDL-5  (0855380)	4	
4	50.00	EA	0004 - Fuse, sub miniature, Cefco part, no. CMA-1.25  (0856960)	5	
5	200.00	EA	0005 - Connector, female, Sta-Con, 12-10 wire range, insulated,  T and B no. 10RC2577 (0870300)	6	
6	300.00	EA	0006 - Connector, female, Sta-Con, 16-14 wire range, insulated,  T and B no. 14RB250F (0870380)	7	
7	100.00	EA	0007 - Ring, Sta-Kon, 12-10, no. 10 insulated, Thomas and Betts no. 10RC10  (0870580)	8	
8	200.00	EA	0008 - Ring, Sta-Kon, 12-10, 1/4 hole, insulated, Thomas and Betts no. 10RC14  (0870590)	9	
9	8.00	EA	0009 - Switch, pressure, adjustable range 5-80 PSI, Barksdale model  no. D1H-A80 (0872630)	10 137.00	822.00
10	6.00	EA	0010 - Switch, safety, 100 amp, 240 volt, 4 wire, fusible, type 3R  GE TG4323R		

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119296

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
11	2.00	EA	enclosure, Cutler Hammer no. DG323NRB (0874000)  0011 - Switch, disconnect, rainproof, 30A, 240 VAC, 3 poles, 4 wire, 3 fuses,  GE no. TG4321R <i>Same</i> (0874010)	11.  67.50	135.00
12	6.00	EA	0012 - Switch, safety, 60 amperes, 240 volt, non-fusible, type 3R  enclosure, Cutler-Hammer no. DG322URB (087406A) <i>SQ D DU322RB</i>	12.  110.00	660.00
13	3.00	EA	0013 - Switch, safety, 100 amp, 600 volt, 3 pole, non-fusible, NEMA 3R,  with 2 in hub. Cutler-Hammer no. DH3631UR (0874140) <i>SQ D HU363RB</i>	13.  225	675
14	100.00	EA	0014 - Connector, cable, nonmetallic sheathed (Romex), die cast zinc, two  screw, 3/8 in for 1/2 in KO, 14-2 to 12-2 cable, Appleton no. C-500 (087796A) <i>Halex 90510</i>	14.  .42	42.00
15	50.00	EA	0015 - Strap, 2 hole, for 1-1/4 inch emt conduit (0879990) <i>Halex 26164</i>	15.  .26	13.00
16	16.00	EA	0016 - Holder, fuse, 30 amperes, 600 volt, 3 pole, Shawmut no. 30353 (0880260)	16.  10.65	63.90
17	6.00	EA	0017 - Cap, service entrance, 2 in, aluminum, clamp type, Peco no. 175 (0880300) <i>Halex 58020</i>	17.  .67	13.40
18	20.00	EA	0018 - Receptacle, duplex, brown, 15 amp, 125 volt, Pass and  Seymour no. 3232 <i>Cooper 270B</i> (0880620)	18.  53.66	643.92
19	12.00	EA	0019 - Fixture body, Hubbell no. VFC-100	19.  53.66	643.92

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119296

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			(0880700)	20.	
20	30.00	EA	0020 - Cover, duplex outlet, brown (0880880) <i>Cooper R&amp;B</i>	.55	16.50
21	50.00	EA	0021 - Connector, female, two conductor grounded, 15 amperes, 125 VAC, Woodhead no. 1547 <i>Cooper 4887</i> (0881000)	3.89	194.50
22	60.00	EA	0022 - Fixture, fluorescent, Lithonia no. DMW248HOAR*CW20 or equal, 120/277volt, for wet location for 2-F48T12HO high output 54 watt lamps (0881200)	22	
23	6.00	EA	0023 - Nipple, aluminum conduit, 1-1/2 inch x 2 inch long (0881880)	23	
24	1,250.00	LF	0024 - Wire, Romex, 12/2 with ground, type NMB12/2WGRD, 250 ft per carton, PVC jacket (0882760)	24	
25	100.00	LF	0025 - Wire, electrical, no. 14 stranded 4-conductor SOW-A/SO, ul listed, black neoprene jacket, copper (0882800)	.28	350.00
26	10.00	EA	0026 - Relay, triplexor alternator, 120 volt, 3 pump led's, 1 power led, Sta-Con brand no. 009-120-23 (0858010)	25	
27	36.00	EA	0027 - Base, relay, 8-pin, SPDT/DPDT/3PDT, 10 amp, 300 volt, Idec no. SR2P-05 (0858450)	4.69	469.00
28	20.00	EA	0028 - Switch, micro, style 1, 15 amperes, SPDT, steel rod actuator, part no. 1AC2 (0872510)	26	
				27	
				28	

DATE: 3/20/2017

Page: 8

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119296

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
29	9.00	EA	0029 - Lever, standard, micro switch part no. MS-LSZ51D  (0873070)		
30	6.00	EA	0030 - Switch, micro limit, Honeywell no. 1LS1-L  (0873110)		
31	50.00	EA	0031 - Locknut, conduit, 3/4 in, bonding type, Appleton no. GL-75  (0879470)		
32	2.00	EA	0032 - Motor, electric, 5 HP, 1725 RPM, 230/460 VAC, 3 phase, NEMA 184T, Baldor no. M3615T, TEFC (0891150)  <i>Teco Westinghouse</i>	<i>286.00</i>	<i>572.00</i>



Select Printing Options: Basic Version | Detailed Version

Page 1


**CONDUIT CLAMPS****HALEX 26164 2-HOLE SNAP-ON CONDUIT STRAP, 1-1/4 IN, STEEL**

#15

**ORGILL SKU#:** 6775639 Y  
**VENDOR:** HALEX COMPANY  
**MODEL NUMBER:** 26164  
**RETAIL UPC:** 051411261641  
**INVOICE DESC:** 26164 EMT 2HOLE STRAP 1-1/4IN

**AVAILABLE IN:**

Tifton	Yes
Inwood	Yes
Hurricane	Yes
Kilgore	<b>Yes</b>
Sikeston	Yes
Post Falls	O/S



Catalog Page #: F05068

**BENCHMARK RETAIL:** USD 2.17/BAG 4  
**SHELF PACK:** 10  
**MINIMUM PURCHASE:** 1  
**ITEM QTY:**

**Note:**

Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

**Product Details**

To support EMT conduit where greater load bearing is required. Indoor or outdoor applications.


- STEEL - TWO-HOLE
- INDOOR/OUTDOOR
- Size In : 1-1/4

**Descripción español:** GRAMPA EMT PARA ENGANCHAR DE 3,17 CM. DOS ORIFICIOS

**DUPLEX RECEPTACLES****COOPER 270B GROUNDED STRAIGHT BLADE DUPLEX RECEPTACLE, 125 V, 15 A, 2 POLE, 3 WIRE**

#18

**ORGILL SKU#:** 8627432 Y  
**VENDOR:** COOPER WIRING  
**MODEL NUMBER:** 270B  
**RETAIL UPC:** 032664190803  
**INVOICE DESC:** 270B BROWN GROUNDED RECEPTACLE



Catalog Page #: F03017

**AVAILABLE IN:**

Tifton	Yes
Inwood	Yes
Hurricane	Yes
Kilgore	Yes
Sikeston	Yes
Post Falls	O/S

**BENCHMARK RETAIL:** USD 0.67/EA**SHELF PACK:** 10**MINIMUM PURCHASE:** 1**ITEM QTY:****Note:**

Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

**Product Details**

Built-in wire stripper for number 14 wire. Built-in wire looper for pre-looping conductors. Screw-catch feature eliminates need to hand-thread screw and possible cross-threading. Double wipe ground contacts. Split circuit break-off tab. Side wire terminals accept up to number 10 solid or stranded wire. Push-in terminals accept number 14 solid wire only. 15 amp/125 volt. UL Listed, NOM certified, meets CSA requirements.

- 2 POLE/3 WIRE - GROUNDING
- STANDARD GRADE - STRAIGHT BLADE
- Color : Brown

**Description du français:** PRISE DOUBLE STD 3 FILS 15 A MARR**Descripción español:** RECEPTACULO CON CONEXION A TIERRA COLOR MARRON

**WALL PLATES****ARROW HART PJ8 MID SIZE UNBREAKABLE WALL PLATE, 1 GANG, 4-1/2 IN L X 2-3/4 IN W X 0.08 IN T, BROWN**


**ORGILL SKU#:** 6459994 X  
**VENDOR:** COOPER WIRING  
**MODEL NUMBER:** PJ8B  
**RETAIL UPC:** 032664580802  
**INVOICE DESC:** PJ8B UNBREAK BRWN DUPL PLT 1G

**AVAILABLE IN:**

Tifton	Yes
Inwood	Yes
Hurricane	Yes
Kilgore	Yes
Sikeston	Yes
Post Falls	Yes

**BENCHMARK RETAIL:** USD 0.60/EA  
**SHELF PACK:** 25  
**MINIMUM PURCHASE:** 25  
**ITEM QTY:**

#20



Catalog Page #: F03003

**Note:**

Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

**Product Details**

Virtually unbreakable, with high structural rigidity, long-term form retention and impact and abrasion resistance. Screw-catch feature holds mounting screws captive. Matching screws provided. High gloss finish is soil resistant. Mid-size - 3.125" x 4.875".

- 1-GANG DUPLEX RECEPTACLE
- POLYCARBONATE
- Color : Brown

**Description du français:** PLAQ PRISE DBLE INCAS MARRN 1P

**Descripción español:** TAPA P/RECEPTACULO DOBLE COLOR MARRON IRROMPIBLE DE 1 SEG.

**THERMOPLASTIC CONNECTORS****COOPER 4887 ELECTRICAL CONNECTOR, 125 V, 15 A, NEMA 5-15R, 3 WIRE**

**ORGILL SKU#:** 4981692 Y  
**VENDOR:** COOPER WIRING  
**MODEL NUMBER:** 4887-BOX  
**RETAIL UPC:** 032664341205  
**INVOICE DESC:** 4887-BOX YEL 3 WIRE GRND CONNE

**AVAILABLE IN:**

Tifton	Yes
Inwood	Yes
Hurricane	Yes
Kilgore	Yes
Sikeston	Yes
Post Falls	

**BENCHMARK RETAIL:** USD 6.22/EA  
**SHELF PACK:** 10  
**MINIMUM PURCHASE:** 1  
**ITEM QTY:**

#21



Catalog Page #: F06001

**Note:**

Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

**Product Details**

Terminals in individual chambers to positively insulate conductors. Terminal screw clamps are designed to contain wire and prevent binding. Terminal screws backed out, ready for wiring. Nylon Kwiklok features patented twist-actuated internal cord clamp, reduces installation time. Meets all UL 498 requirements. Yellow color.

- VINYL - 2 POLE/3 WIRE
- GROUNDING
- .250"-.655" CORD DIAMETER
- NEMA 5-15 - Boxed
- Angle : Straight
- Amps/ Volts : 15/125

**Description du français:** CONNECTEUR PRISE MALE 15 A 125 V JAUNE

**Descripción español:** CONECTOR DE 3 CABLES CON CONEXION A TIERRA COLOR AMARILLO


**BUILDING WIRE****ROMEX SIMPULL 12/2NM-WGX250 BUILDING WIRE, 600 V, COPPER**

**ORGILL SKU#:** 8153827  
**VENDOR:** SOUTHWIRE  
**MODEL NUMBER:** 12/2NM-WGX250  
**RETAIL UPC:** 032886163050  
**INVOICE DESC:** 12/2NM-WGX250FT BUILDING WIRE

**AVAILABLE IN:**

Tifton	Yes
Inwood	Yes
Hurricane	Yes
Kilgore	<b>Yes</b>
Sikeston	Yes
Post Falls	Yes

**BENCHMARK RETAIL:** **USD 62.40/EA**  
**SHELF PACK:** 1  
**MINIMUM PURCHASE:** 1  
**ITEM QTY:**



Catalog Page #: F05026

**Note:**

Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

**Product Details**

Inner conductors are type THHN, rated 90 degrees Celsius, 600 volt. Solid strands. Outer jacket is PVC, rated at 75 degrees Celsius. Amp rating of the product is limited to that for 60 degrees Celsius rated conductors per the National Electric Code Article 336. Dwellings not exceeding 3 floors above grade. Exposed or concealed wiring. May be fished through walls, ceilings, and masonry blocks. Use for new wiring or replacement wiring. Only for use in normally dry locations. UL Listed. /2 = 2 insulated wires with bare ground. /3 = 3 insulated wires with bare ground.

- NM-B - PVC JACKET - SOLID
- COLOR CODED - COPPER W/GROUND
- Brand: "ROMEX SIMPULL"
- SHRINK WRAP - 2 CONDUCTORS
- Color/ Amps : Yellow/20
- Wire Size/NumxLgth : 12/2 x 250'

**Descripción español:** CABLE PARA LA CONSTRUCCION 12/2NM POR 76,20 MT.

The Square D by Schneider Electric 60 Amps 240 Volts 3 Pole Outdoor Not Fusible General Duty Safety Switch is designed for residential and commercial applications where durability and economy are prime considerations. Typical loads are lighting, air conditioning and appliances. This switch is suitable for use as service entrance equipment when equipped with a service grounding kit. The switch is UL listed. File E2675, and meet or exceed the NEMA Standard KS1. For more than 100 years the Square D brand safety switch has been the unchallenged leader in the market. We've continued our tradition of innovation, developing new features that provide an unsurpassed level of performance, reliability, safety and ease of installation. This tradition has resulted in the Square D brand being preferred two to one over our closest competitor.

## Product information

### Technical Details

Part Number	DU322RB
Item Weight	4.7 pounds
Product Dimensions	3.8 x 7.2 x 9.6 inches
Origin	China
Item model number	DU322RB
Size	Small
Color	STEEL
Voltage	240 volts
Item Package Quantity	1
Type of Bulb	other
Certification	UL Listed
Batteries Required?	No
Warranty Description	Square D warrants equipment manufactured by it and sold through authorized sales channels to be free from defects in materials and workmanship for eighteen (18) months from date of invoice by Square D or its authorized sales channel.

#12

[Print](#)

#14


**CABLE CLAMP CONNECTORS****HALEX 90510 TWIN SCREW CLAMP CONNECTOR, 3/8 IN EMT, ZINC**

**ORGILL SKU#:** 6946594 Y  
**VENDOR:** HALEX COMPANY  
**MODEL NUMBER:** 90510  
**RETAIL UPC:** 051411905101  
**INVOICE DESC:** 90510 NM/SE CLAMP CONN 3/8IN

**AVAILABLE IN:**

Tifton	Yes
Inwood	Yes
Hurricane	Yes
Kilgore	<b>Yes</b>
Sikeston	Yes
Post Falls	O/S

**BENCHMARK RETAIL:** USD 0.69/BAG 1  
**SHELF PACK:** 100  
**MINIMUM PURCHASE:** 1  
**ITEM QTY:**



Catalog Page #: F05041

**Note:**

Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

**Product Details**

Fits 1/2" knockout, non-metallic cable numbers 14/2, 12/2, 12/3 AWG or 2 number 14/2 AWG or flex cord .300 to .560 inches diameter. In a dry location, use to connect nonmetallic sheathed cable to a steel outlet box or other metal enclosure. UL, Listed, meets CSA requirements.

- ZINC - NON-METALLIC CABLE
- TWIN SCREW - INDOOR ONLY
- Size In : 3/8

**Descripción español:** CONECTOR DE PETACA NM DE 0,95 CM. POR 2 PIEZAS



#16


**SERVICE ENTRANCE CAPS****HALEX 58020 CLAMP ON WEATHERHEAD SERVICE ENTRANCE  
CAP, 2 IN EMT, RIGID, IMC, GRC**

**ORGILL SKU#:** 6776439 Y  
**VENDOR:** HALEX COMPANY  
**MODEL NUMBER:** 58020  
**RETAIL UPC:** 051411580209  
**INVOICE DESC:** 58020 SERVICE ENTRANCE CAP 2IN

**AVAILABLE IN:**

Tifton	Yes
Inwood	Yes
Hurricane	Yes
Kilgore	<b>Yes</b>
Sikeston	Yes
Post Falls	O/S

**BENCHMARK RETAIL:** USD 11.60/EA  
**SHELF PACK:** 5  
**MINIMUM PURCHASE:** 1  
**ITEM QTY:**



Catalog Page #: F05064

**Note:**

Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

**Product Details**

Aluminum die cast. Indoor or outdoor applications. Use in an overhead service entrance. Mounts on top of EMT, Rigid or IMC conduit. Serves as a connecting point for the service entrance wires. UL Listed meets CSA requirements. Tray boxed.

- CLAMP-ON STYLE
- Size In : 2

**Descripción español:** TAPA DE ENTRADA DE SERVICIO DE 5 CM.

#32

# TECO Westinghouse

ISSUED 8/29/2014	<b>PERFORMANCE DATA</b> <b>3-PHASE INDUCTION MOTOR</b>	ENCLOSURE TEFC
TYPE AEHH8P		CATALOG# NP0054

## NAMEPLATE INFORMATION

OUTPUT		POLE	FRAME SIZE	VOLTAGE	HZ	RATED AMBIENT	INS. CLASS	NEMA DESIGN	TIME RATING	SERVICE FACTOR
HP	KW									
5	3.7	4	184T	230/460	60	40°C	F	B	CONT.	1.15

## VARIABLE FREQUENCY DRIVE SERVICE

VARIABLE TORQUE				OHMS/PHASE EQUIVALENT WYE CIRCUIT (AT RATED OPERATING TEMPERATURE 25°C)				
HZ	HP	RPM	TORQUE (lb-ft)	R1	R2	X1	X2	X <sub>m</sub>
3~60	0.0006~5	90~1800	0.035~15.04	1.2825	1.5103	4.2242	5.2599	115.57

CONSTANT TORQUE				CONSTANT HORSEPOWER			
HZ	HP	RPM	TORQUE (lb-ft)	HZ	HP	RPM	TORQUE (lb-ft)
6~60	.5~5	180~1800	15.04	60~120	5	1800~3600	15.04~7.520

## TYPICAL PERFORMANCE

FULL LOAD RPM	EFFICIENCY				POWER FACTOR			SOUND PRESSURE LEVEL @ 3 FT Db(A)
	FULL LOAD		3/4 LOAD %	1/2 LOAD %	FULL LOAD %	3/4 LOAD %	1/2 LOAD %	
	MIN.%	NOM.%						
1745	87.5	89.5	88.5	88.5	85.5	81.5	71.5	54

CURRENTS									NEMA KVA CODE LETTER	SAFE STALL TIME IN SECONDS	
NO LOAD			FULL LOAD			LOCKED ROTOR				COLD	HOT
AT 208 VOLT	AT 230 VOLT	AT 460 VOLT	AT 208 VOLT	AT 230 VOLT	AT 460 VOLT	AT 208 VOLT	AT 230 VOLT	AT 460 VOLT			
4.38	4.44	2.22	13.53	12.24	6.12	83.2	92.0	46	J	35	25

TORQUE				INERTIA			ACCEL TIME (DOL)		ALLOWABLE STARTS PER HOUR	
FULL LOAD (lb-ft)	LOCKED ROTOR %FLT	PULL UP %FLT	BREAK DOWN %FLT	ROTOR WR <sup>2</sup> (lb-ft <sup>2</sup> )	NEMA LOAD WK <sup>2</sup> (lb-ft <sup>2</sup> )	MAX ALLOWABLE WK <sup>2</sup> (lb-ft <sup>2</sup> )	NEMA LOAD WK <sup>2</sup> Sec	MAX ALLOWABLE WK <sup>2</sup> Sec	COLD	HOT
15.04	185	140	285	0.422	27	88	4.68	15.08	2	1


APPROVED:	M. PRATER	DRAWING NO.	31057NP0054	REVISION:	1
-----------	-----------	-------------	-------------	-----------	---



DATE NOV. 23, 2010	OUTLINE DIMENSIONS 3-PHASE INDUCTION MOTOR	MOTOR TYPE: AEHH8P
CAT. #: NP0054		FRAME NO. 184T

Pole	HP	kW	Hz	VOLT	Syn.Speed r/min(rpm)
4	5	3.73	60	230/460	1800

Ins	Rating	Dimension in	Approx Weight	Bearings
F	CONT.	inch	95 lbs.	DE: 6306ZZ NDE: 6306ZZ

Totally Enclosed Fan Cooled Squirrel Cage Rotor.



DWN. J.H.LIANG 05-20-99	TEC   Westinghouse	DWG NO.
CHKD. C.S.LO 05-26-99		31049D190560
APPD. Y.B.HUANG 05-26-99		