

DATE: 5/26/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00116769

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: PRODUCTION DISTRIBUTION COMPANIES

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>6 WEEKS AFTER RECEIPT OF ORDER</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	<u> / </u>
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	<u> / </u>

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME:	<u>PRODUCTION DISTRIBUTION COMPANIES</u>
SIGNATURE: (Must be signed here)	<u>[Signature]</u> TITLE: <u>PRESIDENT</u>
PRINT OR TYPE NAME:	<u>CLEO DOWNS</u>
ADDRESS:	<u>9511 S. DORCHESTER AVE.</u>
CITY, STATE:	<u>CHICAGO, IL</u> ZIP: <u>60628</u>
TELEPHONE:	<u>(708) 489-0195</u> FAX: <u>(708) 489-0194</u>
EMAIL ADDRESS:	<u>c/po@pdcompanies.org</u>

TOTAL PRICE OF ALL BID ITEMS: \$ 10,157⁴⁰

DATE: 5/26/2016

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116769

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	54.00	EA	<p>LED HIGH BAY LAMP FOR THE JEFFERSON PARISH EB DEPARTMENT OF PARKS AND RECREATION</p> <p>0010 WESTGATE LED HIGH BAY LAMP, 5000K, 150W, 100-277V, 120BS, 13000LM LIGHT FIXTURE</p> <p>FULLY DIMMABLE POLYCARBONATE LENS WITH 360 DEGREE ILLUMINATION ACRYLIC CLEAR TYPE ALLOWS LIGHT TO ILLUMIATE CEILING COLOR RENDERING INDEX >90 COLOR TEMPERATURE 5000K CW LED PHILIPS LUMI LEDS 5 YEAR WARRANTY DIE CAST ALUMINUM HOUSING</p>	<p><i>\$188.10</i></p>	<p><i>\$10,157.40</i></p>

DATE: 5/26/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00116769

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: _____

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	_____
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

Approx 5 to 7 work days

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: GRAYBAR ELECTRIC	
SIGNATURE: <i>Troy Dancer</i> <small>(Must be signed here)</small>	TITLE: QUOTATIONS
PRINT OR TYPE NAME: TROY DANCER	
ADDRESS: 1205 DISTRIBUTORS ROW	
CITY, STATE: HARRAHAN, LA	ZIP: 70123
TELEPHONE: 504, 733-5450	FAX: 504, 733-5478
EMAIL ADDRESS: _____	

TOTAL PRICE OF ALL BID ITEMS: \$ 10,864.80

DATE: 5/26/2016

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116769

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	54.00	EA	<p>LED HIGH BAY LAMP FOR THE JEFFERSON PARISH EB DEPARTMENT OF PARKS AND RECREATION</p> <p>0010 WESTGATE LED HIGH BAY LAMP, 5000K, 150W, 100-277V, 120BS, 13000LM LIGHT FIXTURE</p> <p>FULLY DIMMABLE POLYCARBONATE LENS WITH 360 DEGREE ILLUMINATION ACRYLIC CLEAR TYPE ALLOWS LIGHT TO ILLUMINATE CEILING COLOR RENDERING INDEX >90 COLOR TEMPERATURE 5000K CW LED PHILIPS LUMI LEDS 5 YEAR WARRANTY DIE CAST ALUMINUM HOUSING</p>	<p>201.20E</p>	<p>#10,864⁸⁰</p>

*Troy L. Greer
 Graybar Electric
 6/1/16*

DATE: 5/26/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00116769

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70064-0009
504-364-2678

VENDOR: _____

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>5-8 DAYS</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>THE REYNOLDS Co.</u>	
SIGNATURE: <u>[Signature]</u> (Must be signed here)	TITLE: <u>SALES</u>
PRINT OR TYPE NAME: <u>DARREN LANDRENEAU</u>	
ADDRESS: <u>700 Elmwood Park Blvd Ste A</u>	
CITY, STATE: <u>Harahan, LA</u>	ZIP: <u>70123</u>
TELEPHONE: <u>(504) 734-6228</u>	FAX: <u>(504) 734-6212</u>
EMAIL ADDRESS: _____	

TOTAL PRICE OF ALL BID ITEMS: \$ 16,470

DATE: 5/28/2016

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued


BID NO.: 50-00116769

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	64.00	EA	<p>LED HIGH BAY LAMP FOR THE JEFFERSON PARISH EB DEPARTMENT OF PARKS AND RECREATION</p> <p>0010 WESTGATE LED HIGH BAY LAMP, 5000K, 150W, 100-277V, 120BS, 13000LM LIGHT FIXTURE</p> <p>FULLY DIMMABLE POLYCARBONATE LENS WITH 360 DEGREE ILLUMINATION ACRYLIC CLEAR TYPE ALLOWS LIGHT TO ILLUMIATE CEILING COLOR RENDERING INDEX >90 COLOR TEMPERATURE 5000K CW LED PHILIPS LUMI LEDS 5 YEAR WARRANTY DIE CAST ALUMINUM HOUSING</p> <p><i>Quoting Equal</i> <i>ATG# HBCC15HU501000</i> <i>factory stock: Cal. Grvia</i></p>	<p><i>\$ 305-</i></p>	<p><i>\$16,420-</i></p>



150W & 200W High Bay



Product Description

The elucent LED High Bay delivers unmatched long-lasting performance from glare prevention, superior light quality, and brilliant prismatic lens. Fitted in a distinct low profile and clean finish, the elucent LED High Bay is a one-for-one replacement, delivering three-four COB chips per unit for a longer life value. Ideal in warehouse facilities.

Features

- Lifetime 95,000 hours
- Available Dual Function Sensors: Motion & Photocell
- Maintenance Free & Environmentally Friendly (No Mercury Used)
- Dusk-To-Dawn Occupancy Control Compatible
- ES LM80 Tested LED
- LM79 Data & IES Files Available
- 0-10V Dimming Title 24 Compliant
- Available in 150 & 200-watts

Project Name:

Date:

Prepared By:

Notes:

Construction

Constructed in a sturdy and well-fitted cast and extrusion aluminum, in addition to the luminaire's prismatic and rolled aluminum lenses for brilliant illumination.

Finish

Luminaire coated in an environmentally friendly polyester powder formulated for a durable and long-lasting color in a black or silver finish. No toxic heavy metals, VOC, or mercury were used in the design of this product.

Installation

Suitable for suspension by the means of a hook or single pendant monopoint.

Testing and Certifications

All luminaires have been tested by an independent laboratory in accordance with IESNA LM79 and LM80. Product certifications include: DLC, ETL, Title 24, RoHS, Lighting Facts, and Safety Listing.

Options, Accessories and Controls

Luminaire is compatible with all 0-10V dimming systems and sensors including: dual function, KO, and backup sensor.

Lifespan and Warranty


Industry-leading L70 rated lifetime of over 95,000 hours with ATG's guaranteed five (5) year warranty.

Ordering Information:


Typical Order Example: HBCC15HU500000

Series	Shape	Wattage (N/A)	Voltage	CCT	Option A	Option B
HB=High Bay	CC=Circular	15=150W 20=200W	HU=100-277VAC	50=5000K	00=Default	00=Default

Model	Wattage	Input Voltage	lm Efficacy	lm Flux	CRI	Color Temp	Power Factor	THD	L70L80 time	Size
HBCC15	150w	100-277VAC	90lm/W	13500LM	70+	5000K	>0.95	<10%	95,000H	18.90*20.63 in
HBCC20	200w	100-277VAC	95lm/W	19000LM	70+	5000K	>0.95	<10%	95,000H	18.90*22.2 in
Finish Color		Housing		Lens Type		Certification		Warranty		
Black & Silver		Cast & Extrusion Aluminum		Prismatic PC & Rolled Aluminum		DLC, ETL		5 Years		




HBCC15



HBCC20

Luminaire Intensity Distribution



Beam Angle (30° beam)	Beam Diameter (inches)	Beam Height (inches)	Beam Angle (30° beam)
18.90	20.63	30	18.90
20.63	22.20	30	20.63
22.20	23.77	30	22.20
23.77	25.34	30	23.77
25.34	26.91	30	25.34
26.91	28.48	30	26.91
28.48	30.05	30	28.48
30.05	31.62	30	30.05
31.62	33.19	30	31.62
33.19	34.76	30	33.19
34.76	36.33	30	34.76
36.33	37.90	30	36.33
37.90	39.47	30	37.90
39.47	41.04	30	39.47
41.04	42.61	30	41.04
42.61	44.18	30	42.61
44.18	45.75	30	44.18
45.75	47.32	30	45.75
47.32	48.89	30	47.32
48.89	50.46	30	48.89
50.46	52.03	30	50.46
52.03	53.60	30	52.03
53.60	55.17	30	53.60
55.17	56.74	30	55.17
56.74	58.31	30	56.74
58.31	59.88	30	58.31
59.88	61.45	30	59.88
61.45	63.02	30	61.45
63.02	64.59	30	63.02
64.59	66.16	30	64.59
66.16	67.73	30	66.16
67.73	69.30	30	67.73
69.30	70.87	30	69.30
70.87	72.44	30	70.87
72.44	74.01	30	72.44
74.01	75.58	30	74.01
75.58	77.15	30	75.58
77.15	78.72	30	77.15
78.72	80.29	30	78.72
80.29	81.86	30	80.29
81.86	83.43	30	81.86
83.43	85.00	30	83.43
85.00	86.57	30	85.00
86.57	88.14	30	86.57
88.14	89.71	30	88.14
89.71	91.28	30	89.71
91.28	92.85	30	91.28
92.85	94.42	30	92.85
94.42	95.99	30	94.42
95.99	97.56	30	95.99
97.56	99.13	30	97.56
99.13	100.70	30	99.13
100.70	102.27	30	100.70
102.27	103.84	30	102.27
103.84	105.41	30	103.84
105.41	106.98	30	105.41
106.98	108.55	30	106.98
108.55	110.12	30	108.55
110.12	111.69	30	110.12
111.69	113.26	30	111.69
113.26	114.83	30	113.26
114.83	116.40	30	114.83
116.40	117.97	30	116.40
117.97	119.54	30	117.97
119.54	121.11	30	119.54
121.11	122.68	30	121.11
122.68	124.25	30	122.68
124.25	125.82	30	124.25
125.82	127.39	30	125.82
127.39	128.96	30	127.39
128.96	130.53	30	128.96
130.53	132.10	30	130.53
132.10	133.67	30	132.10
133.67	135.24	30	133.67
135.24	136.81	30	135.24
136.81	138.38	30	136.81
138.38	140.95	30	138.38
140.95	142.52	30	140.95
142.52	144.09	30	142.52
144.09	145.66	30	144.09
145.66	147.23	30	145.66
147.23	148.80	30	147.23
148.80	150.37	30	148.80
150.37	151.94	30	150.37
151.94	153.51	30	151.94
153.51	155.08	30	153.51
155.08	156.65	30	155.08
156.65	158.22	30	156.65
158.22	159.79	30	158.22
159.79	161.36	30	159.79
161.36	162.93	30	161.36
162.93	164.50	30	162.93
164.50	166.07	30	164.50
166.07	167.64	30	166.07
167.64	169.21	30	167.64
169.21	170.78	30	169.21
170.78	172.35	30	170.78
172.35	173.92	30	172.35
173.92	175.49	30	173.92
175.49	177.06	30	175.49
177.06	178.63	30	177.06
178.63	180.20	30	178.63
180.20	181.77	30	180.20
181.77	183.34	30	181.77
183.34	184.91	30	183.34
184.91	186.48	30	184.91
186.48	188.05	30	186.48
188.05	189.62	30	188.05
189.62	191.19	30	189.62
191.19	192.76	30	191.19
192.76	194.33	30	192.76
194.33	195.90	30	194.33
195.90	197.47	30	195.90
197.47	199.04	30	197.47
199.04	200.61	30	199.04
200.61	202.18	30	200.61
202.18	203.75	30	202.18
203.75	205.32	30	203.75
205.32	206.89	30	205.32
206.89	208.46	30	206.89
208.46	210.03	30	208.46
210.03	211.60	30	210.03
211.60	213.17	30	211.60
213.17	214.74	30	213.17
214.74	216.31	30	214.74
216.31	217.88	30	216.31
217.88	219.45	30	217.88
219.45	221.02	30	219.45
221.02	222.59	30	221.02
222.59	224.16	30	222.59
224.16	225.73	30	224.16
225.73	227.30	30	225.73
227.30	228.87	30	227.30
228.87	230.44	30	228.87
230.44	232.01	30	230.44
232.01	233.58	30	232.01
233.58	235.15	30	233.58
235.15	236.72	30	235.15
236.72	238.29	30	236.72
238.29	239.86	30	238.29
239.86	241.43	30	239.86
241.43	243.00	30	241.43
243.00	244.57	30	243.00
244.57	246.14	30	244.57
246.14	247.71	30	246.14
247.71	249.28	30	247.71
249.28	250.85	30	249.28
250.85	252.42	30	250.85
252.42	253.99	30	252.42
253.99	255.56	30	253.99
255.56	257.13	30	255.56
257.13	258.70	30	257.13
258.70	260.27	30	258.70
260.27	261.84	30	260.27
261.84	263.41	30	261.84
263.41	264.98	30	263.41
264.98	266.55	30	264.98
266.55	268.12	30	266.55
268.12	269.69	30	268.12
269.69	271.26	30	269.69
271.26	272.83	30	271.26
272.83	274.40	30	272.83
274.40	275.97	30	274.40
275.97	277.54	30	275.97
277.54	279.11	30	277.54
279.11	280.68	30	279.11
280.68	282.25	30	280.68
282.25	283.82	30	282.25
283.82	285.39	30	283.82
285.39	286.96	30	285.39
286.96	288.53	30	286.96
288.53	290.10	30	288.53
290.10	291.67	30	290.10
291.67	293.24	30	291.67
293.24	294.81	30	293.24
294.81	296.38	30	294.81
296.38	297.95	30	296.38
297.95	299.52	30	297.95
299.52	301.09	30	299.52
301.09	302.66	30	301.09
302.66	304.23	30	302.66
304.23	305.80	30	304.23
305.80	307.37	30	305.80
307.37	308.94	30	307.37
308.94	310.51	30	308.94
310.51	312.08	30	310.51
312.08	313.65	30	312.08
313.65	315.22	30	313.65
315.22	316.79	30	315.22
316.79	318.36	30	316.79
318.36	319.93	30	318.36
319.93	321.50	30	319.93
321.50	323.07	30	321.50
323.07	324.64	30	323.07
324.64	326.21	30	324.64
326.21	327.78	30	326.21
327.78	329.35	30	327.78
329.35	330.92	30	329.35
330.92	332.49	30	330.92
332.49	334.06	30	332.49
334.06	335.63	30	334.06
335.63	337.20	30	335.63
337.20	338.77	30	337.20
338.77	340.34	30	338.77
340.34	341.91	30	340.34
341.91	343.48	30	341.91
343.48	345.05	30	343.48
345.05	346.62	30	345.05
346.62	348.19	30	346.62
348.19	349.76	30	348.19
349.76	351.33	30	349.76
351.33	352.90	30	351.33
352.90	354.47	30	352.90
354.47	356.04	30	354.47
356.04	357.61	30	356.04
357.61	359.18	30	357.61
359.18	360.75	30	359.18
360.75</			

DATE: 5/26/2016
 BID NO.: 50-00116769

INVITATION TO BID
 THIS IS NOT AN ORDER

Page: 4

JEFFERSON PARISH
 PURCHASING DEPARTMENT
 P.O. BOX 9
 GRETNA, LA. 70054-0009
 504-364-2678

1 of 7

VENDOR: _____

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>14-21 DAYS</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
 NUMBER: _____
 NUMBER: _____
 NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>CRAWFORD ELECTRIC SUPPLY</u>	
SIGNATURE: (Must be signed here) <u>Rami Spurlock</u>	TITLE: <u>Operations Mgr.</u>
PRINT OR TYPE NAME: <u>LONI SPURLOCK</u>	
ADDRESS: <u>200 L + A ROAD</u>	
CITY, STATE: <u>METairie, LA</u>	ZIP: <u>70001</u>
TELEPHONE: <u>504 731-0480</u>	FAX: <u>504 731-0490</u>
EMAIL ADDRESS: <u>JLEBLANC AT CESCO LTD. COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 9990.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116769

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	54.00	EA	<p>LED HIGH BAY LAMP FOR THE JEFFERSON PARISH EB DEPARTMENT OF PARKS AND RECREATION</p> <p>0010 WESTGATE LED HIGH BAY LAMP, 5000K, 150W, 100-277V, 120BS, 13000LM LIGHT FIXTURE</p> <p>FULLY DIMMABLE POLYCARBONATE LENS WITH 360 DEGREE ILLUMINATION ACRYLIC CLEAR TYPE ALLOWS LIGHT TO ILLUMINATE CEILING COLOR RENDERING INDEX >90 COLOR TEMPERATURE 5000K CW LED PHILIPS LUMI LEDS 5 YEAR WARRANTY DIE CAST ALUMINUM HOUSING</p> <p># LHB-150-CW</p>	#185.00	9990.00

WESTGATE

THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!

THUNDER SERIES


JOB NAME: _____

DATE: _____

TYPE: _____



DIMENSION:



LHB-150-CW
LHB-150-NW

REFLECTOR SPECIFICATIONS

High Bay light is designed for illumination of industrial locations. It uses the latest in solid state lighting technology for long life, low maintenance, and high efficiency. The unique optical design focuses light downward to where it is needed, giving improved efficiency over a conventional HID luminaire.

MODEL NO	WATTAGE	LUMENS	VOLTAGE	COLOR TEMP	REFLECTOR
LHB-150-CW	150W	15400	120/277V AC	CW 5000K	16" PC
LHB-150-NW	150W	15000	120/277V AC	NW 4000K	16" PC

ELECTRICAL SPECIFICATIONS:

- Voltage: 120-277V AC
- Wattage: 150W
- Other wattages available: 50W, 100W, 220W
- Power factor: 95% +

LIGHTING SPECIFICATIONS:

- Dimmable only for 150W and 220W
- LED: Philips LumiLEDs
- CRI: 80
- L70 design life (50,000 hours)
- Color temperature: 5000k CW
- Color rendering index: >90

APPLICATIONS:

- Ideal for general warehouse lighting, loading docks, storage areas, supermarkets. The polycarbonate lens provide 360° illumination combined with crisp, directional, bright 5000K light that will make merchandise clearly visible and eye-catching.

REFLECTORS FOR LED HIGHBAY

MODEL NO	DESCRIPTION	MATERIAL	DIAMETER
LHB-PC-16"	REFLECTOR FOR LHB-100CW & LHB-150CW	POLYCARBONATE	16"

HOUSING SPECIFICATIONS:

- Die-cast aluminum housing with aluminum reflector
- Reflector: 16inch PC
- Ambient temp: -20~+40C°
- Operating temperature: -4F° to 122F°
- IP65
- Damp location listed

CERTIFICATIONS:

- UL listed, DLC

WARRANTY:

- Five-year warranty



WESTGATE MFG., INC. 2041 Davis Avenue, Commerce, CA 90040 • Phone (877) 805-2252 • Fax (877) 809-2252



WESTGATE

THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!

THUNDER SERIES

JOB NAME: _____
 DATE: _____
 TYPE: _____

LHB-150-CW
 LHB-150-NW


MODEL NO	WATTAGE	LUMENS	VOLTAGE	TEMPERATURE	REFLECTOR
LHB-150-CW	150W	15400	120/277V AC	CW 500K	16" PC
LHB-150-NW	150W	15000	120/277V AC	NW 4000K	16" PC



REFLECTORS FOR LED MODULES

MODEL NO	DESCRIPTION	MATERIAL	DEPTH
LHB-PC-16"	REFLECTOR FOR LHB-100CW & LHB-150CW	POLYCARBONATE	16"

PHOTOMETRICS:
 Test for LHB-150W




Illuminance Plots


Center Beam	Beam Diameter	Beam Diameter	Beam Diameter
17.0A	34.8 fc	22.9 ft	17.9 ft
34.0B	8.7 fc	45.9 ft	35.7 ft
51.0A	3.9 fc	68.8 ft	53.6 ft
68.0A	2.2 fc	91.8 ft	71.4 ft
85.0A	1.4 fc	114.7 ft	89.3 ft
102.0A	1.0 fc	137.6 ft	107.1 ft

Vert. Spread: 68.0°
 Horiz. Spread: 55.4°


Photometric Data



ISOCANDELA DIAGRAM



ISOLUX DIAGRAM



DATE: 5/26/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00116769

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: Indoff, Inc.

BUYER: SFOLSE

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	30 days max. after order
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
 NUMBER: _____
 NUMBER: _____
 NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME:	Indoff, Inc. Sales Partner
SIGNATURE: (Must be signed here)	TITLE:
PRINT OR TYPE NAME:	Bryan Bell
ADDRESS:	125 Aviators View Dr.
CITY, STATE:	Alabaster, AL
TELEPHONE:	ZIP: 35007
(205) 641-5673	FAX: (205) 623-1277
EMAIL ADDRESS:	bryan.bell@indoff.com

TOTAL PRICE OF ALL BID ITEMS: \$ 10,835.10

DATE: 5/26/2016

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00116769

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	54.00	EA	<p>LED HIGH BAY LAMP FOR THE JEFFERSON PARISH EB DEPARTMENT OF PARKS AND RECREATION</p> <p>0010 WESTGATE LED HIGH BAY LAMP, 5000K, 150W, 100-277V, 120BS, 13000LM LIGHT FIXTURE</p> <p>FULLY DIMMABLE POLYCARBONATE LENS WITH 360 DEGREE ILLUMINATION ACRYLIC CLEAR TYPE ALLOWS LIGHT TO ILLUMIATE CEILING COLOR RENDERING INDEX >90 COLOR TEMPERATURE 5000K CW LED PHILIPS LUMI LEDS 5 YEAR WARRANTY DIE CAST ALUMINUM HOUSING</p>	\$200.65	\$10,835.10

WESTGATE
THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!
THUNDER SERIES


JOB NAME: _____

DATE: _____

TYPE: _____



DIMENSIONS:



LHB-150-CW

LHB-150-NW



High Bay light is designed for illumination of industrial locations. It uses the latest in solid state lighting technology for long life, low maintenance, and high efficiency. The unique optical design focuses light downward to where it is needed, giving improved efficiency over a conventional HID luminaire.

MODEL NO.	WATTAGE	LUMENS	VOLTAGE	COLOR TEMP.	REFLECTOR
LHB-150-CW	150W	15400	120/277V AC	CW 5000K	16" PC
LHB-150-NW	150W	15000	120/277V AC	NW 4800K	16" PC

ELECTRICAL SPECIFICATIONS:

- Voltage: 120-277V AC
- Wattage: 150W
- Other wattages available: 50W, 100W, 220W
- Power factor: 95% +

LIGHTING SPECIFICATIONS:

- Dimmable only for 150W and 220W
- LED: Philips LumiLEDs
- CRI: 80
- L70 design life (50,000 hours)
- Color temperature: 5000k CW
- Color rendering index: >90

APPLICATIONS:

- Ideal for general warehouse lighting, loading docks, storage areas, supermarkets. The polycarbonate lens provide 360° illumination combined with crisp, directional, bright 5000K light that will make merchandise clearly visible and eye-catching.

REFLECTORS FOR LED HIGHBAY

MODEL NO.	DESCRIPTION	MATERIAL	DIAMETER
LHB-PC-16"	REFLECTOR FOR LHB-100CW & LHB-150CW	POLYCARBONATE	16"

HOUSING SPECIFICATIONS:

- Die-cast aluminum housing with aluminum reflector
- Reflector: 16inch PC
- Ambient temp: -20~+40C°
- Operating temperature: -4F° to 122F°
- IP65
- Damp location listed

CERTIFICATIONS:

- UL listed, DLC

WARRANTY:

- Five-year warranty



WESTGATE MFG., INC. 2041 Davie Avenue, Commerce, CA 90040 • Phone (877) 805-2252 • Fax (877) 809-2252



WESTGATE

THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!

THUNDER SERIES

JOB NAME: _____
 DATE: _____
 TYPE: _____

LHB-150-CW
 LHB-150-NW


MODEL NO	WATTAGE	LUMENS	VOLTAGE	TEMPERATURE	REFLECTOR
LHB-150-CW	150W	15400	120/277V AC	CW 500K	16" PC
LHB-150-NW	150W	15000	120/277V AC	NW 4000K	16" PC



REFLECTORS FOR LED LIGHTING

MODEL NO	DESCRIPTION	MATERIAL	SIZE
LHB-PC-16"	REFLECTOR FOR LHB-100CW & LHB-150CW	POLYCARBONATE	16"

PHOTOMETRICS:
 Test for LHB-150W




Illuminance Plots

Illuminance at a Distance


Center Beam Ht	Beam Width		
17.0ft	34.8 ft	22.9 ft	17.9 ft
34.0ft	8.7 ft	45.9 ft	35.7 ft
51.0ft	3.9 ft	68.8 ft	53.6 ft
68.0ft	2.2 ft	91.8 ft	71.4 ft
85.0ft	1.4 ft	114.7 ft	89.3 ft
102.0ft	1.0 ft	137.6 ft	107.1 ft

Vert. Spread: 68.0°
 Horiz. Spread: 55.4°


Photometric Data



ISOCANDELA DIAGRAM



ISOLUX DIAGRAM



WESTGATE MFG., INC. 2041 Davie Avenue, Commerce, CA 90040 • Phone (877) 805-2252 • Fax (877) 809-2252

