

27

DATE: 8/21/2019

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00127853

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: Basic Supply LLC

BUYER: RSCOTT

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

2 Weeks

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>Basic Supply LLC</u>	
SIGNATURE: <u>John Atkinson</u> (Must be signed here)	TITLE: <u>Manager</u>
PRINT OR TYPE NAME: <u>John Atkinson</u>	
ADDRESS: <u>P.O. Box 163066</u>	
CITY, STATE: <u>Lafayette, LA</u>	ZIP: <u>70596</u>
TELEPHONE: <u>(337) 769-0122</u>	FAX: <u>(337) 247-7699</u>
EMAIL ADDRESS: <u>charlotte@basicsupply.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 598.80

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00127853

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	12.00	EA	Purchase of stock items for Eastbank Warehouse 0010 WAND, HAND HELD 34" HEIGHT, FOR USE WITH INVERTED MARKINGS SPRAY PAINTS, KRYLON MODEL # K07096, GRAINGER #3KYW3 STK. # 032938A 8971350	29.00	348.00
2	2.00	EA	0020 PINCH POINT CROW BAR, 3 FT LENGTH X 1-1/16 IN SQUARE STOCK SIZE, LEETONIA #215 STK. # 0581000		
3	12.00	EA	0030 PAINT, MARKING, INVERTED, WHITE, WATER BASED, 17 OUNCE, NOT SOLUBLE IN WATER AND WILL NOT WASH AWAY, KRYLON #3901, MSC PART #84254382 STK. # 096803A 203039	3.70	44.40
4	2.00	EA	0040 CUTTER, ASPHALT, 5 IN, 1-1/4 IN X 6 HEX SHANK, 12 IN LONG UNDER COLLAR, DELSTEEL #95-3 STK. # 0580710		
5	12.00	EA	0050 CLAMP, HOSE, 3 INCH TO 5 INCH RANGE SAE 72, ALL STAINLESS STEEL, 10 PER PACK, GRAINGER #1A531 STK. # 0302180 3072519	1.40	16.8
6	12.00	EA	0060 TAPE, MEASURING, FIBERGLASS, 100 FT X 1/2 IN W, 3:1 GEAR RATIO, 1/8 IN, 1 IN, & 1 FT ON ONE SIDE AND 1/10 IN, & 1 FT GRADUATIONS ON OTHER, OPEN REEL, TO MEET STANLEY # 34-760, MSC #04067443 STK. # 0590600 34-760	15.80	189.60
7	24.00	EA	0070 NOZZLE, FIRE HOSE, 1-1/2 IN NST, RED THERMOPLASTIC WITH BUMPER, 100 PSI, ADJUSTABLE STRAIGHT STREAM TO FOG, WATER ONLY, DIXON #CFB150NST STK. # 0482160		
8	40.00	EA	0080 LIGHT, HARD HAT, LED, PLASTIC, PELICAN #2745C, GRAINGER #49XK74 STK. # 0588100 (STOCK ITEMS FOR EASTBANK WAREHOUSE-MR. GERALD LOHNER)		

Page: 6

SEALED BID

BID NO.: 50-00127853

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS

8971350

RUST-OLEUM INDUSTRIAL CHOICE 2388000

High Performance Striping Wand, Plastic/Steel

Use with Rust-oleum inverted striping paint. For

upright striping. No mess. Comfortable grip.

Lightweight. Durable steel and plastic construction.

Detachable wheel.

Product Details

Features

Improves application accuracy, lessens back strain

Quick and convenient with no mess

Light-touch spray gives easy control while reducing finger fatigue

Comfortable grip

Lightweight yet durable construction of steel and plastic



RUST-OLEUM INDUSTRIAL CHOICE 203039 Marking Paint, White, 17 fl-oz Aerosol Can

Use for marking concrete, pavement, gravel, grass, and more. Use to mark the location of underground utilities at construction and excavation sites where identification is desired. Features a precision-line spray tip for easy-to-read, bright, vivid markings. Can be applied down to 25-degree Fahrenheit. Dries in less than 5 minutes. Spray-through cap. Tip keeps paint off fingers. Use with sku# 826.4608. Can be used in USDA facilities based on FSIS Directive 11,000.4 (Rev. 1), November 24, 1995. Covers approximately 600-700 linear feet at 1 in. wide.

WATER-BASED - INVERTED

M1800 SYSTEM PRECISION-LINE

Brand: "INDUSTRIAL CHOICE"

17 Ounce

Color : White

Applicable Materials:Concrete, Grass, Gravel and Pavements

Application Method:Marking Wand, Marking Pistol, Marking Wheel

Capacity:17 oz

Coverage:600 - 700 ft Linear

Flash Point:-105 deg C

Form:Aerosolized Mist, Liquid

Odor/ Scent:Mild

Packing Type:Aerosol Can

Pigment:Varies with Color

Resists:Chalking and Fading

Series:Industrial Choice, M1800 System, Precision Line

Specific Gravity:0.864

Standards:ANSI Z88.2 Specified, NIOSH/MSHA Approved, OSHA 1910.134 Approved

Temperature Rating:40 - 90 deg F

Thinners:Acetone, Xylene, Toluene

Type:Inverted, Water Based

Usage:For Marking Concrete, Pavement, Gravel and Grass

Vehicles:Modified Alkyd

V O C Content:552 g/l

Features

Adheres to hot surfaces and can be sprayed in the cold up to 25 deg F

Dries in under 5 mins

Marks up to 250% more linear feet than other brands, precision tip virtually no overspray





3072519

Ideal-Tridon Hy-Gear 68-0 Series 6872053 Interlocked
Worm Gear Hose Clamp, #72, Stainless Steel

Width:9/16 in

Band Material:Stainless Steel

Bolt Material:410 Stainless Steel

Bolt Size:5/16 in Hex

Grade:200

Nominal Opening Size:3 - 5 in

Series:Hy-Gear, 68-0

Torque Rating:35 in-lb

Trade Size:NO 72

Type:Interlocked, Mechanical

Usage:For Industrial