



Bid Number 50 – 00114394

**PURCHASE OF FORKLIFT FOR THE JEFFERSON PARISH DEPARTMENT
OF SEWERAGE**

BID DUE: THURSDAY, SEPTEMBER 24, 2015 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received in the Purchasing Department by the bid due date and time.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Misty A. Camardelle
Buyer Email: mcamardelle@jeffparish.net
Buyer Phone: 504-364-2683**

SPECIFICATIONS

Yale Veracitor Pneumatic Tire Forklift Model GP080VX or equal.

Nominal 8000 lb. capacity at 24" load center. Veracitor trucks feature Industrial Grade Critical Components that maximize productive value and economic life of the lift truck. Rugged powertrains and cooling systems are designed specifically for tough lift truck applications. Highly reliable electrical systems provide sophisticated control of truck functionality leading to outstanding efficiency. Robust hydraulic systems and heavy duty masts provide excellent load moving capability. Truck frames provide optimal strength and rigidity, including maximum protection to internal components. Standard Equipment includes: Continuous Stability Enhancement System, Integrated Dashboard Display, Operator Restraint System, Operator Presence System (OPS) maintains stability of truck and is maintenance free , Low Fuel Indicator, Infinitely Adjustable Steering Column and Floor mat.

POWERTRAIN: Kubota 3.8L EPA Tier 4 Final Certified Turbo Diesel Engine provides excellent power, torque and fuel economy. Durability and reliability endures through a simple, yet robust industrial design. Techtronix 100X 2-speed Transmission features Controlled Power Reversal providing decreased tire replacement costs by reducing tire spin, Auto Deceleration System improving brake maintenance costs by reducing brake usage, Controlled Ramp Roll-Back for improved operator control, Electronic Inching improving operating costs by eliminating inching adjustments, and industrial grade clutch packs, gears, shafts and drive train components for exceptional durability.

Features a Premium (force-cooled) Wet Disc Brake design well suited for heavier duty, continuous or multi-shift operations. The Premium Wet Disc Brakes are fully contained within the axle which protects the brake from wet or dirty environments. The Premium Wet Disc Brakes utilize externally cooled and filtered oil to provide maximum brake service life. Cooler operating temperatures can result in enhanced tire life.

POWERTRAIN: Kubota 3.8L EPA Tier 4 Final Certified Turbo Diesel

MAST: 3 Stage Full Free Lift 173" Max Fork Ht / 86" Lowered / 53" Free Lift / 223" Ext Ht. (4415mm / 2171mm / 1359mm / 5662mm)

CARRIAGE: 48" (1219mm) Class III Hook

Class II Integral Sideshifter with fork positioner

ACCESSORIES: Carriage Side Thrust Rollers - Provides additional carriage side support for wide loads and attachments

FORKS: 2" X 5" X 48" (50X125X1219MM) Class 3

LOAD BACKREST EXTENSION: 48" High

MAST TILT: 6 Degrees forward / 6 Degrees back

HYDRAULIC VALVE : 4 Function (2 Aux)

HYDRAULIC CONTROLS: Cowl Mounted Levers for Non-Clamping Attachments.

HOSE GROUP: 2 Aux Function - Internal Mounted

HYDRAULIC ACCESSORIES: Attachment Extension Tubes - 1 Pair Compatible with Sideshift. Mounted on Left Side of Carriage

Premium Wet Disc Brakes (force-cooled)

UL APPROVAL: UL Type GS, LPS or DS

RADIATOR: Anti-Clog with Combi-Cooler provides separate engine and transmission coolers for maximum thermal efficiency

EXHAUST: Counterweight

TREAD : Drive Tire Wide Tread

DRIVE TIRES: Michelin XZM Radial 250/70 R15

STEER TIRES: Michelin XZM Radial Pneumatic 7.00 R12

OVERHEAD GUARD: Tall - 89" (GP80-90VX) or 91" (GP100-120VX)

STEERING WHEEL: Steering Wheel with Wheel Spinner Knob

ENGINE START: Keyswitch Start.

DIRECTIONAL CONTROL: LEVER

SEAT: Premium Full-Suspension Vinyl Seat, includes weight, lumbar and back tilt adjustment with over 3" (80mm) of suspension travel to provide maximum comfort for the operator while driving; 6" (150mm) of fore-aft seat travel to accommodate varied operators

SEAT ACCESSORY: No-Cinch Seat Belt with Black Fabric Belt. The non-cinching mechanism allows the belt to move with the operator and locks in place when needed. The Non-cinch belt is particularly comfortable for operations with frequent reverse operation.

INCHING CONTROL: Single Inch/Brake Pedal

AUDIBLE ALARM: Reverse direction activated. Self-adjusting between 82-102 dB(A).

VISIBLE ALARM: Amber LED Strobe Light, keyswitch activated, OHG Mounted - does not increase truck height (Low Mount).

LIGHTS: Dual LED Front Headlights/One LED Rear Work Light

LITERATURE: (Decals, Marking and Operator Manual): English

MONITORING: System Monitoring provides superb control over truck functionality and systems enabling maximum system efficiency for excellent durability and serviceability.

HOOD: Enclosed Engine Hood with Solid Side Panels

SAFETY ACCESSORIES: Rear Drive Handle with Horn Button. Mounted on right rear OHG leg.

Improves safety and driver comfort in reverse travel.

Operator Presence System (OPS)/ Continuous Stability System (non-hydraulic - Safety design to help to maintain stability of truck/maintenance free. AUDIBLE ALARM: Reverse direction activated.

VISIBLE ALARM: Amber LED Strobe Light, keyswitch activated, OHG Mounted - does not increase truck height (Low Mount).

LIGHTS: Dual LED Front Headlights/One LED Rear Work Light

SEAT: Premium Full-Suspension Vinyl Seat, includes weight, lumbar and back tilt adjustment with over 3" (80mm) of suspension travel to provide maximum comfort for the operator while driving; 6" (150mm) of fore-aft seat travel to accommodate varied operators

SEAT ACCESSORY: No-Cinch Seat Belt with Black Fabric Belt. The non-cinching mechanism allows the belt to move with the operator and locks in place when needed. The Non-cinch belt is particularly comfortable for operations with frequent reverse operation.

WARRANTY:

Standard Manufacturer's Warranty to be included with purchase.

Shipping and Local installation of Side shifting fork positioner (prevents operator from having to manually adjust forks)

DATE: 9/09/2015

INVITATION TO BID
THIS IS NOT AN ORDER

BID NO.: 50-00114394

JEFFERSON PARISH

Page: 1

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: MCamardelle@jeffparish.net

BIDS WILL BE RECEIVED IN THE PURCHASING DEPARTMENT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053 UNTIL 2:00 PM, 9/24/2015 AND PUBLICLY OPENED THEREAFTER.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids must register as a Jefferson Parish vendor if not already yet registered. Bidders may be required to furnish current W-9 Forms and respective Tax Identification Numbers within 10 days after bid opening if such information is not on file or not up to date. Registration forms may be downloaded from www.purchasing.jeffparish.net and clicking on Vendor Information.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing and fax them to the Purchasing Department at (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests. Questions may also be emailed to the buyer for this bid at the email address listed above. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

If the bid exceeds \$30,000.00 and the company is duly authorized to do business in the state of Louisiana, a corporate resolution must be submitted with the bid or the person signing the bid documents must be listed on the Louisiana Secretary of State's website as an officer of the corporation, unless bidder has otherwise complied with LSA-R.S. 38:2212(B)(5). If the bid is in excess of \$30,000 and bidder is registered out of the state of Louisiana, a corporate resolution must be submitted with the bid, unless bidder has otherwise complied with LSA-R.S. 38:2212(B)(5). Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. Bids submitted by Owner or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. Sole proprietors submitting bids for public works projects shall within 10 days after bid opening submit sole proprietorship certification.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. IN THE EVENT OF SPLIT AWARD, THE PURCHASING DEPARTMENT MAY CONTACT VENDORS TO REQUEST REQUIRED AFFIDAVITS. THOSE VENDORS WILL HAVE 10 DAYS FROM THE DATE OF NOTICE TO SUBMIT COMPLETE, SIGNED AND NOTARIZED AFFIDAVITS IN ORIGINAL FORMATS.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

Preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA-R.S.38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns, and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This Electronic Procurement System allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Please note requirements contained in this bid package for electronic bid submission.

Please visit the Purchasing Department webpage at <http://purchasing.jeffparish.net> to register and review Jefferson Parish solicitations.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10, 13, 15

1. All bidders must attend the pre-bid conference in relation to this bid; attendance is mandatory. Failure to attend will prohibit a company from submitting a bid. Vendors arriving after the mandatory pre-bid conference begins will not be allowed to sign in as evidence of attendance.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

- 6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
- 7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
- 8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
- 9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
- 10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicted on the attached sheet. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected. JEFFERSON PARISH reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
- 11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies) If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
- 12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
- 13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
- 14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit and E-Verify Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department on all solicitations for construction, alteration or demolition of public building or project, including but not limited to requirements found in LSA-RS 38:2212.9; LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1. Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.
- 15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Collusion Affidavit, and Campaign Contribution Affidavit must be completed, signed, notarized and submitted by low bidder with bid submission within 10 days after bid opening to the Purchasing Department. See LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1 Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled NON-PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.
- 16. Since a bid surety is required, bid response may not be faxed. Bid submission will only be accepted online or as delivered to the Purchasing Department, 200 Derbigny Street, Suite 4400, Gretna, LA 70053 by 11am on the bid due date. All sureties must be in original format (no copies).

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF 11/5/15

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

14 weeks ARO

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Scott Equipment LLC

ADDRESS: P.O. Box 1093

CITY, STATE: St. Rose LA ZIP: 70087

TELEPHONE: (504) 466-5800 FAX: (504) 466-5558

EMAIL ADDRESS: JTRASCHER@ScottCompanies.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 1 (9/22/15)

NUMBER: 2 (9/24/15)

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 47,957.00

AUTHORIZED SIGNATURE: [Signature]

Lance K Landwehr

TITLE: SUP

Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00114394

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	EA	<p>PURCHASE OF FORKLIFT FOR THE JEFFERSON PARISH DEPARTMENT OF SEWERAGE</p> <p>0010 - Yale Veracitor Pneumatic Tire Forklift with Class II Integral Sideshifter - With Fork Positioner Series: J813 Model no.: GP080VX</p> <p><i>Toyota Pneumatic Tire Fork lift Model 8FD35V</i></p>	<p><i>47,557⁰⁰</i></p>	<p><i>47,557⁰⁰</i></p>


**RESOLUTION OF THE MANAGEMENT COMMITTEE
OF SCOTT EQUIPMENT COMPANY, L.L.C. (the "Company")**

BE IT RESOLVED by the Management Committee of the Company that Lance Landeche, Vice-President of the Company, be and is hereby appointed, constituted and designated as agent and attorney-in-fact of the Company with full power and authority to act on behalf of this Company in all negotiations, bidding concerns and transactions with the Parish of Jefferson or any of its agencies, departments, employees or agents, including but not limited to the execution of all bids, papers, documents, affidavits, bonds, sureties, contracts and acts and to receive and receipt therefore all purchase orders and notices issued pursuant to the provisions of any such bid or contract, this Company hereby ratifying, approving, confirming and accepting each and every such act performed by said agent and attorney-in-fact.

CERTIFICATE

I, Bobbie Bordelon, Executive Vice President and CFO of Scott Equipment Company, L.L.C., hereby certify that the above and foregoing resolution is a true and correct restatement of a certain resolution duly passed and adopted by a majority vote of the Management Committee of the Company and the resolution set forth above has not been amended, modified, or rescinded and such resolution is in full force and effect on the date hereof.

IN WITNESS WHEREOF, I hereunto set my hand and seal of the Company this
18 day of Sept, 2015.


Bobbie Bordelon
Executive Vice President & CFO

Non-Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF Louisiana

PARISH/COUNTY OF Jefferson

BEFORE ME, the undersigned authority, personally came and appeared: Lance Landeche, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized Vice - President of Scott Equipment Company, LLC (Entity), the party who submitted a bid in response to Bid Number 50-00114394, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B X _____ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

[Handwritten Signature]
Signature of Affiant

Lance K Landeche
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME


ON THE 29th DAY OF September, 2015.

Jillian Campbell
Notary Public

Jillian Campbell
Printed Name of Notary

137591
Notary/Bar Roll Number

My commission expires upon death.



INSURANCE REQUIREMENTS - BIDS

All insurance requirements shall conform to Jefferson Parish Resolution No. 113646 or No. 113647. The contractor shall not commence work under this contract until he has obtained all insurance and complied with the requirements of the specifications and said Parish Resolutions. Except as otherwise provided by law, the Parish Attorney's Office with the concurrence of the Director of Risk Management is authorized to omit in whole or part the insurance requirements of this section in connection with contracts. Vendors inquiring about this shall submit his written request to the Purchasing Department prior to the due date of the bid. Contractor must deliver and maintain such insurances as provided; failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

Successful bidder will be required to procure standard insurance policies evidencing Parish mandated insurance requirements indicated below. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected.

1. WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

2. COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

3. COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

DEDUCTIBLES

No insurance required shall include a deductible not greater than \$10,000.00. The cost of the deductible shall be borne by the contractor.

NOTE: If the vendor requires a change in deductibles, the request must be submitted in writing to the Purchasing Department prior to the due date of the bid. Such request shall be reviewed by the Parish Attorney's Office.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

CONSTRUCTION AND RENOVATION PROJECTS:

Unless otherwise specified in the bid, these additional insurance is required. Such insurance is due upon contract execution.

OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

NOTE for CERTIFICATE HOLDER:

All insurance certificates shall list the certificate holder as follows:

"The Parish of Jefferson, its Districts, Departments and Agencies under the direction of the Parish President and the Parish Council." Additionally, the address on the Certificates should reflect the department which is letting the bid and reference the respective bid number.

Revised 2.10.2014



JEFFERSON PARISH DEPARTMENT OF PURCHASING

WWW.JEFFPARISH.NET

JOHN F. YOUNG, JR.
PARISH PRESIDENT

BRENDA J. CAMPOS
DIRECTOR

September 22, 2015

ADDENDUM # 1

Bid No.: 50-00114394

Bid Opening Date: September 24, 2015
Bid Opening Extended Date: October 6, 2015

For: Purchase of Forklift for the Jefferson Parish Department of Sewerage

CLARIFICATIONS.

Question 1: Does the 8000lb Forklift need to be "UL Approved"?

Answer: Yes the 8000lb forklift has to be "UL approved".

Question 2: Do the headlights need to be LED or can they be standard lights?

Answer: It needs to have LED lights instead of standard lights.

This Bid is being extended until 2:00pm on October 6, 2015.

Sincerely,

A handwritten signature in blue ink that reads "Misty A. Camardelle".

Misty A. Camardelle, Buyer II
Jefferson Parish Purchasing Department

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form as indicated. Failure to do so will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

Updated: September 22, 2015



JEFFERSON PARISH DEPARTMENT OF PURCHASING

WWW.JEFFPARISH.NET

JOHN F. YOUNG, JR.
PARISH PRESIDENT

BRENDA J. CAMPOS
DIRECTOR

September 24, 2015

ADDENDUM # 2

Bid No.: 50-00114394

Bid Opening Date: October 6, 2015

For: Purchase of Forklift for the Jefferson Parish Department of Sewerage

CLARIFICATIONS, REVISIONS.

Question: Does the forklift need to be UL Rated (D) Diesel or (DS), which is Diesel Safety Rated?

Answer: The specifications call for UL rated gas or diesel. This specification is being revised to require UL rated diesel.

Sincerely,

Misty A. Camardelle

Misty A. Camardelle, Buyer II
Jefferson Parish Purchasing Department

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form as indicated. Failure to do so will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.



**SCOTT
EQUIPMENT**
HEAVY-DUTY COMMITMENT

Scott Equipment Company
10194 Airline Hwy
Saint Rose, LA 70087-3002
Phone: 504-466-5800
Fax: 504-466-5558

August 19, 2015

PURCHASING
JEFFERSON PARISH
2000 Jefferson Hwy
New Orleans, LA 70121-3818

Dear PURCHASING:

We are pleased to submit the attached Toyota Diesel Powered Lift Truck quotation for your review and approval.

As an authorized Toyota dealer, Scott Equipment Company can provide the high-quality equipment and service you would expect from the world's leading forklift manufacturer. This quotation reflects our understanding of your forklift needs, combined with a careful configuration of the appropriate equipment and options.


To place your order, please sign and date the quotation where indicated and return to me. If you have any questions, please contact me.

Thank you for your interest in our company and our Toyota products. We look forward to being of valuable service to you for your material handling needs.

Sincerely,

Jerry Trascher
Sales Representative
Phone: 504-466-5800
Fax: 318-388-9306
E-mail: jtrascher@scottcompanies.com

encl



SCOTT EQUIPMENT

HEAVY-DUTY COMMITMENT

Scott Equipment Company
10194 Airline Hwy
Saint Rose, LA 70087-3002
Phone: 504-466-5800
Fax: 504-466-5558

To: JEFFERSON PARISH
2000 Jefferson Hwy
New Orleans, LA 70121-3818
Attn: PURCHASING

Date: August 17, 2015
Our Ref: 40504960
Phone:
Fax:

We respectfully submit this quotation for the following NEW Toyota Diesel Powered Lift Truck (1 each):

Toyota...Proud to be the world's #1 forklift manufacturer!

TOYOTA MODEL 8FD35U, Diesel Lift Truck, quality engineered with the following specification:

- Pneumatic Tires
- Diesel Powered

SYSTEM OF ACTIVE STABILITY™ (SAS)

Toyota's industry exclusive System of Active Stability (SAS) helps reduce lift truck instability by electronically monitoring and controlling various functions of the lift truck.

- **Active Control Rear Stabilizer:** Various lift truck sensors simultaneously monitor vehicle speed, fork height, load weight, and vehicle yaw (or angular acceleration). Should the operator inadvertently place the truck in a potentially unstable lateral condition, the sensors trigger the SAS controller to activate the Active Control Rear Stabilizer to help reduce the likelihood of a lateral tip over.
- **Active Mast Function Controller (AMC):** Should the operator inadvertently place the lift truck in a potentially unstable longitudinal condition, these same sensors trigger the SAS controller to activate the AMC, which limits forward tilt and/or tilt back speed to help reduce the likelihood of a longitudinal tip over.



Photo may portray optional equipment not included in your quotation.

TOYOTA ENGINE

Engineered to the highest standards of quality, durability, and reliability, your Toyota lift truck is outfitted with the industry's most respected industrial engines.

AUTOMATIC FORK LEVELING

Toyota's Automatic Fork Leveling feature increases productivity while reducing damage with a push of a button. By depressing the Automatic Fork Leveling button during forward tilt, operators are quickly and easily able to level the forks.

FULL FLOATING PLANETARY DRIVE AXLE

Your Toyota lift truck is outfitted with a rugged planetary drive axle. This planetary drive axle decreases the torsional stresses commonly experienced with power shifting, resulting in greater durability, reliability, which results in increased uptime.

Mast	3-Stage (FSV) mast with full free lift provides excellent visibility to load and fork tips, while providing smooth, quiet and consistent operation. Mast specifications: Maximum Fork Height - 171.5" Overall Lowered Height - 83.1" (Overhead Guard Height - 87.00") Free Lift - 35.0" with standard Load Backrest
Lifting Capacity	Base Model Capacity - 8,000 lbs. @ 24" load center Actual Capacity, based on quoted specifications, - 8,000 lbs. @24" load center to 171.5" MFH <i>Actual capacity ratings stated above are based on standard features, options, and attachments available through Toyota at the time of quoting. Non-standard features, options, and attachments may affect actual capacity ratings. Please contact your Toyota sales representative for additional information.</i>
Tilt	6 degrees forward and 6 degrees backwards
Carriage	ITA Hook Type, 46" Carriage
Forks	Forks 48" x 6" x 2" - Class III
Load Backrest	48" High Load Backrest
Attachments	4 Way Valve (With 3rd & 4th Function Internal Hosing)
Speeds	Travel Speed: 14.40 mph Lift Speed: 102 fpm
Engine	Toyota 3.0L 1KD Industrial Diesel Engine 3.0 Liter, 4 Cylinder, Dual Overhead Cam (DOHC) Net Torque Rating: 220 @ 1200-1500 rpm SAE ft-lb Net Horsepower Rating: 74 @ 2200 rpm SAE HP Common Rail Fuel Injection Variable Nozzle Turbocharger with Air-cooled Intercooler TIER IV final emissions system with Diesel Oxidation Catalyst (DOC) with Exhaust Gas Recirculation system
Transmission	Automatic Transmission with Reverse Phase Type 2-Stator Torque Converter 1 speed forward, 1 speed reverse standard.
Steering	Load Sensing Hydrostatic Power Steering with Tilt Steering Column
Wheels and Tires	Front Tires: 250-15-18PR (Pneumatic) Rear Tires: 7.00-12-12PR (Pneumatic)

Additional Equipment

- Adjustable Volume Back-up Alarm (Smart Alarm)**
- Strobe Light - Yellow**
- LED Rear Combination Lights**
- LED Headlights**
- LED Reverse Activated Rear Work Light**
- Steering Wheel with Knob**
- Rear Assist Grip with Horn Button**
- Sideshifting Fork Positioner**

Other Outstanding Toyota Features

- Operator Presence Sensing System (OPSS)
- Dual Action Hand Parking Brake
- Adjustable Headlights with Guards
- Electronic Shift Control
- Electronic Speed Control
- Fully Insulated Stamped Steel Engine Hood
- Low Entry Step Height
- Dual Operator Assist Grips
- Dash Integrated Pen/Pencil/Cup Holder
- Durable Rubber Floor Mat
- High Visibility Overhead Guard

Some standard items listed within this quotation may be replaced or altered due to optional equipment.

Warranty

12 Months or 2,000 hours whichever occurs first: Basic
 36 Months or 6,000 hours whichever occurs first: Powertrain

Warranty coverage for non-standard option components will be covered by the manufacturer of that component and not covered under the Toyota lift truck standard or powertrain warranty.

We offer a Toyota factory authorized warranty on all new Toyota Industrial Equipment.

Investment	Price-Toyota Model 8FD35U as specified above:	\$52,305	Each
	Net Price:	\$52,305	Each

Financing and Maintenance

A broad range of competitive and flexible financing options are available through Toyota. Financing requires credit approval. Terms and conditions are subject to change.

In addition, Full Maintenance and Planned Maintenance programs are available.

Terms and Conditions

Payment: Net 10 days / Cash or Financed
 Delivery: Will advise at time of order.
 F.O.B.: Delivered
 Prices are exclusive of any sales or use taxes now in force or which may be made effective in the future by any federal, state, or local governments.
 Lease offerings subject to credit approval
 Performance and specifications stated are based on specific testing and operating conditions. Actual performance and specifications may vary based on application, option configuration, operating conditions, and environmental factors.
 Some options and configurations may void UL.
 Conditions subject to change to those in effect at time of delivery.
 Your signature on this proposal constitutes an order.
 Please contact your Toyota sales representative for additional information.


California Users

When operated in California, any offroad diesel vehicle may be subject to the California Air Resources Board In-Use Off-Road Diesel Vehicle Regulation. It therefore could be subject to retrofit or accelerated turnover requirements to reduce emissions of air pollutants. For more information, please visit the California Air Resources Board website at <http://www.arb.ca.gov/msprog/ordiesel/ordiesel.htm>.

Sincerely,
 Scott Equipment Company

Accepted:
 JEFFERSON PARISH

Cash Price \$ _____
 Financed Payment \$ _____ Per Month _____ Months

By:  _____

Name: Jerry Trascher

Title: Sales Representative

By: _____

Name: _____

Title: _____

Date: _____


VISIBILITY

SEE WHAT YOU'VE BEEN MISSING

A variety of features provide optimal visibility, which translates into better performance and productivity. Dash-mounted displays and the low profile cowl with sloped dashboard provide an unobstructed view of the fork tips in any position. Strategic placement of the overhead guard bars provides ideal visibility when positioning forks and handling loads placed high on racking. And tapered rear overhead guard legs and low profile LPG tank placement give operators the view they require when driving in reverse.


Upward Visibility ▶

- Overhead guard bars configured front to back
- Angled front overhead guard tie-bar





Forward Visibility ▶

- Mast hosing placed out of sight lines
- Wide-view mast design
- Inline operator assist grips



Fork Tip Visibility ▶

- Repositioned, lowered mast cross-member
- Low profile cowl with sloped dashboard
- Uncluttered dash
- Load backrest extension with angled tie-bar
- Slim-profile steer column
- Small-diameter, 2-spoke steering wheel





Rear Visibility

- Swivel seat option provides improved rearward visibility
- Low profile LPG tank bracket
- Tapered rear leg pillars improve peripheral vision
- High mount rear combination lights



ERGONOMICS

COMFORTABLE OPERATOR = PRODUCTIVE OPERATOR

The 8-Series' innovative ergonomic features were designed to help make operators more comfortable and, as a result, more productive. New features make the 8-Series Toyota's most ergonomically advanced lift truck ever.

▶ **Curvilinear overhead guard legs** provide a wider opening for operator entry/exit.



- ◀ **Electric shift lever** offers easily accessible fingertip control for fast and easy directional changes.
- ◀ **Automotive style light switch and turn signal levers** are integrated into the slim profile steer column for easy accessibility and simple operation.



- ◀ **12-inch-long dual operator assist grips** are designed to meet the needs of varying operator sizes and are aligned with the overhead guard pillars for improved operator peripheral vision.




- ◀ **Low profile front cowl** results in enhanced forward visibility and lessens back strain by reducing the need for the operator to lean forward to view load and fork tips.



- ◀ **Double action parking brake** with ergonomically contoured handle reduces operator strain when setting the brake.

- ▶ **Tilt cylinders** located under the floorboard provide spacious legroom and unsurpassed comfort levels throughout the operator's work shift.
- ▶ **Heavy-duty, nonslip floor mat** adds to comfort by minimizing noise, heat and vibration.



- ▶ **Optional EZ Pedal** allows operators to quickly and easily change travel direction without removing hands from steering wheel or hydraulic controls.




- ▶ **Mini-lever hydraulic controls with Ergo-Shift** feature a three-way adjustable armrest to enhance operator comfort and productivity.
- ▶ **Two-way auto fork leveling** is standard with this option.




Active Mast Function Controller System

- ▼ Similar in operation to the active rear stabilizer control, the active mast function controller system uses the same patented technology to sense various factors that lead to potential longitudinal instability. When the SAS controller senses potential longitudinal instability, two systems are activated to help reduce the chances of forward or rearward tipovers: **forward tilt angle control** and **rear tilt speed control**.
- ▼ **Forward Tilt Angle Control** will sense load weight and mast height, then automatically override the operator's manual control and limit forward tilt to decrease the chance of spilling a load or tipping the lift truck forward.



- ▼ **Rear Tilt Speed Control** utilizes the same load and mast height sensors to govern the mast's reverse tilt speed to half, thereby decreasing the chances of spilling unsecured loads or tipping the lift truck backward.



DURABILITY

IN A LIFT TRUCK, TOUGHER IS ALWAYS BETTER

No matter how tough the job gets, the 8-Series is built to take it. Every 8-Series lift truck is built using Toyota's world-renowned production system—which delivers the kind of quality, durability and reliability the industry has come to expect from the leader in lift truck technology. Consider the thick fully-stamped steel side panels that help withstand the harshest environments. And a variety of other innovative features that help ensure the 8-Series will survive years of use.

▶ **Durable, curvilinear bolt-on overhead guard**

provides maximum operator protection with improved entry/exit and load visibility.

▶ **Overhead guard pillars**

are designed to enhance the frame's rigidity while providing clear sight lines.

▶ **Rear combination lights**

are mounted high on the overhead guard for improved protection. Long-life LED combination lights also are available for added reliability.

▶ **Engine protection system**


automatically reduces the engine's output if the coolant temperature rises to potentially damaging levels. This prolongs engine life and reduces operating costs.

▶ **Fully sealed air-intake**

is strategically mounted high on the overhead guard leg to limit low-lying dust and debris from entering the engine. A durable stamped steel vent helps prevent larger objects from entering the air intake system.

▶ **Moisture-resistant electrical connections**

are less susceptible to water intrusion and corrosion caused from pressure washing and high-moisture, humid environments.





PERFORMANCE


RAISING THE BAR FOR FUEL EFFICIENCY

Powering this line of 8-Series are two new powerful Toyota engines designed for industrial operation. These new engines feature the latest in engine technology and are able to deliver the same or greater horsepower and torque than the larger 6-cylinder engines they replaced. While increasing power they reduce fuel consumption by 30% for the diesel engine and 20% for the gasoline/LPG versions. In short, productivity goes up, operating costs go down.

- ▶ **Robust engine design** built for harsh environments found in lumber, steel and concrete yard applications.
- ▶ **Tested for more than 10,000 hours** to ensure optimal performance and Toyota reliability.
- ▶ **Load sensing hydrostatic power steering** offers low-effort steering control while increasing engine efficiency.
- ▶ **High volume cooling system** with separate hydraulic cooler is designed to handle the high temperatures found in outdoor applications.



- ▶ **Toyota's 3.0 liter 4-cylinder engine** with intercooled variable nozzle turbocharger and diesel oxidation catalyst meets the EPA TIER IV final standard.




- ▲ **Engine hood release lever** is located at the front end of the engine hood. The engine hood can be opened without having to adjust the steering wheel position.
- ▲ **Easy-lift engine hood** features a convenient, wide-access design and an assist damper that automatically holds the hood open at 75 degrees for easier access to the engine compartment.
- ▲ **No-tool floorboard** lifts out in seconds for fast, easy access during daily operator checks.
- ▲ **Radial Seal high-flow, 2-stage air cleaner** features an easy-to-change 8" diameter filter for faster servicing. The extensive pleated surface area provides excellent dirt-trapping capabilities.
- ▲ **Radiator screen** helps reduce the accumulation of lint, fibers and other workplace debris in the radiator fins to ensure cooler operation and extended radiator life.






Once again, Toyota innovation and engineering come together to set a new standard in the lift truck industry. Toyota's highly anticipated line of 8-Series large capacity lift trucks were designed like a sumo wrestler, with the essence of being stable and powerful. Toyota engineers used inventive design changes to make the truck more productive and efficient. By reducing emissions and fuel consumption they've created a lift truck that leads the industry in environmental performance.



TOYOTA POWERED MEANS TOP PERFORMANCE

Of the many 8-Series enhancements, the most significant is improved performance due to two new superior Toyota engines.

- Toyota's 3.0-liter, 4-cylinder diesel engine is very capable of exceeding the performance demands of the harshest environments by providing the same power as an V6 with improved fuel economy.
- TIER IV compliant and results in fuel savings of up to 30% compared with previous Toyota diesel models.
- Toyota's 3.7-liter, 4-cylinder gas or lpg engine features electronic fuel injection with Controller Area Network (CAN-bus) technology to provide the same or better horsepower and torque over the V6 engine and results in fuel savings of up to 20%.



Toyota powered is another reason why Toyota is America's number one lift truck.





8,000 – 17,500 lbs. • Standard Features

PERFORMANCE

- EPA/CARB certified engine
- Toyota 4-cylinder, 3.0L DOHC Tier 4 Final (Diesel Oxidation Catalyst) diesel engine (1KD)
- Toyota 4-cylinder, 3.7L OHV gasoline engine (1FS)
- UL "G" diesel engine
- UL "D" diesel engine
- Automatic fork leveling
- Independent brake & inching pedals
- Double Action Parking Brake (Hand)
- Integrated monitoring system - includes:
 - Digital hour meter display
 - Engine coolant temperature gauge
 - Fuel gauge (except LPG only models)
 - Check engine light
 - Sedimentor warning light (diesel only)
 - Glow indicator light (diesel only)
 - Engine oil pressure warning light
 - Battery charge warning light
 - OPSS activation light
- Full floating powertrain
- Hydraulic valve lifters
- Integrated head light and turn signal lever
- Electric shift control
- Alternator with built-in regulator 60A (gas) / 80A (diesel)
- Automatic transmission with oil cooler
- 2-stage limited free lift mast (V)
- Adjustable headlights with guards

SAFETY

- System of Active Stability™ (SAS)
- Operator Presence Sensing System (OPSS)
- Bolt-on overhead guard
- Key lowering interlock
- Electric horn
- Neutral start safety switch
- Asbestos free components
- Speed control (technician programmable)

DURABILITY

- Control Area Network (CAN-bus) communication
- Fully-stamped steel side panels
- Moisture resistant electric connectors
- High cooling capacity radiator
- Large capacity engine cooling fan
- Tilt cylinder boots
- 8" cyclone air cleaner
- Plate iron front fenders
- Stamped steel engine hood
- Anti-restart ignition key switch
- Air-to-air intercooler Fully-sealed air-Fully-sealed air-intake system
- Class III hook carriage (8,000, 9,000 and 10,000 lb. models)
- Class IV hook carriage (11,000, 13,500, 15,500 and 17,500 lb models)
- Class III hook carriage

- Dash mounted instrument display
- 11.8" diameter two-spoke steering wheel
- Load sensing power steering
- Hydrostatic power steering
- Heavy-duty non-slip rubber floor mat
- 12" long dual operator assist grips
- Heavy-duty non-slip floor mat
- Cowl-mount hydraulic control levers with rubber boot covers
- Low wide entry steps
- Low profile front cowl
- Non-cinching seat belt
- Dash integrated amenity tray and oversized cup holder
- 4-way adjustable vinyl full-suspension seat
- Slim profile, tilt steer column


SERVICEABILITY

- Easy access no-tools floorboard
- Engine hood assist damper with lock device
- Air cleaner discharge valve
- Easy lift engine hood with wide 75 degree opening
- Easy access to common service items such as filters and dipsticks

8,000 – 17,500 lbs. • Optional Equipment

- Travel Speed/Acceleration Control System
- Multifunction digital display with self-diagnostics and engine protection system
- Intelli-Shift
- Mini-lever controls with Ergo-Shift
- Synchronized steering
- Combination brake and inching pedal
- EZ-Pedal foot directional control
- Steering wheel with knob
- Steel cab
- Hydraulic accumulator
- Front combination lights
- High mount rear combination lights
- Strobe lights
- LED front headlights
- LED rear worklight
- LED rear combination lights
- LED reverse activated rear work light
- 4-way adjustable cloth full-suspension seat
- Swivel seat
- Orange seat belt
- Box fin radiator
- Fire extinguisher
- Upswept exhaust system
- 2-stage (FV) & 3-stage (FSV) full free lift masts
- Hang-on sidershifters
- Integral sidershifter (select models)
- Integral sidershifting fork positioner (select models)
- Polished and tapered forks
- Pre-cleaner for air intake
- Rear-view mirrors
- Rear assist grip with horn
- Back-up alarms
- Solid pneumatic tires (front & rear)
- Dual drive tires (selected models)
- 12 Volt power supply

8,000 – 17,500 lbs. • Truck Dimensions



8FG35U model shown above

8,000 – 10,000 lbs. • Mast Specifications

8FG/8FD35U & 8FG/8FD40U

Mast Type	Maximum Fork Height (top of forks)	Overall Height		Free Lift		8FG/8FD35U				8FG/8FD40U								
		Lowered	Extended		Without Load Backrest	With Load Backrest	Single Tire		Optional Dual Tires		Single Tire		Optional Dual Tires					
			Without Load Backrest	With Load Backrest			Tilt Range	Load Capacity @ 24" Load Center	Tilt Range	Load Capacity @ 24" Load Center	Tilt Range	Load Capacity @ 24" Load Center	Tilt Range	Load Capacity @ 24" Load Center				
	in.	in.	in.	in.	in.	in.	deg.	deg.	lbs.	deg.	deg.	lbs.	deg.	deg.	lbs.	deg.	deg.	lbs.
V	120	83.1	151.6	168.1	4.3	4.3	6	12	8000	6	12	8000	6	12	9000	6	12	9000
	132	90.2	163.4	179.9	4.3	4.3	6	12	8000	6	12	8000	6	12	9000	6	12	9000
	147.5	98	179.1	195.7	4.3	4.3	6	12	8000	6	12	8000	6	12	9000	6	12	9000
	159.5	107.9	190.9	207.5	4.3	4.3	6	12	8000	6	12	8000	6	12	9000	6	12	9000
	179	117.7	210.6	227.2	4.3	4.3	6	12	8000	6	12	8000	6	6	9000	6	12	9000
FV	199	127.6	230.3	246.9	4.3	4.3	6	6	7800	6	12	7800	6	6	7940	6	12	9000
	120	83.1	152.8	168.1	50.4	35.0	6	12	8000	6	12	8000	6	12	9000	6	12	9000
FSV	132	90.2	164.6	179.9	57.5	42.1	6	12	8000	6	12	8000	6	12	9000	6	12	9000
	159.5	78.4	192.1	207.5	45.7	30.3	6	6	8000	6	6	8000	6	6	9000	6	6	9000
	171.5	83.1	203.9	219.3	50.4	35.0	6	6	8000	6	6	8000	6	6	9000	6	6	9000
	187	90.2	219.7	235	57.5	42.1	6	6	7700	6	6	7700	6	6	8800	6	6	9000
	199	94.1	231.5	246.9	61.4	46.1	6	6	7500	6	6	7500	6	6	7500	6	6	9000
	218.5	100.0	251.2	266.5	67.3	52	6	6	6200	6	6	7250	6	6	5730	6	6	9000
	238	107.9	270.9	286.2	75.2	59.8	6	6	4600	6	6	7050	6	6	4520	6	6	7280

Note: Height of standard load backrest is 48 in.

8FG/8FD45U

Mast Type	Maximum Fork Height (top of forks)	Overall Height		Free Lift		Single Tire			Optional Dual Tires			
		Lowered	Extended		Without Load Backrest	With Load Backrest	Tilt Range		Load Capacity @ 24" Load Center	Tilt Range		Load Capacity @ 24" Load Center
			Without Load Backrest	With Load Backrest			FWD	BWD		FWD	BWD	
	in.	in.	in.	in.	in.	in.	deg.	deg.	lbs.	lbs.	lbs.	lbs.
V	120	86.6	146.7	168.1	4.3	4.3	6	12	10000	6	12	10000
	132	92.5	158.5	179.9	4.3	4.3	6	12	10000	6	12	10000
	147.5	102.4	174.2	195.7	4.3	4.3	6	12	10000	6	12	10000
	159.5	110.2	186	207.5	4.3	4.3	6	12	10000	6	12	10000
	179	120.1	205.7	227.2	4.3	4.3	6	6	10000	6	12	10000
FV	199	129.9	225.4	246.9	4.3	4.3	6	6	8850	6	12	9750
	120	86.6	147.2	168.1	59.5	38.6	6	12	10000	6	12	10000
FSV	132	92.5	159.1	179.9	65.4	44.5	6	12	10000	6	12	10000
	159.5	83.5	186.8	207.5	56.3	35.4	6	6	10000	6	6	10000
	171.5	86.6	198.6	219.3	59.5	38.6	6	6	9750	6	6	9750
	187	92.5	214.4	235	65.4	44.5	6	6	9300	6	6	9700
	199	96.5	226.2	246.9	69.3	48.4	6	6	8800	6	6	9450
	218.5	102.4	245.9	266.5	75.2	54.3	6	6	6650	6	6	9000
	238	110.2	265.6	286.2	83.1	62.2	6	6	5150	6	6	8600

Note: Height of standard load backrest is 48 in.



CERTIFICATE OF LIABILITY INSURANCE

322154

DATE (MM/DD/YYYY)
6/30/2015

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an **ADDITIONAL INSURED**, the policy(ies) must be endorsed. If **SUBROGATION IS WAIVED**, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Commercial Lines - (972) 588-6197 Wells Fargo Insurance Services USA, Inc. 5151 Bell Line Road, Suite 200 Dallas, TX 75254	CONTACT NAME: Megan Schultz PHONE (A/C, No, Ext): 972-341-8826 E-MAIL ADDRESS: megan.schultz@wellsfargo.com FAX (A/C, No):
INSURED Scott Equipment Company, L.L.C. P.O. Box 4948 Monroe LA 71211	INSURER(S) AFFORDING COVERAGE INSURER A: Old Republic Insurance Company NAIC # 24147 INSURER B: National Union Fire Ins. Co. of Pittsburgh, PA 19445 INSURER C: INSURER D: INSURER E: INSURER F:

COVERAGES **CERTIFICATE NUMBER:** 9308886 **REVISION NUMBER:** See below

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADD'L SUBR INSD: WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> CCUR <input checked="" type="checkbox"/> Contractual Liab GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC <input type="checkbox"/> OTHER		MWZY305289	07/01/2015	03/01/2016	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 500,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input checked="" type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS		MWTB305290	07/01/2015	03/01/2016	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
B	<input type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> CCUR <input checked="" type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$ 10,000		TBD	07/01/2015	03/01/2016	EACH OCCURRENCE \$ 10,000,000 AGGREGATE \$ 10,000,000
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N N N/A	MWC30528800	07/01/2015	03/01/2016	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

07 JUL 15 4:01:45

CERTIFICATE HOLDER

Jefferson Parish
Attn: Purchasing Department
P.O. Box 9
Gretna LA 70054

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

The ACORD name and logo are registered marks of ACORD

© 1988-2014 ACORD CORPORATION. All rights reserved

ACORD 25 (2014/01)



#33343

Form **W-9**
(Rev. October 2007)
Department of the Treasury
Internal Revenue Service

Request for Taxpayer Identification Number and Certification

Give form to the
requestor. Do not
send to the IRS.

Name (as shown on your income tax return)
Scott Equipment Company

Business name, if different from above

Check appropriate box: Individual/sole proprietor Corporation Partnership
 Limited liability company. Enter the tax classification (Disregarded entity, C-corporation, S-partnership) ▶ Exempt payee
 Other (see instructions) ▶

Address (number, street, and apt. or suite no.)
10176 Airline Hwy

City, state, and ZIP code
St. Rose, LA 70087

Requester's name and address (optional)

List account number(s) here (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on Line 1 to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3. Note. If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.

Social security number

or

Employer identification number
72 1435980

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and
- I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest and dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and
- I am a U.S. citizen or other U.S. person (defined below).

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the Certification, but you must provide your correct TIN. See the instructions on page 4.

Sign Here Signature of U.S. person ▶ *[Signature]* Date ▶ **5/6/09**

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Purpose of Form

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

- Certify that the TIN you are giving is correct (or you are waiting for a number to be issued).
- Certify that you are not subject to backup withholding, or
- Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income.

Note. If a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien.
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States.
- An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax on any foreign partners' share of income from such business. Further, in certain cases where a Form W-9 has not been received, a partnership is required to presume that a partner is a foreign person, and pay the withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid withholding on your share of partnership income.

The person who gives Form W-9 to the partnership for purposes of establishing its U.S. status and avoiding withholding on its allocable share of net income from the partnership conducting a trade or business in the United States is in the following cases:

- The U.S. owner of a disregarded entity and not the entity.