

DATE: 6/11/2019
BID NO.: 50-00126970

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: BASIC SUPPLY, LLC

BUYER: MBUTTERY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

2-3 WEEKS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK


In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***

FIRM NAME: BASIC SUPPLY, LLC

SIGNATURE: 
(Must be signed here)

TITLE: MANAGER

PRINT OR TYPE NAME: JOHN ATKINSON

ADDRESS: PO BOX 63066

CITY, STATE: LAFAYETTE, LA

ZIP: 70596

TELEPHONE: () 337-769-0122

FAX: () 337-247-7699

EMAIL ADDRESS: CHARLOTTE@BASICSUPPLY.COM

TOTAL PRICE OF ALL BID ITEMS: \$ 1194.60

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126970

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF MISCELLANEOUS STOCK ITEMS FOR THE EASTBANK PUBLIC WORKS WAREHOUSE		
1	36.00	EA	0010 SEALANT PIPE THREAD, WITH PTFE, BRUSHABLE PASTE, SLOW SETTING, 4 OZ. BRUSHTOP JAR, LOCTITE #30534, FASTENAL #0481701 STK. # 0501810 HARVEY 023030	3.70	133.20
2	3.00	EA	0020 EXTENSION, 1/4 IN DRIVE X 3 IN LONG INDUSTRIAL, CHROME, DOMESTIC, MEETS ANSI SPEC. B107.10M, PROTO #4760 STK. # 0600000 MT6480511	1.80	5.40
3	60.00	EA	0030 REPELLENT, INSECT, 6 OZ. PUMP SPRAY 40% DEET, REPEL BRAND #HG-94101 OR EQUAL, GRAINGER #48WK01 STK. # 0484980	4.25	255.00
4	432.00	EA	0040 GLOVE, NITRILE PALM WITH SEAMLESS KNIT LINER, SMALL SIZE 7, BOSS #1UH7800S STK. # 058048E		
5	12.00	EA	0050 SCREWDRIVER, #2 PHILLIPS TIP, 4 IN LONG, MADE IN U.S.A., ALLOY STEEL ROUND SHANK, NON-SLIP HANDLE, INDUSTRIAL, CRESCENT #25024, PROTO #J88324, MSC #53420980 STK. # 0584340 STANLEY 60-002	2.25	27.00
6	2.00	EA	0060 WRENCH, METER, 1 IN, 19 IN LONG, 3/4 IN ROUND #836 TOOL STEEL OD CONSTRUCTION, 3/8 IN THICK HEAD STK. # 0591610		
7	10.00	EA	0070 BLADE, DIAMOND TIP, 18 IN X .125 IN X 1 IN ARBOR, TYPE H53 FOR CURED CONCRETE, FOR USE ON WALK-BEHIND SAW, TARGET #TAR580618 STK. # 048846A		
8	168.00	EA	0080 HE LAUNDRY DETERGENT, 50 OZ. BOTTLE PUREX DIA 04789 TRIPLE ACTION, 6/50 OZ. PER CASE OR EQUAL STK. # 048484A PUREX 04784	4.50	756.00
9	3.00	EA	0090 TAP, TAPER, 5/16-18, HAND, NC/UNC THREAD, HIGH SPEED STEEL, WIDIA GTD 0217158	3.40	10.20

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126970

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			#14092, OSG #1120600, GRAINGER #4AHP6 OR #2TRU6 STK. # 0190180		

HARVEY 023030 Pipe Thread Compound, White, 4 fl-oz Jar

Size:4 oz

Standards:NSF/ANSI 61 Specified, UPC Listed

Temperature Range:-50 To 500 Deg F

Applicable Materials:PVC, CPVC, ABS, Metal,

Polypropylene and Nylon

Packing Type:Brushtop Plastic Jar

Pressure Range:3000 psi For Gas, 10000 psi For Liquid

Features

Non-hardening and non-separating white thread compound made with PTFE

Lubricates and seals all threaded joints

Withstands up to 3000 psi on gases and 10,000 psi on liquids



Vulcan MT6480511 Vulcan Sae Extension Bar, 1/4 In

Drive, 3 In L, Chrome Vanadium Steel, Chrome

Drop forged chrome vanadium steel.

PROFESSIONAL QUALITY

Hang Tagged

Drive x Lgth In : 1/4 x 3

Product Details

60-002

STANLEY 60-002 Fluted, Standard Screwdriver, #2 Drive, Phillips Drive, 7-3/4 in OAL

Shank Length:4 in

Blade Diameter:1/4 in

Finish:Nickel Plated

Handle Type:Ergonomic

Material:Alloy Steel

Overall Length:7-7/8 in

Point Size:NO 2

Point Type:Phillips

Shank Type:Round

Type:Standard Fluted

Features

Ergonomically designed handle with slip-resistant textured grip for comfortable hold

Heat-treated alloy steel bars hold up to repeated use

Sets feature popular sizes to satisfy wide range of fastening needs

Nickel-plated bar resists corrosion



Purex 04784 Laundry Detergent, 50 oz

Formulated with stain fighting actives, when pre-treated removes stains. Penetrates deep down into fabric fibers removing ground-in dirt and soils. PureClean technology. Whiter whites and brighter colors. Contains enough for about 32 loads.

LIQUID

ULTRA CONCENTRATE

Brand: "PUREX"

Mountain Breeze

Size Oz : 50

Product Details

Type:Ultra Concentrated

Size:50 oz

Form:Liquid

Odor/ Scent:Mountain Breeze

Composition:Alcohol Ethoxylate, Sodium Carbonate, Sodium Dodecylbenzenesulfonate, Sodium Laureth Sulfate

Specific Gravity:1.04 - 1.065

p H Range:10.1 - 11.1

Applicable Materials:Fabric



IRWIN 1788674 Fractional Tap, HCS

High carbon steel self aligning taps, ideal for routine maintenance, repair work and for rethreading where high accuracy and tolerance thread is needed. Used for hand threading work in a variety of materials; produces class 2B thread. Tap size and recommended drill bit size is laser etched on each tool for easy identification.

HIGH CARBON STEEL

Size In : 5/16-18NC

Type:Fractional, Self-Aligning

Size:5/16-18

Material:High Carbon Steel

Usage:For Hand Threading Work in a Variety of Materials

Features

Straight flutes are ground to provide rapid chip removal for efficient threading

Ideal for routine maintenance, repair work and for rethreading

Taps produce a class 2B thread

Designed for hand threading work in a variety of materials

1 to 2 threads chamfered

Shortest standard chamfer

For threading close to the bottom of blind holes

