



Bid Number 50-00141850

**Two (2) Year Contract for the Supply of Structural Firefighting
14" Pull-on Boots for the
Jefferson Parish East Bank Consolidated Fire Department**

Bid Due: June 13, 2023 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Mark Buttery
Buyer Email: MButtery@jeffparish.net
Buyer Phone: 504-364-2810**

**TWO (2) YEAR CONTRACT FOR THE SUPPLY OF
LEATHER STRUCTURAL FIREFIGHTING 14" PULL-ON BOOTS
FOR THE JEFFERSON PARISH EAST BANK CONSOLIDATED
FIRE DEPARTMENT**

Scope – This specification will outline the requirements for leather structural firefighting 14" pull-on bunker boots.

***These specifications will be completed by selecting whether the quoted items comply or provide exception to each of the below sections. All exceptions for each section *must be clearly stated for each heading* and included with your bid submission. *Use additional pages for exceptions, if necessary.* ***

NFPA 1971 and NFPA 1992 Certified

Boots must meet or exceed the requirements of NFPA 1971, *Standard on Protective Ensembles for Structural Firefighting and Proximity Firefighting, Current Edition* for Structural Fire Fighting and NFPA 1992, *Standard on Liquid Splash-Protective Ensembles and Clothing for Hazardous Materials Emergencies, Current Edition*.

☒ Comply ☐ Exception

General Design

14 inch Pull-On athletic footwear (cement construction) boot, black flame-resistant and water-resistant leather, double-stitched leather joining seams, hi-vis yellow and silver reflective trim, leather-trimmed webbing pull straps, padded leather collar, padded leather flex joints in the shaft above vamp and heel, liquid and chemical resistant breathable bootie liner, cut-resistant and thermal protective bootie-shield liner, composite safety toe cap, composite shank, composite penetration-resistant insole barrier, molded shin guard, flame-resistant synthetic rubber molded cup outsole and toe bumper, 3D lasting board, molded composite heel counter, internal heel fit system, and a removable molded footbed as well as an additional insert for use in conjunction with the footbed.

☒ Comply ☐ Exception

Slip Resistance

Boots must exceed the minimum test values for slip resistance (average of left and right foot) as detailed below to provide superior performance in dry, wet, and frosted ice conditions. Boots that do not exceed these minimums in all conditions shall not be acceptable. Bidders must promptly supply a Technical Services Report from a recognized independent testing laboratory upon request showing the boots bid exceed this requirement.

Test Method: SATRA TM144:2011

Slip Resistance of Footwear and Floorings

Load = 500 N

Dry Clay Quarry Tile: Forepart > 1.00

Heel > 1.00

Wet Clay Quarry Tile: Forepart > 0.60

Heel > 0.60

Frosted Ice -7°C Run 1: Forepart = 0.28

Frosted Ice -7°C Run 4: Heel = 0.28
Forepart > 0.12
Heel > 0.12

For maximum slip resistance each outsole shall have Siping lines. Siping lines cut into flat areas open up when flexed to provide additional traction on water and ice. The boot shall also include self-cleaning lugs and an omni-direction tread pattern designed for superior performance in all terrains and when working on ladders.

☒ Comply ☐ Exception

Flexibility

Boots must reach the Maximum Flex Angle of 48 degrees without exceeding the critical bending moment with a resulting stiffness index less than 10.0 as detailed below to provide maximum flexibility. Boots that do not meet this requirement shall not be acceptable. Bidders must promptly supply a Technical Services Report from a recognized independent testing laboratory upon request showing the boots bid meet this requirement.

Test Method: SATRA TM194:2004

Longitudinal stiffness of footwear

☒ Comply ☐ Exception

FireStorm Leather

Boots shall be made from heavy-duty, flame-resistant, and water-resistant full-grain cattle hide leather measuring 2.0 – 2.2 mm of thickness for durable tear and puncture resistance. Tumbled full-grain cattle hide leather shall be utilized in collar and flex areas for mobility. The leather shall be chrome tanned to withstand high temperature with minimal shrinkage, re-tanned to impart water resistance and low water absorption, and finished to retain maximum breathability. Leather shall meet or exceed the following physical tests:

Water Penetration ASTM D2099 15,000 flex minimum
Dynamic Water Absorption ASTM D2099 15% maximum
Static Water Absorption ASTM D6015 30% maximum
Slit Tearing Strength ASTM D2212 30 pound minimum
Moisture Vapor Transmission ASTM D5052 350 g/meter²/24 hours minimum
Flame Resistance NFPA 1971 afterflame no more than 2.0 sec,
not melt or drip, no burn through

☒ Comply ☐ Exception

CROSSTECH® Footwear Fabric

A full-height, full sock, bootie liner made from a package of Omaha lining fabric, 300g felt insulation, and CROSSTECH® moisture barrier shall be provided for a liquid resistant and breathable moisture barrier as well as thermal protection as defined by the specified NFPA standards.

☒ Comply ☐ Exception

Athletic Footwear (Cement) Construction Outsole

For optimum flexibility, comfort, and weight reduction, the boot shall include a VIBRAM® Synthetic Rubber Sculpted, Contoured Cup Outsole cemented to the bottom and sides of the upper using

a 2-part cross-linking adhesive that forms a bond stronger than the materials it attaches. The outsole must be made from a flame, abrasion, oil, acid, and slip resistant compound engineered for high-traction, cold-weather resistance, and durability. Goodyear welt or direct attach construction methods shall not be acceptable.

☒ Comply ☐ Exception

Bootie-Shield Liner

A protective bootie-shield of KEVLAR® fiber blend stitchbonded non-woven batting weighing 4.0 oz/yd² shall be positioned between the leather shell and the CROSSTECH® moisture barrier bootie to provide abrasion and cut resistance and additional thermal protection. Boots that do not have an additional Flame Resistant (FR) protective bootie-shield between the leather shell and the CROSSTECH® moisture barrier bootie shall not be acceptable.

☒ Comply ☐ Exception

Composite Safety Toe Cap

The safety toe shall consist of a composite material that is lighter than steel, does not transmit heat or cold, and will spring back to shape after impact. Metal toe caps shall not be acceptable.

☒ Comply ☐ Exception

Padded Leather Collar

The padded collar shall have a rolled top edge formed by folding over the leather to help the boots slide against the pants liner and reduce the potential for the pants liner to hang up on the top of the boots as well as to reduce abrasion against the wearer's calf.

☒ Comply ☐ Exception

Composite Penetration Resistant Insole Barrier

Penetration resistance shall be provided by a composite insole to maximize flexibility and insulate from heat or cold transmission. Must exceed NFPA standards for safety. Metal plates shall not be acceptable.

☒ Comply ☐ Exception

3D Composite Lasting Board

Boot uppers shall be lasted to a molded and contoured dual-density lasting board with a built-in flex zone in the forefoot and a torsionally stable heel. Flat fiber board lasting boards will not be acceptable.

☒ Comply ☐ Exception

Composite Shank

The shank shall consist of a composite material that is lighter than steel, does not transmit heat or cold, and springs back to shape better. Metal shank shall not be acceptable.

☒ Comply ☐ Exception

Molded Heel Counter

Boots shall have a molded heel counter of water-resistant composite material individually molded to fit each size perfectly. Leather or fiber board heel counters shall not be acceptable.

☒ Comply ☐ Exception

Padded Shin Guard

Boots shall include a padded composite shin guard to provide extra protection when working on a ladder. Moisture absorbing natural fiber padding shall not be acceptable.

☒ Comply ☐ Exception

Synthetic Rubber Toe Bumper

Boots shall have a molded Flame Resistant (FR) synthetic rubber toe bumper to provide abrasion resistance when crawling. The toe bumper shall be cemented and 2-needle stitched to the vamp.

☒ Comply ☐ Exception

3M SCOTCHLITE™ Reflective Material

Boots shall have flame-resistant fluorescent yellow and silver 3M SCOTCHLITE™ reflective material sewn to both sides of the shaft for added visibility.

☒ Comply ☐ Exception

Webbing Pull-Straps

Boots shall have NOMEX® webbing pull-straps with leather trim securely attached to the leather uppers by inserting into to collar seam to minimize stitching through the leather. Pull strength must be a minimum of 120 lbs when tested with a single handle.

☒ Comply ☐ Exception

Internal Fit System

Boots shall have an anatomical foam insert that wraps around the top and sides of the heel with an opening to fit and hold the back of the heel securely while cushioning the ankle.

☒ Comply ☐ Exception

3D Molded Footbeds System

Boots shall have a removable urethane foam footbed. The footbeds are contoured to cradle and cushion the bottom of the foot and to provide arch support. The footbeds shall have a moisture-wicking and anti-microbial fabric top layer. A second pair of 3D molded footbeds that are thicker in the forefoot is provided with every pair for a custom fit. This thicker footbed provides a snugger fit.

☒ Comply ☐ Exception

Sizes

Boots must be available in Men's full sizes 5 – 18 and half sizes 5½ – 15½ in Narrow, Medium, Wide, and X-Wide widths. Boots must also be available in a Wide Calf model in the same size range that will provide an additional 3 inches in circumference at the calf to fit those with larger calves. Boots must be available in Women's full sizes 5 – 12 and half sizes 5½ – 11½ in Narrow, Medium, Wide, and X-Wide widths.

☒ Comply ☐ Exception

Resoling Service

The winning vendor shall have resoling services available at their factory as needed.

☒ Comply ☐ Exception

Country of Origin

Boots shall be manufactured in the United States.

☒ Comply ☐ Exception

Third Party Testing and Listing Program

The footwear shall be tested for compliance to NFPA Standard 1971 and 1992 by a recognized independent testing lab which shall certify and list compliance to that standard. Such certification shall be denoted by the independent testing labs mark on the certification label affixed to the boots.

☒ Comply ☐ Exception

Labels

Appropriate warning label(s) shall be permanently affixed to each boot. Additionally, the label(s) shall include the following information.

Compliance to applicable NFPA Standard(s); current edition(s).

Independent Testing Lab mark

Manufacturer's name

Manufacturer's address

Manufacturer's boot identification number

Date of manufacture

Size

☒ Comply ☐ Exception

ISO Certification/Registration

The manufacturer shall be certified and registered to ISO Standard 9001 to assure a satisfactory level of quality.

☒ Comply ☐ Exception

Warranty

The manufacturer shall warrant these boots to be free from defects in materials and workmanship for one year when properly used and cared for.

☒ Comply ☐ Exception

Sizing by Vendor

The vendor shall be available to perform all sizing requirements.

☒ Comply ☐ Exception

PPE Record Keeping

The manufacturer shall make available at no-charge, a password protected data based backed website that allows all brands of PPE assets are being recorded. The website shall have the functionality to allow the manufacturer to import all of the pertinent data into the department's account so that the initial data entry by fire department personnel is eliminated.

The website shall allow for the department to use a barcode scanner, if desired, to scan the Interleaved 2 of 5 barcode found in the gear by going to the Search the Serial Number page in PPE record keeping program, and scanning the asset's barcoded serial number.

☒ Comply ☐ Exception

Exceptions to Specifications

All exceptions to the above specifications must be clearly stated for each heading. Use additional pages for exceptions, if necessary.

DATE: 5/24/2023

Page: 6

BID NO.: 50-00141850

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES ☒ NO ☐

MAXIMUM ESCALATION PERCENTAGE REQUESTED 5 %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF 12/31/23

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

AS NEEDED BY CUSTOMER

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: CASCO INDUSTRIES, INC.

ADDRESS: 607 WEST 62ND STREET

CITY, STATE: SHREVEPORT, LA. ZIP: 71106

TELEPHONE: (504) 439-3593 FAX: (318) 865-8157

EMAIL ADDRESS: ddeidrich@cascoindustries.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: — 0 —

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 139,975.00

AUTHORIZED SIGNATURE: [Signature]

TITLE: SALES

DARRIN DEIDRICH

Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

DATE: 5/24/2023

Page 7

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00141850

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	270.00	PR	Two (2) Year Contract for the Supply of Structural Firefighting 14" Pull-On Boots for the Jefferson Parish Eastbank Consolidated Fire Department 0010 MEN'S LEATHER SUPREME STRUCTURAL 14" PULL-ON FIRE FIGHTING BOOTS MFR: GLOBE MFR PART NO. 1201400	\$ 509.00	\$ 137,430.00
2	5.00	PR	0020 WOMEN'S LEATHER SUPREME STRUCTURAL 14" PULL-ON FIRE FIGHTING BOOTS MFR: GLOBE MFR PART NO. 120140W	\$ 509.00	\$ 2,545.00

Non-Public Works Bid

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF CADDO

BEFORE ME, the undersigned authority, personally came and appeared: _____

DARRIN DEIDRICK, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized SALES REPRESENTATIVE of CASCO INDUSTRIES, INC. (Entity), the party who submitted a bid in response to Bid Number 50-00141850, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____

Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X

there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.


Choice B X There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]


That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.


Signature of Affiant

DARRIN DEIDRICH
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME


ON THE 12th DAY OF JUNE, 2023


Notary Public

Rose M. Caddenhead
Printed Name of Notary

53449
Notary/Bar Roll Number

My commission expires for life.





Casco INDUSTRIES, INC.
Fire Equipment Sales & Service

*Providing Protection for those Who Protect Us
since 1950*

Whereas, the officers of Casco Industries, Incorporated Robert Schaumburg, President require authorization to independently sign contracts and other legal documents.

Whereas, this authorization should remain in force until such time as revoked by the officers of said corporation.

Now therefore, it is resolved:

That Robert Schaumburg, officer of said Corporation is authorized to independently sign contracts and other legal documents binding to Casco Industries, Incorporated.

That Darrin Deidrich is an authorized representative to sign contracts binding the company as well as bids.

Signed this 12th day of May, 2023.

Robert Schaumburg, President



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
6/8/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Stephens & Hobdy Insurance, Inc. PO Box 550 Natchez MS 39121		CONTACT NAME: Lauren Rocha PHONE (A/C, No, Ext): (601) 446-9600 FAX (A/C, No): (601) 445-8900 E-MAIL ADDRESS: lauren-rocha@leavitt.com	
INSURED Casco Industries, Inc P.O. Box 8007 Shreveport LA 71148		INSURER(S) AFFORDING COVERAGE INSURER A: Accident Fund General Insurance Company INSURER B: INSURER C: INSURER D: INSURER E: INSURER F:	
		NAIC # 12304	

COVERAGES

CERTIFICATE NUMBER: 23-24 WC COI

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATION MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
	COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:						EACH OCCURRENCE \$ DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ PRODUCTS - COMP/OP AGG \$ \$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	UMBRELLA LIAB <input type="checkbox"/> OCCUR EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$ \$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N <input type="checkbox"/>	N/A	Y AFWCP100023407	2/1/2023	2/1/2024	PER STATUTE <input type="checkbox"/> OTH-ER <input type="checkbox"/> E.L. EACH ACCIDENT \$ 1,000,000 E.L. DISEASE - EA EMPLOYEE \$ 1,000,000 E.L. DISEASE - POLICY LIMIT \$ 1,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Bid No. 50-00141850

Two (2) Year Contract for the Supply of structural Firefighting

14' Pull-on Boots for the Jefferson Parish East Bank Consolidated Fire Department

CERTIFICATE HOLDER

CANCELLATION

Jefferson Parish East Bank Consolidated
Fire Department
200 Derbigny Street
Suite 4400
Gretna, LA 70053

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Tate Hobdy/LAROC



CASCIND-01

GMARTIN

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

6/8/2023

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Keith D. Peterson & Company, Inc. 708 Milam Street Suite 300 Shreveport, LA 71101	CONTACT NAME:		
	PHONE (A/C, No, Ext): (318) 221-0547	FAX (A/C, No): (318) 424-7516	
	E-MAIL ADDRESS: info@kdpinsurance.com		
INSURED Casco Industries, Inc. P. O. Box 8007 Shreveport, LA 71148	INSURER(S) AFFORDING COVERAGE		NAIC #
	INSURER A : Ascot Specialty Insurance Company		
	INSURER B : Continental Insurance Company		35289
	INSURER C :		
	INSURER D :		
	INSURER E :		
	INSURER F :		

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC OTHER:			ESGL231000178701	2/1/2023	2/1/2024	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 300,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COM/OP AGG \$ 2,000,000
B	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY			BUA7018228267	2/1/2023	2/1/2024	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
	<input type="checkbox"/> UMBRELLA LIAB <input type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y / N <input type="checkbox"/>	N / A				PER STATUTE OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Bid Number 50-00151840

Two(2) Year Contract for the Supply of Structural Firefighting

14" Pull-on Boots for the

Jefferson Parish East Bank Consolidated Fire Department

CERTIFICATE HOLDER

CANCELLATION

Jefferson Parish East Bank Consolidated Fire Department
200 Derbigny Street
General Government Building, Suite 440
Gretna, LA 70053

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE