



BID NUMBER- 50-00135396

**ONE (1) YEAR CONTRACT FOR TRAILERS FOR THE JEFFERSON PARISH
DEPARTMENT OF FLEET MANAGEMENT**

BID DUE: AUGUST 17, 2021 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, www.jeffparishbids.net, by the bid due date and time. Late bids will not be accepted.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053**

**Buyer Name: SHANNA FOLSE
Buyer Email: sfolse@jeffparish.net
Buyer Phone: 504-364-2680**



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

September 2020

Changes to Jefferson Parish Bidding Information

The Jefferson Parish Purchasing Department would like to make vendors aware of the following changes:

Total Bid Price Must Include the Cost of Naming Jefferson Parish as Additional Insured:

Bidder acknowledges that Bidder recovered the cost of any required insurance in the contract price as required by La.R.S. 9:2780.1 and that Bidder recovered any such cost for the purposes of insuring an obligation to indemnify Jefferson Parish, defend Jefferson Parish, or hold Jefferson Parish harmless and that Bidder's indemnity liability is limited to the amount of the proceeds that are payable under the insurance policy or policies that Bidder has obtained.

Electronic Procurement: Beginning November 1, 2020, Jefferson Parish will no longer accept manual bid submissions; and will only accept bid submissions electronically via our e-Procurement system, Central Bidding. Central Bidding can be accessed by visiting either www.centralbidding.com or www.jeffparishbids.net. All bidders will be required to register with Central Bidding. Jefferson Parish vendors are able to register for free by accessing the following link:
<https://www.centrauctionhouse.com/registration.php>.

Probable Construction Cost: Per Jefferson Parish Administrative Policy, the probable construction cost is not revealed in the Jefferson Parish Bidding Documents. Jefferson Parish Administrative Policy has changed and a range of the probable construction cost will be stated in the Jefferson Parish bidding document, entitled Important Notice to All Bidders – Bid Requirements. Per Louisiana Public Bid Law, the probable construction cost will be read at the bid opening.

Insurance Requirement: All bidders must provide proof of valid insurance in the required amounts as stated in the Standard Insurance Requirements for bidding purposes. Failure to provide the proof of valid insurance in all of the required coverage amounts will result in bid rejection.

GENERAL GOVERNMENT BLDG. – 200 DERBIGNY ST., SUITE 4400, GRETNA, LA 70053
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. – 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.NET WEBSITE: WWW.JEFFPARISH.NET

DATE: 8/02/2021
BID NO.: 50-00135396

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

BUYER: SFOLSE@jeffparish.net

BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 8/17/2021 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS
THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS**

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA – R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online.

This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

10, 12, 13, 15, DEALERS LICENSE

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(l), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Property Notarized Affidavits Required; This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X _____MAXIMUM ESCALATION PERCENTAGE REQUESTED 0 %INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF 9/18/2022.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

46-66 weeks ARO**LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable)** _____**THIS SECTION MUST BE COMPLETED BY BIDDER:**FIRM NAME: ITA TRUCK SALES & SERVICE, LLCADDRESS: 2835 NW EVANGELINE THWYCITY, STATE: LAFAYETTE, LAZIP: 70507TELEPHONE: (337) 234-9425 EXT 1237FAX: (337) 234-4814EMAIL ADDRESS: jwharrison@ita-trucks.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 1

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 276,630.00AUTHORIZED
SIGNATURE: _____JERRY W. HARRISON

Printed Name

TITLE: DIRECTOR OF MUNICIPAL SALES

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the **BID NUMBER** and **BID OPENING DATE** indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00135396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	EA	ONE (1) YEAR CONTRACT FOR TRAILERS FOR THE JEFFERSON PARISH DEPARTMENT OF FLEET MANAGEMENT		
			0001 - FOUR TON PAYLOAD CAPACITY TAG-A- LONG LOWBOY TRAILER. 10,7300 LBS. GVWR 16 FT L X 74 IN. W BEAVERTAIL WITH TWO 45 IN L X 21 1/2 IN. WITH ADJUSTABLE SPRING ASSIST LOADING RAMPS INCLUDING GROUND BRACES. 21 IN. MAXIMUM DECK HEIGHT. 2 IN. NOMINAL OAK DECK MATERIAL, THREE ROTATING D RINGS PER SIDE, DEXTER MULTI-POINT SPRING SUSPENSION WITH EQUALIZER, TANDUM 6,000 LB. AXLES WITH 12 IN X 2 IN ELECTRICAL BRAKES. TAG-A- LONG LOWBOY TRAILER 4 TON INCLUDING BREAK A-WAY SYSTEM, FOUR 7.00 X 15D TIRES MOUNTED ON 6 HOLE STEEL DISC WHEELS, 5,000 LB. CAPACITY. DROP LEG TOP CRANK, PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 STOCK, 2 5/8" I.D.) WITH DUAL SAFETY CHAINS, FLUSH MOUNTED FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG. MANUFACTURER: MANUFACTURER PART: VENDOR PART:		
2	1.00	EA	0002 - TAG-A-LONG LOWBOY TRAILER 10 TON TEN-TON PAYLOAD CAPACITY TAG-A-LONG LOWBOAY TRAILER, 25,900 LB. GVWR, 19'L X 8'W LOAD DECK PLUS 5' FULL WIDTH BEAVERTAIL WITH TWO 55"L X 22 1/2" W ADJUSTABLE, SPRING ASSIST LOADING RAMP INCLUDING GROUND BRACES, 34" MAXIMUM DECK HEIGHT, 2" NOMINAL OAK DECK MATERIAL FULL WIDTH 8" STEEL CHANNEL HEADBOARD FIVE ROTATING D-RINGS PER SIDE, PIECED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH 97-- MULTI-POINT SPRING SUSPENSION TAG-A-LONG LOWBOY TRAILER 10 TON WITH RADIUS ROD AXLE TRACKING TANDEM 10,000 LB. AXLES WITH 12 1/4" X 4" ELECTRIC BRAKES, INCLUDING BREAK-A-WAY STEM, EIGHT 235/85R16 E TIRES MOUNTED ON 8hole STEEL DISC WHEELS, 12,000 LB. CAPACITY DROPLEG CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8" STOCK 3" I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA, FLUSH MOUNTED FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET TAG-A-LONG LOWBOY TRAILER 10 TON WITH SEVEN WAY ELECTRICAL PLUG.		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00135396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
3	1.00	EA	<p>MANUFACTURER: DORSEY MANUFACTURER PART: TA10 VENDOR NUMBER: TA10</p> <p>0003 - TAG-A-LONG LOWBOY TRAILER 48,000 LB.TWENTY TON PAYLOAD CAPACITY</p>	\$15,625.00	
			<p>TAG-A-LONG LOWBOY TRAILER, 48,000 LB GVWR 19'L X 8'W LOAD DECK PLUS 5' FULL WIDTH BEAVERTAIL WITH TOW 55"L X 22 1/2" W ADJUSTABLE, SPRING-ASSIST LOAD -ING RAMPS INCLUDING GROUND BRACES, 34" MAXIMUM DECK HEIGHT, 2" NOMINAL OAK DECK MATERIAL, FULL WIDTH 8" STEEL CHANNEL HEADBOARD, FIVE ROTATING D RINGS PER SIDE, PIECED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH H-9700 MULTI-POINT TAG-A-LONG LOWBOY TRAILER 48,000 LB 50,000 LB. SPRING SUSPENSION WITH RADIUS ROD AXLE TRACKING, TANDEM 22,5000 LB. AXLES WITH 12 1/4" X 7 1/2" FULL AIR BRAKES WITH AUTOMATIC SLACK ADJUSTERS EIGHT 215/75R17.5 16 PLY TIRES MOUNTED ON 8 BOLT HUB PILOTED STEEL DISC WHEELS SPRING BRAKES ON ALL WHEELS, 12,000 LB. CAPABILITY DROPLEG TOP CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8" STOCK, 3" ID) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA, FLUSH TAG-A-LONG LOWBOY TRAILER 48,000 LB MOUNTED,FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS, ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG.</p> <p>MANUFACTURER: DORSEY MANUFACTURER PART: TA20 VENDOR PART: TA20</p>	\$19,625.00	
4	1.00	EA	<p>0004 - 3 TO 8 TON LOWBOY MACHINERY TRAILER TONGUE REPLACEMENT INCLUDING</p> <p>REMOVAL OF DAMAGED TONGUE TO MATCH ORIGINAL TRAILER TONGUE CONFIGURATION. TONGUE REPLACEMENT TO INCLUDE NEW ADJUSTMENT TO W EYE OR COUPLER. ELECTRICAL 6 WAY OR 7 WAY WIRE WITH PLUG SAFETY CHAINS, ECT. TO MATCH ORIGINAL TRAILER CONFIGURERATION. NEW TONGUE ASSEMBLY TO BE SWEPT BLASTED ZINC PHOSPHATE PRIMED AND FINISHED. PAINTED 5 MILS THICKNESS IMROM TO MATCH ORIGINAL TRAILER COLOR.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
			<p>0005 - 9 to 12 ton lowboy machinery trailer tongue replacement including</p>		
5	1.00	EA			

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00135396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
6	1.00	EA	<p>removal of damaged tongue and replacement with 12" steel "H" beam tongue to match original trailer tongue configuration. Tongue replacement to include new adjustable tow eye, electrical 6 way or 7-way wire with plug, air brake line connections if present, safety chains, etc., to match original trailer configuration. New tongue assembly to be swept blasted, zinc phosphate primed and finished. painted 5 mils. thickness imron to match original trailer color.</p> <p>Manufacturer: Manufacturer Part: Vendor Part:</p> <p>0006 - EXTRA HEAVY DUTY MECHANICAL FOLDING GOOSENECK LOWBOY TRAILER, 60 TON</p> <p>CAPACITY CONCENTRATED IN ANY 10 FT. SECTION, OVERALL DIMENSIONS 8 FT., 6 IN. WIDE X 49 FT. 2 IN. LONG (11 FT 5 IN. GOOSENECK). 24 FT. MAIN LOADED DECK HIEGHT 6 IN. GROUND CLEARANCE, 84 IN. SWING CAPACITY. REAR AXLES, AIR RIDE SUSPENSION, 16 1/2 IN X 7 IN. AIR BRAKES AUTOMATIC SLACK ADJUSTERS, NO PARKING BRAKES, ABS SYSTEM, TWELVE 10 STUD HU PILOTED 8.25 X 22.5 STEEL DISC WHEELS. TWELVE EXTRA HEAVY DUTY MECHANICAL 225/70OR22 5'16 PLY LOW PROFILE RADIAL TIRES. 2IN. KINGPIN SETTING, FOUR BEAM DESIGN OF 13,000 PSI YIELD FLANGES AND 80,000 LB. PSI WEBS. 2 1/4 IN. APITONG HARDWOOD FLOORING WITH BRIDGE CLIPS AND CARRIAGE FLOORED. TWELVE SWINGING REMOVEABLE OUT-RIGGERS PER SIDE. ONE D-RING ON EACH SIDE OF GOOSE NECK. TWO D RINGS ON EACH SIDE OF READ DECK. FIVE D RINGS ON EACH SIDE OF LOAD DECK. MECHANICAL RAISED AND LOWERED GOOSE NECK USING TRUCK WINCH. AIR LOCK LATCHES ON GOOSE NECK. PIPE AT FRONT OF GOOSE NECK WITH CABLE LUGS FOR PICK UP EASE. LOAD BEARING WHEEL COVERS OVER REAR TIRES AND REAR DECK CENTER. 12 VOLT/7 WAY PLUG. SEALED BEAM LIGHTS, MID-TURN SIGNAL, REAR FLAPS, SANDBLASTED, PRIMED, AND FINISHED PINT 5 MILS IMRON FLEET WHITE, CONSPICUITY TAPE ON SIDES, OPERATOR MANUAL. 25,000 LB. APPROXIMATE EMPTY WITH FOB FLEET MANAGEMENT, JEFFERSON PARISH, LA. MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
7	1.00	EA	<p>0007 - ONE TON PAYLOAD CAPACITY LIGHT DUTY FLATBED TRAILER 2,990 LBS. GVWR-</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00135396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
8	1.00	EA	<p>6 FT. X 10 FT. L. LOAD DECK 48 IN. L. FULL WIDTH TWO PIECE FOLDING LOAD RAMP COVERED WITH EXPANDED METAL. 2 IN. A-FRAME BALL COUPLER. 2,000 LB. TOP WIND BOLT ON JACK. TWO 1/4 IN. SAFETY CHAINS WITH SAFETY LATCH HOOKS. 3 IN. CHANNEL TONGUE, 2 IN X 216 IN. ANGLE FRAME AND CROSS MEMBERS. 2 IN. PINE DECK. 15 IN. HIGH RAILING PERIMETER FABRICATED OF 2 3/8 IN. DIAMETER PIPE TOP. RAIL MULTI-LEAK SPRING SUSPENSION. 3,500 LB. CAPACITY. EX LUB AXLE, 15 X 5 WHITE ONE TON PAYLOAD CAPACITY. LIGHT SPOKE 5-BOTQ WHEELS. TWO ST205/7R 15 IN. LOAD RANGE B TIRES, DOT STOP, TURN AND CLEARANCE LIGHTS, 54-WAY FLAT ELECTRICAL PLUG. ALL WIRING IN LOOM CONDUIT. FINISH PAINTED ACRYLIC ENALMEL RED OR BLACK.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p> <p>0008 - SEVEN TON PALOAD CAPACITY TAG-A-LONG LOWBOY TRAILER. 17,570 LBS. GVWR-</p>		
9	1.00	EA	<p>16 FT L X 78 IN W. LOAD DECK. PLUS 36 IN FULL WIDTH BEAVERTAIL WITH TWO 54 IN L X 21 IN W ADJUSTABLE SPRING ASSISTED LOADING RAMPS INCLUDING GROUND BRACES. 21 IN. MAXIMUM DECK HEIGHT, 2 IN. NOMINAL OAK DECK MATERIAL, THREE ROTATING D-RINGS PER SIDE. TWO 7,200 LB. DEXTOR TORQUE-FLEX AXLES WITH 12 1/4 IN. X 2 1/2 IN. ELECTRICAL BRAKES INCLUDING BREAK-AWAY SYSTEM, ADJUSTABLE ALIGNMENT TIRES ON 8 HOLE STEEL DISC WHEELS. 12,000 LB. BOLT-ON DROP LEGS. MANUAL CRANK JACK FOUR POSITION CAST STEEL PNTLE EYE (1 5/8 IN. STOCK, 2 5/8 IN. ID.)WITH DUAL 3/8 IN SAFETY CHAINS FLUSH MOUNTED MFVSS #108 SEALED BEAM LIGHTS WITH SEALED MODULAR WIRING HARNESS, SEVEN-WAY ELECTRICAL PLUG. COLOR-HIGHWAY SAFETY YELLOW.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p> <p>0009 - TWELVE TON PAYLOAD CAPACITY TAG-A-LONG TRAILER. 29,000 LB. GVWR</p> <p>19 FT L X 8 FT. W LOAD DECK PLUS 5 FT. FULL WIDTH BEAVERTAIL WITH TOW. 72 IN. X 22 1/2 IN. W ADJUSTABLE, SPRING ASSISTED LOADING RAMPS INCLUDING GROUND BRACES. 34 IN. MAXIMUM UNLOADED DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2 IN NOMINAL OAK DECKMATERAIL. FULL WIDTH 8 IN. STEEL</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00135396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
10	1.00	EA	<p>CHANNEL HEADBOARD, FIVE ROTATING D-RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT, HUTCH 9700 MULTI-POINT SPRING SUSPENSION WITH RADIUS ROD AXLE TRACKING. TANDEM 12,000 LB. AXLES WITH 12 1/4 IN. X 5 IN. ELECTRICAL BREAK AWAY SYSTEM. EIGHT 235/85R16E STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE STEEL DISC TIRES. 12,000 LB. CAPACITY DROP LEG TOP CRANK, PARKING JACK, FOUR POSITION CAST Q STEEL PINTLE EYE (1 5/8 IN, STOCK; 3 IN. I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA FIVE ROTATING RINGS EQUALLY SPACED DOWN EACH SIDE OF THE TRAILER. FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS WITH GROMMETS, ALL WIRING IN MODULAR NEOPREME JACK WITH SEVEN WAY ELECTRICAL PLUGH, HIGHWAY SAFETY YELLOW.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p> <p>0010 - FIFTEEN TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER. 35,900 LB.</p> <p>GVWR 19 IN. X 8 FT. 6 IN. WITH LOAD DECK PLUS 6 FT FULL WIDTH BEAVERTAIL WITH TWO ADJUSTABLE SPRING-ASSIST LOADING RAMPS INCLUDING GRAND BRACES, 34 IN. MAXIMUM UNLOADED DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2 IN. NOMINAL OAK DECK MATERIAL. FULL WIDTH 8 IN. STEEL CHANNEL MATERIAL, FIVE ROTATING D-RINGS PER SIDE, PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH H-9700 MULTI-POINT SPRING 50,000 LB. SUSPENSION WITH RADIUS ROD AXLE TRACKING TANDEM 22,500 LB. AXLE WITH ANTI-LOCK AIR BRAKE SYSTEM, 4S2M SENSOR ALL WHEELS TWO MODULAR VALVES, SPRING BRAKE ON EACH AXLE. EIGHT 215.7R17.5 H STEEL BELTED RADIAL TIRES MOUNTED ON 8 HOLE PILOTED STEEL DISC WHEELS. 40,000 LB. LIFT CAPACITY. TWO SPEED CRANK PARKING JACK, FOUR POSITION CAST STEEL PINTLE EYE (1 5/8 IN STOCK, 3 IN. I.D.) WITH DUAL SAFETY CHAINS, DRAWBAR STORAGE AREA FIVE ROTATING D-RINGS EQUALLY SPACED DOWN EACH SIDE OF THE TRAILER. FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS. ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG. HIGHWAY SAFETY YELLOW COLOR.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
11	1.00	EA	<p>0011 - FIFTEEN TON PAYLOAD CAPACITY TAG-A-LONG LOWBOY TRAILER, 39,000 LBS.</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00135396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
12	1.00	EA	<p>GVWR: 19'L X 8'6"W LOAD DECK PLUS 6 FT. FULL WIDTH BEAVERTAIL WITH TWO 72" L X 22 1/2"W ADJUSTABLE SPRING ASSIST LOADING RAMP INCLUDING GROUND BRACES. 34" MAXIMUM DECK HEIGHT WITH PIERCED BEAM CONSTRUCTION. 2" NOMINAL OAK DECK MATERIAL. FULL WIDTH 8" STEEL CHANNEL HEADBOARD. FIVE ROTATING D-RINGS PER SIDE. PIERCED BEAM CONSTRUCTION FOR LOW BED HEIGHT. HUTCH H-9700 MULTI POINT 50,000 LB. SUSPENSION WITH RADIUS ROD AXLE TRACKING. TANDEM 15,000 LB. AXLES WITH 12 1/4 X 5" ELECTRIC BRAKES INCLUDING BRAKE AWAY SYSTEM. EIGHT 215/7R17.5 H STEEL BLETED RADIAL TIRES MOUNTED ON 8 HOLE PILOTED STEEL DISC WHEELS. 40,000 LB. LIFT CAPACITY. TWO SPEED CRANK PARKING JACK. FOUR POSITION CAST STEEL PINTEL EYE (1 5/8 IN. STOCK 3:I.D.) WITH DUAL SAFETY CHAINS. DRAW BAR STORAGE AREA. FIVE ROTATING D-RINGS EQUALLY SPACED. TAG-A-LONG LOWBOY TRAILER 48,000 LB. MOUNTED, FMVSS #108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS. ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG DOWN EACH SIDE OF THE TRAILER. FLUSH MOUNTED FMVSS 108 SEALED BEAM LIGHTS IN RUBBER GROMMENTS. ALL WIRING IN MODULAR NEOPRENE JACKET WITH SEVEN WAY ELECTRICAL PLUG. HIGHWAY SAFETY YELLOW. MANUFACTURER: MANUFCTURER PART: VENDOR PART:</p> <p>0012 - HEAVY DUTY 60 TON CPAPACITY MECHANICAL FOLDING NECK LOWBOY TRAILER.</p> <p>120,000 LB. LOAD CAPACITY CONCENTRATED IN ANY 10 FT/IN LOAD AREA. MINIMUM 24 TG LOAD DECK LENGTH WITH MAXIMUM 49 FT. OVERALL TRAILER LENGTH. 8'6" LOAD DECK HEIGHT AT RATED LOADED CAPACITY WITH MINIMUM 6" GROUND CLEARANCE. MINIMUM 84" SWING CLEARANCE. THREE AXLES EACH AHVING 25,000 CAPACITY. EACH AXLE 5" ROUND WITH MINIMUM 5/8" WALL THICKNESS. TAPERED SPINDLES. 77" TRACK. FULL AIR RIDE SUSPENSION WITH 50" AXLE SPREAD. AIR RAISING AND LOWERING VALVE. 16 1/2 UB X 7" AIR BRAKES (NO PARKING BRAKES). AUTOMATIC SLACK ADJUSTERS. 28 SPLINE. ABS 4S-2M. LOAD BEARING TYPE WHEEL WELL COVERS OVER REAR TRI-AXLE INCLUDING CENTER AREA BETWEEN TIRES. 10 HOLE STUD (LONG). HUB PILOTED STEEL CAST DRUMS. STEMCO OIL SEALS. STEEL DISC WHEELS. 8.25 X 22.5. TWELVE EACH SIDE. 225/70R22.5 16 PR LOW PROFILE RADIAL TIRES. MINIMUM SIX</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00135396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
13	1.00	EA	<p>EACH OUTRIGGERS PER SIDE. MINIMUM TWELVE EACH OUTRIGGERS PER SIDE TO EXTEND LOAD BED WIDTH. EACH OUTRIGGER TO BE SWING-OUT AND REMOVABLE WITH POSITIVE LATCH IN STORED POSITION. GOOSENECK TO BE FULL LOAD WIDTH. GOOSENECK TO BE LOCKING FULL AIR POWERED WITH CONTROL SWITCH. FRONT END PIPE, FRONT END WITH CABLE SLING AND APPROACH PLATFORM. SAE 2" DROP IN KINGPINE PLATE HEIGHT TO BE 50" ABOVE LEVEL GROUND. THICK APITONG HARDWOOD FLOORING. MINIMUM 10" CHANNEL CROSS-MEMBER ON 24" CENTERS. FOUR BEAM DESIGN. 130,000 PSI YIELD FLANGES AND 80,000 LB. PSI YIELD WEB MAIN BEAMS. TRUCK LIGHT SEALED BEAM WITH MI-TURN SIGNAL. 12 VOLT 7 WAY ELECTRICAL PLUG AT FRONT OF TRAILER. 3M SIDE. OPERATOR AND MAINTENANCE MANUAL WITH ON-SITE DEMONSTRATION UPON DELIVERY. SANDBLAST, EPOXY PRIMER, FINISHED PAINTED FLEET WHITE POLYURETHANE PAINT TO A THICKNESS TO 5 MILS. AIR, ELECTRIC, AND HYDRAULIC TO BE INSTALLED AFTER PAINTING. MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p> <p>0013 - HEAVY DUTY HYDRA NECK 35 TON DETACHABLE GOOSENECK LOWBOY TRAILER.</p> <p>CAPACITY-70,000 LBS. TRAILER WEIGHT-18,000 LBS. DECK WIDTH-8'6". DECK LENGTH-44' 5". HEIGHT-24" (LOADED). 80,000 PSI MINIMUM YIELD STEEL MAIN FRAME. FOUR FABRICATED 16" DEEP CAMBERED I-BEAMS, CROSSMEMBERS 10" PIERCE I-BEAMS SPACED AT 24". GOOSENECK LENGTH-102" (SWING CLEARANCE). FIFTH WHEEL HEIGHT STANDARD 50". DECKING-2" NOMINAL HARDWOOD. WIRING HARNESS 7 WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSERS. MANUALLY RAISE AND LOWER VALVE. HYDRAULICS-WETLINE HOOK-UP FOR TRACTORS. PTO LEVEL OPERATIONS CONTROL. CONTROL VALVE EYE LEVEL. 4" RELIEF GOOSENECK. PAINT-WHITE WITH EAGER BEAVER DECALS. EIGHT TIRES 275/70R22.5 (H) STEEL BELTED RADIALS. HBS/WHEELS-4 DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTED, SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE AXLE. TWO 5" DIAMETER, 25,000 LBS. EACH. TIE DOWNS 7 EACH PER SIDE ROTO RINGS. BRAKES ABS SYSTEM WITH SPRING BRAKES. FORLER POWER PACK. PARKING CAST STEEL OUTRIGGERS. 14 HP KOHLER POWER PACK.</p> <p>DORSEY MANUFACTURER: LB35-22DD MANUFACTURER PART: LB35-22DD VENDOR PART: LB35-22DD</p>	\$50,485.00	

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00135396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
14	1.00	EA	<p>0014 - HEAVY DUTY HYDRA NECK 50 TON DETACHABLE GOOSENECK LOWBOY TRAILER.</p> <p>CAPACITY 100,000 LBS. TRAILER WEIGHT 20,500 LBS. DECK WIDTH-8'6". DECK LENGTH-24'. OVERALL LENGTH-48' 6". HEIGHT-24". 80,000 PSI. MINIMUM YIELD STEEL MAINFRAME, FOUR FABRICATED 16" DEEP CAMBERED I-BEAMS. CROSSMEMBERS-10" PIERCED IBEAMS SPACED AT 24". GOOSENECK LENGTH-102"(SEEING CLEARANCE). FIFTH WHEEL HEIGHT-STANDARD 50" DECKING. 5.00 NOMINAL HARDWOOD WIRING HARNESS 7 WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSERS.MANUAL RAISE AND LOWER VALVE. HYDRAULIC WETLINE HOOK-UP FOR TRACTOR PTO LEVEL. 4" RELIEF GOOSENECK, AIR LIFT 3RD AXLE. PAINT-PARISH WHITE WITH EAGER BEAVER DECALS. TIRES-275-70RSS.5 (H) STEEL BELTED RADIALS. HUBS/WHEELS-SIX DISC TYPE. WHEELS-STEMCO OIL SEALS. HUB PILOTED SUSPENSION AIR RIDE (COMBINED CAPACITY 75,000 LBS.) DUMP VALVE, AXLE THREE 5" DIAMETER, 25,000 LBS. EACH TIE DOWNS-7 EACH PER SIDE ROTO RINGS. BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS. 14 HP KOHLER POWER PACK.</p> <p>MANUFACTURER: DORSEY MANUFACTURER PART: LB51-22DD VENDOR PART: LB51-22DD</p>	\$57,800.00	
15	1.00	EA	<p>0015 - HEAVY DUTY HYDRA NECK 55 TON DETACHABLE GOOSENECK LOWBOY TRAILER.</p> <p>CAPACITY-110,000 LBS. TRAILER WEIGHT-22,650 LBS. DECK WIDTH-8 FT. 6 IN. DECK LENGTH-25 FT. OVERALL. LENGTH-51 FT 2 IN. HEIGHT-24 IN. PSI-80,000 MINIMUM YIELD STEEL MAINFRAME. FOUR FABRICATED 16" DEEP CAMBERED I-BEAMS. CROSSMEMBERS-10". PIERCED-1-10 SPACED AT 24". GOOSENECK LENGTH, 102" (SWING CLEARANCE). FIFTH WHEEL HEIGHT-STANDARD 50". DECKING-2" NOMINAL HARDWOOD. WIRING HARNESS 7 WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSERS. MANUAL RAISE AND LOWER VALVE. HYDRAULICS-WETLINE HOOK-UP FOR TRACTOR. PTO OPERATIONS. CONTROLS-CONTROL VALVE AT EYE LEVEL.4" RELIEF GOOSENECK. AIR LIFT 3RD AXLE.</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00135396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
16	1.00	EA	<p>PAINT-PARISH WHITE WITH EAGER BEAVER DECALS. TIRES-275/70R22.5 (H) STEEL BLETED RADIAL. HUBS/WHEELS-SIX DISC TYPE HUBS. TWELVE 8.25 X 22.5 DISC TYPE WHEELS. STEMCO OIL SEALS. HUB PILOTED. SUSPENSION AIR RID (COMBINED CAPACITY-75,000 LBS.). DUMP VALVE. AXLE THREE 5"DIAMETER. 25,000 LBS. EACH TIE DOWN-7 EACH PER SIDE ROTO RINGS. BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS. 4TH FLIP AXLE 14 HP KOHLER POWER PACK. LOAD BEARING WHEEL COVERS. ALUMINUM WHEELS.</p> <p>MANUFACTURER: DORSEY MANUFACTURER PART: LB55-22DD VENDOR PART: LB55-22DD</p> <p>0016 - HEAVY DUTY HYDRA NECK 60 TON DETACHABLE GOOSENECK LOWBOY TRAILER.</p> <p>CAPACITY-120,000 LBS. DECK WIDTH-8' 6" DECK LENGTH-25 FT. OVERALL LENGTH-53 FT. HEIGHT-24 INCHES. PSI-80,000 MINIMUM. YIELD FRAME. FOUR CROSS-MEMBERS-10". PIERCED I-BEAMS SPACED AT 24". GOOSE-NECK LENGTH-102' NOMINAL HARDWOOD. WIRING HARNESS-7WAY ATA PLUG. FRONT RAMP-FRONT FLIP WITH GROUSSERS.QMA NUAL RAISE AND LOWER VALVE HYDRAULICS. WETLINE HOOK-UP FOR TRACTOR. PTO OPERATIONS. CONTROL VALVE AT EYE LEVEL. 4 IN. RELIEF GOOSENECK. AIR LIFT THIRD AXLE. PAINT-PARISH WHITE WITH EAGER BEAVER DECALS. TIRES-275/22.5 DISC TYPE WHEELS. STEMDO OIL SEALS, HUB PILOTED. SUSPENSION AIR RIDE (COMBINED CAPCITY 75,000 LBS.). DUMP VALVE. AXLE-THREE 5" DIAMETER, 25,000 LBS. EACH. TIE-DOWNS 7 EACH PER SIDE ROTO RINGS. BRAKES-ABS SYSTEM WITH SPRING BRAKES FOR PARKING. CAST STEEL OUTRIGGERS, 4TH FLIP AXLE. 14 HP KOHLER POWER PACK. LOAD BARING WHEEL COVERS. ALUMINUM WHEELS. (OUTSIDE) DORSEY MANUFACTURER: LB60-22DD MANUFACTURER PART: LB60-22DD VENDOR PART: LB60-22DD</p>		
17	1.00	EA	<p>0017 - HEAVY DUTY DUP TRAILER-FRAME TYPE TRI-AXLE 30 YD. TRAILER.</p> <p>LENGTH-30 FT. CROSS SILL, 15 INCH SIDE THICKNESS. 250 IN. SUSPENSION-INTRA-AXLE WHEEL TYPE STEEL BUDD. TIRE SIZE-11R25.5 AND REAR APRON. ONE ELECTRIC TARP RACK. NOTE-ALUMINUM TRAILER. MANUFACTURER:</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00135396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
18	2.00	EA	<p>MANUFACTURER PART; VENDOR PART:</p> <p>0018 - MULTI-TANK FUEL TRAILER DIESEL FUEL TANKS; INDEPENDENTLY MOUNTED</p> <p>ON A FRAME WITH SPRING LOADED BOLTS; BUILT WITH TUBED FRAMING AND 2" TOP AND BOTTOM HORIZONTAL SUPPORTS; WALKING AXLES; ALL TANKS BUILT WITH CORNER BRACING; 54" CABINET WITH TWO "GULL WING" DOORS; 5 X 2" TUBE FRAME; 2-6000 SPRING AXLES WITH ELECTRIC BRAKES ALUMINUM, 235-80-R16 WHEELS AND TIRES; DOT LIGHTING; 7-110 GALLON DIESEL FUEL TANKS; HONDA ELECTRIC START 50 GPM FUEL PUMP; FILL-RIGHT 901 MECHANICAL METER; REEL CRAFT 1" X 50' DIESEL REEL WITH HIGH FLOW AUTO NOZZLE AND SWIVEL; 1-110 STAINLESS STEEL DEF TANK; 12 V DEF PUMP WITH 3-WAY VALVE; REEL CRAFT 1/2"X50' DEF REEL WITH NOZZLE; 4"X6" LED WORK LIGHT; PREMIER POWDER COAT FINISH.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
19	1.00	EA	<p>0019 - ECONOMY MOBILE FUEL TRAILER- 500 GALLON ECONOMY SIZE FUEL TRAILER</p> <p>TANKS INTERNALLY BAFFLED; TRAILER WILL COME EQUIPPED WITH ELECTRIC BRAKES, WHITE SPOKES WITH RADIALS, REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING, AND 12 VOLD FUEL PUMP.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
20	1.00	EA	<p>0020 - ECONOMY MOBILE FUEL TRAILER- 900 GALLON ECONOMY SIZE FUEL TRAILER</p> <p>TANKS INTERNALLY BAFFLED. TRAILER COMES EQUIPPED WITH ELECTRIC BRAKES, WHITE SPOKES WITH RADIALS, REMOVABLE DROP LET JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING, AND 12 VOLT FUEL PUMP.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
21	1.00	EA	<p>0021 - DELUXE MOBILE FUEL TRAILER- 500 GALLON CAPACITY.</p> <p>TANKS INTERNALLY BAFFLED. DELUXE TRAILER</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00135396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
22	1.00	EA	<p>COMES STANDARD WITH SPACE TO ACCOMODATE FOR DEF UPGRADE AT FUTURE DATE. TRAILER COMES EQUIPPED WITH 54" CABINET WITH TWO BOTTOM OPENING LOCKABLE DOORS, ELECTRIC BRAKES, WHITE MOD WITH RADIALS REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH ALL DOT LIGHTING LOCKABLE CABINET TO HOUSE ON 25'X1" DIESEL FUEL REEL WITH HUSKY AUTO NOZZLE AND HIGH FLOW FUEL SWIVEL. ONE 5.5 HP HONDA ENGINE WITH 2" TRANSFER PUMP WITH DOUBLE FILTER HEAD AND FILTERS, CAPABLE OF PRODUCING 40 GPM, HIGH FLOW FR901 40 GPM MECHANICAL METER WITH RESETTABLE ACCUMULATOR FLOW RATE TOTALIZER TO 99.9 GPM. ONE 23" X 3' AND ON3 23" X 5" DEEP DRAWER.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
			<p>0022 - DELUXE MOBILE FUEL TRAILER- 750 GALLON CAPACITY; TANKS INTERNALLY</p> <p>BAFFLED; DELUXE TRAILER COMES STANDARD WITH SPACE TO ACCOMMODATE FOR DEF UPGRADE AT FUTURE DATE. TRAILER COMES EQUIPPED WITH ONE 54" CABINET WITH TWO BOTTOM OPENING LOCKABLE DOORS, ELECTRIC BRAKES, WHITE MOD WITH RADIALS, REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING. LOCKABLE CABINET TO HOUSE ON 25'X1" DIESE FUEL REEL WITH HUSKY AUTO NOZZLE AND HIGH FLOW FUEL SWIVEL. ONE 5.5 HONDA ENGINE WITH 2" TRANSFER PUMP WITH DOUBLE FILTER HEAD AND FILTERS CAPABLE OF PRODUCING 40 GPM, HIGH FLOW FR901 40 GPM MECHANICAL METER WITH RESETTABLE ACCUMULATOR FLOW RATE TOTALIZER TO 99.9 GPM. ONE 23" X 3 AND ONE 23" X 5" DEEP DRAWER.</p> <p>MANUFACTURER: MANUFACTURER PART: VENDOR PART:</p>		
23	1.00	EA	<p>0023 - DELUXE MOBILE FUEL TANKER- 990 GALLON CAPACITY. TANKS INTERNALLY</p> <p>BAFFLED; DELUXE TRAILER COMES STANDARD WITH SPACE TO ACCOMMODATE FOR DEF UPGRADE AT FUTURE DATE; TRAILER COMES EQUIPPED WITH ONE 54" CABINET WITH TWO BOTTOM OPENING LOCKABLE DOORS, ELECTRIC BRAKES, WHITE MOD WITH RADIALS, REMOVABLE DROP LEG JACK, SAFETY CHAINS, ADJUSTABLE HEIGHT HITCH AND ALL DOT LIGHTING. LOCKABLE CABINET TO HOUSE 25'X1" DIESEL FUEL REEL WITH HUSKY AUTO NOZZLE AND HIGH FLOW FUEL SWIVEL.</p>		

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00135396

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ONE 5.5. HP HONDA ENGINE WITH 2" TRANSFER PUMP WITH DOUBLE FILTER HEAD AND FILTERS CAPABLE OF PRODUCING 40 GPM. HIGH FLOW FR901 40 GPM MECHANICAL METER WITH RESETTABLE ACCUMULATOR FLOW RATE TOTALIZER TO 99.9 GPM. ONE 23"X3 AND ONE 23" X 5 DEEP DRAWER. MANUFACTURER: MANUFACTURER PART: VENDOR PART:		

Non-Public Works Bid Affidavit Instructions

- **Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.**
- **Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.**
- **Affidavit must be notarized or the affidavit will not be accepted.**
- **Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.**
- **Affiant MUST select either A or B when required or the affidavit will not be accepted.**
- **Affiants who select choice A must include an attachment or the affidavit will not be accepted.**
- **If both choice A and B are selected, the affidavit will not be accepted.**
- **Affidavit marked N/A will not be accepted.**
- **It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.**

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF LAFAYETTE

BEFORE ME, the undersigned authority, personally came and appeared: Jerry W. Harrison, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized Representative of TA Truck Sales Service, LLC (Entity), the party who submitted a bid in response to Bid Number 50-00135396, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.


Choice B X _____ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.



Signature of Affiant

JERRY W. HARRISON

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 18th DAY OF August, 2021.



Notary Public

Christopher D. Schouest

Printed Name of Notary

31538

Notary/Bar Roll Number

My commission expires At Death.

CERTIFICATE OF AUTHORITY

iTA TRUCK SALES & SERVICE, L.L.C.

The undersigned, the Certifying Officer of iTA Truck Sales & Service, L.L.C., a Louisiana limited liability company (the "Company"), hereby declares that:

1. The undersigned, Christopher D. Schouest is the President of the Company and is named in the Articles of Organization of the Company filed with the Louisiana Secretary of State as having authority to certify the membership of any member, the authenticity of any records of the Company, or the authority of any person to act on behalf of the Company.
2. The undersigned certifies that:
 - (a) JW Harrison is the Director Municipal Sales for the Company and duly authorized by the Company to execute and deliver on behalf of the Company any and all documents, contracts or amendments, he deems necessary or appropriate with respect to any transaction between the Company and
 - (b) The foregoing authority is in full force and effect and has not been revoked or rescinded.

By: 

President and Certifying Officer
iTA Truck Sales & Service, L.L.C.

Date: 9/27/2019

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

INCORPORATED.

AT THE MEETING OF DIRECTORS OF _____
INCORPORATED, DULY NOTICED AND HELD ON _____,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT _____, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

SECRETARY-TREASURER

DATE

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

☐ WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being

rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☐ **COMMERCIAL GENERAL LIABILITY**

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

☐ **COMPREHENSIVE AUTOMOBILE LIABILITY**

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required unless otherwise specified in the bid. Such insurance is due upon contract execution.

1) **OWNER'S PROTECTIVE LIABILITY**

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

2) **BUILDER'S RISK INSURANCE**

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

License No. RP-2019-00751
DPS Code: RL1B

2019-2021

Not Transferable
Valid Only at Address Below

Louisiana Motor Vehicle Commission

This Certifies that

ITA Truck Sales & Service, L.L.C.
2835 Northwest Evangeline Thruway
Lafayette, LA 70507

Christopher D. Schouest, Dealer-Operator

is duly licensed as a

Recreational Product(s) Dealer

of the following

Utility Trailer(s): Dorsey Trailers, Dragon, Ranco, Falcon Trailers



For the period ending October 31, 2021, unless license is sooner revoked.

In Witness whereof, LOUISIANA MOTOR VEHICLE COMMISSION, under and by virtue of the authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal imprinted hereon.

LOUISIANA MOTOR VEHICLE COMMISSION

Dated February 22, 2021
Signed, Sealed and Attested

Executive Director

(To be prominently displayed in place of business)

CERTIFICATE OF LIABILITY INSURANCE

DATE(MM/DD/YY)
3/15/21

Producer

LA Automobile Dealers Association-SIF
7526 Picardy Ave.
Baton Rouge, LA 70808-3598

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURERS AFFORDING COVERAGE

NAIC #

INSURER A: LA AUTOMOBILE DEALERS ASSOC. SIF

INSURER B:

INSURER C:

INSURER D:

INSURER E:

Insured

ITA Truck Sales & Service, L.L.C.
2835 N.W. Evangeline Thruway
Lafayette, LA 70507-3420

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	ADD'L INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
		GENERAL LIABILITY COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS MADE <input type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC				EACH OCCURRENCE \$ FIRE DAMAGE (Any one fire) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ GENERAL AGGREGATE \$ PRODUCTS - COM/PROP AGG \$
		AUTOMOBILE LIABILITY ANY AUTO ALL OWNED AUTOS SCHEDULED AUTOS HIRED AUTOS NON-OWNED AUTOS				COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
		GARAGE LIABILITY ANY AUTO				AUTO ONLY - EA ACCIDENT \$ OTHER THAN EA ACC \$ AUTO ONLY AGG \$
		EXCESS LIABILITY <input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE DEDUCTIBLE \$ RETENTION \$				EACH OCCURRENCE \$ AGGREGATE \$ \$ \$ \$
A		WORKERS COMPENSATION AND EMPLOYERS LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? YES If yes, describe under SPECIAL PROVISIONS below	073000000601121	1/01/21	1/01/22	X WC STATU-TORY LIMITS OTH-ER E.L. EACH ACCIDENT \$ 500,000 E.L. DISEASE - EA EMPLOYEE \$ 500,000 E.L. DISEASE - POLICY LIMIT \$ 500,000
		OTHER				

DESCRIPTION OF OPERATIONS/ LOCATIONS/ VEHICLES/ EXCLUSIONS ADDED BY ENDORSEMENT / SPECIAL PROVISIONS
 STATE OF LOUISIANA EMPLOYEES ONLY Additional insured locations: Idealease of Acadiana in Lafayette, LA, ITA in Harahan, LA, ITA-Houma in Houma, LA, ITA Truck Sales & Service, LLC in Lake Charles, LA and ITA-Slidell in Slidell, LA & ITA-Baton Rouge, 763 O'Neal, Baton Rouge, LA.

CERTIFICATE HOLDER

ADDITIONAL INSURED: INSURER LETTER:

CANCELLATION

The Jefferson Parish, its Districts
Departments and Agencies under the
direction of the Parish President and
the Parish Council.
Bid No: 50-00133612
200 Derbigny Street
General Gov't Building, Suite 4400
Gretna, LA 70053

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 30 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE





ITATRUC-01

ABECK

CERTIFICATE OF LIABILITY INSURANCE

 DATE (MM/DD/YYYY)
 9/30/2020

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER License # 231432
 Hub International Gulf South
 8550 United Plaza Blvd
 Suite 500
 Baton Rouge, LA 70809

CONTACT
 NAME:
 PHONE (A/C, No, Ext): (800) 789-7365
 FAX (A/C, No): (225) 218-2401
 E-MAIL:
 ADDRESS:

INSURER(S) AFFORDING COVERAGE

NAIC #

INSURER A : New York Marine & General Insurance 16608

INSURER B : AGCS Marine Insurance Company 22837

INSURER C : Great American Assurance Company 26344

INSURER D :

INSURER E :

INSURER F :

INSURED

ITA Truck Sales & Service, LLC
 2835 NW Evangeline Thruway
 Lafayette, LA 70501

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSD WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A X	COMMERCIAL GENERAL LIABILITY					
	CLAIMS-MADE X OCCUR		AU2020DOP00207	10/1/2020	10/1/2021	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ MED EXP (Any one person) \$ PERSONAL & ADV INJURY \$ 5,000 GENERAL AGGREGATE \$ 3,000,000 PRODUCTS - COMP/OP AGG \$
	GEN'L AGGREGATE LIMIT APPLIES PER:					
	POLICY PROJECT LOC					
	OTHER:					
A	AUTOMOBILE LIABILITY					
X	ANY AUTO OWNED AUTOS ONLY SCHEDULED AUTOS		AU2020DOP00207	10/1/2020	10/1/2021	COMBINED SINGLE LIMIT (Ea accident) \$ 1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
	HIRED AUTOS ONLY NON-OWNED AUTOS ONLY					
A X	UMBRELLA LIAB X OCCUR					
	EXCESS LIAB CLAIMS-MADE		UM2020DOP00205	10/1/2020	10/1/2021	EACH OCCURRENCE \$ 10,000,000 AGGREGATE \$ 10,000,000
	DED X RETENTION \$ 10,000					
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY					
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH)	Y/N				
	If yes, describe under DESCRIPTION OF OPERATIONS below	N/A				
B	Commercial Automobile		MXI93079185	10/1/2020	10/1/2021	PER STATUTE OTH-ER E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$
C	Contingent Liability		190537806	10/1/2020	10/1/2021	Total Limit 8,695,000 Liability 5,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Garage Liability Deductible - \$2,500

Dealer Open Lot Deductible - Wind \$2,500 per vehicle for Collision & Comprehensive; 25,000 per occurrence & any one loc. All other Perils 2,500 per vehicle; 10,000 per occurrence & Any one locatoin.

Contingent Lease Physical Damage Deductible - \$2,500, Max Limit Per Vehicle \$75,000

Named Insureds:

ITA Truck Sales & Service, LLC
 SEE ATTACHED ACORD 101

CERTIFICATE HOLDER

The Parish of Jefferson, Its Districts, Departments and Agencies under the direction of and the Parish Council.
 Department of Fleet Management
 4901 Jefferson Hwy, Suite A
 Jefferson, LA 70121

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

[Signature]



AGENCY CUSTOMER ID: ITATRUC-01

ABECK

LOC #: 1

ADDITIONAL REMARKS SCHEDULE

Page 1 of 1

AGENCY Hub International Gulf South		License # 231432	NAMED INSURED ITA Truck Sales & Service, LLC 2835 NW Evangeline Thruway Lafayette, LA 70501
POLICY NUMBER SEE PAGE 1			
CARRIER SEE PAGE 1	NAIC CODE SEE P 1	EFFECTIVE DATE: SEE PAGE 1	

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,

FORM NUMBER: ACORD 25 FORM TITLE: Certificate of Liability Insurance**Description of Operations/Locations/Vehicles:**

Idealease of Acadiana, LLC
Atterberry Truck Sales, Inc.
Atterberry Idealease
Schilling Acquisitions, LLC

Locations:

2835 NW Evangeline Thruway, Lafayette, LA 70507
2845 NW Evangeline Thruway, Lafayette, LA 70507
301 Hord St. Harahan, LA 70123
102 Clendenning Rd, Houma, LA 70363
524 Pamco Rd, Lake Charles, LA 70615
6035 Beven St. New Orleans, LA 70123
2399 Gause Blvd. Slidell, LA 70460

The Parish of Jefferson, Its Districts, Departments and Agencies under the direction of and the Parish Council.
BID NO.: 50-00119280

Company: **DORSEY**
 Address: **1315 HICKMAN AVENUE**
ELBA, AL 36323

Phone: **334-897-2525**

FAX: **334-897-2526**

Web: <http://www.dorseytrailer.net/>



Company: **INTERNATIONAL TRUCKS OF ACADIAN**

Contact: **JERRY HARRISON**

Address: **2835 NW EVANGELINE THRUWAY**
LAFAYETTE, LA 70507

Phone/FAX: **337-234-9425 | 337-234-4815**

BASE MODEL: LB60-22DD Hydraulic Detachable Neck Lowboy		base price: \$66,985.00
components	description	add to cost
CAPACITY	60 Tons in 12' Concentrated Load / 60 Tons in 16' 3+1 Concentrated Load	STD
OVERALL LENGTH	53'	STD
OVERALL WIDTH	8' 6"	STD
DECK LENGTH	25'	STD
DECK HEIGHT	22" Loaded	STD
DECK FLOORING	Apitong - 1 1/2" - Covering Outside Only	STD
MAINBEAMS	16" Fabricated I-Beams - Positive Camber	STD
SIDE RAILS	14" Fabricated I-Beams - Positive Camber	STD
CROSS MEMBERS	10" I-Beam on 24" Centers (4" Stub Cross Members for 12" Centers in Outer Bays)	STD
GOOSENECK	Non-Ground Bearing Hydraulic Detachable Neck - Set up for Wetline	STD
KING PIN SETTING	16"	STD
KING PIN PLATE	5/16 Plate	STD
KING PIN SWING RADIUS	102"	STD
KING PIN HEIGHT	50" (4 Positions - Deck Heights 24", 22", 20", 18")	STD
DOVETAIL	No	STD
WHEEL WELL	Open with Load Bearing Bolsters	STD
BOOM TROUGH	Open - "V" Crossmembers	STD
REAR LOADING RAMP	No	STD
FRONT LOADING RAMP	None / Tapered Front Slope w/ Traction Bars	STD
LANDING GEAR	None	STD
D RING	16	STD
WIDENING BRACKET	12 Pair of 12" Brackets (extends deck width 2')	STD
TOOL BOX	Tool Box in Front of Deck with Lockable Lid	STD
AXLE	(3) 25,000 lb. Capacity w/ 54 1/2" Axle Spacings, Auto Slack,	STD
SETUP FOR 4TH FLIP OR SB	Yes - Plumbed & Trailer Brackets Mounted for 4th Flip Only	\$750.00
4TH FLIP AXLE OR SB	No	STD
SUSPENSION	Air Ride	STD
WHEELS	Disc - Hub Piloted	STD
TIRES	275/70R22.5	STD
PARKING BRAKES	Type 30/30 Spring Brakes - 2 Axle	STD
WIRING	D.O.T Sealed Wiring Harness	STD
LIGHTS	LED Pkg - Sealed Lights Rubber Mounted	STD
PAINT	Black	STD
CUSTOM 1	None	STD
CUSTOM 2	None	STD
CUSTOM 3	None	STD
Options Total:		\$750.00
Sub Total:		67,735.00

Company: **DORSEY**
 Address: **1315 HICKMAN AVENUE**
ELBA, AL 36323

Phone: **334-897-2525**

FAX: **334-897-2526**

Web: <http://www.dorseytrailer.net/>



Company: **INTERNATIONAL TRUCKS OF ACADIAN**

Contact: **JERRY HARRISON**

Address: **2835 NW EVANGELINE THRUWAY**
LAFAYETTE, LA 70507

Phone/FAX: **337-234-9425 | 337-234-4815**

BASE MODEL: LB51-22DD Dominator Series Detachable Neck Lowboy			base price: \$57,800.00
components	description	add to cost	
CAPACITY	51 Tons in 12' Concentrated Load / 51 Tons in 16' 3+1 Concentrated Load	STD	
OVERALL LENGTH	52'	STD	
OVERALL WIDTH	8' 6"	STD	
DECK LENGTH	25'	STD	
DECK HEIGHT	22" Loaded	STD	
DECK FLOORING	Apitong - 1 1/2" - Covering Outside Only	STD	
MAINBEAMS	16" Fabricated I-Beams - Positive Camber	STD	
SIDE RAILS	14" Fabricated I-Beams - Positive Camber	STD	
CROSS MEMBERS	10" I-Beam on 24" Centers (4" Stub Cross Members for 12" Centers in Outer Bays)	STD	
GOOSENECK	Non-Ground Bearing Hydraulic Detachable Neck - Set up for Wetline	STD	
KING PIN SETTING	16"	STD	
KING PIN PLATE	5/16 Plate	STD	
KING PIN SWING RADIUS	90"	STD	
KING PIN HEIGHT	50" (4 Postions - Deck Heights 24", 22", 20", 18")	STD	
DOVETAIL	No	STD	
WHEEL WELL	Open with Load Bearing Bolsters	STD	
BOOM TROUGH	Open - "V" Crossmembers	STD	
REAR LOADING RAMP	No	STD	
FRONT LOADING RAMP	None / Tapered Front Slope w/ Traction Bars	STD	
LANDING GEAR	None	STD	
D RING	16	STD	
WIDENING BRACKET	11 Pair of 12" Brackets (extends deck width 2')	STD	
TOOL BOX	Tool Box in Front of Deck with Lockable Lid	STD	
AXLE	(3) 25,000 lb. Capacity w/ 54 1/2" Axle Spacings, Auto Slack,	STD	
SETUP FOR 4TH FLIP OR SB	No	STD	
4TH FLIP AXLE OR SB	No	STD	
SUSPENSION	Air Ride	STD	
WHEELS	Disc - Hub Piloted	STD	
TIRES	255/70R22.5	STD	
PARKING BRAKES	Type 30/30 Spring Brakes - 2 Axle	STD	
WIRING	D.O.T Sealed Wiring Harness	STD	
LIGHTS	LED Pkg - Sealed Lights Rubber Mounted	STD	
PAINT	Black	STD	
CUSTOM 1	None	STD	
CUSTOM 2	None	STD	
CUSTOM 3	None	STD	
		Options Total:	\$0.00
		Sub Total:	57,800.00

Company: **DORSEY**
 Address: **1315 HICKMAN AVENUE**
ELBA, AL 36323
 Phone: **334-897-2525**
 FAX: **334-897-2526**
 Web: <http://www.dorseytrailer.net/>



Company: **INTERNATIONAL TRUCKS OF ACADIANA**
 Contact: **JERRY HARRISON**
 Address: **2835 NW EVANGELINE THRUWAY**
LAFAYETTE, LA 70507
 Phone|FAX: **337-234-9425 | 337-234-4815**

BASE MODEL: TA20 Tag-A-Long		base price: \$19,625.00
components	description	add to cost
CAPACITY	20 Ton (G.V.W.R. 47,350 lbs.)	STD
OVERALL LENGTH	30'	STD
OVERALL WIDTH	8' 6"	STD
DECK LENGTH	19'	STD
DECK HEIGHT	33" - Loaded	STD
DECK FLOORING	Apitong - 1 1/2"	STD
MAINBEAMS	14" x 22 lbs per ft	STD
SIDE RAILS	C8" x 11.5 lbs. per ft	STD
TONGUE / DRAW BAR	6' Continuation of Mainframe - 3" Eye 4 Position	STD
KING PIN HEIGHT	32" Adjustable	STD
DOVETAIL	5' Self Cleaning - Angle Iron	STD
WHEEL WELL	Covered w/ Steel Checkplate	STD
LOADING RAMP	Spring Assisted - 60" x 24" - Lay Flat on Dovetail - Triangle Foot	STD
LANDING GEAR	Single - Drop Leg Two Speed	STD
D RING	8 (4 per Side)	STD
TOOL BOX IN GOOSENECK	Tool Box in Gooseneck	STD
AXLE	(2) 22,500 lb. Capacity w/ 49" Axle Spacings, Auto Slack, ABS	STD
SUSPENSION	Hutchens - 3 Point, 4 SPRING - 44,000 lb Capacity	STD
WHEELS	Disc - Hub Piloted	STD
TIRES	215/75R17.5	STD
PARKING BRAKES	Spring Brakes - 2 Axle	STD
WIRING	D.O.T Sealed Wiring Harness	STD
LIGHTS	LED Pkg - Sealed Lights Rubber Mounted	STD
PAINT	Black	STD
CUSTOM 1	None	STD
CUSTOM 2	None	STD
CUSTOM 3	None	STD
CUSTOM 4	None	STD
CUSTOM 5	None	STD
CUSTOM 6	None	STD
Options Total:		\$0.00
Sub Total:		19,625.00

Quote: 72623

Company: DORSEY
Address: 1315 HICKMAN AVENUE
ELBA, AL 36323
Phone: 334-897-2525
FAX: 334-897-2526
Web: <http://www.dorseytrailer.net/>



Page 1 c

Company: INTERNATIONAL TRUCKS OF
Contact: JERRY HARRISON
Address: 2835 NW EVANGELINE THRUW
LAFAYETTE, LA 70507
Phone/FAX: 337-234-9425 | 337-234-4815

BASE MODEL: TA10 | Tag-A-Long

components	description	base price: \$15,625.	add to co
CAPACITY	10 Tons		ST
OVERALL LENGTH	29'		ST
OVERALL WIDTH	8'		ST
DECK LENGTH	19'		STL
DECK HEIGHT	33" - Loaded		STD
DECK FLOORING	Apitong - 1 1/2" - Covering Entire Deck		STD
MAINBEAMS	12" x 16 lbs. per ft		STD
CROSSMEMBERS	6" I-beams x 3.7 lbs per ft		STD
SIDE RAILS	C8" x 11.5 lbs. per ft		STD
TONGUE / DRAW BAR	5' Continuation of Mainframe - 3" Eye 4 Position		STD
COUPLER HEIGHT	32" Adjustable		STD
DOVETAIL	5' Self Cleaning - Angle Iron		STD
WHEEL WELL	Covered w/ Steel Checkplate		STD
LOADING RAMP	Spring Assisted - 60" x 24" - Lay Flat on Dovetail - Triangle Foot		STD
LANDING GEAR	Single - Drop Leg Two Speed		STD
D RING	8 (4 per Side)		STD
TRACK GUIDES	None		STD
TOOL BOX	Tool Tray in Tongue/Gooseneck		STD
AXLE	(2)10,000 lb Capacity Dexter General Duty Axles, Electric Brakes		STD
SUSPENSION	Hutchens - 3 Point, 4 SPRING - 44,000 lb Capacity		STD
WHEELS	8 Hole Steel Disc		STD
TIRES	235/80R16		STD
WIRING	D.O.T Sealed Wiring Harness		STD
LIGHTS	LED Pkg - Sealed Lights Rubber Mounted		STD
PAINT	Black		STD
CUSTOM 1	None		STD
CUSTOM 2	None		STD
Options Total:		\$0.00	
Sub Total:		15,625.00	

Quote: 72626

Company: **DORSEY**
 Address: **1315 HICKMAN AVENUE**
ELBA, AL 36323
 Phone: **334-897-2525**
 FAX: **334-897-2526**
 Web: <http://www.dorseytrailer.net/>



Page 1

Company: **INTERNATIONAL TRUCKS O**
 Contact: **JERRY HARRISON**
 Address: **2835 NW EVANGELINE THRU**
LAFAYETTE, LA 70507
 Phone/FAX: **337-234-9425 | 337-234-4815**

components			description		base price: \$50,485		add to c	
BASE MODEL: LB35-22DD Dominator Series Detachable Neck Lowboy								
CAPACITY	35 Tons in 12' Concentrated Load / 35 Tons in 16' 3+1 Concentrated Load							
OVERALL LENGTH	45'							
OVERALL WIDTH	8' 6"							
DECK LENGTH	25'							
DECK HEIGHT	22" Loaded							
DECK FLOORING	Apitong - 1 1/2" - Covering Outside Only							
MAINBEAMS	16" Fabricated I-Beams - Positive Camber							
SIDE RAILS	14" Fabricated I-Beams - Positive Camber							
CROSS MEMBERS	10" I-Beam on 24" Centers (4" Stub Cross Members for 12" Centers in Outer Bays)							
GOOSENECK	Non-Ground Bearing Hydraulic Detachable Neck - Set up for Wetline							
KING PIN SETTING	16"							
KING PIN PLATE	5/16 Plate							
KING PIN SWING RADIUS	84"							
KING PIN HEIGHT	50" (4 Postions - Deck Heights 24", 22", 20", 18")							
DOVETAIL	No							
WHEEL WELL	Open with Load Bearing Bolsters							
BOOM TROUGH	Open - "V" Crossmembers							
REAR LOADING RAMP	No							
FRONT LOADING RAMP	None / Tapered Front Slope w/ Traction Bars							
LANDING GEAR	None							
D RING	16							
WIDENING BRACKET	11 Pair of 12" Brackets (extends deck width 2')							
TOOL BOX	Tool Box in Front of Deck with Lockable Lid							
AXLE	(2) 25,000 lb. Capacity w/ 49" Axle Spacings, Auto Slack, ABS							
SETUP FOR 3RD FLIP	No							
3RD FLIP AXLE	No							
SUSPENSION	Air Ride							
WHEELS	Disc - Hub Piloted							
TIRES	255/70R22.5							
PARKING BRAKES	Type 30/30 Spring Brakes - 2 Axle							
WIRING	D.O.T Sealed Wiring Harness							
LIGHTS	LED Pkg - Sealed Lights Rubber Mounted							
PAINT	Black							
CUSTOM 1	None							
CUSTOM 2	None							
CUSTOM 3	None							
Options Total:					\$0.00			
Sub Total:					50,485.00			



Company: INTERNATIONAL TRUCKS OF ACADIA
Contact: JERRY HARRISON
Address: 2835 NW EVANGELINE THRUWAY
 LAFAYETTE, LA 70507
Phone/FAX: 337-234-9425 | 337-234-4815

BASE MODEL: LB55-22DD Dominator Series Detachable Neck Lowboy		base price: \$62,010.00
components	description	add to cost
CAPACITY	55 Tons in 12' Concentrated Load / 55 Tons in 16' 3+1 Concentrated Load	STD
OVERALL LENGTH	53'	STD
OVERALL WIDTH	8' 6"	STD
DECK LENGTH	25'	STD
DECK HEIGHT	22" Loaded	STD
DECK FLOORING	Apitong - 1 1/2" - Covering Outside Only	STD
MAINBEAMS	16" Fabricated I-Beams - Positive Camber	STD
SIDE RAILS	14" Fabricated I-Beams - Positive Camber	STD
CROSS MEMBERS	10" I-Beam on 24" Centers (4" Stub Cross Members for 12" Centers in Outer Bays)	STD
GOOSENECK	Non-Ground Bearing Hydraulic Detachable Neck - With Honda Pony Motor	\$2,600.00
KING PIN SETTING	16"	STD
KING PIN PLATE	5/16 Plate	STD
KING PIN SWING RADIUS	102"	STD
KING PIN HEIGHT	50" (4 Postions - Deck Heights 24", 22", 20", 18")	STD
DOVETAIL	No	STD
WHEEL WELL	Open with Load Bearing Bolsters	STD
BOOM TROUGH	Open - "V" Crossmembers	STD
REAR LOADING RAMP	No	STD
FRONT LOADING RAMP	None / Tapered Front Slope w/ Traction Bars	STD
LANDING GEAR	None	STD
D RING	16	STD
WIDENING BRACKET	11 Pair of 12" Brackets (extends deck width 2')	STD
TOOL BOX	Tool Box in Front of Deck with Lockable Lid	STD
AXLE	(3) 25,000 lb. Capacity w/ 54 1/2" Axle Spacings, Auto Slack,	STD
SETUP FOR 4TH FLIP OR SB	Yes - Plumbed & Trailer Brackets Mounted for 4th Flip Only	\$750.00
4TH FLIP AXLE OR SB	No	STD
SUSPENSION	Air Ride	STD
WHEELS	Disc - Hub Piloted	STD
TIRES	275/70R22.5	STD
PARKING BRAKES	Type 30/30 Spring Brakes - 2 Axle	STD
WIRING	D.O.T Sealed Wiring Harness	STD
LIGHTS	LED Pkg - Sealed Lights Rubber Mounted	STD
PAINT	Black	STD
CUSTOM 1	None	STD
CUSTOM 2	None	STD
CUSTOM 3	None	STD
		STD
		STD
		Options Total:
		\$3,350.00
		Sub Total:
		65,360.00