

DATE: 7/27/2022

Page: 6

BID NO.: 50-00138938

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES 10-23-2022

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) 53760

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Boland Marine & Industrial LLC

ADDRESS: 1000 Tchoupitoulas Street

CITY, STATE: New Orleans, LA ZIP: 70130

TELEPHONE: (504) 581-5800 FAX: (504) 581-5814

EMAIL ADDRESS: wlhaley@bolandmar.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 0

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 575,627.50

AUTHORIZED SIGNATURE: Walter Haley

Walter L. Haley

Printed Name

TITLE: VP Operations

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00138938

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	ONLY	<p>TWO YEAR CONTRACT FOR PUMP REPAIRS FOR THE JEFFERSON PARISH DEPARTMENT OF PUBLIC WORKS - WATER.</p> <p>0010 PUMP REPAIR WORK-GROUP A.1 COST OF ONE (1) PUMP REPAIR WORK</p>	\$ 11,000.00	\$ 11,000.00
			<p>PER DETAIL NO. 1(REFER TO SPECIFICATION) FOR THE FOLLOWING PUMP.</p> <p>RAW WATER INTAKE VERTICAL PUMPS, FAIRBANKS MORSE FIG. 6977 SIZE 36MC AND SIZE 28 MC, AS AT THE LEVEE STATION (PUMPS NO. 5, 6, 7, 8 OR 9)</p>		
2	1.00	ONLY	<p>0020 PUMP REPAIR WORK-GROUP A.2 Cost of one Pump Repair Work Per</p> <p>Detail No. 1 above for the following pump:</p> <p>Sludge pumps, Vertical Non-Clog Krogh No. 1 as at P-3 Plant (30 H.P.)</p>	\$ 4,000.00	\$ 4,000.00
3	1.00	ONLY	<p>0030 PUMP REPAIR WORK-GROUP A.3 Cost of one pump repair work per</p> <p>Detail No. 1 above for the following pump</p> <p>Equalizer pumps, Fairbanks Morse, vertical 3 stage, 100 H.P. pumps No. 1 or 2 as at P-1/Inflico Plants.</p>	\$ 5,800.00	\$ 5,800.00
4	1.00	ONLY	<p>0040 PUMP REPAIR WORK-GROUP A.4 Cost of one Pump Repair Work per</p> <p>Detail No. 1 above for the following pump</p> <p>Waste Water pumps No. 1 or 2, Fairbanks Morse, 75 H.P. as at OUTDOOR YARD PIT</p>	\$ 5,000.00	\$ 5,000.00
5	1.00	ONLY	<p>0050 PUMP REPAIR WORK-GROUP A.5 Cost of one Pump Repair work per</p> <p>Detail No. 1 above for the following pump</p> <p>Waste Water Sludge Pump No. 1, 2, or 3 Fairbanks Morse Fig. 5412B, 15 H.P. as at P-2 Plant</p>	\$ 5,200.00	\$ 5,200.00
6	1.00	ONLY	<p>0060 PUMP REPAIR WORK-GROUP A.6 Cost of one pump repair work per</p>	\$ 5,300.00	\$ 5,300.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00138938

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
7	1.00	ONLY	<p>Detail no. 1 above for the following pump</p> <p>Sludge Pumps No. 1 or 2, Fairbanks Morse Fig. 5412AK 10 H.P. each, indoor as at P-1 Plant</p> <p>0070 PUMP REPAIR WORK-GROUP A.7 Cost of one pump repair work per</p>	\$ 8,500.00	\$ 8,500.00
8	1.00	ONLY	<p>Detail No. 1 above for the following pump</p> <p>Wash Water Pump, Fairbanks Morse Angle Flow horizontal, size 24 In, Figure 5720 125 H.P. at P-2/Infilco Plants</p> <p>0080 PUMP REPAIR WORK-GROUP A.8 Cost of one pump repair work per</p>	\$ 6,300.00	\$ 6,300.00
9	1.00	ONLY	<p>Detail No. 1 above for the following pump</p> <p>Wash water pump, Fairbanks Morse size 15 in, horizontal 75 H.P., as at P-1 Plant - (S N 19331)</p> <p>0090 PUMP REPAIR WORK-GROUP A.9 Cost of Pump Repair Work per</p>	\$ 7,600.00	\$ 7,600.00
10	1.00	ONLY	<p>Detail No. 1 above for the following pump</p> <p>High service pumps, Fairbanks Morse horizontal split case, fig. 5814 or fig. 5813 200 H.P. or 350 H.P. pumps no. 7, 8, 9, or 10 as at P-2 Plant</p> <p>0100 PUMP REPAIR WORK-GROUP A.10 Cost of one pump repair work per</p>	\$ 6,600.00	\$ 6,600.00
11	1.00	ONLY	<p>Detail No. 1 above for the following pump</p> <p>Transfer pump No. 6 or No. 7, Fairbanks Morse, vertical, 100 H.P. each as at P-2 Plant</p> <p>0110 PUMP REPAIR WORK-GROUP A.11 Cost of one pump repair work per</p> <p>Detail No. 1 above for the following pump</p> <p>High service pumps nos. 1, 2, 3, 4, 5, 6, 11, Fire Pump (75 HP, 200 HP, 250 HP 350 H.P. and 400 H.P.) Fairbanks</p>	\$ 7,700.00	\$ 7,700.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00138938

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
12	1.00	ONLY	Morse, horizontal, fig. 5813, split case as at pump room of P-1 Plant 0120 PUMP REPAIR WORK-GROUP A.12 Cost of one pump repair work per Detail No. 1 above for the following pump Clear well pumps No. 1, No. 2 or No. 3, Fairbanks Morse Centrifugal horizontal pumps split case (double volute), size 12 in., fig. 5811 60 H.P. as at P-1 Plant pump room	\$ 5,100.00	\$ 5,100.00
13	1.00	ONLY	0130 PUMP REPAIR WORK-GROUP A.13 Cost of one pump repair work per Detail No. 1 above for the following pump Sewer Well Pump, Fairbanks Morse, fig. 5415, 8 in, vertical non-clog sewer, 50 H.P. as at P-1 Plant pump room	\$ 5,800.00	\$ 5,800.00
14	1.00	ONLY	0140 PUMP REPAIR WORK-GROUP A.14 Cost of one pump repair work per Detail No. 1 above for the following pump Levee intake sump pumps, Fairbanks Morse vertical turbine, 2 stage, fig. 6977, 3 H.P. each	\$ 5,000.00	\$ 5,000.00
15	1.00	ONLY	0150 PUMP REPAIR WORK-GROUP A.15 Cost of one pump repair work per Detail No. 1 for the following pump Raw water intake vertical pumps, Fairbanks Morse, fig. 6977 size 36MC, 250 H.P. (Pump No. 306, and No. 307) and Fairbanks Morse Model 27M-7000AWF, 150 HP, single stage, vertical turbine pump, as at the West Bank New River Station.	\$ 8,200.00	\$ 8,200.00
16	1.00	ONLY	0160 PUMP REPAIR WORK-GROUP A.16 Cost of one pump repair work per Detail No. 1 above for the following pump Raw water intake vertical pump, 5 MGD, Bryon Jackson, Model No. 20MQH-1 Stage, SN No. 99RS092800, 75 H.P.	\$ 7,600.00	\$ 7,600.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00138938

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
17	1.00	ONLY	<p>(Pump No. 309) as at the River Station of West Bank</p> <p>0170 PUMP REPAIR WORK-GROUP A.17 Cost of one pump repair work per</p> <p>Detail No. 1 above for the following pump</p> <p>Raw water intake vertical pumps, Fairbanks Morse, Fig. 7000AWF, size 27M (Pump No.411) or size 34H (Pump No. 412) at the West Bank Old River Station.</p>	\$ 7,600.00	\$ 7,600.00
18	1.00	ONLY	<p>0180 PUMP REPAIR WORK-GROUP A.18 Cost of one Pump Repair work per</p> <p>Detail No. 1 above for the following pump</p> <p>Raw water intake vertical pump, Fairbanks Morse, Figure 7100AWF, Size 19B, (Pump 410) at the West Bank Old River Station.</p>	\$ 7,600.00	\$ 7,600.00
19	1.00	ONLY	<p>0190 PUMP REPAIR WORK-GROUP A.19 Cost of one pump repair work per</p> <p>Detail No. 1 above for the following pump</p> <p>High service vertical pumps, Fairbanks Morse Fig. 7100AW, Size 24E (Pumps No. 100,101,102,103,104 and 105) as at New Plant of West Bank (each)</p>	\$ 6,000.00	\$ 6,000.00
20	1.00	ONLY	<p>0200 PUMP REPAIR WORK-GROUP A.20 Cost of one pump repair work per</p> <p>Detail No. 1 above for the following pump</p> <p>VTSH, Fairbanks Morse, six 20 In. 150 H.P., 880 RPM, as at East Bank and Pump No. 113, No. 114, and No. 115 as at West Bank Waste Water Pit</p>	\$ 6,000.00	\$ 6,000.00
21	1.00	ONLY	<p>0210 PUMP REPAIR WORK-GROUP A.21 Cost of one pump repair work per</p> <p>Detail No. 1 above for the following pump</p> <p>Booster pump, vertical turbine, Fairbanks Morse 2-stage, fig. 7000, 75 H.P. West Bank, (Pump No. 117) New Plant</p>	\$ 6,000.00	\$ 6,000.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00138938

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
22	1.00	ONLY	0220 PUMP REPAIR WORK-GROUP A.22 Cost of one pump repair work per Detail No. 1 above for the following pump Booster pump, Fairbanks Morse, figure 5812 horizontal, split case, 75 H.P. Pump No. 601 and No. 602 at Wall Blvd. Westbank.	\$ 5,600.00	\$ 5,600.00
23	1.00	ONLY	0230 PUMP REPAIR WORK-GROUP A.23 Cost of one pump repair work per Detail No. 1 above for the following pump Transfer pumps, Fairbanks Morse, horizontal split case 100 H.P. Fig. 5812, 12 inch 3500 gpm (Pump No. 205 or No. 206) West Bank	\$ 5,800.00	\$ 5,800.00
24	1.00	ONLY	0240 PUMP REPAIR WORK-GROUP A.24 Cost of one pump repair work per Detail No. ove for the following pump High service pumps, horizontal split case, Fairbanks Morse, figures 5814 and 5813, 300 H.P., 200 H.P. and 125 H.P. (No. 201, 202, 203, 204) as at Dorr Oliver, West Bank. Also, wash water/transfer horizontal, split case pump Peerless, 200 H.P. No. 107 and No. 108 as at West Bank Permutit Plant	\$ 5,000.00	\$ 5,000.00
25	1.00	ONLY	0250 PUMP REPAIR WORK-GROUP A.25 Cost of one pump repair work per Detail No.1 above for the following pump Raw water intake vertical pump, Fairbanks Morse, Model 7100 AWF Size 36F SN 192061, 350 HP (Pump NO. 310) at the West Bank New River Station.	\$ 6,000.00	\$ 6,000.00
26	1.00	ONLY	0260 PUMP REPAIR WORK-GROUP A.26 Cost of one pump repair work per Detail No.1 above for the following pump	\$ 14,000.00	\$ 14,000.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00138938

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
27	1.00	ONLY	Raw Water Intake pumps, Byron Jackson, vertical pumps, No. 1, 2, 3 or 4 as at River Intake Station, East Bank 0270 PUMP REPAIR WORK-GROUP A.27 Cost of one pump repair work per Detail No. 1 above for the following pump High Service Pumps, vertical turbine Peabody Floway Pumps No. 1, 2, 3, 4, 5, 6, S.O. No. 90-02416-21 and transfer pumps Peabody Floway Pump vertical turbine Model 28MKN, S.O. No. 90-02411 as at P-3 Plant.	\$ 9,200.00	\$ 9,200.00
28	1.00	ONLY	0280 PUMP REPAIR WORK-GROUP A.28 Cost of one pump repair work per Detail No. 1 above for the following pump Sludge Pump, Vertical Non-Clog, Yeoman Clow Pump as at P-3 Plant (30 H.P.).	\$ 11,500.00	\$ 11,500.00
29	1.00	ONLY	0290 PUMP REPAIR WORK-GROUP A.29 Cost of one pump repair work per Detail No. 1 above for the following pump Sludge Pumps, Vertical Non-Clog Yeoman Clow Pump (5 H.P. each) as at waste water pit, Westbank, No. 111 and No. 112	\$ 6,900.00	\$ 6,900.00
30	1.00	ONLY	0300 PUMP REPAIR WORK-GROUP A.30 Cost of one pump repair work per Detail No. 1 above for the following pump Peerless, horizontal, split case wash water pumps 125 H.P. (No. 207)	\$ 6,500.00	\$ 6,500.00
31	1.00	ONLY	0310 PUMP REPAIR WORK-GROUP A.31 Cost Of One Pump Repair Work Per Detail No. 1 of the specification. Vacuum Pumps, Kinny Model No. KLRC-125, Serial No. 80-4674-90299 No. 122 and No. 123, Kinney KLRC 125-BA-C, Serial No. 221166, SO No. 2211660903, 10 HP, as West Bank Permutit Plant.	\$ 3,000.00	\$ 3,000.00
32	1.00	ONLY	0320 PUMP REPAIR WORK-GROUP A.32 Cost of One Pump Repair Work Per	\$ 7,500.00	\$ 7,500.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00138938

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
33	1.00	ONLY	<p>Detail No. 1 of the Specification</p> <p>Vacuum Pump, Kinney Model KLRC-125-FA2-C SN No. 154015, No. 3012428, Kinney KLRC 125-BA-C, Serial No. 227448 as at W. B. Dorr Oliver Plant No. 208 and No. 213</p> <p>0330 PUMP REPAIR WORK-GROUP A.33 Cost of One Pump Repair Work Per</p>	\$ 3,500.00	\$ 3,500.00
34	1.00	ONLY	<p>Detail No. 1 of the specification</p> <p>Vacuum pump, 145 CFM Dekker Vacuum Tech, model #RVL145HH-16, 7.5hp, serial #39116 & 39117 as at West Bank Downstream River Intake #401 & #402.</p> <p>0340 PUMP REPAIR WORK GROUP A.34 Cost of One Pump Repair Work Per</p>	\$ 4,800.00	\$ 4,800.00
35	1.00	ONLY	<p>Detail No. 1 Specification</p> <p>Booster Pumps, Delaval, Horizontal, Splitcase, Serial No. 261310, 256893, Unknown, 20, 25, 40 HP, as at West Bank Bridge City Booster Station, No. 501, No. 502 and No. 503.</p> <p>0350 PUMP REPAIR WORK-GROUP A.35 Cost of One Pump Repair Per</p>	\$ 4,800.00	\$ 4,800.00
36	1.00	ONLY	<p>Detail No. 1 of the Specification</p> <p>Transfer/Wash Johnson Pump, 200 HP 1175 RPM, One Stage S/N JZ 4429 as at P-3 Water Plant, East Bank</p> <p>0360 PUMP REPAIR WORK-GROUP A.36 Cost of one pump repair work per</p>	\$ 9,200.00	\$ 9,200.00
37	1.00	ONLY	<p>Detail No. 1 above for the following pump.</p> <p>High service can pumps, Fairbanks Morse, Figure 7100 AW, Size 19B, (Pumps No. 901,902,903,904) at the West Bank Peak Demand Station.</p> <p>0370 PUMP REPAIR WORK-GROUP A.37 Cost of one pump repair work</p> <p>per Detail No.1 for the following pump.</p> <p>Chlorine Booster Pumps, Model Peerless 1 x 1.5-8 STP 8196 (Pumps 120, 121, West Bank Plant)</p>	\$ 1,800.00	\$ 1,800.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00138938

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
38	1.00	ONLY	0380 PUMP REPAIR WORK-GROUP A.38 Cost of one pump repair work per Detail No. 1 for the following pump Fairbanks Morse HCD100B 7 Stage Vertical Pump with 60 HP motor (Pumps No. 1301 and 1302) located in Grand Isle Cheniere Station.	\$ 7,500.00	\$ 7,500.00
39	1.00	ONLY	0390 PUMP REPAIR WORK-GROUP A.39 Cost of one pump repair work per Detail No. 1 above for the following pumps Aurora Pentair Pumps Size 5X6X17 with 60 HP Motor (Pumps 1001 and 1002) located at the Lafitte Station No. 4 (Lafitte/Grand Isle Booster Station)	\$ 7,000.00	\$ 7,000.00
40	1.00	ONLY	0400 PUMP REPAIR WORK-GROUP A.40 Cost of one pump repair work per Detail No. 1 above for the following pumps Peerless Pumps Model 10HH vertical with 75 HP Motor (Pumps 1101 and 1102) located at the Grand Isle East Station	\$ 6,400.00	\$ 6,400.00
41	1.00	ONLY	0410 PUMP REPAIR WORK-GROUP A.41 Cost of one pump repair work per Detail No. 1 above for the following pumps Fairbanks Morse Model 7100AW, Size 10G, 700 G.P.M., four stage, vertical turbine pump with 40 HP Motor (Pumps 1101 and 1102) located at the Grand Isle Rosethorne Station.	\$ 5,500.00	\$ 5,500.00
42	5.00	ONLY	0420 CERTIFIED PUMP TESTING COSTS Cost of certified pump testing and performance pump curve submittal. (for new bowl assembly or new pump replacement only).	\$ 300.00	\$ 1,500.00
43	5.00	ONLY	0430 COATING OF EXTERIOR OF PUMP BOWL Cost of coating of exterior of pump bowl, exterior and interior of discharge head and ten feet (10 ft.) of column for small pumps (with column size	\$ 800.00	\$ 4,000.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00138938

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
44	5.00	ONLY	less than ten inches (10 in.) In diameter). 0440 COATING OF ADDITIONAL 10 FT (SMALL) Cost of coating of exterior and interior of additional ten feet (10 ft.) of column for small pumps if required.	\$ 350.00	\$ 1,750.00
45	5.00	SQFT	0450 COATING OF EXTERIOR OF PUMP BOWL Cost of coating of exterior of pump bowl, exterior and interior of discharge head and ten feet (10 ft.) of column for large pumps (with column sizes 12 in. and up to 36 in. In diameter).	\$ 800.00	\$ 4,000.00
46	5.00	SQFT	0460 COATING ADDITIONAL 10 FT. (LARGE) Cost of coating exterior and Interior of additional ten feet (10 ft.) of column for large pumps is required.	\$ 580.00	\$ 2,900.00
47	1,300.00	HR	0470 PUMP MECHANIC REGULAR LABOR RATE Pump mechanic regular labor rate per hour for conducting additional repairs on pumps not included in the specification. (overtime rate equals 1.5 regular time rate)	\$ 65.00	\$ 84,500.00
48	1.00	HR	0480 PUMP MECHANIC OVERTIME LABOR RATE Pump mechanic overtime labor rate per hour for conducting additional repairs on pumps not included in the specification. (overtime rate equals 1.5 regular time rate)	\$ 97.50	\$ 97.50
49	2,692.00	HR	0490 MACHINIST REGULAR LABOR RATE Machinist regular labor rate per hour for performing extra repairs on pumps not included in the specification. (overtime rate equals 1.5 regular time rate)	\$ 65.00	\$ 174,980.00
50	1.00	HR	0500 MACHINIST OVERTIME LABOR RATE Machinist overtime labor rate per hour for performing extra repairs on pumps not included in the specification. (overtime rate equals 1.5 regular time rate)	\$ 97.50	\$ 97.50

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00138938

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
51	497.00	HR	0510 SHOP/FIELD REGULAR GEN. LABOR RATE Shop/Field regular general labor rate per hour for performing extra repairs on pumps not included in the specification. (overtime rate equals 1.5 regular time rate)	\$ 65.00	\$ 32,305.00
52	1.00	HR	0520 SHOP/FIELD OVERTIME GEN. LABOR RATE Shop/Field overtime general labor rate per hour for performing extra repairs on pumps not Included in the specification. (overtime rate equals 1.5 regular time rate)	\$ 97.50	\$ 97.50
53	1.00	ONLY	9999 - PARTS AND MATERIALS THIS IS A NON-BIDABLE ITEM. THIS ITEM IS FOR PARTS NEEDED TO COMPLETE A REPAIR UP TO \$25,000.00 PER JOB, WITH THE APPROVAL FROM THE REQUESTING DEPARTMENT. INVOICES SHALL BE SUBMITTED AT COST ONLY (WITH NO MARKUP)	\$ 0.00	\$ 0.00

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF
BOLAND MARINE & INDUSTRIAL, LLC
INCORPORATED.

AT THE MEETING OF DIRECTORS OF BOLAND MARINE & INDUSTRIAL, LLC
INCORPORATED, DULY NOTICED AND HELD ON _____
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT WALTER HALEY, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.


SECRETARY-TREASURER

8-16-22
DATE



ADDITIONAL REMARKS SCHEDULE

AGENCY Hub International Gulf South	License # 231432	NAMED INSURED Boland Marine & Industrial LLC 1000 Tchoupitoulas Street New Orleans, LA 70130
POLICY NUMBER SEE PAGE 1		
CARRIER SEE PAGE 1	NAIC CODE SEE P 1	EFFECTIVE DATE: SEE PAGE 1

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
FORM NUMBER: ACORD 25 FORM TITLE: Certificate of Liability Insurance

Additional Information

General Liability Policy contains:

Underwriters agree that, where required by written insured contract, any person firm or organization is included as additional insured but only in respect to liability for bodily injury and/or property damage arising out of operations performed by or on behalf of the Named Insured under written insured contract with such additional insured and then, subject to the terms, conditions, exclusions and Limits of Insurance of the policy, only to the extent required under said written insured contract.

Underwrites agree to waive their rights of subrogation against any principal where such waiver is required by a written insured contract executed prior to loss.

Coverage is extneded to the Gulf of Mexico.

It is agreedt that any claim covered by this policy, shall be considered covered even though asserted in an action commenced on the basis of In Rem jurisdiction instead of In Personam jurisdiction.

Watercraft exclusion is deleted with respect to watercraft not owned and not operated by the Named Insured.

Subject to the terms and conditions of the policy, it is agreed that where the Named Insured is obligated under the terms of a written insured contract to specifically provide primary insurance coverage to any person or entity which is also an additional insured under this policy, that this policy will be primary but only in relation to any other applicable policy where such person or entity is provided coverage as a Named Insured.

Underwriters will agree to provide 30 days written notice of cancellation to this policy to any third party whose name and contact information is provided by the Named Insured and where such notice is required by written insured contract.

The Commercial Umbrella Policy sits over the General Liability, Automobile Liability, Employers Liability and Maritime Employers Liability policies.

Non-Public Works Bid

AFFIDAVIT

STATE OF Louisiana

PARISH/COUNTY OF Orleans

BEFORE ME, the undersigned authority, personally came and appeared: Walter L. Haley, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized August 16 of 2022 (Entity), the party who submitted a bid in response to Bid Number 50-00138938, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A X

Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B _____

there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B X There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Walter L. Haley

Signature of Affiant

WALTER L. Haley

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 16 DAY OF August, 2015

Notary Public

[Signature]

Printed Name of Notary

James A. Mounger

Notary/Bar Roll Number

9783

My commission expires

at death



BOLAND MARINE & INDUSTRIAL LLC

CAMPAIGN CONTRIBUTIONS

NAME	AMOUNT	DATE
COMMITTEE TO ELECT JENNIFER VAN VRANCKEN FOR COUNCIL	\$ 1,000.00	9/4/2019
TINA MICELI CAMPAIN FUND	\$ 1,000.00	8/31/2018