



# JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG  
PARISH PRESIDENT

RENNY SIMNO  
DIRECTOR

September 8, 2021

ADDENDUM # 1

Bid Number: 50-00135442


Bid Opening Date: September 9, 2021  
Bid Opening Date Postponed to: September 23, 2021

Description of Bid: One Time Purchase of a Pipe Hunter Cabover Dual Reel Truck Mounted Jet Rodder With Vacuum System Model: 5834 TMV, 500 Gallon /3000 PSI at 40 GPM Dual Hydraulic Hose Reels for Jefferson Parish Sewerage Department

Postponed Bid Opening Date:

Due to Hurricane Ida the bid opening date has been postponed to September 23, 2021.

Received sept. 8<sup>th</sup>



Sincerely,

Misty A. Camardelle  
Assistant Purchasing Director

**Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form by indicating the addendum number listed above. Failure to list each addenda number on the bid form will result in bid rejection.**

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

JOSEPH S. YENNI BUILDING - 1221 ELMWOOD PARK BLVD - SUITE 404 - JEFFERSON, LA 70123 - PO BOX 10242 JEFFERSON, LA 70181-0242  
OFFICE 504.364-2678

GENERAL GOVERNMENT BUILDING - 200 DERBIGNY ST - SUITE 4400 - GRETNA, LA 70053 - PO BOX 9 - GRETNA - LA 70054  
OFFICE 504.364.678

EMAIL: [PURCHASING@JEFFPARISH.NET](mailto:PURCHASING@JEFFPARISH.NET)

WEBSITE: [WWW.JEFFPARISH.NET](http://WWW.JEFFPARISH.NET)



# JEFFERSON PARISH

## DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG  
PARISH PRESIDENT

RENNY SIMNO  
DIRECTOR

August 18, 2021

### JEFFERSON PARISH INVITATION TO BID NOTIFICATION

This notification is to inform bidders of the following bid solicitation for Jefferson Parish Government. Please review this notification in its entirety for details on how to access the on-line bidding site to view and download the Invitation to Bid, including all required bidding documents. The notification also states how to submit the bid response to the Jefferson Parish Purchasing Department.

Bid number and description: **BID #50-00135442**

**One Time Purchase of a Pipehunter Cabover Dual Reel Truck Mounted Jet Rodder with Vacuum System Model: 5834 TMV, 500 Gallon/3000 PSI at 40 GPM Dual Hydraulic Hose Reels for Jefferson Parish Sewerage Department**

All bids must be submitted electronically through Jefferson Parish's E-Procurement site, Central Bidding, which can be accessed by visiting [www.centralbidding.com](http://www.centralbidding.com) or [www.jeffparishbids.net](http://www.jeffparishbids.net). Bids will only be received until 2 p.m. **September 9, 2021**. Bids submitted after 2 p.m. will not be accepted. All bids will be publicly opened and read aloud at the West Bank location, 200 Derbigny Street, Suite 4400, Gretna, LA 70053 at 2:30 p.m.

**Where to obtain the Invitation to Bid:** This Invitation to Bid may be viewed, and/or downloaded from our on-line bidding site, Central Bidding by clicking, <http://www.jeffparishbids.net>. All vendors are encouraged to register with Central Bidding in order to respond, free of charge, to the Invitation to Bid. This Invitation to Bid is also posted on LaPac (State of Louisiana website) for view and download purposes only, which can be obtained through [www.jeffparish.net](http://www.jeffparish.net).

For more information on this bid, please contact the buyer assigned to this bid:

**Donna Reamey, Buyer II**  
504-364-2684

[DReamey@jeffparish.net](mailto:DReamey@jeffparish.net)

Or you may visit the Purchasing Department's webpage at [www.jeffparish.net](http://www.jeffparish.net).

GENERAL GOVERNMENT BLDG. – 200 DERBIGNY ST., SUITE 4400, GRETNA, LA 70053  
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. – 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123  
OFFICE 504.364.2678

EMAIL: [PURCHASING@JEFFPARISH.NET](mailto:PURCHASING@JEFFPARISH.NET) WEBSITE: [WWW.JEFFPARISH.NET](http://WWW.JEFFPARISH.NET)



# JEFFERSON PARISH

## DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG  
PARISH PRESIDENT

RENNY SIMNO  
DIRECTOR

September 2020

### **Changes to Jefferson Parish Bidding Information**

The Jefferson Parish Purchasing Department would like to make vendors aware of the following changes:

**Total Bid Price Must Include the Cost of Naming Jefferson Parish as Additional Insured:**

Bidder acknowledges that Bidder recovered the cost of any required insurance in the contract price as required by La.R.S. 9:2780.1 and that Bidder recovered any such cost for the purposes of insuring an obligation to indemnify Jefferson Parish, defend Jefferson Parish, or hold Jefferson Parish harmless and that Bidder's indemnity liability is limited to the amount of the proceeds that are payable under the insurance policy or policies that Bidder has obtained.

**Electronic Procurement:** Beginning November 1, 2020, Jefferson Parish will no longer accept manual bid submissions; and will only accept bid submissions electronically via our e-Procurement system, Central Bidding. Central Bidding can be accessed by visiting either [www.centralbidding.com](http://www.centralbidding.com) or [www.jeffparishbids.net](http://www.jeffparishbids.net). All bidders will be required to register with Central Bidding. Jefferson Parish vendors are able to register for free by accessing the following link:  
<https://www.centrauctionhouse.com/registration.php>.

**Probable Construction Cost:** Per Jefferson Parish Administrative Policy, the probable construction cost is not revealed in the Jefferson Parish Bidding Documents. Jefferson Parish Administrative Policy has changed and a range of the probable construction cost will be stated in the Jefferson Parish bidding document, entitled Important Notice to All Bidders – Bid Requirements. Per Louisiana Public Bid Law, the probable construction cost will be read at the bid opening.

**Insurance Requirement:** All bidders must provide proof of valid insurance in the required amounts as stated in the Standard Insurance Requirements for bidding purposes. Failure to provide the proof of valid insurance in all of the required coverage amounts will result in bid rejection.

GENERAL GOVERNMENT BLDG. – 200 DERBIGNY ST., SUITE 4400, GRETNA, LA 70053  
OFFICE 504 364.2678

JOSEPH S. YENNI BLDG. – 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123  
OFFICE 504 364.2678

EMAIL: [PURCHASING@JEFFPARISH.NET](mailto:PURCHASING@JEFFPARISH.NET) WEBSITE: [WWW.JEFFPARISH.NET](http://WWW.JEFFPARISH.NET)



**CENTRALBIDDING**  
FROM CENTRAL AUCTION HOUSE

Toggle navigation

- [Home](#)
- [Central Bidding](#)
- [My CP](#)
- [Contact Us](#)
- [Create New](#)
- [Logout \(CovingtonSalesPS\)](#)

**Central Bidding Time:** Thu Aug 19 2021 10:15:40 GMT-0500 (Central Daylight Time)



[Click Here for free registration](#)

## **5000135442 ONE TIME PURCHASE OF A PIPEHUNTER CABOVER DUAL REEL TRUCK MOUNTED JET RODDER WITH VACUUM SYSTEM MODEL: 5834 TMV, 500 GALLON /3000 PSI AT 40 GPM DUAL HYDRAULIC HOSE REELS FOR JEFFERSON PARISH SEWERAGE DEPARTMENT.**

[Louisiana](#) > [Jefferson Parish Government](#)

Solicitation: 22036757

### **IMPORTANT ANNOUNCEMENTS**

#### **Bid Law Requirement Update: Act 406**

Vendors will be required to submit certain documentation with bid submission, i.e. affidavits, proof of insurance, etc. These requirements will be outlined specifically in the instructions of each bid package. Vendors should continue to carefully read and respond accordingly per the requirements of the bid packages. These changes are pursuant Louisiana Public Bid Law more specifically, Act 406 of the 2016 Louisiana Legislative Regular Session. For the purposes of this communication, this change applies to Jefferson Parish Government bid solicitations only. For more information, please call Jefferson Parish Purchasing at 504-364-2678.

#### **Electronic Bond Submission May Be Required**

If the bid documents require a surety, vendors submitting responses to Jefferson Parish through this site must submit an electronic bond through the respective online clearinghouse bond management system(s). You may click the link below to use <https://www.centralauctionhouse.com/central-bidding/bid-bonds>

#### **Bid Submittal Formats:**

While this site accepts various file types, sizes and quantities, the preferred method for delivering all of the appropriate and required bid documents is one single scanned PDF file. Vendors submitting bids with multiple uploaded images/photos of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, the vendors submission will be rejected. Please note all requirements in this SUBMITTAL package for electronic bid submission.

**NOTICE:**

TO RESPOND TO THIS SOLICITATION, PLEASE PRINT THE ENTIRE BID FORM INCLUDING BID INSTRUCTIONS. COMPLETE THE BID FORM AND ATTACH ANY SPECIFICATIONS OR ADDITIONAL REQUIRED DOCUMENTS. SCAN THE ENTIRE BID RESPONSE AND UPLOAD TO THE ONLINE BIDDING SITE. ENSURE THAT YOU HAVE REVIEWED ALL INSTRUCTIONS THAT APPLY TO THIS BID, AS THE REQUIREMENTS FOR BOND SUBMISSIONS HAVE CHANGED.

## Listing Information/Advertisement

ADVERTISEMENT FOR BIDS

BID NO. 50-00135442

Sealed Bids will be received electronically through our E-Procurement site at [www.jeffparishbids.net](http://www.jeffparishbids.net) until 2:00 p.m., September 09, 2021 and publicly opened thereafter. At no charge, bidders may submit via Jefferson Parish's electronic procurement page by visiting [www.jeffparishbids.net](http://www.jeffparishbids.net) to register for this free site.

Bids will be accepted and received through Central Bidding until 2 p.m. The public bid opening will be held at the West Bank Purchasing Department at 200 Derbigny Street, Suite 4400, Gretna, LA 70053 beginning at 2:30 p.m. on each bid opening date for the following project:

ONE TIME PURCHASE OF A PIPEHUNTER CABOVER DUAL REEL TRUCK MOUNTED JET RODDER WITH VACUUM SYSTEM MODEL: 5834 TMV, 500 GALLON /3000 PSI AT 40 GPM DUAL HYDRAULIC HOSE REELS FOR JEFFERSON PARISH SEWERAGE DEPARTMENT.

Bid specifications may be obtained by visiting the Jefferson Parish Purchasing Department webpage at <http://purchasing.jeffparish.net> and selecting the LaPAC Tab. Bids may also be viewed and submitted online free of charge at: [www.jeffparishbids.net](http://www.jeffparishbids.net).

Each bid must be accompanied by a surety bid bond in the amount of 5% of the total bid amount, or the amount specified, WHEN INDICATED IN THE SPECIFICATIONS. Vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid Solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.

The Jefferson Parish Council reserves the right to reject all bids and to reject bids for just cause, pursuant to the law. Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

Renny Simno  
Director  
Purchasing Department

Misty A. Camardelle  
Assistant Director  
Purchasing Department

ADV: The New Orleans Advocate: August 18 and 25, 2021.

For additional information, please visit the Purchasing Webpage at <http://purchasing.jeffparish.net> or you may call 504-364-2678.

### SUBMITTAL INFORMATION

Creator Username:	<a href="#">DREAMEY</a>
Submittal Privacy:	Response Encryption
Started:	18-Aug-2021 10:47:00 AM
Ends:	09-Sep-2021 02:00:00 PM ( 21d, 3h+ )



**CENTRALBIDDING**  
FROM CENTRAL AUCTION HOUSE

**5000135442 ONE TIME PURCHASE OF A PIPEHUNTER CABOVER DUAL  
REEL TRUCK MOUNTED JET RODDER WITH VACUUM SYSTEM MODEL:  
5834 TMV, 500 GALLON /3000 PSI AT 40 GPM DUAL HYDRAULIC HOSE  
REELS FOR JEFFERSON PARISH SEWERAGE DEPARTMENT.  
Jefferson Parish Government**

Project documents obtained from [www.CentralBidding.com](http://www.CentralBidding.com)  
19-Aug-2021 10:15:50 AM



Bid Number 50-00135442

ONE TIME PURCHASE OF A PIPEHUNTER CABOVER DUAL REEL TRUCK MOUNTED JET RODDER WITH VACUUM SYSTEM MODEL: 5834 TMV, 500 GALLON/3000 PSI AT 40 GPM DUAL HYDRAULIC HOSE REELS FOR JEFFERSON PARISH SEWERAGE DEPARTMENT.

BID DUE: SEPTEMBER 9, 2021 AT 2:00 PM

**ATTENTION VENDORS!!!**

**Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received on the Purchasing Department's eProcurement site, [www.jeffparishbids.net](http://www.jeffparishbids.net), by the bid due date and time. Late bids will not be accepted.**

Jefferson Parish Purchasing Department  
200 Derbigny Street  
General Government Building, Suite 4400  
Gretna, LA 70053  
Donna Reamey  
Email: [Dreamey@jeffparish.net](mailto:Dreamey@jeffparish.net)  
Phone: 504-364-2684

**BID SPECIFICATIONS FOR BID # 50-135442**

**TRUCK MOUNTED JET RODDER WITH VACUUM SYSTEM  
500 Gallon /3000 PSI @ 40 GPM DUAL HYDRAULIC HOSE REELS  
FOR THE DEPARTMENT OF SEWERAGE**

**LOUISIANA STATE DEALER'S LICENSE IS REQUIRED, IN ACCORDANCE WITH LA RS 32:1254 ET SEQ. VENDOR MUST PROVIDE A COPY LOUISIANA DEALER'S LICENSE WITH THEIR BID SUBMISSION. FAILURE TO COMPLY WILL CAUSE THE BID TO BE REJECTED.**

**CHASSIS**

(New Unused) Cab Over Style or Equal 4HK1-TC, diesel engine 317 CID (5.19L), 215 HP at 2550 RPM: 452 ft.-lb. gross torque at 1850 RPM  
SAE Net Torque @ RPM 452 @ 1850  
Fuel Tank Capacity, Approx. 30 gal. Automatic Transmission  
Type 6-Speed Automatic w/00  
Electrical  
Cold Cranking Amps @ 00 F (Primary) 750 Cold Cranking Amps @ 0° F (2nd) 750  
Maximum Alternator Capacity (amps) 110 Brake Type Power  
Brake ABS System 4-Wheel  
Power steering, AM/FM stereo, electric window  
A/C, Heater, Defroster, bucket driver seat, Split Passenger Exhaust Brake-Butterfly Type  
19,500 GVWR Chassis Rating 120" CA 70" AF Front Gross Axle Weight Rating: 7275 lbs  
Rear Gross Axle Weight Rating: 13660 lbs Suspension Type - Front Tapered Leaf  
Suspension Type - Rear Multi-Leaf  
Steering Type Power  
Turning Diameter - Curb to Curb 28.5 ft Turning Diameter - Wall to Wall 33.0 ft  
Tires 225/10R 19.5F Radial Tubeless

The control panel shall move with the hose reels.

A safety emergency shall be utilized when the main water pump is in use. The Lanyard shall attach to the operator and cause the water pump engine to shut down if the operator leaves the operator's station.

Control panel light (LED).

Work light mounted lower control panel (LED).

**ENGINE AUXILIARY**

The engine shall have a minimum two (2) year standard manufacturer's warranty.

The engine shall be a Tier 4 Final diesel. Water-

## BID SPECIFICATIONS FOR BID # 50-135442

cooled, wet sleeved, heavy duty, industrial type having a rating of 85 HP at 2,400 RPM.

The engine shall be mounted between the water tank and cab of the chassis for ease of access and noise suppression for the operator. Including DEF tank.

The engine shall be capable of starting with the water pump PTO engaged. The engine shall be installed so that it is easily accessible for maintenance and service. Engine shrouding and belt guards to be constructed of aluminum tread plate. The fuel shall be accessible via the chassis fuel tank tie in. All required accessories shall be furnished, including:

Built in Hi-temp low oil shut down system

12-volt ignition system with alternator and battery Electric throttle

Starter with lock starting switch Replacement cartridge type oil filter Positive crank case

ventilation system Governor to limit RPM

Fuel to be supplied from the chassis fuel tank

### PIPING

All piping systems shall be bolted to under frame and be removable. Construction of piping system shall be high pressure tubing to be rated to exceed pump pressure capacity. Pump suction lines and low pressure return piping systems may be standard weight pipe with malleable fittings. Heater hoses and vinyl are not acceptable for return hoses. Piping welded to frame will be unacceptable.

A strainer shall be top deck mounted for ease of operations and be installed in the suction line to prevent foreign material from damaging the pump, and at a location permitting ease accessibility for cleaning.

A relief valve adjustable from 0-3000 PSI shall regulate pressure to the sewer cleaning nozzle. The valve must be repairable; throw away type sealed units are not acceptable.

### MAIN FRAME

The frame shall be bolted to the chassis frame utilizing shear plates. U-bolt systems will not be accepted.

## BID SPECIFICATIONS FOR BID # 50-135442

All decking shall be diamond tread plate steel for operator safety. Steps shall be provided on curbside of the unit.

The unit frame shall be a minimum of 10" Front & rear and 6" rail formed 3/16" channel.

### STANDARD SEWER CLEANING ACCESSORIES

Following cleaning tools to supply:

- One ¾" stainless steel sewer-cleaning nozzle having five 35-degree rearward jets.
- One ½" stainless steel sewer-cleaning nozzle having five 35-degree rearward jets.
- One ¾" stainless steel sewer-cleaning nozzle having five 15-degree rearward jets.
- One ½" stainless steel sewer-cleaning nozzle having five 15-degree rearward
- One ¾" RED DAWG 10 JET Grenade nozzle with replaceable inserts.
- One ¾" RED DAWG Chisel Point nozzle with replaceable inserts

Following ¾" cleaning hoses to be supplied:

- 600 ft ¾" 3000 PSI jet hose
- 500 ft. ½" 4000 PSI jet hose
- Two Leader Hoses (steel wire braid) (1) ¾" x 10' long (1) ½" x 10' long.
- (1) 3" Tiger Tail hose protector.
- (1) 2" Tiger Tail hose protector.

Wash down system includes:

- 25 ft Handgun gun hose with hand gun.  
Handgun relief valve (the relief valve shall be adjustable)
  - The hand gun system shall operate at a minimum of 500 psi and a maximum of 800 PSI. The quick disconnect for the handgun shall be mounted at the operator station
- (1) Upper manhole roller constructed of aluminum.

## **TOOL BOXES**

One (1) 12" x 14" x 72" Full locking toolbox shall be installed between water tank and dual hose reel mounted above frame

One (1) 18" x 18" x 36" toolbox shall be installed on unit below frame driver side.

One (1) 19" x 33" x 40" toolbox shall be installed on unit above frame driver side

Boxes shall be made of diamond tread plate aluminum and shall lock.

One (1) 14" x 14" x 36" Tool tray aluminum construction above frame driver side.

## **LIGHTING**

Stop Lights

DOT/ICC lighting to meet Federal/State laws

Two (2) upper work lights mounted each side arrow stick at operator station (LED).

(1) Strobe light with limb guard to be mounted on unit on/off switch to be located in cab (LED).

(1) Directional traffic arrow stick to be mounted on the rear of the unit. Controls for the arrow stick shall be located in the cab (LED).

## **VACUUM SYSTEM**

The capacity of the tank shall be at least 100 gallons Construction shall be carbon steel.

The vacuum system shall be Hydraulic driven utilizing a direct drive hydraulic pump *off* the auxiliary engine. Due to emissions and securing independent operation of the sewer cleaner vacuum systems driven of the chassis PTO will not be accepted.

The vacuum tank shall have a full opening rear door with 4 wing bolts

The positive displacement blower system shall incorporate an electric on off system located on control panel.

Body Washout System shall be installed forward in the vacuum tank. The body washout system

## BID SPECIFICATIONS FOR BID # 50-135442

shall have a 3-way ball valve for utilizing the main water pump pressure.

The PD (positive displacement) blower vacuum blower shall be a minimum 500 CFM. The system shall incorporate a 4" port final muffler.

The pump and hydraulic motor shall be mounted for easy access. The hydraulic system shall be installed and limit the blower from over speeding. The filtration system shall utilize a minimum of the following:

Primary moisture trap and float ball Final filter

All trap shall incorporate full opening access doors for cleaning and maintenance

The blower speed controls shall be mounted on the hose reel control panel. 3-3" aluminum vacuum tubes in the following lengths:

4' Crown with male and female cam-lock ends 4' with male and female cam-lock ends

5' with male and female cam-lock ends

10' vacuum hose with male and female ends.

The piping and hose shall have storage racks all pipes and hoses. The rack shall be accessible from ground level.

A pipe storage rack for the tubing and hose shall be permanently installed on the vacuum tank.

### PAINTING AND LINER

- Entire module frame, debris tank and hose reel shall be sprayed with industrial speed liner. The frame shall be coated top and bottom 8-10 MIL. Components shall be coated separately prior to assembly. The engine compartment and guards shall not be coated they will be constructed of aluminum diamond tread plate.
- All hydraulic, water pressure fittings and hoses shall be free of the liner.

### INTENT:

This specification describes a 500-gallon high-pressure truck mounted Sewer Jetter. The sewer cleaner shall be manufactured in a way that will utilize a water pump driven by an auxiliary Tier 4 final diesel engine with dual independent hydraulic drive sewer

## BID SPECIFICATIONS FOR BID # 50-135442

hose reels. The machine is equipped with a self-contained, non-corrosive, non-metallic water tank supply as the water source for the high-pressure pump. The machine will be equipped with vacuum system driven by the auxiliary engine & 100 gallon debris tank with 500 CFM and capable of being operated by one man, with all operating controls for high-pressure, dual hose reels, and vacuum system located on a single control panel at the rear of the machine for operator safety.

### **GENERAL TERMS:**

All equipment furnished under this contract shall be new and current production. Accessories not specifically mentioned herein, but necessary to furnish complete unit ready for use, shall also be included. Unit shall conform to the best practice known to the body trade in design, quality of material and workmanship. Assemblies, sub-assemblies and component parts shall be standard and interchangeable throughout the entire quantity of units as specified in this invitation to bid. The equipment furnished shall be manufactured in the USA.

### **GUARANTEE:**

The body shall be covered by minimum a twelve (12) month warranty against manufactured defects. Extended warranty items are listed in specifications.

### **PARTS MANUAL:**

Bidder shall furnish complete parts, maintenance, and operator's manual with each body sold.

### **JETTING TANK**

The capacity of the tank shall be at least 500 gallons

Construction shall be black high density polyethylene with ultraviolet inhibitors to prevent undue brittleness when exposed to sunlight and shall be of round design for additional strength. White or clear tanks will not be acceptable due to algae growth from sunlight. Tank shall have sight gauge visible from operator's station. The sight

BID SPECIFICATIONS FOR BID # 50-135442

gauge shall be connected to the tank on the top and the bottom of the gauge. Open ended gauges are not acceptable.

The tank shall be mounted over the rear axle for optimum load distribution. The tank shall have a minimum *five* (5) year standard manufacturer's warranty.

A 2 ½" overhead type tank filling assembly shall be located on the curbside. A positive air gap anti-siphon system shall be incorporated to protect the portable water supply. The tank shall be capable of being filled without removal of inspection lid.

One 25' x 2 ½" curb side filler hose with fittings and carrying rack (Aluminum Construction) will be included.

The tank shall be vented and fitted with a (separate from fill system) removable port to permit inspection and access into the tank.

The system shall incorporate a suction line and a slope bottom tank to permit utilizing the entire bottom portion of the tank and settling chamber for heavy materials and to eliminate the possibility of these materials reaching the pump.

A final strainer shall be provided in the main water pump feed line. The strainer cap shall be removable by hand. Strainers requiring tools to remove the cap are unacceptable.

The tank shall be mounted in such a manner as to prohibit torsional racking of the frame from transmitting through the tank.

The tie down pipes shall be aluminum. Nylon tie down straps will not be accepted. The tank shall have a minimum 2 ½" ball valve for isolating the filter strainer. Gate valves are not acceptable.

## BID SPECIFICATIONS FOR BID # 50-135442

### **PUMP**

The pump shall be PTO clutch belt driven L Bracket design, triplex positive displacement, heavy duty, single acting, and triple plunger type. It shall be installed to operate at 40 GPM@ 3000 PSI

The water pump to be deck mounted between the water tank and cab of truck for noise suppression to operator.

The plungers shall be ceramic material.

The valves shall be stacked, pressed

in valves will not be accepted. The

water pump to carry a (2) year

manufactures' warranty.

Pump system shall include multi-flow feature at control panel, feature to allow pressure changes with use of needle valve without changing the rpm of the engine.

Air purge system with air valve and needle valve located on a pressure outlet on the water pump will be provided.

Spray bar front bumper adjustable with 8 removable jets. The system to have in cab controls for auxiliary engine ignition, pressure control, engine rpm, and pressure gauge. The spray bar to operate up to 3000 psi.

### **DUAL HYDRAULIC ARTICULATING HOSE REEL ASSEMBLY**

The unit shall be equipped with independent dual hose reels. Hose reels to be rear mounted on a single 3/8" steel plate and have 800 ft capacity of 3/4" sewer hose & 800 ft. 1/2" sewer hose. The hose reels shall be narrow design for easy level wind; reels shall not exceed 10" in width. Hose reels shall be constructed of a minimum of 3/8" steel to withstand maximum working pressure without distortion. 1/4" hose reels requiring flanges

**BID SPECIFICATIONS FOR BID # 50-135442**

for support will not be accepted. The hose reel shall be mounted to truck frame for lower profile. The hose reel shall not exceed 35" from ground level for ease of operation.

The hose reels shall be driven by hydraulic power in both directions. The hydraulic drive shall have sufficient power to retract the hose when fully extended into the sewer with the cleaning nozzle in operation. The reels shall be driven dual chain drive from the reel motor.

One hose guide (Double Poly Roller Design Hinged in Center) shall be provided to permit proper alignment of the ¾" hose on the reel. The guide shall be pinned in place when not in use.

One hose guide (Single Roller Design) shall be provided to permit proper alignment of the ½" hose on the reel. The guide shall be pinned in place when not in use.

The reels shall be so constructed that there are no elbows or fittings inside the drum to hinder winding and to cause maintenance problems. The hose shall enter the reels through the high pressure tubing side flange to permit ease in winding and to minimize the possibility of damage to the hose.

The hose reels and center mounted aluminum control panel shall simultaneously hydraulically articulate 90 degrees to each side of center. The reels shall articulate on a heavy-duty worm gear. For operator's safety and ease of operation, the hose reels shall lock hydraulically in any position throughout its travel. Manual swing reels with locking pin are unacceptable.

The plungers shall be ceramic material. The valves shall be stacked, pressed in valves will not be accepted. The water pump to carry a (2) year manufactures' warranty.

Pump system shall include multi-flow feature at control panel, feature to allow pressure changes with use of needle valve without changing the rpm of the engine.

## BID SPECIFICATIONS FOR BID # 50-135442

Air purge system with air valve and needle valve located on a pressure outlet on the water pump will be provided.

Spray bar front bumper adjustable with 8 removable jets. The system to have in cab controls for auxiliary engine ignition, pressure control, engine rpm, and pressure gauge. The spray bar to operate up to 3000 psi.

### **DUAL HYDRAULIC ARTICULATING HOSE REEL ASSEMBLY**

The unit shall be equipped with independent dual hose reels. Hose reels to be rear mounted on a single 3/8" steel plate and have 800 ft capacity of 3/4" sewer hose & 800 ft. 1/2" sewer hose. The hose reels shall be narrow design for easy level wind; reels shall not exceed 10" in width. Hose reels shall be constructed of a minimum of 3/8" steel to withstand maximum working pressure without distortion. 3/4" hose reels requiring flanges for support will not be accepted. The hose reel shall be mounted to truck frame for lower profile. The hose reel shall not exceed 35" from ground level for ease of operation.

The hose reels shall be driven by hydraulic power in both directions. The hydraulic drive shall have sufficient power to retract the hose when fully extended into the sewer with the cleaning nozzle in operation. The reels shall be driven dual chain drive from the reel motor.

One hose guide (Double Poly Roller Design Hinged in Center) shall be provided to permit proper alignment of the 3/4" hose on the reel. The guide shall be pinned in place when not in use.

One hose guide (Single Roller Design) shall be provided to permit proper alignment of the 1/2" hose on the reel. The guide shall be pinned in place when not in use.

The reels shall be so constructed that there are no elbows or fittings inside the drum to hinder winding and to cause maintenance problems.

## BID SPECIFICATIONS FOR BID # 50-135442

The hose shall enter the reels through the high pressure tubing side flange to permit ease in winding and to minimize the possibility of damage to the hose.

The hose reels and center mounted aluminum control panel shall simultaneously hydraulically articulate 90 degrees to each side of center. The reels shall articulate on a heavy-duty worm gear. For operator's safety and ease of operation, the hose reels shall lock hydraulically in any position throughout its travel. Manual swing reels with locking pin are unacceptable.

A directional valve shall be supplied at operator station for alternating hydraulic drive and hydraulic articulation.

The hose reel swivels shall be greaseable and carry a (1) year warranty.

For operator's safety and ease of operation, the hose reel shall be infinitely lockable throughout its travel. Units with reset locking pins will not be accepted.

The reels shall lock in position and articulate by a lever at control panel. The ¾" jet hose reel shall be equipped with hose footage counter.

### **HOSE REELS DRIVE SYSTEM**

The hydraulic power for driving the hose reels shall consist of a hydraulic pump gear direct driven by the engine, a direction (reel in & out) and a speed control valve with a built in overload relief and hydraulic hose rated to withstand the maximum system pressure.

The hydraulic pump shall have a minimum capacity of at least 8 GPM @ 2500 RPM. The aluminum oil reservoir tank shall have a minimum capacity of at least 15 gallons.

A directional valve shall be supplied at operator station for alternating hydraulics between the

## BID SPECIFICATIONS FOR BID # 50-135442

hose reels.

The hydraulic oil filter shall be the spin-on, in-line type.

### **CONTROL PANEL**

All gauges, switches, levers, necessary for the operation of the unit, shall be grouped on a single control panel mounted between the dual hose reels, so the operator may have complete control of the cleaning operation while standing at one location. The control panel shall be constructed of aluminum.

The following instruments and controls shall be located at the hose reels operator station.

Keyed engine ignition switch/ With Electric throttle Digital gauge package and water pressure gauge. Lever for diverting the hydraulic flow to each hose reel. Lever for diverting the water flow to each hose reel.

Lever for controlling the speed and direction of the hose reel when moved from a central position.

Flow control valve for further control of reels speed for safety of operator.

Single exterior mounted high pressure lever water control valve shall regulate direction of water to hose reel or back to tank.

### **WARRANTY:**

**MANUALS: (2) PARTS, (2) SERVICE MANUALS, (2) WIRING DIAGRAMS IF MANUFACTURER STILL PROVIDES. IF NO MANUALS, CD'S WILL BE ACCEPTED.**

**SAFETY: MUST MEET OR EXCEED ALL FEDERAL AND STATE SAFETY STANDARDS.**

DATE: 8/18/2021  
BID NO.: 50-00135442

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 1

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

BUYER: DREAMEY@jeffparish.net

**BIDS WILL BE RECEIVED ONLINE VIA WWW.JEFFPARISHBIDS.NET UNTIL 2:00 PM, 9/09/2021 AND PUBLICLY OPENED THEREAFTER IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETNA, LA 70053. At no charge, bidders are to submit via Jefferson Parish's electronic procurement page by visiting [www.jeffparishbids.net](http://www.jeffparishbids.net) to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.**

**LATE BIDS WILL NOT BE ACCEPTED**

**NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2620(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.**

**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS**

**THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS**

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647 as amended.

Jefferson Parish adheres to the Louisiana Code of Governmental Ethics, contained in Louisiana Revised Statutes Annotated, R.S. 42:1101, et seq. Vendor/Proposer by this submission, warrants that there are no "conflicts of interest" related to this procurement that would violate applicable Louisiana Law. Violation of the Louisiana Code of Governmental Ethics may result in rescission of contract, permit or licenses, and the imposition of fines and/or penalties, without contractual liability to the public in accordance with applicable law.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

All formal Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietors must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

### INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

**A. AWARD OF CONTRACT:** JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIBLE BIDDER, taking into consideration the CONFIRMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

**PROTESTS:** Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

**PREFERENCE:** Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. LSA - R.S. 38:2251-2261

**B. USE OF BRAND NAMES AND STOCK NUMBERS:** Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

**C. CANCELLATION OF CONTRACT:** JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns, and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

**D. PRICES:** Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (B)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

DATE: 8/18/2021

BID NO.: 50-00135442

**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS**

Page: 3

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

**IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS**

**This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.**

**Please visit our E-Procurement Page at [www.jeffparishbids.net](http://www.jeffparishbids.net) to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.**

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 as amended. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

**ADDITIONAL REQUIREMENTS FOR THIS BID**

**PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.**

**13 , 15**

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.

### INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies) When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

**INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS**

15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment."). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

**It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to JPCO 2-155.10(19). By signing this document, every corporation, partnership, or person contracting with PARISH, whether by cooperative endeavor, intergovernmental agreement, bid, proposal, application or solicitation for a parish contract, and every application for certification of eligibility for a parish contract or program, attests that it understands and will abide by all provisions of JPCO 2-155.10.**

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES \_\_\_\_\_ NO

MAXIMUM ESCALATION PERCENTAGE REQUESTED \_\_\_\_\_%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF \_\_\_\_\_.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

*\* Pending Chassis Availability*

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

120-150 A.R.O.

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable)

N/A

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Covington Sales & Service, Inc.

ADDRESS: 7868 Florida Blvd. (P.O. Box 1144) (70727)

CITY, STATE: Denham Springs, LA ZIP: 70726

TELEPHONE: (800) 349-8000 FAX: (225) 665-1567

EMAIL ADDRESS: pata@covingtonsales.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: #1 *OK*

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

TOTAL PRICE OF ALL BID ITEMS: \$ 361,340.00

AUTHORIZED SIGNATURE: *Chris Kinchen*

Chris Kinchen

Printed Name

TITLE: President

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.  
NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	2.00	ONLY	<p>ONE TIME PURCHASE OF A PIPEHUNTER CABOVER DUAL REEL TRUCK MOUNTED JET RODDER WITH VACUUM SYSTEM MODEL:5834 TMV 500 GALLON/3000 PSI AT 40 GPM DUAL HYDRAULI HOSE REEL FOR SEWERAGE DEPT.</p> <p>0010 - PipeHunter CabOver Dual Reel Truck Mounted Jet Rodder with Vacuum System, Model: 5834 TMV, 500 Gallon/3000 PSI at 40 GPM Dual Hydraulic Hose Reels</p> <p>NOTE: FOR WEST BANK LINES</p> <p><i>We take no exceptions to your advertised specifications.</i></p>	<p><i>\$180,670.00</i></p>	<p><i>\$361,340.00</i></p> <p><i>clj.</i></p>

CORPORATE RESOLUTION

CR.

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF  
Covington Sales & Service  
INCORPORATED.

AT THE MEETING OF DIRECTORS OF Covington Sales & Service  
INCORPORATED, DULY NOTICED AND HELD ON June 11, 2013,  
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT  
WAS:

RESOLVED THAT Chris Kinchen, President, BE AND IS HEREBY  
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-  
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON  
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS  
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,  
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE  
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,  
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES  
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS  
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING  
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-  
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE  
A TRUE AND CORRECT COPY OF AN  
EXCERPT OF THE MINUTES OF THE ABOVE  
DATED MEETING OF THE BOARD OF  
DIRECTORS OF SAID CORPORATION, AND  
THE SAME HAS NOT BEEN REVOKED OR  
RESCINDED.

Jacquelyn C. Covington  
SECRETARY-TREASURER

September 22, 2021  
DATE

Non-Public Works Bid

AFFIDAVIT

*AK*

STATE OF Louisiana

PARISH/COUNTY OF Livingston

BEFORE ME, the undersigned authority, personally came and appeared: Chris Kinchen, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized President of Covington Sales & Service, INC. (Entity), the party who submitted a bid in response to Bid Number 50-00135442, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

**(Choose A or B, if option A is indicated please include the required attachment):**

Choice A \_\_\_\_\_ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B  there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

**(Choose A or B, if option A is indicated please include the required attachment):**

Choice A \_\_\_\_\_ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.


Choice B  There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

*[The remainder of this page is intentionally left blank.]*

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.




Signature of Affiant

CHRIS KINCHEM

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 22nd DAY OF Sept., 2021.



Notary Public

Patricia H. Sanchez

Printed Name of Notary

51225

Notary/Bar Roll Number

My commission expires with death.

License No. SV-2020-00128  
DPS Code: SDCF

2020-2022

Not Transferable  
Valid Only at Address Below

# Louisiana Motor Vehicle Commission

This Certifies that

Covington Sales & Service, Inc.  
7868 Florida Boulevard  
Denham Springs, LA 70726  
Raymond E. Covington & Chris Kinchen, Dealer-Operators

is duly licensed as a  
Specialty Vehicle Dealer  
of the following

Conversion(s): CUES, Duraco, Palfinger Epsilon A-Frame, Palfinger Epsilon L-Boom  
Palfinger Epsilon Z-Boom, NewWay, PB Loader, PipeHunter, Schwarze, Tiger, VAC-CON  
VT LeeBoy

For the period ending May 31, 2022, unless license is sooner revoked.

In Witness whereof, LOUISIANA MOTOR VEHICLE COMMISSION, under and by virtue of the authority vested in it by the laws of the State of Louisiana, has caused this license to be issued with its seal imprinted hereon.

LOUISIANA MOTOR VEHICLE COMMISSION

Dated June 1, 2020  
Signed, Sealed and Attested



Executive Director

(To be prominently displayed in place of business)





### **New 2021 – 2022 PipeHunter & VacHunter Warranty Items:**

- Diesel Engines – 3 YR 3000 HRS
- Water Tanks – 5 YR
- Water Pumps – 2 YR
- All other Components- 1 YR

Manufacture Defects

### **WARRANTY**

Underground, Inc., as Manufacturer of PipeHunter Equipment, warrants that all equipment produced by it and bearing the PipeHunter name shall be free from defects in material and workmanship, under normal use and service as determined by Underground, Inc. for a period of twelve (12) months from the date of delivery to the first retail purchaser. If the unit is first placed into service as a demonstrator, the warranty period shall begin on the date the unit is first placed in such service.

Should any equipment or part of such equipment sold hereunder prove to be defective in material or workmanship within said period, and be returned to Manufacturing facility no later than 15 days after the expiration date of the warranty, transportation charges prepaid by the Buyer, and upon examination be found to be defective, such part will be replaced at the factory by the Manufacturer free of charge. Duly the Manufacturer shall be under no further liability in respect to such warranty. It is expressly understood that Manufacturer's liability is limited to furnishing of such replacement parts within a reasonable length of time and that Manufacturer will not be liable for any damages, losses or expenses arising in connection with the use of or inability to use the unit(s) whatsoever. Buyer shall be responsible for the payment of duties or taxes on warranty parts, if applicable. The Manufacturer shall be under no liability because of normal wear and tear or operation or maintenance contrary to the manufacturer's official Operator's manual. The Buyer accepts any liability for damage or injury resulting from the removal or alteration of safety guards and safety precautions provided on the unit at the time of delivery. This warranty shall not apply and Underground shall have no liability under it or otherwise if the unit shall have been injured by accident, careless handling or improper applications of if any repairs have been made to the unit by other than UNDERGROUND, its agents or employees.

Warranties covering major components not of Pipehunter manufacture (power plants, hydraulics, trucks, transmissions, electrical components, batteries, tires, etc.) are warranted by their respective manufacturers.

THIS WARRANTY IS NOT TRANSFERABLE

Todd B Bolin

National Sales Manager

03-01-21