

INVITATION TO BID**STATE OF LOUISIANA**

Calcasieu Parish School System
Office of Purchasing

**BIDS WILL BE PUBLICLY OPENED:**

Date & Time: 3/20/2023 at 11:00am

=====> SOLICITATION # :

2024-01

OPENING DATE :

3/20/2023 at 11:00am

=====>

VENDOR NAME AND ADDRESS

State Industrial Products
5915 Landerbrook Dr., Suite 300
Mayfield Heights, OH 44124

**FILL IN VENDOR NAME AND CONTACT NAME,
ADDRESS ABOVE, BEFORE SUBMITTING BID.**

RETURN BID TO

**Purchasing Department
Calcasieu Parish School System
3310 Broad Street Room 1300
Lake Charles, LA 70615**

BUYER
BUYER PHONE

:
: (337) 217-4000

REQ. DEPARTMENT

OFFICE OF PURCHASING

FISCAL YEAR

SCHEDULED END DATE

ITEM(S) FOR:

Janitorial

INSTRUCTIONS TO BIDDERS

1. READ THE ENTIRE BID, INCLUDING ALL TERMS AND CONDITIONS AND SPECIFICATIONS
2. ALL BID PRICES **MUST** BE TYPED OR WRITTEN IN INK. ANY CORRECTIONS, ERASURES OR OTHER FORMS OF ALTERATIONS TO UNIT PRICES SHOULD BE INITIALED BY THE BIDDER.
3. THIS BID IS TO BE SIGNED MANUALLY IN INK UNLESS SUBMITTED ELECTRONICALLY IN ACCORDANCE WITH CURRENT STATE STATUTES.
4. BID PRICES SHALL INCLUDE DELIVERY OF ALL ITEMS F.O.B. LAKE CHARLES, LA OR AS OTHERWISE PROVIDED. BIDS CONTAINING "PAYMENT IN ADVANCE" OR "C. O. D." REQUIREMENTS ARE NOT ACCEPTABLE. PAYMENT IS TO BE MADE WITHIN 30 DAYS AFTER RECEIPT OF PROPERLY EXECUTED INVOICE OR DELIVERY, WHICHEVER IS LATER. NO "SHORT PAYMENT" OF INVOICES ARE ALLOWED
5. DESIRED DELIVERY 45 DAYS AFTER RECEIPT OF ORDER OR SOONER

ANY QUESTIONS ABOUT ANY ITEM SHOULD BE DIRECTED TO BUYER AND PURCHASING DEPARTMENT.

CONDITIONS CONTINUED ON NEXT PAGE

VENDOR PHONE NUMBER: 800-782-2436

FAX NUMBER: 888-771-9670

TITLE VP General Counsel

DATE 03/16/2023

PRINTED NAME OF PERSON SIGNING BID

Steven Strang

SIGNATURE (MUST BE SIGNED)

Item#	Product Description	QTY	UNIT	UNIT PRICE	TOTAL COST	NOTES
1	BOTTLES PLASTIC 22 OR 24 OZ WITHOUT TRIGGER SPRAYER, CONTINENTAL 922B OR EQUAL, CPSB #90030650	626	EACH			No Bid
2	PUMIE FLEX-24C, FLEXI-SCOUR SCOURING SCREEN WET/ DRY, 48/CS, CPSB #90032181A	7	CASE			No Bid
3	SCOURING PAD, GREEN, GENERAL PURPOSE, 6 X 9, 6/10/CASE, ACS-S096, CPSB#90032182	30	PKG			No Bid
4	SCOURING PAD, ALL-PURPOSE, 3M SCOTCH-BRITE #9488R, 40 CASE, CPSB#90032184	300	PAD			No Bid
5	BROOMS, WAREHOUSE, 100% CORN, 58" LONG, HEAVY METAL BAND WITH 4 ROWS OF STITCHING, WOOD HANDLE, CONTINENTAL E503028, CPSB #90032360	510	EACH			No Bid
6	TOILET BOWL BRUSHES, SCRATCHLESS , 15 1/2" MIN. OVERALL LENGTH, PLASTIC BRISTLE MATERIAL, RESISTANT TO CHEMICALS, HOLE ON HANDLE FOR EASY STORAGE, SAMPLE REQUIRED! CPSB #90032502	181	EACH			No Bid
7	TOILET BOWL MOP, 4 1/2" STRANDS OF ACID-RESISTANT POLYPROPYLENE YARN, 12" PLASTIC HANDLE, WHITE, CPSB #90032501	70	EACH			No Bid
8	SHORT HANDLE UTILITY BRUSH, WHITE PLASTIC, NYLON, 5" FACE, 9" LONG, 12/CS CPSB# 90032503	5	EACH			No Bid
9	LONG HANDLE UTILITY BRUSHES, WHITE PLASTIC, NYLON, 5" FACE, 20" LONG, 12/CS CPSB# 90032505	24	EACH			No Bid
10	BULBS, INCANDESCENT LIGHT #60A, A19CL60/1, 60 WATT, 120 VOLTS, MEDIUM BASE, CPSB #90034660	108	EACH			No Bid
11	BULBS, INCANDESCENT LIGHT #100A, A19CL100/1, 100 WATTS, 120 VOLTS, MEDIUM BASE, CPSB #90034720	30	EACH			No Bid
12	JANITOR MOBILE CART AND 6-BUSHEL CAPACITY CANVAS BAG CONTINENTAL HUSKEE 275, BLUE X FRAME FOLDING CART, CPSB #90100230	101	EACH			No Bid
13	DEODORANT BLOCKS, 2-1/4" X 1", 12 BLOCKS PER TUBE, 12 TUBES PER CASE CPSB #90102180	29	CASE			No Bid
14	URINAL SCREEN WITH BLOCKS, 4 OZ, DOZEN, 7 1/8 X 3/4 X 1 1/4, NON PARA, VARIOUS SCENTS, CONTINENTAL 165-1 OR EQUAL CPSB# 90102192	274	DZ			No Bid
15	SCOURING STICK, PORCELAIN & TILE CLEANER, ONE BAR 6 X 1 1/4 X 3/4, 12 BOX, CPSB #90102755	39	DZ			No Bid
16	DUST PANS, 14" W X 10" L X 3 1/2" H, WITH 32" ALUMIUM HANDLE, CONTINENTAL 912, CPSB #90102760	266	EACH			No Bid
17	FIRE ANT KILLER, HI YIELD, 10 LB BAG, GRANULES, CPSB #90200620	290	BAG			No Bid
18	FLOOR SIGNS, "CAUTION-WET FLOOR", YELLOW #6109, RUBBERMAID OR EQUAL, CPSB #90200900	238	EACH			No Bid
19	GLASSES, SAFETY, CLEAR/SHADED, #SER3275 OSHA APPROVED WITH PLASTIC COATED LENSE SIDE SHIELDS, CPSB #90220010	89	PAIR			No Bid
20	GLOVES, LINED, LATEX RUBBER, SIZE LARGE, CPSB #90220090	648	PAIR			No Bid
21	WET MOP HANDLES, LIEFLAT HANDLES, HANDLES 1 1/8" X 60", (FOR SCREW TYPE MOP HEAD) (FOR LIEFLAT MOP HEADS), ABCO 01210-NB, CPSB#90300090	780	EACH			No Bid
22	HOLDER TOILET TISSUE RT#22 OR EQUAL, CPSB #90300280	212	EACH			No Bid
23	WET MOP HEADS, 16 OZ, RAYON LIEFLAT MOP HEAD, ABCO CM-2216S WITH METAL BAND, FOR LIEFLAT MOP HANDLE, SCREW TOP CPSB#9000369	92	EACH			No Bid

Item#	Product Description	QTY	UNIT	UNIT PRICE	TOTAL COST	NOTES
48	(TO BE REQUESTED ON AN AS NEEDED BASIS ON THIS CURRENT ORDER). HAND ROLL TOWEL DISPENSER FOR BAYWEST-313, LEVER CONTROL, TO BE SUPPLIED 1 DISPENSER FOR EVERY 10 CASES OF HAND ROLL TOWELS, CPSB# 90102310	606	EACH	FREE	FREE	No Bid
49	BLEACH, 1 GAL CONTAINER, 6/CS PUREBRIGHT, PUREX, OR EQUAL CPSB# 90030580	504	CASE			No Bid
50	HERBICIDE, (WEED KILLER) 2 1/2 GAL 6/CN CPSB# 90300200	6	CN			No Bid
51	BAGS PLASTIC FOR XFRAME CART 10 BUSHEL CAPACITY, O'CEDAR NCP=6994 CPSB# 90030221	70	EACH			No Bid
52	XFRAME TRASH CART, JANITOR, 10 BUSHEL CAPACITY, O'CEDAR NCP-96994 OR EQUAL CPSB# 90100231	70	EACH			No Bid

In accordance with the Louisiana Revised Statutes, a preference may be allowed for products, produced, manufactured or grown in Louisiana of equal quality.
DO YOU CLAIM PREFERENCE? _____YES ☒ NO
If yes, specify location within Louisiana where this product is manufactured, produced, or grown: _____

BIDDERS PROPOSING AN EQUIVALENT BRAND OR MODEL SHOULD SUBMIT WITH THE BID INFORMATION (SUCH AS ILLUSTRATION, DESCRIPTIVE LITERATURE, TECHNICAL DATA) SUFFICIENT FOR CALCASIEU PARISH SCHOOL BOARD TO EVALUATE QUALITY, SUITABILITY, AND COMPLIANCE WITH THE SPECIFICATIONS IN THE SOLICITATION.

INSECTICIDES *Solutions*



zero-in™
WAS®
WASP & HORNET KILLER

- Powerful active ingredients kill dangerous insects on contact, including wasps, hornets, bees, and yellow jackets
- Spray nests and hives from a safe distance with a long range spray of up to 20'
- High dielectric strength of 47,300 volts, can be used around electrical boxes



State®
Since 1911

CARE FOR WORK ENVIRONMENTS®

**FAST KNOCKDOWN ON-CONTACT**

Zero In WAS's powerful active ingredients kill dangerous insects on contact, including wasps, hornets, bees, and yellow jackets.

BLAST SPRAY - AS LONG AS 15 FEET

Spray nests and hives from a safe distance with a long range spray.

HIGH DIELECTRIC STRENGTH

Zero In WAS Wasp & Hornet Killer has a dielectric strength of 47,300 volts.

INDOOR/OUTDOOR FORMULA

Use on outdoor nesting sites as well as indoors in warehouses, parking garages, picnic shelters, etc.

TECHNICAL DATA:

APPEARANCE: clear

ODOR: solvent

CONTAINS NO OZONE DEPLETORS:

No 1,1,1 - Trichloroethane or other chlorinated solvents

FLASH POINT: >200°F (60°C) (TCC) Combustible

ACTIVE INGREDIENTS: Tetramethrin [1-Cyclohexene-1,2-dicarboximido) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate].....0.10%
Permethrin.....0.25%
Piperonyl butoxide.....0.50%

AUTHORIZATIONS:

Environmental Protection Agency (EPA). #44446-71-70799

WARNING: Zero In WAS Wasp & Hornet Killer is combustible. Do not spray around heat, sparks or open flames.

PACKAGING

128964-12 12 OZ Aerosol/CS12
128964-24 12 OZ Aerosol/CS24



State Industrial Products
5915 Landerbrook Drive
Mayfield Heights, OH 44124
To Order Call: 1-866-747-2229
www.stateindustrial.com

Canada
6935 Davand Drive
Mississauga, Ontario L5T 1L5
To Order Call: 1-800-668-6513

Puerto Rico
Royal Industrial Park, Bldg "M"
Local #5, Carr 869, km 1.5 Palmas
Cataño, PR. 00962
To Order Call: 787-275-3185



SAFETY DATA SHEET

State Industrial Products
5915 Landerbrook Drive
Mayfield Heights, OH 44124
To Order Call: 1-866-747-2229

Royal Industrial Park, Bldg "M"
Local #5, Carr 869, km 1.5 Palmas
Cataño, PR. 00962
To Order Call: 787-275-3185



1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ZERO IN WAS Wasp and Hornet
Product Description: insecticide
EPA Registration Number: 44446-71-70799

24 Hour Emergency CHEMTREC Number: 800-424-9300
MSDS Number: 103285
EPA Establishment Number: 44446-TX-1

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

FIFRA Hazard Classification:

moderate eye irritation. Avoid contact with eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wear long sleeved shirt and long pants, socks and shoes.

Compressed Gas, Liquified Gas, Dissolved Gas
Serious eye damage/eye irritation: Category 2B
Aspiration Hazard: Category 1



Compressed Gas Human Health

DANGER

Hazard Statements:

H280 Contains gas under pressure; may explode if heated. H320_3 Causes eye irritation. H304_3 May be fatal if swallowed and enters airways.

Precautionary Statements:

P264 Wash hands thoroughly after handling.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Ingredients	CAS Number	Weight	ACGIH	OSHA
Petroleum Distillates	64742-47-8	60-100%	200 ppm	NE
Carbon Dioxide	124-38-9	1-5%	5000 ppm	5000 ppm

The exact percentages have
been withheld as a trade secret.

4. FIRST AID MEASURES

P301_3+P310_3+P331_3 IF SWALLOWED: Immediately call a POISON CENTER or physician. Do NOT induce vomiting. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice.

5. FIRE FIGHTING MEASURES

Flashpoint(Method): >200°F [93°C]
Lower Explosive Limit(LEL): N/D Upper Explosive Limit(UEL): N/D Autoignition Temperature: N/D
Flammable Properties: Keep away from sparks, open flames, and hot surfaces. No smoking.
Extinguishing Media: Carbon Dioxide, dry chemical, foam.
Fire Fighting Instructions: Wear a self-contained breathing apparatus with full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Use absorbent on spill, sweep to clean. Dispose in accordance with local, state and federal laws. Small releases may be wiped up with wiping materials.

7. HANDLING AND STORAGE

P402 Store in dry place. P405 Store locked up. P410+P403 Protect from sunlight. Store in a well-ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use general or local ventilation to keep exposure levels below exposure limits.
Personal Protective Equipment:
Respiratory: Normal room ventilation is adequate. Use a NIOSH/MHSA approved respirator if exposure limits are exceeded.
Eye: Safety glasses with side-shields.
Skin: For repeated or prolonged contact, wear chemically impervious gloves such as Nitrile.
Other:

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear
Physical State: Liquid.
Solubility in Water: Negligible
Boiling Point: 450°F
Freezing Point: NA
Melting Point: NA

Odor: Mild.
pH: NA
Diluted pH: NA
Specific Gravity: 0.81
VOC Content:

10. STABILITY AND REACTIVITY

Stability: Stable

Hazardous Polymerization: Will not occur.

Conditions to Avoid: Temperatures greater than 122°F may cause bursting.

Incompatibility: Some plastics, strong oxidizing agents, acids, caustics, alkalis and chemically active metals.

Hazardous Decomposition Products: Carbon Dioxide, Carbon Monoxide

11. TOXICOLOGICAL INFORMATION

This product contains no ingredient at 0.1% or greater that is listed as a human carcinogen.

Hazardous Ingredients

Petroleum Distillates

Carbon Dioxide

CAS Number

64742-47-8

124-38-9

LD50

> 5000 mg/kg (oral rat)

NE

LC50

> 2500 ppm/4 hr (rat)

240 mg/l/1 hour (trout)

12. ECOLOGICAL INFORMATION

No data available

13. DISPOSAL CONSIDERATIONS

P501 Dispose of container in accordance with all Federal, State and Local Regulations regarding waste disposal.

14. TRANSPORT INFORMATION

DOT Shipping Data: Limited Quantity

Canadian TDG: Not Available for sale in Canada.

For International Shipments by Air: UN1950, aerosols, 2.2, limited quantity

For International Shipments by Vessel: UN1950, aerosols, non-flammable, 2.2, limited quantity

15. REGULATORY INFORMATION

TSCA: All ingredients in this product are listed or exempt from listing on the TSCA Chemical Inventory.

CEPA: Product is not available for sale in Canada

Proposition 65: This product contains no listed substances known to the State of California to cause cancer, birth defects or reproductive harm, at reportable levels under the statute.

SARA 313: This product contains no toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40CFR372).

VOC:

HMIS RATING: HEALTH = 2 FLAMMABILITY = 1 REACTIVITY = 0 PPE = A

WHMIS RATING: Not available for sale in Canada

16. OTHER INFORMATION

NA = Not Available or Not Applicable


NE = Not Established

Read and follow all label directions and precautions before using the product. This product is intended for industrial and institutional use only. NOT FOR HOUSEHOLD USE OR RESALE. KEEP OUT OF THE REACH OF CHILDREN. While we believe that the data contained herein is factual and the opinions expressed are those of qualified experts, the data are not to be taken as a warranty or representation for which the company assumes legal responsibility. They are offered solely for your consideration, investigation, and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State, and Local Laws and regulations.

Prepared On: 04/08/2022

Replaces:

FLOOR CARE *Solutions*



SFR[®]
Aerosol Baseboard Floor Finish Remover

- Thickened gel formula clings to baseboards and other vertical surfaces for maximum contact time
- Unique fan-shaped spray pattern fully coats baseboards and corners for easy and efficient application
- Added Morning Fresh[™] fragrance eliminates obnoxious odors



State[®]
Since 1911

CARE FOR WORK ENVIRONMENTS[®]



Aerosol Baseboard Floor Finish Remover

PREPS FOR FLOOR FINISH

The only way to have and maintain a beautiful floor is to have a perfectly clean surface before finishing. SFR baseboard stripper removes soil, wax and floor finish buildup around baseboards, appliances and ceramic wall tiles in corners and other hard-to-reach areas. Thoroughly strips the problem area and leaves it sparkling clean...ready for floor finish.

PENETRATES AND LIQUIFIES

SFR's exclusive formula contains Liquasolv, which breaks the chemical bond that holds the finish to the floor and liquifies it. Special cleaners then penetrate into the microscopic pores of the tile, lift out embedded dirt and polish, and hold them in suspension. Simply scrape and rinse.

CLINGS TO VERTICAL SURFACES

SFR's specially thickened formula allows it to cling to vertical surfaces such as baseboards—preventing runoff and evaporation. The longer it clings, the more thorough the job of stripping.

SPECIAL APPLICATION SYSTEM

The unique valve directs application of SFR down and out in a fan-shaped pattern that is approximately 12" wide, the size of most floor tiles. Ideal for applying on baseboards, under counters, ledges or other inaccessible places.

TIME-RELEASE FORMULA

SFR begins to work on contact. The microscopic bubble action tells you it's working. No more timing, no more guesswork. When the bubbling stops, the job is done.

ELIMINATES EXCESS COSTS

Unlike other floor strippers, SFR has no harsh chemical odors such as ammonia. Our pleasant Morning Fresh™ fragrance allows it to be used during regular business hours. Saves on overtime costs, especially in restaurants, supermarkets and hospitals.

DIRECTIONS FOR USE

1. Shake well before using.
2. To spray, can must be held upside down.
3. Hold can 6-10 inches from baseboard or surface to be sprayed. Cover wax and soil with a thick, even coating of SFR.
4. Do not use on painted or varnished surfaces. Immediately wipe off any overspray.
5. Wait 3-5 minutes or longer in cases of severe build-up. Then scrub the surfaces with a wet scouring pad or some type of mild abrasive pad.
6. Rinse surface clean with warm water. Allow to dry completely before recoating with floor finish.

NOTE: Before using, always test SFR on a small area of the surface to be cleaned to be sure that there is no attack. Note any change in color or texture, particularly on old tile floors.

Please review label and SDS for all product directions, precautions and first aid information.

TECHNICAL DATA

APPEARANCE: aerosol spray

ODOR: Morning Fresh™

FLAMMABILITY: positive flame extension

DELETERIOUS EFFECT ON:

VINYL: none

LINOLEUM: none

TERRAZZO: none

CERAMIC TILE: none

STAINLESS STEEL: none

PAINTED SURFACES: may attack some paints. Test small area before use.

PACKAGING

103840	19 OZ Aerosol/CS24
101214	19 OZ Aerosol/CS12



State Industrial Products
5915 Landerbrook Drive
Mayfield Heights, OH 44124
To Order Call: 1-866-747-2229
www.stateindustrial.com

Canada
6935 Davand Drive
Mississauga, Ontario L5T 1L5
To Order Call: 1-800-668-6513

Puerto Rico
Royal Industrial Park, Bldg "M"
Local #5, Carr 869, km 1.5 Palmas
Cataño, P.R. 00962
To Order Call: 787-275-3185

SAFETY DATA SHEET

State Industrial Products
5915 Landerbrook Drive
Mayfield Heights, OH 44124
To Order Call: 1-866-747-2229

6935 Davand Drive
Mississauga, Ontario L5T 1L5
To Order Call: 1-800-668-6513

Royal Industrial Park, Bldg "M"
Local #5, Carr 869, km 1.5 Palmas
Cataño, PR. 00962
To Order Call: 787-275-3185



1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: SFR
Product Description: Floor stripper.
EPA Registration Number: NA


24 Hour Emergency CHEMTREC Number: 800-424-9300
MSDS Number: M00537
EPA Establishment Number: NA

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

FIFRA Hazard Classification:
Not Applicable

Aerosols: Category 2
Compressed Gas, Liquified Gas, Dissolved Gas
Skin corrosion/irritation: Category 1A, B, C
Organ Toxicity: Category 1



DANGER

Hazard Statements:

H223 Flammable aerosol. H280 Contains gas under pressure; may explode if heated. H314 Causes severe skin burns and eye damage. H372 Causes damage to organs.

Precautionary Statements:

P210 Keep away from heat, sparks and open flames. No smoking. P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use. P260 Do not breathe in vapors. P261 Avoid breathing vapors. P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P280 Wear protective gloves, protective clothing, and eye protection.

3. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Hazardous Ingredients</u>	<u>CAS Number</u>	<u>Weight</u>	<u>ACGIH</u>	<u>OSHA</u>
Propane/n-butane	68476-86-8	<15%	1000 ppm	1000 ppm
Monoethanolamine	141-43-5	<5%	3 ppm	3 ppm

The exact percentages have
been withheld as a trade secret.

4. FIRST AID MEASURES

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical attention if you feel unwell. P332+P313 IF SKIN irritation occurs: Get medical attention.

5. FIRE FIGHTING MEASURES

Flashpoint(Method): N/D
Lower Explosive Limit(LEL): N/D Upper Explosive Limit(UEL): N/D Autoignition Temperature: NA
Flammable Properties: Keep away from sparks, open flames, and hot surfaces. No smoking.
Extinguishing Media: Carbon Dioxide, dry chemical, foam.
Fire Fighting Instructions: Wear a self-contained breathing apparatus with full protective clothing.

6. ACCIDENTAL RELEASE MEASURES

Ventilate area. Halt spill at source, dike and contain spill. Flush with plenty of water to drain. Dispose of in accordance with Federal, State and Local Regulations regarding waste disposal.

7. HANDLING AND STORAGE

P405 Store locked up. P410+P403 Protect from sunlight. Store in a well-ventilated place. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls: Use general or local ventilation to keep exposure levels below exposure limits.
Personal Protective Equipment:

Respiratory: Normal room ventilation is adequate. Use a NIOSH/MHSA approved respirator if exposure limits are exceeded.
Eye: Wear approved safety glasses or goggles with unperforated eyeshields where splashing may occur.
Skin: For repeated or prolonged contact, wear chemically impervious gloves such as Nitrile.
Other: An emergency eyewash station or source of clean potable water should be available in case of accidental eye contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White
Physical State: Liquid Aerosol
Solubility in Water: NA
Boiling Point: < 0 - 343°F; <-18 - 172°C.
Freezing Point: NA
Melting Point: NA

Odor: None
pH: NA
Diluted pH: NA
Specific Gravity: NA
VOC Content: <50%

10. STABILITY AND REACTIVITY

Stability: Stable
Hazardous Polymerization: Will not occur.
Conditions to Avoid: Heat, sparks or open flame.
Incompatibility: Do not mix with cationic disinfectant or sanitizers.
Hazardous Decomposition Products: Carbon Dioxide, Carbon Monoxide

11. TOXICOLOGICAL INFORMATION

This product contains no ingredient at 0.1% or greater that is listed as a human carcinogen.

<u>Hazardous Ingredients</u>	<u>CAS Number</u>	<u>LD50</u>	<u>LC50</u>
Propane/n-butane	68476-86-8	NE	NE
Monoethanolamine	141-43-5	1.19 ml/kg (oral rat)	NE

12. ECOLOGICAL INFORMATION

The product is not expected to be hazardous to the environment.

13. DISPOSAL CONSIDERATIONS

P501 Dispose of container in accordance with all Federal, State and Local Regulations regarding waste disposal.

14. TRANSPORT INFORMATION

DOT Shipping Data: Limited Quantity
Canadian TDG: Shipped in accordance with 49 CFR as part of a transborder shipment authorized under Section 5.2 (1) of the Canadian Transportation of Dangerous Goods.
For International Shipments by Air: UN1950, Aerosols, Flammable, 2.1
For International Shipments by Vessel: UN1950, Aerosols, Flammable, 2.1, Limited Quantity

15. REGULATORY INFORMATION

TSCA: All ingredients in this product are listed or exempt from listing on the TSCA Chemical Inventory.
CEPA: All ingredients in this product are listed or exempt from listing on the Canadian DSL/NDL.
Proposition 65: WARNING: This product can expose you to chemicals including Sodium O-Phenylphenate, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.
SARA 313: This product contains no toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (40CFR372).
VOC: <50%

HMIS RATING: HEALTH = 2 FLAMMABILITY = 2 REACTIVITY = 0 PPE = B

WHMIS RATING: See hazards identified in Section 2 above.

16. OTHER INFORMATION

NA = Not Available or Not Applicable
NE = Not Established

Read and follow all label directions and precautions before using the product. This product is intended for industrial and institutional use only. NOT FOR HOUSEHOLD USE OR RESALE. KEEP OUT OF THE REACH OF CHILDREN. While we believe that the data contained herein is factual and the opinions expressed are those of qualified experts, the data are not to be taken as a warranty or representation for which the company assumes legal responsibility. They are offered solely for your consideration, investigation, and verification. Any use of these data and information must be determined by the user to be in accordance with applicable Federal, State, and Local Laws and regulations.

Prepared On: 06/30/2021

Replaces: 01/23/2015