

DATE: 6/29/2018

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00123484

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: PEMBA Inc.

BUYER: DABRAHAM

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

2-3 weeks

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: Addendum #1

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

***** ALL BIDDERS MUST COMPLETE SECTION BELOW *****

FIRM NAME:

PEMBA Inc.

SIGNATURE:

(Must be signed here)



TITLE:

Director

PRINT OR TYPE NAME:

Zachary Fradella

ADDRESS:

104 P. Street

CITY, STATE:

Belle Chasse, LA

ZIP:

70037

TELEPHONE:

(504) 613-6362

FAX:

(504) 303-4392

EMAIL ADDRESS:

zackf@pemba.biz

TOTAL PRICE OF ALL BID ITEMS: \$ 4,859.73

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123484

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	27.00	EA	<p>A purchase of (27) 240W UFO High Bay Lights for the Department of Recreation</p> <p>0010 HUAGUAN 240W UFO High Bay 5000K 31,200 LM 0-10V Dimmable AC 100-277V 130LPW Meanwell Driver 120 Beam Spread DLC4.2</p> <p>To be used for Pontiff gym lights</p>	<p>\$179.99</p> <p>Quoted Topaz F-LUHB/200HL/50F-87</p>	<p>\$4,859.73</p>

LED UFO High Bay Fixture

SPEC SHEET



Upgrade Your Facility in Style!

Topaz's UFO style Generation 2 High Bay LED luminaires are compact, lightweight for easy install, and suitable for up to 35 foot mounting heights. DLC premium qualified with available models delivering 13 to 30K lumens. The luminaire offers a 50K hour life rating and is suitable for elevated ambient temperatures. Perfect for warehouses, gymnasiums and production assembly areas.



FEATURES

- Built-in cooling fins provide maximum heat dissipation for higher ambient temperatures
- Die cast hook mount standard for ease of installation
- 3/4" threaded hub for pendant mount applications
- Impact resistant glass lens
- Includes 6 foot power & dimming cord with leads
- Wet location rated IP65

APPLICATIONS

- Suitable for wet location
- Warehouse and industrial lighting, big box retail



Job Name/Title: _____ Catalog Number _____
Contractor: _____ Notes: _____


LED UFO High Bay Fixture SPEC SHEET

GENERAL SPECIFICATIONS

Volts: 120-277VAC
Power Factor: >0.9
THD: <20%
Average Rated Life: 50,000
Dimming*: 0-10 with max 2 mAmps sink current
Surge Protection: 6 KV
Beam Angle: 110°, IES Type V distribution
CRI: >80
CCT: 5000K
Color: Black
Ambient temp: -40°F to 140°F

DIMMER CONNECTION

- Compatible with 0-10V dimming.
- Connect wires as below, purple wire is D +, gray wire is D -, cap black wire.



Weight:
100W and 150W: 9.2 lbs
200W: 14.3 lbs

Dimensions:
100W/150W: 11.9" Dia. x 2.68" Depth
200W: 14.9" Dia. x 2.99" Depth


SPECIFICATIONS / ORDER INFO

Catalog Number	Product Code	UPC Code	Watts	Input Amps	Lumens	Lumens per watt	Equiv HID Wattage**	Mounting Height	DLC ID	Case Qty
F-LUHB/100/50K/G2-87	74186	751338020320	100	1.5	13,000	130	175-250W	15 to 20'	PLQWUHA65IBQ	1
F-LUHB/150/50K/G2-87	74187	751338020337	150	2	19,500	130	400W	20 to 25'	PLW3DUR4YQCP	1
F-LUHB/200/50K/G2-87	74188	751338020412	200	3	26,000	130	400-600W	25 to 30'	PLF7KQKXOO4O	1
F-LUHB/200HL/50K-87	74190	751338022904	200	3	30,000	150	400-600W	30 to 35'	PL3EPSJHJ2CH	1

ENERGY SAVINGS

	LED Watts	Equiv HID Wattage	Energy Savings, Watts	Yearly Saving, \$	5 Year Savings, \$
Based on 12 hours/day and .11/kwhr					
F-LUHB/100/50K/G2-87	100	250W	150	\$72.27	\$361.35
F-LUHB/150/50K/G2-87	150	400W	250	\$120.45	\$602.25
F-LUHB/200/50K/G2-87	200	750W	550	\$264.99	\$1,324.95
F-LUHB/200HL/50K-87	200	1,000W	800	\$385.44	\$1,927.20

MOUNTING HEIGHT & EQUIVALENCE



NOMENCLATURE

Example: F-LUHB/100/50K/G2

F=Fixture / LUHB=LED UFO High Bay 100W / 50K=5000K / G2=Generation 2

*Dimming with standard 0-10V control system or wall dimmers such as Leviton IP710, DS710 or Lutron DVSTV. Dimming complies with IEC60929 Annex E.

**HID equivalent and recommended mounting height may vary and depend on application required illuminance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. Fixture may not be compatible with all dimmers. Visit www.topaz-usa.com for up-to-date dimmer compatibility information. Specifications subject to change without notice.