

DATE: 5/17/2019

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00126672

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: MBUTTERY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

5-21-19

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***

FIRM NAME: I.W.S. GAS AND SUPPLY	
SIGNATURE: (Must be signed here) Jimmy Gibbs	TITLE: SALES
PRINT OR TYPE NAME: JIMMY GIBBS	
ADDRESS: 111 BURAS DR.	
CITY, STATE: BELLE CHASSE, LA.	ZIP: 70037
TELEPHONE: 504 392-2400	FAX: 504 392-1500
EMAIL ADDRESS: Jimmy.Gibbs@GASANDSUPPLY.com	

TOTAL PRICE OF ALL BID ITEMS: \$ **1650.72**

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00126672

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF STOCK ITEMS FOR THE WEST BANK WAREHOUSE		
1	2.00	EA	0010 - TAP,TAPER,9/16-12,31/64,HAND NO/UNC THREAD,HIGH SPEED STEEL, NORSEMAN 55370 GREENFIELD BRAND OR EQUAL SK# 00-0190420	4.87	9.74
2	4.00	EA	0020 - BIT,DRILL,15/16 IN X 1/2 IN REDUCED ROUND SHANK,HIGH SPEED STEEL, NORSEMAN 29400 CHICAGO LATROBE #55460 SK# 00-0195800	18.73	74.92
3	4.00	EA	0030 - TIP,WELDER,VICTOR #3-1-101, 6700C 2413 JLZ SK# 00-0307040	6.29	25.16
4	24.00	EA	0040 - SUPPORT,BACK,X-LARGE,REFLECTIVE ORANGE WITH SHOULDER STRAPS.ERGODYNE #11885,FASTENAL #1038963 SK# 00-0477140	13.81	331.44
5	24.00	EA	0050 - SUPPORT,BACK,XX-LARGE WITH LUMBAR PAD,POWERBRIGHT ORANGE,DECADE CADET #46585 OR ERGODYNE #11885 SK# 00-0477150	13.81	331.44
6	20.00	EA	0060 - GUN,CAULKING,RATCHET TYPE,10.3 OUNCE CAPACITY,STEEL PAINTED FRAME, HYDE #46410 SK# 00-0585890	3.68	73.60
7	6.00	EA	0070 - KEY,CURB STOP,5FT,MADE OF C1018 STEEL,FOR 3/4 IN & 1 IN,T-SHAPED POLLARDWATER PP 536 RAPTOR# RAP41032 OR EQUAL SK# 00-0587920	52.75	316.50
8	12.00	EA	0080 - FLAP WHEEL,1 IN DIA STRAIGHT SHANK,5/8 IN FACE WIDTH,ALUMINUM OXIDE,120 GRIT, 30,000 MAXIMUM RPM, MFR.MODEL #08834137102,MERIT SK# 00-058867B	1.66	19.92
9	12.00	EA	0090 - FUSE,ONE-TIME,10 AMPS,600 VAC, BUSSMAN #JKS-10 SK# 00-0856140	39.00	468.00

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

Hi-Carbon Steel Taps

HI-CARBON STEEL TAPS - U.S. SIZES (PLUG & TAPER)

Type 720 -Plug -Fractional, Type 721 -Plug -Machine Screw
Type 740 -Taper -Fractional, Type 741 -Taper -Machine Screw

- Made of super tough carbon steel, these taps are ideal for hand tapping and re-threading applications.

Gas And Supply

Jimmy Gibbs

Phone 504-392-2400

Fax 504-392-1500

jimmy.gibbs@gasandsupply.com



Plug - Type 721



Taper-Type 741

TYPE 720 -PLUG FRACTIONAL

Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
55010	3/16x24	26	3	3
55020	3/16x32	22	3	3
55030	1/4x20	7	3	3
55040	1/4x28	3	3	3
55050	5/16x18	17/64	4	3
55060	5/16x24	17/64	4	3
55070	3/8x16	5/16	4	3
55080	3/8x24	21/64	4	3
55090	7/16x14	3/8	4	3
55100	7/16x20	25/64	4	3
55110	1/2x13	27/64	4	3
55120	1/2x20	29/64	4	1
55130	9/16x12	31/64	4	1
55140	9/16x18	33/64	4	1
55150	5/8x11	17/32	4	1
55160	5/8x18	37/64	4	1
55170	11/16x11	19/32	4	1
55180	11/16x16	5/8	4	1
55190	3/4x10	21/32	4	1
55200	3/4x16	11/16	4	1
55210	7/8x9	49/64	4	1
55220	7/8x14	13/16	4	1
55230	1x8	7/8	4	1
55240	1x12	29/32	4	1
55250	1x14	15/16	4	1

TYPE 721 -PLUG MACHINE SCREW

Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
54860	0x80	3/64	3	3
54870	1x64	53	3	3
54880	1x72	53	3	3
54890	2x56	50	3	3
54900	2x64	50	3	3
54910	3x48	47	3	3
54920	3x56	46	3	3
55750	4x36	43	3	3
55760	4x40	44	3	3
55770	5x40	38	3	3
55780	6x32	36	3	3
55790	6x40	34	3	3
55800	6x48	32	3	3
55810	8x32	29	3	3
55820	8x36	29	3	3
55830	8x40	28	3	3
55840	10x24	25	3	3
55850	10x32	21	3	3
55860	12x24	16	3	3
55870	12x28	16	3	3
55880	14x20	10	3	3

TYPE 740 -TAPER FRACTIONAL



Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
55250	3/16x24	26	3	3
55260	3/16x32	22	3	3
55270	1/4x20	7	3	3
55280	1/4x28	3	3	3
55290	5/16x18	17/64	4	3
55300	5/16x24	17/64	4	3
55310	3/8x16	5/16	4	3
55320	3/8x24	21/64	4	3
55330	7/16x14	3/8	4	3
55340	7/16x20	25/64	4	3
55350	1/2x13	27/64	4	3
55360	1/2x20	29/64	4	1
55370	9/16x12	31/64	4	1
55380	9/16x18	33/64	4	1
55390	5/8x11	17/32	4	1
55400	5/8x18	37/64	4	1
55410	11/16x11	19/32	4	1
55420	11/16x16	5/8	4	1
55430	3/4x10	21/32	4	1
55440	3/4x16	11/16	4	1
55450	7/8x9	49/64	4	1
55460	7/8x14	13/16	4	1
55470	1x8	7/8	4	1
55480	1x12	29/32	4	1
55490	1x14	15/16	4	1

TYPE 741 -TAPER MACHINE SCREW

Part No.	Size	Tap Drill Size	No. of Flutes	Qty. per/pack
54790	0x80	3/64	3	3
54800	1x64	53	3	3
54810	1x72	53	3	3
54820	2x56	50	3	3
54830	2x64	50	3	3
54840	3x48	47	3	3
54850	3x56	46	3	3
55900	4x36	43	3	3
55910	4x40	44	3	3
55920	5x40	38	3	3
55930	6x32	36	3	3
55940	6x40	34	3	3
55950	6x48	32	3	3
55960	8x32	29	3	3
55970	8x36	29	3	3
55980	8x40	28	3	3
55990	10x24	25	3	3
56000	10x32	21	3	3
56010	12x24	16	3	3
56020	12x28	16	3	3
56030	14x20	10	3	3

PLUG - Type 720 & 721

Three to five threads chamfered. For general use when tapping into the bottom of the hole is not critical. (This is the most widely used style.)



TAPER - Type 740 & 741

Eight to ten threads chamfered for easy use thread starting in tough materials.

Reduced Shank

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

SILVER & DEMING - 1/2" REDUCED SHANK

Type 130-AGM -Metric

1/2" Reduced Shank Silver & Deming
135° Split Point Magnum Super Premium,
3-Flats on Shank

- Special Hi-Molybdenum tool steel.
- One piece solid construction
- Body and clearance are gold surface treated for maximum lubricity.
- Recommended for use in work hardening grades of stainless steel and other hard metal drilling applications.



METRIC					
Part No.	Dia. MM	Overall Length Inches	Part No.	Dia. MM	Overall Length Inches
25500	14.0	6	25520	20.0	6
25502	15.0	6	25522	21.0	6
25504	16.0	6	25524	22.0	6
25510	17.0	6	25530	23.0	6
25512	18.0	6	25532	24.0	6
25514	19.0	6	25534	25.0	6
Qty. per package 1			Qty. per package 1		

Type 131-AG

3/4" Reduced Shank Silver & Deming
Magnum Super Premium - 135° Split Point

- These are high performance, close tolerance, tight runout spec. tools designed for drilling with Bridgeport style or other production machines with 3/4" chucks.
- Precision ground point, body and drill diameter for accuracy and high performance.
- Recommended for use in work hardening grades of stainless steel and other hard metal drilling applications.



FRACTIONAL				
Part No.	Diameter Inches	Flute Length Inches	Overall Length Inches	Qty. per/pack
29741	13/16	3-1/4	5-1/2	1
29781	7/8	3-1/4	5-1/2	1
29821	15/16	3-1/4	5-1/2	1
29861	1	3-1/4	5-1/2	1
29901	1-1/8	3-1/2	5-27/32	1
29941	1-1/4	3-1/2	5-7/8	1
29961	1-3/8	3-1/2	5-29/32	1
29981	1-1/2	3-1/2	5-15/16	1

Type 130

1/2" Reduced Shank Silver & Deming
118° point - General Purpose

- This general purpose 118° point high-speed steel drill is recommended for use in drilling equipment with 1/2" chucks.
- Type 130 drills may be used in power applications such as drill presses where a short rigid drill is required.



FRACTIONAL			
Part No.	Diameter Inches	Overall Length Inches	Qty. per/pack
29130	33/64	6	1
29140	17/32	6	1
29150	35/64	6	1
29160	9/16	6	1
29170	37/64	6	1
29180	19/32	6	1
29190	39/64	6	1
29200	5/8	6	1
29210	41/64	6	1
29220	21/32	6	1
29230	43/64	6	1
29240	11/16	6	1
29250	45/64	6	1
29260	23/32	6	1
29270	47/64	6	1
29280	3/4	6	1
29290	49/64	6	1
29300	25/32	6	1
29310	51/64	6	1
29320	13/16	6	1
29330	53/64	6	1
29340	27/32	6	1
29350	55/64	6	1
29360	7/8	6	1
29370	57/64	6	1
29380	29/32	6	1
29390	59/64	6	1
29400	15/16	6	1
29410	61/64	6	1
29420	31/32	6	1
29430	63/64	6	1
29440	1"	6	1
29450	1-1/16	6	1
29460	1-1/8	6	1
29470	1-5/32	6	1
29480	1-3/16	6	1
29490	1-1/4	6	1

Twist Drills - Silver & Deming - 1/2" Reduced Shank

METRIC

Curb Stop Shut Off Keys & Hackensack

HEAVY DUTY CURB STOP SHUT OFF KEYS

fits in Buffalo type curb boxes and operates T-Head curb stops and valves. Choose a key to fit 3/4" to 1" or 1 1/4" to 2" curb stops. Handle width 20".



FOR 3/4 TO 1 INCH CURB STOPS

Item	Length	Operates	Weight	Each
35	4'	3/4" and 1"	6.0 lbs.	42.50
36	5'	3/4" and 1"	7.0 lbs.	43.50
37	6'	3/4" and 1"	8.0 lbs.	47.50
3702	7'	3/4" and 1"	9.0 lbs.	50.50
3703	8'	3/4" and 1"	10.0 lbs.	57.50

FOR 1-1/4 TO 2 INCH CURB STOPS

Item	Length	Operates	Weight	Each
38	4'	1 1/4" to 2"	6.5 lbs.	38.50
39	5'	1 1/4" to 2"	7.5 lbs.	39.50
40	6'	1 1/4" to 2"	8.5 lbs.	42.50
4002	7'	1 1/4" to 2"	9.0 lbs.	46.50
4003	8'	1 1/4" to 2"	10.0 lbs.	48.50

SWIVEL CURB STOP SHUT OFF KEYS

swivel curb stop shut off key fits in Buffalo type curb boxes and operates all T-head curb stops and valves.

This swivel is specially designed for misaligned boxes and/or curb stops that are rotated off center, where a straight key cannot reach.




Conforming per ASTM A513 and Powder Coated for extra corrosion resistance. The Socket is Investment Cast AISI 1045 Carbon Steel per ASTM A781, and the Swivel is precision machined from High Grade Carbon Steel Bar. Handle width 20".

FOR 3/4 TO 1 INCH CURB STOPS

Item	Length	Operates	Weight	Each
5SW	4'	3/4" and 1"	6.0 lbs.	52.50
6SW	5'	3/4" and 1"	7.0 lbs.	61.50
7SW	6'	3/4" and 1"	8.0 lbs.	67.00
702SW	7'	3/4" and 1"	9.0 lbs.	73.75
703SW	8'	3/4" and 1"	10.0 lbs.	78.25

FOR 1-1/4 TO 2 INCH CURB STOPS

Item	Length	Operates	Weight	Each
1SW	4'	1 1/4" to 2"	6.5 lbs.	52.00
2SW	5'	1 1/4" to 2"	7.5 lbs.	56.50
3SW	6'	1 1/4" to 2"	8.5 lbs.	64.25
02SW	7'	1 1/4" to 2"	9.0 lbs.	68.75
03SW	8'	1 1/4" to 2"	10.0 lbs.	73.00



0.60"

FITS 3/4 TO 1 CURB STOPS


0.75"

FITS 1-1/4 TO 2 CURB STOPS

HACKENSACK CORPORATION STOP WRENCH

✓ Great for operating hard to open and close curb stops

Turning Corporation Stops has never been easier. This two side wrench fit corporation stops from 3/4 to 1 inch. Its' unique offset design provides comfortable ergonomic grip, and allows the ends to get in to the tightest places. Manufactured from high strength solid steel.



Item	Description	Each
HACKENSACK	Corp. Stop Wrench	41.50

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com