

Univar USA Inc.
8201 S. 212th
Kent, WA 98032-1994
USA

T 253-872-5000
F 253-572-5041
www.univarusa.com



June 18, 2015

Jefferson Parish
Purchasing Department
200 Derbigny Street, \$4400
Gretna, LA 70053

RE: Invitation to Bid – Bid No. 50-00113475 – Caustic Soda

To Whom It May Concern:

Univar USA Inc. is pleased to offer a price quote on your ITB due Wednesday, Thursday, June 18, 2015 and has done so on the attached required paperwork.

Our contact information for all things bid and contract related, as well as the information for your local branch, is also attached.

We look forward to hearing the results of your request – we have included a self-addressed, stamped envelope for the bid tabulations.

Thank you,

Michelle Wick

Municipal Specialist
Univar USA Inc.
muniteam@univarusa.com
www.univar.com

Please Note: Seller shall indemnify Buyer for losses to the extent caused by Seller's negligence or breach of contract. Neither party is liable for incidental or consequential damages. Seller's liability is limited to the purchase price of the goods. SELLER MAKES NO WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Please Note: Where applicable, any State, Federal or other appropriate taxes and/or the California Mill Assessment will appear as separate line items on any invoices from Univar. If Univar's offer (pricing) was inclusive of these charges – they will be backed out of the "product" line item and shown as their own line item(s) at the time of billing.

Univar USA Inc.
34200 Distribution Lane
Geismar, LA 70734

T 225-473-1100
F 225-473-4442

www.univarusa.com



GENERAL INFORMATION

Regular Office Hours during which orders may be placed:

Monday – Friday 7:30 am – 4:30 pm (CST)

In case of an emergency during non-business hours:

For Chemical Related Emergencies:

ChemTrec: (800) 424-9300

Names, telephone/FAX numbers of those responsible for taking orders and initiating delivery:

Office Phone: (225) 473-1100 Customer Service
Office Fax: (225) 473-4442

Customer Service custsvc-geis@univarusa.com

For anything pertaining to bids:

Please send all bid packets/documents to:
(Unless otherwise specified)

Univar USA Inc.
Attn: WER Muni Team
8201 S. 212th
Kent, WA 98032-1994

Contacts: muniteam-west@univarusa.com

Michelle Wick
Municipal Specialist
Phone: (253) 872-5084
Fax: (253) 872-5041
michelle.wick@univarusa.com

Roise Holiday
Municipal Specialist
Phone: (253) 872-5068
Fax: (253) 872-5041
roise.holiday@univarusa.com

Jennifer Perras
Municipal Specialist
Phone: (253) 872-5040
Fax: (253) 872-5041
Jennifer.perras@univarusa.com

Remittance Address:

Univar USA Inc.
PO Box 849027
Dallas, TX 75284

Standard Payment Terms:

Net 30 days

Request for Taxpayer Identification Number and Certification

Give Form to the
requester. Do not
send to the IRS.

Print or type See Specific Instructions on page 2.	Name (as shown on your income tax return) Univar USA Inc.	
	Business name/disregarded entity name, if different from above	
	Check appropriate box for federal tax classification: <input type="checkbox"/> Individual/sole proprietor <input checked="" type="checkbox"/> C Corporation <input type="checkbox"/> S Corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate <input type="checkbox"/> Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ▶ _____ <input type="checkbox"/> Other (see instructions) ▶ _____	
	Exemptions (see instructions): Exempt payee code (if any) _____ Exemption from FATCA reporting code (if any) _____	
	Address (number, street, and apt. or suite no.) 3075 Highland Pkwy Ste 200 City, state, and ZIP code Downers Grove, IL 60515-5560 List account number(s) here (optional)	
Requester's name and address (optional)		

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on the "Name" line to avoid backup withholding. For individuals, this is your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the Part I instructions on page 3. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN* on page 3.

Note. If the account is in more than one name, see the chart on page 4 for guidelines on whose number to enter.

Social security number								
			-			-		
Employer identification number								
9	1	-	1	3	4	7	9	3 5

Part II Certification

Under penalties of perjury, I certify that:

1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me), and
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding, and
3. I am a U.S. citizen or other U.S. person (defined below), and
4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions on page 3.

Sign Here	Signature of U.S. person ▶ <i>David P. Smith</i>	Date ▶ <i>1/1/2015</i>

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. The IRS has created a page on www.irs.gov/w9 for information about Form W-9, at www.irs.gov/w9. Information about any future developments affecting Form W-9 (such as legislation enacted after we release it) will be posted on that page.

Purpose of Form

A person who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) to report, for example, income paid to you, payments made to you in settlement of payment card and third party network transactions, real estate transactions, mortgage interest you paid, acquisition or abandonment of secured property, cancellation of debt, or contributions you made to an IRA.

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN to the person requesting it (the requester) and, when applicable, to:

1. Certify that the TIN you are giving is correct (or you are waiting for a number to be issued),
2. Certify that you are not subject to backup withholding, or
3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the

withholding tax on foreign partners' share of effectively connected income, and

4. Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct.

Note. If you are a U.S. person and a requester gives you a form other than Form W-9 to request your TIN, you must use the requester's form if it is substantially similar to this Form W-9.

Definition of a U.S. person. For federal tax purposes, you are considered a U.S. person if you are:

- An individual who is a U.S. citizen or U.S. resident alien,
- A partnership, corporation, company, or association created or organized in the United States or under the laws of the United States,
- An estate (other than a foreign estate), or
- A domestic trust (as defined in Regulations section 301.7701-7).

Special rules for partnerships. Partnerships that conduct a trade or business in the United States are generally required to pay a withholding tax under section 1446 on any foreign partners' share of effectively connected taxable income from such business. Further, in certain cases where a Form W-9 has not been received, the rules under section 1446 require a partnership to presume that a partner is a foreign person, and pay the section 1446 withholding tax. Therefore, if you are a U.S. person that is a partner in a partnership conducting a trade or business in the United States, provide Form W-9 to the partnership to establish your U.S. status and avoid section 1446 withholding on your share of partnership income.

* Sample *



CERTIFICATE OF LIABILITY INSURANCE

DATE(MM/DD/YYYY)
02/27/2015

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Aon Risk Services Central, Inc. Philadelphia PA Office One Liberty Place 1650 Market Street Suite 1000 Philadelphia PA 19103 USA	CONTACT NAME: PHONE (A/C. No. Ext.): (866) 283-7122 FAX (A/C. No.): 800-363-0105 E-MAIL ADDRESS:	
	INSURER(S) AFFORDING COVERAGE	
INSURED Univar Inc. 3075 Highland Parkway Suite 200 Downers Grove IL 60515 USA	INSURER A:	Illinois Union Insurance Company
	INSURER B:	National Union Fire Ins Co of Pittsburgh
	INSURER C:	New Hampshire Ins Co
	INSURER D:	Lexington Insurance Company
	INSURER E:	
	INSURER F:	

Holder Identifier :

COVERAGES **CERTIFICATE NUMBER:** 570056947300 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

Limits shown are as requested

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
B	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:			GL2802979 SIR applies per policy terms & conditions	03/01/2015	06/01/2016	EACH OCCURRENCE \$2,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$300,000 MED EXP (Any one person) Excluded PERSONAL & ADV INJURY \$3,000,000 GENERAL AGGREGATE \$3,000,000 PRODUCTS - COMP/OP AGG \$3,000,000
B	AUTOMOBILE LIABILITY			CA 4806893 Commercial Auto (AOS)	03/01/2015	06/01/2016	COMBINED SINGLE LIMIT (Ea accident) \$2,000,000
B	<input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> ALL OWNED AUTOS <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS <input type="checkbox"/> NON-OWNED AUTOS			CA 4806894 Commercial Auto (MA)	03/01/2015	06/01/2016	BODILY INJURY (Per person)
B				CA 4806895 Commercial Auto (VA)	03/01/2015	06/01/2016	BODILY INJURY (Per accident)
A	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> DED <input checked="" type="checkbox"/> RETENTION			XCEG27380566002 SIR applies per policy terms & conditions	03/01/2015	06/01/2016	EACH OCCURRENCE \$4,000,000 AGGREGATE \$4,000,000
C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY			WC001591220 (AOS)	03/01/2015	03/01/2016	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER
C	ANY PROPRIETOR / PARTNER / EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	Y/N N	N/A	WC001591223 (MA, ND, WI, WY)	03/01/2015	03/01/2016	E.L. EACH ACCIDENT \$1,000,000 E.L. DISEASE-EA EMPLOYEE \$1,000,000 E.L. DISEASE-POLICY LIMIT \$1,000,000
D	Pol'l Legal Liab			PLS6292901	03/01/2015	06/01/2016	Aggregate \$15,000,000 Agg Ded \$500,000 Occurrence \$15,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Evidence of Insurance.

CERTIFICATE HOLDER

CANCELLATION

Univar Inc. 3075 Highland Parkway Suite 200 Downers Grove IL 60515 USA	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE <i>Aon Risk Services Central, Inc.</i>

Certificate No : 570056947300



ADDITIONAL REMARKS SCHEDULE

Page _ of _

AGENCY Aon Risk Services Central, Inc.		NAMED INSURED Univar Inc.	
POLICY NUMBER See Certificate Number: 570056947300			
CARRIER See Certificate Number: 570056947300	NAIC CODE	EFFECTIVE DATE:	

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
FORM NUMBER: ACORD 25 FORM TITLE: Certificate of Liability Insurance

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER	
INSURER	
INSURER	
INSURER	

ADDITIONAL POLICIES

If a policy below does not include limit information, refer to the corresponding policy on the ACORD certificate form for policy limits.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YYYY)	POLICY EXPIRATION DATE (MM/DD/YYYY)	LIMITS	
	AUTOMOBILE LIABILITY							
B				CA 4806890 Truckers Liability (AOS)	03/01/2015	06/01/2016	Combined Single Limi	\$5,000,000
B				CA 4806891 Truckers Liability (MA)	03/01/2015	06/01/2016		
B				CA 4806892 Truckers Liability (VA)	03/01/2015	06/01/2016		
	WORKERS COMPENSATION							
B		N/A		WC1591222 (CA, OH, OR, WA) SIR applies per policy terms & conditions	03/01/2015	03/01/2016		
C		N/A		WC001591221 (FL)	03/01/2015	03/01/2016		
C		N/A		WC012948466 (IL, KY, NC, NH, UT)	03/01/2015	03/01/2016		
C		N/A		WC012948467 (AK, AZ, GA)	03/01/2015	03/01/2016		
C		N/A		WC012948468 (NJ, PA)	03/01/2015	03/01/2016		
	OTHER							
D	Pol'l Legal Liab			PLS6292901	03/01/2015	06/01/2016	occ Ded	\$500,000



Bid Number 50 - 00113475

**Two Year Contract for the Supply of Liquid Caustic Soda for the
Jefferson Parish Department of Sewerage**

June 18, 2015 for 2:00pm

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received in the Purchasing
Department by the bid due date and time.**

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Ms. Laniel L. Francis
lfrancis@jeffparish.net
504.364.2690**

DATE: 6/03/2015

INVITATION TO BID
THIS IS NOT AN ORDER

BID NO.: 50-00113475

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

Page: 1

BUYER: LFRANCIS@jeffparish.net

BIDS WILL BE RECEIVED IN THE PURCHASING DEPARTMENT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETN, LA 70053 UNTIL 2:00 PM, 6/18/2015 AND PUBLICLY OPENED THEREAFTER.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS
THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids must register as a Jefferson Parish vendor if not already yet registered. Bidders may be required to furnish current W-9 Forms and respective Tax Identification Numbers within 10 days after bid opening if such information is not on file or not up to date. Registration forms may be downloaded from www.purchasing.jeffparish.net and clicking on Vendor Information.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing and fax them to the Purchasing Department at (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests. Questions may also be emailed to the buyer for this bid at the email address listed above. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

If the bid exceeds \$30,000.00 and the company is duly authorized to do business in the state of Louisiana, a corporate resolution must be submitted with the bid or the person signing the bid documents must be listed on the Louisiana Secretary of State's website as an officer of the corporation, unless bidder has otherwise complied with LSA-R.S. 38:2212(B)(5). If the bid is in excess of \$30,000 and bidder is registered out of the state of Louisiana, a corporate resolution must be submitted with the bid, unless bidder has otherwise complied with LSA-R.S. 38:2212(B)(5). Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. Bids submitted by Owner or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. Sole proprietors submitting bids for public works projects shall within 10 days after bid opening submit sole proprietorship certification.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. IN THE EVENT OF SPLIT AWARD, THE PURCHASING DEPARTMENT MAY CONTACT VENDORS TO REQUEST REQUIRED AFFIDAVITS. THOSE VENDORS WILL HAVE 10 DAYS FROM THE DATE OF NOTICE TO SUBMIT COMPLETE, SIGNED AND NOTARIZED AFFIDAVITS IN ORIGINAL FORMATS.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

Preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA-R.S.38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

DATE: 6/03/2015

BID NO.: 50-00113475

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Page: 3

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This Electronic Procurement System allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Please note requirements contained in this bid package for electronic bid submission.

Please visit the Purchasing Department webpage at <http://purchasing.jeffparish.net> to register and review Jefferson Parish solicitations.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.
10,12,13,15

1. All bidders must attend the pre-bid conference in relation to this bid; attendance is mandatory. Failure to attend will prohibit a company from submitting a bid. Vendors arriving after the mandatory pre-bid conference begins will not be allowed to sign in as evidence of attendance.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.

DATE: 6/03/2015

BID NO.: 50-00113475

Page: 4

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. PUBLIC WORKS BIDS: All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. NON-PUBLIC WORKS BIDS: A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. NON-PUBLIC WORKS BIDS: A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached sheet. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected. JEFFERSON PARISH reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit and E-Verify Affidavit must be completed, signed, notarized and submitted by low bidder within 10 days after bid opening to the Purchasing Department on all solicitations for construction, alteration or demolition of public building or project, including but not limited to requirements found in LSA-RS 38:2212.9; LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1. Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.
15. NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits (in Original Format) required; Non-Collusion Affidavit, and Campaign Contribution Affidavit must be completed, signed, notarized and submitted by low bidder with bid submission within 10 days after bid opening to the Purchasing Department. See LSA-RS 38:2212.10; LSA-RS 38:2224; Code of Ordinances, Jefferson Parish, Louisiana, Sec 2-923.1 Failure to comply will cause bid to be rejected; the Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event. For the convenience of vendors, all affidavits have been combined into one form entitled NON-PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format for the bid to be considered responsive.
16. Since a bid surety is required, bid response may not be faxed. Bid submission will only be accepted online or as delivered to the Purchasing Department, 200 Derbigny Street, Suite 4400, Gretna, LA 70053 by 11am on the bid due date. All sureties must be in original format (no copies).

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 6/03/2015

Page: 5

BID NO.: 50-00113475

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES ☒ NO ☐

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____% mutual agreement

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF June 2016

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

N/A

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable)

N/A

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Univar USA, Inc.

ADDRESS: 8201 S. 212th St.

CITY, STATE: Kenner, LA ZIP: 70117

TELEPHONE: (504) 872-5084 FAX: (504) 872-5041

EMAIL ADDRESS: Michelle.wick@univarusa.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 99,873.00

AUTHORIZED SIGNATURE: [Signature]

Michelle Wick
Printed Name

TITLE: Municipal Specialist

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

DATE: 6/03/2015

Page 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00113475

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			TWO YEAR CONTRACT FOR THE SUPPLY OF LIQUID CAUSTIC SODA		
			Two year contract for a supply of Liquid Caustic Soda (50 percent by weight and 25 percent by weight) in bulk deliveries for the Jefferson Parish Department of Sewerage.		
1	10,000.00	GL	0010 Liquid Caustic Soda 50 Percent - Water-white solution containing 50 percent of sodium hydroxide by weight.	1.6828	16,828.00
2	85,000.00	GL	0020 Liquid Caustic Soda 25 Percent - Clear solution containing 25 percent of sodium hydroxide by weight.	0.977	83,045.00
			WasteWater - EB 2 Humane Way Jefferson , LA 70123		
			Sewerage Office - WB 1440 River Park Rd Bridge City , LA 70094		

**JEFFERSON PARISH
DEPARTMENT OF SEWERAGE
SPECIFICATIONS FOR LIQUID CAUSTIC SODA
(50 PERCENT & 25 PERCENT OF SODIUM HYDROXIDE BY WEIGHT)
IN BULK DELIVERIES**

GENERAL

Specifications for a two year contract for a supply of Liquid Caustic Soda (50 percent by weight and 25 percent by weight) in bulk deliveries for the Jefferson Parish Department of Sewerage. The quantity shown on this bid represents an approximate quantity to be purchased over the two year period. Actual usage will be on an as needed basis.

PRODUCT SPECIFICATIONS

The liquid caustic soda furnished under these specifications will be used as a chemical additive for the chemical scrubbers at the Eastbank Wastewater Treatment Plant.

- A. Liquid Caustic Soda 50 Percent – Water-white solution containing 50 percent of sodium hydroxide by weight.
- B. Liquid Caustic Soda 25 Percent – Clear solution containing 25 percent of sodium hydroxide by weight.

COMPONENT	BASIS	SPECIFICATIONS
Total Alkalinity	wt. %	38.7 minimum
Hydroxide Alkalinity	wt. %	50.0 minimum
Na ₂ CO ₃	wt. %	0.09 maximum
NaCl	wt. %	0.0005 maximum
NaClO ₃	wt. %	.25 maximum
Na ₂ SO ₄	PPM by wt.	25 maximum
Iron (Fe)	PPM by wt.	3 maximum
Copper (Cu)	PPM by wt.	0.3 maximum

Nickel (Ni)	PPM by wt.	0.3 maximum
Mercury (Hg)	PPM by wt.	0.4 maximum
Arsenic (As)	PPM by wt.	1.5 maximum
Heavy Metal	PPM by wt.	15.0 maximum

DELIVERIES

Deliveries shall be made by suitable motor carrier, in D.O.T. approved containers. Vendor shall be responsible for the safe delivery of the liquid caustic solution into bulk storage tanks owned by Jefferson Parish. The delivery truck and equipment shall be a self-contained system. Jefferson Parish will not provide the vendor with any utilities (electricity, compressed air, etc.) at the delivery site. Vendor must provide all required pipe fittings and sufficient lengths of hoses. Vendor shall visit the delivery site and familiarize him/herself with the area.

Orders shall be shipped within 48 hours after receipt of purchase order.

Shipments shall be made, according to users need, to the following location:

Eastbank Wastewater Treatment Plant
#2 Humane Way
Harahan, LA 70123

SPILLS & SAFETY PRECAUTIONS

The vendor shall adhere to all safety precautions in the handling of this hazardous chemical. Specifically, vendor's personnel must wear safety eye protection and chemical resistant gloves. Delivery personnel must be in complete control of the material while unloading into the tanks. In the event of a spill, the delivery personnel must be capable of determining the proper remedial actions and proceed immediately to remediate the site properly. In the event of a substantial spill, the Jefferson Parish Department of Environmental Affairs shall be notified. The vendor may be required to provide a plan of action and Jefferson Parish must approve its resolution.

INVOICING

The vendor shall not advance delivery of any material without a proper purchase order number from the Department of Sewerage, except in the case of a Director Declared Emergency.

Invoices shall include amount of material delivered, purchase order number, and date of delivery; and must be sent to:

Department Of Sewerage
1221 Elmwood Park Blvd., Suite 803
Harahan, LA 70123

TECHNICAL INFORMATION

The bidder shall submit material safety data sheets and product data sheets within 10 calendar days after the bid opening.

INSURANCE REQUIREMENTS - BIDS

All insurance requirements shall conform to Jefferson Parish Resolution No. 113646 or No. 113647. The contractor shall not commence work under this contract until he has obtained all insurance and complied with the requirements of the specifications and said Parish Resolutions. Except as otherwise provided by law, the Parish Attorney's Office with the concurrence of the Director of Risk Management is authorized to omit in whole or part the insurance requirements of this section in connection with contracts. Vendors inquiring about this shall submit his written request to the Purchasing Department prior to the due date of the bid. Contractor must deliver and maintain such insurances as provided; failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

Successful bidder will be required to procure standard insurance policies evidencing Parish mandated insurance requirements indicated below. The current certificate of insurance must be submitted by low bidder within 10 days after bid opening to the Purchasing Department. Failure to comply will cause bid to be rejected.

1. WORKER'S COMPENSATION INSURANCE

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

2. COMMERCIAL GENERAL LIABILITY

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

3. COMPREHENSIVE AUTOMOBILE LIABILITY

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

DEDUCTIBLES

No insurance required shall include a deductible not greater than \$10,000.00. The cost of the deductible shall be borne by the contractor.

NOTE: If the vendor requires a change in deductibles, the request must be submitted in writing to the Purchasing Department prior to the due date of the bid. Such request shall be reviewed by the Parish Attorney's Office.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

CONSTRUCTION AND RENOVATION PROJECTS:

Unless otherwise specified in the bid, these additional insurance is required. Such insurance is due upon contract execution.

OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

NOTE for CERTIFICATE HOLDER:

All insurance certificates shall list the certificate holder as follows:

"The Parish of Jefferson, its Districts, Departments and Agencies under the direction of the Parish President and the Parish Council." Additionally, the address on the Certificates should reflect the department which is letting the bid and reference the respective bid number.

Revised 2.10.2014



**UNIVAR USA INC.
AUTHORIZED BID SIGNERS**

RESOLUTION

RESOLVED, that the Corporate Secretary shall maintain a list of the agents of this Corporation who are vested with authority to execute in the Corporation's behalf formal, written bids or proposals for the sale of other disposition of products handled by the Corporation. Said list shall be as established initially by the Board of Directors and thereafter, the President, or a Vice President shall have the authority, by written directive to the Corporate Secretary, to add agents to or eliminate agents from said list, and it is further

RESOLVED, that the Corporate Secretary or any Assistant Secretary of the Corporation is authorized to certify this resolution or certify to the name or names of persons on the list maintained by the Corporate Secretary and such certificate will be conclusive evidence of the authority of such person or persons so to act.

END OF RESOLUTION

CERTIFICATION

I, the undersigned, as Corporate Secretary of Univar USA Inc. do hereby certify as follows:

1. That the above resolution was duly adopted by the Board of Directors of said Corporation at a meeting duly held on December 4, 1986, and is in full force and effect.
2. That the list of persons authorized to execute, for an on behalf of this Corporation, written bids or proposals for the sale or other disposition of products handled by this Corporation, as initially established by the Board of Directors and thereafter added to by the President, or a Vice President of this Corporation as follows:

All officers and the following:

Shawnasey McCarthy – Municipal Business Manager
Jennifer Perras – Municipal Specialist
Michelle Wick – Municipal Specialist
Roise Holiday – Municipal Specialist

3. That all of the foregoing persons are authorized to execute bids pursuant to the resolution above referred to.

Dated this 16 day of June, 2015.



A handwritten signature in dark ink, appearing to read "Perry T. Kusakabe".

Perry T. Kusakabe
Corporate Secretary

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

INCORPORATED.

AT THE MEETING OF DIRECTORS OF _____
INCORPORATED, DULY NOTICED AND HELD ON _____,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT _____, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

SECRETARY-TREASURER

DATE

Non-Public Works Bid Affidavit Instructions

- Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.
- Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.
- Affidavit must be notarized or the affidavit will not be accepted.
- Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.
- Affiant **MUST** select either A or B when required or the affidavit will not be accepted.
- Affiants who select choice A must include an attachment or the affidavit will not be accepted.
- If both choice A and B are selected, the affidavit will not be accepted.
- Affidavit marked N/A will not be accepted.
- It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF WashingtonPARISH/COUNTY OF King

BEFORE ME, the undersigned authority, personally came and appeared: Michelle Wick, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized Municipal Specialist of Univer USA (Entity), the party who submitted a bid in response to Bid Number 50-00113475 to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B ✓ there are NO campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.


Choice B ✓ There are NO debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.


Signature of Affiant

Michelle Wick
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 16 DAY OF June, 2015.


Notary Public

Jennifer M Perras
Printed Name of Notary

Notary/Bar Roll Number

My commission expires April 24, 2019





SODIUM HYDROXIDE 50% SOLUTION

Standard Grade – Western Region

SALES SPECIFICATIONS
APPLICABILITY: GENERAL

INDEX:
ISSUED:
SUPERSEDES:

NaOH, Standard Grade
29 April 2003
Nil

Total Alkalinity (as Na ₂ O)	%	37.5	min.	CA-4
	%	39.5	max.	
Hydroxide Alkalinity (as NaOH)	%	48.5	min.	CA-4
	%	51.0	max.	
Carbonates (as Na ₂ CO ₃)	%	0.20	max.	CA-4
Chlorides (as NaCl)	%	1.30	max.	E291
Chlorates (as NaClO ₃)	%	0.30	max.	EPA200.7
Sulfates (as Na ₂ SO ₄)	%	0.05	max.	EPA200.7
Iron (Fe)	ppm	8.0	max.	E291
Copper (Cu)	ppm	0.20	max.	ICP

Note: All % and ppm values are expressed on a weight by weight 50% solution basis



Univar
3075 Highland Pkwy STE 200
Downers Grove, IL 60515
425-889-3400

SAFETY DATA SHEET

1. Identification

Product identifier: CAUSTIC SODA 50%

Other means of identification

Synonyms: Sodium Hydroxide

SDS number: 000100000088

Recommended use and restriction on use

Recommended use: Not available.

Restrictions on use: Not known.

Emergency telephone number: For emergency assistance Involving chemicals

call CHEMTREC day or night at: 1-800-424-9300. CHEMTREC INTERNATIONAL Tel# 703-527-3887

2. Hazard(s) identification

Hazard classification

Health hazards

Acute toxicity (Oral) Category 4

Skin corrosion/irritation Category 1A

Serious eye damage/eye irritation Category 1

Environmental hazards Acute hazards to the aquatic environment Category 3

Label elements

Hazard symbol





Signal word	Danger
Hazard statement	Corrosive. Harmful if swallowed. Causes severe skin burns and eye damage.
Precautionary statement	
Prevention	Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust or mists. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell. Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Specific treatment (see this label). Wash contaminated clothing before reuse.
Storage	Store in a closed container. Keep container tightly closed. Store in a well-ventilated place. Store in a dry place. Store locked up.
Disposal	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification	None.

3. Composition/information on ingredients

Substances

Chemical identity	Common name and synonyms	CAS number	Content in percent (%)*
Sodium hydroxide		1310-73-2	$\geq 48 - \leq 52\%$
Water		7732-18-5	$\geq 48 - \leq 52\%$
Sodium Chloride		7647-14-5	$\geq 0 - \leq 5\%$

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information:	CAUTION! First aid personnel must be aware of own risk during rescue!
Ingestion:	Do NOT induce vomiting. Never give liquid to an unconscious person. Get medical attention immediately.
Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. Perform artificial respiration if breathing has stopped. Get medical attention immediately.
Skin contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Eye contact:	If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.
Most important symptoms/effects, acute and delayed	
Symptoms:	No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General fire hazards: No data available.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media:	Use: Powder. In case of fire in the surroundings: all extinguishing agents allowed.
Unsuitable extinguishing media:	No data available.



Specific hazards arising from the chemical: No data available.

Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: No data available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep unauthorized personnel away.

Methods and material for containment and cleaning up: Absorb spillage with non-combustible, absorbent material. Dike for later disposal.

7. Handling and storage

Precautions for safe handling: Use personal protective equipment as required. Use only with adequate ventilation. Container must be kept tightly closed.

Conditions for safe storage, including any incompatibilities: No data available.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Chemical identity	Type	Exposure Limit values	Source
Sodium hydroxide	Ceiling	2 mg/m3	US. ACGIH Threshold Limit Values (03 2013)
	Ceil_Tim e	2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	Ceiling	2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	2 mg/m3	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
Sodium hydroxide - Particulate.	ST ESL	20 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL	2 µg/m3	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
Sodium hydroxide	Ceiling	2 mg/m3	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)

Appropriate engineering controls No data available.

Individual protection measures, such as personal protective equipment

General information: Use personal protective equipment as required. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. Practice good housekeeping.

Eye/face protection: Use personal protective equipment as required. Wear goggles/face shield.

Skin protection

Hand protection: No data available.

Other: No data available.

Respiratory protection: No data available.

Hygiene measures: No data available.

9. Physical and chemical properties

Physical state: Liquid

Form: No data available.

Color: No data available.

Odor: No data available.

Odor threshold: No data available.

pH: 14

Melting point/freezing point: -12 - 10 °C

Initial boiling point and boiling range: 105 - 140 °C

Flash Point: No data available.

Evaporation rate: No data available.

Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): No data available.

Flammability limit - lower (%): No data available.

Explosive limit - upper (%): No data available.

Explosive limit - lower (%): No data available.

Vapor pressure: No data available.

Vapor density: No data available.

Relative density: No data available.

Solubility(ies)

Solubility in water: No data available.

Solubility (other): No data available.

Partition coefficient (n-octanol/water): No data available.

Auto-ignition temperature: No data available.

Decomposition temperature: No data available.

Viscosity: No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical stability:	No data available.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	No data available.
Incompatible materials:	No data available.
Hazardous decomposition products:	No data available.

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
Inhalation:	No data available.
Skin contact:	No data available.
Eye contact:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:	ATEmix (): 353.488372 mg/kg
----------	-----------------------------

Dermal

Product:	Not classified for acute toxicity based on available data.
----------	--

Inhalation

Product:	No data available.
----------	--------------------

Specified substance(s):

Sodium Chloride	LC 50 (Rat,): > 42 mg/l 2 (reliable with restrictions)
-----------------	---

Repeated dose toxicity

Product:	No data available.
----------	--------------------

Skin corrosion/irritation

Product:	No data available.
----------	--------------------

Serious eye damage/eye irritation

Product:	No data available.
----------	--------------------

Respiratory or skin sensitization

Product:	No data available.
----------	--------------------

Carcinogenicity

Product:	No data available.
----------	--------------------

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ cell mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific target organ toxicity - single exposure

Product: No data available.

Specific target organ toxicity - repeated exposure

Product: No data available.

Aspiration hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Sodium hydroxide LC 50 (Western mosquitofish (*Gambusia affinis*), 24 h): 125 mg/l Mortality
LC 50 (Guppy (*Poecilia reticulata*), 24 h): 145 mg/l Mortality LC 50 (Goldfish
(*Carassius auratus*), 24 h): 160 mg/l Mortality LC 50 (Bony fish superclass
(*Osteichthyes*), 48 h): 33 - 100 mg/l Mortality LC 50 (Western mosquitofish
(*Gambusia affinis*), 48 h): 125 mg/l Mortality

Aquatic invertebrates

Product: No data available.

Specified substance(s):

Sodium hydroxide EC 50 (Water flea (*Ceriodaphnia dubia*), 48 h): 34.59 - 47.13 mg/l
Intoxication LC 50 (Common shrimp, sand shrimp (*Crangon crangon*), 48 h):
33 - 100 mg/l Mortality LC 50 (Cockle (*Cerastoderma edule*), 48 h): 330 -

1,000 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and degradability

Biodegradation

Product: No data available.

BOD/COD ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration factor (BCF)

Product: No data available.

Partition coefficient n-octanol / water (log K_{ow})

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Sodium hydroxide No data available.

Water No data available.

Sodium chloride No data available.

Known or predicted distribution to environmental compartments

Water No data available.

13. Disposal considerations

Disposal instructions: No data available.

Contaminated packaging: No data available.

14. Transport information

DOT

UN number: UN 1824

UN proper shipping name: Sodium hydroxide solution

Transport hazard class(es)

Class: 8

Label(s): 8

Packing group: II

Marine Pollutant: Not regulated.



Special precautions for user: —

IMDG

UN number: UN 1824
UN proper shipping name: SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)
Class: 8
Label(s): 8
EmS No.: F-A, S-B
Packing group: II
Marine Pollutant: Not regulated.
Special precautions for user: —

IATA

UN number: UN 1824
Proper Shipping Name: Sodium hydroxide solution
Transport hazard class(es):
Class: 8
Label(s): 8
Packing group: II
Environmental hazards: Not regulated.
Special precautions for user: —
Other information
Passenger and cargo aircraft: Allowed.
Cargo aircraft only: Allowed.

15. Regulatory information

US federal regulationsUS. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Sodium hydroxide Reportable quantity: 1000 lbs.

Superfund amendments and reauthorization act of 1986 (SARA)

Hazard categories

Not listed.

SARA 302 Extremely hazardous substance

None present or none present in regulated quantities.

SARA 304 Emergency release notification

Chemical identity	RQ
Sodium hydroxide	1000 lbs.

SARA 311/312 Hazardous chemical

Chemical identity	Threshold Planning Quantity
Sodium hydroxide	500 lbs
Sodium Chloride	500 lbs

SARA 313 (TRI reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

Sodium hydroxide Reportable quantity: 1000 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US state regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

Sodium hydroxide Listed

US. Massachusetts RTK - Substance List

Sodium hydroxide Listed

US. Pennsylvania RTK - Hazardous Substances

Sodium hydroxide Listed

US. Rhode Island RTK

Sodium hydroxide Listed

Inventory Status: Australia AICS:	Not in compliance with the inventory.
Canada DSL Inventory List:	Not in compliance with the inventory.
EU EINECS List:	Not in compliance with the inventory.
EU ELINCS List:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
EU No Longer Polymers List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	Not in compliance with the inventory.
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.

16. Other information, including date of preparation or last revision


HMIS Hazard ID





Health	*	3
Flammability		0
Physical Hazard		1
PERSONAL PROTECTION		B

B - Safety Glasses & Gloves

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect

NFPA Hazard ID



	Flammability
	Health
	Reactivity
	Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue date:	04/29/2015
Revision date:	No data available.
Version #:	1.2
Further information:	No data available.



CERTIFICATE OF ANALYSIS



Univar USA Inc
 777 Brisbane
 Houston, Tx. 77061
 PH. 713-641-9469
 Fax 713-644-8369
www.univarusa.com

DATE: April 23, 2015
 PRODUCT: Caustic Soda 25%
 UNIVAR PRODUCT CODE: 608142
 UNIVAR LOT NUMBER: HS540299

<u>TEST</u>	<u>RESULTS</u>	<u>SPECIFICATIONS</u>	
APPEARANCE	Pass	Clear, Free of Foreign Matter	
Specific Gravity @20	1.27	1.26	1.3
Assay, as NaOH%	24.8	24	26%

Univar USA Inc.

Billy Gaher

Name

Laboratory Technician

Job Title

Notes:

Please consult the MSDS for further information.

Univar USA Inc. ("Univar") represents only that the Product shall meet the specifications herein. All transactions involving this Product are subject to Univar's standard Terms and Conditions, available at www.univarusa.com or upon request. Univar makes no additional additional representations or warranties, express or implied, as to the Product.



Univar
3075 Highland Pkwy STE 200
Downers Grove, IL 60515
425-889-3400

SAFETY DATA SHEET

1. Identification

Product identifier: CAUSTIC SODA 25 - 28%

Other means of identification

Synonyms: Sodium Hydroxide

SDS number: 000100000085

Recommended use and restriction on use

Recommended use: Not available.

Restrictions on use: Not known.

Emergency telephone number: For emergency assistance Involving chemicals

call CHEMTREC day or night at: 1-800-424-9300. CHEMTREC INTERNATIONAL Tel# 703-527-3887

2. Hazard(s) identification

Hazard classification

Health hazards

Acute toxicity (Oral) Category 4

Skin corrosion/irritation Category 1A

Serious eye damage/eye irritation Category 1

Environmental hazards Acute hazards to the aquatic environment Category 3

Label elements

Hazard symbol





Signal word	Danger
Hazard statement	Corrosive. Harmful if swallowed. Causes severe skin burns and eye damage.
Precautionary statement	
Prevention	Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not breathe dust or mists. Wear protective gloves/protective clothing/eye protection/face protection.
Response	IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF SWALLOWED: Call a POISON CENTER/doctor/ if you feel unwell. Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER/doctor. Specific treatment (see this label). Wash contaminated clothing before reuse.
Storage	Store in a closed container. Keep container tightly closed. Store in a well-ventilated place. Store in a dry place. Store locked up.
Disposal	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
Other hazards which do not result in GHS classification	None.

3. Composition/information on ingredients

Substances

Chemical identity	Common name and synonyms	CAS number	Content in percent (%)*
Sodium hydroxide		1310-73-2	25%
Water		7732-18-5	75%

* All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

General information:	CAUTION! First aid personnel must be aware of own risk during rescue!
Ingestion:	Do NOT induce vomiting. Never give liquid to an unconscious person. Get medical attention immediately.
Inhalation:	Move to fresh air. If breathing is difficult, give oxygen. Perform artificial respiration if breathing has stopped. Get medical attention immediately.
Skin contact:	Immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
Eye contact:	If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.
Most important symptoms/effects, acute and delayed	
Symptoms:	No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General fire hazards: No data available.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing media: Use: Powder. In case of fire in the surroundings: all extinguishing agents allowed.

Unsuitable extinguishing media: No data available.

Specific hazards arising from the chemical: No data available.



Special protective equipment and precautions for firefighters

Special fire fighting procedures: No data available.

Special protective equipment for fire-fighters: No data available.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Use personal protective equipment. Keep unauthorized personnel away.

Methods and material for containment and cleaning up: Absorb spillage with non-combustible, absorbent material. Dike for later disposal.

7. Handling and storage

Precautions for safe handling: Use personal protective equipment as required. Use only with adequate ventilation. Container must be kept tightly closed.

Conditions for safe storage, including any incompatibilities: No data available.

8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Chemical identity	Type	Exposure Limit values	Source
Sodium hydroxide	Ceiling	2 mg/m ³	US. ACGIH Threshold Limit Values (03 2013)
	Ceil_Tim e	2 mg/m ³	US. NIOSH: Pocket Guide to Chemical Hazards (2010)
	PEL	2 mg/m ³	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	Ceiling	2 mg/m ³	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceiling	2 mg/m ³	US. Tennessee. OELs. Occupational Exposure Limits, Table Z1A (06 2008)
Sodium hydroxide - Particulate.	ST ESL	20 µg/m ³	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
	AN ESL	2 µg/m ³	US. Texas. Effects Screening Levels (Texas Commission on Environmental Quality) (02 2013)
Sodium hydroxide	Ceiling	2 mg/m ³	US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants (02 2012)

Appropriate engineering controls

No data available.

Individual protection measures, such as personal protective equipment

General information:

Use personal protective equipment as required. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants. Discard contaminated footwear that cannot be cleaned. Practice good housekeeping.

Eye/face protection:

Use personal protective equipment as required. Wear goggles/face shield.

Skin protection

Hand protection:

No data available.

Other:

No data available.

Respiratory protection: No data available.
Hygiene measures: No data available.

9. Physical and chemical properties

Physical state:	Liquid
Form:	No data available.
Color:	No data available.
Odor:	No data available.
Odor threshold:	No data available.
pH:	14
Melting point/freezing point:	-25 °C
Initial boiling point and boiling range:	116 °C
Flash Point:	No data available.
Evaporation rate:	No data available.
Flammability (solid, gas):	No data available.
Upper/lower limit on flammability or explosive limits	
Flammability limit - upper (%):	No data available.
Flammability limit - lower (%):	No data available.
Explosive limit - upper (%):	No data available.
Explosive limit - lower (%):	No data available.
Vapor pressure:	No data available.
Vapor density:	No data available.
Relative density:	No data available.
Solubility(ies)	
Solubility in water:	No data available.
Solubility (other):	No data available.
Partition coefficient (n-octanol/water):	No data available.
Auto-ignition temperature:	No data available.
Decomposition temperature:	No data available.
Viscosity:	No data available.

10. Stability and reactivity

Reactivity:	No data available.
Chemical stability:	No data available.
Possibility of hazardous reactions:	No data available.
Conditions to avoid:	No data available.
Incompatible materials:	No data available.
Hazardous decomposition products:	No data available.

11. Toxicological information

Symptoms related to the physical, chemical and toxicological characteristics

Ingestion:	No data available.
Inhalation:	No data available.
Skin contact:	No data available.
Eye contact:	No data available.

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Oral

Product:	ATEmix (): 325 mg/kg
----------	----------------------

Dermal

Product:	No data available.
----------	--------------------

Inhalation

Product:	No data available.
----------	--------------------

Repeated dose toxicity

Product:	No data available.
----------	--------------------

Skin corrosion/irritation

Product:	No data available.
----------	--------------------

Serious eye damage/eye irritation

Product:	No data available.
----------	--------------------

Respiratory or skin sensitization

Product:	No data available.
----------	--------------------

Carcinogenicity

Product:	No data available.
----------	--------------------

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ cell mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific target organ toxicity - single exposure

Product: No data available.

Specific target organ toxicity - repeated exposure

Product: No data available.

Aspiration hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Sodium hydroxide LC 50 (Western mosquitofish (*Gambusia affinis*), 24 h): 125 mg/l Mortality
LC 50 (Guppy (*Poecilia reticulata*), 24 h): 145 mg/l Mortality LC 50 (Goldfish
(*Carassius auratus*), 24 h): 160 mg/l Mortality LC 50 (Bony fish superclass
(*Osteichthyes*), 48 h): 33 - 100 mg/l Mortality LC 50 (Western mosquitofish
(*Gambusia affinis*), 48 h): 125 mg/l Mortality

Aquatic invertebrates

Product: No data available.

Specified substance(s):

Sodium hydroxide EC 50 (Water flea (*Ceriodaphnia dubia*), 48 h): 34.59 - 47.13 mg/l
Intoxication LC 50 (Common shrimp, sand shrimp (*Crangon crangon*), 48 h):
33 - 100 mg/l Mortality LC 50 (Cockle (*Cerastoderma edule*), 48 h): 330 -

1,000 mg/l Mortality

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Aquatic invertebrates

Product: No data available.

Toxicity to Aquatic Plants

Product: No data available.

Persistence and degradability

Biodegradation

Product: No data available.

BOD/COD ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration factor (BCF)

Product: No data available.

Partition coefficient n-octanol / water (log K_{ow})

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Sodium hydroxide No data available.

Water No data available.

Known or predicted distribution to environmental compartments

Water No data available.

13. Disposal considerations

Disposal instructions: No data available.

Contaminated packaging: No data available.

14. Transport information

DOT

UN number: UN 1824
UN proper shipping name: Sodium hydroxide solution
Transport hazard class(es)
Class: 8
Label(s): 8
Packing group: II
Marine Pollutant: Not regulated.



Special precautions for user: —

IMDG

UN number: UN 1824
UN proper shipping name: SODIUM HYDROXIDE SOLUTION
Transport hazard class(es)
 Class: 8
 Label(s): 8
 EmS No.: F-A, S-B
Packing group: II
Marine Pollutant: Not regulated.
Special precautions for user: —

IATA

UN number: UN 1824
Proper Shipping Name: Sodium hydroxide solution
Transport hazard class(es):
 Class: 8
 Label(s): 8
Packing group: II
Environmental hazards: Not regulated.
Special precautions for user: —
Other information
 Passenger and cargo aircraft: Allowed.
 Cargo aircraft only: Allowed.

15. Regulatory information

US federal regulationsUS. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Sodium hydroxide Reportable quantity: 1000 lbs.

Superfund amendments and reauthorization act of 1986 (SARA)

Hazard categories

Not listed.



SARA 302 Extremely hazardous substance

None present or none present in regulated quantities.

SARA 304 Emergency release notification

Chemical identity	RQ
Sodium hydroxide	1000 lbs.

SARA 311/312 Hazardous chemical

Chemical identity	Threshold Planning Quantity
Sodium hydroxide	500 lbs

SARA 313 (TRI reporting)

None present or none present in regulated quantities.

Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3)

Sodium hydroxide Reportable quantity: 1000 lbs.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):

None present or none present in regulated quantities.

US state regulations

US. California Proposition 65

No ingredient regulated by CA Prop 65 present.

US. New Jersey Worker and Community Right-to-Know Act

Sodium hydroxide Listed

US. Massachusetts RTK - Substance List

Sodium hydroxide Listed

US. Pennsylvania RTK - Hazardous Substances

Sodium hydroxide Listed

US. Rhode Island RTK

Sodium hydroxide Listed

Inventory Status: Australia AICS:	Not in compliance with the inventory.
Canada DSL Inventory List:	Not in compliance with the inventory.
EU EINECS List:	On or in compliance with the inventory
EU ELINCS List:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
EU No Longer Polymers List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Philippines PICCS:	Not in compliance with the inventory.
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.

16. Other information, including date of preparation or last revision


HMIS Hazard ID

Health	*	3
Flammability		0
Reactivity		1
PERSONAL PROTECTION		B

B - Safety Glasses & Gloves

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect

NFPA Hazard ID



Flammability
Health
Reactivity
Special hazard.

Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Issue date: 04/28/2015
Revision date: No data available.
Version #: 1.0
Further information: No data available.





The Public Health and Safety Organization

NSF Product and Service Listings

These NSF Official Listings are current as of **Tuesday, June 16, 2015** at 12:15 a.m. Eastern Time. Please [contact NSF International](#) to confirm the status of any Listing, report errors, or make suggestions.

Alert: NSF is concerned about fraudulent downloading and manipulation of website text. Always confirm this information by clicking on the below link for the most accurate information: <http://info.nsf.org/Certified/PwsChemicals/Listings.asp?CompanyName=Univar+USA%2C+Inc%2E&ChemicalName=Sodium+Hydroxide&>

NSF/ANSI 60 Drinking Water Treatment Chemicals - Health Effects

Univar USA Inc.
17425 Northeast Union Hill Road
Redmond, WA 98052
United States
425-889-3400

Facility : # 1 Distribution Center - Richmond, CA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : # 1 Chattanooga, TN

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion Control	250mg/L
	pH Adjustment	
Caustic Soda 25%	pH Adjustment	200mg/L
	Corrosion & Scale Control	
Caustic Soda 50%	Corrosion Control	100mg/L
	pH Adjustment	

Sodium Hydroxide 20%	Corrosion Control	250mg/L
	pH Adjustment	
Sodium Hydroxide 25%	pH Adjustment	200mg/L
	Corrosion & Scale Control	
Sodium Hydroxide 50%	Corrosion Control	100mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : # 2 Chattanooga, TN

Sodium Hydroxide		
<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion Control	100mg/L
	pH Adjustment	
Sodium Hydroxide 50%	Corrosion Control	100mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Phoenix 27th Ave., AZ

Sodium Hydroxide		
<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Redwood City, CA

Sodium Hydroxide		
<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 33%	pH Adjustment	152mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Santa Fe Springs, CA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 32%	pH Adjustment	156mg/L
Caustic Soda 50%	pH Adjustment	100mg/L
Sodium Hydroxide 32%	pH Adjustment	156mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Visalia, CA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Wilmington, CA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : San Pedro, CA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion & Scale Control	250mg/L

Caustic Soda 25%	Corrosion & Scale Control	200mg/L
Caustic Soda 30%	Corrosion & Scale Control	165mg/L
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control	250mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control	200mg/L
Sodium Hydroxide 30%	Corrosion & Scale Control	165mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Denver, CO

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Jacksonville Westway Terminal, FL

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	Corrosion & Scale Control	333mg/L
	pH Adjustment	
Caustic Soda 20%	Corrosion & Scale Control	250mg/L
	pH Adjustment	
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
	pH Adjustment	
Caustic Soda 30%	Corrosion & Scale Control	165mg/L
	pH Adjustment	
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Tampa, FL

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion & Scale Control	250mg/L
Caustic Soda 25%	Corrosion & Scale Control	200mg/L

Caustic Soda 50%	Corrosion & Scale Control	100mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control	250mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control	200mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Augusta, GA

Sodium Hydroxide		
<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion Control pH Adjustment	200mg/L
Caustic Soda 32%	Corrosion Control pH Adjustment	156mg/L
Caustic Soda 50%	Corrosion Control pH Adjustment	100 mg/L
Sodium Hydroxide 25%	Corrosion Control pH Adjustment	200mg/L
Sodium Hydroxide 30-49%	Corrosion Control pH Adjustment	100mg/L
Sodium Hydroxide 32%	Corrosion Control pH Adjustment	156mg/L
Sodium Hydroxide 50%	Corrosion Control pH Adjustment	100 mg/L
Weak Caustic	Corrosion Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Dallas, GA

Sodium Hydroxide		
<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L
Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Savannah, GA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	Corrosion & Scale Control	333mg/L
	pH Adjustment	
Caustic Soda 20%	Corrosion & Scale Control	250mg/L
	pH Adjustment	
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
	pH Adjustment	
Caustic Soda 30%	Corrosion & Scale Control	165mg/L
	pH Adjustment	
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are NSF Certified.

Facility : Norcross, GA

<i>Sodium Hydroxide</i>		
<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion & Scale Control	250mg/L
	pH Adjustment	
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
	pH Adjustment	
Caustic Soda 32%	Corrosion Control	156mg/L
	pH Adjustment	
Caustic Soda 50%	Corrosion Control	100mg/L
	pH Adjustment	
Sodium Hydroxide 20%	Corrosion & Scale Control	250mg/L
	pH Adjustment	
Sodium Hydroxide 25%	Corrosion & Scale Control	200mg/L
	pH Adjustment	
Sodium Hydroxide 30-49%	Corrosion Control	100mg/L
	pH Adjustment	
Sodium Hydroxide 32%	Corrosion Control	156mg/L
	pH Adjustment	
Sodium Hydroxide 50%	Corrosion Control	100mg/L
	pH Adjustment	
Weak Caustic	Corrosion Control	100mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Lemont, IL

<i>Sodium Hydroxide</i>		
<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Sodium Hydroxide 15%	pH Adjustment	333mg/L
Sodium Hydroxide 20%	pH Adjustment	250mg/L

Sodium Hydroxide 25%	pH Adjustment	200mg/L
Sodium Hydroxide 30%	pH Adjustment	165mg/L
Sodium Hydroxide 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Plainfield, IL

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Sauget, IL

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 30%	Corrosion & Scale Control	165mg/L
	pH Adjustment	
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
	pH Adjustment	
Sodium Hydroxide	Corrosion & Scale Control	100mg/L
	pH Adjustment	
Sodium Hydroxide 30%	Corrosion & Scale Control	165mg/L
	pH Adjustment	
Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Geismar Highway 75, LA

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation on the product, product packaging, and/or documentation shipped with the product are Certified.

Facility : Baltimore, MD**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	Corrosion & Scale Control pH Adjustment	333mg/L
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Caustic Soda 35%	Corrosion & Scale Control pH Adjustment	143mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : St. Paul Westway Terminal, MN**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control	200mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : St. Louis, MO**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Bayonne, NJ**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	pH Adjustment	100mg/L
	Corrosion & Scale Control	
Sodium Hydroxide 50%	pH Adjustment	100mg/L
	Corrosion & Scale Control	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Carteret, NJ**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Charlotte, NC**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion Control	200mg/L
	pH Adjustment	
Caustic Soda 32%	Corrosion Control	156mg/L
	pH Adjustment	
Caustic Soda 50%	Corrosion Control	100 mg/L
	pH Adjustment	
Sodium Hydroxide 25%	Corrosion Control	200mg/L
	pH Adjustment	
Sodium Hydroxide 32%	Corrosion Control	156mg/L
	pH Adjustment	
Sodium Hydroxide 50%	Corrosion Control	100 mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Wilmington, NC

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Strongsville, OH**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 10%	Corrosion & Scale Control	500mg/L
	pH Adjustment	
Caustic Soda 20%	Corrosion & Scale Control	250mg/L
	pH Adjustment	
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
	pH Adjustment	
Caustic Soda 30%	Corrosion & Scale Control	165mg/L
	pH Adjustment	
Caustic Soda 35%	Corrosion & Scale Control	143mg/L
	pH Adjustment	
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Twinsburg, OH**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
	pH Adjustment	
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Altoona, PA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 10%	Corrosion & Scale Control pH Adjustment	500mg/L
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 35%	Corrosion & Scale Control pH Adjustment	143mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Bunola, PA

Sodium Hydroxide		
<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 10%	Corrosion & Scale Control pH Adjustment	500mg/L
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 30%	Corrosion & Scale Control pH Adjustment	165mg/L
Caustic Soda 35%	Corrosion & Scale Control pH Adjustment	143mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Morrisville Steel Road, PA

Sodium Hydroxide		
<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Philadelphia, PA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Middletown, PA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 10%	Corrosion & Scale Control pH Adjustment	500mg/L
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 35%	Corrosion & Scale Control pH Adjustment	143mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Providence, RI**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 10% Solution	Corrosion & Scale Control pH Adjustment	500mg/L
Caustic Soda 25% Solution	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 35% Solution	Corrosion & Scale Control pH Adjustment	143mg/L
Caustic Soda 50% Solution	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Charleston, SC**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Spartanburg, SC**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 20%	Corrosion Control pH Adjustment	250 mg/L
Caustic Soda 25%	Corrosion Control pH Adjustment	200 mg/L
Caustic Soda 32%	Corrosion Control pH Adjustment	156mg/L
Caustic Soda 50%	Corrosion Control pH Adjustment	100 mg/L
Sodium Hydroxide 20%	Corrosion Control pH Adjustment	250 mg/L
Sodium Hydroxide 25%	Corrosion Control pH Adjustment	200 mg/L
Sodium Hydroxide 30-49%	Corrosion Control pH Adjustment	100mg/L
Sodium Hydroxide 32%	Corrosion Control pH Adjustment	156mg/L
Sodium Hydroxide 50%	Corrosion Control pH Adjustment	100 mg/L
Weak Caustic	Corrosion Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Houston Luthe Road, TX**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Houston, TX

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda - 50%	Corrosion & Scale Control	100mg/L
	pH Adjustment	
Sodium Hydroxide	Corrosion & Scale Control	100mg/L
	pH Adjustment	
Sodium Hydroxide - 50%	Corrosion & Scale Control	100mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Grantsville, UT

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	pH Adjustment	333mg/L
Caustic Soda 20%	pH Adjustment	250mg/L
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Salt Lake City, UT

Sodium Hydroxide

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 30%	pH Adjustment	165mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Chester, VA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion Control pH Adjustment	200mg/L
Caustic Soda 32%	Corrosion Control pH Adjustment	156mg/L
Caustic Soda 50%	Corrosion Control pH Adjustment	100mg/L
Sodium Hydroxide 25%	Corrosion Control pH Adjustment	200mg/L
Sodium Hydroxide 32%	Corrosion Control pH Adjustment	156mg/L
Sodium Hydroxide 50%	Corrosion Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Norfolk, VA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Distribution Center - Vancouver, WA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 15%	Corrosion & Scale Control	333mg/L
Caustic Soda 20%	Corrosion & Scale Control	250mg/L
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
Caustic Soda 30%	Corrosion & Scale Control	165mg/L
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
Sodium Hydroxide 15%	Corrosion & Scale Control	333mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control	250mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control	200mg/L
Sodium Hydroxide 30%	Corrosion & Scale Control	165mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Kent, WA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
Caustic Soda 50%	Corrosion & Scale Control	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Tacoma, WA**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control	200mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Cincinnati Dues Drive, OH**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
Caustic Soda 10%	Corrosion & Scale Control	500mg/L
	pH Adjustment	
Caustic Soda 12.5%	Corrosion & Scale Control	400mg/L
	pH Adjustment	
Caustic Soda 20%	Corrosion & Scale Control	250mg/L
	pH Adjustment	
Caustic Soda 25%	Corrosion & Scale Control	200mg/L
	pH Adjustment	
Caustic Soda 30%	Corrosion & Scale Control	165mg/L
	pH Adjustment	
Caustic Soda 50%	Corrosion & Scale Control	100mg/L
	pH Adjustment	

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Dallas Bekay Street, TX**Sodium Hydroxide**

<i>Trade Designation</i>	<i>Product Function</i>	<i>Max Use</i>
--------------------------	-------------------------	----------------

Caustic Soda 20%	Corrosion Control pH Adjustment	250mg/L
Caustic Soda 25%	Corrosion Control pH Adjustment	200mg/L
Caustic Soda 50%	Corrosion Control pH Adjustment	100mg/L
Sodium Hydroxide 20%	Corrosion Control pH Adjustment	250mg/L
Sodium Hydroxide 25%	Corrosion Control pH Adjustment	200mg/L
Sodium Hydroxide 50%	Corrosion Control pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Houston Brisbane, TX

Sodium Hydroxide	Product Function	Max Use
Trade Designation		
Caustic Soda 20%	Corrosion & Scale Control pH Adjustment	250 mg/L
Caustic Soda 25%	Corrosion & Scale Control pH Adjustment	200 mg/L
Caustic Soda 50%	Corrosion & Scale Control pH Adjustment	100 mg/L
Sodium Hydroxide 20%	Corrosion & Scale Control pH Adjustment	250 mg/L
Sodium Hydroxide 25%	Corrosion & Scale Control pH Adjustment	200 mg/L
Sodium Hydroxide 50%	Corrosion & Scale Control pH Adjustment	100 mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Facility : Phoenix 45th Avenue, AZ

Sodium Hydroxide	Product Function	Max Use
Trade Designation		
Caustic Soda 25%	pH Adjustment	200mg/L
Caustic Soda 50%	pH Adjustment	100mg/L

NOTE: Only products bearing the "NSF 60" designation are Certified by NSF International.

Univar USA Inc.

17411 Northeast Union Hill Road
Redmond, WA 98052
United States
425-889-3679

Facility : Rayong Province, Thailand

Sodium Hydroxide

Trade Designation

Caustic Soda Micropearls

Product Function

Corrosion & Scale Control
pH Adjustment

Max Use

100mg/L

Univar USA Inc.

17425 Northeast Union Hill Road
Redmond, WA 98052
United States
425-889-3496

Facility : # 19 Mountain Pass, CA

Sodium Hydroxide

Trade Designation

Sodium Hydroxide, 50% Solution, Membrane Grade

Product Function

pH Adjustment

Max Use

100mg/L

Number of matching Manufacturers is 3

Number of matching Products is 250

Processing time was 1 seconds