



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

JULY 15, 2021

ADDENDUM #1

Bid Number: 50-135222

Bid Opening: JULY 20, 2021 AT 11:00 A.M.

Description of Bid: LABOR, MATERIAL, EQUIPMENT NECESSARY TO REPAIR, SEAL WALKING TRACK AND RESTRIPIING OF PARKING LOT AT N. AVONDALE WALKING TRACK

This Addendum # 1 is issued to change the specifications of the bid request per attached.

Sincerely,

Doris Abraham
Buyer I
Jefferson Parish Purchasing Department

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of This addendum on the bid form as indicated. Failure to do so will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

GENERAL GOVERNMENT BLDG. – 200 DERBIGNY ST., SUITE 4400, GRETN, LA 70053
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. – 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.NET WEBSITE: WWW.JEFFPARISH.NET



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

JULY 9, 2021

JEFFERSON PARISH INVITATION TO BID NOTIFICATION

This notification is to inform bidders of the following bid solicitation for Jefferson Parish Government. Please review this notification in its entirety for details on how to access the on-line bidding site to view and download the Invitation to Bid, including all required bidding documents. The notification also states how and/or where to submit the bid response to the Jefferson Parish Purchasing Department on the bid opening date or before.

BID # 50-00135222

LABOR, MATERIAL, EQUIPMENT NECESSARY TO REPAIR, SEAL WALKING TRACK AND RESTRIPIING OF PARKING LOT AT N. AVONDALE WALKING TRACK

Bids will be received at centralauctionhouse.com until 11 a.m., on 7/20/2021. Bids delivered after 11 a.m., will not be accepted.

Where to obtain the Invitation to Bid: This Invitation to Bid may be viewed, and/or downloaded from our on-line bidding site, Central Bidding by clicking, <http://www.jeffparishbids.net>. All vendors are encouraged to register with Central Bidding in order to respond, free of charge, to Jefferson Parish Invitation to Bid.

How to respond: Vendors can respond either through Central Bidding, our on-line bidding site or through the link above.

For more information on this bid, please contact the buyer assigned to this bid:

Doris Abraham, Buyer I
504-364-2690
dabraham@jeffparish.net

Or you may visit the Purchasing Department's webpage at www.jeffparish.net.

GENERAL GOVERNMENT BLDG. — 200 DERBIGNY ST., SUITE 4400, GRETNA, LA 70053
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. — 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.NET WEBSITE: WWW.JEFFPARISH.NET



CENTRALBIDDING

FROM CENTRAL AUCTION HOUSE

**5000135222 LABOR, MATERIAL, EQUIPMENT NECESSARY TO REPAIR,
SEAL WALKING TRACK AND RESTRIPIING OF PARKING LOT AT N.
AVONDALE WALKING TRACK**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com

12-Jul-2021 08:39:24 AM



JEFFERSON PARISH

DEPARTMENT OF PURCHASING

CYNTHIA LEE SHENG
PARISH PRESIDENT

RENNY SIMNO
DIRECTOR

September 2020

Changes to Jefferson Parish Bidding Information

The Jefferson Parish Purchasing Department would like to make vendors aware of the following changes:

Total Bid Price Must Include the Cost of Naming Jefferson Parish as Additional Insured:

Bidder acknowledges that Bidder recovered the cost of any required insurance in the contract price as required by La.R.S. 9:2780.1 and that Bidder recovered any such cost for the purposes of insuring an obligation to indemnify Jefferson Parish, defend Jefferson Parish, or hold Jefferson Parish harmless and that Bidder's indemnity liability is limited to the amount of the proceeds that are payable under the insurance policy or policies that Bidder has obtained.

Electronic Procurement: Beginning November 1, 2020, Jefferson Parish will no longer accept manual bid submissions; and will only accept bid submissions electronically via our e-Procurement system, Central Bidding. Central Bidding can be accessed by visiting either www.centralbidding.com or www.jeffparishbids.net. All bidders will be required to register with Central Bidding. Jefferson Parish vendors are able to register for free by accessing the following link:
<https://www.centrauctionhouse.com/registration.php>.

Probable Construction Cost: Per Jefferson Parish Administrative Policy, the probable construction cost is not revealed in the Jefferson Parish Bidding Documents. Jefferson Parish Administrative Policy has changed and a range of the probable construction cost will be stated in the Jefferson Parish bidding document, entitled Important Notice to All Bidders – Bid Requirements. Per Louisiana Public Bid Law, the probable construction cost will be read at the bid opening.

Insurance Requirement: All bidders must provide proof of valid insurance in the required amounts as stated in the Standard Insurance Requirements for bidding purposes. Failure to provide the proof of valid insurance in all of the required coverage amounts will result in bid rejection.

GENERAL GOVERNMENT BLDG. – 200 DERBIGNY ST., SUITE 4400, GRETNA, LA 70053
OFFICE 504.364.2678

JOSEPH S. YENNI BLDG. – 1221 ELMWOOD PARK BLVD., SUITE 404, JEFFERSON, LA 70123
OFFICE 504.364.2678

EMAIL: PURCHASING@JEFFPARISH.NET WEBSITE: WWW.JEFFPARISH.NET



Bid Number 50-135222

**LABOR, MATERIAL, EQUIPMENT NECESSARY TO REPAIR, SEAL
WALKING TRACK AND RESTRIPIING OF PARKING LOT AT N. AVONDALE
WALKING TRACK**

BID DUE: JULY 20, 2021 AT 11:00 A.M.

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received on the Purchasing
Department's eProcurement site, www.jeffparishbids.net, by the bid due date
and time. Late bids will not be accepted.**

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Doris Abraham
Buyer Email: DABRAHAM@jeffparish.net
Buyer Phone: 504-364-2690**

DATE: 7/09/2021

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00135222

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: DABRAHAM@jeffparish.net

Bids will be received until 11:00 AM, 7/20/2021 via online at www.jeffparishbids.net.

LATE BIDS WILL NOT BE ACCEPTED

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION. HOWEVER, ELECTRONIC SIGNATURES AS DEFINED IN LSA - R.S. 9:2602(8) ARE ACCEPTABLE. SIGNATURE MUST BE A SECURED DIGITAL SIGNATURE.

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647 as amended. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at purchasing.jeffparish.net and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Vendors may experience a delay in payment if your company is not a registered vendor with Jefferson Parish.

Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and local taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE.

PROTESTS: Only those vendors that submit bids in response to this solicitation may protest any element of the procurement, in writing to the Director of the Purchasing Department. Written protest must be received within 48 hours of the release of the bid tabulation by the Purchasing Department. After consultation, the Parish Attorney's Office will then respond to protests in writing. (For more information, please see Chapter 2, Article VII, Division 2, Sec. 2-914.1 of the Jefferson Parish Code of Ordinances.)

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder by the bidder placing the Addendum number in the appropriate section. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.

3, 5, 6, 10, 13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid electronic envelope. Failure to comply will cause the bid to be rejected. When submitting the bid electronically, the license number must be entered in the appropriate field in the electronic procurement system. Failure to comply will cause the bid to be rejected.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precaution must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.
7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Failure to comply with this instruction will result in bid rejection.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. All sureties must be in original format (no copies). When submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is an as needed basis contract. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA – RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DATE: 7/09/2021

BID NO.: 50-00135222

Page: 4

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which is permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owed on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish to contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment, and report to Owner the amount of taxes not incurred.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 7/09/2021
BID NO.: 50-00135222

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 5

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: DABRAHAM

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

15

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

30

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

15

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: #1

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) 20299

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: EMSCO PAVEMENT MAINTENANCE & SUPPLY LLC	
SIGNATURE: (Must be signed here)	TITLE: PRESIDENT
PRINT OR TYPE NAME: SCOTT MONTEGUT	
ADDRESS: 2249 KINGSTON ST,	
CITY, STATE: KENNER, LA	ZIP: 70062
TELEPHONE: 504-464-7795	FAX: 504-464-5656
EMAIL ADDRESS: EZKING9@hotmail.com	

TOTAL PRICE OF ALL BID ITEMS: \$ 10,047⁰⁰

DATE: 7/09/2021

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page: 6

BID NO.: 50-00135222

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	JOB	<p>Labor, material, equipment necessary to repair, seal walking track and restriping of parking lot at N. Avondale Walking Track</p> <p>0001 Labor, material, equipment necessary to repair, seal walking track and restriping of parking lot at:</p> <p>Location: N. Avondale Walking Track 100 Cambay Dr. Avondale, LA 70094</p> <ul style="list-style-type: none"> - Mill all tie-ins - Clean area of all loose rocks, dirt, trash, and vegetation - Tack with SS-I asphalt emulsion - Pave with 1 1/2" wearing type asphalt - Compact with 6 ton steel wheel roller - Repair five areas totaling 1,100 sq.ft. - Seal walking track with two coats of Gem Seal Pavement Sealer. Track area approximately 13,080 sq.ft. - Restripe (20) parking stalls. - Restripe and stencil (2) handicap stalls <p>PER ATTACHED SPECIFICATIONS ***</p>	10,047 ⁰⁰	10,047 ⁰⁰

**LABOR & MATERIALS AND EQUIPMENT TO REPAIR, SEAL WALKING
TRACK, AND RESTRIPIING OF PARKING LOT AT N. AVONDALE WALKING
TRACK AT 100 CMBAY DR. AVONDALE, LA 70094.**

BID # 50-00135222

Section 1.0 – MANDATORY OR NON –MANDATORY Pre-Bid Conference:

There will be no pre-bid meetings for this project. The bidder will be responsible for all measurements, etc. All site visits should be arranged through Brent Griffin (504-419-4415), BGriffin@jeffparish.net.

Section 2.0 – Scope:

We extend this bid to cover all labor, materials, and equipment to repair, seal walking track, and restriping of parking lot at N. Avondale Walking Track.

Section 3.0 – Quantities/Inspection:

Bidders must inspect the site and perform their own measurements in order to determine the proper quantity of materials and equipment required to complete this project. All measurements given in these specifications are informational only.

Section 4.0 – Bid Specifications:

The successful bidder shall supply all labor, materials, equipment and necessary essentials to perform the following.

- Clean area of all loose rock, dirt, trash and vegetation.
- Mill all tie ins.
- Pave with 1 1/2 "wearing type asphalt.
- Repair five areas totaling 1100square feet.
- Compact with 6-ton steel wheel roller.

- Tack with ss-I asphalt emulsion.
- Seal walking track with two coats of Gem Seal Pavement Sealer (Track area approximately (13.080 square feet.)
- Restripe (20) parking stalls.
- Restripe and stencil (2) handicap stalls.

Section 5.0 - Hours of Work:

Work shall be performed during normal working hours. All work must be scheduled with owner representative 5 days in advance. The successful bidder shall work normal building working hours (8:00am – 4:00pm) to provide a safe work environment at no extra charge to Jefferson Parish.

Section 6.0 – Cleaning Area and Safety:

Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Inflammable material must be removed from the job site daily, because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare and safety of the general public, employees of Jefferson Parish, and other Parish officials.

Section 7.0 – Warranty:

Material and Labor shall be warranted for a period of one year after completion.

Section 8.0 – SDS:

The bidder shall notify the Jefferson Parish Department of General Services contact person of any hazardous substances that will be brought to and/or used at the workplace. The bidder shall provide SDS as per this requirement to the Director of the Jefferson Parish Department of Parks and Recreation.

Section 9.0 – Permits:

The successful bidder shall obtain any and all permits required by the Jefferson Parish Department of Inspection and Code Enforcement and/or the City of Gretna. The successful bidder shall also be responsible for payment of these permits. All permits must be obtained prior to the start of the project.

Section 10.0 – Pre-Construction Conference and Notice to Proceed:

A Pre-Construction Conference shall be held between the successful bidder and the owner before any work commences. No work shall be performed until the successful bidder receives a written "Notice to Proceed" to begin work, from the Department of Parks and Recreation.

FED SPEC/ FED SPEC HS PAVEMENT SEALER
DETAILED APPLICATION AND SPECIFICATION SHEET



1. Scope:
This recommended practice covers the application of mineral-colloid-stabilized emulsified coal tar pavement sealer. This application serves as weather protection, beautification of surface, and aliphatic-solvent (petroleum distillates such as gas, oil and diesel) resistant seal for asphaltic concrete pavements of airport ramps, taxiways and fueling aprons, parking lots and driveways.
2. References:
- 2.1. Federal Specification R-P-355e, Pitch, Coal-Tar Emulsion (Coating for Bituminous Pavements)
 - 2.2. ASTM D 5727 Standard Specification for Emulsified Refined Coal-Tar (Mineral Colloid Type) (replaces Federal Specification R-P-355e)
 - 2.3. ASTM D 6945 Standard Specification for Emulsified Refined Coal-Tar (Ready to Use, Commercial Grade)
 - 2.4. ASTM D 6948 Standard Practice for Application of Refined Coal-Tar (Ready to Use, Commercial Grade)
 - 2.5. ASTM D-3320 Standard Specification for Emulsified Coal Tar Pitch (Mineral Colloid Type)
 - 2.6. ASTM D-490 Standard Specification for Road Tar
 - 2.7. ASTM D-3423 Standard Practice for Application of Emulsified Coal Tar Pitch
 - 2.8. ASTM D-2939 Standard Methods of Testing Emulsified Bitumens Used as Protective Coatings
 - 2.9. ASTM D-4866 Standard Performance Specification for Coal Tar Pitch Emulsion Pavement Sealer Formulations (sp) Containing Mineral Aggregates and Optional Polymeric Additives
 - 2.10. FAA Advisory Circular 150/5370-10B, Item P-630 Refined Coal Tar Emulsion, Without Additives Slurry Seal Surface Treatment; and Item P-631 Refined Coal Tar Emulsion, With Additives Slurry Seal Surface Treatment
 - 2.11. FAA Engineering Brief No. 46 Item P-625 and No. 46A, Item P-627 - Coal Tar Pitch Emulsion Seal Coat
3. Materials:
- 3.1. Emulsified coal tar pavement sealer will conform to the following requirements:
 - 3.1.1. ASTM D 5727 Standard Specification for Emulsified Refined Coal-Tar (Mineral Colloid Type) (replaces Federal Specification R-P-355e)
 - 3.1.2. The refined tar prior to emulsification shall conform to ASTM D-490, grade RT-12. The refined tar shall be derived from high temperature coke oven tar. Oil and water gas tars shall not be used even though they might comply with ASTM D-490, grade RT-12.
 - 3.1.3. The emulsion shall be produced using a colloid mill to insure homogeneity and appropriate size of the particles in suspension.
 - 3.1.4. The contractor and/or his supplier will provide a certification with each bulk emulsion delivery indicating compliance with the above requirements. Further, the certificate will indicate the non-volatiles (solids) content and ash content of that particular transport lot as determined by results of tests performed on material loaded. Such certifications shall be subject to verification by testing samples of the emulsion received for use on the project. Costs of verification testing should be borne by the Project Administrators.
 - 3.2. Dilution water shall be potable and free of excessive minerals and contaminants. Water will be provided by the Project Administrator and available within a reasonable distance from the job site.
 - 3.3. Sand will be washed and graded silica sand, or crushed, washed, and graded slag, free of all contaminants, and conforming to the following gradation:

Sieve Size	% Passing
#8	100
#16	95-100
#30	63-93
#50	10-40
#100	0-10
#200	0-2

Note: Gradations outside these ranges may be used provided past history shows evidence of a durable surface.

3.4. Latex additive compounds shall conform to the following general specifications*:

Product:	Ultra	AQS	Rapid Set	Latex Modifier
Chemical name:	Nitrile Rubber	Proprietary	Proprietary	Acrylonitrile-butadiene
Solids content:	40% minimum	40% minimum	40% maximum	40% minimum
Particle size:	0.1 - 0.5 microns	0.1-0.5 Microns	0.5 - 5.0 microns	0.05 - 0.4 microns
Viscosity, cps:	100 maximum	75 minimum	250 maximum	85 maximum
Specific gravity:	1.01	0.99- 1.02	1.04, 1.14 on residue	0.99, 0.98 on residue

*Note: Ultra, AQS, Rapid Set and Latex Modifier should not be mixed together

4. Equipment: All tools and equipment necessary to perform the contract in accordance with the specified terms and conditions, such as brushes, hand squeegees, pumps and hose equipment, storage tanks, mixing tanks, water distributors, power sweepers, blowers, barricades and applicator equipment shall be provided as required by the contractor. All methods employed in performing the work and all equipment necessary for executing any part of the work shall be subject to approval by the Project Administrator before work is started, and when found unsatisfactory will be corrected. All equipment will be in good working condition.

- 4.1. Spray equipment used on the job shall have mechanical mixing devices incorporated in their construction to assure homogeneous mixing of the emulsion and required additives. The pumping system must be adequate to apply a uniform coating at the specified rates of application. Equipment requiring pressurization of the mixing tank for distribution will not be used.
- 4.2. Motorized squeegee application equipment used on the job will have two or more devices such as squeegees and/or drag broom assemblies to assure even distribution of the tar emulsion system. Mechanical mixing devices will be incorporated into the construction of the applicator to assure homogeneous mixing of the emulsion and required additives.
- 4.3. Mixing or agitating equipment may be either portable powered or a tank-type power mixer. In any case, mixers shall be of sufficient capacity to assure homogeneous mixing of the emulsion and required additives and to maintain complete suspension of mineral aggregate until the emulsion system is applied to the pavement. All storage tanks or drop tankers shall be equipped with mechanical agitators or circulation systems sufficient to keep the coal tar emulsion homogeneous during storage.

5. Preparation of Surfaces:

- 5.1. Allow new asphalt to cure. Cure time varies with type of asphalt, aggregate, weather conditions, and construction procedures. Hot mix asphalt will usually cure in 30 - 90 days. Cold mix pavements should have at least 90 days to cure. Required cure time should be determined by the Project Administrator, and a written order to proceed will be furnished to the contractor.
- 5.2. Wide cracks, extensive alligator cracking patterns, soft or sunken spots indicate that the pavement and/or base should be repaired or replaced. Extensive patching shall be allowed to cure prior to sealcoating in accordance with 5.1.
- 5.3. Thoroughly inspect the pavement for minor cracks and other imperfections. Ignore hairline cracks. Cracks of approximately 1/4 - 3/4 inch wide should be cleared of debris and filled with an approved crack sealant in accordance with manufacturer's specification. (OPTIONAL)
- 5.4. Remove oil and grease spots that have not permanently damaged or softened the pavement by scrubbing with a detergent and flushing with water until a water break-free surface is obtained. Oil and grease spots with deeper penetration will be treated by burning with hand held propane torch, and then coating the spot with an approved oil spot primer such as Tar-Prime. If the oil spot is so severe as to cause permanent deterioration of the pavement, or if the pavement has failed due to other causes, the pavement shall be removed to the full depth of the damage and replaced with new asphalt pavement in accordance with paragraph 5.1.
- 5.5. Old traffic control lines may be blackened with black epoxy or black acrylic coatings. Excessive build up of lines should be abraded before any prime coats of asphalt or tar emulsion are applied. (OPTIONAL)
- 5.6. Highly oxidized or weathered surfaces shall be primed. Prime with SS-1, SS-1h, CSS-1, CSS-1h asphalt emulsions or with Tar Prime coal tar emulsion. Asphalt emulsions shall be diluted one part asphalt emulsion to 5 parts potable water and uniformly applied to the pavement at a rate of 0.10 ± 0.02 gallon per square yard. Tar Prime shall be diluted one part Tar Prime to two parts water and applied at a rate of 0.07 - 0.10 gallons per square yard. The prime shall be allowed to cure for 24 hours before applying pavement sealer. (OPTIONAL)

- 5.7. Immediately before application of sealer, clean the surface of all loose dust, dirt, leaves, and any other foreign materials by sweeping, blowing, flushing with water, or any combination of the three.

6. Mix Design and Application Rates:

6.1.

Use	Coats	Concentrate Gallon	Water Gallon	Sand** 100lbs	Ultra, Rapid Set/AQS, Latex modifier Gallon	Application Mix Gal/Sq. Yd
Low Traffic	1 st	100	30-50	3-5	0-4	0.10-0.15
	2 nd	100	25-45	0-4	0-4	0.08-0.12
Moderate Traffic	1 st	100	30-60	3-5	2-5	0.10-0.15
	2 nd	100	30-60	0-4	2-5	0.08-0.12
High Traffic	1 st	100	30-60	3-5	2-5	0.10-0.15
	2 nd	100	30-60	3-5	2-5	0.10-0.15
	3 rd	100	25-55	0-4	2-5	0.08-0.12

*1st Coat is applied to entrances, exits, traffic lanes and turning radii.
 ** Sand should be added to the final coat when skid resistance is needed.

- NOTE: 1. Sealcoating is not recommended for enclosed or permanently shaded parking areas such as underground parking garages.
 2. Approximately 20 pounds of sand displaces 1 gallon of liquid.

WARNING: Sealcoats, when improperly applied and/or under certain environmental conditions, may become slippery. As with any paint-like coating, repeated applications reduce texture. Skid resistance can be improved with additions of 3 to 5 pounds of sand per gallon. CAUTION MUST BE EXERCISED, particularly when skid resistance is a major safety factor.

- 6.2. Latex additives: The latex additive will be added at the specified rate as indicated in the job mix formula $\pm 0.25\%$. Undiluted latex will first be diluted with an equal volume of water and added slowly to the emulsion after mix water and prior to the addition of any sand. Latex will be added while the mixer is in operation to assure uniform dispersion and no coagulation of the latex. Diluent water added to the latex will be considered part of the mix water required in paragraph 6.1.
- 6.3. Sand will be slowly added after the mix water and any required latex additives have been dispersed into the tar emulsion. Again, the mixer will be in operation during the addition of the sand to assure uniform dispersion and to prevent overloading of the mixing device. Additional amounts of water may be added, if necessary, should the tar emulsion system become too thick to be uniformly applied. Additional water will be added only after the Project Administrator has been notified, and additions will not exceed those amounts expressly stipulated by the Project Administrator.
- 6.4. Slow mixing shall be continuous from the time all materials are placed into the mixer until the pavement sealer mix is applied by the application equipment. During the entire mixing process, no breaking, segregating, or hardening of the emulsion, and no balling or lumping of the aggregate shall be permitted.
- 6.5. The coating shall be applied uniformly over the entire pavement surface and free of voids and pinholes. When pavement temperatures are in excess of 120°F, fog spraying of pavement with clean water is recommended to achieve better bond and even spreading of material. Fog spray shall dampen pavement without leaving puddles. (OPTIONAL)
- 6.6. Subsequent coats will be applied only after the previous coat is dried, preferably 24 hours later, but no less than 4 hours under ideal conditions. Ideal conditions are temperatures in excess of 70°F, sunshine, and less than 60% relative humidity. Marginal conditions can require curing times greater than 24 hours. Subsequent coats should be applied at right angles to the previous coat, if possible.
- 6.7. Sealer will not be applied unless the temperature is a minimum 50°F and rising and pavement temperature is 60°F and rising. Work will be completed so that there is a minimum of two hours of direct sunlight remaining after completing the day's work. Sealer will not be applied under rainy or wet conditions such as an overcast sky with high humidity. UNDER NO CIRCUMSTANCES will work be performed under cold and/or wet conditions, nor will tar emulsion be used that has been subjected to freezing weather.

7. Incidentals:

- 7.1. The contractor and Project Administrator will coordinate their activities with each other to insure the availability of the work area so as not to delay the execution of the project, to maintain traffic flow, and to minimize activities that might be detrimental to the work in progress such as automatic sprinkler systems, other customer or construction traffic, etc.
 - 7.2. The contractor will notify the Project Administrator of pavement areas that he feels have so deteriorated or have other outside factors such as poor drainage, improper construction, etc., that will render the application of a seal coat ineffective.
 - 7.3. Striping will be done with a latex or acrylic paint approved by the manufacturer. No striping will commence until the seal coat to be striped has cured for at least 24 hours.
 - 7.4. The contractor shall submit with his proposal at least three references of previously completed projects, proof of workers compensation and liability insurance coverage, and all local business licenses and permits as required by local authorities.
 - 7.5. The contractor will provide a performance and payment bond to the Project Administrator -OR- waivers of lien from suppliers will be provided with each invoice for payment (OPTIONAL)
8. Job Site Location and Scope of the Project: See Exhibit "A". (To be drawn and attached by property owner, or manager, or architect/engineer).
9. Basis of Payment: These prices shall be full compensation for furnishing materials, preparation, mixing, and applying materials in compliance with this specification, and for all the tools, equipment, labor, and incidentals necessary to complete this project.
- The proposal shall indicate by line item:
1. The approximate square yards and cost of patching to be performed.
 2. The approximate lineal feet and cost of crack sealing to be performed.
 3. The approximate square yards and cost of the sealcoating to be performed.
 4. The approximate lineal feet and cost of the traffic striping to be performed. -OR- A lump sum cost when performed in accordance with painting diagrams provided by the Project Administrator.
 5. Total cost of project. (State and local taxes shall be identified by type and amount.)

10. WARNINGS and Miscellaneous Notes:

- 10.1. Skid Resistance: Sealcoats, when improperly applied and/or under certain environmental conditions, may become slippery. As with any paint-like coating, repeated applications reduce texture. Skid resistance can be improved with additions of 4 to 6 pounds of sand per gallon. CAUTION MUST BE EXERCISED, particularly when skid resistance is a major safety factor. Bousal American does not recommend sealcoating asphalt pavements with the following characteristics; main thoroughfares, runways, steep inclines, poor drainage, and vehicles traveling at speeds in excess of 25 mph that are subject to rapid stops or hydroplaning. Bousal American recommends applying coal tar emulsion to asphalt pavement surfaces only.
 - 10.2. Container Warning: Containers, regardless of being empty, half full, or full of product, may retain a residue of liquid and/or vapor and can be dangerous. DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE SUCH CONTAINERS TO HEAT, FLAME, SPARKS, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY OR DEATH. Do not attempt to clean since residue is difficult to remove. "Empty" drums should be completely drained, properly bunged, and promptly returned to a drum re-conditioner. Empty pails should have a hole punched in the pail bottom to prevent drowning of small children. All other containers should be disposed in an environmentally safe manner and in accordance with governmental regulations. For work on tanks refer to OSHA regulations, ANSI Z49.1, and other governmental and industrial references pertaining to cleaning, repairing, welding, or other contemplated operations.
- **Container refers to any vessel, can, drum, tanker, distributor tank, etc., that may be used for handling and/or storing any of the products covered by this guideline specification or any product of unknown origin.
- 10.3. Health and Environmental: Federal Spec is not considered a hazardous waste and meets all current Federal requirements for industrial waste. AS AN APPLICATOR you should be familiar with all potential hazards prior to entering the workplace. Toxicity Characterization Leaching Procedure information and Material Safety Data Sheets will be provided upon request.

- In case of accidental spill, contain with absorbent material, allow drying, and disposing of according to local, state and federal regulations. Precautions should be taken to prevent surface runoff from entering storm drainage system or ponds.
- 10.4. Maintenance of coating can prolong its life and attractive appearance. Sand, gravel and other debris should be removed as they accumulate. Oil drippings, antifreeze, etc. can be scrubbed with mild detergents and flushed with clean water.
 - 10.5. Technical assistance available upon request.
 - 10.6. Do not allow to freeze.

LIMITED WARRANTY

LIMITED 1 YEAR PRODUCT WARRANTY FROM DATE OF MANUFACTURE:
Bonsal American warrants that this product and the materials used therein meet or exceed the applicable standards listed and enforced at the time of manufacture. Bonsal American will replace any product or part which proves defective due to quality of ingredients used or due to the manufacturing process itself. This Warranty shall apply only if the product is used in strict accordance with applicable specifications and instructions provided by Bonsal American for its use, and Bonsal American shall not be liable otherwise. Replacement of any defective product, or, at Bonsal American option, refund of the purchase of any defective product shall be the buyer's sole remedy under this Warranty, and Bonsal American shall in no event be liable for any damages in excess of the purchase price of the defective product. **BONSAL AMERICAN SHALL IN NO EVENT BE LIABLE FOR ANY CONSEQUENTIAL, INCIDENTAL, OR SPECIAL DAMAGES.** This Warranty constitutes the sole warranty given by Bonsal American in connection with this product, and Bonsal American has authorized no person to make or give any other warranties or representation, oral or written on its behalf. **IN PARTICULAR, THERE ARE NO IMPLIED WARRANTIES, INCLUDING WITHOUT EXCEPTION WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.** No modification of this Warranty in favor of any buyer shall be valid unless given in writing and signed by an officer of Bonsal American.

CAUTION:

Contains coal tar, a skin irritant. Keep out of reach of children. Do not take internally. Avoid prolonged or repeated contact with skin or breathing of vapors. In case of contact with eyes, flush with plenty of water, and seek immediate medical attention. Use with adequate ventilation. Do not use in confined areas.

MANUFACTURING & CUSTOMER SERVICE:

Atlanta, GA (404) 696-7660 Fax: (404) 691-3049	Baltimore, MD (866) 264-2873 Fax: (410) 338-3414	Chicago, IL (866) 264-2873 Fax: (847) 678-2652	Dallas, TX (214) 333-4343 Fax: (214) 333-4399	Detroit, MI (866) 264-2873 Fax: (734) 753-9033
Greensboro, NC (336) 854-8290 Fax: (336) 854-8202	Memphis, TN (901) 775-2585 Fax: (901) 775-2590	Milwaukee, WI (866) 264-2873 Fax: (908) 791-6339	Tampa, FL (813) 623-3941 Fax: (813) 630-1660	



**BONSAL
AMERICAN**
an Ondacore company

Corporate Headquarters
8201 Arrowridge Blvd, Charlotte, NC 28273

MATERIAL SAFETY DATA SHEET (MSDS)

SS-1 ASPHALT EMULSION

SECTION I, Supplier Information

Asphalt Products Unlimited, Inc.
4675 Interstate Highway
Port Allen, LA 70767-4150
(225) 346-0836

NFPA	
Health	1
Fire	1
Reactivity	0
Special	-
HIMIS, PDI	C

SECTION II, Hazardous Ingredients/Identify Information

Hazardous Components	(CAS Number)	OSHA PEL	ACGIH TLV	Other
Petroleum Asphalt	(8052-42-4)	—Recommended Suppliers MSDS 5mg/M3 for mist in air		
Emulsifier				
Water				

SECTION III, Physical/Chemical Characteristics

Boiling Point	212 F (Water Portion)	Melting Point	NO
Specific Gravity	1 (H ₂ O=1)	Vapor Pressure	ND
Vapor Density	>1.0 (Air=1)	Evaporation Rate	<1 (BuAc=1)
Solubility in Water	Slight (pH 8.0-10.5)		
Appearance and Odor	Chocolate Brown to Black Viscous Liquid, Asphaltic Odor		

SECTION IV, Fire and Explosion Hazard Data

Flash Point (Method), Above 425 F	Flammable Limits: LEL	NA	UEL	NA
Extinguishing Media, Water Fog or Spray, Foam, Dry Powder, Carbon Dioxide (CO ₂)				
Special Fire Fighting Procedures, Approach Fire From Upwind Side. Avoid Breathing Smoke, Fumes, Mist, or Vapors on the Downwind Side.				
Firefighters Wear Protective Clothing, and Self Contained Breathing Apparatus.				
Containers May Rupture From Internal Pressure if Confined to Fire Area. Cool With Water. Get Non Essential People Out Of The Area.				
Unusual Fire and Explosion Hazards—Low Flash Point Substances Such As Hydrogen Sulfide and Low Boiling Point Hydrocarbons May Accumulate in the Vapor Space of Hot Asphalt Tanks and Bulk Transport Compartments				

SECTION V, Reactivity Information

Stability	Product is Stable
Incompatibility	Materials to Avoid—
Hazardous Decomposition or Byproducts	From Fire—
Hazardous Polymerization	Will Not Occur

SECTION VI, Health and Hazard Data

ROUTES OF ENTRY	
Inhalation?	Possible (Irritant)
Skin/Eyes?	Possible (Irritant, May be Corrosive to Eyes)
Ingestion?	Unlikely
HEALTH HAZARDS	
Acute	Irritating to Skin and Eyes. (Inhalation of H ₂ S Fumes Can be Harmful even Fatal)
Chronic	None Known
CARCINOGENICITY	
Listed In	NTP? NO IARC Monographs? NO OSHA Regulated? NO
Signs and Symptoms of Exposure—Skin Irritation Develops Slowly After Contact, Eye Irritation Develops Immediately Upon Contact.	
Medical Conditions Generally Aggravated by Exposure—Breathing Disorders, Dermatitis.	
Emergency and First Aid Procedures—	
Inhalation—Remove Victim to Fresh Air, and if Needed, Immediately Begin Artificial Respiration.	
Give Oxygen if Breathing Labored. Get Emergency Medical Help. Contact Physician.	
Flush Eyes With Water For 15 Minutes, Get Medical Advice. Wash Skin With Soap and Water.	
Get Medical Advice if Symptoms Develop and Persist.	
Ingestion—Do Not Induce Vomiting, Get Immediate Medical Attention.	

MATERIAL SAFETY DATA SHEET (MSDS)

SS-1 ASPHALT EMULSION

SECTION VII, Precautions For Safe Handling and Use

- Steps To Be Taken In Case Material Is Released or Spilled
- Small Spills—Pick Up With Absorbent Material. Store as Industrial Waste.
 - Large Spills—Contain With Dikes, Pick Up With Vacuum Truck. Handle As Industrial Waste.
- Notify Local, State, and Federal Authorities.
- Waste Disposal Method—Approved Industrial Waste Disposal Site.
- Precautions To Be Taken In Handling and Storage
- Store In a Cool Place Away From Ignition Source
 - Store Away From Oxidizers or Materials Bearing a Yellow "DOT" Label.
- Other Precautions—Clean Up Leaks Immediately to Prevent Soil or Water Contamination.

SECTION VIII, Control Measures

Respiratory Protection (If Concentration Reaches or Exceeds TLV), NIOSH Approved Organic Vapo Mask Required			
Ventilation	Local Exhaust	Recommended	Special NA
	Mechanical	Recommended	Other NA
Protective Gloves	Chemical Resistant Guntlet Type Gloves.		
Eye Protection	Chemical Goggles or Full Face Shield.		
Other Protective Equipment	Boots, Aprons, Drench Showers, Eye Wash as Needed for Protection Against Spills and/or Splashes.		
Work Hygienic Practices	Avoid Contact With Skin, Eyes, and Clothing. After Handling This Product, Wash Hands Before Eating, Drinking, or Smoking. If Contact Occurs, Remove Contaminated Clothing. If Needed, Take First Aid Action Shown in Section VI. Launder Contaminated Clothing Before Reuse.		

SECTION IX, Transportation Information

- DOT Proper Shipping Name, Hazard Class, UN/NA Number, RQ (If Needed)
- If Shipped At or Above Flash Point:
- ASPHALT, ORM-C, NA 1999
- If Shipped Below Flash Point:
- SS-1 Asphalt Emulsion—NOT REGULATED

SECTION X, Other Data

EPA Hazards,	1-Acute YES	2-Chronic NO	3-Flammability NO
CERCLA RQ	4-Sudden Release of Pressure NO	5-Reactivity NO	
Hazardous Waste Number	NONE		
SARA Title III	NONE		
Threshold Planning Quantity	NONE		
Reportable Quantity	NONE		
Section 313, Toxic Materials:			
Chemical Name	CAS Number	Weight %	

Clean Air Act NOT LISTED

Clean Water Act NOT LISTED

Toxic Substances Control Act (TSCA), 40 CFR 710

Source of Raw Materials Used in This Mixture Assure That All Chemical Ingredients Present Are in Compliance with Section 8(b) Chemical Substance Inventory, or are Otherwise in Compliance With TSCA.

NA-Not Applicable

CS-Cancer Suspect Agent

CALC-Calculates

STEL-Short Term Exposure Limit

PEL-Permissible Exposure Limit

HMIS, PPI-Hazardous Material Identification System, Personal Protection Index

OX-Oxidizer

ND-Data Not Available

COR-Corrosive

EST-Estimated

TLV-Threshold Limit Value

TWA-Time Weighted Average, 8 Hours

The data presented is true and correct to the best of our knowledge, and belief, however, neither seller nor preparer makes any warranties, express or implied, concerning the information presented. The user is cautioned to perform his own hazard evaluation and rely upon his own determinations.

Scientific Information Services, Inc.
Validated January 1, 2008

(817) 560-4631

Form Essentially the same as OSHA Form 174 Dated September 1985

STANDARD INSURANCE REQUIREMENTS FOR BIDDING PURPOSES

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the **Invitation to Bid**. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders must submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

☒ **WORKER'S COMPENSATION INSURANCE**

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being

rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☒ **COMMERCIAL GENERAL LIABILITY**

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

☒ **COMPREHENSIVE AUTOMOBILE LIABILITY**

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES - The Parish Attorney with concurrence of the Director of Risk Management have waived the deductible section of the Terms and Conditions for all Invitations to Bid, until further notice.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required unless otherwise specified in the bid. Such insurance is due upon contract execution.

☐ **OWNER'S PROTECTIVE LIABILITY**

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

☐ **BUILDER'S RISK INSURANCE**

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.

**LABOR & MATERIALS AND EQUIPMENT TO REPAIR, SEAL WALKING
TRACK, AND RESTRIPIING OF PARKING LOT AT N. AVONDALE WALKING
TRACK AT 100 CAMBAY DR. AVONDALE, LA 70094.**

BID # 50-00135222

ADDENDUM #1

Section 2.0 SCOPE:

-Remove this section entirely and replace with the following.

Section 2.0 SCOPE:

We extend this bid to cover all labor, materials and equipment to repair five (5) sections of the existing walking track, fill the cracks and install a pavement sealer on the entire walking track. Also include crack fill and pavement sealer in the entire parking lot. When complete, restripe the existing twenty (20) spaces and two (2) handicapped parking spaces.

Add the following to Section 4.0: BID SPECIFICATIONS:

Section 4.0 BID SPECIFICATIONS:

- Fill cracks in walking track and parking lot as needed. With a crack filler that is compatible with the pavement sealer.
- Seal entire parking lot with two (2) coats of Gem Seal Pavement Sealer (Parking lot area is approximately 8,500 square feet.)

ACORD™

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

7/15/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer any rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Louisiana Companies 801 North Blvd. Baton Rouge, LA 70802 225 383-4761	CONTACT NAME: Annette M. Latiolais, CIC, CISR, ACSR PHONE (A/C, No, Ext): 337-769-1004 FAX (A/C, No): 225-387-4336 E-MAIL ADDRESS: alatiolais@lacompanies.com																					
INSURED EMSCO Pavement Maintenance & Supply, Inc 2249 Kingston Street Kenner, LA 70062	<table border="1"> <thead> <tr> <th colspan="2">INSURER(S) AFFORDING COVERAGE</th><th>NAIC #</th></tr> </thead> <tbody> <tr> <td>INSURER A:</td><td>American Casualty Co. of Reading, PA.</td><td>20427</td></tr> <tr> <td>INSURER B:</td><td>Continental Insurance Company</td><td>35289</td></tr> <tr> <td>INSURER C:</td><td>LUBA Casualty Insurance Company</td><td>12472</td></tr> <tr> <td>INSURER D:</td><td>Continental Casualty Company</td><td>20443</td></tr> <tr> <td>INSURER E:</td><td>Transportation Insurance Co.</td><td>20494</td></tr> <tr> <td>INSURER F:</td><td></td><td></td></tr> </tbody> </table>	INSURER(S) AFFORDING COVERAGE		NAIC #	INSURER A:	American Casualty Co. of Reading, PA.	20427	INSURER B:	Continental Insurance Company	35289	INSURER C:	LUBA Casualty Insurance Company	12472	INSURER D:	Continental Casualty Company	20443	INSURER E:	Transportation Insurance Co.	20494	INSURER F:		
INSURER(S) AFFORDING COVERAGE		NAIC #																				
INSURER A:	American Casualty Co. of Reading, PA.	20427																				
INSURER B:	Continental Insurance Company	35289																				
INSURER C:	LUBA Casualty Insurance Company	12472																				
INSURER D:	Continental Casualty Company	20443																				
INSURER E:	Transportation Insurance Co.	20494																				
INSURER F:																						

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> PD Ded:5,000 GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC OTHER:	X X	C5099622172	06/15/2021	06/15/2022	EACH OCCURRENCE \$1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$100,000 MED EXP (Any one person) \$15,000 PERSONAL & ADV INJURY \$1,000,000 GENERAL AGGREGATE \$2,000,000 PRODUCTS - COMP/OP AGG \$2,000,000 \$
E	AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY	X X	BUA1006089520	06/15/2021	06/15/2022	COMBINED SINGLE LIMIT (Ea accident) \$1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
B	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$10000		CUE2087915836	06/15/2021	06/15/2022	EACH OCCURRENCE \$1,000,000 AGGREGATE \$1,000,000 \$
C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? <input checked="" type="checkbox"/> Y <input checked="" type="checkbox"/> N (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	X N/A	028000018850120	06/15/2021	06/15/2022	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$1,000,000 E.L. DISEASE - EA EMPLOYEE \$1,000,000 E.L. DISEASE - POLICY LIMIT \$1,000,000
D	Rented/Leased Equipment		C8006089519	06/15/2021	06/15/2022	\$25,000 Per Item \$50,000 Aggregate

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Blanket additional insured in favor of certificate holder with respect to the general liability, auto liability and excess liability policies as required by written contract when executed prior to a loss, subject to policy terms, conditions and exclusions.

Additional insured provision on the general liability, auto liability and excess liability policies is (See Attached Descriptions)

CERTIFICATE HOLDER

CANCELLATION

Jefferson Parish. Its Districts
 Departments and Agencies
 200 Derbigny Street, Suite 4400
 Gretna, LA 70053

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Annette Latiolais

DESCRIPTIONS (Continued from Page 1)

primary and non-contributory as required by written contract executed prior to a loss, subject to policy terms, conditions and exclusions.

Blanket waiver of subrogation is provided in favor of certificate holder with respect to the workers compensation, general liability, auto liability and umbrella liability policies as required by written contract when executed prior to a loss, subject to policy terms, conditions and exclusions.

Excess liability policy follows form over underlying liability policies.

Jefferson Parish its District Departments and Agencies under the direction of the Parish President and the Parish Council are Additional Insureds with respect to the General Liability and Auto Liability policies as required by written contract when executed prior to a loss, subject to policy terms, conditions and exclusions.