

BID: 50-00118463 0010 C-more Micro 3.1 inch

(** = ESCALATION APPLIED)

ITEM DESCRIPTION	QUANTITY	U/M	REQUEST BY	REQUESTOR				
=====								
0010 C-more Micro 3.1 inch	1.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT		COMPARISON AMT	EXTENSION	SEL	REASON	
BAYOU STATE FASTENERS & INDUST				182.0000	182.0000	NO		
BLANK BID COPY VENDOR	**	NON-RESPONDING VENDOR		**				
NU-LITE ELECTRICAL WHOLESALERS	**	NON-RESPONDING VENDOR		**				
AUTOMATION DIRECT	**	NON-RESPONDING VENDOR		**				
REYNOLDS COMPANY				200.2500	200.2500	NO		
APRISA TECHNOLOGY LLC	**	NON-RESPONDING VENDOR		**				
RELIABLE INVESTMENTS LLC				170.0000	170.0000	NO		
INDUSTRIAL-COMMERCIAL MOTORS &	**	NON-RESPONDING VENDOR		**				
HIGH BID . . :	200.2500	LOW BID . . :	170.0000	AVERAGE BID:	184.0833			
0020 ProSense level float switch	2.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT		COMPARISON AMT	EXTENSION	SEL	REASON	
BAYOU STATE FASTENERS & INDUST				112.0000	224.0000	NO		
BLANK BID COPY VENDOR	**	NON-RESPONDING VENDOR		**				
NU-LITE ELECTRICAL WHOLESALERS	**	NON-RESPONDING VENDOR		**				
AUTOMATION DIRECT	**	NON-RESPONDING VENDOR		**				
REYNOLDS COMPANY				121.5400	243.0800	NO		
APRISA TECHNOLOGY LLC	**	NON-RESPONDING VENDOR		**				
RELIABLE INVESTMENTS LLC				104.0000	208.0000	NO		
INDUSTRIAL-COMMERCIAL MOTORS &	**	NON-RESPONDING VENDOR		**				
HIGH BID . . :	121.5400	LOW BID . . :	104.0000	AVERAGE BID:	112.5133			
0030 ProSense float level switch kit	1.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT		COMPARISON AMT	EXTENSION	SEL	REASON	
BAYOU STATE FASTENERS & INDUST				406.0000	406.0000	NO		
BLANK BID COPY VENDOR	**	NON-RESPONDING VENDOR		**				
NU-LITE ELECTRICAL WHOLESALERS	**	NON-RESPONDING VENDOR		**				
AUTOMATION DIRECT	**	NON-RESPONDING VENDOR		**				
REYNOLDS COMPANY				440.6100	440.6100	NO		
APRISA TECHNOLOGY LLC	**	NON-RESPONDING VENDOR		**				
RELIABLE INVESTMENTS LLC				376.0000	376.0000	NO		
INDUSTRIAL-COMMERCIAL MOTORS &	**	NON-RESPONDING VENDOR		**				
HIGH BID . . :	440.6100	LOW BID . . :	376.0000	AVERAGE BID:	407.5367			
0040 Prosense float level switch	2.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT		COMPARISON AMT	EXTENSION	SEL	REASON	
BAYOU STATE FASTENERS & INDUST				43.0000	86.0000	NO		
BLANK BID COPY VENDOR	**	NON-RESPONDING VENDOR		**				
NU-LITE ELECTRICAL WHOLESALERS	**	NON-RESPONDING VENDOR		**				
AUTOMATION DIRECT	**	NON-RESPONDING VENDOR		**				
REYNOLDS COMPANY				46.7700	93.5400	NO		
APRISA TECHNOLOGY LLC	**	NON-RESPONDING VENDOR		**				
RELIABLE INVESTMENTS LLC				40.0000	80.0000	NO		
INDUSTRIAL-COMMERCIAL MOTORS &	**	NON-RESPONDING VENDOR		**				
HIGH BID . . :	46.7700	LOW BID . . :	40.0000	AVERAGE BID:	43.2567			

BID: 50-00118463 0010 C-more Micro 3.1 inch

(** = ESCALATION APPLIED)

ITEM DESCRIPTION	QUANTITY	U/M	REQUEST BY	REQUESTOR				
=====								
0050 Flowline EchoPod ultra sonic	2.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT	COMPARISON AMT	EXTENSION	SEL	REASON		
BAYOU STATE FASTENERS & INDUST			347.0000	694.0000	NO			
BLANK BID COPY VENDOR	** NON-RESPONDING VENDOR **							
NU-LITE ELECTRICAL WHOLESALERS	** NON-RESPONDING VENDOR **							
AUTOMATION DIRECT	** NON-RESPONDING VENDOR **							
REYNOLDS COMPANY			376.5900	753.1800	NO			
APRISA TECHNOLOGY LLC	** NON-RESPONDING VENDOR **							
RELIABLE INVESTMENTS LLC			322.0000	644.0000	NO			
INDUSTRIAL-COMMERCIAL MOTORS &	** NON-RESPONDING VENDOR **							
HIGH BID . :	376.5900	LOW BID . :	322.0000	AVERAGE BID:	348.5300			
0060 Flowline Fob USB adapter.	1.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT	COMPARISON AMT	EXTENSION	SEL	REASON		
BAYOU STATE FASTENERS & INDUST			47.0000	47.0000	NO			
BLANK BID COPY VENDOR	** NON-RESPONDING VENDOR **							
NU-LITE ELECTRICAL WHOLESALERS	** NON-RESPONDING VENDOR **							
AUTOMATION DIRECT	** NON-RESPONDING VENDOR **							
REYNOLDS COMPANY			51.7000	51.7000	NO			
APRISA TECHNOLOGY LLC	** NON-RESPONDING VENDOR **							
RELIABLE INVESTMENTS LLC			45.0000	45.0000	NO			
INDUSTRIAL-COMMERCIAL MOTORS &	** NON-RESPONDING VENDOR **							
HIGH BID . :	51.7000	LOW BID . :	45.0000	AVERAGE BID:	47.9000			
0070 Configuration software CD for	1.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT	COMPARISON AMT	EXTENSION	SEL	REASON		
BAYOU STATE FASTENERS & INDUST			10.2000	10.2000	NO			
BLANK BID COPY VENDOR	** NON-RESPONDING VENDOR **							
NU-LITE ELECTRICAL WHOLESALERS	** NON-RESPONDING VENDOR **							
AUTOMATION DIRECT	** NON-RESPONDING VENDOR **							
REYNOLDS COMPANY			10.9000	10.9000	NO			
APRISA TECHNOLOGY LLC	** NON-RESPONDING VENDOR **							
RELIABLE INVESTMENTS LLC			10.0000	10.0000	NO			
INDUSTRIAL-COMMERCIAL MOTORS &	** NON-RESPONDING VENDOR **							
HIGH BID . :	10.9000	LOW BID . :	10.0000	AVERAGE BID:	10.3667			
0080 Flowline reducer bushing. 2 in.	1.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT	COMPARISON AMT	EXTENSION	SEL	REASON		
BAYOU STATE FASTENERS & INDUST			14.7000	14.7000	NO			
BLANK BID COPY VENDOR	** NON-RESPONDING VENDOR **							
NU-LITE ELECTRICAL WHOLESALERS	** NON-RESPONDING VENDOR **							
AUTOMATION DIRECT	** NON-RESPONDING VENDOR **							
REYNOLDS COMPANY			16.0000	16.0000	NO			
APRISA TECHNOLOGY LLC	** NON-RESPONDING VENDOR **							
RELIABLE INVESTMENTS LLC			14.0000	14.0000	NO			
INDUSTRIAL-COMMERCIAL MOTORS &	** NON-RESPONDING VENDOR **							
HIGH BID . :	16.0000	LOW BID . :	14.0000	AVERAGE BID:	14.9000			

BID: 50-00118463 0010 C-more Micro 3.1 inch

(** = ESCALATION APPLIED)

ITEM DESCRIPTION	QUANTITY	U/M	REQUEST BY	REQUESTOR				
=====								
0090 ProSense digital panel meter	1.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT	COMPARISON AMT	EXTENSION	SEL	REASON		
BAYOU STATE FASTENERS & INDUST		DPMZ-AT-2R-HL	125.0000	125.0000	NO			
BLANK BID COPY VENDOR	** NON-RESPONDING VENDOR **							
NU-LITE ELECTRICAL WHOLESALERS	** NON-RESPONDING VENDOR **							
AUTOMATION DIRECT	** NON-RESPONDING VENDOR **							
REYNOLDS COMPANY		DPM2-AT-2R-HL	146.8000	146.8000	NO			
APRISA TECHNOLOGY LLC	** NON-RESPONDING VENDOR **							
RELIABLE INVESTMENTS LLC	AUTOMATION	DIRECT #DMP2-AT-2R-HL	116.0000	116.0000	NO			
INDUSTRIAL-COMMERCIAL MOTORS &	** NON-RESPONDING VENDOR **							
HIGH BID . . :	146.8000	LOW BID . . :	116.0000	AVERAGE BID:	129.2667			
0100 WERMA stack light. (tower light)	1.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT	COMPARISON AMT	EXTENSION	SEL	REASON		
BAYOU STATE FASTENERS & INDUST			187.5000	187.5000	NO			
BLANK BID COPY VENDOR	** NON-RESPONDING VENDOR **							
NU-LITE ELECTRICAL WHOLESALERS	** NON-RESPONDING VENDOR **							
AUTOMATION DIRECT	** NON-RESPONDING VENDOR **							
REYNOLDS COMPANY			203.0400	203.0400	NO			
APRISA TECHNOLOGY LLC	** NON-RESPONDING VENDOR **							
RELIABLE INVESTMENTS LLC			174.0000	174.0000	NO			
INDUSTRIAL-COMMERCIAL MOTORS &	** NON-RESPONDING VENDOR **							
HIGH BID . . :	203.0400	LOW BID . . :	174.0000	AVERAGE BID:	188.1800			
0110 Audio alarm buzzer.80 db at 10 cn	1.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT	COMPARISON AMT	EXTENSION	SEL	REASON		
BAYOU STATE FASTENERS & INDUST			9.6500	9.6500	NO			
BLANK BID COPY VENDOR	** NON-RESPONDING VENDOR **							
NU-LITE ELECTRICAL WHOLESALERS	** NON-RESPONDING VENDOR **							
AUTOMATION DIRECT	** NON-RESPONDING VENDOR **							
REYNOLDS COMPANY			10.0000	10.0000	NO			
APRISA TECHNOLOGY LLC	** NON-RESPONDING VENDOR **							
RELIABLE INVESTMENTS LLC			9.0000	9.0000	NO			
INDUSTRIAL-COMMERCIAL MOTORS &	** NON-RESPONDING VENDOR **							
HIGH BID . . :	10.0000	LOW BID . . :	9.0000	AVERAGE BID:	9.5500			
0120 Indicating light 22 mm LED red.	2.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT	COMPARISON AMT	EXTENSION	SEL	REASON		
BAYOU STATE FASTENERS & INDUST			5.7000	11.4000	NO			
BLANK BID COPY VENDOR	** NON-RESPONDING VENDOR **							
NU-LITE ELECTRICAL WHOLESALERS	** NON-RESPONDING VENDOR **							
AUTOMATION DIRECT	** NON-RESPONDING VENDOR **							
REYNOLDS COMPANY			6.2500	12.5000	NO			
APRISA TECHNOLOGY LLC	** NON-RESPONDING VENDOR **							
RELIABLE INVESTMENTS LLC			6.0000	12.0000	NO			
INDUSTRIAL-COMMERCIAL MOTORS &	** NON-RESPONDING VENDOR **							
HIGH BID . . :	6.2500	LOW BID . . :	5.7000	AVERAGE BID:	5.9833			

BID: 50-00118463 0010 C-more Micro 3.1 inch

(** = ESCALATION APPLIED)

ITEM DESCRIPTION	QUANTITY	U/M	REQUEST BY	REQUESTOR				
=====								
0130 Indicating light,22 mm LED green	2.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT		COMPARISON AMT	EXTENSION	SEL	REASON	
BAYOU STATE FASTENERS & INDUST				5.7000	11.4000	NO		
BLANK BID COPY VENDOR	**	NON-RESPONDING VENDOR **						
NU-LITE ELECTRICAL WHOLESALERS	**	NON-RESPONDING VENDOR **						
AUTOMATION DIRECT	**	NON-RESPONDING VENDOR **						
REYNOLDS COMPANY				6.2500	12.5000	NO		
APRISA TECHNOLOGY LLC	**	NON-RESPONDING VENDOR **						
RELIABLE INVESTMENTS LLC				6.0000	12.0000	NO		
INDUSTRIAL-COMMERCIAL MOTORS &	**	NON-RESPONDING VENDOR **						
HIGH BID . . :	6.2500	LOW BID . . :	5.7000	AVERAGE BID:	5.9833			
0140 Indicating light 22 mm LED Yellow,	2.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT		COMPARISON AMT	EXTENSION	SEL	REASON	
BAYOU STATE FASTENERS & INDUST				5.7000	11.4000	NO		
BLANK BID COPY VENDOR	**	NON-RESPONDING VENDOR **						
NU-LITE ELECTRICAL WHOLESALERS	**	NON-RESPONDING VENDOR **						
AUTOMATION DIRECT	**	NON-RESPONDING VENDOR **						
REYNOLDS COMPANY				6.2500	12.5000	NO		
APRISA TECHNOLOGY LLC	**	NON-RESPONDING VENDOR **						
RELIABLE INVESTMENTS LLC				6.0000	12.0000	NO		
INDUSTRIAL-COMMERCIAL MOTORS &	**	NON-RESPONDING VENDOR **						
HIGH BID . . :	6.2500	LOW BID . . :	5.7000	AVERAGE BID:	5.9833			
0150 selector switch, 22 mm three	2.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT		COMPARISON AMT	EXTENSION	SEL	REASON	
BAYOU STATE FASTENERS & INDUST				21.6000	43.2000	NO		
BLANK BID COPY VENDOR	**	NON-RESPONDING VENDOR **						
NU-LITE ELECTRICAL WHOLESALERS	**	NON-RESPONDING VENDOR **						
AUTOMATION DIRECT	**	NON-RESPONDING VENDOR **						
REYNOLDS COMPANY				23.3500	46.7000	NO		
APRISA TECHNOLOGY LLC	**	NON-RESPONDING VENDOR **						
RELIABLE INVESTMENTS LLC				20.0000	40.0000	NO		
INDUSTRIAL-COMMERCIAL MOTORS &	**	NON-RESPONDING VENDOR **						
HIGH BID . . :	23.3500	LOW BID . . :	20.0000	AVERAGE BID:	21.6500			
0160 Pushbutton 22 mm monentary,	1.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT		COMPARISON AMT	EXTENSION	SEL	REASON	
BAYOU STATE FASTENERS & INDUST				10.8000	10.8000	NO		
BLANK BID COPY VENDOR	**	NON-RESPONDING VENDOR **						
NU-LITE ELECTRICAL WHOLESALERS	**	NON-RESPONDING VENDOR **						
AUTOMATION DIRECT	**	NON-RESPONDING VENDOR **						
REYNOLDS COMPANY				11.6900	11.6900	NO		
APRISA TECHNOLOGY LLC	**	NON-RESPONDING VENDOR **						
RELIABLE INVESTMENTS LLC				10.0000	10.0000	NO		
INDUSTRIAL-COMMERCIAL MOTORS &	**	NON-RESPONDING VENDOR **						
HIGH BID . . :	11.6900	LOW BID . . :	10.0000	AVERAGE BID:	10.8300			

BID: 50-00118463 0010 C-more Micro 3.1 inch

(** = ESCALATION APPLIED)

ITEM DESCRIPTION	QUANTITY	U/M	REQUEST BY	REQUESTOR				
=====								
0170 Push button 22 mm momentary.	1.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT		COMPARISON AMT	EXTENSION	SEL	REASON	
BAYOU STATE FASTENERS & INDUST				10.8000	10.8000	NO		
BLANK BID COPY VENDOR	**	NON-RESPONDING VENDOR **						
NU-LITE ELECTRICAL WHOLESALERS	**	NON-RESPONDING VENDOR **						
AUTOMATION DIRECT	**	NON-RESPONDING VENDOR **						
REYNOLDS COMPANY				11.6900	11.6900	NO		
APRISA TECHNOLOGY LLC	**	NON-RESPONDING VENDOR **						
RELIABLE INVESTMENTS LLC				10.0000	10.0000	NO		
INDUSTRIAL-COMMERCIAL MOTORS &	**	NON-RESPONDING VENDOR **						
HIGH BID . . :	11.6900	LOW BID . . :	10.0000	AVERAGE BID:	10.8300			
0180 Pudh button , 22 momentary	1.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT		COMPARISON AMT	EXTENSION	SEL	REASON	
BAYOU STATE FASTENERS & INDUST				10.8000	10.8000	NO		
BLANK BID COPY VENDOR	**	NON-RESPONDING VENDOR **						
NU-LITE ELECTRICAL WHOLESALERS	**	NON-RESPONDING VENDOR **						
AUTOMATION DIRECT	**	NON-RESPONDING VENDOR **						
REYNOLDS COMPANY				11.6900	11.6900	NO		
APRISA TECHNOLOGY LLC	**	NON-RESPONDING VENDOR **						
RELIABLE INVESTMENTS LLC				10.0000	10.0000	NO		
INDUSTRIAL-COMMERCIAL MOTORS &	**	NON-RESPONDING VENDOR **						
HIGH BID . . :	11.6900	LOW BID . . :	10.0000	AVERAGE BID:	10.8300			
0190 Push button 22 mm,incandescent.	1.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT		COMPARISON AMT	EXTENSION	SEL	REASON	
BAYOU STATE FASTENERS & INDUST				11.3600	11.3600	NO		
BLANK BID COPY VENDOR	**	NON-RESPONDING VENDOR **						
NU-LITE ELECTRICAL WHOLESALERS	**	NON-RESPONDING VENDOR **						
AUTOMATION DIRECT	**	NON-RESPONDING VENDOR **						
REYNOLDS COMPANY				12.3000	12.3000	NO		
APRISA TECHNOLOGY LLC	**	NON-RESPONDING VENDOR **						
RELIABLE INVESTMENTS LLC				11.0000	11.0000	NO		
INDUSTRIAL-COMMERCIAL MOTORS &	**	NON-RESPONDING VENDOR **						
HIGH BID . . :	12.3000	LOW BID . . :	11.0000	AVERAGE BID:	11.5533			
0200 CLICK ethernet standard PLC.	1.0000	EA	11/23/2016	DSHORT				
VENDOR	MODEL	BRAND/COMMENT		COMPARISON AMT	EXTENSION	SEL	REASON	
BAYOU STATE FASTENERS & INDUST				180.0000	180.0000	NO		
BLANK BID COPY VENDOR	**	NON-RESPONDING VENDOR **						
NU-LITE ELECTRICAL WHOLESALERS	**	NON-RESPONDING VENDOR **						
AUTOMATION DIRECT	**	NON-RESPONDING VENDOR **						
REYNOLDS COMPANY				195.7000	195.7000	NO		
APRISA TECHNOLOGY LLC	**	NON-RESPONDING VENDOR **						
RELIABLE INVESTMENTS LLC				167.0000	167.0000	NO		
INDUSTRIAL-COMMERCIAL MOTORS &	**	NON-RESPONDING VENDOR **						
HIGH BID . . :	195.7000	LOW BID . . :	167.0000	AVERAGE BID:	180.9000			



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

Toggle navigation

- [Home](#)
- [Central Bidding](#)
- [My CP](#)
- [Create New](#)
 - [Create New Standard Envelope](#)
- [Logout \(SDUFFY\)](#)

Central Bidding Time: Thu December 08, 2016 11:24:52 AM GMT-6

Location: **Seattle > Washington > USA**

Name: **Anthony Obiako**

Email: **anthony@reliableinvestmentsLLC.com**

Address: **9735 26th Avenue SW**

Zip code: **98106**

Contact number: **+2064364780**

Company name: **RELIABLE INVESTMENTS LLC**

Contact: **Anthony Obiako**

Contact number: **2064364780**

Official
Company/Business
Name: **RELIABLE INVESTMENTS LLC**

Are you registered with
the State of Louisiana
as a Disadvantaged
Business Enterprise
(DBE)?: **Yes**

NIGP Codes: (Commodity
code categories) -
01506 - Addressing Machine Supplies, Metal
and Plastic Plate Type
02002 - Backhoe (For Farm Tractor)
02020 - Drying Equipment, Grain
02204 - Brush Chipper, Cutter and Saw Parts
03718 - Bar Equipment and Accessories
05208 - Ceramic and Glass Objects (Shadow
Boxes, Stained Glass, etc.)

11009 - Accessories: Dressing, Hooks, Laces, etc.

12005 - Agitators, Fish Tank

17503 - Aprons and Gloves, Laboratory: Plastic, Rubber, etc.

18002 - Abrasives: Feldspar, Pumice, Silica, etc.

19308 - Blood Chemistry and Hematology Controls and References, Normal and Abnormal (For Blood Gas Hemoglobin, Plasma and Serum Factors)

28502 - Analyzer, Electric Power Demand

28706 - Amplifiers and Preamplifiers (Not for Sound Systems or TV Antennas)

31510 - Adhesives (For Concrete): Cured-to-Cured, Fresh-to-Cured, and Steel-to-Concrete

32010 - Anchors, Expansion Shields, Molly Bolts, Plugs, Toggle Bolts, U-Bolts, etc.

32504 - Animal By-Products

33506 - Ammonium Nitrate

34004 - Backfiring and Burning Equipment: Firing Torches, Flame Guns, etc.

34504 - Air Bags, Rescue Lifting Systems

40015 - Castings, Aluminum

43012 - Containers (For Liquefied Gases), Large Dewars (For Laboratory Sizes See Class 175)

43504 - Antimicrobial Solutions, Topical: Surgical Prep, etc.

44502 - Air Pumps for Sporting Goods, Toys, etc. (See 075-83 for Tire Pumps)

46005 - Acid/Chemical Hose and Fittings

46502 - Anesthesia and Respiration Equipment, Hospital: Controls, Gauges, Outlets, Tents, Valves, Ventilators, etc.

47010 - Ambulance Cots and Stretchers (Incl. Shifting Boards)

47505 - Apnea Equipment and Supplies, Sleep

49006 - Barometers and Manometers, Laboratory Type

49304 - Air Quality Monitoring Equipment and Accessories (Including Ozone Type)

49505 - Activity Cages, Mazes, and Other
Animal Psychology Equipment

50003 - Conditioning and Finishing Equipment:
Chambers, Tunnels, etc.

50515 - Bluing, Inks, and Vat Dyes

54005 - Asbestos Sheets, All Types (Except
Insulation and Roofing)

55705 - Air Conditioning, Heating and
Ventilation

55905 - Air Conditioning, Heating and
Ventilation (Including Defrosters and
Defoggers)

56505 - Border Backing, Cotton

57805 - Assembly Lines, Complete

59002 - Bra Backs, Replacement

62513 - Binoculars

64510 - Announcement Stock (Including
Recycled)

65505 - Animation Equipment and Supplies

66506 - Acetate Film and Sheets

68505 - Bands and Tags

70008 - Bindery Equipment and Machinery (For
Comb Type See 700-74 and 75)

72503 - Adhesive/Cement, Radio - T.V.
(EFFECTIVE 3-1-07 THIS CLASS-ITEM
INACTIVATED FOR NEW USE, REFER TO
726-06)

74005 - Ammonia

77509 - Block Salt, Plain or Medicated (For
Livestock)

78503 - Anatomical Models (For Medical and
Nursing Instruction) (See Also First Aid
Manikins and Models In Class 345-68)

79505 - Bartacking Machines

81015 - Cleaner, Spray Equipment

82004 - After-Coolers and Condensers

82503 - Animal Dips and Sprays

84010 - Antennas and Accessories: Amplifiers,
Brackets, Masts, Mounts, Rotators, Standoffs,
etc. (Television Only)

84502 - Aerodynamic and Aeronautical Testing
Devices (Laboratory Type) and Wind Tunnels

86305 - Tires and Tubes, Passenger Vehicles

87505 - Anesthesia Equipment: Ventilators, etc.

97508 - Agricultural Tractors, Mowers,
Implements and Accessories Rental or Lease

97708 - Albums, Tapes, Compact Disks, etc.
Rental or Lease

97917 - Chemical Laboratory Equipment and
Supplies Rental or Lease

Where To?



[Main Menu](#)

[Home](#) - [Central Bidding](#) - [Register](#) - [Contact Us](#) -
[Terms](#)

[Renew/Upgrade Membership](#)



Central Auction House, LTD



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

Toggle navigation

- [Home](#)
- [Central Bidding](#)
- [My CP](#)
- [Create New](#)
 - [Create New Standard Envelope](#)
- [Logout \(SDUFFY\)](#)

Central Bidding Time: Thu December 08, 2016 11:26:03 AM GMT-6

Place a Bid for 5000118463 PURCHASE OF AUTOMATION CONTROL EQUIPMENT AND RELATED HARDWARE

Please enter your best bid proposal for this project

Louisiana Contractor ID#

Enter all information required on the outside of the sealed envelope in the box below

<input type="text"/>	<input type="text"/>
<p>Anthony Obiako, MS Reliable Investments LLC "A Supply Chain Management Company" Norton Building Seattle-801 2nd Avenue, Suite 800 Seattle, Washington 98104 anthony@reliableinvestmentsllc.com Office Phone: 1-800-918-4380 ext. 1 Direct Phone: 206-436-4780 Fax: 1-866-811-1612</p>	

Bid Bond #

Jefferson Parish Vendor #:

262175

Upload Attachment(s)



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

Toggle navigation

- [Home](#)
- [Central Bidding](#)
- [My CP](#)
- [Create New](#)
 - [Create New Standard Envelope](#)
- [Logout \(SDUFFY\)](#)

Central Bidding Time: Thu December 08, 2016 11:26:31 AM GMT-6

Place a Bid for 5000118463 PURCHASE OF AUTOMATION CONTROL EQUIPMENT AND RELATED HARDWARE

Please enter your best bid proposal for this project

Louisiana Contractor ID#

Enter all information required on the outside of the sealed envelope in the box below

Anthony Obiako, MS
Reliable Investments LLC
"A Supply Chain Management Company"
Norton Building Seattle-801 2nd Avenue, Suite 800
Seattle, Washington 98104
anthony@reliableinvestmentsllc.com
Office Phone: 1-800-918-4380 ext. 1
Direct Phone: 206-436-4780
Fax: 1-866-811-1612

Bid Bond #

Jefferson Parish Vendor #:

262175

Upload Attachment(s)


While this site accepts various file types, sizes and quantities, the preferred method for delivering all of the appropriate and required bid documents is one single scanned PDF file. Vendors submitting bids with multiple uploaded images/photos of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, the bidder's submission will be rejected. Please note all requirements in this bid package for electronic bid submission.

Upload a file

Click the Upload button in order to upload bid related documents

[Home](#) - [Central Bidding](#) - [Register](#) - [Contact Us](#) -
[Terms](#)

[Renew/Upgrade Membership](#)



Central Auction House, LTD

DATE: 12/01/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00118463

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: SDUFFY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

2-3 weeks

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME:	RELIABLE INVESTMENTS LLC
SIGNATURE: (Must be signed here)	<u>[Signature]</u> TITLE: PRINCIPAL
PRINT OR TYPE NAME:	ANTHONY OBIAKO
ADDRESS:	9735 26TH AVE SW
CITY, STATE:	SEATTLE WA 98106
TELEPHONE:	206-436-4780
FAX:	206-681-1612
EMAIL ADDRESS:	Anthony@reliableinvestmentsllc.com

TOTAL PRICE OF ALL BID ITEMS: \$ _____

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118463

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF AUTOMATION CONTROL EQUIPMENT AND RELATED HARDWARE FOR THE JEFFERSON PARISH DRAINAGE DEPARTMENT, ENGINEERING		
1	1.00	EA	0010 C-more Micro 3.1 inch STN LCD monochrome 128 x 64 pixel display, selectable screen colors , red green, amber, lime or yellow, LED backlight item no. EA1-S3ML-N	\$170.00	\$170.00
2	2.00	EA	0020 ProSense level float switch suspendible/submersible 1.44 in. diameter polybutylene slosh shield Buna-N float, brass stem, SPST 20 ft. halar jacketed cable item FLS-VL-900	\$104.00	\$208.00
3	1.00	EA	0030 ProSense float level switch kit top mount, 316SS field assembled parts stainless steel item FLS-VK -300	\$376.00	\$376.00
4	2.00	EA	0040 Prosense float level switch 1/13 in. diameter, stainless steel float stainless steel stem, 1/8 in. NPT male, SPST, 24 in. lead wires item FLS-VM-400	\$40.00	\$80.00
5	2.00	EA	0050 Flowline EchoPod ultra sonic liquid level sensor 4.1 ft. range 4-20 mA output 14-28 VDC, 1 in. NPT male, counting gasket, 48 in. cable item DL 10-00	\$322.00	\$644.00
6	1.00	EA	0060 Flowline Fob USB adapter, required for use with WEBCAL software to configure Flowecho PPod and EchoSonic II ultra sonic level sensors item LI99-1001	\$45.00	\$45.00
7	1.00	EA	0070 Configuration software CD for Flowline EchoPod and Echo Sonic II	\$10.00	\$10.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118463

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
8	1.00	EA	ultra sonic level sensors item WEBCAL 0080 Flowline reducer bushing, 2 in. NPT male, x 1 in. NPT female threads PVC item LM52-1400	\$14.00	\$14.00
9	1.00	EA	0090 ProSense digital panel meter 1/8 DIN, 5-digit red LED, input +/- 20mA +/- 200 VDC +/- 10 VDC, thermocouple J, K, T, N, RTD: Pt100, Pt1000, potentiometer 100 to 100k Ohms 2 SPDT relays, 20 to 265 VAC/ 11 to 265 VDC	\$116.00	\$116.00
10	1.00	EA	0100 WERMA stack light, (tower light) 3-unit 70mm light stack permanent green/yellow/red LED, 24 VAC/DC, 1P65 item 64924002	\$174.00	\$174.00
11	1.00	EA	0110 Audio alarm buzzer, 80 db at 10 cm 2.8 kHz tone frequency, 24 VAC/DC red LED 22.5 mm panel mount IP65 item ECX2071-24R	\$9.00	\$9.00
12	2.00	EA	0120 Indicating light 22 mm LED red, plastic case, round 24 VAC/DC full volta ge item ECX2051-24L	\$6.00	\$12.00
13	2.00	EA	0130 Indicating light, 22 mm LED green plastic case round 24 VAC/DC voltage item ECX2052-24L	\$6.00	\$12.00
14	2.00	EA	0140 Indicating light 22 mm LED Yellow, plastic case round 24 VAC/DC, voltage item ECX2053-24L	\$6.00	\$12.00
15	2.00	EA	0150 selector switch, 22 mm three position, maintained, 2 N.C./2 N.O	\$20.00	\$40.00

Automation direct
DPM2-AF-2R-HL

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118463

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
16	1.00	EA	<p>contactsmetel bezel operator: black, knob, 30 mm, rround plastic</p> <p>item GCX1320-22</p> <p>0160 Pushbutton 22 mm monentary, incandesant, 1 N.C. contacts.plastic</p> <p>base,plastec bezel, plastic ring, operator, green, flush 30 mm, round plastic,24 VAC/DC full voltage</p> <p>item GCX3201-24</p>	\$10.00	\$10.00
17	1.00	EA	<p>0170 Push button 22 mm monentary, incandesant,1 N.C. contacts, plastic</p> <p>base, plastic bezel,plastic ring, operaroe: green, flush 30 mm,round plastic,24 VAC/DC full voltage</p> <p>item GCX3202-24</p>	\$10.00	\$10.00
18	1.00	EA	<p>0180 Pudh button , 22 momentary incandesant, 1 N.O. contacts</p> <p>plastic base, plastic bezel, plastic ring, operator: yellow, flush, 30 mm round plastic, 24 VAC/DC voltage</p> <p>item GCX3203-24</p>	\$10.00	\$10.00
19	1.00	EA	<p>0190 Push button 22 mm,incandesant, 1 N.C. contacts, base, plastic bezel,</p> <p>operator: red extended 30 mm round plastic 120 VAC/DC full voltage</p> <p>item GCX3211-120</p>	\$14.00	\$14.00
20	1.00	EA	<p>0200 CLICK ethernet standard PLC, one ethernet port, one RS-232 port,</p> <p>one RS-485 port,8-point input,24 VDC, 6-point output relay</p> <p>item CO-11DRE-D</p>	\$167.00	\$167.00
21	1.00	EA	<p>0210 CLICK PLC windows PC programming and documentation software for the CLICK</p> <p>PLCs, CD ROMincludes software and manualin PDF format</p> <p>item CO-PGMSW</p>	\$11.00	\$11.00

DATE: 12/01/2016

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page: 8

BID NO.: 50-00118463

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
22	1.00	EA	0220 CLICK user manual item CO-USER-M	\$20.00	\$20.00
23	1.00	EA	0230 PC programming cable assembly for C-moremicro panels, CLICK CPUs, Do more H2 series CPUs, and digital logic CPUs with RJ12 programming ports item EA-MG-PGM-CBL Ship items to: Drainage 1221 Elmwood Pkwy Suite 907 Jefferson, La 70123 Attn: Ben Lepine 736-8838	\$46.00	\$46.00

Quoting is specified for all line
Items except line item # 0090

Freight included

Note: See attached Specs for
line item # 0090



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000118463 PURCHASE OF AUTOMATION CONTROL EQUIPMENT AND
RELATED HARDWARE**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com
02-Dec-2016 07:51:18 PM



Bid Number 50 -00118463

**Purchase of Automation Control Equipment and related Hardware for
the Jefferson Parish Drainage Department, Engineering**

December 8, 2016 at 11:00 AM

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received in the Purchasing
Department by the bid due date and time.**

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053**

**Buyer Name: Ms. Sidney Duffy, Buyer II
Buyer Email: sduffy@jeffparish.net
Buyer Phone: 504-364-2682**

DATE: 12/01/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00118463

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: SDUFFY

Bids will be received until 11:00 AM, 12/08/2016 via fax: 504-364-2693 or via online at www.jeffparish.net

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at purchasing.jeffparish.net and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1961).

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW.

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached "insurance requirements" sheet. All bidders must comply with the instructions in this sheet. Failure to comply will cause bid to be rejected.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

pr^osense[®] Digital Panel Meters - DPM2

Series 1/8 DIN



The ProSense DPM2 series offers a simple, low cost digital display of analog process signals, temperature in either Fahrenheit or Celsius from RTD or thermocouple temperature sensors, or potentiometer inputs. The 4-digit red LED display is easily scaled into any engineering units from -9999 to 9999 with a selectable decimal point location. Two point direct or reverse acting linear scaling values can be entered manually or by introducing actual sensed process values in Teach mode. Temperature inputs are pre-configured for fixed temperature ranges based on the type of temperature sensor and can be displayed with 1 or 0.1 degree of resolution. One model includes two

SPDT relay outputs that can be set to activate on an increasing or decreasing input signal with hysteresis or time delay operation. The meter is powered from an external wide range AC or DC power supply and provides 24VDC for external sensor excitation. The 1/8 DIN housing is easy to install in a panel and the meter face has an IP65 rating. Configuration parameters can be totally or selectively locked out to prevent unauthorized or accidental changes to the meter's operation. Additionally, the DPM2 meters include memory and reset of minimum and maximum display values. ProSense digital panel meters are backed by a 3 year warranty.

Features:

- 96 x 48mm 1/8 DIN
- Simple menu driven pushbutton configuration
- 4 digit (-9999 to 9999) red LED display
- Selectable decimal point
- Process ($\pm 10V$, $\pm 200V$ and $\pm 20mA$)
- Temperature (RTD: Pt100, Pt1000, TC: J, K, T, N, Resolution: 1°F, 0.1°F, 1°C, 0.1°C)
- Potentiometer (100 Ω to 100k Ω)
- Resistance (999.9 Ω , 9999 Ω and 50k Ω)
- AC or DC powered
- Sensor excitation voltage 24V
- Optional (2) Form C SPDT relays
 - N.O. or N.C. operation
 - Activation on increasing or decreasing input signal
 - Hysteresis or time delay operation
- Display scaling or process teaching modes
- Configuration for direct or reverse acting linear processes
- Minimum and maximum value memory
- Total or selective configuration lock out
- 3 year warranty



DPM2 Series Panel Meters			
Model	Description	Weight (lbs)	Price
DPM2-AT-HL	ProSense digital panel meter, 1/8 DIN, 4-digit red LED, input current signal range(s) of ± 20 mA, input voltage signal range(s) of ± 200 VDC, ± 10 VDC, input thermocouple type(s): J, K, T, N, input RTD type(s): Pt100 and Pt1000, input potentiometer signal range(s) of 100 to 100k Ohms, 20 to 265 VAC / 11 to 265 VDC operating voltage.	0.6	\$100.00
DPM2-AT-2R-HL	ProSense digital panel meter, 1/8 DIN, 4-digit red LED, input current signal range(s) of ± 20 mA, input voltage signal range(s) of ± 200 VDC, ± 10 VDC, input thermocouple type(s): J, K, T, N, input RTD type(s): Pt100 and Pt1000, input potentiometer signal range(s) of 100 to 100k Ohms, (2) Form C (SPDT) relay(s), 8A @ 250 VAC, 8A @ 24 VDC, 20 to 265 VAC / 11 to 265 VDC operating voltage.	0.6	\$110.00

Technical Specifications				
Process Input	Range	Input Impedance	Resolution	Accuracy
	$\pm 20mA$	$<20\Omega$	2 μA	$\pm(0.1\% \text{ rdg} + 15\mu A)$
	$\pm 10V$	2M Ω	1mV	$\pm(0.1\% \text{ rdg} + 6mV)$
	$\pm 200V$	2M Ω	20mV	$\pm(0.1\% \text{ rdg} + 0.1V)$
Sensor Excitation		24V $\pm 3V$ @ 30mA		
Potentiometer	Range	Maximum Measurement Current	Resolution	Accuracy
	100-100k Ω	$<0.4mA$	0.01% F.S.	$\pm(0.1\% \text{ rdg} + 0.05\% \text{ F.S.})$
Resistance	999.9 Ω	2.3mA	0.1 Ω	$\pm(0.1\% \text{ rdg} + 0.7\Omega)$
	9999 Ω	230 μA	1 Ω	$\pm(0.1\% \text{ rdg} + 6\Omega)$
	50k Ω	23 μA	10 Ω	$\pm(0.1\% \text{ rdg} + 35\Omega)$

pr@sense® Digital Panel Meters - DPM2


Series 1/8 DIN

Technical Specifications Continued					
Temperature	RTD	Pt100 (3 wire)	Pt1000 (2 wire)		
	Fixed Display Range / Resolution	-200.0°C to 800.0°C / 0.1°C -200°C to 800°C / 1°C -328.0°F to 999.9°F / 0.1°F -328°F to 1472°F / 1°F			
	Measurement current	1mA	100µA		
	Maximum resistance per wire	40Ω (balanced)	-		
	Linearization	IEC 60751			
	Coefficient	0.00385			
	Accuracy	±(0.15% rdg+0.5°C), t<-50°C ±(1% rdg+0.5°C) ±(0.15% rdg+0.9°F), t<-58°F ±(1% rdg+0.9°F)			
	Thermocouple	J	K	T	N
	Fixed Display Range / Resolution	-150.0°C to 999.9°C / 0.1°C -150°C to 1100°C / 1°C -238.0°F to 999.9°F / 0.1°F -238°F to 2012°F / 1°F	-150.0°C to 999.9°C / 0.1°C -150°C to 1200°C / 1°C -238.0°F to 999.9°F / 0.1°F -238°F to 2192°F / 1°F	-150.0°C to 400.0°C / 0.1°C -150°C to 400°C / 1°C -238.0°F to 752.0°F / 0.1°F -238°F to 752°F / 1°F	-150.0°C to 999.9°C / 0.1°C -150°C to 1300°C / 1°C -238.0°F to 999.9°F / 0.1°F -238°F to 2372°F / 1°F
	Cold junction compensation range	-10°C to 60°C (14°F to 140°F)			
	Accuracy	±(0.1% rdg+0.6°C) ±(0.1% rdg+1.1°F)		±(0.2% rdg+0.8°C) ±(0.2% rdg+1.5°F)	±(0.1% rdg+0.6°C) ±(0.1% rdg+1.1°F)
Conversion	Technique	Sigma-Delta			
	Resolution	±16 bits			
	Conversion rate	20 times per second			
Display	Range	-9999 to +9999, selectable decimal point position			
	Type	4 digit 14mm (0.55"), red			
	LEDs	Relay 1, Relay 2			
	Display refresh rate	20 times per second			
	Display / Input overrange indication	"- OUE" , "OUE"			
Accuracy Conditions	Temperature coefficient	100 ppm/°C			
	Warm-up time	5 minutes			
	Temperature	23°C±5°C			
Relays (DPM2-AT-2RL-HL only)	2 Relays SPDT	Nominal contact rating.....8A at 250VAC / 24VDC Maximum switching current (resistive load).....8A Maximum switching power.....2000VA / 192W Maximum switching voltage.....400VAC / 125VDC Contact resistance.....≤100mΩ at 6VDC @ 1A Contact type.....SPDT Operate time.....≤10ms			
Power Supply and Fuses	20-265VAC 50/60 Hz or 11-265VDC (Recommended fusing 3A/250V, 5mm x 20mm glass miniature or DIN 41661 equivalent)				
Power Consumption	3W				
Filter	Cutoff frequency (-3dB)	7.3Hz to 0.2Hz			
	Slope	-20dB/Dec.			
Environmental Conditions	Operating temperature	-10°C to +60°C (14°F to 140°F)			
	Storage temperature	-25°C to +85°C (-13°F to 185°F)			
	Relative humidity (non-condensing)	<95% @ 40°C (104°F)			
	Maximum altitude	2000m			
	Frontal protection degree	IP65			
Environmental Air	No corrosive gases permitted				
Agency Approval	CE				

pr^osense[®] Digital Panel Meters - DPM2 Series 1/8 DIN

Wiring

Output relay terminals
(DPM2-AT-2R-HL only)



CN1	
AC Supply	DC Supply
1 Line	1 VDC
2 Neutral	2 VDC

Polarity insensitive for DC power

CN2	
1	Common / RTD B / -TC / Pot. Term. 1
2	RTD A / +TC / 10k Ω res. / Pot. center
3	50k Ω res. / Pot. Term. 2
4	RTD B Pt100
5	+20mA
6	Excitation +24V
7	+10/200VDC

Note: For additional wiring information download complete manual from www.AutomationDirect.com

Terminals			
Connector	CN1	CN2	CN3 & CN4
Wire cross section	0.08 to 2.5mm ² (28 to 12 AWG)	0.08 to 1.5mm ² (28 to 14 AWG)	0.08 to 2.5mm ² (28 to 12 AWG)
Strip length	8 to 9mm	6 to 7mm	8 to 9mm
Manufacturer	Wago 231-202/026-000	Wago 734-107	Wago 231-303/026-000
Cage clamp connection	Insertion tool or screwdriver with 0.5 mm x 3.0 mm blade	Insertion tool or screwdriver with 0.3 mm x 1.8 mm blade	Insertion tool or screwdriver with 0.5 mm x 3.0 mm blade

(DPM2-AT-2R-HL only)


CN4 (Relay 2)		CN3 (Relay 1)	
4	NO2	1	NO1
5	CM2	2	CM1
6	NC2	3	NC1

NO: Normally open contact.

CM: Common


NC: Normally closed contact.

CN2 Terminals



Insertion Tool (included with meter)
Insert wires into the proper terminal while using the insertion tool to open the clip inside the connector. Release the insertion tool to fix wire to the terminal.


CN1, CN3, CN4 Terminals



Insertion Tool (included with meter)
Insert wires into the proper terminal while using the insertion tool to open the clip inside the connector. Release the insertion tool to fix wire to the terminal.

pr^osense® Digital Panel Meters - DPM2 Series 1/8 DIN


Programming Panel



Programming Panel			
#	Description	Run Mode	Programming Mode
1	4 digit display Red	Shows value according to configuration.	Shows steps and data during configuration.
2	Minus sign	Illuminates for negative readings.	Illuminates for negative values.
3	Keyboard	---	---
4	Setpoint 1 LED	Illuminates when setpoint 1 turns active.	Illuminates when setpoint 1 turns active.
5	UP key	No application	Shows setpoint value. Increases value of active digit.
6	SHIFT key	Displays maximum and minimum stored values. After 3s of pressing, sets maximum and/or minimum memorized value to current display value.	Shifts active digit to the next right digit.
7	DATA/ENTER key	Changes to PRO mode.	Validates selected data and parameters. Moves one step forward in configuration menu. Changes to RUN mode.
8	Setpoint 2 LED	Illuminates when Setpoint 2 turns active.	Illuminates when Setpoint 2 turns active.
9	Free space for units label	---	---

Dimensions

mm [inches]



Installation	
Dimensions	96 x 48 x 83.1mm (1/8 DIN)
Panel Cutout	92 x 45mm (Max. panel thickness 10mm)
Case Material	Polycarbonate UL 94 V-0

See our website www.AutomationDirect.com for complete Engineering drawings.

For additional information and configuration details download the complete instructions from www.AutomationDirect.com

proSense® Digital Panel Meters



Type DPM1-A-LP



Type DPM1-A-T



Type DPM1-A-2R



Type DPM2



Type DPM3

Description

The ProSense DPM family of digital panel meters includes both 1/32 DIN and 1/8 DIN meter sizes with simple menu-driven pushbutton configuration. A wide variety of input signals can be accepted for process, temperature, load cell, and other applications. Available output options include alarm relays, analog signal retransmission, and sensor excitation voltage. Backed by a 3-year warranty, ProSense digital panel meters offer outstanding features and performance at an incredible price point.

DPM Series Digital Panel Meters Selection Guide						
Model	Size	Display	Inputs	Outputs	Power	Price
DPM1-A-LP	1/32 DIN	Red LED*, -1999 to 9999 Selectable decimal point	4-20mA	None	Loop Powered	\$65.00
DPM1-A-H			±20mA, ±100mV ±10V, ±20V ±200V		85-265VAC, 50/60 Hz 100-300VDC	\$85.00
DPM1-A-L			21-53VAC 50/60 Hz 10.5-70VDC		\$85.00	
DPM1-T-H		Red LED, -1999 to 9999	RTD Pt100 (3-wire) TC Type J, K, T or N		85-265VAC, 50/60 Hz 100-300VDC	\$85.00
DPM1-T-L					21-53VAC 50/60 Hz 10.5-70VDC	\$85.00
DPM1-A-2R-H		Red LED, -1999 to 9999 Selectable decimal point	±20mA, ±100mV ±10V, ±60V	2 Relays Form A SPST Normally Open	85-265VAC, 50/60 Hz 100-300VDC	\$95.00
DPM1-A-2R-L				21-53VAC 50/60 Hz 10.5-70VDC	\$95.00	
DPM1-A-A2R-H				2 Relays Form A SPST Normally Open	85-265VAC, 50/60 Hz 100-300VDC	\$100.00
DPM1-A-A2R-L				0/4-20mA	21-53VAC 50/60 Hz 10.5-70VDC	\$100.00
DPM2-AT-HL		1/8 DIN	Red LED, -9999 to 9999 Selectable decimal point	±20mA, ±10V ±200V, 100-100k Ohm potentiometer, 1k-50k Ohm resistance, RTD Pt100 (3-wire) RTD Pt1000 (4-wire) TC Type J, K, T or N	None	20-265VAC 50/60 Hz 11-265VDC
DPM2-AT-2R-HL	2 Relays Form C SPDT				\$110.00	
DPM3-AT-H	Red, Green, Amber LED -19999 to 39999 Selectable decimal point		±20mA, ±10V RTD Pt100 (3-wire) TC Type J, K, T or N Load Cell ±15mV, ±30mV, ±150mV Potentiometer	None	85-265VAC 50/60Hz 100-300VDC	\$125.00
DPM3-AT-2R-H				2 Relays Form C SPDT		\$140.00
DPM3-AT-4R-H				4 Relays Form A Normally Open with shared common		\$150.00
DPM3-AT-A-H				4-20mA		\$140.00
DPM3-AT-A2R-H				2 Relays Form C SPDT 4-20mA	22-53VAC 50/60 Hz 10.5-70VDC	\$155.00
DPM3-AT-L				None		\$125.00
DPM3-AT-2R-L				2 Relays Form C SPDT		\$140.00
DPM3-AT-4R-L				4 Relays Form A Normally Open with shared common		\$150.00
DPM3-AT-A-L				4-20mA		\$140.00
DPM3-AT-A2R-L				2 Relays Form C SPDT 4-20mA		\$140.00

* Illumination based on available loop current and will not be as bright as the powered Digital Panel Meters



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

Toggle navigation

- [Home](#)
- [Central Bidding](#)
- [My CP](#)
- [Create New](#)
 - [Create New Standard Envelope](#)
- [Logout \(SDUFFY\)](#)

Central Bidding Time: Thu December 08, 2016 11:31:53 AM GMT-6

Location: **Kenner > Louisiana > USA**

Name: **Al Campos**

Email: **byusupply@cox.net**

Address: **P. O. Box 1762**

Zip code: **70063**

Contact number: **+5046281400**

Official Company/Business
Name:

Are you registered with the State
of Louisiana as a Disadvantaged **Yes**
Business Enterprise (DBE)?:

Is your company owned my a
female?: **Yes**

Is your company owned by a
minority?: **Yes**


Louisiana Contractor ID#:

NIGP Codes: (Commodity code
categories) **32010** - Anchors, Expansion Shields,
Molly Bolts, Plugs, Toggle Bolts,
U-Bolts, etc.

32043 - Nuts, Metal or Other Material
(Not Steel)


65906 - Adapters

Where To?

 [Main Menu](#)

[Home](#) - [Central Bidding](#) - [Register](#) - [Contact Us](#) - [Terms](#)

[Renew/Upgrade Membership](#)



Central Auction House, LTD



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

Toggle navigation

- [Home](#)
- [Central Bidding](#)
- [My CP](#)
- [Create New](#)
 - [Create New Standard Envelope](#)
- [Logout \(SDUFFY\)](#)

Central Bidding Time: Thu December 08, 2016 11:32:27 AM GMT-6

Place a Bid for 5000118463 PURCHASE OF AUTOMATION CONTROL EQUIPMENT AND RELATED HARDWARE

Please enter your best bid proposal for this project

Louisiana Contractor ID#

Enter all information required on the outside of the sealed envelope in the box below

Bid Bond #

Jefferson Parish Vendor #:

Upload Attachment(s)

While this site accepts various file types, sizes and quantities, the preferred method for delivering all of the appropriate and required bid documents is one single scanned PDF file. Vendors submitting bids with multiple uploaded images/photos of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, the bidder's submission will be rejected. Please note all requirements in this bid package for electronic bid submission.

Upload a file

Click the Upload button in order to upload bid related documents

[Home](#) - [Central Bidding](#) - [Register](#) - [Contact Us](#) -
[Terms](#)

[Renew/Upgrade Membership](#)



Central Auction House, LTD

DATE: 12/01/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00118463

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR: _____

BUYER: SDUFFY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

10-14 days

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

***** ALL BIDDERS MUST COMPLETE SECTION BELOW *****

FIRM NAME:	
Bayou State	
SIGNATURE: (Must be signed here)	TITLE:
AL E Campos	UP
PRINT OR TYPE NAME:	
AL E CAMPOS	
ADDRESS:	
P.O. Box 1762	
CITY, STATE:	ZIP:
Kenner LA	70063
TELEPHONE:	FAX:
504 469-7314	504 469-7314
EMAIL ADDRESS:	
byusupply@cox.net	

TOTAL PRICE OF ALL BID ITEMS: \$ 2368.17

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118463

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF AUTOMATION CONTROL EQUIPMENT AND RELATED HARDWARE FOR THE JEFFERSON PARISH DRAINAGE DEPARTMENT, ENGINEERING		
1	1.00	EA	0010 C-more Micro 3.1 inch STN LCD monochrome 128 x 64 pixel display, selectable screen colors , red green, amber, lime or yellow, LED backlight Item no. EA1-S3ML-N	182.00	182.00
2	2.00	EA	0020 ProSense level float switch suspendible/submersible 1.44 in. diameter polybutylene slosh shield Buna-N float, brass stem, SPST 20 ft. halar jacketed cable item FLS-VL-900	112.00	224.00
3	1.00	EA	0030 ProSense float level switch kit top mount, 316SS field assembled parts stainless steel item FLS-VK -300	406.00	406.00
4	2.00	EA	0040 Prosense float level switch 1/13 in. diameter, stainless steel float stainless steel stem, 1/8 in. NPT male, SPST, 24 in. lead wires item FLS-VM-400	43.00	86.00
5	2.00	EA	0050 Flowline EchoPod ultra sonic liquid level sensor 4.1 ft. range 4-20 mA output 14-28 VDC, 1 in. NPT male, mounting gasket, 48 in. cable item DL 10-00	347.00	694.00
6	1.00	EA	0060 Flowline Fob USB adapter, required for use with WEBCAL software to configure Flowecho PPod and EchoSonic II ultra sonic level sensors Item LI99-1001	47.00	47.00
7	1.00	EA	0070 Configuration software CD for Flowline EchoPod and Echo Sonic II	10.20	10.20

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118463

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
8	1.00	EA	ultra sonic level sensors item WEBCAL 0080 Flowline reducer bushing, 2 in. NPT male,x 1 in. NPT female threads PVC item LM52-1400	14.70	14.70
9	1.00	EA	0090 ProSense digital panel meter 1/8 DIN, 5-digit red LED,input+/-20mA +/-200 VDC +/-10 VDC, thermocouple J,K,T,N, RTD: Pt100, Pt1000, potentiometer 100 to 100k Ohms 2 SPDT relays, 20 to 265 VAC/ 11 to 265 VDC	125.00	125.00
10	1.00	EA	0100 WERMA stack light, (tower light) 3-unit 70mm light stack permanet green/yellow/red LED, 24 VAC/DC, 1P65 item 64924002	187.50	187.50
11	1.00	EA	0110 Audio alarm buzzer, 80 db at 10 cm 2.8 kHz tone frequency, 24 VAC/DC red LED 22.5 mm panel mount IP65 item ECX2071-24R	9.65	9.65
12	2.00	EA	0120 Indicating light 22 mm LED red, plastic case, round 24 VAC/DC full volta ge item ECX2051-24L	5.70	11.40
13	2.00	EA	0130 Indicating light, 22 mm LED green plastic case round 24 VAC/DC voltage item ECX2052-24L	5.70	11.40
14	2.00	EA	0140 Indicating light 22 mm LED Yellow, plastic case round 24 VAC/DC, voltage item ECX2053-24L	5.70	11.40
15	2.00	EA	0150 selector switch, 22 mm three position, maintained, 2 N.C./2 N.O	21.60	43.20

DPM2-AT-2R-HL

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118463

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
16	1.00	EA	<p>contactsmetel bezel operator: black, knob, 30 mm, rround plastic</p> <p>item GCX1320-22</p> <p>0160 Pushbutton 22 mm monentary, incandesant, 1 N.C. contacts.plastic</p>	10.80	10.80
17	1.00	EA	<p>base,plastec bezel, plastic ring, operator, green, flush 30 mm, round plastic,24 VAC/DC full voltage</p> <p>item GCX3201-24</p> <p>0170 Push button 22 mm monentary, incandesant,1 N.C. contacts, plastic</p>	10.80	10.80
18	1.00	EA	<p>base, plastic bezel,plastic ring, operaroe: green, flush 30 mm,round plastic,24 VAC/DC full voltage</p> <p>item GCX3202-24</p> <p>0180 Pudh button , 22 momentary incandesant, 1 N.O. contacts</p>	10.80	10.80
19	1.00	EA	<p>plastic base, plastic bezel, plastic ring, operator: yellow, flush, 30 mm round plastic, 24 VAC/DC voltage</p> <p>item GCX3203-24</p> <p>0190 Push button 22 mm,incandesant, 1 N.C. contacts, base, plastic bezel,</p>	11.36	11.36
20	1.00	EA	<p>operator: red extended 30 mm round plastic 120 VAC/DC full voltage</p> <p>item GCX3211-120</p> <p>0200 CLICK ethernet standard PLC, one ethernet port, one RS-232 port,</p>	180.00	180.00
21	1.00	EA	<p>one RS-485 port,8-point input,24 VDC, 6-point output relay</p> <p>Item C0-11DRE-D</p> <p>0210 CLICK PLC windows PC programming and documentation software for the CLICK</p>	11.36	11.36
			<p>PLCs, CD ROMincludes software and manualin PDF format</p> <p>item CO-PGMSW</p>		

DATE: 12/01/2016

INVITATION TO BID FROM JEFFERSON PARISH - continued

Page: 8

BID NO.: 50-00118463

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
22	1.00	EA	0220 CLICK user manual item CO-USER-M	21.60	21.60
23	1.00	EA	0230 PC programming cable assembly for C-moremicro panels,CLICK CPUs, Do more H2 series CPUs, and digital logic CPUs with RJ12 programming ports item EA-MG-PGM-CBL Ship items to: Drainage 1221 Elmwood Pkwy Suite 907 Jefferson, La 70123 Attn: Ben Lepine 736-6838	48.00	48.00

 doc09878120161202094427

12/2/2016 9:46 AM

Adobe Acrobat D...

243 KB



Bid Number 50 -00118463

**Purchase of Automation Control Equipment and related Hardware for
the Jefferson Parish Drainage Department, Engineering**

December 8, 2016 at 11:00 AM

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received in the Purchasing
Department by the bid due date and time.**

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Ms. Sidney Duffy, Buyer II
Buyer Email: sduffy@jeffparish.net
Buyer Phone: 504-364-2682**

DATE: 12/01/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00118463

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: SDUFFY

Bids will be received until 11:00 AM, 12/08/2016 via fax: 504-364-2693 or via online at www.jeffparish.net

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law, as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647. A copy of these resolutions may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70063. You may also obtain a copy by visiting the Purchasing Department webpage at purchasing.jeffparish.net and clicking on On-line forms.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Delivered, anywhere within the Parish as designated by the Purchasing Department. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications. JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit prices shall prevail.

JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in the quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum.

All formal Addenda require written acknowledgment on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected; JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1966, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.56 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A117.1-1981).

DATE: 12/01/2016

BID NO.: 50-00118463

Page: 2

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service, while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE CORRESPONDING INSTRUCTIONS BELOW

13

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

DATE: 12/01/2016

BID NO.: 50-00118463

Page: 3

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise stated in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached "Insurance requirements" sheet. All bidders must comply with the instructions in this sheet. Failure to comply will cause bid to be rejected.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All surties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required:** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission; and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 12/01/2016

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00118463

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

VENDOR:

BUYER: SDUFFY

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

10-12 DAYS

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____

NUMBER: _____

NUMBER: _____

NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>The Reynolds Co.</u>	
SIGNATURE: <u>[Signature]</u> (Must be signed here)	TITLE: <u>Sales</u>
PRINT OR TYPE NAME: <u>D LANDRENEAU</u>	
ADDRESS: <u>700 Elmwood Park Blvd Ste A</u>	
CITY, STATE: <u>Harahan La</u>	ZIP: <u>70123</u>
TELEPHONE: <u>(504) 734-6228</u>	FAX: <u>(504) 734-6212</u>
EMAIL ADDRESS: <u>DPLANDRENEAU@Reynco.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 2,585.27

DATE: 12/01/2016

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 60-00118453

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF AUTOMATION CONTROL EQUIPMENT AND RELATED HARDWARE FOR THE JEFFERSON PARISH DRAINAGE DEPARTMENT, ENGINEERING		
1	1.00	EA	0010 C-more Micro 3.1 inch STN LCD monochrome 128 x 64 pixel display, selectable screen colors, red green, amber, lime or yellow, LED backlight Item no. EA1-S3ML-N	\$200. ²⁵	\$200. ²⁵
2	2.00	EA	0020 ProSense level float switch suspendible/submersible 1.44 in. diameter polybutylene slosh shield Buna-N float, brass stem, SPST 20 ft. halar jacketed cable Item FLS-VL-900	\$121. ⁵⁴	\$243. ⁰⁸
3	1.00	EA	0030 ProSense float level switch kit top mount, 316SS field assembled parts stainless steel Item FLS-VK-300	\$440. ⁶¹	\$440. ⁶¹
4	2.00	EA	0040 ProSense float level switch 1/13 in. diameter, stainless steel float stainless steel stem, 1/8 in. NPT male, SPST, 24 in. lead wires Item FLS-VM-400	\$46. ⁷⁷	\$93. ⁵⁴
5	2.00	EA	0050 Flowline EchoPod ultra sonic liquid level sensor 4.1 ft. range 4-20 mA output 14-28 VDC, 1 in. NPT male, counting gasket, 48 in. cable Item DL 10-00	\$376. ⁵⁹	\$753. ¹⁸
6	1.00	EA	0060 Flowline Fob USB adapter, required for use with WEBCAL software to configure Flowecho PPod and EchoSonic II ultra sonic level sensors Item LI99-1001	\$51. ⁷⁰	\$51. ⁷⁰
7	1.00	EA	0070 Configuration software CD for Flowline EchoPod and Echo Sonic II	\$10. ⁹⁰	\$10. ⁹⁰

DATE: 12/01/2016

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 60-00118463

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ultra sonic level sensors		
			Item WEBCAL		
8	1.00	EA	0080 Flowline reducer bushing, 2 in. NPT male, x 1 in. NPT female threads	\$ 16 ⁰⁰	\$ 16 ⁰⁰
			PVC		
			Item LM62-1400		
9	1.00	EA	0090 ProSense digital panel meter 1/8 DIN, 5-digit red LED, Input +/-20mA 4 digit +/-200 VDC +/-10 VDC, thermocouple J,K,T,N, RTD: Pt100, Pt1000, potentiometer 100 to 100k Ohms 2 SPDT relays, 20 to 285 VAC/ 11 to 265 VDC	\$ 146 ⁸⁰	\$ 146 ⁸⁰
			DPM 2-AT-2R-HL		
10	1.00	EA	0100 WERMA stack light, (tower light) 3-unit 70mm light stack permanent green/yellow/red LED, 24 VAC/DC, 1P85	\$ 203 ⁰⁴	\$ 203 ⁰⁴
			Item 84924002		
11	1.00	EA	0110 Audio alarm buzzer, 80 db at 10 cm 2.8 kHz tone frequency, 24 VAC/DC red LED	\$ 10 ⁻	\$ 10 ⁻
			22.5 mm panel mount IP65		
			Item ECX2071-24R		
12	2.00	EA	0120 Indicating light 22 mm LED red, plastic case, round 24 VAC/DC full volta ge	\$ 6 ²⁵	\$ 12 ⁵⁰
			Item ECX2051-24L		
13	2.00	EA	0130 Indicating light, 22 mm LED green plastic case round 24 VAC/DC voltage	\$ 6 ²⁵	\$ 12 ⁵⁰
			Item ECX2052-24L		
14	2.00	EA	0140 Indicating light 22 mm LED Yellow, plastic case round 24 VAC/DC, voltage	\$ 6 ²⁵	\$ 12 ⁵⁰
			Item ECX2053-24L		
15	2.00	EA	0150 selector switch, 22 mm three position, maintained, 2 N.C./2 N.O	\$ 23 ³⁵	\$ 46 ⁷⁰

DATE: 12/01/2016

Page: 7

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118463

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
16	1.00	EA	contactsmetal bezel operator: black, knob, 30 mm, round plastic Item GCX1320-22	\$ 11 ⁶⁹	\$ 11 ⁶⁹
17	1.00	EA	0160 Pushbutton 22 mm momentary, Incandesant, 1 N.C. contacts.plastic base,plastic bezel, plastic ring, operator, green, flush 30 mm, round plastic,24 VAC/DC full voltage Item GCX3201-24	\$ 11 ⁶⁹	\$ 11 ⁶⁹
18	1.00	EA	0170 Push button 22 mm momentary, Incandesant,1 N.C. contacts, plastic base, plastic bezel,plastic ring, operaroe: green, flush 30 mm,round plastic,24 VAC/DC full voltage Item GCX3202-24	\$ 11 ⁶⁹	\$ 11 ⁶⁹
19	1.00	EA	0180 Push button , 22 momentary Incandesant, 1 N.O. contacts plastic base, plastic bezel, plastic ring, operator: yellow, flush, 30 mm round plastic, 24 VAC/DC voltage Item GCX3203-24	\$ 12 ³⁰	\$ 12 ³⁰
20	1.00	EA	0190 Push button 22 mm,Incandesant, 1 N.C. contacts, base, plastic bezel, operator: red extended 30 mm round plastic 120 VAC/DC full voltage Item GCX3211-120	\$ 195 ⁷⁰	\$ 195 ⁷⁰
21	1.00	EA	0200 CLICK ethernet standard PLC, one ethernet port, one RS-232 port, one RS-485 port,8-point Input,24 VDC, 6-point output relay Item C0-11DRE-D 0210 CLICK PLC windows PC programming and documentation software for the CLICK PLCs, CD ROMincludes software and manualin PDF format Item C0-PGMSW	\$ 12 ⁵⁰	\$ 12 ⁵⁰

DATE: 12/01/2016

Page: 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00118483

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
22	1.00	EA	0220 CLICK user manual Item CO-USER-M	\$ 22 ⁵⁰	\$ 22 ⁵⁰
23	1.00	EA	0230 PC programming cable assembly for C-moremicro panels, CLICK CPUs, Do more H2 series CPUs, and digital logic CPUs with RJ12 programming ports Item EA-MG-PGM-CBL Ship Items to: Drainage 1221 Elmwood Pkwy Suite 807 Jefferson, La 70123 Attn: Ben Lepine 736-8838	\$ 53 ⁹⁰	\$ 53 ⁹⁰