



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000123263 ONE YEAR CONTRACT FOR A SUPPLY OF COUPLINGS,
RESTRAINING DEVICES & RELATED GASKETS FOR THE JEFFERSON
PARISH DEPARTMENT OF PUBLIC WORKS – WATER & SEWERAGE
AND ALL JEFFERSON PARISH AGENCIES & MUNICIPALITIES.**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com
25-Jun-2018 08:51:11 AM



Bid Number 50 - 123263

One year contract for a supply of couplings, restraining devices & related gaskets for the Jefferson Parish Department of Public Works – Water & Sewerage and all Jefferson Parish Agencies & Municipalities.

June 28, 2018 AT 2:00 PM

ATTENTION VENDORS!!!

Please review all pages and respond accordingly, complying with all provisions in the technical specifications and Jefferson Parish Instructions for Bidders and General Terms and Conditions. All bids must be received in the Purchasing Department by the bid due date and time.

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Donna Reamey
Dreamey@Jeffparish.net
504-364-2684**

SPECIFICATIONS FOR BID # 50-123263

Couplings and Restraints **Contract**

Items Included In This Contract:

1. Steel Body Transitional Couplings (Non-Restrained)
2. Ductile Iron Body Transitional Couplings (Non-Restrained)
3. Flange Coupling Adapter (Non-Restrained)
4. Flange Coupling Adapter (Restrained)
5. EBAA Series 1000 E-Z Flange
6. EBAA Series 1100DEC Megalug Mechanical Joint Restraint
7. EBAA Series 1500 Split Restraint Harness For C-900 Pipe Bells And Spigot (4"-12")
8. EBAA Series 1600 Split Restraint Harness For C-900 Pipe Bells And Spigot (4"-12")
9. EBAA Series 1700 Megalug Restraint Harness For Ductile Iron Bells
10. EBAA Series 2000PEC Mechanical Joint Restraint
11. Transition Gaskets (Asbestos Cement To Cast Iron)
12. Mechanical Joint Gaskets (For Ductile Iron Pipe)
13. Pipe Lubricant

Contract Terms:

This is a one year contract for supply of couplings, restraining devices, and the related gaskets for the Department of Water and Sewer, and all Jefferson Parish agencies and municipalities.

Warranty:

Products shall be warranted that they are manufactured in accordance with the applicable material specifications and are free from defects in workmanship and materials for one year after delivery. Any defective items sold under this contract shall be replaced at no cost to the purchaser.

General Specifications:

This specification is prepared for a one (1) year contract for a supply of couplings, restraining devices and related gaskets for the Parish of Jefferson, Department of Water and Sewerage, East and West Banks.

The quantities shown on the proposal guide are approximate quantities to be acquired by Jefferson Parish over a one (1) year period. Actual usage will be on an "as needed" basis.

Bid price shall include all freight and delivery costs to Jefferson Parish warehouse locations on the East and West Banks of Jefferson Parish.

The successful bidder shall not substitute any items on this bid throughout the one (1) year period without the written consent of the Jefferson Parish Engineering Dept.

SPECIFICATIONS FOR BID # 50-123263

All technical literature must be submitted with the bid. Failure to honor such request will result in the bid being considered non-responsive.

Technical Specifications:

1. Steel Body Transition Couplings 2"-24" (Non-Restrained):

Coupling shall accommodate pipe offset up to 7/16", pipe deflection up to 8 degrees, and pipe gaps up to 7.5.

Coupling shall join pipes with difference diameters up to 1.30" (2.10" in the 16" size).

Coupling shall be of the long pattern design and meet or exceed AWWA C-219 and be NSF 61 approved.

Couplings shall have a working pressure of 260 PSI with a maximum test pressure of 390 PSI with a 1.5:1 safety factor.

- **Material:**

Transition couplings shall have a lightweight middle ring that is properly flanged with confined steel followers. Transition coupling shall have an epoxy coating of 10-12 mils in thickness.

- **Follower Track (Spanners):**

Follower track (spanners) shall be type 304 stainless steel with two (2) type 304 stainless steel carriage-type, compression bolts and nuts with corresponding stainless steel retainers (one at each end) located on the top of the coupling. Nuts shall be coated to prevent galling.

- **Gaskets:**

Gaskets shall be wide range, multi-layered EDPM peel-off hydraulically pressure assisted, superior dual seal gaskets (seals mechanically and hydraulically) for permanently sealed joints.

- **Assembly:**

Coupling shall be totally assembled as in integral unit having stab-on feature, with bolts staved to prevent disassembly and required no disassembly during installation.

Coupling shall be "Hymax" or approved equal.

2. Ductile Iron Body Transition Couplings 4"-12" (Non-Restrained):

Coupling shall accommodate pipe deflection up to 8 degrees (4 degrees on each end).

SPECIFICATIONS FOR BID # 50-123263

Coupling shall have an extended range up to 1.25".

Coupling coating shall be center ring fusion bonded epoxy in accordance with AWWA C213 and NSF 61 certified. End rings shall be e-coated epoxy.

Couplings shall have a working pressure of 260 PSI.

- **Material:**

Transition coupling components (end rings, center ring, and bolt guides) shall be ductile iron, meeting or exceeding the requirements of ASTM A536, Grade 65-45-12.

- **Follower Track (Spanners):**

Follower track (spanners) shall be type 304 stainless steel with two (2) type 304 stainless steel carriage-type, compression bolts and nuts with corresponding stainless steel retainers (one at each end) located on the top of the coupling. Nuts shall be coated to prevent galling.

- **Gaskets:**

Gaskets shall be formed from virgin nitrile butadiene rubber (NBR) compounded for water and sewer service in accordance with ASTM D2000.

- **Assembly:**

Coupling shall be totally assembled as in integral. End rings shall be segmented and joined with an integrated hinge.

Coupling shall be MacroTM by Romac or an approved equal.

3. **Flanged Coupling Adapters (Non-Restrained):**

Adapter shall meet or exceed AWWA c-219 and be NSF 61 approved, but shall have one compression end with one nut and bolt, and one flanged end which complies with AWWA C-207-94 or ANSI B16-5.

Please note that the 2" flanged coupling adapter shall be available in 2" oval meter flanged size.

Flanged coupling adapter shall be "Hymax Flanged Adapter" or an approved equal.

Note to Vendor:

The coating system for all restraining devices shall be mega bond by EBAA Iron, Inc. or an approved (factory applied, fusion bonded epoxy) equal.

SPECIFICATIONS FOR BID # 50-123263

4. Flange Coupling Adapters (Restrained) (Ductile/Cast Iron Pipe, 3"-60"; Steel Pipe, 3"-12"):

Pipe Material	DR Rating	Sizes Available
IPS OD PVC Pipe	All SDR's	3"-12"
C-900	14	4"-12"
C-900	18	4"-20"
C-900	25	4"-24"
C-900	32.5	14"-24"

For PVC pipe, the flange adapter shall have a pressure rating equal to the pipe.

For ductile iron pipe, the flange adapter shall have a safety factor of 2:1 minimum.

The flange adapter shall be UL listed 3"-12" for above and below ground use on schedule 40 steel pipes, and below-ground on all classes of listed ductile iron pipe.

The flange adapter shall be FM approved for use on C-900 Class 150 (DR-18) and class 200 (DR-14 PVC pipe, 4"-12", and on all classes of listed ductile iron pipe, and for above ground flanged pipe systems (treatment plants, pumping stations, or underground).

- **Restrained Gland And Gasket Ring:**

The flange adapter restrained gland and gasket ring shall be made of grade 60-42-12 ductile iron, which exceeds the minimum requirements of ASTM A-536-84, and shall have flange bolts circles that are compatible with ANSI/AWWA C-115/1-21.15. The flange adapter gasket ring shall be fusion-bonded epoxy coated inside and out.

- **Flange Adapter Restraint Ring:**

The flange adapter restraint ring shall consist of a plurality of individual actuated gripping wedges to maximize restraint capability. Torque-limiting actuated screws shall be used to ensure proper initial set of the gripping wedges.

- **Assembly:**

The flange adapter shall be capable of deflecting during assembly, or permit lengths of pipe to be field cut to allow a minimum of 0.6" of gap through 2.0" of gap (depending on pipe diameter) between the end of the pipe and the mating flange without affecting the integrity of the seal.

- **Nuts and Bolts:**

The flange adapters shall be furnished with type Xylan or Teflon coated machined bolts and nuts.

Flange adapter shall be EBAA Series 2100 "Megaflange" adapter, or an approved equal.

SPECIFICATIONS FOR BID # 50-123263

5. EBAA Series 1000 E-Z Flange:

The flange adapter shall be used in lieu of threaded or welded flanges on plain end ductile iron and steel pipe.

These flanges shall be cast from 60-42-10 ductile iron per ASTM A536 and shall have bolt circles and bolt holes to meet ANSI/AWWA C100/A21.10.

These flanges shall contain set screws made from ductile iron which have a Rockwell hardness of C40-45 converted from Brinnell.

Flange adapters shall be as manufactured by EBAA Iron, Inc. or an approved equal.

6. Series 110DEC Megalug Mechanical Joint Restraint:

The wedges shall be ductile iron heat treated to a minimum hardness of 370 BHN. Dimensions of the gland shall be such that it can replace the standardized mechanical joint gland, and can be used with the standardized mechanical joint bell conforming to ANSI/AWWA C111/a21.11 and ANSI/AWWA C153/A.21.53 of the latest revision.

The mechanical joint restraint shall be available in the 3" through 48" sizes. They shall have a rated working pressure of 350 PSI in sizes 16" and smaller and 250 PSI in sizes 18" through 48" with 2 to 1 minimum safety factor. The devices shall be listed by Underwriter's Laboratories up through 24" size and approved by factory mutual up through 12" size.

All restraints shall be packaged. The package is to include the gland, EBAA-seal improved mechanical joint gasket and adequate lubricate for gasket lubrication, necessary quantity, size and length of t-bolts and nuts made from a low-alloy steel conforming to AWWA C-111 and be blue flora polymer coated equal to xylon coating.

The EBAA-seal gasket shall deflect 30% during assembly of the mechanical joint, improving sealing capabilities and shall meet in design and material, ANSI/AWWA C110/A21.10, C111/A21.11 or C153/A21.53, section 11-6.4 or latest revision.

The restraint shall be the series 110DEC Megalug restraint produced by EBAA Iron, Inc. or approved equal.

- **Mechanical Joint Restraint For Ductile Iron Pipe:**

Mechanical joint restraint for ductile iron pipe shall be incorporated into the design of the follower gland. The restraining mechanism shall consist of a plurality of individual actuated wedges that increase their resistance to pullout as internal pressure or external forces increase; the device shall be capable of full mechanism joint deflection during assembly and the flexibility of the joint shall be maintained after burial. The joint restraint ring and its wedging components shall be made of grade 60-42-12 ductile iron, which exceeds minimum requirements of ASTM A536-84.

SPECIFICATIONS FOR BID # 50-123263

- **Flange Adapter Restraint Ring:**
The flange adapter restraint ring shall consist of a plurality of individual actuated gripping wedges to maximize restraint capability. Torque-limiting actuated screws shall be used to ensure proper initial set of the gripping wedges.
 - **Assembly:**
The flange adapter shall be capable of deflecting during assembly, or permit lengths of pipe to be field cut to allow a minimum of 0.6" of gap through 2.0" of gap (depending on pipe diameter) between the end of the pipe and the mating flange without affecting the integrity of the seal.
 - **Nuts and Bolts:**
The flange adapters shall be furnished with type Xylan or Teflon coated machined bolts and nuts.
7. **Series 1500 Split Restraint Harness For C-900 Pipe Bells and Spigot (4"-12"):**
All rings and components shall be made of grade 60-42-12 ductile iron, which exceeds minimum requirements of ASTM A536. A split ring shall be utilized behind the pipe bell. A split serrated ring shall be utilized to grip the pipe.
- **Tie Bolts:**
A sufficient quantity, size and length of tie bolts which shall be made from a low-alloy steel conforming to AWWA C111. Tie bolts shall be used to connect the bell ring and gripping ring.
 - **Side Bolts:**
The side bolts shall be grade 5 machine bolts and be blue flora polymer coated equal to xylon coating.
 - **Harness Restraint Device:**
The harness restraint device shall have a minimum working pressure rating of 150 psi, and be tested with a minimum of 4 to 1 safety factor. All sizes shall be FM approved for class 150 (DR 18) PVC pipe. All sizes rated to 200 PSI class 200 (DR 14) PVC pipe shall have a 3 to 1 safety factor, and shall be EBAA Series 1500 or an approved equal.
8. **Series 1600 Split Restraint Harness For C-900 Pipe Bells And Spigot (4"-12"):**
All rings and components shall be made of grade 60-42-12 ductile iron, which exceeds minimum requirements of ASTM A536. A split ring shall be utilized behind the pipe bell. A split serrated ring shall be utilized to grip the pipe.
- **Tie Bolts:**
A sufficient quantity, size and length of tie bolts which shall be made from a low-alloy steel conforming to AWWA C111. Tie bolts shall be used to connect the bell ring and gripping ring.

SPECIFICATIONS FOR BID # 50-123263

- **Side Bolts:**
The side bolts shall be grade 5 machine bolts and be blue flora polymer coated equal to xylon coating.
- **Harness Restraint Device:**
The harness restraint device shall have a minimum working pressure rating of 150 PSI, and be tested with a minimum of 4 to 1 safety factor. All sizes shall be FM approved for class 150 (DR 18) PVC pipe. All sizes rated to 200 PSI class 200 (DR 14) PVC pipe shall have a 3 to 1 safety factor, and shall be EBAA series 1600 or an approved equal.

9. **Series 1700 Megalug Restraint Harness for Ductile Iron Bells:**

Ductile iron pipe bell restraint shall consist of a wedge action restraint ring on the spigot and joined to a ductile iron pipe follower gland behind the bell. The restraint ring shall have individually-actuated wedges that increase their resistance to pull out as pressure or external forces increases.

- **Restraint Ring and Wedging Components:**
The restraint ring and its wedging components shall be made of ductile iron grade 60-42-12, which exceeds minimum requirements of ASTM A536.
- **Wedges:**
The wedges shall be heat-treated to a minimum hardness of 370 BHN. Torque limiting twist off nuts shall be used to ensure proper actuation of the restraining wedges.
- **Follower Gland:**
The follower gland shall be made of the same grade ductile iron as previously mentioned. The connecting tie rods that join the two rings shall be of low alloy steel, which conforms to ANSI/AWWA C111/A21.11.
- **Assembly:**
The assembly shall have a rated pressure with a minimum 2:1 safety factor for 350 PSI in sizes 16" and below, and 250 psi in sizes 18" through 36".
- **Harness:**
Harness shall be series 1700 Megalug restraint harness manufacture by EBAA Iron, or an approved equal.
- **Nuts and Bolts:**
The flange adapters shall be furnished with type Xylan or Teflon coated machined bolts and nuts.

SPECIFICATIONS FOR BID # 50-123263

10. Series 2000 PEC Mechanical Joint Restraint:

The mechanical joint restraint shall be available in 3" through 36" sizes. The restraining joint gland shall have a pressure rating and safety factor equal to that of the pipe on which it is used.

Mechanical joint restraint for PVC pipe shall be incorporated into the design of the follower gland. The restraint mechanism shall consist of a plurality of individually-actuated gripping wedges that increases their resistance to pullout as internal pressure or external forces increase. This evenly distributes the thrust forces around the circumference of the pipe, and is for use on all sizes of IPS diameter PVC pipe in 3" through 12" sizes, and all sizes of AWWA C-900 and C-905 pipe (4" through 36"). The device shall be capable of full mechanical joint deflection during assembly and flexibility of the joint shall be maintained after burial. The joint restraint ring and its wedging components shall be made of grade 60-42-12 ductile iron, which exceeds minimum requirements of ASTM A536.

Dimensions of the gland shall be such that it replaces the standardized mechanical joint gland and can be used with the standardized mechanical joint bell conforming to ANSI/AWWA C111/A21.11 and ANSI/AWWA C153/A21.53 of latest revision. Torque limiting twist off nuts shall be used to insure proper actuating of restraining wedges.

- **Restraining Gland:**

The restraining glands shall have been tested to ASTM F1674, and all sizes shall be rated at the full pressure capacity of the pipe. The mechanical joint restraint shall be listed by Underwriter's Laboratories, and approved by factory mutual (4"-12").

- **Packaging:**

All restraints shall be packaged. The package is to include gland, EBAA-seal(tm) improved mechanical joint gasket with adequate lubricant for gasket, necessary quantity, size and length of t-bolts and nuts made from a low-alloy steel conforming to AWWA C111 and be blue flora polymer coated equal to xylon coating.

- **EBAA-Seal™ Gasket:**

The EBAA-Seal™ gasket shall deflect 30% during assembly of the mechanical joint improving sealing capabilities and shall meet in design and material the ANSI/AWWA C110/A21.10, C111/A21.11, or C153/A21.53, section 11-6.4 or latest revision.

The restraint shall be the series 2000 PEC Megalug restraint produced by EBAA Iron, Inc. or approved equal.

SPECIFICATIONS FOR BID # 50-123263

11. Transition Gaskets (Asbestos Cement to Cast Iron):

Transition gaskets shall go from asbestos cement (ac) size down to cast iron size to be used on potable water and sewer lines, made from virgin SBR rubber material for use in salty and acidic soils with a temperature range of -65 degrees to 180 degrees Fahrenheit. Transition gaskets shall conform to the latest revision of ASTM D2000 3 BA715 to work with class 100, 150, and 200 machined "AC" pipe and ductile iron pipe Class 53.

Transition gaskets shall be manufactured by Romac Industries or an approved equal.

12. Mechanical Joint Gaskets (For Ductile Iron Pipe):

Mechanical joint gaskets for ductile iron pipe shall be used on potable water and sewer lines. Virgin SBR rubber material for the use in salty and acidic soils with a temperature range of -40 degrees to 150 degrees Fahrenheit, meet or exceed ASTM D2000 3 BA715, and to fit ANSI/AWWA A21.11/C111 and ANSI/AWWA A21.53/C153 latest revision standard, 250 PSI working pressure.

13. Pipe Lubricant:

Pipe lubricant shall be used for potable and waste water applications. Pipe lubricant shall be non-toxic, odorless, tasteless, and not be able to support bacterial growth. Lubricant shall come in one quart containers and be used to assemble "push-on" pipe and fittings.

DATE: 6/13/2018

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

BID NO.: 50-00123263

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

BUYER: DREAMEY@jeffparish.net

BIDS WILL BE RECEIVED IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETN, LA 70053 UNTIL 2:00 PM, 6/28/2018 AND PUBLICLY OPENED THEREAFTER.

For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only. All bids will be publicly opened at the West Bank location.

At no charge, bidders may also submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing via email to the buyer's email address as indicated above, no later than Five (5) working days prior to the bid opening. Bid numbers should be mentioned in all requests. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office which will then respond in writing as soon as possible.

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.

10,12,13,15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise state in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. All bidders must comply with the requirements stated in the attached "Standard Insurance Requirements" sheet attached to this bid solicitation. Prior to contract executions/purchase order issuance, the successful bidder will be required to provide final insurance certificates which shall name Jefferson Parish as an additional insured in accordance with the instructions in the aforementioned "Standard Insurance Requirements" sheet.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Conviction Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.

DATE: 6/13/2018

Page: 5

BID NO.: 50-00123263

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO ☒

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____%

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

1-2 weeks

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Ferguson Ent dba Louisiana Utilities
ADDRESS: 901 Solabarrena Rd Suite 206 Supply Co
CITY, STATE: Metairie LA ZIP: 70001
TELEPHONE: 848 834-1106 FAX: 848 831-4179
EMAIL ADDRESS: Cathy.McCarthy@ferguson.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ 275,525.70

AUTHORIZED SIGNATURE: Cathy A. McCarthy
TITLE: Branch Manager

Cathy A. McCarthy
Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

DATE: 6/13/2018

Page 6

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123263

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			ONE YEAR CONTRACT FOR A SUPPLY OF COUPLINGS, RESTRAINING DEVICES & RELATED GASKETS FOR JEFFERSON PARISH DEPT. OF PUBLIC WORKS - WATER & SEWERAGE AND ALL JEFF. PARISH AGENCIES & MUNICIPALITIES.		
1	2.00	EA	0010 3 INCH FLANGE RESTRAINER PART #1003 (38418)	18.60	37.20
2	2.00	EA	0020 4 INCH FLANGE RESTRAINER PART #1004 (38417)	24.40	48.80
3	2.00	EA	0030 6 INCH FLANGE RESTRAINER PART #1006 (38415)	26.20	52.40
4	2.00	EA	0040 8 INCH FLANGE RESTRAINER PART #1008 (38416)	36.80	73.60
5	2.00	EA	0050 10 INCH FLANGE RESTRAINER PART #1010 (38419)	65.00	130.00
6	2.00	EA	0060 12 INCH FLANGE RESTRAINER PART #1012 (38411)	76.40	152.80
7	2.00	EA	0070 14 INCH FLANGE RESTRAINER PART #1014 (38412)	172.00	344.00
8	2.00	EA	0080 16 INCH FLANGE RESTRAINER PART #1016 (38413)	215.00	430.00
9	2.00	EA	0090 18 INCH FLANGE RESTRAINER PART #1018 (38424)	245.00	490.00
10	2.00	EA	0100 20 INCH FLANGE RESTRAINER PART #1020 (38420)	296.00	592.00
11	2.00	EA	0110 24 INCH FLANGE RESTRAINER PART #1024 (38414)	398.00	796.00
12	2.00	EA	0120 4 INCH BELL RESTRAINT HARNESS C900	31.80	63.60

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123263

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
13	16.00	EA	SPLIT SERRATED RING PART #1504 (51240) 0130 6 INCH BELL RESTRAINT HARNESS C900	38.30	612.80
14	2.00	EA	SPLIT SERRATED RING PART #1506 (51241) 0140 8 INCH BELL RESTRAINT HARNESS C900 SPLIT SERRATED RING PART #1508 (51242)	56.40	112.80
15	2.00	EA	0150 4 INCH BELL RESTRAINT HARNESS C900 SERRATED & NON-SERRATED RING PART #1604	35.40	70.80
16	2.00	EA	0160 6 INCH BELL RESTRAINT HARNESS C900 SERRATED & NON-SERRATED RING PART #1606 (51241A)	41.80	83.60
17	2.00	EA	0170 8 INCH BELL RESTRAINT HARNESS C900 SERRATED & NON-SERRATED RING PART #1608 (51242A)	63.20	126.40
18	2.00	EA	0180 10 INCH BELL RESTRAINT HARNESS C900 SERRATED & NON-SERRATED RING PART #1610 (51243)	108. ⁰⁰	216. ⁰⁰
19	2.00	EA	0190 4 INCH BELL RESTRAINT HARNESS D.I. PART #1704	31.10	62.20
20	2.00	EA	0200 6 INCH BELL RESTRAINT HARNESS D.I. PART #1706	46.30	92.60
21	1.00	EA	0210 8 INCH BELL RESTRAINT HARNESS D.I. PART #1708	57.80	57.80
22	2.00	EA	0220 10 INCH BELL RESTRAINT HARNESS D.I. PART #1710 (51254)	100.50	201. ⁰⁰

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123263

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
23	2.00	EA	0230 12 INCH BELL RESTRAINT HARNESS D.I. PART #1712	122.80	245.60
24	2.00	EA	0240 14 INCH BELL RESTRAINT HARNESS D.I. PART #1714	201.00	402.00
25	2.00	EA	0250 16 INCH BELL RESTRAINT HARNESS D.I. PART #1716 (51253)	230.00	460.00
26	2.00	EA	0260 18 INCH BELL RESTRAINT HARNESS D.I. PART #1718	248.00	496.00
27	2.00	EA	0270 20 INCH BELL RESTRAINT HARNESS D.I. PART #1720	346.00	692.00
28	2.00	EA	0280 24 INCH BELL RESTRAINT HARNESS D.I. PART #1724	446.00	892.00
29	2.00	EA	0290 30 INCH BELL RESTRAINT HARNESS D.I. PART #1730	885.00	1770.00
30	2.00	EA	0300 36 INCH BELL RESTRAINT HARNESS D.I. PART #1736	1258.00	2516.00
31	2.00	EA	0310 1.5 INCH FLANGE COUPLING ADAPTER EPOXY COATED; PART #2100-0213-260 (17980)	93.40	186.80
32	2.00	EA	0320 2 INCH FLANGE COUPLING ADAPTER EPOXY COATED; PART #2100-0303-260 (17981)	99.90	199.80
33	2.00	EA	0330 3 INCH FLANGE COUPLING ADAPTER EPOXY COATED; PART #2100-0433-260 (17982)	142.00	284.00
34	24.00	EA	0340 4 INCH FLANGE COUPLING ADAPTER EPOXY COATED; PART #2100-0563-260	182.00	4368.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123263

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
35	12.00	EA	(17984) 0350 6 INCH FLANGE COUPLING ADAPTER EPOXY COATED; PART #2100-0768-260	232. ⁰⁰	2784. ⁰⁰
36	16.00	EA	(17985) 0360 8 INCH FLANGE COUPLING ADAPTER EPOXY COATED; PART #2100-0984-260	316. ⁰⁰	5056. ⁰⁰
37	2.00	EA	(17986) 0370 10 INCH FLANGE COUPLING ADAPTER EPOXY COATED; PART #2100-1226-260 (17988)	529. ⁰⁰	1058. ⁰⁰
38	2.00	EA	0380 12 INCH FLANGE COUPLING ADAPTER EPOXY COATED; PART #2100-1366-260 (17989)	619. ⁰⁰	1238. ⁰⁰
39	2.00	EA	0390 12 INCH FLANGE COUPLING ADAPTER EPOXY COATED; PART #2100-1441-260 (17990)	619. ⁰⁰	1238. ⁰⁰
40	2.00	EA	0400 3 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2103 (17999A)	60.00	120. ⁰⁰
41	2.00	EA	0410 4 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2104 (18000A)	82.00	164. ⁰⁰
42	2.00	EA	0420 6 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2106 (18001A)	293. ⁰⁰	586. ⁰⁰
43	2.00	EA	0430 8 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2108 (18002A)	177. ⁰⁰	354. ⁰⁰
44	2.00	EA	0440 10 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2110 (18003A)	254. ⁰⁰	508. ⁰⁰
45	2.00	EA	0450 12 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2112 (18004A)	320. ⁰⁰	640. ⁰⁰

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123263

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
46	2.00	EA	0460 14 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2114 (18005A)	496.40	992.80
47	2.00	EA	0470 16 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2116 (18006A)	740.00	1480.00
48	2.00	EA	0480 18 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2118 (18015A)	839.00	1678.00
49	2.00	EA	0490 20 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2120 (18016A)	933.00	1866.00
50	2.00	EA	0500 24 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2124 (18017A)	1147.00	2294.00
51	2.00	EA	0510 30 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2130 (18018A)	1508.00	3016.00
52	2.00	EA	0520 36 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2136 (18019A)	2336.00	4672.00
53	2.00	EA	0530 42 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2142 (18014A)	6400.00	12,800.00
54	2.00	EA	0540 48 INCH FLANGE COUPLING ADAPTER TEFLON COATED; PART #2148 (18013A)	8200.00	16,400.00
55	36.00	EA	0550 1.5 INCH TRANSITION COUPLING PART #860-54-0041-16(18019)	76.90	2768.40
56	60.00	EA	0560 2 INCH TRANSITION COUPLING PART #860-54-0054-16(18020)	81.00	4860.00
57	48.00	EA	0570 4 INCH TRANSITION COUPLING PART #860-54-0108-16C(18031)	139.00	6672.00
58	250.00	EA	0580 6 INCH TRANSITION COUPLING PART #860-54-0163-16(18041)	188.00	47,000.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123263

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
59	150.00	EA	0590 8 INCH TRANSITION COUPLING PART #860-54-0217-16(18151)	212. ⁰⁰	31,800. ⁰⁰
60	30.00	EA	0600 10 INCH TRANSITION COUPLING PART #860-54-0278-16(18079)	281. ⁰⁰	8430. ⁰⁰
61	24.00	EA	0610 12 INCH TRANSITION COUPLING PART #860-54-0334-16(18155)	379. ⁰⁰	9096. ⁰⁰
62	2.00	EA	0620 14 INCH TRANSITION COUPLING PART #862-56-0378-16P(18297A) Long Body	1284. ⁰⁰	2568. ⁰⁰
63	2.00	EA	0630 16 INCH TRANSITION COUPLING PART #862-56-0434-16P(18299) Long Body	1312. ⁰⁰	2624. ⁰⁰
64	2.00	EA	0640 18 INCH TRANSITION COUPLING PART #862-56-0488-16P(18300) Long Body	1509. ⁰⁰	3018. ⁰⁰
65	2.00	EA	0650 20 INCH TRANSITION COUPLING PART #862-56-0540-16P(18308) Long Body	1632. ⁰⁰	3264. ⁰⁰
66	2.00	EA	0660 3 INCH JOINT RESTRAINER (D.I.) PART # 1103 DEC (51799)	21. ⁰⁰	42. ⁰⁰
67	2.00	EA	0670 4 INCH JOINT RESTRAINER (D.I.) PART # 1104 DEC (51800)	23.00	46. ⁰⁰
68	24.00	EA	0680 6 INCH JOINT RESTRAINER (D.I.) PART # 1106 DEC (51801)	31.00	744. ⁰⁰
69	1.00	EA	0690 8 INCH JOINT RESTRAINER (D.I.) PART # 1108 DEC (51802)	40.00	40. ⁰⁰
70	2.00	EA	0700 10 INCH JOINT RESTRAINER (D.I.) PART # 1110 DEC (51803)	55.70	111.40
71	1.00	EA	0710 12 INCH JOINT RESTRAINER (D.I.) PART # 1112 DEC (51804)	74.00	74. ⁰⁰

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123263

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
72	2.00	EA	0720 14 INCH JOINT RESTRAINER (D.I.) PART # 1114 DEC (51805)	94.50	189.00
73	2.00	EA	0730 16 INCH JOINT RESTRAINER (D.I.) PART # 1116 DEC (51806)	113.00	226.00
74	2.00	EA	0740 18 INCH JOINT RESTRAINER (D.I.) PART # 1118 DEC (51807)	146.00	292.00
75	6.00	EA	0750 20 INCH JOINT RESTRAINER (D.I.) PART # 1120 DEC (51808)	179.00	1074.00
76	2.00	EA	0760 24 INCH JOINT RESTRAINER (D.I.) PART # 1124 DEC (51809)	248.00	496.00
77	1.00	EA	0770 30 INCH JOINT RESTRAINER (D.I.) PART # 1130 DEC (51810)	565.00	565.00
78	1.00	EA	0780 36 INCH JOINT RESTRAINER (D.I.) PART # 1136 DEC (51811)	724.00	724.00
79	2.00	EA	0790 42 INCH JOINT RESTRAINER (D.I.) PART # 1142 DEC (51812)	1098.00	2196.00
80	2.00	EA	0800 48 INCH JOINT RESTRAINER (D.I.) PART # 1148 DEC (51813)	1388.00	2776.00
81	2.00	EA	0810 3 INCH JOINT RESTRAINER (C900) PART # 2003PEC (51819)	28.90	57.80
82	120.00	EA	0820 4 INCH JOINT RESTRAINER (C900) PART # 2004PEC (51820)	24.00	2880.00
83	300.00	EA	0830 6 INCH JOINT RESTRAINER (C900) PART # 2006PEC (51821)	30.00	9000.00
84	200.00	EA	0840 8 INCH JOINT RESTRAINER (C900) PART # 2008PEC (51822)	45.00	9000.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123263

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
85	2.00	EA	0850 10 INCH JOINT RESTRAINER (C900) PART # 2010PEC (51823)	75. ⁰⁰	150. ⁰⁰
86	2.00	EA	0860 12 INCH JOINT RESTRAINER (C900) PART # 2012PEC (51824)	78. ⁰⁰	156. ⁰⁰
87	2.00	EA	0870 14 INCH JOINT RESTRAINER (C900) PART # 2014PEC (51825)	121. ⁰⁰	242. ⁰⁰
88	2.00	EA	0880 16 INCH JOINT RESTRAINER (C900) PART # 2016PEC (51826)	155. ⁰⁰	310. ⁰⁰
89	2.00	EA	0890 18 INCH JOINT RESTRAINER (C900) PART # 2018PEC (51827)	182. ⁰⁰	364. ⁰⁰
90	2.00	EA	0900 20 INCH JOINT RESTRAINER (C900) PART # 2020PEC (51828)	223. ⁰⁰	446. ⁰⁰
91	4.00	EA	0910 24 INCH JOINT RESTRAINER (C900) PART # 2024PEC (51829)	268. ⁰⁰	1072. ⁰⁰
92	1.00	EA	0920 30 INCH JOINT RESTRAINER (C900) PART # 2030PEC (51830)	700. ⁰⁰	700. ⁰⁰
93	1.00	EA	0930 36 INCH JOINT RESTRAINER (C900) PART # 2036PEC (51831)	861. ⁰⁰	861. ⁰⁰
94	8.00	EA	0940 PIPE SIZE 6 INCH TRANSITION GASKET NOM (51132)	9.80	78.40
95	2.00	EA	0950 PIPE SIZE 8 INCH TRANSITION GASKET NOM (51133)	11.50	23.00
96	2.00	EA	0960 PIPE SIZE 10 INCH TRANSITION GASKET NOM (51134)	15.60	31.20

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123263

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
97	2.00	EA	0970 PIPE SIZE 12 INCH TRANSITION GASKET NOM (51135)	20.25	40.50
98	2.00	EA	0980 PIPE SIZE 3 INCH MECHANICAL JOINT GASKET; NOM: O.D. 4.875 INCH (51220)	2.50	5.00
99	2.00	EA	0990 PIPE SIZE 4 INCH MECHANICAL JOINT GASKET; NOM: O.D. 4.80 INCH (51221)	2.50	5.00
100	60.00	EA	1000 PIPE SIZE 6 INCH MECHANICAL JOINT GASKET; NOM: O.D. 6.90 INCH (51222)	2.50	5.00
101	2.00	EA	1010 PIPE SIZE 8 INCH MECHANICAL JOINT GASKET; NOM: O.D. 9.05 INCH (51223)	2.65	5.30
102	2.00	EA	1020 PIPE SIZE 10 INCH MECHANICAL JOINT GASKET; NOM: O.D. 11.10 INCH (51224)	4.10	8.20
103	2.00	EA	1030 PIPE SIZE 12 INCH MECHANICAL JOINT GASKET; NOM: O.D. 13.20 INCH (51225)	4.30	8.60
104	2.00	EA	1040 PIPE SIZE 14 INCH MECHANICAL JOINT GASKET; NOM: O.D. 15.30 INCH (51226)	7.00	14.00
105	2.00	EA	1050 PIPE SIZE 16 INCH MECHANICAL JOINT GASKET; NOM: O.D. 17.40 INCH (51227)	7.25	14.50
106	2.00	EA	1060 PIPE SIZE 18 INCH MECHANICAL JOINT GASKET; NOM: O.D. 19.50 INCH (51228)	8.50	17.00
107	2.00	EA	1070 PIPE SIZE 20 INCH MECHANICAL JOINT GASKET; NOM: O.D. 21.60 INCH (51229)	9.00	18.00
108	2.00	EA	1080 PIPE SIZE 24 INCH MECHANICAL JOINT GASKET; NOM: O.D. 25.80 INCH (51230)	11.00	22.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123263

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
109	2.00	EA	1090 PIPE SIZE 30 INCH MECHANICAL JOINT GASKET; NOM: O.D. 32.00 INCH (51231)	25.00	50.00
110	2.00	EA	1100 PIPE SIZE 36 INCH MECHANICAL JOINT GASKET; NOM: O.D. 38.30 INCH (51232)	28.00	56.00
111	2.00	EA	1110 PIPE SIZE 42 INCH MECHANICAL JOINT GASKET; NOM: O.D. 44.50 INCH (51233)	58.00	116.00
112	2.00	EA	1120 PIPE SIZE 48 INCH MECHANICAL JOINT GASKET; NOM: O.D. 50.80 INCH (51234)	62.00	124.00
113	24.00	CS	1130 PIPE LUBRICANT (50180) (12 QUARTS PER CASE)	39.00 Per Case	936.00
114	2.00	EA	1140 4 INCH DUCTILE IRON BODY TRANSITIONAL COUPLINGS 4 - 12 INCHES (NON-RESTRAINED)	157.00	314.00
115	2.00	EA	1150 6 INCH DUCTILE IRON BODY TRANSITIONAL COUPLINGS 4 - 12 INCHES (BIB-RESTRAINED)	208.00	416.00
116	2.00	EA	1160 8 INCH DUCTILE IRON BODY TRANSITIONAL COUPLINGS 4 - 12 INCHES (NON-RESTRAINED)	246.00	492.00
117	2.00	EA	1170 10 INCH DUCTILE IRON BODY TRANSITIONAL COUPLINGS 4 - 12 INCHES (NON-RESTRAINED)	313.00	626.00
118	2.00	EA	1180 12 INCH DUCTILE IRON BODY TRANSITIONAL COUPLINGS 4 - 12 INCHES (NON-RESTRAINED)	371.00	742.00
119	24.00	EA	1190 14 INCH X 12 INCH REDUCING COUPLING HYMAX #861560315035316 (18156)	1590.00	38160.00

DATE: 6/13/2018

Page 16

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00123263


SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			LARGE O.D. RANGE 13.90-16.00 SMALL O.D. RANGE 12.40-13.66		

**SECRETARIAL CERTIFICATE
OF
AUTHORIZATION**

The undersigned Assistant Secretary of Ferguson Enterprises, Inc., a Virginia corporation (the "Corporation"), hereby certifies that: i) certain of the Corporation's facilities in the State of Louisiana are doing business as Louisiana Utilities Supply Company and ii) Cathy McCarthy is the Branch Manager in the New Orleans, Louisiana area and iii) that the resolutions adopted by the Corporation's Board of Directors effective July 31, 2014, duly authorize certain of the Corporation's officers, including the Assistant Secretary, to designate, and I hereby do so designate Cathy McCarthy as an authorized representative of the Corporation to act for and on behalf of the Corporation to prepare and submit bids and proposals, to enter into contracts, agreements or other documents, and to execute such documents and undertake all such acts as may be deemed in the best interest of the Corporation, including the execution of bonds and in doing so, to contractually bind the Corporation. Unless withdrawn sooner, this certification of authorization shall be effective until July 31, 2018.

Dated: July 31, 2017




FERGUSON ENTERPRISES, INC.

By: 
David N. Meeker, Assistant Secretary

Commonwealth of Virginia)
)
City of Newport News)

Sworn to subscribed and acknowledged before me this 31st day of July, 2017, by David N. Meeker, personally known to me, in his capacity as Assistant Secretary of Ferguson Enterprises, Inc., a Virginia corporation, on behalf of such corporation.


Notary – Jenifer Ann Cloherty



My commission expires: August 31, 2020

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

INCORPORATED.

AT THE MEETING OF DIRECTORS OF _____
INCORPORATED, DULY NOTICED AND HELD ON _____,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT _____, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

SECRETARY-TREASURER

DATE

Non-Public Works Bid Affidavit Instructions

- Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.
- Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.
- Affidavit must be notarized or the affidavit will not be accepted.
- Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.
- Affiant **MUST** select either A or B when required or the affidavit will not be accepted.
- Affiants who select choice A must include an attachment or the affidavit will not be accepted.
- If both choice A and B are selected, the affidavit will not be accepted.
- Affidavit marked N/A will not be accepted.
- It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF LA

PARISH/COUNTY OF Jefferson

BEFORE ME, the undersigned authority, personally came and appeared: Cathy A
McCarthy, (Affiant) who after being by me duly sworn, deposed and said that
he/she is the fully authorized Branch Manager of Ferguson Ent Louisiana
Utilities Supply (Entity),
the party who submitted a bid in response to Bid Number SD-123263 to the Parish of
Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):


Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B ☒ there are NO campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B  _____ There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.

Cathy A. McCarthy
Signature of Affiant

Cathy A. McCarthy
Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 25th DAY OF June, 2018.

Shawn M. Larre
Notary Public

Shawn M. Larre
Printed Name of Notary

129314
Notary/Bar Roll Number

My commission expires At Death



SHAWN M. LARRE
NOTARY PUBLIC
NOTARY NO. 129314
MY COMMISSION IS FOR LIFE.

STANDARD INSURANCE REQUIREMENTS – PUBLICLY ADVERTISED BIDS

All required insurance under this bid shall conform to Jefferson Parish Resolution No. 113646 or No. 113647, as applicable. Contractors may not commence any work under any ensuing contract unless and until all required insurance and associated evidentiary requirements thereto have been met, along with any additional specifications contained in the advertised bid. Except as where otherwise precluded by law, the Parish Attorney or his designee, with the concurrence of the Director of Risk Management or his designee, may agree on a case-by-case basis, to deviate from Jefferson Parish's standard insurance requirements, as provided in this Section. Vendors requesting deviation therefrom shall submit such requests in writing, along with compelling substantiation, to the Purchasing Department prior to the bid's due date. Any changes to the insurance requirements will be reflected in the bid specifications and addenda. Prior to contract execution and at all times thereafter during the term of such contract, contractors must provide and continuously maintain all coverages as required by the foregoing Resolutions, and the contract documents. Failure to do so shall be grounds for suspension, discontinuation or termination of the contract.

For bidding purposes, bidders **must** submit with bid submission a current (valid) insurance certificate evidencing the required coverages. Failure to comply will cause bid to be rejected. The current insurance certificate will be used for proof of insurance at time of evaluation. Thereafter, and prior to contract execution, the low bidder will be required to provide final insurance certificates to the Parish which shall name **the Jefferson Parish, its Districts Departments and Agencies under the direction of the Parish President and the Parish Council** as additional insureds regarding negligence by the contractor for the Commercial General Liability, Workmen's Compensation Insurance and the Comprehensive Automobile Liability policies. Additionally, said certificates should reflect the name of the Parish Department receiving goods and services and reference the respective Jefferson Parish bid number.

JEFFERSON PARISH REQUIRED STANDARD INSURANCE

☒ **WORKER'S COMPENSATION INSURANCE**

As required by Louisiana State Statute, exception; Employer's Liability, Section B shall be \$1,000,000 per occurrence when Work is to be over water and involves maritime exposures to cover all employees not covered under the State Worker's Compensation Act, otherwise this limit shall be no less than \$500,000 per occurrence.

Note: If your company is not required by law to carry workmen's compensation insurance, i.e. not a Louisiana company, sole employee of the company, then bidders must request a workmen's compensation insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

☒ **COMMERCIAL GENERAL LIABILITY**

Shall provide limits not less than the following: \$1,000,000.00 Combined Single Limit per Occurrence for bodily injury and property damage.

☒ **COMPREHENSIVE AUTOMOBILE LIABILITY**

Bodily injury liability \$1,000,000.00 each person; \$1,000,000.00 each occurrence.
Property Damage Liability \$1,000,000.00 each occurrence.

Note: This category may be omitted if bidders do not/will not utilize company vehicles for the project or do not possess company vehicles. Bidder must request an automobile insurance declaration affidavit prior to the bid opening date. This insurance declaration affidavit must be fully completed, signed, properly notarized and submitted with the bid. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid; however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.

DEDUCTIBLES

No insurance required shall include a deductible not greater than \$10,000.00. The cost of the deductible shall be borne by the contractor.

NOTE: If the vendor requires a change in deductibles, the request must be submitted in writing to the Purchasing Department prior to the due date of the bid. Such request shall be reviewed by the Parish Attorney's Office with the concurrence of the Director of Risk Management.

UMBRELLA LIABILITY COVERAGE

An umbrella policy or excess may be used to meet minimum requirements.

FOR CONSTRUCTION AND RENOVATION PROJECTS:

The following are required unless otherwise specified in the bid. Such insurance is due upon contract execution.

1) OWNER'S PROTECTIVE LIABILITY

To be for the same limits of liability for bodily injury and property damage liability established for commercial general liability.

2) BUILDER'S RISK INSURANCE

The contractor shall maintain Builder's Risk Insurance at his own expense to insure both the owner (Parish of Jefferson) and contractor as their interest may appear.



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Renny Simno
Director

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

Other Changes Continued:

- For all advertised sealed bids, written evidence of signature authority must be included with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- Proof of insurance is required **with** bid submission. Bidders must read the insurance requirements attachment included in each bid package for specific instructions.
- Upon contract execution, successful bidder must produce final insurance certificates per standard Jefferson Parish insurance requirements. Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.

Joseph S. Yenni Building - 1221 Elmwood Park Blvd., Ste. 404, Jefferson, LA 70123

Office 504.364.2678

General Government Bldg. - 200 Derbigny St - Suite 4400 - Gretna, LA 70053

Office 504.364.2678

Email: Purchasing@jeffparish.net Website: www.jeffparish.net



CERTIFICATE OF LIABILITY INSURANCE

Page 1 of 2

DATE (MM/DD/YYYY)
04/24/2018

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Willis of Maryland, Inc. c/o 26 Century Blvd. P. O. Box 305191 Nashville, TN 37230-5191	CONTACT NAME: PHONE (A/C NO. EXT): 610-964-8700 FAX (A/C NO.): 610-254-5600 E-MAIL ADDRESS: certificates@willis.com	
	INSURER(S) AFFORDING COVERAGE INSURER A: Liberty Mutual Fire Ins. Co. NAIC# 23035-000 INSURER B: ACE American Insurance Company 20699-900 INSURER C: Liberty Ins. Corp. 42404-000 INSURER D: Indemnity Insurance Company of North Amer 43575-001 INSURER E: INSURER F:	
INSURED Ferguson Enterprises, Inc. and Subsidiaries (See Attached Named Insured Schedule) 12500 Jefferson Avenue Newport News, VA 23602		

COVERAGES

CERTIFICATE NUMBER: 26261261

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN. THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input checked="" type="checkbox"/> PRO-JECT <input checked="" type="checkbox"/> LOC OTHER:	Y		TB2-691-468654-018	5/1/2018	5/1/2019	EACH OCCURRENCE \$ 2,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 1,000,000 MED EXP (Any one person) \$ 10,000 PERSONAL & ADV INJURY \$ 2,000,000 GENERAL AGGREGATE \$ 5,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000
B	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input checked="" type="checkbox"/> Self-Insured <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY <input checked="" type="checkbox"/> Physical Damage	Y		AOS ISA H25158210	5/1/2018	5/1/2019	COMBINED SINGLE LIMIT (Ea accident) \$ 5,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
C	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED RETENTION \$	Y		TH7-691-468654-028	5/1/2018	5/1/2019	EACH OCCURRENCE \$ 2,000,000 AGGREGATE \$ 2,000,000 \$
D	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? <input checked="" type="checkbox"/> Y/N (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below		N/A	WLR C64786416	5/1/2018	5/1/2019	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTH-ER E.L. EACH ACCIDENT \$ 2,000,000 E.L. DISEASE - EA EMPLOYEE \$ 2,000,000 E.L. DISEASE - POLICY LIMIT \$ 2,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Re: Resolution No. 125223

Workers Compensation Policy #WLR C64786416 provides coverage for AL, AK, AR, AZ, CO, CT, DC, DE, FL, GA, HI, IA, ID, IL, IN, KS, KY, LA, ME, MD, MI, MN, MO, MS, MT, NC, NE, NH, NJ, NM, NV, NY, OK, OR, PA, RI, SC, SD, TX, UT, VA, VT, WV.

See Attached for Additional Workers' Compensation Policies:

CERTIFICATE HOLDER**CANCELLATION**

The Parish of Jefferson, its Districts, Departments Agencies under the direction of the Parish - President and Parish Council Engineering Department 1221 Elmwood Park Blvd., Ste. 802 Jefferson, LA 70123	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE

Coll:5203004 Tpl:2212851 Cert:26261261 ©1988-2015 ACORD CORPORATION. All rights reserved.

AGENCY CUSTOMER ID: 031419

LOC#: _____

**ADDITIONAL REMARKS SCHEDULE**

Page 2 of 2

AGENCY Willis of Maryland, Inc.		NAMED INSURED Ferguson Enterprises, Inc. and Subsidiaries (See Attached Named Insured Schedule) 12500 Jefferson Avenue Newport News, VA 23602	
POLICY NUMBER See First Page		EFFECTIVE DATE: See First Page	
CARRIER See First Page	NAIC CODE		

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,
FORM NUMBER: 25 FORM TITLE: CERTIFICATE OF LIABILITY INSURANCE

The Parish of Jefferson, its Districts, Departments and Agencies under the direction of the Parish President and Parish Council are included as Additional Insureds under General Liability and Auto Liability as required by written contract but only with respect to liability arising out of Named Insured's operations.

Umbrella follows form.

ADDITIONAL COVERAGE SCHEDULE

COVERAGE	LIMITS
POLICY TYPE: Workers' Compensation & Employers Liability- CA/MA CARRIER: New ACE American Insurance Company POLICY TERM: 05/01/2018 - 05/01/2019 POLICY NUMBER: WLR C64786374	Per Statute E.L. Each Accident: \$2,000,000 E.L. Disease-Policy Limit: \$2,000,000 E.L. Disease-Each Employee: \$2,000,000
POLICY TYPE: Workers' Compensation & Employers Liability - TN CARRIER: Agri General Insurance Company POLICY TERM: 05/01/2018 - 05/01/2019 POLICY NUMBER: WLR C64786453	Per Statute E.L. Each Accident: \$2,000,000 E.L. Disease-Policy Limit: \$2,000,000 E.L. Disease-Each Employee: \$2,000,000
POLICY TYPE: Workers' Compensation & Employers Liability - WI CARRIER: ACE Fire Underwrites Insurance Company POLICY TERM: 05/01/2018 - 05/01/2019 POLICY NUMBER: SCF C64786611	Per Statute E.L. Each Accident: \$2,000,000 E.L. Disease-Policy Limit: \$2,000,000 E.L. Disease-Each Employee: \$2,000,000

FERGUSON ENTERPRISES, INC. and Subsidiaries
Named Insured Listing

Entity Name
AC Wholesalers
Alaska Pipe & Supply
Andrews Lighting & Hardware Gallery
The Ar-Jay Center
Atlantic American Fire Equipment Company
Avallon Global
BAC Appliance Center
Bath + Beyond
Bruce-Rogers Company
Build.com, Inc. (fka Improvement Direct, Inc.)
Cal-Steam
City Lights Design Showroom
CFP
Clawfoot Supply, LLC
Cline Contract Sales
Custom Lighting & Hardware
Davies Water
Dealernet
Duhig Stainless
Energy & Process Corporation
Equarius Waterworks, Meter & Automation Group
Factory Direct Appliance
Ferguson Bath & Kitchen Gallery
Ferguson Bath, Kitchen & Lighting Gallery
Ferguson.com
Ferguson CESCO, Inc.
Ferguson Direct
Ferguson Facilities Supply
Ferguson Fire & Fabrication, Inc.
Ferguson Fire & Fabrication International
Ferguson Heating & Cooling
Ferguson Hospitality Sales
Ferguson HVAC – Air Cold
Ferguson HVAC – EastWest Air
Ferguson HVAC – Lyon Conklin
Ferguson Integrated Services
Ferguson International
Ferguson Panama, S.A.
Ferguson Parts & Packaging
Ferguson Valve & Automation
Ferguson Waterworks
Ferguson Waterworks - Municipal Pipe
Ferguson Waterworks - Red Hed
Ferguson Waterworks EPPCO
Ferguson Waterworks International
Galleria Bath & Kitchen Showplace
HM Wallace, Inc.
H. P. Products Corporation
HP Logistic, Inc.
Improvement Brands Holdings, Inc.
Industrial Hub of the Carolinas
J&G Products
J.D. Daddario Company

Entity Name
Joseph G. Pollard Co.
Karl's Appliances
Lighting Unlimited
Lincoln Products
Linwood Pipe and Supply
Living Direct, Inc.
Louisiana Utilities Supply Company
LUSCO
Matera Paper
McFarland Supply
Michigan Meter
Myers HVAC Supply
Mississippi Utility Supply Co. (MUSCO)
PCS Industries
PL Sourcing
Plumb Source
Plumbing Décor
Pollardwater
Powell Pipe & Supply Co.
Power Equipment Direct Inc.
Professional's Bath Source
PV Sullivan Supply
Ramapo Wholesalers
Renwes Sales
Redlon & Johnson
Reese Kitchen, Bath & Lighting Gallery
SG Supply Co.
Ship-Pac
Signature Hardware
SOS Sales
Stock Loan Services, LLC
Supply.com
Tarpon Wholesale Supplies
The Davidson Group
The Plumbing Source
The Stock Market
TPW Kitchen & Bath
Waterworks Industries
Webb Distributors
Western Air Supply
Wholesale Group
Wholesale Group Operations, Inc.
Westfield Lighting
Wolseley (Barbados) Ltd
Wolseley de Puerto Rico, Inc.
Wolseley Financial Services
Wolseley Industrial Group
Wolseley Integrated de Mexico S.A. de C.V.
Wolseley Investments North America, Inc.
Wolseley Investments, Inc.
Wolseley NA Construction Services, LLC
Wolseley NA Finance, Inc.
Wolseley Staffing de Mexico S.A. de C.V.
WPCC Forwarding