

DATE:

BID NO.: 50-00132603

JEFFERSON PARISH
PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: RScott

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>14 DAYS ARO</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	<u>N/A</u>
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	<u>N/A</u>

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
NUMBER: _____
NUMBER: _____
NUMBER: _____

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>SCHELDE SPORTS NORTH AMERICA</u>	
SIGNATURE: (Must be signed here) <u>David C. Noe</u>	TITLE: <u>PRESIDENT</u>
PRINT OR TYPE NAME: <u>DAVID NOE</u>	
ADDRESS: <u>2119 OLD US 27 SOUTH STE. C</u>	
CITY, STATE: <u>ST JOHNS MI</u>	ZIP: <u>48879</u>
TELEPHONE: <u>933 724 3533</u>	FAX: <u>()</u>
EMAIL ADDRESS: <u>info@schelde,sports.com</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 6,300.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00132603

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	2.00	ST	<p>Purchase of (2) EVS Volleyball Systems for the Jefferson Parish Recreation Dept</p> <p>0001 Draper, Inc. EVS Volleyball System Part # 50041</p> <p>Specifications: Meets all NFHS, USA Volleyball, NCAA, and FIVB requirements for competition equipment. Each set includes: (2) pair of aluminum posts, nets, antennae, boundary markers, and (1) judge's stand. Height adjustment from 6' to 8'4". Secure cast in place floor sleeves. Power winch that includes folding handle for player safety and added security. Rope tensioner holds the bottom of the net taut. Clear anodized aluminum finish. Judge's stand (included): adjustable clamp-on referee stand. Two leg space efficient design. Fits most manufacturer's uprights. Adjustable height. Two intergated wheels for portability. Durable powder coated paint finish.</p>	<p>\$ 2,950⁰⁰</p>	<p>\$ 5,900⁰⁰</p>
2	1.00	EA	<p>0002 Freight</p> <p>Please ship to: Jefferson Parish Parks & Recreation Westbank Athletics Division 7437 Lapalco Blvd. Marrero, LA 70072</p>		<p>\$ 400⁰⁰</p>

Specifications for A3 Aluminum Volleyball System

Model SSVB303AP A3 UPRIGHT WINCH AND END

Removeable type, in floor sleeves. Uprights shall be 2-piece 6061 T6 anodized aluminum tubing. Lower section shall be 3" outside diameter and upper section shall be 2-1/2" diameter. The upper post section shall telescope out of the bottom post section and shall move freely and have preset height at men's, women's and Juniors volleyball heights. Upper post section shall include spring assist for ease in adjustment. Height shall be infinitely adjustable within the volleyball range. Height shall be locked in with T-handle tension mechanism. Net tensioning device shall be worm drive, fully enclosed and shall be mounted on the post. Winch shall have folding non removeable handle and 2" wide nylon strap for net tensioning. Each post shall weigh less than 26 lbs. Adapters supplied for sleeves larger than 3" ID at no extra charge. Standards and Winch shall carry no less than lifetime limited warranty. Entire system shall meet or exceed all USAV, NCAA and NFHS requirements for competition.

Model SSVB303ACW A3 CENTER UPRIGHT WITH WINCH

A3 center post shall consist of single upright as described above with winch one side and net connection on opposite side. This post shall allow nets to be attached to both sides for adjacent courts and carry same warranty and requirements as stated above.

Model VBC8 BRASS HINGED LOCKING COVER

Cover plate shall be brass alloy with attached hinged cover. Cover to include locking mechanism operable with coin or screwdriver to positively lock cover down when not in use. Non-locking cover shall be deemed unacceptable. Cover shall include 4 holes in ring for screw attachment to floor which shall be concealed under cover when closed. Exposed mounting screws shall be deemed unacceptable. Cover shall be connected to floor only to allow for floating floor to move independent of the floor sleeve. Overall thickness shall be 3/8". Clear opening shall be 6" diameter. Overall diameter shall be 8".

Model VBS3 FLOOR SLEEVE

Aluminum Sleeve shall be 9" long. Inside diameter shall be 3".

VBSC3 FLOOR SLEEVE AND COVER PACKAGE

Package shall contain one each VBC8 and VBS3 as listed above.

PAGE 1

PAGE 2 – Schelde Sports A3 Aluminum System Specifications.

Model VBN1098F INTERNATIONAL FIBER DOWEL KEVLAR NET

Net shall be 9.8 meters in length and 1 meter wide. Netting shall be 10 cm square knotless nylon black mesh. Top binding shall be 50 mm woven nylon with reinforcement at corners and minimum 4 row stitching. Side binding shall be wide vinyl with fiber dowel sewn in. Upper net cable to be 6mm Kevlar rope. Steel cable shall be deemed unacceptable. Bottom tension rope shall be nylon rope covered by 30mm woven nylon. Bottom net tensioner shall be ratchet type and included with net.

SSVB1 ANTENNA AND SIDELINE MARKER

Net antenna shall be 3/8" diameter fiberglass rods 71" long with alternating red and white bands. Sideline marker shall be heavy duty white woven nylon with full length pocket for insertion of antenna. Attachment to net shall be by full length Velcro strips.

VB4CP CABLE PAD

Cable covers shall be 14 oz nylon reinforced vinyl with full length Velcro closures.

SSVB16P UPRIGHT SAFETY PADS

Each pad to be single piece 72" in height and 26" in width. Padding shall consist of 1.25" thick closed cell cross linked polyethylene foam covered with 14 oz nylon reinforced vinyl. Attachment to upright shall be by 6 vinyl covered Velcro Straps. Available in 16 standard colors.

SSVB16C Center Upright Safety Pad

Materials and construction shall be as listed above. Center pad shall consist of 2 identical pieces 72" long and 11" wide. Attachment to upright shall be by vinyl covered Velcro straps.

SSVRS10 Free Standing Folding Referee Stand With Padding

Stand shall be of tubular steel construction with metal platform. Shall be completely free standing and foldable flat for transport and storage. Shall include rear wheels for ease of transport. Padding shall consist of closed cell dense foam with sewn nylon reinforced vinyl covering. Shall be available in 16 standard colors.

SSVRS20 ATTACHABLE HEIGHT ADJUSTABLE REFEREE STAND

Shall be of tubular steel construction and include adjustable legs to alter platform height. Padding shall consist of dense closed cell foam cover by sewn nylon reinforced vinyl available in 16 standard colors. Stand shall attach to upright by means of heavy duty steel clamp.

SSVEC1 6-POST EQUIPMENT CART

Shall be of tubular steel construction with tarp area for nets and antennas. Cart shall be capable of holding 6 uprights, 6 upright pads, 3 nets, 3 pair antennas and 1 referee stand.



Model SSVEC4 4-POST EQUIPMENT CART

Shall be of tubular steel construction and include 4 non-marking wheels for easy transport. Cart shall be capable of storing 4 volleyball posts and safety pads. Cart shall have dimensions to allow fit through standard man door.

Model SSVB303AS

A3 Plus Volleyball System

Accurate.
Easy-to-Use.
Durable.
Great Price.




The A3 Plus aluminum system has been completely redesigned to offer the ease of use and durability top programs demand.

Versatile System for Every Category of Play

- Men's
- Women's
- Junior
- Competition
- Practice
- Recreation

More reasons to ♥ A3 Plus on page 2.



CONTACT US



Model SSVB303AS

A3 Plus Volleyball System Features

Lifetime Warranty on all Scheide posts and winch products



- 3" posts fit virtually any existing floor sleeve. Scheide experts consult with you to ensure seamless fit in any facility.
- High strength aluminum alloy posts for rigidity.
- Tubing design minimizes deflection while under tension.
- Worm drive winch for superior ease of use and fast set up.
- Lifetime warranty on posts and winch.
- Lightweight posts weigh in at 28 lbs for end post and 32 lbs for winch post.
- Engraved net height settings for accurate and easy set up.
- Spring loaded posts for ease of adjustment. Infinite height settings within the volleyball range meet every practice and program need.
- Kevlar top cable net with woven nylon banding for extreme tightness and durability.
- Safety pads available in 13 standard colors. Full graphic pads available to express your program or facility's message and flair.
- Printed top net band available to personalize your court.
- Durable woven nylon sideline markers securely hold antennas in place and last through years of daily use

CONTACT US

833.724.3533

info@scheidesports.com

