

DATE: 8/15/2019

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00127766

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: RSCOTT

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH	
INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES	<u>5-7 DAYS</u>
INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK	_____
INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK	_____

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: _____
 NUMBER: _____
 NUMBER: _____
 NUMBER: _____

Gas And Supply
Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
 jimmy.gibbs@gasandsupply.com

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

*** ALL BIDDERS MUST COMPLETE SECTION BELOW ***	
FIRM NAME: <u>I.W.S. GAS AND SUPPLY</u>	
SIGNATURE: (Must be signed here)	TITLE:
<u>Jimmy Gibbs</u>	<u>SALES</u>
PRINT OR TYPE NAME: <u>JIMMY GIBBS</u>	
ADDRESS: <u>111 BURAS DR.</u>	
CITY, STATE:	ZIP:
<u>BELLE CHASSE, LA.</u>	<u>70037</u>
TELEPHONE:	FAX:
<u>504 392-2400</u>	<u>504 392-1500</u>
EMAIL ADDRESS: <u>Jimmy.GIBBS@GAS AND SUPPLY.COM</u>	

TOTAL PRICE OF ALL BID ITEMS: \$ 823.13

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00127766

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			PURCHASE OF STOCK ITEMS FOR EASTBANK WAREHOUSE		
1	40.00	EA	0010 CLAMP, HOSE, 5-1/8 INCH TO 6 INCH RANGE, ALL STAINLESS STEEL, HEX SCREW, <i>DIXON HSS88</i> DIXON #200-88-H, IDEAL-TRIDON #6788M51, FASTENAL #0403518 STK. # 0302060	1.35	54.00
2	50.00	EA	0020 BOLT, CARRIAGE, 5/8 IN X 3-1/2 IN, WITH NUT, BLACK IRON, FULLY THREADED, MSC #30444129 STK. # 0965550	N/B	—
3	3.00	EA	0030 TAP, PIPE, 1/2 - 14, NPT/ANPT THREAD, HIGH SPEED STEEL, GREENFIELD <i>NORSEMAN 56940</i> BRAND OR EQUAL STK. # 0192150	10.15	30.45
4	3.00	EA	0040 NIPPLE, SUCTION HOSE, KING COMBINATION, 4 INCH, PLATED STEEL, HOSE <i>DIXON STK 40</i> X MALE NPT THREADS, DIXON BRAND OR EQUAL STK. # 0486830	16.90	50.70
5	650.00	EA	0050 COVERALL, DISPOSABLE, 3X-LARGE, WHITE, 1.25 OZ BREATHABLE POLYPROPYLENE WITH COLLAR AND ZIPPER, OPEN WRIST AND ANKLES, NO HOOD, SEWN SEAM, LAKELAND #C2412 STK. # 058041L	1.00	650.00
6	10.00	EA	0060 KEY, WATER FAUCET, FOUR WAY, STEEL WITH POUCH, GRAINGER #1WJT1 STK. # 0588050	N/B	—
7	6.00	EA	0070 CONNECTOR, MALE FOR 2/0 WELDING CABLE Lenco #LC-40-05053 STK. # 0307280	6.33	37.98

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500
jimmy.gibbs@gasandsupply.com

Band & Worm Gear Clamps: Worm Gear

Dixon® Worm Gear Clamps

E

Gas And Supply
Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
 jimmy.gibbs@gasandsupply.com

Clamps

to SAE J1508 which supercedes Mil Spec WW-C-440B
 construction
 design: 5/16" slotted hex head
 recommended torque 50 in. lbs.
 sold 10 per box

Material:
 housing: SAE 300 series stainless
 E 1018 case-hardened, hex-free
 zinc-plated steel

- Style HSS material:
- band and housing: SAE 300 series stainless
 - screw: SAE 300 series stainless

Hose OD		style HS Part #	Master Case Qty	style HSS Part #	Master Case Qty
from	to				
7/16"	25/32"	HS6	200	HSS6	200
1/2"	29/32"	HS8	200	HSS8	200
9/16"	1-1/16"	HS10	500	HSS10	500
11/16"	1-1/14"	HS12	500	HSS12	500
13/16"	1-1/2"	HS16	500	HSS16	500
13/16"	1-3/4"	HS20	500	HSS20	500
1-1/16"	2"	HS24	500	HSS24	500
1-5/16"	2-1/4"	HS28	500	HSS28	500
1-9/16"	2-1/2"	HS32	500	HSS32	500
1-13/16"	2-3/4"	HS36	500	HSS36	500
2-1/16"	3"	HS40	200	HSS40	200
2-5/16"	3-1/4"	HS44	200	HSS44	200
2-9/16"	3-1/2"	HS48	200	HSS48	200
2-13/16"	3-3/4"	HS52	200	HSS52	200
3-1/16"	4"	HS56	200	HSS56	200
3-5/16"	4-1/4"	HS60	200	HSS60	200
3-9/16"	4-1/2"	HS64	200	HSS64	200
1-7/8"	5"	HS72	100	HSS72	100
2-1/2"	5-1/2"	HS80	100	HSS80	100
3-1/8"	6"	HS88	100	HSS88	100
3-5/8"	6-1/2"	HS96	100	HSS96	100
4-1/8"	7"	HS104	100	HSS104	100
5-5/8"	8-1/2"	HS128	100	HSS128	100
7-1/8"	10"	HS152	100	HSS152	100
9-3/8"	12-1/4"	HS188	100	HSS188	100
10-1/8"	13"	HS200	100	HSS200	100
10-7/8"	13-3/4"	HS212	100	HSS212	100
11-5/8"	14-1/2"	HS224	100	HSS224	100
12-3/8"	15-1/4"	HS236	100	HSS236	100
13-1/8"	16"	HS248	100	HSS248	100
17-1/8"	20"	HS312	100	HSS312	100



style HSS

E

Miniature Worm Gear Clamps

to SAE J1508
 design: 1/4" slotted hex head
 minimum recommended torque 15 in. lbs.
 sold 10 per box

Material:
 band and housing: SAE 300 series stainless
 E 1018 case-hardened, hex-free
 zinc-plated steel

- Style MAH material:
- band and housing: SAE 300 series stainless
 - screw: SAE 300 series stainless

Hose OD	Hose OD		style MH Part #	Master Case Qty	style MAH Part #	Master Case Qty
	from	to				
7/32"	5/8"	MH4	500	MAH4	500	
7/16"	25/32"	MH6	500	MAH6	500	
1/2"	29/32"	MH8	200	MAH8	200	
9/16"	1-1/16"	MH10	200	MAH10	200	
11/16"	1-1/4"	MH12	200	MAH12	200	
15/16"	1-1/2"	MH16	200	MAH16	200	
1-3/16"	1-3/4"	MH20	200	MAH20	200	



style MH

torque ratings correspond to the torque rating of the screw of the clamp and are not an indication of the working pressure of any hose assembly installed with this clamp.

Hi-Carbon Steel Taps

HI-CARBON TAPS - METRIC PLUG & TAPERED PIPE TAPS

Type 780 -Metric Plug, Type 410 Pipe Taps

- All popular sizes offered for foreign car, motorcycle, and machinery threading needs.
- Made of tough carbon steel to industry standards.



METRIC

Hi-Carbon - Metric Plug & Pipe Taps

TYPE 780 -METRIC PLUG

Part No.	Size	Tap Drill Size	Number of Flutes	Qty. per/pack
83010	3x.50	40	3	3
83020	3x.60	3/32	3	3
83030	4x.70	1/8	3	3
83040	4x.75	1/8	3	3
83050	5x.80	11/64	3	3
83060	5x.90	20	3	3
83070	6x1.00	13/64	3	3
83080	7x1.00	15/64	4	3
84230	8x1.00	F	4	3
83090	8x1.25	17/64	4	3
83100	9x1.00	5/16	4	3
83110	9x1.25	5/16	4	3
56800	10x1.00	23/64	4	3
83130	10x1.25	S	4	3
83140	10x1.50	11/32	4	3
83150	11x1.50	3/8	4	3
84240	12x1.25	27/64	4	3
83160	12x1.50	13/32	4	3
83170	12x1.75	27/64	4	3
56810	14x1.25	33/64	4	1
84250	14x1.50	1/2	4	1
83190	14x2.00	15/32	4	1
83200	16x1.50	37/64	4	1
83210	16x2.00	35/64	4	1
56820	18x1.50	21/32	4	1
84260	18x2.00	5/8	4	1
83230	18x2.50	39/64	4	1

TYPE 410 PIPE TAPS FRACTIONAL

Part No.	Diameter	Tap Drill Size	Shank	Number of Flutes	Qty. per/pack
56910	1/8 x 27	11/32	5/16	4	3
56920	1/4 x 18	7/16	7/16	4	3
56930	3/8 x 18	37/64	1/2	4	1
56940	1/2 x 14	23/32	1/2	4	1
56950	3/4 x 14	59/64	5/8	4	1
56960	1 x 11-1/2	1-5/32	13/16	5	1
56970	1-1/4 x 11-1/2	1-1/2	1"	5	1
56980	1-1/2 x 11-1/2	1-47/64	1-1/4"	7	1
56990	2 x 11-1/2	2-7/32	1-3/8"	6	1

These items are also available carded. See Price List Catalog for details.

Gas And Supply
 Jimmy Gibbs
 Phone 504-392-2400
 Fax 504-392-1500
jimmy.gibbs@gasandsupply.com



Product Tips

NEED A TAPPING LUBE?
 High Performance Ultra Lube™
 will do the job! Found on page 103

D

King™ Combination Nipples

⚠ WARNING

Applications:

- Recommended for low-pressure discharge and suction service for compatible liquids. **Sizes 1¼" and above are not for compressible products such as air or nitrogen.**
- **King™ Combination Nipples are not recommended for steam.**
- *The working pressure may vary with the construction of the hose, the type of clamping system used and the application. Consult Dixon® for recommendations.*
- In accordance with the Association for Rubber Products Manufacturers (ARPM) bulletin for oil suction and discharge hose, a coupled length of hose in any size, should be tested to 1½ times the working pressure and held for fifteen minutes without leaking or coupling movement. For additional information and detailed instruction on testing procedures, see the Association for Rubber Products Manufacturers (ARPM) handbook.

Industrial Hose
Fittings

Gas And Supply
Jimmy Gibbs
Phone 504-392-2400
Fax 504-392-1500

jimmy.gibbs@gasandsupply.com

NPT Threaded End with Knurled Wrench Grip



Size	Opt Qty	Unplated Steel Part #	Plated Steel Part #	Brass Part #	Aluminum Part #
½"	50	ST1	STC1	BST1	AST1
¾"	50	ST5	STC5	BST5	AST5
1"	50	ST10	STC10	BST10	AST10
1¼"	50	ST15	STC15	---	---
1½"	50	ST20	STC20	---	---
2"	25	ST25	STC25	---	---

- For additional information on pipe dimensions please reference dixonvalve.com.

NPT Threaded End No Knurl



Size	Opt Qty	Unplated Steel Part #	Plated Steel Part #	Brass Part #	Aluminum Part #
1¼"	50	---	---	BST15	AST15
1½"	50	---	---	BST20	AST20
2"	25	---	---	BST25	AST25
2½"	10	ST30	STC30	BST30	AST30
3"	10	ST35	STC35	BST35	AST35
4"	4	ST40	STC40	BST40	AST40
5"	4	ST50	STC50	---	AST50
6"	2	ST60	STC60	---	AST60
8"	2	ST80	STC80	---	---
10"	1	ST100	STC100	---	---
12"	1	ST120	STC120	---	---



Size	Opt Qty	316 Stainless Steel Part #	Hastelloy® Part #
½"	50	RST1 ¹	---
¾"	50	RST5 ¹	---
1"	50	RST10	---
1¼"	50	RST15	---
1½"	50	RST20	---
2"	25	RST25	HST25
2½"	10	RST30	---
3"	10	RST35	HST35
4"	4	RST40	---
5"	4	RST50	---
6"	4	RST60	---
8"	2	RST80	---

¹ made from investment casting

- For additional information on pipe dimensions please reference dixonvalve.com.