

DATE: 4/19/2017

INVITATION TO BID  
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00119593

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: **BASIC SUPPLY, LLC**

BUYER: **SFOLSE**

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work is to be done in a workman-like manner, according to standard practices. Any deviations or alterations from the specifications must be indicated and backup documentation supplied with your quotation.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

**12-18 DAYS**

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

NUMBER: \_\_\_\_\_

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) \_\_\_\_\_

**\*\*\* ALL BIDDERS MUST COMPLETE SECTION BELOW \*\*\***

FIRM NAME: **BASIC SUPPLY, LLC**

SIGNATURE:

(Must be signed here)

TITLE:

**MANAGER**

PRINT OR TYPE NAME:

**JOHN ATKINSON**

ADDRESS:

**PO BOX 63066**

CITY, STATE:

**LAFAYETTE, LA**

ZIP:

**70596**

TELEPHONE:

( ) **337-232-1733**

FAX:

( ) **337-232-2045**

EMAIL ADDRESS:

**charlotte@basicsupply.com**

TOTAL PRICE OF ALL BID ITEMS: \$ **\$1705.72**

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119593

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
			STOCK SUPPLIES NEEDED FOR THE JEFFERSON PARISH WB SEWERAGE DEPARTMENT		
1	4.00	EA	0010 - BELT 3L420 BROWNING FHP SK NUMBER 00-0042000 <b>PIX 3L420</b>	<b>\$2.90</b>	<b>11.60</b>
2	12.00	EA	0020 - BUSHING, GALVANIZED, SCHEDULE 40, 3/8 IN. X 1/8 IN., DOMESTIC SK NUMBER 00-0289940 <b>WORLDWIDE SOURCING 35-3/8X1/8G</b>	<b>\$0.58</b>	<b>\$6.96</b>
3	20.00	EA	0030 - REDUCER, BELL, GALVANIZED, 1/4 INCH X 1/8 INCH, SCHEDULE 40 SK NUMBER 00-0292720 <b>WORLDWIDE SOURCING 24-1/4X1/8G</b>	<b>\$0.67</b>	<b>13.40</b>
4	12.00	EA	0040 - ELBOW, BRASS, COMPRESSION, 1/4 INT X 1/8 IN. MPT, MALE, W/BRASS SLEEVE, DOMESTIC, PARKER NO. 169C-4-2 SK NUMBER 00-0302750 <b>ANDERSON METAL 750069-0402</b>	<b>\$1.48</b>	<b>17.76</b>
5	100.00	LF	0050 - TUBING, COPPER, REFRIGERATION, SOFT, 1/4 IN. OUTSIDE DIAMETER SK NUMBER 00-0384320 <b>MUELLER REF-1/4</b>	<b>\$0.56/FT</b>	<b>\$56.00</b>
6	500.00	EA	0060 - WASHER, FLAT, 5/16 INCH, NO. 316 STAINLESS STEEL, FASTENAL NO. 78015 SK NUMBER 00-0411120	<b>NO BID</b>	<b>NO BID</b>
7	50.00	EA	0070 - BOLT, HEX HEAD, 3/8 INCH - 16 DIAMETER X 3-1/2 INCH LONG, GRADE 316 STAINLESS STEEL, FASTENAL NO.77117 SK NUMBER 00-0411460	<b>NO BID</b>	<b>NO BID</b>
8	300.00	EA	0080 - WASHER, LOCK, 1/2 INCH, GRADE 316 STAINLESS STEEL SK NUMBER 00-0411810	<b>NO BID</b>	<b>NO BID</b>
9	100.00	EA	0090 - BOLT, HEX HEAD, 1/2 INCH - 13 X 1-1/2 INCH, GRADE NO. 316 STAINLESS STEEL, FASTENAL NO. 77209 SK NUMBER 00-0411880	<b>NO BID</b>	<b>NO BID</b>
10	50.00	EA	0100 - BOLT, HEX HEAD, 3/4 IN. - 10 X 2-1/2 IN. LONG, DOMESTIC, GRADE 5	<b>NO BID</b>	<b>NO BID</b>

## INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00119593

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
11	20.00	EA	IDENTIFICATION MARKING, BAKED ON BLUE TEFLON COATING MEEST ASTM B117 SK NUMBER 00-0436580  0110 - ELBOW, SCHEDULE 80 PVC, 90 DEGREE, 3 INCH SOCKET X SOCKET,  ELECTRICAL CONDUIT IS NOT ACCEPTABLE, FASTENAL NO. 047399 SK NUMBER 00-0690160	NO BID	NO BID
12	50.00	EA	0120 - BOLT, HEX HEAD, 9/16 IN. - 12 X 1-1/2 IN. LONG, GRADE NO. 316 STAINLESS  STEEL SK NUMBER 00-0412200	NO BID	NO BID
13	50.00	EA	0130 - BOLT, HEX HEAD, 5/8 IN. - 11 X 3-1/2 IN. LONG, DOMESTIC, GRADE NO. 5  IDENTIFICATION MARKING, BAKED ON BLUE TEFLON COATING MEET ASTM B117 SK NUMBER 00-0436410	NO BID	NO BID
14	50.00	EA	0140 - VALVE, SHUT-OFF, 1/4 IN. FPT X 1/4 IN. FPT, 30 PSI MAXIMUM WORKING  PRESSURE, BRASS BODY AND PLUG, PARKER NO. V403P-4-4 SK NUMBER 00-0621210	\$32.00	\$1600.00
15	4.00	EA	0150 - CAP, PVC, SCHEDULE 80, 6 IN., FEMALE SOCKET, ELECTRICAL FITTINGS ARE NOT ACCEPTABLE SK NUMBER 00-0691780	NO BID	NO BID

**QUOTING PARKER  
V403P-4-4**

## PIX 3L420 Cut Edge, Fractional Horsepower, Molded Cog V-Belt, 42 In OC X 3/8 In W X 7/32 In T

Used for light-duty applications, such as those that transmit less than 1 hp.



Catalog Page #: J02070  
Click to view Large Image

Orgill Item No.	▶ 2887008 Y	3L420 VBELT 3/8X42 FHP
Vendor:	PIX NORTH AMERICA	
Model NO.:	3L420	
Retail UPC:	848756026895	
Country of Origin:	IN	
Shelf Pack:	20	
Minimum Purchase:	1	
Available:	<input type="text" value="18"/>	<a href="#">Check Other DC?</a>
Quantity:	<input type="text" value="1"/> <a href="#">Add To Cart</a>	PO Number: <input type="text"/>

**Note:** Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

[Add to Favorites](#)

[Your Comments](#)

**PRODUCT OVERVIEW:** Used For Light-Duty Applications, Such As Those That Transmit Less Than 1 Hp.

Description Du Français: COURROIE EN V 3/8X42 FHP

Descripción Español: CORREA EN V FHP DE 0,95 X 106,68 CM

- FHP - FRACTIONAL
- 3/8" TOP WIDTH - 7/32" DEPTH
- Lgth In : 42

#### INFORMATION AND GUIDES

- [Catalog](#)



To view these documents, you need Adobe Acrobat Reader. You can [download](#) a free copy from the Adobe web site.

#### PRODUCT DETAILS

Inside Circumference:	40-1/2 In
Material:	Reinforced Rubber
Outside Circumference:	42 In
Section:	3L
Standards:	RMA Specified, IP-23
Temperature Rating:	-35 TO 100 Deg C
Thickness:	7/32 In
Top Width:	3/8 In
Type:	Cut Edge, Fractional Horsepower, Molded Cog
Usage:	For Light Duty Motors Utilizing Small Diameter Pulleys, Lawn And Garden, Home, Farm Or Shop Applications

Galvanized Pipe Fittings | # 6100333

## WORLDWIDE SOURCING 35-3/8X1/8G Pipe Reducing Hexagonal Bushing, 3/8 X 1/8 In, MIP X FIP, Malleable Iron, Galvanized

WORLDWIDE SOURCING Pipe Reducing Hexagonal Bushing, 3/8 x 1/8 in Nominal Size, MIP x FIP, Malleable Iron, Galvanized



Catalog Page #: G06072  
Click to view Large Image



Orgill Item No.	▶ 6100333 Y	3/8X1/8 GALV HEX BUSHING
Vendor:	WORLDWIDE SOURCING	
Model NO.:	35-3/8X1/8G	
Retail UPC:	045734003330	
Country of Origin:	CN	
Shelf Pack:	35	
Minimum Purchase:	1	
Available:	437	Check Other DC?
Quantity:	1	<a href="#">Add To Cart</a> PO Number: <input type="text"/>

**Note:** Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

[Add to Favorites](#)

[Your Comments](#)

**PRODUCT OVERVIEW:** WORLDWIDE SOURCING Pipe Reducing Hexagonal Bushing, 3/8 X 1/8 In Nominal Size, MIP X FIP, Malleable Iron, Galvanized

**Description Du Français:** MANCHON HEXAGONAL NOIR 3/8 X 1/8

**Descripción Español:** CASQUILLO HEXAGONAL GALVANIZADO DE 0,95 X 0,31 CM.

- MALLEABLE PIPE BUSHING
- MIP X FIP
- Size In : 3/8 X 1/8

### PRODUCT DETAILS

End Style:	MIP X FIP
Nominal Size:	3/8 X 1/8 In
Finish:	Galvanized

### FEATURES

- For Use With Water Or Steam

## WORLDWIDE SOURCING 24-1/4X1/8G Pipe Reducing Coupling, 1/4 X 1/8 In, Threaded, Galvanized

Flat banded, right hand threads. UL Listed.



Catalog Page #: G06069  
Click to view Large Image

Orgill Item No.	▶ 6102834 Y	1/4X1/8 GALV REDUC COUPLING
Vendor:	WORLDWIDE SOURCING	
Model NO.:	24-1/4X1/8G	
Retail UPC:	045734102835	
Country of Origin:	CN	
Shelf Pack:	25	
Minimum Purchase:	1	
Available:	<input type="text" value="433"/>	<a href="#">Check Other DC?</a>
Quantity:	<input type="text" value="1"/>	<a href="#">Add To Cart</a> <input type="text" value="PO Number:"/>

**Note:** Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

[Add to Favorites](#)

[Your Comments](#)



**PRODUCT OVERVIEW:** Flat Banded, Right Hand Threads. UL Listed.

**Description Du Français:** COUPL REDUCT GALV 1/4X1/8

**Descripción Español:** COPLE REDUCTOR GALVANIZADO DE 0,63 X 0,31 CM.

- MALLEABLE REDUCING COUPLING
- Size In : 1/4 X 1/8

## PRODUCT DETAILS

End Style:	Threaded
Finish:	Galvanized
Nominal Size:	1/4 X 1/8 In
Standards:	UL Listed

## FEATURES

- Flat Banded
- Right Hand Threads

**Brass Compression Fittings | # 4078846****Anderson 750069-0402 Tube To Pipe Elbow, 90 Deg, 1/4 X 1/8 In, Compression X MIP, Brass**

UPC individually bagged.



Catalog Page #: G06092  
Click to view Large Image

Orgill Item No.	▶ 4078846 X	750069-0402 ELB BRS 1/4CX1/8MP
Vendor:	ANDERSON METAL	
Model NO.:	750069-0402	
Retail UPC:	719852938446	
Country of Origin:	US	
Shelf Pack:	10	
Minimum Purchase:	10	
Available:	<input type="text" value="98"/>	<a href="#">Check Other DC?</a>
Quantity:	<input type="text" value="10"/>	<a href="#">Add To Cart</a> <input type="text" value="PO Number:"/>

**Note:** Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

[Add to Favorites](#)[Your Comments](#)**PRODUCT OVERVIEW:** UPC Individually Bagged.

Description Du Français: COUDE LAITON 1/4 COMP X 1/8 MPT

Descripción Español: CODO DE 0,63 X 0,31 CM. (750069-0402)

- MALE ELBOW - COMPRESSION X MIP
- NO LEAD
- OD Tube X Pipe Ins : 1/4 X 1/8

**PRODUCT DETAILS**

Angle: 90 Deg

End Style: Compression X MIP

Material: Brass

Nominal Size: 1/4 X 1/8 In



**Mueller REF-1/4 Refrigeration Soft Coil Tubing, 1/4 In, 50 Ft L, Copper**

Cleaned and sealed for liquid fed applications such as air conditioning, ice makers, humidifiers, and refrigeration systems. Adhere to local plumbing codes for installation/usage.



Catalog Page #: G06103  
Click to view Large Image

Orgill Item No.	▶ 4115416	1/4"X50' REFRIGERATION COPPER
Vendor:	MUELLER	
Model NO.:	REF-1/4	
Retail UPC:	094913058029	
Country of Origin:	US	
Shelf Pack:	1	
Minimum Purchase:	1	
Available:	309	<a href="#">Check Other DC?</a>
Quantity:	1	<a href="#">Add To Cart</a> PO Number: <input type="text"/>

**Note:** Any prices are subject to change without notice. We will bill you at current prices prevailing at the time of shipment.

[Add to Favorites](#)

[Your Comments](#)

**PRODUCT OVERVIEW:** Cleaned And Sealed For Liquid Fed Applications Such As Air Conditioning, Ice Makers, Humidifiers, And Refrigeration Systems. Adhere To Local Plumbing Codes For Installation/Usage.

**Descripción Español:** TUBERIA DE COBRE PARA REFRIGERACION X 15,24 MT. DE 0,63 CM.

- SOFT COILS
- ORDER BY COIL
- 50' COIL
- O.D. Ins. : 1/4

**PRODUCT DETAILS**

Length:	50 Ft
Type:	Refrigeration, Soft
Usage:	For Use In Liquid Fed Applications Such As Air Conditioning, Ice Makers, Humidifiers Etc
Nominal Size:	0.25 In

**FEATURES**

- Adhere To Local Plumbing Codes For Installation And Usage
- Cleaned And Sealed