

DATE: 1/24/2020

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 4

BID NO.: 50-00129454

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETNA, LA. 70054-0009
504-364-2678

VENDOR: **Rocky Mountain Recreation LLC**

BUYER: DABRAHAM

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

7 - 10 Days

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: **N/A**
NUMBER: **N/A**
NUMBER: **N/A**
NUMBER: **N/A**

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) **N/A**

***** ALL BIDDERS MUST COMPLETE SECTION BELOW *****

FIRM NAME:
Rocky Mountain Recreation LLC

SIGNATURE:
(Must be signed here) 

TITLE:
President

PRINT OR TYPE NAME:
Janeil Norman

ADDRESS:
PO Box 68

CITY, STATE: **Albion ID** ZIP: **83311**

TELEPHONE: **208) 670-5079** FAX: () **N/A**

EMAIL ADDRESS:
rockymountainrecreationllc@gmail.com

TOTAL PRICE OF ALL BID ITEMS: \$ **4,871.40**

DATE: 1/24/2020

Page: 5

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00129454

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	6.00	EA	<p>A purchase of (6) NEMA 4X enclosures for the Engineering Department</p> <p>0010 NEMA 4X HINGED COVER ENCLOSURES ROBROY # N201610HWT</p> <p>Stahlin N201610HWT - See Attached</p> <p>PLEASE DELIVER TO: CRAIG J. BRUE SCADA 4901 JEFFERSON HWY., SUITE D JEFFERSON, LA 70121</p>	811.90	4,871.40

STAHLIN N201610HWT

N Series 20" X 16" X 10" Stainless Steel Hinged, Latched Down Cover Enclosure

N Series 20" X 16" X 10" Stainless Steel Hinged, Latched Down Cover Enclosure

Specifications:

19.70" H X 16.04" W X 11.24" Inside Dimensions
HWT: Stainless steel hinged, latched down cover
Available in 2 cover options: Opaque cover, Flush bonded window
Fiberglass reinforced polyester material
Memory retaining polyurethane gasket
300 series stainless steel hardware
Integral mounting feet
Molded in panel mounting inserts or studs
High temperature, flame-retardant, non corrosive, environmental designs
Wall mount or free standing configurations

Ratings:

UL/cUL 50: Type 1, 3, 3R, 4X, 12 as designated
NEMA 250: Type 1, 3, 3R, 4X, 12 as designated
CSA Std: Type 1, 3, 3R, 4X, 12 as designated
Temperature Range: (-76°F to +274°F) (-60°C to +134°C)
Temperature Range Window: (-26°F to +170°F) (-32°C to +76°C)
Flammability Rating: UL94-5V
Window flammability: UL94-HB

Description:

Stahlin's Control Enclosures are designed to accommodate electrical, electronic, instrumentation and mechanical controls indoors and outdoors where corrosion resistant watertight enclosures are needed to provide protection against windblown dust and rain, splashing and hose directed water. The "N" designation reflects a NEMA range series of large capacity enclosures. With the ample working space involved, this wall mount configuration, or alternate free standing control tower enclosure style will also accommodate combination hydraulic or pneumatic controls along with the supporting electrical control. Fiberglass reinforced polyester supports a very high temperature range when used in oil field, mining, oil platform and general processing controls. Yet, the pleasing cosmetic construction is ideally suited for ordinary indoor or outdoor industrial control mounting.

Other Industry Terms

Stahlin enclosure, non-metallic enclosure, control, electronic and instrument enclosure, wall-mount, N series enclosures, NEMA rated