



T370 Data Book

1/1/2021



TABLE OF CONTENTS

Section	Pages
STANDARD SPECIFICATIONS	F
REQUIRED INFORMATION	H
ENGINES	I
ENGINE EQUIPMENT	J
TRANSMISSIONS	K
FRONT AXLE	L
REAR AXLE	M
REAR SUSPENSION	N
TIRES & WHEELS	O
FRAME & EQUIPMENT	P
FUEL TANKS & EQUIPMENT	Q
CAB EXTERIOR	R
CAB INTERIOR	S
LIGHTS & SIGNALS	T
AIR EQUIPMENT	U
SPECIAL EQUIPMENT	V
EXTENDED WARRANTY	W
PAINT	X



T370: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
BASE MODEL PRICE			
0000370	T370 SERIES CONVENTIONAL Electric Door locks LH/RH; Ignition & doors keyed alike; Single electric horn; Single-piece windshield; Electric windshield wipers, 2-speed plus intermittent; Electric windshield washers; Steering wheel 18in. 4-spoke; Glovebox door with locking latch; Dash-mounted cruise control with switches; Turn signal switch with column-mounted dimmer; Standard gray dash panels; Slate Gray interior primary color; Dark Slate Gray seat color; Floor mat; Inside sunvisor, LH/RH; Door courtesy lights; Under-dash center console with 1 cup holder, 1 ashtray & 1 lighter.	\$91,052	9,509#
ENGINES			
PACCAR			
0130100	PX-7 200 200@2400 520@1600, 2021 With Turbo Exhaust Brake (VGT Brake).	\$0	0#
ENGINE EQUIPMENT			
Air Compressor			
1002060	Air compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	\$0	0#
Air Intake System			
1031130	Air Cleaner: Dry-type firewall mounted w/filter restriction indicator.	\$0	0#
Cooling System			
1121200	Cooling module: 1000 square inches T170/T270/T370/T470. Includes metal surge tank on T170/T270/T370.	\$0	0#
1105261	Fan Hub: Horton On/Off for PX-7	\$0	0#
Exhaust Systems			
1247256	EXH: 2021 PX-7 Horizontal Under Rail DPF/SCR with Horizontal tailpipe below RH rail BOC	\$0	0#
Filters			
1321109	Fuel Filter:PACCAR Standard Service Interval Fuel/Water Separator. 2017 and Later Emissions	\$0	0#
1321200	Run Aid:None *For Fuel Filter	\$0	0#
1321300	Start Aid:None *For Fuel Filter	\$0	0#
Starting & Recharging			
1816260	Alternator: PACCAR 160 amp, brush type	\$0	0#
1821220	Batteries: 2 PACCAR GP31 threaded post (700-730) 1400-1460 CCA dual purpose.	\$0	0#
1836107	Starter: PACCAR 90P47 12V with PACCAR PX-7	\$0	0#
TRANSMISSIONS			
Eaton			
2050121	Transmission: Eaton Fuller FS5406A 6-spd synchro. *Torque Limit: 560 pound-feet.	\$0	0#
Clutch			
2240001	Clutch: ceramic to 605 lb-ft 14 in. Fuller. Includes manual adjusting clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$0	0#
Driveline			
2401205	Driveline:1 Dana standard-duty; no centerbearing. *Standard duty is 1710 series.	\$0	0#
FRONT AXLE			
Front Axles			
2512044	Meritor MFS12E PLUS 12.5K rated at 12K 3.5in. drop standard track.	\$0	0#

*See PremierSpec for Applicable Restrictions



T370: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

Outer End Equipment

2701015	Front Brake: 14,600 lb. Bendix air brake package 16.5x5 brakes, cast drums, iron preset 10-bolt hub pilot hubs, hub caps & slack adjusters.	\$0	0#
2603006	Front brakes included w/ front hub package.	\$0	0#

Front Springs

2863015	Front Springs: Taperleaf 12K w/ shock absorber for use on 2010+ chassis w/ 22.5in. wheels only.	\$0	0#
---------	---	-----	----

Power Steering

2895223	Single power steering gear: 13.2K for air brakes.	\$0	0#
---------	---	-----	----

REAR AXLE

Single Drive Rear Axles

3031001	Dana S21-140 21K Rated Capacity-single rear axle w/air brakes.	\$0	0#
---------	--	-----	----

Single Axle Outer End Equipment

3300000	Single rear brakes included w/rear hub package.	\$0	0#
3403042	26K air brake package includes 16-1/2x7 in. brake , cast drums, iron preset 10-bolt hub pilot hubs, slack adjusters	\$0	0#
3485007	Spring Brake: 3030 long stroke single 3 in. travel. Helps keep brakes in adjustment longer.	\$0	0#

Anti-Lock Brake System

3495226	Bendix 4S/4M anti-lock brake system.	\$0	0#
---------	--------------------------------------	-----	----

REAR SUSPENSION

Single

3626479	Rear suspension: single Reyco 79KB taperleaf 20K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.6 in. Not rear air disc brake compatible.	\$0	0#
---------	--	-----	----

TIRES & WHEELS

Front & Rear Axle Tires

4079054	Front tires: Bridgestone R268 Ecopia 295/75R22.5 14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR. Smartway certified.	\$0	0#
4279054	Rear Tires: Bridgestone R268 Ecopia 295/75R22.5 14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	\$0	0#

Front & Rear Axle Wheels & Rims

5042289	Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	\$0	0#
5242389	Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[™] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	\$0	0#

FRAME & EQUIPMENT

Rails & Inserts

6054250	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in.-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$0	0#
---------	---	-----	----

Bumpers

6308710	Bumper: Aerodynamic, Painted. Requires a bumper setting code.	\$0	0#
---------	---	-----	----



T370: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
--------	-------------	-------	--------

Front Frame Miscellaneous

6390103	Front mudflaps.	\$0	0#
---------	-----------------	-----	----

Battery Boxes

6404406	Battery box: Steel parallel under w/ aluminum diamond plate cover w/ step w/ aluminum step brackets.	\$0	0#
---------	--	-----	----

Frame Crossmembers & Upgrades

6490122	One-piece welded crossmember assembly with 12mm frame fasteners, center and rear frame. Standard crossmember.	\$0	0#
---------	--	-----	----

Rear Frame Equipment

6742009	Square end-of-frame w/o crossmember; non-towing.	\$0	0#
---------	--	-----	----

FUEL TANKS & EQUIPMENT

Rectangular Steel

7130045	Fuel Tank: 45 US gallon, rectangular steel with step under replacement.	\$0	0#
---------	---	-----	----

DEF Tanks & Equipment

7722152	Rectangular DEF tank. The tank will be located just forward of the under cab component on the side you specified. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$0	0#
---------	---	-----	----

CAB EXTERIOR

Cabs

8024310	Cab: Curved Glass Conventional. Cab Includes aluminum & fiberglass fully hucked cab w/ all aluminum bulkhead doors & continuous stainless steel piano-style door hinges. Single electric horn standard. Incandescent exterior lights include diagnosable bulb detection and warning. Trailer cable on tractors includes integrity detection. Standard features include multiplex wiring for interior lights, automated pre-trip inspection (excluding T3 series), short and open check diagnostics. Warning alarm will sound when lights are left on.	\$0	0#
---------	---	-----	----

Windows

8871438	Rear Cab Stationary Window 17 in. x 36 in.	\$0	0#
---------	--	-----	----

Hoods, Fenders & Grilles

8090310	Hood: Sloped aerodynamic hood includes grill & separate bumper.	\$0	0#
---------	---	-----	----

Cab Access

8800200	Cab access contoured grabhandles, LH/RH.	\$0	0#
---------	--	-----	----

Mirrors & Equipment

8862101	Mirror: Dual Prutsman mirror 7 in. x 16 in. polished stainless steel, and non-heated.	\$0	0#
---------	---	-----	----

8869005	Mirror brackets 8-1/2 ft load width.	\$0	0#
---------	--------------------------------------	-----	----

8850300	Look-Down, Pass. Door, Stainless 8.5x4.4	\$0	0#
---------	--	-----	----

8850210	Dual convex mirrors 7-1/2 in. w/ offset mounting, and non-heated.	\$0	0#
---------	---	-----	----

Window Equipment

8879200	Manual LH & electric-powered RH door window. Switch located on door.	\$0	0#
---------	--	-----	----

Doors & Equipment

8832115	Daylite Door: LH/RH includes RH peeper window	\$0	0#
---------	---	-----	----

CAB INTERIOR

Cabs & Sleepers



T370: STANDARD SPECIFICATIONS

Option	Description	Price	Weight
8330003	Cab interior: Pinnacle. Includes vinyl headliner & cab back panel, slate gray interior, dark slate gray seats, floormats, LH/RH inside sunvisor & door courtesy lights.	\$0	0#

Heaters & Air Conditioning

8108010	Cab heater: W/integral defrosters & A/C 45,000 btu cab heater. No sleeper heater/AC. Includes 5 mode rotary control. T660 include filter media.	\$0	0#
---------	---	-----	----

Instruments & Controls

8282009	Instrument package: Includes speedometer, tachometer, fuel gauge, engine coolant temperature gauge, engine oil pressure, voltmeter. Class 8 also includes primary & secondary air reservoir gauges & an air application gauge. DEF level gauge and warning lamp are included with 2010+ engines. Engine hour meter and outside air temperature readouts are standard. Primary read out will be MPH. Add 8240620 to switch primary scale to KPH in Canada.	\$0	0#
---------	---	-----	----

Seats

8410081	Driver Seat: Kenworth Air Cushion Plus IB Cloth .Standard features include 7 in. fore and aft slide adjustment with isolator, 6 to 23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide with 2 position tilt and 2 position front cushion extension. Seat material has a horizontal stitch pattern and is 2 tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3 point matching seat belts. Grey seat belts.	\$0	0#
8480080	Rider Seat: Kenworth Toolbox Plus IB cloth. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$0	0#

LIGHTS & SIGNALS

Headlamps

9010801	Headlamps: Halogen Projector Low Beam, Halogen Complex Reflector High Beam	\$0	0#
---------	--	-----	----

Marker Lights

9020164	Marker Lights: with small round base, Five cab roof mounted.	\$0	0#
---------	--	-----	----

Turn Signal Lights

9030010	Turn Signal Lights: Mounted on fender	\$0	0#
---------	---------------------------------------	-----	----

Taillights

9070138	Combination Stop, Tail, Turn & Backup Lights RH & LH.	\$0	0#
---------	---	-----	----

AIR EQUIPMENT

Air Drying Equipment

9101218	Air Dryer: Bendix AD-HF Puraguard Heated	\$0	0#
---------	--	-----	----

EXTENDED WARRANTY

Warranty

9200022	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	\$0	0#
---------	---	-----	----

PAINT

Paint Designs

9943050	Day Cab Standard Paint	\$0	0#
9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	\$0	0#

Paint Options

9965510	Base coat/clear coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	\$0	0#
---------	--	-----	----



T370: REQUIRED INFORMATION

Option	Description	Price	Weight
Intended Service			
0093000	Linehaul: Vehicles (trucks or tractors) used in over-the-road freight hauling. Pickup to delivery distance is typically over 300 miles, & annual mileage is typically over 60,000 miles per year. Operation is typically on-highway. Road usage: minimum 1% Class B, do not code for Class D.	\$0	0#
0093005	Local pickup & delivery: Vehicles which haul freight, typically operating within a 100-mile radius, on public streets & highways, & other paved surfaces, including limited Class C roads. Includes package & freight delivery, as well as fuel oil or petroleum distribution, etc. Road usage: minimum 3% Class B, do not code for Class D.	\$0	0#
0093007	Regional Haul: Vehicles used to haul freight on public roads consisting of a mixture of over the road, urban and/or suburban hauling. Pickup to delivery distance typically in the 100 to 300 miles range but some LTL applications may exceed 300 mile limit. Road usage: minimum 19% Class B, do not code for Class D.	\$0	0#
0093010	Logger: Vehicles which haul logs from the forest to the mill, or from mill to mill. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093015	Concrete ready mix: Vehicles which deliver Ready-Mix concrete from batch plant to job site. Typically includes some operation off of paved roads. Road usage: any combination, which includes minimum 5% Class B.	\$0	0#
0093025	Snowplow: Vehicles which are configured for mounting a snowplow to the front. May also have dump or other body. Typically includes some operation off of paved roads. Road usage: majority of Class A & B, do not code for Class D.	\$0	0#
0093035	Mining service: Vehicles used to service earthmoving & mining equipment. Includes bodies such as mechanic's service bodies, tire hoists, fuel/lube, etc. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093090	Utility vehicle: Used to service utility or communication equipment. Typically operates within 100 mile radius on public roads & may or may not have a man lift. Duty cycle includes long engine idle times. Road usage: any combination of A & B, may include some class C roads.	\$0	0#
0093091	Refuse hauler: Vehicles which haul refuse, recycled material, etc. Includes Roll-on/roll-off container movement, as well as hauling refuse from transfer stations to landfills. Typically includes operation in landfills, over rough, uneven surfaces. Road usage: any combination, which includes some Class B.	\$0	0#
0093095	Refuse packer: Vehicles which pick up refuse or recycled material from curbside containers in residential areas. Operation typically includes very frequent stops & starts. Unloading can be at transfer station or at landfill. Road usage: some Class B required, with maximum of 5% Class D.	\$0	0#
0093105	Oil field well servicing: Vehicles which carry well servicing equipment, e.g., pumpers, blenders, cementers, data loggers, etc. Typically involve considerable hours of stationary operation, but low mileage. Typically operate on prepared (although often unpaved) roadways. Road usage: any combination, w/minimum 5% Class C.	\$0	0#
0093111	Wrecker service: Vehicles w/ recovery bodies used for recovering & towing stranded vehicles & equipment. Road usage: minimum 5% Class B & maximum 10% Class D.	\$0	0#
0093121	Fire truck service: Vehicles used in fighting fires. Typically have pumps, etc., mounted in the body. Road usage: minimum 5% Class B & maximum 5% Class D.	\$0	0#
0093122	EMT/rescue service: Vehicles used responding to emergencies & rescue operations. Typically configured for rapid response, & carry medical & other rescue equipment. Road usage: minimum 5% Class B & maximum 5% Class D.	\$0	0#



T370: REQUIRED INFORMATION

Option	Description	Price	Weight
Intended Service			
0093125	Crane/cherry picker: Vehicles equipped w/ cranes, man-lifts, hoists, cherry-pickers, bridge inspection units, etc. Road usage: any combination, w/minimum 5% Class B.	\$0	0#
0093130	Construction: Vehicles used in the construction industry, other than those listed above. Use typically involves operating on the jobsite, to pick up or deliver construction materials, or to position the vehicle for its intended use at the construction site. Includes such activities as delivery of precast concrete, concrete pumpers, flatbeds or roll-offs for delivery of construction materials or equipment, etc. Typically includes some operation off of paved roads. Road usage: any combination, which includes some Class C.	\$0	0#
0093135	Agriculture: Vehicles used in the agriculture industry, other than those listed above. Use typically involves transportation of agricultural & dairy products to/from/on/around farm sites, & includes operation off of improved surfaces while on the farm. Includes applications such as milk tankers for farm pickup, feed trucks, grain haulers which load in the field, etc. Can be trucks or tractors. Road usage: any combination, which includes both Class C & D.	\$0	0#
Commodity Hauled			
Building Materials			
0091010	Pre-cast concrete (blocks, pavers, etc.).	\$0	0#
0091020	Ready-mix concrete.	\$0	0#
0091030	Lumber.	\$0	0#
0091040	Other building materials.	\$0	0#
0091041	Asphalt.	\$0	0#
0091042	Gravel/crushed rock/sand.	\$0	0#
0091043	Topsoil/bark.	\$0	0#
Food-Farm Products			
0091130	Grain.	\$0	0#
0091135	Livestock feed.	\$0	0#
0091140	Hay.	\$0	0#
0091150	Livestock.	\$0	0#
0091160	Hanging meat.	\$0	0#
0091170	Other food/farm products.	\$0	0#
Bulk Goods			
0091050	Dry bulk goods.	\$0	0#
0091060	Dairy products - milk.	\$0	0#



T370: REQUIRED INFORMATION

Option	Description	Price	Weight
Commodity Hauled			
Bulk Goods			
0091070	Liquid petroleum products.	\$0	0#
0091080	Other bulk goods.	\$0	0#
0091115	Compressed gas.	\$0	0#
0091121	Water.	\$0	0#
0091122	Crude oil.	\$0	0#
0091123	Liquefied gas.	\$0	0#
0091125	Steel structural/coil.	\$0	0#
Forest Products			
0091180	Logs.	\$0	0#
0091190	Wood chips.	\$0	0#
0091200	Other forest products.	\$0	0#
Minerals			
0091210	Coal.	\$0	0#
0091220	Excavated earth.	\$0	0#
0091230	Rock.	\$0	0#
0091240	Other minerals.	\$0	0#
Dry Goods			
0091090	General freight.	\$0	0#
0091100	Heavy machinery.	\$0	0#
0091110	Oil field equipment.	\$0	0#
0091120	Other dry goods.	\$0	0#
0091124	Auto transporter.	\$0	0#
Miscellaneous			
0091250	Empty cans.	\$0	0#
0091260	Refuse/recycled material.	\$0	0#
0091270	Fire apparatus.	\$0	0#



T370: REQUIRED INFORMATION

Option	Description	Price	Weight
Commodity Hauled			
Miscellaneous			
0091271	EMT/rescue.	\$0	0#
Body Type			
0095010	End dump.	\$0	0#
0095030	Transfer dump.	\$0	0#
0095050	Booster axle mixer w/ approved frame reinforcement.	\$0	0#
0095055	Concrete pump.	\$0	0#
0095056	Volumetric mixer.	\$0	0#
0095060	Roll on/roll off.	\$0	0#
0095065	Roll back flatbed.	\$0	0#
0095070	Refuse loader/packer.	\$0	0#
0095080	Refuse, other.	\$0	0#
0095084	Logger, single bunk.	\$0	0#
0095085	Logger, multiple bunks.	\$0	0#
0095090	Oil field rig-up.	\$0	0#
0095095	Beverage.	\$0	0#
0095100	Oil well servicing equipment.	\$0	0#
0095105	Drilling derrick.	\$0	0#
0095110	Tank.	\$0	0#
0095115	Dry bulk hopper.	\$0	0#
0095120	Van.	\$0	0#
0095125	Service body.	\$0	0#
0095130	Dromedary box or automobile rack.	\$0	0#
0095135	Cotton module.	\$0	0#
0095140	Flatbed.	\$0	0#
0095145	Flatbed with utility crane.	\$0	0#



T370: REQUIRED INFORMATION

Option	Description	Price	Weight
Body Type			
0095146	Wrecker.	\$0	0#
0095151	Crane/boom.	\$0	0#
0095152	Block body.	\$0	0#
0095153	Logger, self-loading crane/boom. Dealer supplied drawing required.	\$0	0#
0095155	Fire truck-pumper.	\$0	0#
0095160	Other - Narrative Required	\$0	0#
0095165	Vacuum tank.	\$0	0#
0095175	Reefer van.	\$0	0#
Trailer Type			
0096010	Doubles.	\$0	0#
0096015	Triples.	\$0	0#
0096020	End dump.	\$0	0#
0096025	Side Dump	\$0	0#
0096030	Bottom dump.	\$0	0#
0096040	Flatbed.	\$0	0#
0096045	Beverage.	\$0	0#
0096050	Lowboy.	\$0	0#
0096055	Automobile/marine carrier.	\$0	0#
0096060	Reefer van.	\$0	0#
0096070	Tank.	\$0	0#
0096075	Oil Field Well Service	\$0	0#
0096080	Dry van beverage trailer, curtain trailer, chip trailer.	\$0	0#
0096085	Logger, single bunk or semi-trailer.	\$0	0#
0096090	Other - Narrative Required	\$0	0#



T370: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
Operating Area			
0098010	California Registry	\$0	0#
0098015	Mexico registry.	\$0	0#
0098025	U.S. Domestic registry, 50-state.	\$0	0#
0098030	Export: Off-highway - exempt from US regulations.	\$0	0#
0098032	Export: On-highway chassis.	\$0	0#
0098033	On-highway chassis for use in off-shore.	\$0	0#
0098050	Canadian registry.	\$0	0#
0098060	Quebec registry.	\$0	0#
Export Destination			
9481000	Export Destination: Chile.	\$0	0#
9481001	Export Destination: Colombia.	\$0	0#
9481002	Export Destination: Ecuador.	\$0	0#
9481003	Export Destination: Indonesia.	\$0	0#
9481004	Export Destination: Peru.	\$0	0#
9481005	Export Destination: Puerto Rico.	\$0	0#
9481006	Export Destination: Thailand.	\$0	0#
9481007	Export Destination: U.S. Pacific Islands, Guam, Saipan, North Mariana Island, & American Samoa.	\$0	0#
9481008	Export Destination: U.S. Virgin Islands.	\$0	0#
9481010	Export Destination: Venezuela.	\$0	0#
9481011	Export Destination: Algeria.	\$0	0#
9481012	Export Destination: China.	\$0	0#
9481013	Export Destination: Dominican Republic.	\$0	0#
9481014	Export Destination: Guatemala.	\$0	0#
9481015	Export Destination: India.	\$0	0#
9481016	Export Destination: Libya.	\$0	0#



T370: REQUIRED INFORMATION

Option	Description	Price	Weight
Special Requirements			
Export Destination			
9481017	Export Destination: Oman.	\$0	0#
9481018	Export Destination: Panama.	\$0	0#
9481019	Export Destination: Saudi Arabia.	\$0	0#
9481022	Export Destination: United Arab Emirates.	\$0	0#
9481023	Export Destination: Iraq.	\$0	0#
9481024	Export Destination: Ghana.	\$0	0#
9481025	Export Destination: Kazakhstan.	\$0	0#
9481026	Export Destination: Nigeria.	\$0	0#
9481027	Export Destination: Egypt.	\$0	0#
9481028	Export Destination: Qatar.	\$0	0#
9481029	Export Destination: Pakistan.	\$0	0#
9481030	Export Destination: Kuwait.	\$0	0#
9481031	Export Destination: Argentina.	\$0	0#
9481032	Export Destination: Bahamas.	\$0	0#
9481033	Export Destination: Australia	\$0	0#
9481034	Export Destination: Brazil	\$0	0#
9481035	Export Destination: Guyana	\$0	0#
9481036	Export Destination: Philippines	\$0	0#
9481037	Export Destination: Trinidad	\$0	0#
9481095	Export Destination: Jordan.	\$0	0#
9481196	Export Destination: Israel.	\$0	0#
9481197	Export Destination: Russia.	\$0	0#
9481198	Export Destination: Western Europe.	\$0	0#
9481199	Export Destination: country not specified. Export country not otherwise specified	\$0	0#



T370: REQUIRED INFORMATION

Option	Description	Price	Weight
Stationary Application			
0072000	Chassis operation will not include a stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072001	Chassis operation will include stationary application used in lower 48 states [US only]. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072002	Chassis operation will include stationary application used in Canada or Alaska. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
0072003	Chassis operation will include export stationary application. Stationary operation is defined as running the engine under load while stationary at a substantial fraction of engine gross horsepower (60% or greater) for an extended period of time (longer than 5 - 10 minutes).	\$0	0#
Model Series			
0070006	T370 Class 7: medium-duty Conventional.	\$0	0#
Model Configurations			
0090015	Medium-duty 4x2 automatic.	\$0	0#
0090016	Medium-duty 4x2 manual.	\$0	0#
0090017	Medium-duty 6x4 automatic.	\$0	0#
0090018	Medium-duty 6x4 manual.	\$0	0#
0090022	Medium-duty 18k/20k Heavy Front Axle.	\$0	0#
0090091	Medium-Duty 4x4 automatic.	\$0	0#
0090092	Medium-Duty 4x4 manual.	\$0	0#
0090093	Medium-Duty 6x6 automatic.	\$0	0#
0090094	Medium-Duty 6x6 manual.	\$0	0#



T370: ENGINES

Option	Description	Price	Weight
--------	-------------	-------	--------

CARB Emission Reduction Feature

0080050	CARB Idle Emissions Reduction Feature for PX-7 and PX-9	\$90	0#
0080070	CARB Exempt Application Emergency Vehicle Only.	\$0	0#
0080075	Dealer/Customer declines engine w/CARB Idle Emissions Reduction Feature.	\$0	0#

PACCAR

PX-7

0130100	PX-7 200 200@2400 520@1600, 2021 With Turbo Exhaust Brake (VGT Brake).	STD	0#
0130101	PX-7 220 220@2400 520@1600, 2021 With Turbo Exhaust Brake (VGT Brake).	\$577	0#
0130102	PX-7 220 220@2400 600@1600, 2021 With Turbo Exhaust Brake (VGT Brake).	\$1,332	0#
0130103	PX-7 240 240@2400 560@1600, 2021 With Turbo Exhaust Brake (VGT Brake).	\$1,596	0#
0130104	PX-7 250 250@2400 660@1600, 2021 With Turbo Exhaust Brake (VGT Brake).	\$2,178	0#
0130105	PX-7 260 260@2400 660@1600, 2021 With Turbo Exhaust Brake (VGT Brake).	\$2,424	0#
0130106	PX-7 280 280@2400 660@1600, 2021 With Turbo Exhaust Brake (VGT Brake)	\$2,726	0#
0130107	PX-7 280EV 280@2400 660@1600, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$3,243	0#
0130108	PX-7 300 300@2600 660@1600, 2021 With Turbo Exhaust Brake (VGT Brake).	\$3,288	0#
0130109	PX-7 325 325@2400 750@1800, 2021 With Turbo Exhaust Brake (VGT Brake).	\$3,848	0#
0130110	PX-7 340EV 340@2600 700@1600, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$4,130	0#
0130111	PX-7 360EV 360@2600 800@1800, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$4,941	0#
0130112	PX-7 300EV 300@2600 660@1600, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$3,484	0#
0130113	PX-7 325EV 325@2400 750@1800, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$4,037	0#

PX-9

0129461	PACCAR PX-9 260 2017 260@2200 720@1300 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$7,948	564#
0129552	PACCAR PX-9 350 2017 350@2000 340@2100 1000@1400 Includes turbo exhaust brake, no code is used. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	\$48,846	564#
0130200	PX-9 260 260@1600 860@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$8,715	564#



T370: ENGINES

Option	Description	Price	Weight
--------	-------------	-------	--------

PACCAR

PX-9

0130201	PX-9 270 270@1650 860@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$9,383	564#
0130202	PX-9 270EV 270@1650 860@1200, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$10,422	564#
0130203	PX-9 300 300@1850 860@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$10,206	564#
0130204	PX-9 300EV 300@1850 860@1200, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$10,649	564#
0130205	PX-9 330 330@1750 1000@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$11,432	564#
0130206	PX-9 330EV 330@1750 1000@1200, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$11,024	564#
0130207	PX-9 360 360@1650 1150@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$13,718	564#
0130208	PX-9 350 350@1750 1050@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	\$14,271	564#
0130209	PX-9 360EV 360@1650 1150@1200, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$12,176	564#
0130213	PX-9 380EV 380@1750 1150@1200, 2021 With Turbo Exhaust Brake (VGT Brake). Emergency Vehicle	\$13,284	564#

Cummins

ISC

0128241	ISC Export 240 Gov@2400 240@2200 660 @ 1300 Export only. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	(\$15,533)	283#
0128265	ISC260 Export Gov@2400 260@2200 660@1300 Export only. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	(\$15,163)	283#
0128314	ISC315 Export Gov@2200 315@2000 950@1300 Export only. Diagnostic Plug for data link, Oil Cooler, Aluminum Flywheel Housing.	(\$13,335)	283#



T370: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Engine Idle Shutdown Timers			
1000857	Engine Idle Shutdown Timer Enabled	\$0	0#
1000858	Engine Idle Shutdown Timer Disabled	\$0	0#
1000859	Enable EIST Ambient Temp Override	\$0	0#
1000891	Eff EIST NA Expiration Miles Use only with MX and Cummins engines	\$0	0#
Vehicle Speed Limiters			
1000611	Highest Efficiency VSL Settings	\$0	0#
1000624	Effective VSL Setting 51-51.9 MPH (USA)	\$0	0#
1000625	Effective VSL Setting 52-52.9 MPH (USA)	\$0	0#
1000626	Effective VSL Setting 53-53.9 MPH (USA)	\$0	0#
1000627	Effective VSL Setting 54-54.9 MPH (USA)	\$0	0#
1000628	Effective VSL Setting 55-55.9 MPH (USA)	\$0	0#
1000629	Effective VSL Setting 56-56.9 MPH (USA)	\$0	0#
1000630	Effective VSL Setting 57-57.9 MPH (USA)	\$0	0#
1000631	Effective VSL Setting 58-58.9 MPH (USA)	\$0	0#
1000632	Effective VSL Setting 59-59.9 MPH (USA)	\$0	0#
1000633	Effective VSL Setting 60.0 MPH (USA)	\$0	0#
1000634	Effective VSL Setting 60.1 MPH (USA)	\$0	0#
1000635	Effective VSL Setting 60.2 MPH (USA)	\$0	0#
1000636	Effective VSL Setting 60.3 MPH (USA)	\$0	0#
1000637	Effective VSL Setting 60.4 MPH (USA)	\$0	0#
1000638	Effective VSL Setting 60.5 MPH (USA)	\$0	0#
1000639	Effective VSL Setting 60.6 MPH (USA)	\$0	0#
1000640	Effective VSL Setting 60.7 MPH (USA)	\$0	0#
1000641	Effective VSL Setting 60.8 MPH (USA)	\$0	0#
1000642	Effective VSL Setting 60.9 MPH (USA)	\$0	0#



T370: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Vehicle Speed Limiters			
1000643	Effective VSL Setting 61.0 MPH (USA)	\$0	0#
1000644	Effective VSL Setting 61.1 MPH (USA)	\$0	0#
1000645	Effective VSL Setting 61.2 MPH (USA)	\$0	0#
1000646	Effective VSL Setting 61.3 MPH (USA)	\$0	0#
1000647	Effective VSL Setting 61.4 MPH (USA)	\$0	0#
1000648	Effective VSL Setting 61.5 MPH (USA)	\$0	0#
1000649	Effective VSL Setting 61.6 MPH (USA)	\$0	0#
1000650	Effective VSL Setting 61.7 MPH (USA)	\$0	0#
1000651	Effective VSL Setting 61.8 MPH (USA)	\$0	0#
1000652	Effective VSL Setting 61.9 MPH (USA)	\$0	0#
1000653	Effective VSL Setting 62.0 MPH (USA)	\$0	0#
1000654	Effective VSL Setting 62.1 MPH (USA)	\$0	0#
1000655	Effective VSL Setting 62.2 MPH (USA)	\$0	0#
1000656	Effective VSL Setting 62.3 MPH (USA)	\$0	0#
1000657	Effective VSL Setting 62.4 MPH (USA)	\$0	0#
1000658	Effective VSL Setting 62.5 MPH (USA)	\$0	0#
1000659	Effective VSL Setting 62.6 MPH (USA)	\$0	0#
1000660	Effective VSL Setting 62.7 MPH (USA)	\$0	0#
1000661	Effective VSL Setting 62.8 MPH (USA)	\$0	0#
1000662	Effective VSL Setting 62.9 MPH (USA)	\$0	0#
1000663	Effective VSL Setting 63.0 MPH (USA)	\$0	0#
1000664	Effective VSL Setting 63.1 MPH (USA)	\$0	0#
1000665	Effective VSL Setting 63.2 MPH (USA)	\$0	0#
1000666	Effective VSL Setting 63.3 MPH (USA)	\$0	0#
1000667	Effective VSL Setting 63.4 MPH (USA)	\$0	0#



T370: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Vehicle Speed Limiters			
1000668	Effective VSL Setting 63.5 MPH (USA)	\$0	0#
1000669	Effective VSL Setting 63.6 MPH (USA)	\$0	0#
1000670	Effective VSL Setting 63.7 MPH (USA)	\$0	0#
1000671	Effective VSL Setting 63.8 MPH (USA)	\$0	0#
1000672	Effective VSL Setting 63.9 MPH (USA)	\$0	0#
1000673	Effective VSL Setting 64.0 MPH (USA)	\$0	0#
1000674	Effective VSL Setting 64.1 MPH (USA)	\$0	0#
1000675	Effective VSL Setting 64.2 MPH (USA)	\$0	0#
1000676	Effective VSL Setting 64.3 MPH (USA)	\$0	0#
1000677	Effective VSL Setting 64.4 MPH (USA)	\$0	0#
1000678	Effective VSL Setting 64.5 MPH (USA)	\$0	0#
1000679	Effective VSL Setting 64.6 MPH (USA)	\$0	0#
1000680	Effective VSL Setting 64.7 MPH (USA)	\$0	0#
1000681	Effective VSL Setting 64.8 MPH (USA)	\$0	0#
1000682	Effective VSL Setting 64.9 MPH (USA)	\$0	0#
1000683	Effective VSL Setting 65.0 MPH (USA)	\$0	0#
1000684	Effective VSL Setting NA	\$0	0#
1000685	Effective VSL Setting 51-51.9 MPH (CAN)	\$0	0#
1000686	Effective VSL Setting 52-52.9 MPH (CAN)	\$0	0#
1000687	Effective VSL Setting 53-53.9 MPH (CAN)	\$0	0#
1000688	Effective VSL Setting 54-54.9 MPH (CAN)	\$0	0#
1000689	Effective VSL Setting 55-55.9 MPH (CAN)	\$0	0#
1000690	Effective VSL Setting 56-56.9 MPH (CAN)	\$0	0#
1000691	Effective VSL Setting 57-57.9 MPH (CAN)	\$0	0#
1000692	Effective VSL Setting 58-58.9 MPH (CAN)	\$0	0#



T370: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Vehicle Speed Limiters			
1000693	Effective VSL Setting 59-59.9 MPH (CAN)	\$0	0#
1000694	Effective VSL Setting 60.0 MPH (CAN)	\$0	0#
1000695	Effective VSL Setting 60.1 MPH (CAN)	\$0	0#
1000696	Effective VSL Setting 60.2 MPH (CAN)	\$0	0#
1000697	Effective VSL Setting 60.3 MPH (CAN)	\$0	0#
1000698	Effective VSL Setting 60.4 MPH (CAN)	\$0	0#
1000699	Effective VSL Setting 60.5 MPH (CAN)	\$0	0#
1000700	Effective VSL Setting 60.6 MPH (CAN)	\$0	0#
1000701	Effective VSL Setting 60.7 MPH (CAN)	\$0	0#
1000702	Effective VSL Setting 60.8 MPH (CAN)	\$0	0#
1000703	Effective VSL Setting 60.9 MPH (CAN)	\$0	0#
1000704	Effective VSL Setting 61.0 MPH (CAN)	\$0	0#
1000705	Effective VSL Setting 61.1 MPH (CAN)	\$0	0#
1000706	Effective VSL Setting 61.2 MPH (CAN)	\$0	0#
1000707	Effective VSL Setting 61.3 MPH (CAN)	\$0	0#
1000708	Effective VSL Setting 61.4 MPH (CAN)	\$0	0#
1000709	Effective VSL Setting 61.5 MPH (CAN)	\$0	0#
1000710	Effective VSL Setting 61.6 MPH (CAN)	\$0	0#
1000711	Effective VSL Setting 61.7 MPH (CAN)	\$0	0#
1000712	Effective VSL Setting 61.8 MPH (CAN)	\$0	0#
1000713	Effective VSL Setting 61.9 MPH (CAN)	\$0	0#
1000714	Effective VSL Setting 62.0 MPH (CAN)	\$0	0#
1000715	Effective VSL Setting 62.1 MPH (CAN)	\$0	0#
1000716	Effective VSL Setting 62.2 MPH (CAN)	\$0	0#
1000717	Effective VSL Setting 62.3 MPH (CAN)	\$0	0#



T370: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Vehicle Speed Limiters			
1000718	Effective VSL Setting 62.4 MPH (CAN)	\$0	0#
1000719	Effective VSL Setting 62.5 MPH (CAN)	\$0	0#
1000720	Effective VSL Setting 62.6 MPH (CAN)	\$0	0#
1000721	Effective VSL Setting 62.7 MPH (CAN)	\$0	0#
1000722	Effective VSL Setting 62.8 MPH (CAN)	\$0	0#
1000723	Effective VSL Setting 62.9 MPH (CAN)	\$0	0#
1000724	Effective VSL Setting 63.0 MPH (CAN)	\$0	0#
1000725	Effective VSL Setting 63.1 MPH (CAN)	\$0	0#
1000726	Effective VSL Setting 63.2 MPH (CAN)	\$0	0#
1000727	Effective VSL Setting 63.3 MPH (CAN)	\$0	0#
1000728	Effective VSL Setting 63.4 MPH (CAN)	\$0	0#
1000729	Effective VSL Setting 63.5 MPH (CAN)	\$0	0#
1000730	Effective VSL Setting 63.6 MPH (CAN)	\$0	0#
1000731	Effective VSL Setting 63.7 MPH (CAN)	\$0	0#
1000732	Effective VSL Setting 63.8 MPH (CAN)	\$0	0#
1000733	Effective VSL Setting 63.9 MPH (CAN)	\$0	0#
1000734	Effective VSL Setting 64.0 MPH (CAN)	\$0	0#
1000735	Effective VSL Setting 64.1 MPH (CAN)	\$0	0#
1000736	Effective VSL Setting 64.2 MPH (CAN)	\$0	0#
1000737	Effective VSL Setting 64.3 MPH (CAN)	\$0	0#
1000738	Effective VSL Setting 64.4 MPH (CAN)	\$0	0#
1000739	Effective VSL Setting 64.5 MPH (CAN)	\$0	0#
1000740	Effective VSL Setting 64.6 MPH (CAN)	\$0	0#
1000741	Effective VSL Setting 64.7 MPH (CAN)	\$0	0#
1000742	Effective VSL Setting 64.8 MPH (CAN)	\$0	0#



T370: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Parameters			
Vehicle Speed Limiters			
1000743	Effective VSL Setting 64.9 MPH (CAN)	\$0	0#
1000744	Effective VSL Setting 65.0 MPH (CAN)	\$0	0#
Air Compressor			
1002060	Air compressor: Cummins 18.7 CFM For Cummins And PACCAR PX engines.	STD	0#
1002065	Air compressor: Cummins 30.4 CFM ISL, PX-8, PX-9 replacing 18.7.	\$2,053	30#
1006800	Delete air compressor for hydraulic brakes.	\$0	0#
Air Intake System			
Air Cleaner			
Firewall-Mounted			
1031130	Air Cleaner: Dry-type firewall mounted w/filter restriction indicator.	STD	0#
Air Intake Equipment			
1098005	Filter minder air restriction indicator mounted on air cleaner replacing standard pop-up indicator.	\$49	0#
1099300	Air inlet ember separator NFPA compliant for fire applications.	\$195	8#
1099301	Pre-filter hood mounted for air cleaner & HVAC.	\$225	13#
1600130	Overspeed shutdown for PX-8 PX-9 Includes manual switch and test switch. Currently not available on the T4 series	\$4,344	0#
Cooling System			
Cooling Module			
1121200	Cooling module: 1000 square inches T170/T270/T370/T470. Includes metal surge tank on T170/T270/T370.	STD	0#
1121210	Cooling module: 1000 square inches. Clog resistant. Includes metal surge tank on T170/T270/T370.	\$398	0#
2 Speed Fan Clutch			
1105230	Fan Hub: Horton 2-Speed for ISL9, ISL-G, PX-8 or PX-9	\$270	0#
1105260	Fan Hub: Horton 2-Speed for PX-7	\$287	0#
On/Off Fan Clutch			
1105231	Fan Hub: Horton On/Off for PX-9 or ISLG	(\$18)	0#
1105261	Fan Hub: Horton On/Off for PX-7	STD	0#



T370: ENGINE EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Cooling System

On/Off Fan Clutch

1107060	Fan Hub: Borg Warner On/Off for PX-9 or ISLG	(\$19)	0#
1107170	Fan Hub: Borg Warner On/Off for PX-7	(\$15)	0#

Cooling System Equipment

1160205	Bug screen: Front of grille on C500 ,T800, T880, and W900. Behind grille on T680 and T300 (Medium Duty).	\$167	2#
---------	--	-------	----

Exhaust Systems

1247256	EXH: 2021 PX-7 Horizontal Under Rail DPF/SCR with Horizontal tailpipe below RH rail BOC	STD	0#
1247257	EXH: 2021 PX-7 RH Under DPF/SCR with Horizontal tailpipe	\$1,259	0#
1247258	EXH: 2021 PX-7 RH Under DPF/SCR with Single Vertical RH SOC tailpipe	\$1,328	0#
1247259	EXH: 2021 PX-9 Horizontal Under Rail DPF/SCR with Horizontal tailpipe below RH rail BOC	\$547	0#
1247260	EXH: 2021 PX-9 RH Under DPF/SCR with Horizontal tailpipe	\$1,690	0#
1247261	EXH: 2021 PX-9 RH Under DPF/SCR with Single Vertical RH SOC tailpipe	\$1,683	0#

Export Exhaust Systems

1201308	Exhaust: single cab side-mount RH side export only vertical muffler & tailpipe.	(\$191)	6#
1241317	Exhaust: horizontal w/vertical pipe RH cab side export.	\$625	6#
1241328	Exhaust: horizontal w/vertical pipe BOC cab export.	\$790	6#

Exhaust Accessories

Single Tailpipes

1290124	Tailpipe: 5 in. single 24 in. 45 degree curved.	\$155	-2#
1290130	Tailpipe: 5 in. single 30 in. 45 degree curved.	\$190	0#
1290136	Tailpipe: 5 in. single 36 in. 45 degree curved.	\$212	1#
1290142	Tailpipe: 5 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$234	3#
1290148	Tailpipe: 5 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$256	5#
1290154	Tailpipe: 5 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$278	7#
1290160	Tailpipe: 5 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$312	8#



T370: ENGINE EQUIPMENT

Option	Description	Price	Weight
Exhaust Accessories			
Single Tailpipes			
1290336	Tailpipe: 7 in. single 36 in. 45 degree curved.	\$359	5#
1290342	Tailpipe: 7 in. single 42 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$385	8#
1290348	Tailpipe: 7 in. single 48 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$408	10#
1290354	Tailpipe: 7 in. single 54 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$431	12#
1290360	Tailpipe: 7 in. single 60 in. 45 degree curved. For use with any Exhaust other than SCR Independent.	\$454	15#
1291736	Tailpipe: single 36 in. curved vertical polished.	\$33	0#
Miscellaneous			
1000039	Catalytic converter muffler not installed.	\$0	0#
1291321	Export muffler shield: full length perforated single stainless steel.	\$247	2#
Filters			
Fuel-Water Separator			
1321109	Fuel Filter:PACCAR Standard Service Interval Fuel/Water Separator. 2017 and Later Emissions	STD	0#
1321121	Fuel Filter:Davco 245 Fuel/Water Separator	\$474	8#
1321145	Fuel Filter:Fleetguard FS1003 Fuel/Water Separator for PX-9	\$0	0#
1321200	Run Aid:None *For Fuel Filter	STD	0#
1321300	Start Aid:None *For Fuel Filter	STD	0#
1321305	Start Aid:12V Heat *For Fuel Filter	\$65	1#
1323109	Fleetguard filter/Water separator FS1003 w/WIF (water in fuel) sensor. For PACCAR PX-8/PX-9 or Cummins ISL engines.	(\$101)	0#
Heating & Starting Aids			
Block Heater			
1504006	Block heater, PACCAR 750 watt 120V for PX-6 and PX-7, 1000 watt for PX-8 and PX-9 or ISL9 engines .	\$120	2#
Oil Pan Heater			
1506055	Engine oil pan heater 120V 300W w/plug under door on C500, T660, T800 & W900.	\$78	0#
In-tank Fuel Heater			
1509058	Fuel tank heater: single Arctic Fox w/thermostat.	\$465	6#



T370: ENGINE EQUIPMENT

Option	Description	Price	Weight
Heating & Starting Aids			
Heater Accessories			
1500035	Engine block heater plug mounted LH fender bracket.	\$27	0#
Governors & Controls			
1405074	Ambient temperature sensor for idle shutdown for use with Cummins ISM, ISX12, X15, and PACCAR PX engines.	\$0	0#
Engine Equipment Miscellaneous			
1000170	Enable engine regeneration in PTO mode Cummins	\$0	0#
1000241	PT Optimization Analysis: Downspped Economy	\$0	0#
1000242	Gearing Analysis: Fuel Economy fuel efficiency results.	\$0	0#
1000243	Gearing Analysis: Performance power before economy results.	\$0	0#
1000244	Gearing Analysis: Balance power/economy blend results.	\$0	0#
1000245	Customer's Typical Operating Spd: 50 MPH.	\$0	0#
1000247	Customer's Typical Operating Spd: 40 MPH.	\$0	0#
1000248	Customer's Typical Operating Spd: 55 MPH.	\$0	0#
1000249	Customer's Typical Operating Spd: 52 MPH	\$0	0#
1000250	Customer's Typical Operating Spd: 58 MPH.	\$0	0#
1000251	Customer's Typical Operating Spd: 60 MPH.	\$0	0#
1000252	Customer's Typical Operating Spd: 62 MPH	\$0	0#
1000253	Customer's Typical Operating Spd: 63 MPH	\$0	0#
1000254	Customer's Typical Operating Spd: 65 mph.	\$0	0#
1000255	Customer's Typical Operating Spd: 68 mph.	\$0	0#
1000256	Customer's Typical Operating Spd: 64 MPH	\$0	0#
1000257	Customer's Typical Operating Spd: 70 mph.	\$0	0#
1000275	Customer's Typical Operating Spd: 75 MPH	\$0	0#
1000306	T300: 4x2 truck w/hydraulic brakes.	\$0	0#
1000307	Accessory air system T300 4 x 2 hydraulic brakes. Includes an air system pressure gauge.	\$1,611	0#



T370: ENGINE EQUIPMENT

Option	Description	Price	Weight
Engine Equipment Miscellaneous			
1600713	Oil pressure sender for pump panel gauge VDO 360-009.	\$54	0#
1900082	Multi-function engine connector for body builder interface for Cummins.	\$41	0#
1900976	Body Builder Control Harness coiled EOF for customer installed remote throttle and remote PTO controls. Harness includes Remote PTO control and Remote Throttle controls. T680/T880 models do not require 12-way engine connector sales codes. All other models require (1900082 or 1900084).	\$76	2#
1901008	Body Builder Connector 500mm Back of Cab Requires 1900082	\$266	0#
1901084	Body Builder Battery Power Prewire	\$85	2#
Retarders			
1700149	Retarder Jacobs for PX-8/9 ISL w/ 3-way switch. Replaces the standard turbo brake for PX-8 engines.	\$2,389	57#
1700364	Pacbrake for Cummins ISC. Export engines only.	\$1,129	15#
Starting & Recharging			
Alternator			
1812162	Alternator: 160 amp brushless with battery voltage sense. *This code replaced 1812160.	\$315	9#
1812451	Alternator: Delco 40SI 320 amp Brushless with battery voltage sense	\$1,164	14#
1816160	Alternator: 160 amp brush type T3	\$6	0#
1816200	Alternator: SEG 200 amp, brush type Formerly Bosch.	\$205	0#
1816260	Alternator: PACCAR 160 amp, brush type	STD	0#
Battery			
1821210	Batteries: 3 PACCAR GP31 threaded post (700-730) 2100-2190 CCA dual purpose.	\$175	57#
1821215	Batteries: 4 PACCAR GP31 threaded post (700-730) 2800-2920 CCA dual purpose.	\$340	114#
1821220	Batteries: 2 PACCAR GP31 threaded post (700-730) 1400-1460 CCA dual purpose.	STD	0#
1821225	Batteries: 2 PACCAR GP31 threaded post (1000) 2000 CCA starting.	\$1	4#
1825006	Batteries: 4 Odyssey GP 31 AGM threaded post (1150) 4600 CCA	\$1,421	-46#
1825612	Batteries: 2 Optima 31A Threaded post (900) 1800 CCA.	\$406	6#
1825623	Batteries: 3 Optima 31A Threaded post (900) 2700 CCA.	\$780	66#
Battery Equipment			
1840005	Battery disconnect switches 2, mounted on battery box.	\$308	2#



T370: ENGINE EQUIPMENT

Option	Description	Price	Weight
Starting & Recharging			
Battery Equipment			
1840006	Battery disconnect switches 2, mounted in cab Requires battery box LH under.	\$381	0#
1840066	Cab Power Cutoff SW on Cab Floor NFPA Compliant - Engine Shut off	\$197	2#
1900996	Jump start terminals under hood.	\$165	0#
1901005	Jump start terminals frame mounted BOC below top of frame flange.	\$233	0#
Starter			
1836106	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12-volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	\$63	0#
1836107	Starter: PACCAR 90P47 12V with PACCAR PX-7	STD	0#



T370: TRANSMISSIONS

Option	Description	Price	Weight
2349006	Jackshaft Installation: Includes 2 Centerbearings and 2 Crossmembers to Support the Jackshaft.	\$2,661	100#

Eaton

6-Speed

2050121	Transmission: Eaton Fuller FS5406A 6-spd synchro. *Torque Limit: 560 pound-feet.	STD	0#
2051121	Transmission: Fuller FSO6406A 6-speed synchro. *Torque Limit: 660 pound-feet.	\$939	0#
2051122	Transmission: Fuller FSO8406A 6-speed synchro. *Torque Limit: 860 pound-feet.	\$1,648	0#
2051123	Transmission: Fuller FS6406A 6-speed synchro. *Torque Limit: 660 pound-feet.	\$833	0#

9-Speed

2051302	Transmission: Fuller RT8709B 9-speed. *Torque Limit: 860 pound-feet.	\$1,418	182#
---------	--	---------	------

10-Speed

2051362	Transmission: Fuller RT8908LL 10-speed. *Torque Limit: 860 pound-feet.	\$2,981	291#
2052360	Transmission: Fuller FR9210B 10-speed. *Torque Limit: 950 pound-feet.	\$1,890	191#
2057360	Transmission: Fuller FRO14210C 10-speed Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	\$3,359	0#
2057371	Transmission: Fuller RTO14908LL 10-speed. Standard with synthetic lubricant. Includes severe-duty pilot bearing on all class 8 models. *Torque Limit: 1450 pound-feet.	\$4,755	0#
2058422	Fuller Advantage Automated FAO-14810C-EA3 10SPD No Cooler w/ HSA *Use w/ 2250385 Only.	\$8,284	367#

Allison

5-Speed

2010822	Transmission: Allison 2100HS 5-speed w/o PTO drive gear. 5th Gen controls. Includes heat exchanger. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,186	8#
2010830	Transmission: Allison 2500HS 5-speed w/o PTO drive gear. 5th Gen controls. Includes heat exchanger. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,314	15#
2010844	Transmission: Allison 2200HS 5-speed w/o PTO drive gear w/park pawl. 5th Gen controls. Includes heat exchanger. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,787	15#
2010851	Transmission: Allison 2100RDS 5-speed w/PTO drive gear. 5th Gen Controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,562	48#
2010859	Transmission: Allison 2500RDS 5-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,690	48#

Option	Description	Price	Weight
Allison			
5-Speed			
2010862	Transmission: Allison 2200RDS 5-speed w/PTO drive gear. 5th Gen controls. Limited to 550 lb.-ft. w/ park pawl, Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$7,168	55#
2011192	Transmission: Allison 3000HS 5-speed w/o PTO drive gear. 5th Gen Controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. CTransynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$11,272	244#
2011203	Transmission: Allison 3000RDS 5-speed w/PTO drive gear. 5th Gen Controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models.	\$12,725	291#
2011228	Transmission: Allison 3500RDS 5-speed w/PTO drive gear. Limited to 860 lb.-ft. 5th Gen controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$12,651	291#
2012193	Transmission: Allison 3000EVS 5-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$15,018	291#
6-Speed			
2010823	Transmission: Allison 2100HS 6-speed w/o PTO drive gear. 5th Gen controls. Includes heat exchanger. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,186	0#
2010831	Transmission: Allison 2500HS 6-speed w/o PTO drive gear. 5th Gen controls. Includes heat exchanger. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,314	0#
2010852	Transmission: Allison 2100RDS 6-speed w/PTO drive gear. 5th Gen Controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,562	0#
2010860	Transmission: Allison 2500RDS 6-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$6,690	0#
2011194	Transmission: Allison 3000HS 6-speed w/o PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Highway Service only as defined by Allison. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$11,272	244#
2011205	Transmission: Allison 3000RDS 6-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions. Requires a push button shift control code. Oil temperature gauge is standard on class 8 models.	\$12,725	291#
2011232	Transmission: Allison 3500RDS 6-speed w/PTO drive gear. 5th Gen Controls. Limited to 860 lb.-ft. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$12,651	291#
2012195	Transmission: Allison 3000EVS 6-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$15,018	291#



T370: TRANSMISSIONS

Option	Description	Price	Weight
Allison			
6-Speed			
2012196	Transmission: Allison 3500EVS 6-speed w/PTO drive gear. 5th Gen controls. Includes heat exchanger & oil level sensor. Emergency Vehicle Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000, 2000, 3000 & 4000 series transmissions.	\$15,338	291#
Transmission Equipment			
2410047	High Capacity Input Shaft Bearing for High PTO Duty Cycle	\$23	0#
2410072	Auto neutral not required this application.	\$0	0#
2410114	Left hand Pto access, right hand dip stick tube Allison 3000 series only.	\$19	0#
2410244	J1939 Park Brake Auto Neutral	\$0	0#
Allison Software			
2410204	Delete Allison Fuel Sense	\$0	0#
2410212	Allison Transmission Mobile PTO Operation - Change max output speed to 4500 RPM	\$0	0#
2410310	Allison Neutral at Stop Stand-Alone Not applicable with Allison Fuel Sense	\$419	0#
2410311	Decline Allison Neutral at Stop Stand-Alone	\$0	0#
2410320	Allison Fuel Sense 2.0: Basic	\$578	0#
2410321	Allison Fuel Sense 2.0: Plus	\$630	0#
2410322	Allison Fuel Sense 2.0: Max Base Economy	\$682	0#
2410323	Allison Fuel Sense 2.0: Max High Economy	\$682	0#
2410324	Allison Fuel Sense 2.0: Max Ultra Economy	\$682	0#
Eaton Software			
2038252	Eaton AMT LSM Package - Linehaul Config Low Speed Maneuverability, Rev=Blended Pedal, Drive=Urge to Move, Manual=Standard, Low=Blended Pedal Eaton AMT Low Speed Maneuverability parameters to utilize various Eaton low speed functions depending on transmission shift selection (Reverse, Drive, Manual, Low). Eaton service tool can be utilized to reconfigure parameters individually if customer desires something other than typical Linehaul or Vocational package options.	\$0	0#
2038253	Eaton AMT LSM Package - Vocational Config Low Speed Maneuverability, Rev=Blended Pedal, Drive=Urge to Move, Manual=Standard, Low=Blended Pedal Eaton AMT Low Speed Maneuverability parameters to utilize various Eaton low speed functions depending on transmission shift selection (Reverse, Drive, Manual, Low). Eaton service tool can be utilized to reconfigure parameters individually if customer desires something other than typical Linehaul or Vocational package options.	\$0	0#



T370: TRANSMISSIONS

Option	Description	Price	Weight
Transfer Case			
2322238	FABCO TC-237 2-Speed Transfer Case W/O PTO, W/O Neutral (873-1144-004). *Use with SPL140 Main Driveline.	\$18,669	503#
2322239	FABCO TC-237 2-Speed Transfer Case W/O PTO, W/O Neutral (873-2144-004) *Use with SPL170 Main Driveline.	\$17,457	503#
2322247	Fabco TC-237 2-speed Transfer Case with PTO, and with neutral. Part 873-2061-008	\$24,114	530#
2322302	FABCO TC-548C, 1SPD T/C W/O PTO, W/NEUT W/LUBE PUMP, 548C-2-2-1 *USE W/SPL170	\$25,014	490#
2322303	FABCO TC-548B, 2-SPD T/C W/O PTO, W/NEUT W/LUBE PUMP, 548B-2-2-1 *USE W/SPL170	\$26,008	550#
2349059	Namco Transfer Case 106-2SR-SXSPXS-Y-174	\$19,349	580#
2349060	Namco Trans Case 105-2SR-SXSPXS-Y-174 For SPL140/SPL170, 2-speed, W/ Pump, 12" drop, W/O PTO	\$18,511	594#
Split-Shaft PTO			
2410073	Customer-installed split shaft PTO Informational only, nothing additional is provided.	\$0	0#
Clutch			
Manually Adjusting			
2240001	Clutch: ceramic to 605 lb-ft 14 in. Fuller. Includes manual adjusting clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	STD	0#
2240012	Clutch: ceramic low inertia 606 to 860 lb-ft 14 in. Fuller required for export. Includes manual adjusting clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$156	30#
2240035	Clutch: Eaton Fuller 14in. medium-duty manual adjustment 606-1000. Includes manual adjusting clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$380	0#
2240113	Clutch: Eaton 14 in. Ceramic, Easy Pedal, Manual Adjust, *Use with 1250 LB-FT Engines Only.	\$187	0#
2250385	Clutch:UltraShift Plus Or Fuller Advantage Series Automated transmissions.	\$0	0#
Solo			
2240023	Clutch: Fuller 14 in. solo severe 606 to 860 lb-ft. For severe service. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$267	30#
2240040	Clutch: Fuller 14 in. MD solo 606-1050 lb-ft. Includes adjustment free clutch cover, extended grease fitting for clutch bearing and cross shaft, and synthetic lubricant for the transmission.	\$481	30#
Torque Converter			
2410018	Torque converter included w/Allison Transmission.	\$0	0#



T370: TRANSMISSIONS

Option	Description	Price	Weight
PTO			
PTO Misc			
2429065	PTO interlock for parking brakes.	\$123	2#
2429358	Rear transmission support springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	\$77	0#
Driveline			
Driveline Equipment			
2406005	45 degree yokes on interaxle drivelines.	\$344	11#
Centerbearing Crossmembers			
2409916	One bolted centerbearing crossmember. This option upgrades an existing crossmember. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$196	11#
2409917	Two bolted centerbearing crossmembers. This option upgrades existing crossmembers. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$182	19#
2409918	Three bolted centerbearing crossmembers. This option upgrades existing crossmembers. The cost does not include the centerbearing and bracket. Crossmember location will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	\$274	19#
Dana			
2401205	Driveline:1 Dana standard-duty; no centerbearing. *Standard duty is 1710 series.	STD	0#
2401405	Driveline: 2 Dana standard-duty; 1 centerbearing. *Standard duty is 1710 series.	\$708	78#
2401905	Driveline: 3 Dana standard-duty; 2 centerbearing. *Standard duty is 1710 series.	\$1,418	155#
2401915	Driveline: 4 Dana standard-duty 3 centerbearings *Standard duty is 1710 series.	\$2,142	233#
2406204	Driveline: 1 SPL170XL no centerbearing requires 3500057 interaxle driveline.	\$192	10#
2406240	Driveline 1 SPL140 no centerbearing	\$70	-1#
2406419	Driveline: 2 Dana SPL100 1 centerbearing light duty.	\$477	11#
2406440	Driveline: 2 Dana SPL140 1 centerbearing.	\$782	97#
2406452	Driveline: 2 SPL170XL 1 centerbearing requires 3500057 interaxle driveline.	\$983	94#
2406802	Driveline: 3 SPL170XL 2 centerbearing requires 3500057 interaxle driveline.	\$1,796	179#
2406804	Driveline: 4 Dana SPL100; 3 centerbearings light duty.	\$1,614	105#
2406811	Driveline: 3 Dana SPL100a 2 centerbearings light duty	\$1,038	58#
2406820	Driveline: 4 SPL170XL 3 centerbearing requires 3500057 interaxle driveline.	\$2,614	263#



T370: TRANSMISSIONS

Option	Description	Price	Weight
Driveline			
Dana			
2406840	Driveline: 3 SPL140 2 centerbearing.	\$1,492	159#
2406850	DRIVELINE:4 SPL140 3 CENTERBEARINGS	\$2,217	239#
2406860	Driveline:4 SPL140 For Transfer Case w/1 C/B	\$1,883	249#
2406862	Driveline:3 Dana SPL140 F/ T/C w/1 C/B & 1 SPL170 to rear axle.	\$2,074	260#
2406865	Driveline:5 SPL140 For Transfer Case w/2 C/B	\$2,594	328#
2406867	Driveline:3 SPL140 for T/C w/1 C/B & 2 SPL170 with one centerbearing to rear axle.	\$2,901	344#
2406870	Driveline:6SPL140 For Transfer Case w/3 C/B	\$3,275	408#
2406872	Driveline:3 SPL140 for T/C w/1 C/B & 3 SPL170 with two centerbearing to rear axle.	\$3,698	429#
Interaxle Driveline			
3500037	Interaxle driveline:1 Dana 1710 Series	\$436	0#
3500057	Interaxle driveline 1 Dana SPL170XL	\$455	-4#
Transmission Oil Cooler			
2460021	Oil to water cooler for transfer case to 8500 lb-ft.	\$671	17#



T370: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
10K & Under			
2501010	Dana Spicer E-1002IL Front Axle rated 10K 3-1/2in. drop. Use w/ air brakes only.	\$149	-52#
2501011	Dana Spicer E-1002IL Front Axle rated 10K 3-1/2in. drop, hydraulic brakes.	\$753	-24#
2501012	Dana Spicer D-1001IL Front Axle Rated 10K 3.5" drop. Use With Air Disc Brakes Only	\$104	-16#
12K to 13.2K			
2502012	Dana Spicer D-1201IL Front Axle rated 12K 3-1/2in. drop. Use with Air Disc Brakes Only.	\$222	-36#
2502016	Dana Spicer D-1301IL Front Axle rated 13K 3.5" drop. Use With Air Disc Brakes Only.	\$80	-36#
2502230	Dana Spicer E-1202IL Front Axle rated 12K 3-1/2in. drop. Use W/Air Brakes Only. Medium Duty Only.	\$159	0#
2502232	Dana Spicer E-1202IL Front Axle rated 12K 3-1/2in. drop, hydraulic brakes.	\$469	-24#
2502335	Dana Spicer E-1322IL Front Axle rated 13.2K 3-1/2in. drop.	\$129	-15#
2502338	Dana Spicer E-1302IL Front Axle rated 13K 3-1/2in. drop.	\$53	-15#
2512044	Meritor MFS12E PLUS 12.5K rated at 12K 3.5in. drop standard track.	STD	0#
2512048	Meritor MFS13 PLUS 13.2K 3.5in. drop standard track.	\$164	0#
2512050	Meritor MFS13 PLUS 13.2K rated at 13K 3.5in. drop standard track.	\$164	0#
14.6K to 18K			
2503461	Dana Spicer E-1462I Front Axle rated 14K 3-1/2in. drop.	\$361	30#
2503463	Dana Spicer E-1462I Front Axle rated 14.6K 3-1/2in. drop.	\$295	30#
2504160	Dana Spicer D1600 Front Axle 16K standard track.	\$1,410	120#
2505171	Dana Spicer D2000 Front Axle rated 18K	\$1,826	120#
2513013	Meritor MFS14 14.6K Rated @ 14K 3 1/2 in. Drop Standard Track.	\$496	68#
2513014	Meritor MFS14 14.6K 3.5in. drop standard track.	\$496	39#
2517016	Meritor MFS20 Front Axle rated 16K 3.5 in. drop, standard track.	\$1,831	150#
2517018	Meritor MFS20 Front Axle rated 18K 3.5 in. drop, standard track.	\$1,831	150#
2534001	Paccar Front Axle rated at 16K, standard track, 4 in. drop. Medium duty only.	\$1,584	156#
2535001	Paccar Front Axle rated at 18K, standard track, 4 in. drop. Medium duty only.	\$1,584	156#



T370: FRONT AXLE

Option	Description	Price	Weight
Front Axles			
20K & Over			
2506181	Dana Spicer D2000 Front Axle rated 20K standard track.	\$1,826	120#
2517020	Meritor MFS20 Front Axle rated 20K 3.5 in. drop, standard track.	\$1,831	150#
2536002	PACCAR Front Axle rated at 20K, standard track, 4 in. drop.	\$1,968	0#
Front Drive Axles			
2561010	Fabco FSD-10A Front Drive Axle at 10,000 lbs. capacity. Includes cast iron hubs, 16.5x5 in. S-cam brakes, automatic slack adjusters, with ABS provision.	\$16,054	771#
2562012	Fabco FSD-12A Front Drive Axle at 12,000 lbs. capacity. Includes cast iron hubs, 16.5x5 in. S-cam brakes, automatic slack adjusters, with ABS provision.	\$16,054	771#
2562013	Fabco FSD-13A Front Drive Axle at 13,000 lbs. capacity. Includes cast iron hubs, 16.5x5 in. S-cam brakes, automatic slack adjusters, with ABS provision.	\$16,054	771#
2563014	Fabco FSD-14A Front Drive Axle at 14,000 lbs. capacity. Includes cast iron hubs, 16.5x5 in. S-cam brakes, automatic slack adjusters, with ABS provision.	\$16,811	771#
2564016	Fabco FSD-16A Front Drive Axle at 16,000 lbs. capacity. Includes cast iron hubs, 16.5x6 in. S-cam brakes, automatic slack adjusters, and ABS provision.	\$17,382	771#
2565001	Fabco FSD-18A Front Drive Axle at 18,000lbs capacity. With iron hubs, 16.5x7 in. brakes, automatic slack adjusters, and ABS provision.	\$30,469	0#
2566001	Fabco FSD-20A Front Drive Axle at 20,000lbs capacity. Includes cast iron hubs, 16.5x7 in. S-cam brakes, automatic slack adjusters, and ABS provision.	\$30,469	0#
2589900	Dealer/Customer Acknowledges Specified Components Fail Supplier Blanket Approvals	\$0	0#
Axle Ratios			
2590307	Front Drive Axle Ratio: 3.07	\$0	0#
2590331	Front Drive Axle Ratio: 3.31	\$0	0#
2590358	Front Drive Axle Ratio: 3.58	\$0	0#
2590373	Front Drive Axle Ratio: 3.73	\$0	0#
2590391	Front Drive Axle Ratio: 3.91	\$0	0#
2590410	Front Drive Axle Ratio: 4.10	\$0	0#
2590430	Front Drive Axle Ratio: 4.30	\$0	0#
2590456	Front Drive Axle Ratio: 4.56.	\$0	0#
2590478	Front Drive Axle Ratio: 4.78.	\$0	0#



T370: FRONT AXLE

Option	Description	Price	Weight
Front Drive Axles			
Axle Ratios			
2590488	Front Drive Axle Ratio: 4.88.	\$0	0#
2590513	Front Drive Axle Ratio: 5.13.	\$0	0#
2590538	Front Drive Axle Ratio: 5.38.	\$0	0#
2590557	Front Drive Axle Ratio: 5.57	\$0	0#
2590586	Front Drive Axle Ratio: 5.86.	\$0	0#
2590614	Front Drive Axle Ratio: 6.14.	\$0	0#
2590650	Front Drive Axle Ratio: 6.50.	\$0	0#
Outer End Equipment			
Brakes			
2703012	Front Brake: 16.5x5 air brake package for FDA rated up to 14,000 lbs. Axle determines rating. Includes cast drums, iron 10-bolt hub pilot hubs, & slack adjusters. For use with 22.5 inch wheels. Oil seals and hubcaps are not available. Dustshields included with front drive axles for T270/T370.	\$0	0#
2703050	Front Brake: 8,000 lb. Bendix air brake package 15x4 brakes, cast drums, iron preset 8-bolt hub pilot hubs, hub caps, oil seals & slack adjusters.	\$51	-45#
2703053	Front Brake: 10,000 lb. Bendix Air Brake package 15x4 brakes, cast drums, alum preset 8-bolt hub pilot hubs, hub caps, oil seals & slack adjusters. For use w/ 19.5 x 6.75in. wheels.	(\$109)	-68#
10K & Under			
2703051	Front Brake: 10,000 lb. Bendix air brake package 15x4 brakes, cast drums, iron preset 10-bolt hub pilot hubs, hub caps, oil seals & slack adjusters.	(\$359)	-28#
12K to 13.2K			
2701012	RSD-Compliant Front Air Brakes, 13.2k package includes Bendix RSD-Compliant HP-ES S-Cam 16.5x5 in. drum brake, cast drums, aluminum 10-bolt Preset hubs, hubcaps, oil seals, and automatic slack adjusters. Max GAWR 13.2k. For use with 22.5 in. wheels.	\$201	0#
2703001	Front Brake: 12000 lb. hydraulic brake package 2x73mm. disc brakes, rotors, iron 10-bolt hub pilot hubs, hub caps, oil seals & dust shields. For use w/ 22.5in. wheels.	(\$889)	-45#
14K to 18K			
2701000	Air Brake: 14,600 lb. package includes Bendix 16-1/2 x5 brakes, cast drums, aluminum 10-bolt hub pilot Preset hubs, hubcaps, oil seals & automatic slack adjusters. For use w/ 22-1/2in. wheels.	\$57	0#
2701001	Air Brake: 14,600 lb. Meritor package includes 16.5X5Q+brakes cast drums, aluminum 10-bolt hub pilot Preset hubs, hub caps, oil seals.	\$420	0#
2701014	RSD-Compliant Front Air Brakes, 14.6k package includes Bendix RSD-Compliant HP-ES S-Cam 16.5x6 in. drum brake with cast spiders, cast drums, aluminum 10-bolt Preset hubs, hubcaps, oil seals, and automatic slack adjusters. Max GAWR 14.6k. For use with 22.5 in. wheels.	\$367	75#



T370: FRONT AXLE

Option	Description	Price	Weight
Outer End Equipment			
Brakes			
14K to 18K			
2701015	Front Brake: 14,600 lb. Bendix air brake package 16.5x5 brakes, cast drums, iron preset 10-bolt hub pilot hubs, hub caps & slack adjusters.	STD	0#
2703013	Front Brake: 16.5x6 air brake package for FDA rated 16,000 lbs. Axle determines rating. Includes cast drums, iron 10-bolt hub pilot hubs, & slack adjusters. For use with 22.5 inch wheels. Oil seals and hubcaps are not available. Dustshields included with front drive axles for T270/T370.	\$0	0#
2703016	Front Brake:Bendix 16.5x6 air brake package for 16K non-driving front axle. Includes cast drums, iron 10-bolt hub pilot Preset hubs, hub caps, oil seals & slack adjusters. For use with 22.5 inch wheels	\$566	75#
2703023	Front Brake: 16.5x7in. air brake package for FDA rated 18K-20K lbs. Axle determines rating. Includes cast drums, iron 10-bolt hub pilot hubs, & slack adjusters. For use with 22.5 inch wheels. Oil seals and hubcaps are not available. Dustshields included with front drive axles for T270/T370.	\$0	0#
2703052	Air Brake: 14,600 lb. Meritor package includes 16-1/2x5 in. brakes, cast drums, iron preset 10-bolt hub pilot hubs, hub caps, oil seals & slack adjusters.	\$259	36#
2703061	16K Meritor Air Brake Package:16.5X6 Q+ Brakes, Cast Drum 10 Bolt Iron Preset HP Hubs, Hub Caps & SLX	\$773	75#
20K & Over			
2703060	18K/20K Meritor Air Brake Package: 16.5X6 Q+ Brakes, Cast Drum 10 Bolt Iron Preset HP Hubs, Hub Caps & SLX.	\$1,773	113#
2703211	Front Brake:Bendix 16.5x6 air brake package For 18K/20K non-driving front axle. Includes cast drum, 10 bolt iron Preset hub piloted hub, hubcap & slack adjusters.	\$1,569	113#
Rotors			
2701017	Bendix 14.6K Air Disc Brake. Package includes splined rotor for air disc brakes with aluminum Preset hub pilot hubs, hubcaps. For use w/ 22-1/2in. Wheels.	\$1,515	11#
2701018	Bendix 14.6K RSD Air Disc Brake Package includes splined rotor for air disc brakes with aluminum Preset hub pilot hubs, hubcaps. For use w/ 22-1/2in. Wheels.	\$1,523	11#
2703017	Bendix 14.6K Air Disc Brake Package includes splined rotor for air disc brakes with iron Preset hub pilot hubs, hubcaps. For use w/ 22-1/2in. wheels.	\$1,432	50#
2703018	Bendix 14.6K RSD Air Disc Brake Package includes splined rotor for air disc brakes with iron Preset hub pilot hubs, hubcaps. For use w/ 22-1/2in. wheels.	\$1,406	50#
2703021	Air Brake: 16,000 lb. package includes Bendix front air disc brakes, splined rotor for air disc brakes with iron Preset hub pilot hubs, hubcaps. For use w/ 22-1/2in. wheels.	\$1,613	-30#
2703022	Air Brake: 16,000 lb. package:includes Bendix RSD front air disc brakes, splined rotor for air disc brakes with iron Preset hub pilot hubs, hubcaps. For use w/ 22-1/2in. wheels.	\$1,610	-30#
Miscellaneous			
2603006	Front brakes included w/ front hub package.	STD	0#



T370: FRONT AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Outer End Equipment

Miscellaneous

2603007	Front brakes included w/ front hub package for hydraulic brakes only. Brakes included w/ front hub package hydraulic brakes only.	\$0	0#
2659047	Front dustshield: for drum brakes: all front axles.	\$73	6#
2690028	Integral Knuckle for Air Disc Brake, for use on Meritor MFS PLUS Steer Axle	\$0	20#
2690029	Drum Brake Knuckle for use on Meritor MFS PLUS Steer Axle	\$0	0#
2690039	Integral Knuckle for Air Disc Brake, for use on PACCAR Steer Axle	\$0	-33#
2790006	Freewheel locking hubs for Fabco front drive axle FSD-1XA series only 10 through 16K.	\$2,707	14#
2900903	Front air disc brake dustshield includes pad air disc brakes only.	\$57	1#
2900916	Front Disc Brake Pad/Rotor Dust Shields Air Disc Brakes Only.	\$281	0#
3495361	Lane Departure Warning Radio Mute W/ Bendix Fusion	\$0	0#

Front Springs

8K to 10K Capacity

2862003	Front Springs: Taperleaf 10K w/ shock absorber 54 in. T270/370 only for use on air disc brakes/RSD 2010+ chassis w/ 22.5in. wheels only.	\$128	43#
2862010	Front Springs Taperleaf 10K w/shock absorbers for use on T270/T370 with FDA only.	\$343	0#
2862090	Front Springs: Taperleaf 10K w/ shock absorbers for use on 2010+ chassis w/ 22.5in. wheels only.	\$0	0#
2862091	Front Springs: Taperleaf 10K w/ shock absorber for use on 2010+ chassis w/ 19.5in. wheels only.	\$0	0#

12K to 14.6K Capacity

2863003	Front Springs: Taperleaf 12K w/ shock absorber 54 in. T270/370 only for use on air disc brakes/RSD 2010+ chassis w/ 22.5in. wheels only.	\$128	43#
2863010	Front Springs Taperleaf 12K w/shock absorbers for use on T270/T370 with FDA only.	\$389	12#
2863015	Front Springs: Taperleaf 12K w/ shock absorber for use on 2010+ chassis w/ 22.5in. wheels only.	STD	0#
2864021	Front Springs: Taperleaf 13.2K w/ shock absorbers for use on 2010+ chassis only.	\$254	80#
2864022	Front Springs: Taperleaf 14.6K w/ shock absorbers for use on 2010+ chassis only.	\$254	80#
2864030	Front Springs Taperleaf 13K w/shock absorbers for use on T270/T370 with FDA only.	\$650	80#
2864031	Front Springs: Taperleaf 13.2K w/ shock absorbers ADB/RSD 54in. T370 ONLY 22.5 in. wheels only.	\$345	112#
2864032	Front Springs: Taperleaf 14.6K w/ shock absorbers ADB/RSD 54in. T370 ONLY 22.5 in. wheels only.	\$345	112#



T370: FRONT AXLE

Option	Description	Price	Weight
Front Springs			
12K to 14.6K Capacity			
2864040	Front Springs Taperleaf 14K w/shock absorbers for use on T270/T370 with FDA only.	\$675	80#
15K & Over Capacity			
2864002	Front Springs Taperleaf 16K with shocks and 54 in. spring length. T370 with air disc brakes or RSD brakes.	\$615	120#
2864026	Front Springs Taperleaf 16K 2-stage with shocks and 54 in. spring length. T370 w/16K front axle.	\$809	172#
2864060	Front Springs Taperleaf 16K w/shock absorbers for use on T370 with FDA only.	\$1,019	172#
2865008	Front Springs: taperleaf, 18K 2-stage with shocks and 54 in. spring length. T370 with 18K front axle only.	\$2,184	172#
2865020	Front Springs Taperleaf 18-20K w/shock absorbers for use on T370 with FDA only.	\$1,019	172#
2866008	Front Springs: taperleaf, 20K 2-stage with shocks and 54 in. spring length. T370 with 20K front axle only.	\$2,184	172#
Front Spring Equipment			
2900004	Front Frame Raised 0.6 inches. for ground clearance with 19.5 in. tires	\$0	0#
2900022	Front frame raised 0.8 inches. for ground clearance with 22.5 in. tires	\$0	0#
2900023	Front Frame Raised: 1-1/2 in.	\$31	0#
2900615	Threaded bushings for taperleaf springs 12K - 14.6K replacing rubber: T6/T8, W900B, W990. W9L gets as standard: code not required. Not available with W9S. 13K - 14.6K for T370.	\$69	0#
2900616	Threaded Bushings for taperleaf spring 16K, 18/20K, 22K, 40K replacing rubber.	\$99	0#
Power Steering			
Single Gear			
2895091	Single power steering gear: 14.6K.	\$418	9#
2895219	Single power steering gear: 12K for hydraulic brakes.	\$286	0#
2895223	Single power steering gear: 13.2K for air brakes.	STD	0#
Dual Gear			
2895300	Dual power steering gears: 16K.	\$927	77#
2895305	Dual power steering gear: 18/20K	\$1,927	77#
Miscellaneous			
2899336	Power Steering Cooler:Radiator Mounted Air-to-Oil	\$205	11#



T370: FRONT AXLE

Option	Description	Price	Weight
Miscellaneous			
2790035	Maximum length wheel studs for hub pilot wheels only. Option is standard length w/ dual aluminum wheels, code not required.	\$13	2#



T370: REAR AXLE

Option	Description	Price	Weight
Single Drive Rear Axles			
20K & Under			
3011024	Single Dana Spicer P20060S single reduction rear axle for T300 w/ air brakes. Single rear axle 20K capacity rated at 17K.	\$595	111#
3011031	Single Dana Spicer P22060S single reduction 16K rear axle for T300 w/ hydraulic brakes. Single rear axle 22K capacity rated at 16K.	\$2,106	111#
3011032	Single Dana Spicer P22060S single reduction 17K rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 17K.	\$497	111#
3011033	Single Dana Spicer P22060S single reduction 17K rear axle for T300 w/ hydraulic brakes. Single rear axle 22K capacity rated at 17K.	\$2,106	111#
3011046	Dana S17-140 17K rated at 16k-single rear axle w/air brakes.	(\$113)	-6#
3011047	Dana S17-140 17K rated at 16k-single rear axle w/ hydraulic brakes.	\$1,031	38#
3011048	Dana S17-140 17K Rated Capacity-single rear axle w/air brakes.	(\$140)	-6#
3011049	Dana S17-140 17K Rated Capacity-single rear axle w/hydraulic brakes.	\$1,056	38#
3021062	Single Dana Spicer P20060S single reduction rear axle for T300 w/ air brakes. Single rear axle 20K capacity rated at 19K.	\$595	111#
3021063	Single Dana Spicer P20060S single reduction rear axle for T300 w/ air brakes. Single rear axle 20K capacity rated at 18K.	\$595	111#
3021064	Single Dana Spicer P20060S single reduction rear axle for T300 w/ hydraulic brakes. Single rear axle 20K capacity rated at 19K.	\$2,106	111#
3021065	Single Dana Spicer P20060S single reduction rear axle for T300 w/ hydraulic brakes. Single rear axle 20K capacity rated at 18K.	\$2,106	111#
3021070	Single Dana Spicer P22060S single reduction 18K rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 18K.	\$465	111#
3021071	Single Dana Spicer P22060S single reduction 19K rear axle for T300 w/ hydraulic brakes. Single rear axle 22K capacity rated at 19K.	\$2,106	111#
3021080	Dana S19-140 19K rated at 18K, single rear axle w/ air brakes.	(\$48)	-6#
3021081	Dana S19-140 19K rated at 18K, single rear axle w/ hydraulic brakes.	\$1,055	38#
3021082	Dana S19-140 19K Rated Capacity-single rear axle w/air brakes.	(\$48)	-6#
3021083	Dana S19-140 19K Rated Capacity-single rear axle w/hydraulic brakes	\$1,111	38#
3031000	Dana S20-140 20K Rated Capacity-single rear axle w/air brakes.	(\$25)	-6#
3031052	Single Dana Spicer P20060S single reduction rear axle, single rear axle rated at 20K.	\$406	111#
3031096	Single Dana Spicer P22060S single reduction rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 20K.	\$219	111#



T370: REAR AXLE

Option	Description	Price	Weight
Single Drive Rear Axles			
20K & Under			
3031097	Single Dana Spicer P22060S single reduction 19K rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 19K.	\$418	111#
3037062	Single Dana Spicer 21065T 2-spd single reduction rear axle. Single rear axle rated at 16K.	\$1,732	160#
21K to 23K			
3011030	Single Dana Spicer P22060S single reduction 16K rear axle for T300 w/ air brakes. Single rear axle 22K capacity rated at 16K.	\$219	111#
3031001	Dana S21-140 21K Rated Capacity-single rear axle w/air brakes.	STD	0#
3031002	Dana S21-140 21K Rated Capacity-single rear axle w/hydraulic brakes.	\$1,141	38#
3031093	Single Dana Spicer P22060S single reduction rear axle for T300 w/ hydraulic brakes. Single rear axle 22K capacity rated at 21K.	\$2,379	111#
3031094	Single Dana Spicer P22060S single reduction rear axle. T300/K300: use with/air brakes. Single rear axle 22K capacity rated at 21K.	\$219	111#
3031181	Single Dana Spicer S21-172 single reduction rear axle. Single rear axle rated at 21K.	\$1,012	228#
3032200	Single Meritor MS21-14x4 rear axle rated at 21K.	\$409	126#
3032202	Single Meritor MS21-14x4 rear axle rated at 17K.	\$300	126#
3032203	Single Meritor MS21-14x4 rear axle rated at 18K.	\$300	126#
3032204	Single Meritor MS21-14x4 rear axle rated at 19K.	\$300	126#
3032205	Single Meritor MS21-14x4 rear axle rated at 20K.	\$300	126#
3041180	Single Dana Spicer S23-172 single reduction axle, single rear axle rated at 23K.	\$1,289	228#
3041181	Single Dana Spicer S23-172H single reduction axle single rear axle rated at 23K. Heavy wall.	\$2,522	263#
3041190	Single Dana Spicer S23-190 single reduction rear axle. Single rear axle rated at 23K.	\$1,563	366#
3042150	Single Meritor R23-160 rear axle rated @ 21K.	\$1,135	295#
3042160	Single Meritor R23-160 rear axle rated at 23K.	\$1,365	295#
3047082	Single Dana Spicer 23082T rear axle; 23K capacity rated at 23K. Single rear axle with dual range for T300 w/ air brakes.	\$2,946	478#
24K & Above			
3061190	Single Dana Spicer S26-190 rear axle; 26K capacity rated at 26K. Single rear axle.	\$2,213	436#
3062186	Single Meritor RS26-185 rear axle rated at 26K.	\$3,191	367#



T370: REAR AXLE

Option	Description	Price	Weight
Single Drive Rear Axles			
24K & Above			
3081093	Single Dana Spicer S30-190 rear axle; 30K capacity rated at 30K. Single rear axle with 74in. track, outer ends included w/ axle.	\$7,830	422#
3082320	Single Meritor RS30-185 rear axle rated at 30K.	\$6,212	1,130#
Tandem Drive Rear Axle			
40K & Under			
3122245	Dual Meritor MT40-14X3 Hypoid rear axle rated at 40K. Tandem rear axle.	\$7,663	2,294#
3122247	Dual Meritor MT40-14x4 Hypoid rear axle rated at 40K, with heavy-wall housing. Tandem rear axles.	\$7,708	2,334#
3122250	Dual Meritor MP40-14x3 rear axle rated at 40K. Tandem rear axles with pump.	\$7,680	2,304#
3122251	Dual Meritor MP40-14x3 DualTrac rear axle rated at 40K. Tandem rear axles with pump.	\$8,576	2,336#
3122252	Dual Meritor MP40-14x4 rear axle rated at 40K. w/ heavy-wall housing with pump. Tandem rear axles.	\$8,065	2,344#
3122269	Rear Axle: Meritor MT40-14X4 Plus 40K HYPOID DUAL 11 MM HSG	\$9,529	1,003#
3122271	Dual Meritor MP40-14x4 Plus Rear Axle Rated 40K W/ 11MM Housing, With Pump. Tandem Rear Axles.	\$9,940	1,013#
3123001	Dual PACCAR axle rated at 40K, standard track, 9.5 mm housing. Tandem rear axle.	\$7,834	2,211#
3123003	Dual PACCAR rear axle rated at 40K, mid track, 9.5 mm housing. Tandem rear axle.	\$8,151	2,231#
3124403	Dual Dana Spicer DSP41 rear axle rated at 40K. (DSP40 w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Tandem rear axles.	\$7,531	2,324#
3124404	Dual Dana Spicer DSP41P rear axle rated at 40K. (DSP40P w/ heavy-wall housing) w/ 11mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	\$7,925	2,342#
3124406	Dual Dana Spicer D40-145 Pro40 rear axle rated at 40K. w/ 9.5mm housing. Tandem rear axles.	\$7,387	2,225#
3124407	Dual Dana Spicer D40-145P Pro40 rear axle rated at 40K. w/ 9.5mm housing. Includes pump. Tandem rear axles.	\$8,046	2,243#
3124408	Dual Dana Spicer D40-145H Pro40 rear axle rated at 40K, w/ 11mm housing. Tandem rear axles.	\$7,648	2,242#
3124409	Dual Dana Spicer D40-145HP Pro40 rear axle rated at 40K, w/ 11mm housing. Includes pump. Tandem rear axles.	\$7,749	2,260#
44K			
3131446	Dual Dana Spicer DSH44P rear axle rated at 44K w/ 12.5mm housing and 1.88in. shaft diameter. Includes pump. Tandem rear axles.	\$9,130	2,418#
3131447	Dual Rear Axle 44,000 lbs. Dana Spicer DSH44P Wide Track	\$10,517	2,455#



T370: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Tandem Drive Rear Axle

44K

3132246	Dual Meritor MT44-14x5 Plus Rear Axle Rated At 44K. W/ 12.7MM Housin. Tandem Rear Axles.	\$9,132	1,062#
3132251	Dual Meritor MP44-14x5 Plus Rear Axle Rated At 44k. 12.7MM Housing W/ Pump. Tandem Rear Axles.	\$10,127	1,071#

46K

3142160	Dual Meritor RT46-160 rear axle rated at 46K. Tandem rear axles.	\$10,807	2,745#
3142161	Dual Meritor RT46-160P rear axle rated at 46K. Tandem rear axles.	\$10,930	2,775#
3142170	Dual Rear Axle 46,000 lbs. Meritor RT46-164EH Heavy wall housing	\$10,878	2,822#
3142171	Dual Meritor RT46-164PEH rear axle rated at 46K w/ heavy wall housing. Tandem rear axles.	\$11,321	2,852#

Single Axle Outer End Equipment

Brakes

3300000	Single rear brakes included w/rear hub package.	STD	0#
3300001	Single rear brakes included w/rear hub package for hydraulic brakes only.	\$0	0#
3401011	Single Axle RSD-Compliant Rear Air Brakes, 23k package includes Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. drum brake, cast drums, aluminum 10-bolt Preset hubs, oil seals, and automatic slack adjusters. Max GAWR 23k. For use with 22.5 in. wheels.	\$56	0#
3403011	Single Axle RSD-Compliant Rear Air Brakes, 23k package includes Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. drum brake, cast drums, iron 10-bolt Preset hubs, oil seals, and automatic slack adjusters. Max GAWR 23k. For use with 22.5 in. wheels.	\$43	0#
3403026	Single Axle RSD-Compliant Rear Air Brakes, 23k package includes Meritor RSD-Compliant Q+ 16.5x7" drum brake, cast drums, iron 10-bolt Preset hubs, oil seals, and automatic slack adjusters. Max GAWR 23k. For use with 22.5" wheels.	\$29	0#

Rotors

3401022	Single 23K Bendix RSD Air Disc Brake package includes rear air disc brakes, splined rotor for air disc brakes with aluminum Preset hub pilot hubs. For use w/ 22-1/2in. wheels.	\$1,464	-49#
3401023	Single 23K Bendix Air Disc Brake package include splined rotor for air disc brakes with aluminum Preset hub pilot hubs. For use w/ 22-1/2in. wheels.	\$1,836	-49#
3403013	Single 23K Bendix Air Disc Brake package includes splined rotor for air disc brakes with iron Preset hub pilot hubs. For use w/ 22-1/2in. wheels.	\$1,409	28#
3403022	Single 23K Bendix RSD Air Disc Brake package includes splined rotor for air disc brakes with iron Preset hub pilot hubs. For use w/ 22-1/2in. wheels.	\$1,736	28#

Hubs

3401001	23K air brake package includes 16-1/2x7 in. brakes, cast drums, aluminum 10-bolt hub pilot Preset hubs, automatic slack adjusters and oil seals for use w/ 22.5 in. wheels.	\$43	0#
---------	---	------	----



T370: REAR AXLE

Option	Description	Price	Weight
Single Axle Outer End Equipment			
Hubs			
3401007	23K Meritor air brake package includes 16.5X7Q+ brakes, cast drums, aluminum 10-bolt hub pilot Preset hubs, slack adjusters.	\$141	55#
3401012	19K air brake package: Bendix 15x8-5/8 in. brakes , cast drums, iron preset 8-bolt hub pilot hubs, slack adjusters	\$895	40#
3403001	21K hydraulic brake package includes 2x73 mm. disc brakes, rotors, iron 10-Bolt hub pilot hubs, hub caps, oil seals and dust shields for use w/ 22.5 in. wheels.	\$0	-105#
3403004	30K air brake package includes 16-1/2x7 in. brakes, cast drums, iron 10-bolt hub pilot hubs and slack adjusters.	\$0	0#
3403006	30K Meritor Air Brake package includes 16-1/2 x7 in. Brakes, Cast Drums, Iron 10-Bolt Hub Pilot Hubs, Slack Adjusters.	\$63	55#
3403042	26K air brake package includes 16-1/2x7 in. brake , cast drums, iron preset 10-bolt hub pilot hubs, slack adjusters	STD	0#
3403043	23K Meritor Air Brake package includes 16-1/2 x7 Brakes, Cast Drums, Iron Preset 10-Bolt Hub Pilot Hubs, Slack Adjusters.	(\$67)	57#
Spring Brakes & Parking Brakes			
3485001	Bosch Parking Brake 3x12 in. high lever actuated. Axle mounted for medium duty.	\$0	0#
3485004	Spring brakes included w/ single rear air disc brakes.	\$0	0#
3485007	Spring Brake: 3030 long stroke single 3 in. travel. Helps keep brakes in adjustment longer.	STD	0#
3485008	Spring Brake: 3036 single.	\$97	8#
3485009	Spring Brake: 3030 high output single.	\$2	0#
3485019	Spring Brake: 2430 single for medium duty T300; maximum capacity 17K.	\$49	-2#
3485214	Spring Brake: 3036 long stroke single 30 square inches; 36 square inches spring chamber.	\$118	0#
Wheel Differential Locks & Limited Slip			
3511080	Meritor driver controlled differential lock for single rear axle.	\$723	0#
3531000	Wheel Differential Lock for Dana Spicer Axle P22060S; changes S to D to the axle part number.	\$1,193	15#
3531001	Wheel Differential Lock for Dana Spicer Axles S21-170/172, S21-190, S23-170/172, S23-190, S26-190 & S30-190; adds D to the end of the axle part number.	\$966	28#
Miscellaneous			
3490901	Rear air disc brake dustshields for single axle; includes pads and rotor shields.	\$296	6#
3490904	Rear air disc brake dustshields for single axle; includes pads only.	\$57	1#



T370: REAR AXLE

Option	Description	Price	Weight
Single Axle Outer End Equipment			
Miscellaneous			
3490905	Rear air disc brake dustshields for dual axle; includes pads only.	\$114	2#
Tandem Axle Outer End Equipment			
Brakes			
3300002	Dual rear brakes included w/rear hub package.	\$0	0#
Rotors			
3401038	Dual 46K Bendix Air Disc Brake package includes splined rotor for air disc brakes with aluminum Preset hub pilot hubs. For use w/ 22-1/2in. wheels.	\$3,479	-97#
3401039	Dual 46K Bendix RSD Air Disc Brake package includes splined rotor for air disc brakes with aluminum Preset hub pilot hubs. For use w/ 22-1/2in. wheels.	\$3,468	-97#
3403038	Dual 46K Bendix Air Disc Brake package includes splined rotor for air disc brakes with iron Preset hub pilot hubs. For use w/ 22-1/2in. wheels.	\$3,367	51#
3403039	Dual 46K Bendix RSD Air Brake Bendix package includes splined rotor for air disc brakes with iron Preset hub pilot hubs. For use w/ 22-1/2in. wheels.	\$3,367	51#
Hubs			
3401002	Dual 46K Air Brake package includes 16-1/2x7 in. brakes, cast drums, aluminum 10-bolt hub pilot Preset hubs, slack adjusters and oil seals for use w/ 22.5 in. wheels.	\$125	0#
3401003	Dual 46K Meritor Air Brake package includes 16 .5X7Q+ brakes, cast drums, aluminum 10-bolt Preset hub pilot hubs, slack adjusters and oil seals.	\$183	110#
3401040	Tandem axle RSD-Compliant Rear Air Brakes, 46k package includes Bendix RSD-Compliant HP-ES S-Cam 16.5x7 in. drum brake, cast drums, aluminum 10-bolt Preset hubs, oil seals, and automatic slack adjusters. Max GAWR 46k. For use with 22.5 in. wheels.	\$192	0#
3403008	46000 lb. Air Brake Pkg includes 16-1/2x7 in. Brakes, Cast Drums, Iron 10-Bolt Hub Pilot Preset Hubs, Slack Adjusters & Oil Seals for use with 22.5 inch wheels	\$0	0#
3403044	46K Meritor Air Brake package includes 16-1/2 x7 in. brakes, cast drums, iron preset 10-bolt hub pilot hubs, slack adjusters.	\$622	113#
Spring Brake & Service Chambers			
Single on Dual			
3485101	Spring Brake: 3030 long stroke single spring brake on dual axle. This option reduces rear tandem GAWR to 36,000 lbs.	\$6	-20#
3485103	Spring brakes included w/ rear air disc brakes single spring brake on dual axle installation. Derates tandem to 36,000 lbs.	\$18	-20#
Dual			
3485002	Spring brakes included w/ dual rear air disc brakes.	\$0	0#



T370: REAR AXLE

Option	Description	Price	Weight
--------	-------------	-------	--------

Tandem Axle Outer End Equipment

Spring Brake & Service Chambers

Dual

3485207	Spring Brake: 3030 long stroke dual 30 square inches travel. Helps keep brakes in adjustment longer.	\$0	0#
3485208	Spring Brake: 3036 dual 30 square inches; 36 square inches spring chamber.	\$208	16#
3485209	Spring Brake: 3030 high output dual.	\$4	0#
3485213	Spring Brake: 3036 long stroke dual 30 square inches; 36 square inches spring chamber.	\$236	0#

Differential Lock & Crosslock

3511400	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear axle. Under Speed Interlock is standard on T680.	\$1,034	20#
3511410	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 58K rear rear axle. Under Speed Interlock is standard on T680.	\$1,013	20#
3511420	Driver Controlled Differential Lock (Crosslock) for Meritor Axles 40K to 52K forward rear & rear rear axle. Under Speed Interlock is standard on T680.	\$1,918	0#
3511500	Driver Controlled Differential Lock (Crosslock) for Paccar Axles 40K rated, forward rear axle, with cab control.	\$1,027	19#
3532125	Wheel Differential Lock for Dana Spicer axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 rear rear axle. Under Speed Interlock is standard on T680.	\$1,048	15#
3532130	Wheel Differential Lock for Dana Spicer axles DSP40/DSP41(P)/DSH40(P)/DSH44(P)/D40-155 forward rear axle & rear rear. Under Speed Interlock is standard on T680.	\$1,962	37#

Miscellaneous

3490902	Rear air disc brake dustshields for tandem axles; includes pads and rotor shields.	\$593	12#
---------	--	-------	-----

Anti-Lock Brake System

4-Channel

3495013	WABCO 4S/4M anti-lock brake system. T300: w/ hydraulic brakes only. K300 all configurations.	\$1,403	0#
3495226	Bendix 4S/4M anti-lock brake system.	STD	0#
3495228	Bendix 4S/4M anti-lock brake system w/ air traction control (ATC).	\$556	2#
3495229	Bendix 4S/4M anti-lock brake system w/ air traction control (ATC) & electronic stability program (ESP) for tractor.	\$2,503	11#
3495233	Bendix 4S/4M anti-lock brake system w/ air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	\$2,825	0#



T370: REAR AXLE

Option	Description	Price	Weight
Anti-Lock Brake System			
6-Channel			
3495231	Bendix 6S/6M anti-lock brake system w/ air traction control (ATC) and electronic stability program (ESP) for tractor.	\$3,084	15#
3495232	Bendix 6S/6M anti-lock brake system w/ air traction control (ATC) and electronic stability program (ESP) for full truck. Must code for additional body information.	\$3,088	15#
Other			
3495243	Bendix Side Object Detection Version 2 sensor on RH side, with increased field of view and enhanced detection.	\$984	0#
3495332	Bendix Wingman Advanced Adaptive CC w/ Collision Mitigation (ACB)	\$1,028	22#
3495500	Delete standard anti-lock brake system.	(\$853)	-33#
Body Builder ESP Information			
3500070	20-33 cubic yard dump	\$0	0#
3500072	Tanker height less than 75 in. from top of frame rail	\$0	0#
3500073	Tanker height between 75 in. and 85 in. from top of frame rail.	\$0	0#
3500074	10.5-11 yard rear discharge non-bridge formula mixer.	\$0	0#
3500075	10.5-11 yard rear discharge bridge formula mixer.	\$0	0#
3500096	Flatbed top of deck not more than 20 in. above top of deck or frame rail. Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
3500097	Van body top of deck not more than 20 in. above top of rail-Guidelines associated with anti-lock brakes systems that include ESP for full truck chassis can be found in Kenworth TE1647 on DealerNet.	\$0	0#
Miscellaneous			
3407046	Longer studs for aluminum wheels w/ steel hub pilot wheels.	\$20	6#
3490046	Dustshields for drum brakes: all rear axles, required and only available with T270/T370 front drive axles	\$0	11#
3490047	Dustshields for drum brakes: all rear axles.	\$101	11#
3495225	FMVSS-136 Stability Control Schedule Review Chassis meets FMVSS-136 requirements and must be equipped with Electronic Stability Control. Reference Option code placed on order.	\$0	0#
3495352	Bendix Collision Mitigation System Following Distance Alerts- CONFIGURATION 5	\$0	0#
3495355	Bendix Collision Mitigation System Following Distance Alerts- Configuration 4	\$0	0#
3495356	Bendix Collision Mitigation System Following Distance Alerts - CONFIGURATION 2	\$0	0#



T370: REAR AXLE

Option	Description	Price	Weight
Miscellaneous			
3495357	Bendix Collision Mitigation System Following Distance Alerts - CONFIGURATION 3	\$0	0#
3495363	Bendix Wingman Fusion Adaptive CC W/ACB rel 2.0 W/Adjacent Lane and Highway Departure AEB	\$4,250	0#
3495364	Bendix Wingman Fusion Adaptive CC W/ACB rel 2.0 W/Adjacent Lane and Highway Departure AEB W/O Video Recording	\$4,250	0#



T370: REAR SUSPENSION

Option	Description	Price	Weight
Single			
31K & Under			
3622215	Rear suspension: single Hendrickson HAS210L 21K. Welded steel crossmember and gussets w/shocks at 8.3 in. laden height, 8.5 in. unladen height. Medium-duty. Includes air suspension dump valve. Not rear air disc brake compatible.	\$1,184	-121#
3622218	Rear suspension: single Hendrickson HAS210 21K. Steel crossmember and gussets w/shocks at 8.8 in. height. Medium-duty for use with air disc brakes only. Engine < 1351 Lb Ft. Includes air suspension dump valve.	\$1,629	-111#
3626430	Rear suspension: single Reyco 79KB multileaf 20K. Medium duty FDA only. Without helper spring. Unladen height: 16.5 in. Laden height: 14.7 in. Not rear air disc brake compatible.	\$842	90#
3626431	Rear suspension: single Reyco 79KB multileaf 21K. Medium duty FDA only. Without helper spring. Unladen height: 16.5 in. Laden height: 14.6 in. Not rear air disc brake compatible.	\$842	90#
3626479	Rear suspension: single Reyco 79KB taperleaf 20K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.6 in. Not rear air disc brake compatible.	STD	0#
3626482	Rear suspension: single Reyco 79KB taperleaf 20K. Medium-duty. For use with rear air disc brakes. Unladen Height: 9.3 in. Laden Height: 7.9 in.	\$543	17#
3626490	Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. Unladen Height: 11.4 in. Laden Height: 9.8 in. Not available with rear air disc brakes.	\$0	0#
3630021	Rear suspension: single Kenworth Airglide 210L 21K. 6.5 in. ride height w/single leveling valve. Includes air suspension dump valve.	\$1,044	-145#
3632010	Rear suspension: Single Hendrickson Primaax EX232 23K, 8.5 in. ride height.	\$2,954	-10#
3632015	Rear suspension: Single Hendrickson Primaax EX232 23K, 15.5 in. ride height. Not rear air disc brake compatible.	\$4,998	243#
3632277	Rear suspension: single Hendrickson HAS230L 23K. Welded steel crossmember & gussets w/shocks at 8.3 in. laden height, 8.5 in. unladen height. Medium-duty. Includes air suspension dump valve. Not rear air disc brake compatible.	\$1,218	-59#
3632279	Rear suspension: single Hendrickson HAS230 23K. Welded crossmember and gussets w/shocks at 8.8 in. height. Medium-duty for use with air disc brakes only. Engine < 1351 Lb Ft. Includes air suspension dump valve.	\$1,626	-49#
3636421	Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. Unladen Height: 9 in. Laden Height: 7.5 in. Not rear air disc brake compatible.	\$0	0#
3636422	Rear suspension: single Reyco 79KB taperleaf 23K with helper spring. Medium-duty. Unladen Height: 9 in. Laden Height: 7.3 in. Not rear air disc brake compatible.	\$475	57#
3636424	Rear suspension: single Reyco 79KB taperleaf 21K. Medium-duty. For use with rear air disc brakes. Unladen Height: 9.3 in. Laden Height: 7.8 in.	\$543	17#
3636425	Rear suspension: single Reyco 79KB taperleaf 23K. Medium-duty. For use with rear air disc brakes. Unladen Height: 9.3 in. Laden Height: 8.0 in.	\$818	58#
3636427	Rear suspension: single Reyco 79KB taperleaf 23K. Medium duty. For use with rear air disc brakes. Unladen Height: 10.8 in. Laden Height: 9.0 in.	\$840	58#



T370: REAR SUSPENSION

Option	Description	Price	Weight
Single			
31K & Under			
3636430	Rear suspension: single Reyco 79KB taperleaf 23K with helper spring. Medium-duty. Unladen Height: 11.4 in. Laden Height: 9.7 in. Not available with rear air disc brakes.	\$583	57#
3636433	Rear suspension: single Reyco 79KB multileaf 23K. Medium duty FDA only. Without helper spring. Unladen height: 16.5 in. Laden height: 14.4 in. Not rear air disc brake compatible.	\$842	90#
3646417	Rear suspension: single Reyco 79KB multileaf 26K with helper spring. Medium duty. Unladen Height: 10.8 in. Laden Height: 8.1 in. Not rear air disc brake compatible.	\$609	119#
3652012	Rear suspension: Single Hendrickson Primaax EX262 26K, 8.5 in. ride height.	\$3,695	-10#
3652026	Rear suspension: Single Hendrickson Primaax EX262 26K, 15.5 in. ride height. Not rear air disc brake compatible.	\$5,710	243#
3656427	Rear suspension: single Reyco 79KB multileaf 26K without helper spring. Medium duty FDA only. Unladen height: 16.5 in. Laden height: 14.1 in. Not rear air disc brake compatible.	\$842	90#
3656429	Rear suspension: single Reyco 79KB multileaf 26K with helper spring. Unladen Height: 10.7 in. Laden Height: 8.4 in.	\$991	129#
3666428	Rear suspension: single Reyco 79KB multileaf 28K. Medium-duty. Unladen Height: 11.7 in. Laden Height: 9.6 in.	\$1,156	170#
3666435	Rear suspension: single Reyco 79KB multileaf 31K. 28K spring plus helper. Laden height 8.9 inches, unladen height 11.7 inches. Not available with shocks or swaybars. Not rear air disc brake compatible.	\$1,144	196#
3666436	Rear suspension: single Reyco 79KB multileaf 31K with 16 leaf springs. Front drive axle only. Not rear air disc brake compatible.	\$1,743	220#
Tandem			
40K & Under			
Kenworth			
3730028	Rear suspension: Tandem Kenworth Airglide 400L 40K. 52 in. axle spacing. Air suspension w/ 8.5 in. ride height. Includes single leveling valve. Includes air suspension dump valve.	\$3,183	258#
Reyco			
3726416	Rear suspension: Tandem Reyco 102 40K 4-spring multileaf. 52 in. axle spacing. Steel crossmembers & gussets. 9.6 in. low mount. Unladen height: 9.6 in. Laden height: 8 in. Not rear air disc brake compatible.	\$3,844	482#
Chalmers			
3739202	Rear suspension: Tandem Chalmers 854-40-XL-HS 40K 54 in. axle spacing. Underslung. Unladen Height: 9.3 in. Laden Height: 7.6 in. Not rear air disc brake compatible.	\$5,589	476#
3739203	Rear suspension: Tandem Chalmers 854-40-XL 40K. 54 in. axle spacing. Underslung. Unladen Height: 9.3 in. Laden Height: 6.9 in. Standard restrictor can. Not rear air disc brake compatible.	\$5,589	476#
3739205	Rear suspension: Tandem Chalmers 854-40-L 40K. 54 in. axle spacing. Laden height 8.9 inches, unladen height 11.1 inches. Standard restrictor can.	\$5,863	462#



T370: REAR SUSPENSION

Option	Description	Price	Weight
Tandem			
40K & Under			
Chalmers			
3739209	Rear suspension: Tandem Chalmers 854-40-XXH-HS 40K. 54 in. axle spacing. High center of gravity application. For front drive axle only. Not rear air disc brake compatible.	\$9,454	642#
Hendrickson			
3732100	Rear suspension: Tandem Hendrickson HAS402 40K. 52 in. axle spacing. Steel crossmember & gussets with shocks at 7.9 in. height. Includes air suspension dump valve. Not rear air disc brake compatible.	\$4,899	449#
3732104	Rear suspension: Tandem Hendrickson HAS402 40K. 52 in. axle spacing, 8.8 in. ride height. Steel crossmember and gussets. With shocks. Includes air suspension dump valve. For use with rear air disc brakes only.	\$5,095	489#
3732114	Rear suspension: Tandem Hendrickson HAS402 40K. 54 in. axle space, 10 in. ride height. Aluminum crossmember and gussets with shocks. Includes air suspension dump valve. Not rear air disc brake compatible.	\$4,929	450#
3737455	Rear suspension: Tandem Hendrickson RT403 40K. 52 in. axle spacing. 7.19 in. saddle height w/barpin bushing. Unladen Height: 10.7 in. Laden Height: 9.7 in. Advertised axle spacing for this rear suspension is a nominal value. Actual spacing may be up to two inches greater than noted. This is important in situations where the body is likely to be pre-built before the chassis is delivered. Tire to body or bracket to body interference may be encountered. Communicate clear space requirements on the sales order. DSP40/P rear axles are not for use with Hendrickson HAS 402, Hendrickson Primaax, or Hendrickson beam-type rear suspensions. Hendrickson RT403 rear suspension for use with tandem axles up to 46K on T8 series. Hendrickson RT403 rear suspension requires bronze center bushings when used in refuse loader or packer applications.	\$4,942	957#
3737456	Rear suspension: Tandem Hendrickson RT403 40K. 52 in. axle spacing. 6 in. saddle height w/barpin bushing. Unladen Height: 8.6 in. Laden Height: 7.6 in.	\$5,049	462#
44K to 52K			
Chalmers			
3749201	Rear suspension: Tandem Chalmers 854-46-L 46K. 54 in. axle spacing. Unladen Height: 11.3 in. Laden Height: 8.9 in. Standard restrictor can.	\$7,769	592#
3749203	Rear suspension: Tandem Chalmers 854-46-L-HS 46K. 54 in. axle spacing. High center of gravity application. Unladen Height: 11.3 in. Laden Height: 9.6 in.	\$7,769	592#
Hendrickson			
3742020	Rear suspension: Tandem Hendrickson Primaax EX462 46K. Steel crossmember & gussets. 54 in. axle spacing. 10 in. ride height.	\$7,442	569#
3742970	Tandem Hendrickson HAULMAAX (HMX) 460 46K. 54 in. axle spacing. With shocks, track rods, rubber bolster bushings and 16.5 in. saddle height. Unladen Height: 10.6 in. Laden Height: 9.5 in.	\$6,165	543#
3747460	Rear suspension: Tandem Hendrickson RT463 46K. 54 in. axle spacing. Steel beams & barpin bushing. 6 in. saddle height. Unladen Height: 11.1 in. Laden Height: 10 in.	\$5,192	1,055#
Suspension Equipment			
3830313	Bolted rear suspension crossmembers for AG210L. Replaces T3 standard.	\$52	0#



T370: REAR SUSPENSION

Option	Description	Price	Weight
Suspension Equipment			
3830502	Delete dash mounted control for air suspension dump valve. Only available with an air suspension.	\$0	0#
3830505	Dual leveling valves for single air suspension. Dual leveling valves on single rear suspensions on only available on Neway ADZ for class 8 or Hendrickson HAS for medium duty. Dual leveling valves will not be approved on any other suspensions on T3.	\$152	0#
3832001	Torque rods for 46K PRIMAAX EX using disc brakes. Replacing standard.	\$430	23#
3832026	Chalmers shock absorbers. 52K and under suspension.	\$463	35#
3832030	Bronze center bushings for Hendrickson 403.	\$118	6#
3832033	Inboard mounted shock absorbers for Hendrickson HAS single or dual. Mounted outboard on forward rear & inboard on rear rear axle.	\$51	0#
3832100	Track rods: heavy duty for Hendrickson PRIMAAX EX single. Replaces standard duty track rods.	\$64	12#
3832161	Double Rebound Strap Kit: Hendrickson HAULMAAX rear suspension.	\$237	6#
3832313	Bolted rear suspension crossmembers for HAS 210/210L or 230/230L. Replaces T3 standard.	\$193	4#
3832315	Bolted rear suspension crossmembers for RT403 or HAS402. Replaces T3 standard.	\$22	15#
3832320	Bolted rear suspension crossmember for PRIMAAX EX single. Replaces T270, T370 standard.	\$0	16#
3834100	Air retention kit for rear suspension for use w/ outriggers.	\$154	4#
3836300	Rear axle stabilizer bar for Reyco 79KB.	\$1,172	66#
3836310	Rear shock absorbers for Reyco 79KB.	\$274	35#
3836315	Bolted rear suspension crossmembers for Reyco 79KB. Replaces T3 standard.	\$152	41#
3839140	Chalmers 40K severe service upgrade. Use with Chalmers 8xx-40 series suspensions. Separate suspension code required.	\$465	16#



T370: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
4030020	Front Tires: Goodyear Fuel Max RSA 295/75R22.5 16PR	\$199	-4#
4030023	Front Tires: Goodyear Endurance RSA 11R22.5 14PR	\$138	13#
4030024	Front Tires: Goodyear Endurance RSA 11R22.5 16PR	\$181	7#
4030025	Front Tires: Goodyear Endurance RSA 10R22.5 14PR	(\$116)	-18#
4038003	Front Tires: Goodyear Armor Max Pro Grade MSD 12R	\$630	84#
4038736	Front tires: Goodyear Fuel Max RSA 11R22.5 14PR	\$148	0#
4038737	Front Tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$191	0#
4038739	Front tires:Goodyear Fuel Max RTD 11R22.5 14PR 42.1 in. diameter, all position. 19.6 in. SLR. Use For Front Drive Axle Only.	\$241	22#
4038740	Front tires: Goodyear Fuel Max RTD 11R22.5 16PR. 42.1 in. diameter, all position. 19.6 in. SLR.	\$314	22#
4038806	Front tires: Goodyear G751 MSA 11R22.5 16PR 42.0in. diameter, all position. 19.6 SLR.	\$417	34#
4038810	Front tires: 2 Goodyear G751 MSA 12R22.5 16PR 43.2in. diameter. Steer/all position on/off highway tire. 20.3 SLR.	\$692	64#
4038816	Front tires: Goodyear Endurance LHS 11R22.5 14PR	\$148	0#
4038817	Front tires: 2 Goodyear G751 MSA 315/80R22.5 20PR	\$975	72#
4038820	Front tires: 2 Goodyear G751 MSA DuraSeaL 11R22.5 16PR. 42.0in. diameter. Steer/all position on/off highway tire. 19.6 SLR.	\$553	51#
4038823	Front tires: Goodyear Endurance LHS 11R22.5 16PR	\$178	-8#
4038849	Front tires: Goodyear G731 MSA 12R22.5 16PR 43.2in. diameter. 20.3in SLR.	\$692	62#
4038860	Front tires: Goodyear Endurance RSA 12R22.5 16PR	\$355	48#
4083220	Front Tires: Yokohama 703ZL 11R22.5 14PR	(\$59)	38#
4083231	Front Tires: Yokohama MY507 11R22.5 16PR	\$192	22#
4083242	Front Tires: Yokohama RY023 11R22.5 16PR	(\$91)	-2#
4083246	Front Tires: Yokohama RY023 11R22.5 14PR	(\$116)	-2#
4083250	Front Tires: Yokohama TY517 MC2 11R22.5 14PR	(\$18)	10#
4083261	Front Tires: Yokohama 709ZL 11R22.5 14PR	(\$42)	24#
4083282	Front Tires: Yokohama RY617 11R22.5 14PR	(\$144)	-6#



T370: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
4230023	Rear Tires: Goodyear Endurance RSA 11R22.5 14PR	\$138	13#
4230024	Rear Tires: Goodyear Endurance RSA 11R22.5 16PR	\$181	7#
4230025	Rear Tires: Goodyear Endurance RSA 10R22.5 14PR	(\$116)	18#
4238001	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R22.5 16PR	\$373	54#
4238003	Rear Tires: Goodyear Armor Max Pro Grade MSD 12R22.5 16PR	\$630	84#
4238004	Rear Tires: Goodyear Armor Max Pro Grade MSD DuraSeal 11R22.5 16PR	\$514	62#
4238684	Rear tires: Goodyear G182 RSD 12R22.5 16PR. 43.4 in. diameter, all position. 20.4 in. SLR. Code is priced per pair of tires.	\$469	64#
4238704	Rear tires: Goodyear G282 MSD 12R22.5 16PR. 43.4 in. diameter, drive. 20.4 in. SLR.	\$600	74#
4238736	Rear tires: Goodyear Fuel Max RSA 11R22.5 14PR	\$148	0#
4238737	Rear tires: Goodyear Fuel Max RSA 11R22.5 16PR	\$191	0#
4238739	Rear tires: Goodyear Fuel Max RTD 11R22.5 14PR 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires.	\$241	22#
4238740	Rear Tires: Goodyear Fuel Max RTD 11R22.5 16PR 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires.	\$304	22#
4238806	Rear tires: Goodyear G751 MSA 11R22.5 16PR 42.0in. diameter, all position. 19.6 SLR.	\$417	34#
4238810	Rear tires: 2 Goodyear G751 MSA 12R22.5 16PR 43.2in. diameter. Steer/all position on/off highway tire. 20.3 SLR.	\$692	64#
4238816	Rear tires: Goodyear Endurance LHS 11R22.5 14PR	\$148	0#
4238817	Rear tires: 2 Goodyear G751 MSA 315/80R22.5 20PR	\$975	72#
4238820	Rear Tires: Goodyear G751 MSA DuraSeal 11R22.5 16PR. 42.0in. Diameter. Steer/All Position On/Off Highway Tire. 19.6 SLR.	\$553	51#
4238823	Rear Tires: Goodyear Endurance LHS 11R22.5 16PR	\$178	-8#
4238849	Rear tires: Goodyear G731 MSA 12R22.5 16PR 43.2in. diameter. 20.3in SLR.	\$692	62#
4238856	Rear tires: Goodyear Endurance LHD 11R22.5 14PR	\$269	33#
4238860	Rear tires: Goodyear Endurance RSA 12R22.5 16PR	\$482	48#
4238866	Rear tires: Goodyear Endurance LHD 11R22.5 16PR	\$302	40#
4238867	Rear tires: Goodyear MSA G731 Duraseal 11R22.5 16PR	\$553	48#



T370: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
4283220	Rear Tires: Yokohama 703ZL 11R22.5 14PR	(\$59)	38#
4283231	Rear Tires: Yokohama MY507 11R22.5 16PR	\$192	22#
4283242	Rear Tires: Yokohama RY023 11R22.5 16PR	(\$91)	0#
4283246	Rear Tires: Yokohama RY023 11R22.5 14PR	(\$116)	-2#
4283250	Rear Tires: Yokohama TY517 MC2 11R22.5 14PR	(\$18)	10#
4283261	Rear Tires: Yokohama 709ZL 11R22.5 14PR	(\$42)	24#
4283282	Rear Tires: Yokohama RY617 11R22.5 14PR	(\$144)	-6#
Bridgestone Front			
4070010	Front Tires: Bridgestone R268 Ecopia 295/75R22.5	\$170	0#
4070036	Front Tires: Bridgestone R284 Ecopia 11R22.5 14PR	\$202	-4#
4070040	Front Tires: Bridgestone R284 Ecopia 295/75R22.5 14PR	\$160	-8#
4070041	Front Tires: Bridgestone R284 Ecopia 295/75R22.5 16PR	\$245	-8#
4070057	Front Tires: Bridgestone R284 Ecopia 11R22.5 16P	\$326	-4#
4077413	Front tires: Bridgestone M843 11R22.5 16PR. 42.5 in. diameter, all position. On/off highway. 25/32 tread depth. 19.9 in. SLR.	\$402	44#
4077522	Front tires: Bridgestone M853 11R22.5 16PR. 41.8 in. diameter. 19.4 in. SLR.	\$355	40#
4077545	Front tires: Bridgestone M713 Ecopie 11R22.5 14PR Code is priced per pair of tires.	\$190	8#
4079051	Front tires: Bridgestone R250ED 11R22.5 16PR. 41.4 in. diameter, all position. Side wall protector bar. 19.3 in. SLR.	\$176	-4#
4079058	Front tires: Bridgestone R268 Ecopia 11R22.5 14PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. Smartway certified.	\$41	8#
4079059	Front tires: Bridgestone R268 Ecopia 11R22.5 16PR. 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.	\$206	10#
Bridgestone Rear			
4270010	Rear Tires: Bridgestone R268 Ecopia 295/75R22.5 16PR	\$170	0#
4270036	Rear Tires: Bridgestone R284 Ecopia 11R22.5 14PR	\$202	-4#
4270040	Rear Tires: Bridgestone R284 Ecopia 295/75R22.5 14PR	\$160	0#
4270041	Rear Tires: Bridgestone 284 Ecopia 295/75R22.5 16PR	\$245	-8#



T370: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Bridgestone Rear			
4270057	Rear Tires: Bridgestone R284 Ecopia 11R22.5 16PR	\$326	-4#
4277382	Rear tires: Bridgestone M843 11R22.5 14PR. 25/32 tread depth all position. On/off highway. 42.5 in. diameter. 19.9 in. SLR. Code is priced per pair of tires.	\$315	0#
4277413	Rear tires: Bridgestone M843 11R22.5 16PR. 42.5 in. diameter, all position. On/off highway. 25/32 tread depth. 19.9 in. SLR. Code is priced per pair of tires.	\$402	44#
4277444	Rear tires: Bridgestone M726ELA 11R22.5 14PR	\$61	30#
4277487	Rear tires: Bridgestone M799 11R22.5 16PR. 42 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$326	12#
4277488	Rear tires: Bridgestone M770 11R22.5 14PR. 42.2 in. diameter, drive. 19.6 in. SLR. Code is priced per pair of tires.	\$414	24#
4277495	Rear tires: Bridgestone M770 11R22.5 16PR. 42.2 in. diameter, drive. 19.6 in. SLR. Code is priced per pair of tires.	\$474	26#
4277513	Rear tires: Bridgestone M760 Ecopia 11R22.5 14PR. 42.2 in. diameter, drive. 19.6 in. SLR. Smartway certified. Code is priced per pair of tires.	\$203	34#
4277522	Rear tires: Bridgestone M853 11R22.5 16PR. 41.8 in. diameter. 19.4 in. SLR. Code is priced per pair of tires.	\$355	40#
4277545	Rear Tires: Bridgestone M713 Ecopia 11R22.5 14PR. Code is priced per pair of tires.	\$190	0#
4278111	Rear tires: Bridgestone L320 11R22.5 16PR. 42.5 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$848	0#
4279051	Rear Tires: Bridgestone R250ED 11R22.5 16PR 41.4in diameter, all position. 19.3in SLR. Side wall protector bar.	\$176	0#
4279058	Rear Tires: Bridgestone R268 Ecopia 11R22.5 14PR 41.5 in. diameter, all position. F-side wall protector bar. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$41	8#
4279059	Rear Tires: Bridgestone R268 Ecopia 11R22.5 16PR 41.5 in. diameter, all position. F-side wall protector bar. 19.5 in. SLR.	\$206	10#
Michelin Front			
4010002	Front Tires: Michelin X Works Z 11R22.5 16PR	\$495	34#
4010004	Front Tires: Michelin X Works Z 12R22.5 16PR	\$771	64#
4010136	Front Tires: Michelin X Line Energy Z 11R22.5 14P	\$301	1#
4010137	Front Tires: Michelin X Line Energy Z 11R22.5 16P	\$320	-1#
4010140	Front Tires: Michelin X Line Energy Z 275/80R22.5 14PR	\$229	-3#



T370: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Michelin Front			
4010141	Front Tires: Michelin X Line Energy Z 275/80R22.5 16PR	\$284	9#
4010144	Front Tires: Michelin X Multi Energy Z 11R22.5 16PR	\$377	0#
4010145	FR MICHELIN X MULTI ENERGY Z 275/80R22.5 16PR	\$323	2#
4010340	Front tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR.	\$792	44#
4017099	Front Tires: Michelin XZE2 11R22.5 14PR. 41.3 in. Diameter, All Position. 19.2 in. SLR.	\$229	2#
4017154	Front Tires: Michelin XZE2 11R22.5 16PR. 41.4 in. Diameter, All Position. 19.2 in. SLR.	\$310	16#
Michelin Rear			
4210002	Rear Tires: Michelin X Works Z 11R22.5 16PR	\$495	34#
4210004	Rear Tires: Michelin X Works Z 12R22.5 16PR	\$771	64#
4210136	Rear Tires: Michelin X Line Energy Z 11R22.5 14PR	\$301	1#
4210137	Rear Tires: Michelin X Line Energy Z 11R22.5 16PR	\$320	-1#
4210140	Rear Tires: Michelin X Line Energy Z 275/80R22.5	\$229	-3#
4210141	Rear Tires: Michelin X Line Energy Z 275/80R22.5	\$284	9#
4210340	Rear Tires: Michelin XZE 12R22.5 16PR 42.6 in. diameter, all position. 19.8 in. SLR. Code is priced per pair of tires.	\$792	44#
4211001	Rear tires: Michelin X Multi Energy Z 11R22.5 16PR	\$377	0#
4211341	Rear tires: Michelin X Multi D 11R22.5 14PR	\$288	18#
4211342	Rear tires: Michelin X MULTI D 11R22.5 16PR	\$293	20#
4217094	Rear tires: Michelin XDN2 11R22.5 16PR. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$401	30#
4217099	Rear tires: Michelin XZE2 11R22.5 14PR. 41.3 in. diameter, all position. 19.2 in. SLR. Code is priced per pair of tires.	\$229	10#
4217125	Rear tires: Michelin XDN2 12R22.5 16PR. 42.9in. Diameter. drive tire. 20 in. SLR. Code is priced per pair of tires.	\$682	68#
4217154	Rear tires: Michelin XZE2 11R22.5 16PR. 41.4 in. diameter, all position. 19.2 in SLR. Code is priced per pair of tires.	\$310	16#
4217218	Rear Tires: Michelin XWorks XDY 11R22.5 16PR 41.9 in. diameter, drive. in. 19.7 SLR. Code is priced per pair of tires	\$500	34#



T370: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Standard Profile 22.5			
Michelin Rear			
4217225	Rear tires: Michelin XMultiEnergyD 11R22.5 14PR 41.3 in. diameter, drive. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$337	26#
4217228	Rear tires: Michelin XLineEnergyD 11R22.5 14PR 41.2 in. diameter. 19.3 in. SLR. Smartway certified. Code is priced per pair of tires.	\$294	26#
4217402	Rear tires: Michelin XDS2 11R22.5 16PR 41.8 in. diameter, drive. 19.5 in. SLR.DR. Code is priced per pair of tires.	\$581	38#
4217406	Rear tires: Michelin XDA5+ 11R22.5 14PR. Drive tire. 41.7 in. diameter, drive. 19.5 in. SLR. Code is priced per pair of tires.	\$448	34#
Tubeless Type Standard Profile 24.5			
4238002	Rear Tires: Goodyear Armor Max Pro Grade MSD 11R24.5 16PR	\$576	82#
4238675	Rear tires: Goodyear Endurance RSA 11R24.5 16PR 43.9in. diameter, all positions, 20.6SLR.	\$358	26#
4238858	Rear tires: Goodyear Endurance LHD 11R24.5 16PR	\$412	57#
Bridgestone Rear			
4230020	Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 16P	\$199	-4#
Tubeless Type Low Profile 19.5			
4038007	Front Tires: Goodyear Endurance RSA 245/70R19.5	(\$132)	-90#
4083255	Front Tires: Yokohama 104ZR 245/70R 19.5 14PR	(\$341)	-76#
4238007	Rear Tires: Goodyear Endurance RSA 245/70R19.5 16	(\$132)	0#
4238750	Rear tires: Goodyear Fuel Max RTD 245/70R19.5 16PR	(\$70)	-86#
4283255	Rear Tires: Yokohama 104ZR 245/70R 19.5 14PR	(\$341)	0#
Bridgestone Front			
4070011	Front Tires: Bridgestone R238 245/70R19.5 14PR	(\$175)	-70#
4070012	Front Tires: Bridgestone R238 265/70R19.5 14PR	(\$7)	0#
4070727	Front Tires: Bridgestone R238 245/70R19.5 16PR	(\$115)	-70#
Bridgestone Rear			
4270011	Rear Tires: Bridgestone R238 245/70R19.5 14PR	(\$175)	-76#
4270727	Rear Tires: Bridgestone R238 245/70R19.5 16PR	(\$115)	0#
4277708	Rear tires: Bridgestone M729F 245/70R19.5 16PR. 33.4 in. diameter, all position. 15.5 in. SLR. Code is priced per pair of tires.	(\$57)	-82#



T370: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 19.5			
Michelin Rear			
4217166	Rear tires: Michelin XDS2 245/70R19.5 16PR	(\$19)	38#
Tubeless Type Low Profile 22.5			
4017197	Front Tires: Michelin X Works XDY 315/80R22.5 20PR 43 in. Diameter. 20.0 in SLR.	\$1,170	8#
4017199	Front Tires: Michelin X Line Energy Z 315/80R22.5 20PR	\$900	38#
4030012	Front Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$809	54#
4030013	Front Tires: Goodyear Endurance WHA Duraseal 315/80R22.5 20PR.	\$1,036	54#
4030019	Front Tires Goodyear Fuel Max RSA 295/75R22.5 14P	\$133	-8#
4030265	Front tires: Goodyear Endurance RSA 295/75R22.5 14PR. 40.6 in. diameter, all position. 19.0 in. SLR.	\$27	6#
4038263	Front tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR.	\$608	0#
4038673	Front tires: Goodyear G296 MSA 385/65R22.5 18PR. 42.5 in diameter, all position. 19.8 in SLR. On/Off highway. Wide-base tire. in. SLR.	\$661	102#
4038677	Front tires: Goodyear G291 315/80R22.5 18PR. 42.3 in. diameter, all position. 19.7 in. SLR.	\$477	154#
4038678	Front tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR.	\$727	78#
4038742	Front tires: Goodyear Fuel Max RTD 255/70R22.5 16PR	(\$40)	-40#
4038822	Front tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$178	-4#
4039945	Front tires: Goodyear Edurance LHS 295/75R 22.5 14PR	\$124	-8#
4083245	Front Tires: Yokohama RY023 295/75R22.5 14PR	(\$117)	-8#
4083247	Front Tires: Yokohama RY023 295/75R22.5 16PR	(\$91)	-6#
4083280	Front Tires: Yokohama RY617 295/75R22.5 14PR	(\$152)	-16#
4211040	Rear tires: Michelin XONE XZY3 455/55R22.5 22PR 2-4. 41.9 in. diameter. 17.8 in. SLR.	\$335	-66#
4217197	Rear tires: Michelin X Works XDY 315/80R22.5 20PR 43 in. diameter, drive. 20.0 in. SLR. Code is priced per pair of tires.	\$1,170	8#
4230012	Rear Tires: Goodyear Endurance WHA 315/80R22.5 20PR.	\$809	54#
4230013	Rear Tires: Goodyear Endurance WHA DuraSeal 315/80R22.5 20PR.	\$1,036	54#
4230019	Rear Tires: Goodyear Fuel Max RSA 295/75R22.5 14P	\$133	-8#



T370: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
4238263	Rear tires: Goodyear G291 315/80R22.5 20PR. 42.3 in. diameter, all position. 19.7 in. SLR	\$608	34#
4238265	Rear Tires: Goodyear Endurance RSA 295/75R22.5 14PR 40.6 in. diameter, all position. 19.0 in. SLR.	\$129	6#
4238641	Rear tires: Goodyear G572 1AD FuelMax 295/75R 22.5 14PR. 40.7 in. diameter. drive tire. 19.0 in. SLR. Smartway certified. Code is priced per pair of tires.	\$230	38#
4238676	Rear tires: Goodyear G296 MSA 425/65R22.5 20PR. 2-4. 44.4 in. diameter, all position. 20.6 in. SLR. On/Off highway. Wide-base tire. Code is priced per pair of tires.	(\$346)	-96#
4238677	Rear tires: Goodyear G291 315/80R22.5 18PR. 42.3 in. diameter, all position. 19.7 in. SLR. Code is priced per pair of tires.	\$477	154#
4238678	Rear tires: Goodyear G289 WHA 315/80R22.5 20PR. All position. 43.1 in. diameter. 20 in. SLR. Code is priced per pair of tires.	\$727	70#
4238707	Rear Tires: Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	\$19	-48#
4238717	Rear tires: Goodyear G288 MSA 255/70R22.5 16PR 36.9in diameter. 17.3 SLP	\$154	0#
4238741	Rear tires:Goodyear Fuel Max RTD 295/75R22.5 14PR 40.8 in. diameter, all position. 19.0 in. SLR. Code is priced per pair of tires.	\$211	8#
4238742	Rear tires:Goodyear Fuel Max RTD 255/70R22.5 16PR	(\$48)	-40#
4238822	Rear tires: Goodyear Endurance LHS 295/75R22.5 16PR	\$178	-8#
4238859	Rear tire:Goodyear Endurance LHD 295/75R22.5 14PR	\$254	34#
4239945	Rear tires: Goodyear Endurance LHS 295/75R 22.5 14PR	\$112	-8#
4283221	Rear Tires: Yokohama 703ZL 295/75R22.5 14PR	(\$85)	24#
4283245	Rear Tires: Yokohama RY023 295/75R22.5 14PR	(\$117)	-8#
4283247	Rear Tires: Yokohama RY023 295/75R22.5 16PR	(\$91)	-6#
4283251	Rear Tires: Yokohama TY517 MC2 295/75R22.5 14PR	(\$51)	0#
4283260	Rear Tires: Yokohama 709ZL 295/75R22.5 14PR	(\$76)	18#
4283280	Rear Tires: Yokohama RY617 295/75R22.5 14PR	(\$152)	-16#
Bridgestone Front			
4070008	Front tires: Bridgestone R268 ECOPIA 295/80R22.5 16PR	\$497	8#
4070009	Front Tires: Bridgestone R249 315/80R 22.5 20PR	\$902	18#
4077406	Front tires: Bridgestone M864 385/65R22.5 18PR All position. On/Off highway. Wide-base tire.	\$859	114#



T370: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Bridgestone Front			
4077537	Front tires: Bridgestone M870 315/80R22.5 20PR All Position	\$758	86#
4079044	Front tires: Bridgestone R250ED 255/70R22.5 16PR. 36.7 in. diameter, all position. 17.2 in. SLR.	\$110	-46#
4079046	Front tires: Bridgestone R250ED 275/70R22.5 18PR. 38.0 in. diameter. 17.6 in. SLR.	\$605	-16#
4079054	Front tires: Bridgestone R268 Ecopia 295/75R22.5 14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR. Smartway certified.	STD	0#
Bridgestone Rear			
4270008	Rear Tires: Bridgestone R268 Ecopia 295/80R22.5 16PR	\$497	0#
4270009	Rear Tires: Bridgestone R249 315/80R22.5 20PR	\$902	18#
4270729	Rear Tires: Bridgestone M726ELA 295/75R22.5 14PR	\$103	20#
4277408	Rear tires: Bridgestone M760 Ecopia 295/75R22.5 14PR 40.7in. diameter. 27 tread depth. 19.0in. SLR. EPA SmartWay verified.	\$142	10#
4277489	Rear tires: Bridgestone M770 295/75R22.5 14PR 41 in. diameter, drive. 19.1 in. SLR. Code is priced per pair of tires.	\$192	22#
4277498	Rear Tires: Bridgestone M713 Ecopia 295/75R22.5 14PR. ***40.6 in. diameter, drive. 18.9 in. SLR. Smartway certified. (Double check this info)*** Code is priced per pair of tires.	\$125	0#
4277515	Rear Tires: Bridgestone Greatec M835A Ecopia 445/ 50R22.5 20PR 2-4	\$57	-110#
4277537	Rear tires: Bridgestone M870 315/80R22.5 20PR All Position	\$758	94#
4277705	Rear tires: Bridgestone M726 255/70R22.5 16PR 37.3 in. diameter, drive tire, 17.4 in. SLR. Code is priced per pair of tires.	\$69	-32#
4279044	Rear tires: Bridgestone R250ED 255/70R22.5 16PR 36.7 in. diameter, all position. 17.2 in. SLR. Code is priced per pair of tires.	\$110	-46#
4279046	Rear tires: Bridgestone R250ED 275/70R22.5 18PR 38.0 in. diameter. 17.6 in. SLR. Code is priced per pair of tires.	\$566	0#
4279054	Rear Tires: Bridgestone R268 Ecopia 295/75R22.5 14PR. 40.3 in. diameter, all position. Side wall protector bar. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	STD	0#
Michelin Front			
4010006	Front Tires: Michelin X Works Z 315/80R22.5 20PR	\$941	88#
4010147	Front Tire: Michelin X Line Energy Z 295/60R22.5 18PR	\$392	-16#
4017072	Front Tires: Michelin XZE 255/70R22.5 16PR 36.7 in. Diameter. 17.2 in. SLR. All Position.	\$86	-48#
4017148	Front Tires: Michelin XZA2 Energy 295/80R 22.5 16PR. 41.3 in. Diameter, All Position. 19.1 in. SLR. Smartway Certified.	\$615	0#



T370: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 22.5			
Michelin Front			
4017156	Front Tires: Michelin XZE2 275/80R22.5 14PR. 40.2 in. Diameter, All Position. 18.6 in. SLR.	\$192	-8#
4017181	Front Tires: Michelin XZY3 385/65R22.5 18PR 42.4 in. Diameter, All Position. 19.6 in. SLR.	\$912	122#
4017210	Front Tire: Michelin X Multiway HD XZE 385/65R22.5 20PR Wide Base Tires. 42.4in Diameter. SLR 19.6in. Maximum 68MPH.	\$1,455	128#
4017217	Front Tires: Michelin XZUS2 315/80R22.5 20PR 42.8 in. Diameter, All Position.. 19.8 in. SLR.	\$1,105	98#
4038660	Front tires: Goodyear Endurance RSA 255/70R22.5 16PR. 36.7in. Diameter, all positions, 17.3 SLR.	\$19	-42#
Michelin Rear			
4210006	Rear Tires: Michelin X Works Z 315/80R22.5 20PR	\$941	88#
4210386	Rear Tire: Michelin X One Line Grip D 445/50R22.5 20PR 2-4	\$363	140#
4210387	Rear Tires: Michelin X One Line Grip D 455/55R22.5 20 PR 2-4	\$784	-62#
4211038	Rear tires: Michelin XONEXZUS 455/55R22.5 22PR 2-4. 42.2 in. diameter, all position. 19.4 in. SLR. Code is priced per pair of tires.	\$488	-50#
4217072	Rear tires: Michelin XZE 255/70R22.5 16PR 36.7 in. diameter. 17.2 in. SLR. All position. Code is priced per pair of tires.	\$86	-48#
4217127	Rear tires: Michelin XDN2 275/80R22.5 14PR Drive tire. 40.6 in. diameter, drive. 18.9 in. SLR. Code is priced per pair of tires.	\$296	16#
4217156	Rear tires: Michelin XZE2 275/80R22.5 14PR. 40.2 in. diameter, all position. 18.6 in. SLR. Code is priced per pair of tires.	\$192	-8#
4217169	Rear Tires: Michelin X Line Energy Z 315/80R22.5 20PR	\$900	38#
4217209	Rear tires: Michelin XDA ENERGY+ 275/80R22.5 14PR	\$234	6#
4217227	Rear tires: Michelin XMultiEnergyD 275/80R22.5 14PR. 40.1 in. diameter, drive. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	\$241	16#
4217230	Rear tires: Michelin XLineEnergyD 275/80R22.5 14PR. 40.1 in. diameter. 18.8 in. SLR. Smartway certified. Code is priced per pair of tires.	\$241	12#
4217408	Rear tires: Michelin XDA5+ 275/80R22.5 14PR. Drive tire. 40.6 in. diameter, drive. 19.0 in. SLR. Code is priced per pair of tires.	\$405	26#
4217415	Rear Tires: Michelin X Multi D 295/60R22.5 18PR	\$450	0#

Tubeless Type Low Profile 24.5

Michelin Rear

4217129	Rear tires: Michelin XDN2 275/80R24.5 14PR DR. 41.8 in. diameter, drive. 19.6 in. SLR. Code is priced per pair of tires.	\$335	30#
---------	--	-------	-----



T370: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Tires			
Tubeless Type Low Profile 24.5			
Michelin Rear			
4217232	Rear tires: Michelin XLineEnergyD 275/80R24.5 14PR. 41.4 in. diameter. 19.5 in. SLR. Smartway certified. Code is priced per pair of tires.	\$294	24#
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 19.5			
5245272	Rear wheel: Alcoa 76542 19.5x6.75RW aluminum, 8-bolt hub pilot mount. 5515lb. maximum rating. For use w/air brakes only.	\$444	-68#
5245282	Rear wheel: Alcoa 76542/Accuride 50180 STL 19.5x6.75RW, aluminum outside/steel painted inside, 8-hole hub pilot mount. 5000 lb. maximum rating. Includes wheel guards. Code is priced per pair of wheels.	\$260	-18#
Rear			
5245281	Rear wheel: Alcoa 77349 19.5x7.50RW aluminum 8-bolt. Require 8 bolt hub.	\$506	-54#
Tubeless Type Steel 19.5			
Front			
5042236	Front Wheel: Accuride 29685 19.5x7.50 aluminum hub-pilot mount, required w/2x66 mm. 10-bolt mounting. For hydraulic brakes only. 6700lb. maximum rating.	\$449	-57#
5042248	Front Wheel: Accuride 50180 19.5x6.75RW steel Steel Armor[TM] powder coat, hub-pilot mount. 8-bolt hub pilot mount. 5000lb. maximum rating.	\$72	-18#
5045272	Front wheel: Alcoa 76542 19.5x6.75RW aluminum, 8-bolt hub pilot mount. 5515lb. maximum rating. For use w/air brakes only.	\$454	-74#
Rear			
5242236	Rear Wheel: Accuride 29685 19.5x7.50 aluminum hub-pilot mount, required with 2x66 mm. 10-bolt mounting. For hydraulic brakes only. 6700lb. maximum rating.	\$449	-57#
5242248	Rear Wheel: Accuride 50180 19.5x6.75RW steel Steel Armor powder coat, 8-bolt hub-pilot mount. 5000lb. maximum rating.	\$72	-18#
Tubeless Type Aluminum 22.5			
Front			
5042367	Front Wheel: Accuride 29300 22.5x9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible.	\$429	79#
5043363	Front Wheel: Alcoa 88267 22.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7,400 lb. maximum rating. Air disc brake compatible.	\$428	-46#
5043549	Front Wheel: Alcoa Ult39 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible.	\$422	-51#
5045216	Front Wheel: Alcoa 82362 22.5x12.25 aluminum, with Lvl One [TM] finish, hub-pilot mount. 11400lb. maximum rating. Super single. Standard track axles may be over 102 in. w/425 tires. Air disc brake compatible.	\$741	-11#



T370: TIRES & WHEELS

Option	Description	Price	Weight
Front & Rear Axle Wheels & Rims			
Tubeless Type Aluminum 22.5			
Front			
5045280	Front Wheel: Alcoa 89U64 22.5X9 AL Ultra ONE Wheel.	\$514	-24#
5045283	Front Wheel: Kenworth 7-spoke 88U68 22.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$446	-40#
5045295	Front Wheel: Kenworth 10-spoke 88u69 22.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7300lb. maximum rating. Level 1 finish. Air disc brake compatible.	\$531	-40#
Rear			
5243363	Rear Wheel: Alcoa 88267 22.5x8.25 aluminum with Level One [TM] finish, hub-pilot mount. 7400 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels.	\$396	-46#
5243549	Rear Wheel: Alcoa Ult39 22.5x8.25 MagnaForce aluminum alloy, hub-pilot mount. 7400lb maximum rating. Air Disc Brake compatible.	\$422	-51#
5245278	Rear Wheel: Alcoa 84U60 22.5X14.00 AL 2-4 Hub Pilot Mount. Ultra ONE Wheel. Level 1 Finish	\$559	-169#
5245279	Rear Wheel: Alcoa 84U62 22.5X14.00 AL 2-4 Ultra ONE Wheel.	\$501	-169#
5245280	Rear Wheel: Alcoa 89U64 22.5X9 AL Ultra ONE Wheel.	\$514	-24#
5245284	Rear Wheel: Kenworth 7-spoke 88U68/ Accuride 50344 heavy-duty 22.5x8.25, aluminum outside with Lvl One [TM] finish/s/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$251	-6#
5245287	Rear Wheel: Alcoa 88267/Acc 50344 heavy-duty 22.5x8.25, aluminum outside with Lvl One[TM] finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$273	-10#
5245295	Rear Wheel: Kenworth 10-spoke 88U69	\$526	-36#
5245296	Rear Wheel: Alcoa 88267/Accuride 51487 22.5x8.25, aluminum outside with Lvl One[TM] finish/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$203	-23#
Tubeless Type Steel 22.5			
5242375	Rear Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible. Code is priced per pair of wheels.	\$1	-12#
5245285	Rear Wheel: Kenworth 7-spoke Alcoa alum 88U68/ Accuride 51487 22.5x8.25. Aluminum with Lvl One[TM] finish outside/steel Steel Armor[TM] powder coat inside, hub-pilot mount. 7400 lb. maximum rating. 5-hand hole. Includes wheel guards. Air disc brake compatible. Code is priced per pair of wheels.	\$206	-18#
Front			
5042275	Front Wheel: Accuride 51408 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 2-hand holes. Air disc brake compatible.	\$5	0#
5042285	Front Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.	\$91	20#



T370: TIRES & WHEELS

Option	Description	Price	Weight
--------	-------------	-------	--------

Front & Rear Axle Wheels & Rims

Tubeless Type Steel 22.5

Front

5042289	Front Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible.	STD	0#
5042312	Front Wheel: Accuride 29806 22.5x12.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 11500lb. maximum rating. 5-hand holes.	\$818	101#

Rear

5242251	Rear Wheel: Accuride 29001 22.5x7.5 steel Steel Armor[TM] powder coat, hub-pilot mount. 6610 lb. maximum rating. Code is priced per pair of wheels.	\$90	9#
5242285	Rear Wheel: Accuride 50344 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole hub pilot mount. Code is priced per pair of wheels.	\$91	20#
5242367	Rear Wheel: Accuride 29300 22.5x9 steel Steel Armor[TM] powder coat, hub-pilot mount. 10000lb. maximum rating. 5-hand holes. Not air disc brake compatible. Code is priced per pair of wheels.	\$429	79#
5242389	Rear Wheel: Accuride 51487 22.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 7400lb. maximum rating. 5-hand hole. Air disc brake compatible. Code is priced per pair of wheels.	STD	0#
5245283	Rear Wheel: Kenworth 7-spoke 88u68 22.5x8.25 aluminum with Lvl One [TM] finish, hub-pilot mount. 7300 lb. maximum rating. Air disc brake compatible. Code is priced per pair of wheels. Level 1 finish.	\$446	-40#

Tubeless Type Aluminum 24.5

Rear

5242310	Rear Wheel: Accuride 28827 24.5x8.25 steel Steel Armor[TM] powder coat, hub-pilot mount. 8000lb. maximum rating. 2-hand hole. Code is priced per pair of wheels.	\$90	35#
---------	--	------	-----

Miscellaneous Tires & Wheels

Wheel Equipment

Wheelguards

5850040	Wheelguards: all axles.	\$105	2#
---------	-------------------------	-------	----

Wheel Treatments

5853906	Powder coat white steel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853907	Powder coat gray steel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853908	Powder coat blacksteel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5853909	Powder coat red steel wheel. Use in conjunction with front, dual front, rear, spare or lift axle wheel code(s). All wheels on chassis must have same finish color.	\$0	0#
5854010	Single Front Axle: 2 Polished wheels. Polished outboard surface of aluminum wheels.	\$145	0#



T370: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5854011	Single Rear Axle: 2 Polished wheels. Polished outboard surface of outer dual or single aluminum wheels.	\$187	0#
5854012	Dual Rear Axle: 4 Polished wheels. Polished outboard surface of outer dual or single aluminum wheels.	\$353	0#
5854045	Single Front Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only	\$83	0#
5854047	Single Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum quantity 2	\$20	0#
5854048	Dual Rear Accuride- Finish: Extra Polish Both Surfaces of Outer Wheels, aluminum Only Quantity 4	\$166	0#
5856010	Single Front Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin) Long Leadtime	\$233	0#
5856012	Dual Rear Axle: Dura-Bright Brushed (QTY 4) -0DB (Satin) Long Leadtime	\$496	0#
5856013	Single Rear Axle: Dura-Bright Brushed (QTY 2) -0DB (Satin) Long Leadtime	\$233	0#
5858009	Dual Rear Axle: Dura-Flange (quantity 4) -DF. For super single 2-4 wheels. Not available with Dura-Bright, except 88367.	\$471	0#
5858010	Single Front Axle: 2 wheels Dura-Flange	\$230	0#
5858011	Single Rear Axle: Dura-Flange (quantity 4) -DF. Not available with polished or Dura-Bright except 88367.	\$471	0#
5858012	Dual Rear Axle: Dura-Flange (quantity 8) -DF	\$921	0#
5859010	Single Front Axle: 2 wheels Dura-Bright Buffed. Dura-Bright outboard surface of aluminum wheels.	\$251	0#
5859011	Single Rear Axle Wheels: 2 wheels Dura-Bright Buffed. Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$377	0#
5859012	Dual Rear Axle Wheels: 4 wheels Dura-Bright Buffed. Dura-Bright outboard surface of outer dual or single aluminum wheels.	\$775	0#
5859013	Single Rear: Dura-Bright Inboard Surface Of Inner Wheels (2)-2DB, Required Wheel Grades, Use With 5859011	\$627	0#
5859014	Single Front Axle Wheels: Dura-Bright Buffed both outboard & inboard surfaces of aluminum wheels.	\$377	0#
5859015	Dual Rear Axle Wheels: Dura-Bright Buffed both outboard & inboard surfaces of outboard dual or single aluminum wheels.	\$805	0#
5859016	Dual Rear Axle Wheels: Dura-Bright Buffed inboard surface of inner dual aluminum wheels.	\$668	0#
5859017	Dual Rear Axle Wheels: Dura-Bright Buffed both inboard and outboard surface of inner dual aluminum wheels.	\$754	0#
5859027	Dual Rear Axle: Dura-Bright Buffed wide base singles, outboard surface (quantity 4) -1DB.	\$555	0#



T370: TIRES & WHEELS

Option	Description	Price	Weight
Miscellaneous Tires & Wheels			
Wheel Equipment			
Wheel Treatments			
5859028	Single Rear Axle: Dura-Bright Buffed wide base singles, outboard surface (quantity 2) -1DB.	\$251	0#
5859065	Single Front Axle: Dura-Black Both Surfaces (QTY 2)	\$480	0#
5859066	Single Rear Axle: Dura-Black Both Surfaces (Qty 4)	\$959	0#
Wheel Miscellaneous			
5890000	V2B double seal cap valves.	\$60	0#



T370: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Rail Material			
10.625 x 3.5 x 0.3125 Steel Frame			
6054250	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 308 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	STD	0#
6054410	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 309 in. to 380 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$381	0#
6054630	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 381 in. to 428 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$698	0#
6054800	Frame Rails: 10-5/8 x 3-1/2 x 5/16in. Steel to 429 in. to 480 in. Truck frame weight is 2.91 lb.-in. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,317	0#
10.75 x 3.5 x 0.375 Steel Frame			
6056200	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel to 284 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$139	0#
6056400	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 285in. to 336 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$402	0#
6056600	Frame Rails: 10-3/4 x 3-1/2 x 3/8in. Steel 337in. to 416 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$823	0#



T370: FRAME & EQUIPMENT

Option	Description	Price	Weight
Rails & Inserts			
Rail Material			
10.75 x 3.5 x 0.375 Steel Frame			
6056680	Frame Rails: 10-3/4 x 3-1/2 x 3/8 in. Steel 417 in. to 480 in. Truck frame weight is 3.48 lb.-in. per pair of rails. Section modulus is 17.80, RBM is 2,132,000 in.-lbs per rail. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the appropriate material specification for a substitute rail.	\$1,618	0#
Full Frame Inserts			
9.875 x 2.875 x 0.25 Steel Insert			
6141450	Full Steel Insert for 10-5/8 in. or 10-3/4 in. main rail. Insert length is 168 - 348 in. Adds 1,149,000 in.-lb to main rail RBM. Insert weight is 2.05 lb.-in. per pair of rails. Insert length is equal to wheelbase plus rear frame cutoff plus 20.7 in. forward of front axle.	\$1,736	0#
6141650	Full Steel Insert for 10-5/8 in. or 10-3/4 in. main rail. Insert length is >348 - 480 in. Adds 1,149,000 in.-lb to main rail RBM. Insert weight is 2.05 lb.-in. per pair of rails. Insert length is equal to wheelbase plus rear frame cutoff plus 20.7 in. forward of front axle.	\$2,003	0#
Partial Frame Inserts			
Inserts for 10.625 or 10.75 Main Rail			
6289325	Partial Steel Insert: 10-5/8 in. or 10-3/4 in. main rail. Insert length is 10 - 25 ft. Adds 1,149,000 in.-lb to main rail RBM. Insert weight is 2.05 lb.-in. per pair of rails.	\$1,558	570#
6289335	Partial Steel Insert for 10-5/8 in. or 10-3/4 in. main rail. Insert length is >25 - 35 ft. Adds 1,149,000 in.-lb to main rail RBM. Insert weight is 2.05 lb.-in. per pair of rails.	\$1,896	798#
Partial Frame Insert Location			
6279005	Locate Partial Frame Inserts under cab to end-of-frame.	\$0	0#
Bumpers			
Bumper Style			
Aerodynamic			
6308710	Bumper: Aerodynamic, Painted. Requires a bumper setting code.	STD	0#
6308715	Bumper: Aerodynamic Chrome Requires a bumper setting code.	\$486	0#
Steel Channel			
6301438	Bumper straight heavy duty .25 in. steel, painted channel. Requires a bumper setting code.	\$811	57#
Other Bumper Style			
6309910	Delete bumper: Requires a bumper setting code.	(\$255)	-24#
6309912	Delete bumper: For use with heavy duty front frame brackets for customer installed winch bumper. Requires a bumper setting code.	\$0	-24#
Bumper Setting			
6319409	40.9 in. Bumper setting. Requires a bumper code.	\$0	0#



T370: FRAME & EQUIPMENT

Option	Description	Price	Weight
Bumpers			
Bumper Equipment			
6321005	Removable Front Tow Hooks: 2.	\$257	15#
Front Frame Miscellaneous			
6390031	Steel plate reinforcement .25in. thick. Required with combination of AG210 and 9-7/8 in. steel frame rail.	\$1,693	30#
6390078	Heavy duty front frame brackets provide structure for customer installed winch bumper	\$1,366	101#
6390103	Front mudflaps.	STD	0#
Battery Boxes			
Parallel			
6404406	Battery box: Steel parallel under w/ aluminum diamond plate cover w/ step w/ aluminum step brackets.	STD	0#
6404411	Battery box: Narrow steel parallel under cab with aluminum diamond plate cover with step. LH under cab. Battery box is 150 mm narrower than the standard battery box. Use with two or three batteries and small round DEF tank LH under cab. Air tanks will be frame mounted. Air dryer must be frame mounted or under the hood. Use with RH under exhaust.	\$242	-25#
Cantilever			
6400634	Battery box cantilever aluminum BOC with painted smooth aluminum cover.	\$33	2#
6400636	Battery box cantilever aluminum BOC with fiberglass cover.	(\$8)	0#
6400641	Battery box cantilever aluminum BOC with polished smooth aluminum cover.	\$471	2#
Across or Between Rails BOC			
6400631	Battery box: Temporary across the rails.	\$128	-99#
6400633	Battery box: Temporary across the rails. Includes maximum cable length available.	\$166	-99#
In-Cab			
6405000	In-cab steel battery box: under rider seat or in stand alone box. Requires appropriate AGM battery code, which varies by model, and appropriate rider seat code be selected prior to entering the workscreen. Includes 1 battery disconnect switch.	\$1,945	-41#
Battery Box Locations			
6409901	Battery box location: LH Side.	\$0	0#
6409902	Battery box location: RH Side.	\$94	15#
6409906	In-Cab battery box location: Under rider seat.	\$0	0#
6409908	Battery box location: BOC across the rails.	\$0	0#



T370: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Equipment			
Frame Access			
Grabhandles			
6410010	Frame access grabhandle(s) LH mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$51	0#
6410011	Frame access grabhandle(s) RH mounted. Placement and quantity of grabhandles may vary due to FMCSR frame access requirements.	\$50	0#
Deckplate			
6414002	Short aluminum frame access deck plate, 24 in. unless only 12 in. fits.	\$120	10#
6414003	Medium aluminum frame access deck plate, 36 in.	\$197	15#
6414006	Full aluminum frame access deck plate. Provides up to 72 in. of deck plate filling the space from hoses to fifth wheel.	\$283	24#
Steps			
6417007	Frame access steps: 2 ladder-type, RH mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$143	15#
6417009	Frame access steps: 2 for fuel/hydraulic tank BOC, RH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$160	6#
6418006	Frame access steps: 2 ladder-type, LH mount. Available when rear of tank extends less than 24 in. behind rear of cab, sleeper, or side extender.	\$143	15#
6418008	Frame access steps: 2 for fuel/hydraulic tank BOC, LH mount. Available when rear of tank under extends more than 14 in. behind rear of cab, sleeper, or side extender. For tanks located totally behind a cab or sleeper the front of the tank must be within 14 in. from the rear of cab, sleeper, or side extender.	\$160	6#
Box Step Options			
6409715	Ladder-type step LH under cab below battery box or toolbox.	\$197	20#
6409716	Ladder-type step RH under cab below battery box or toolbox or DPF - SCR.	\$197	20#
Toolboxes			
6474349	Steel toolbox: Under cab, aluminum diamond plate cover w/step, w/o lock.	\$802	138#
6474352	Tool box: Narrow steel parallel under cab with aluminum diamond plate cover with step. RH under cab. Tool box is 150 mm narrower than other parallel under tool boxes. Use with small round DEF tank RH under cab. Use with horizontal exhaust.	\$1,352	139#
Toolbox Locations			
6479902	Toolbox location: RH side.	\$0	0#



T370: FRAME & EQUIPMENT

Option	Description	Price	Weight
DPF-SCR Covers			
6451059	T270/370 Non-polished 2010 or later DPF/SCR cover with cab access step assembly, RH under. End plates will be painted standard black frame color.	\$0	0#
6451110	T270/T370 non-polished DPF/SCR cover, diamond plate with cab access step and polished end plates. For use with 2017 or later RH under exhaust systems. For use with frame paint color other than standard black. The cover will be unpolished diamond-plate and the end plates will be polished.	\$124	0#
Frame Crossmembers & Upgrades			
6490122	One-piece welded crossmember assembly with 12mm frame fasteners, center and rear frame. Standard crossmember.	STD	0#
6490123	Five-piece bolted crossmember assembly with 12mm frame fasteners, center and rear frame.	\$168	-32#
6490124	Five-piece bolted crossmember assembly with 16mm frame fasteners, center and rear frame.	\$178	-32#
6490427	Aluminum underbell crossmember. Only with non-drive front axle 16K and greater. For T370 only.	\$143	19#
6490430	Bolted Rear Cab Support Crossmember. Replaces T3 standard.	\$135	17#
Center Frame Clear Space			
6491011	One clear frame space area without custom frame layout. Use with first clear frame space area code or customer-installed APU code when not using a custom frame layout code.	\$366	0#
6491012	Two clear frame space areas without custom frame layout. Use with first and second clear frame space area codes or customer-installed APU code when not using a custom frame layout code.	\$733	0#
6497020	First clear frame space dimensioned from back of cab.	\$0	0#
6497030	Second clear frame space dimensioned from back of cab.	\$0	0#
First Request Area			
6497101	First - LH outside rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497102	First - RH outside rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497103	First - LH below rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497104	First - RH below rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#



T370: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Area			
6497105	First - LH outside and LH below rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497106	First - RH outside and RH below rail only. Clear frame space area. Does not include fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497107	First - between rails only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497108	First - between and below rails only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
First Request Length			
6497310	First - 10 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497312	First - 12 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497314	First - 14 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497316	First - 16 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497318	First - 18 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497320	First - 20 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497322	First - 22 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497324	First - 24 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497326	First - 26 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497328	First - 28 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497330	First - 30 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#

Option	Description	Price	Weight
Center Frame Clear Space			
First Request Length			
6497332	First - 32 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497334	First - 34 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497336	First - 36 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497338	First - 38 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497340	First - 40 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497341	First - 41 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497350	First - 50 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497360	First - 60 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
First Request Location			
6497200	Directly behind the under fuel/hydraulic tank. First clear frame space location.	\$0	0#
6497201	Directly behind the BOC fuel/hydraulic tank. First clear frame space location.	\$0	0#
6497202	Directly forward of the rearmost fuel/hydraulic tank. First clear frame space location.	\$0	0#
6497203	Directly behind DEF tank. First clear frame space location.	\$0	0#
6497204	Directly behind the battery box. First clear frame space location.	\$0	0#
6497205	Directly behind the DPF/SCR box. First clear frame space location.	\$0	0#
6497206	Directly behind the toolbox or temporary cab entry step for use with natural gas engines. First clear frame space location.	\$0	0#
6497207	Directly forward of the rear suspension/quarter fender. First clear frame space location.	\$0	0#
6497209	Directly behind the under cab component. First clear frame space location.	\$0	0#
6497210	Directly behind BOC1 fuel/hydraulic tank or box. First clear frame space location.	\$0	0#
6497211	Directly behind BOC2 fuel/hydraulic tank or box. First clear frame space location.	\$0	0#

Option	Description	Price	Weight
Center Frame Clear Space			
Second Request Area			
6497109	Second - LH outside rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497110	Second - RH outside rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497111	Second - LH below rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497112	Second - RH below rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497113	Second - LH outside and LH below rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497114	Second - RH outside and RH below rail only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497115	Second - between rails only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
6497116	Second - between and below rails only. Clear frame space area. Does not include BOC crossmember, fasteners or piping. Requires a supplemental length and location code. Sales tool graphics do not depict interference between requested location and other frame-mounted components. The actual chassis layout will be determined at time of engineering.	\$0	0#
Second Request Length			
6497510	Second - 10 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497512	Second - 12 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497514	Second - 14 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497516	Second - 16 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497518	Second - 18 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#

Option	Description	Price	Weight
Center Frame Clear Space			
Second Request Length			
6497520	Second - 20 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497522	Second - 22 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497524	Second - 24 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497526	Second - 26 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497528	Second - 28 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497530	Second - 30 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497532	Second - 32 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497534	Second - 34 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497536	Second - 36 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497538	Second - 38 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497540	Second - 40 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497541	Second - 41 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497550	Second - 50 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
6497560	Second - 60 in. clear frame space length. The impact to other frame-mounted components will be determined at time of engineering.	\$0	0#
Second Request Location			
6497230	Directly behind the under fuel/hydraulic tank. Second clear frame space location.	\$0	0#
6497231	Directly behind the BOC fuel/hydraulic tank. Second clear frame space location.	\$0	0#
6497232	Directly forward of the rearmost fuel/hydraulic tank. Second clear frame space location.	\$0	0#
6497233	Directly behind DEF tank. Second clear frame space location.	\$0	0#
6497234	Directly behind the battery box. Second clear frame space location.	\$0	0#



T370: FRAME & EQUIPMENT

Option	Description	Price	Weight
Center Frame Clear Space			
Second Request Location			
6497235	Directly behind the DPF/SCR box. Second clear frame space location.	\$0	0#
6497236	Directly behind the toolbox or temporary cab entry step for use with natural gas engines. Second clear frame space location.	\$0	0#
6497237	Directly forward of the rear suspension/quarter fender. Second clear frame space location.	\$0	0#
6497239	Directly behind the under cab component. Second clear frame space location.	\$0	0#
6497240	Directly behind BOC1 fuel/hydraulic tank or box. Second clear frame space location.	\$0	0#
6497241	Directly behind BOC2 fuel/hydraulic tank or box. Second clear frame space location.	\$0	0#
Miscellaneous Center Frame Equipment			
6679904	Fifth wheel setting is outside standard range. Required when fifth wheel setting is more than 30 in. from bogie.	\$733	0#
Body Builder Requirements			
6390091	Frame layout picture to dealer prior to build date. Information only, no changes. This provides basic frame layout illustration in a PDF file. Adobe Reader or other software capable of viewing PDF files is required on your computer. A copy of the frame layout can be obtained once the engineering work has been completed. This drawing will help the body builder define clearance requirements for the chassis.	\$733	0#
6390097	DXF frame layout to dealer prior to build date. Information only, no changes. This provides a frame layout in a .DXF format data file suitable for use w/ many CAD programs.	\$733	0#
6391201	Custom Frame Layout: one chassis	\$1,380	0#
6391202	Custom Frame Layout: two chassis	\$690	0#
6391203	Custom Frame Layout: 3-4 chassis	\$375	0#
6391205	Custom Frame Layout: 5-9 chassis	\$200	0#
6391210	Custom Frame Layout: 10-24 chassis	\$100	0#
6391225	Custom Frame Layout: 25-49 chassis	\$40	0#
6391250	Custom Frame Layout: 50 or more chassis	\$30	0#
6679856	Final end-of-frame cut-off dimension will be modified to less than or equal to 45 in.	\$0	0#
6679857	Final end-of-frame cut-off dimension will be modified to 46 in. to 50 in.	\$0	0#
6679858	Final end-of-frame cut-off dimension will be modified to 51 in. to 55 in.	\$0	0#
6679859	Final end-of-frame cut-off dimension will be modified to 56 in. to 60 in.	\$0	0#

Option	Description	Price	Weight
Body Builder Requirements			
6679860	Final end-of-frame cut-off dimension will be modified to 61 in. to 65 in.	\$0	0#
6679862	Final end-of-frame cut-off dimension will be modified to 66 in. to 74 in.	\$0	0#
6679864	Final end-of-frame cut-off dimension will be modified to greater than or equal to 75 in.	\$0	0#
6679914	Any changes to rear cab/sleeper area must comply w/FMCSR 399.	\$0	0#
6679915	Customer-installed bulkhead and/or headache rack.	\$0	0#
6679995	Customer will install structural end-of-frame crossmember before vehicle is placed in service.	\$0	0#
6790003	Special frame drill: dealer to provide drawing with dimensions and revision level. Acceptable hole diameters range from 10.2 mm to 40.4 mm. Preferred file format is .pdf. Not for use for rear suspension, fifth wheel or other published frame drilling code. Does not replace clear frame space requests or custom frame layout.	\$1,465	0#

Fifth Wheels

Holland Fixed Fifth Wheels

6541232	Fifth Wheel: Fixed, Holland FW17Y700XL00 7.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,446	378#
6541234	Fifth Wheel: Fixed, Holland FW17Y800XL00 8.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,446	383#
6541236	Fifth Wheel: Fixed, Holland FW17Y900XL00 9.12 in. height. Outboard mounting angles, 50K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,470	388#
6541401	Fifth Wheel: Fixed, Holland FW31Z700XL00 7.00 in. height. No lube. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,888	392#
6541403	Fifth Wheel: Fixed, Holland FW31Z800XL00 8.00 in. height. No lube. Outboard mounting angles, 55K vertical rating. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,888	402#
6541670	Fifth Wheel: Fixed, Holland FW35Y600XL00 6.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,544	396#
6541672	Fifth Wheel: Fixed, Holland FW35Y700XL00 7.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,544	355#
6541673	Fifth Wheel: Fixed, Holland FW35Y700XR00 7.00 in. height. Outboard mounting angles, 55K vertical rating, RH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,544	402#
6541675	Fifth Wheel: Fixed, Holland FW35Y800XL00 8.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,545	401#

Option	Description	Price	Weight
Fifth Wheels			
Holland Fixed Fifth Wheels			
6541678	Fifth Wheel: Fixed, Holland FW35Y900XL00 9.00 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,545	412#
6541687	Fifth Wheel: Fixed, Holland FW35Z700XL00 6.62 in. height. Outboard mounting angles, 55K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,470	363#
6561554	Fifth Wheel: Aluminum Fixed, Holland FWALZ600XL00 6.3 in. height, plate mount.	\$3,496	278#
Jost Fixed Fifth Wheels			
6591043	Fifth Wheel: Fixed, Jost JSK37USB-PM7X 7.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,333	427#
6591046	Fifth Wheel: Fixed, Jost JSK37USB-PM9X 9.16 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,331	438#
6591059	Fifth Wheel: Fixed, Jost JSK37USB-DB6X 5.85 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,149	359#
6591060	Fifth Wheel: Fixed, Jost JSK37USB-DB7X 6.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,148	361#
6591061	Fifth Wheel: Fixed, Jost JSK37USB-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,187	365#
6591062	Fifth Wheel: Fixed, Jost JSK37USB-DB9X 8.85 in. height. Outboard mounting angles, 50K vertical rating, LH retractable handle. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,180	372#
6591176	Fifth Wheel: Fixed, Jost JSK37USA-DB8X 7.85 in. height. Outboard mounting angles, 50K vertical rating, LH air kingpin release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,558	368#
6591610	Fifth Wheel: Fixed, Jost JSK36NSL-DB6X 5.85 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,099	329#
6591611	Fifth Wheel: Fixed, Jost JSK36NSL-DB7X 6.85 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,097	331#
6591612	Fifth Wheel: Fixed, Jost JSK36NSL-DB8X 7.85 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,096	335#
6591613	Fifth Wheel: Fixed, Jost JSK36NSL-DB9X 8.85 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. The code for additional factory drilled settings is available. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,094	342#



T370: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543021	Fifth Wheel: ILS<=40K air Hol FW35J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,861	466#
6543046	Fifth Wheel: ILS<=40K air Hol FW17J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,631	449#
6543047	Fifth Wheel: ILS<=40K air Hol FW17J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,631	445#
6543052	Fifth Wheel: ILS<=40K air Hol FW35J836XL00 36 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,159	566#
6543054	Fifth Wheel: ILS<=40K air Hol FW35J924XL00 24 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,988	522#
6543086	Fifth Wheel: ILS<=40K air Hol FW31J812XL00 12 in. slide, 8.1 in. height. No lube. Outboard mounting angles. 55K. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,170	496#
6543210	Fifth Wheel: ILS<=40K air Hol FW35J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,987	521#
6543214	Fifth Wheel: ILS<=40K air Hol FW35J736XL00 36 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,115	561#
6543218	Fifth Wheel: ILS<=40K air Hol FW35J748XL00 48 in. slide, 6.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,542	609#
6543222	Fifth Wheel: ILS<=40K air Hol FW35J812XL00 12 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,866	471#
6543226	Fifth Wheel: ILS<=40K air Hol FW35J824XL00 24 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,987	518#
6543236	Fifth Wheel: ILS<=40K air Hol FW35J848XL00 48 in. slide, 7.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,671	614#
6543240	Fifth Wheel: ILS<=40K air Hol FW35J912XL00 12 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,928	475#
6543248	Fifth Wheel: ILS<=40K air Hol FW35J936XL00 36 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,242	570#



T370: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543252	Fifth Wheel: ILS<=40K air Hol FW35J948XL00 48 in. slide, 8.8 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,653	618#
6543300	Fifth Wheel: ILS<=40K air Hol FW31J712XL00 12 in. slide, 7.1 in. height. No lube w/ outboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,332	491#
6543303	Fifth Wheel: ILS<=40K air Hol FW31J724XL00 24 in. slide, 7.1 in. height. No lube. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,224	538#
6543306	Fifth Wheel: ILS<=40K air Hol FW31J736XL00 36 in. slide, 7.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,461	586#
6543309	Fifth Wheel: ILS<=40K air Hol FW31J748XL00 48 in. slide, 7.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,885	634#
6543315	Fifth Wheel: ILS<=40K air Hol FW31J824XL00 24 in. slider, 8.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,224	543#
6543318	Fifth Wheel: ILS<=40K air Hol FW31J836XL00 36 in. slide, 8.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,488	591#
6543321	Fifth Wheel: ILS<=40K air Hol FW31J848XL00 48 in. slide, 8.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,938	639#
6543324	Fifth Wheel: ILS<=40K air Hol FW31J912XL00 12 in. slide, 9.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,191	500#
6543327	Fifth Wheel: ILS<=40K air Hol FW31J924XL00 24 in. slide, 9.1 in. height. No lube, outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,392	547#
6543330	Fifth Wheel: ILS<=40K air Hol FW31J936XL00 36 in. slide, 9.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$2,676	595#
6543333	Fifth Wheel: ILS<=40K air Hol FW31J948XL00 48 in. slide, 9.1 in. height. Outboard mounting angles, 55K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$3,049	643#
6543400	Fifth Wheel: ILS<=40K air Hol FW17J712XL00 12 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,646	441#

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6543403	Fifth Wheel: ILS<=40K air Hol FW17J724XL00 24 in. slide, 6.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,927	488#
6543415	Fifth Wheel: ILS<=40K air Hol FW17J824XL00 24 in. slider, 7.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,774	493#
6543427	Fifth Wheel: ILS<=40K air Hol FW17J924XL00 24 in. slider, 8.8 in. height. Outboard mounting angles, 50K vertical rating, LH release. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections. Limited to use with 40K & under suspensions. Not available with lift axles.	\$1,774	497#
6543894	Fifth Wheel: ILS Air, Hol FW31L918XL00 18.0 in. slide, 9.11 in. height. No lube, inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,948	538#
6544021	Fifth Wheel: ILS Air, Hol FW35L718XL00 18.0 in. slide, 7.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,396	554#
6544024	Fifth Wheel: ILS Air, Hol FW35L836XL00 36.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,471	587#
6544025	Fifth Wheel: ILS Air, Hol FW35L848XL00 48.0 in. slide, 8.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,760	629#
6544026	Fifth Wheel: ILS Air, Hol FW35L918XL00 18.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,397	564#
6544027	Fifth Wheel: ILS Air, Hol FW35L924XL00 24.0 in. slide, 9.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,396	550#
6544030	Fifth Wheel: ILS Air, Hol FW35L018XL00 18.0 in. slide, 10.11 in. height. Inboard mounting angles, 55K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,420	577#
6560002	Fifth Wheel: Air, ILS Holland, FWALJ712XL00 12in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$4,030	397#
6560003	Fifth Wheel: Air, ILS Holland, FWALJ724XL00 24in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$4,096	444#
6560004	Fifth Wheel: Air, ILS Holland, FWALJ736XL00 36in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$4,453	492#
6560005	Fifth Wheel: Air, ILS Holland, FWALJ748XL00 48in. slide, 7.0 in. height. Aluminum, outboard mounted.	\$4,899	540#



T370: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Holland Air-Sliding Fifth Wheels			
6560006	Fifth Wheel: Air, ILS Holland, FWALJ812XL00 12in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$4,079	402#
6560007	Fifth Wheel: Air, ILS Holland, FWALJ824XL00 24in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$4,493	449#
6560008	Fifth Wheel: Air, ILS Holland, FWALJ836XL00 36in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$4,486	497#
6560009	Fifth Wheel: Air, ILS Holland, FWALJ848XL00 48in. slide, 8.0 in. height. Aluminum, outboard mounted.	\$5,095	545#
6560055	Fifth Wheel: Air, ILS Holland, FWALJ912XL00 12in. slide, 9.0in. height. Aluminum, outboard mounted.	\$4,080	406#
6560056	Fifth Wheel: Air, ILS Holland, FWALJ924XL00 24in. slide, 9.0in. height. Aluminum, outboard mounted.	\$4,098	453#
6560057	Fifth Wheel: Air, ILS Holland, FWALJ936XL00 36in. slide, 9.0in. height. Aluminum, outboard mounted.	\$4,371	501#
6560058	Fifth Wheel: Air, ILS Holland, FWALJ948XL00 48 in. slide, 9.0 in. height. Aluminum, outboard mounted.	\$4,900	549#
Jost Air-Sliding Fifth Wheels			
6593072	Fifth Wheel: Air, Jost JSK37USB-A8PX16 16.0 in. slide, 7.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,652	537#
6593090	Fifth Wheel: Air, Jost JSK37USB-A7PX12 12.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,644	520#
6593091	Fifth Wheel: Air, Jost JSK37USB-A7PX16 16.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,729	531#
6593092	Fifth Wheel: Air, Jost JSK37USB-A7PX24 24.0 in. slide, 6.75 in. height. Outboard mounting angles, 50K vertical rating, retractable LH handle. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,889	555#
6593703	Fifth Wheel: Air, Jost JSK36NSL-A8PX12 12.0 in. slide, 7.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,367	494#
6593704	Fifth Wheel: Air, Jost JSK36NSL-A9PX12 12.0 in. slide, 8.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,491	501#
6593706	Fifth Wheel: Air, Jost JSK36NSL-A8PX16 16.0 in. slide, 7.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,496	507#



T370: FRAME & EQUIPMENT

Option	Description	Price	Weight
Fifth Wheels			
Jost Air-Sliding Fifth Wheels			
6593707	Fifth Wheel: Air, Jost JSK36NSL-A9PX16 16.0 in. slide, 8.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,494	512#
6593709	Fifth Wheel: Air, Jost JSK36NSL-A8PX24 24.0 in. slide, 7.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,608	529#
6593710	Fifth Wheel: Air, Jost JSK36NSL-A9PX24 24.0 in. slide, 8.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,606	536#
6593712	Fifth Wheel: Air, Jost JSK36NSL-A8PX36 36.0 in. slide, 7.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,924	567#
6593713	Fifth Wheel: Air, Jost JSK36NSL-A9PX36 36.0 in. slide, 8.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$1,922	576#
6593715	Fifth Wheel: Air, Jost JSK36NSL-A8PX48 48.0 in. slide, 7.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,377	604#
6593716	Fifth Wheel: Air, Jost JSK36NSL-A9PX48 48.0 in. slide, 8.75 in. height. Lightweight top plate. Outboard mounting angles, 45K vertical rating, LH release. Air slide control valve standard in dash. Accommodates a 2 in. SAE kingpin. Requires some style of trailer connections.	\$2,375	609#
Rear Frame Equipment			
Quarter Fenders			
6734005	Quarter Fenders: Stainless Steel w/ Painted Steel brackets, single post mounted.	\$321	55#
6737120	Quarter Fenders: Black Polypropylene w/ painted steel brackets, single post mounted, 21 in. white top flap with logo.	\$183	43#
End-Of-Frame Configurations			
Non-Towing Configuration			
6741011	Square end-of-frame w/ crossmember; non-towing.	\$145	41#
6741023	Square end-of-frame w/ bolted crossmember, non-towing.	\$205	41#
6742009	Square end-of-frame w/o crossmember; non-towing.	STD	0#
6744121	Tractor Taper w/o crossmember. Non-towing end-of-frame configuration.	\$45	-6#
6744122	Short Tractor Taper w/o crossmember. Non-towing end-of-frame configuration.	\$35	-4#
Hooks & Chain Loops			
6490144	1 Pro-Tech chain hanger, 35-5950CP LH rail with removable lid & cable pin.	\$225	15#



T370: FRAME & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Rear Frame Equipment

Hooks & Chain Loops

6710080	Two rams horn open rear tow hooks, not for trailer towing.	\$104	17#
6710157	Holland: PH-30RP41 pintle hook mounted on 15,000 lb rear suspension crossmember for use with Airglide suspensions. For yarding dollies, no trailers. 6,000lb vertical rating.	\$137	11#
6710158	Holland: PH-30RP41 pintle hook mounted on 15,000 lb rear suspension crossmember for use with Reyco, Hendrickson HAS or Neway suspensions. For yarding dollies, no trailers. 6,000lb vertical rating.	\$280	11#
6792810	Safety chain loops - Dual.	\$119	2#

Rear Mudflap Equipment

Arms

6721102	Rear mudflap arms: Betts B-25 standard-duty, straight. Includes B1732 mounting brackets as standard.	\$74	12#
6721144	Rear mudflap arms: Fleetline FF30SS, tapered spring loaded & stainless steel.	\$300	20#
6721163	Rear mudflap arms: Fleet Engineers, FB27 shortie 033-04734. Conspicuity on extended flange. 45 degree angle, painted black RoadKote.	\$123	22#
6721164	Rear mudflap arms: Fleet Engineers, FB27 shortie 033-00865. 45 degree angle, polished stainless steel.	\$200	0#

Shields

6722000	Rear mudflap shields: White plastic antisail w/ Kenworth logo.	\$68	9#
6722065	Rear mudflap shields: Fleetline black rib poly. Antispray w/o logo 24 in.X27 in.	\$73	2#
6722094	Rear mudflap shields: Black rubber anti-sail w/o logo. 28 in. x 30 in., 25 in. thickness.	\$123	17#
6723287	Rear mudflap shields: Fleet Engineers AeroFlap. Black, polypropylene material. Without Kenworth logo. Not for use with Kenworth Aero Package.	\$99	4#

Delivery Restriction Notifications

6679804	Do not drive: Marker lights are deleted. Unit may be decked. Transporter review delivery options. Requires code 9029025.	\$0	0#
6679806	Do not drive: Bumper is deleted. Unit may be decked. Transporter review delivery options. Requires code 6309910 or 6309912.	\$0	0#
6679812	Speed limited tires: Less than 65MPH. Dealer to review delivery options w/transporter.	\$0	0#
6679823	Dealer to review delivery restrictions w/ transporter. Units equipped with transfer case.	\$0	0#
6679828	Chassis too long for delivery in standard 3 way due to long cutoff. Dealer to review delivery options w/ transporter.	\$0	0#



T370: FRAME & EQUIPMENT

Option	Description	Price	Weight
Delivery Restriction Notifications			
6679836	Dealer Review Delivery Restrictions w/ transporter. Chassis lacking required safety equipment such as fenders, lighting, or bumpers & cannot be driven but may be decked.	\$0	0#
6679911	Component Restriction: Do Not Drive- Unit may be decked.	\$0	0#



T370: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
22"			
Under - Replace			
7010056	Fuel Tank: 56 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	(\$126)	-19#
7010075	Fuel Tank: 75 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	(\$91)	-11#
7010100	Fuel Tank: 100 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$126	0#
7010120	Fuel Tank: 120 US gallon 22in. aluminum under replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	\$230	8#
Under - Add			
7012056	Fuel Tank: 56 US gallon 22in. aluminum under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,272	81#
7012075	Fuel Tank: 75 US gallon 22in. aluminum under add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,275	90#
Behind - Replace			
7014056	Fuel Tank: 56 US gallon 22in. aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	(\$169)	-45#
7014075	Fuel Tank: 75 US gallon 22in. aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	(\$147)	-36#
7014100	Fuel Tank: 100 US gallon 22in. aluminum BOC replace. Class 8 fuel tank includes an anti-siphon device on the filler neck.	(\$121)	-25#
Behind - Add			
7016056	Fuel Tank: 56 US gallon 22in. aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,218	72#
7016075	Fuel Tank: 75 US gallon 22in. aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,222	81#
7016100	Fuel Tank: 100 US gallon 22in. aluminum BOC add. Class 8 fuel tank includes an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,250	119#
24.5"			
Under - Replace			
7210056	Fuel Tank: 56 US gallon 24.5in. aluminum under replace.	(\$55)	-45#



T370: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Round			
Aluminum Diesel			
24.5"			
Under - Replace			
7210075	Fuel Tank: 75 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/o locking caps include an anti-siphon device on the filler neck.	\$29	-16#
7210090	Fuel Tank: 90 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$66	-11#
7210100	Fuel Tank: 100 US gallon 24.5in. aluminum under replace. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck.	\$90	-8#
Under - Add			
7212056	Fuel Tank: 56 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,217	81#
7212075	Fuel Tank: 75 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,301	136#
7212090	Fuel Tank: 90 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,364	141#
7212100	Fuel Tank: 100 US gallon 24.5in. aluminum under add. Class 8 fuel tanks w/ o locking caps include an anti-siphon device on the filler neck. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,388	144#
Rectangular Steel			
Under - Replace			
7130045	Fuel Tank: 45 US gallon, rectangular steel with step under replacement.	STD	0#
Under - Add			
7132045	Fuel Tank: 45 US gallon, rectangular steel w/ step under add. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,344	119#
Behind - Replace			
7134045	Fuel Tank: 45 US gallon rectangular steel BOC replace.	(\$132)	0#
7134545	Fuel Tank: 45 US gallon rectangular steel inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system.	\$2,344	10#
7134570	Fuel Tank: 70 US gallon rectangular steel inframe replace. Mounted behind the rear axle. Includes auxiliary fuel supply tube. Single fuel tank fuel system.	\$2,469	38#



T370: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Rectangular Steel			
Behind - Add			
7135045	Fuel Tank: 45 US gallon, rectangular steel BOC. Multiple tank installations include a fuel equalization system w/ dual draw and return lines with a splitter valve located within 6 inches behind the cab. Single draw and return is an option in some cases.	\$1,127	126#
Bright Finish			
Polished Aluminum			
7840015	Polish only one aluminum tank.	\$253	0#
7840029	Polish only two aluminum tanks.	\$505	0#
Polished Stainless Steel			
7889061	Polished stainless steel tank straps for 1 tank.	\$62	0#
7889062	Polished stainless steel tank straps for 2 tanks.	\$124	0#
Fuel Tank Equipment			
Fuel Tank Steps			
7831008	6 in. wide lower fuel tank step, for one 22 in. or 24.5 in. tank LH.	\$33	2#
7831016	Lower fuel tank step 6in. wide for one 22in. 56 gallon RH under tank.	\$35	4#
7831030	Fuel Tank Steps: 6in. wide upper & lower F/1 RH under round tank 22in. NFPA Compliant.	\$177	8#
7831032	Fuel Tank Steps: 6in. wide upper & lower F/1 LH under round tank 22in. NFPA Compliant.	\$177	8#
7831034	Fuel Tank Steps: 6in.wide upper & lower 1RH/1LH under round tank 22in. Only NFPA Compliant.	\$354	16#
7831040	Fuel Tank Steps: 6in. wide upper & lower F/1 RH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$157	8#
7831042	Fuel Tank Steps: 6in. wide upper & lower F/1 LH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$157	8#
7831044	Fuel Tank Steps: 6in.wide upper & lower 1RH/1LH under round tank 24.5in. NFPA Compliant. Includes fuel tank crossbrace.	\$313	16#
7839715	Ladder-type step below fuel tank under cab - LH side.	\$222	20#
7839716	Ladder-type step below fuel tank under cab - RH side.	\$222	20#
Tank Supports			
7814003	Steel raised tank supports 1 in.under cab. For T3 two 22in. fuel tanks only.	\$107	0#
7814004	Steel raised tank supports 1 in.under cab. For T3 one 22in. fuel tank only.	\$103	0#
7814013	Steel raised tank supports 1 in BOC. For two T3 22in. fuel tanks only.	\$107	0#



T370: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
--------	-------------	-------	--------

Fuel Tank Equipment

Tank Supports

7814014	Steel raised tank supports 1 in.BOC. For one T3 22in. fuel tank only.	\$103	0#
---------	---	-------	----

Tank Miscellaneous

7889021	Fuel tank locking cap(s). Not available w/ hydraulic tank. Tank lock does not match ignition/cab/sleeper locks.	\$94	0#
---------	---	------	----

7889227	Fuel tank caps for a fleet keyed alike. Use w/ locking fuel tank cap code 7889021.	\$25	0#
---------	--	------	----

7889245	Anti-siphon device in fuel tank filler neck. For any number of fuel tanks.	\$54	1#
---------	--	------	----

Tank Location

7910030	Location: 30 gal fuel tank RH under cab.	\$0	0#
---------	--	-----	----

7910045	Location: 45 gal fuel tank RH under cab.	\$0	0#
---------	--	-----	----

7910050	Location: 50 gal fuel tank RH under cab.	\$0	0#
---------	--	-----	----

7910056	Location: 56 gal fuel tank RH under cab.	\$0	0#
---------	--	-----	----

7910075	Location: 75 gal fuel tank RH under cab.	\$0	0#
---------	--	-----	----

7910090	Location: 90 gal fuel tank RH under cab.	\$0	0#
---------	--	-----	----

7910100	Location: 100 gal fuel tank RH under cab.	\$0	0#
---------	---	-----	----

7910120	Location: 120 gal fuel tank RH under cab.	\$0	0#
---------	---	-----	----

7920030	Location: 30 gal fuel tank LH under cab.	\$0	0#
---------	--	-----	----

7920040	Location: 40 gal fuel tank LH under cab.	\$0	0#
---------	--	-----	----

7920045	Location: 45 gal fuel tank LH under cab.	\$0	0#
---------	--	-----	----

7920050	Location: 50 gal fuel tank LH under cab.	\$0	0#
---------	--	-----	----

7920056	Location: 56 gal fuel tank LH under cab.	\$0	0#
---------	--	-----	----

7920075	Location: 75 gal fuel tank LH under cab.	\$0	0#
---------	--	-----	----

7920090	Location: 90 gal fuel tank LH under cab.	\$0	0#
---------	--	-----	----

7920100	Location: 100 gal fuel tank LH under cab.	\$0	0#
---------	---	-----	----

7920120	Location: 120 gal fuel tank LH under cab.	\$0	0#
---------	---	-----	----

7930035	Location: 35 gal fuel tank RH behind cab.	\$0	0#
---------	---	-----	----

7930045	Location: 45 gal fuel tank RH behind cab.	\$0	0#
---------	---	-----	----



T370: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
Tank Location			
7930050	Location: 50 gal fuel tank RH behind cab.	\$0	0#
7930056	Location: 56 gal fuel tank RH behind cab.	\$0	0#
7930075	Location: 75 gal fuel tank RH behind cab.	\$0	0#
7930100	Location: 100 gal fuel tank RH behind cab.	\$0	0#
7930120	Location: 120 gal fuel tank RH behind cab.	\$0	0#
7940035	Location: 35 gal fuel tank LH behind cab.	\$0	0#
7940040	Location: 40 gal fuel tank LH behind cab.	\$0	0#
7940045	Location: 45 gal fuel tank LH behind cab.	\$0	0#
7940050	Location: 50 gal fuel tank LH behind cab.	\$0	0#
7940056	Location: 56 gal fuel tank LH behind cab.	\$0	0#
7940075	Location: 75 gal fuel tank LH behind cab.	\$0	0#
7940100	Location: 100 gal fuel tank LH behind cab.	\$0	0#
7940120	Location: 120 gal fuel tank LH behind cab.	\$0	0#
7952045	Location: 45 gal fuel tank inframe behind rear axle.	\$0	0#
7952070	Location: 70 gal fuel tank inframe behind rear axle.	\$0	0#

DEF Tanks & Equipment

Tanks

7722152	Rectangular DEF tank. The tank will be located just forward of the under cab component on the side you specified. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	STD	0#
7722153	Small round DEF tank. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$92	-26#
7722154	Medium round DEF tank. The DEF tank will be located on the side you specified. If you have specific configuration or body builder concerns, please utilize the Custom Frame Layout option. Standard capacity is calculated by fuel capacity of the vehicle and will accommodate two diesel fill-ups for every DEF fill-up. For 1:1 DEF fuel fill ratio, add 7889204.	\$208	-11#

DEF Tank Miscellaneous

7840038	Polished cover for 1 DEF tank any size.	\$290	3#
7889098	Polished straps for 1 DEF Tank any size.	\$46	0#



T370: FUEL TANKS & EQUIPMENT

Option	Description	Price	Weight
DEF Tanks & Equipment			
DEF Tank Miscellaneous			
7889203	DEF to fuel fill ratio 2:1 or greater.	\$0	0#
7889204	DEF to fuel fill ratio between 1:1 and 2:1.	\$0	0#
DEF Tank Location			
7889603	DEF tank location is RH.	\$0	0#
7889604	DEF tank location is LH.	\$0	0#



T370: CAB EXTERIOR

Option	Description	Price	Weight
Cabs			
8024310	Cab: Curved Glass Conventional. Cab Includes aluminum & fiberglass fully hucked cab w/ all aluminum bulkhead doors & continuous stainless steel piano-style door hinges. Single electric horn standard. Incandescent exterior lights include diagnosable bulb detection and warning. Trailer cable on tractors includes integrity detection. Standard features include multiplex wiring for interior lights, automated pre-trip inspection (excluding T3 series), short and open check diagnostics. Warning alarm will sound when lights are left on.	STD	0#
Windows			
Rear Cab			
8871438	Rear Cab Stationary Window 17 in. x 36 in.	STD	0#
8873795	Rear cab sliding window 17 in. x 36 in.	\$114	2#
8879922	Solid rear wall. Deletes rear cab window.	\$0	-15#
Corner & Rear Cab			
8879911	Two corner & one rear cab stationary windows 17.5 in. x 16 in. (two) & 17 in. x 36 in. (one).	\$617	24#
RH Peeper Door			
8879590	Fresnel lens for peeper window, RH door 10-1/8 in. X 11-1/8 in. Replaces standard peeper window.	\$58	0#
Hoods, Fenders & Grilles			
Hoods, Fenders & Grilles			
8090310	Hood: Sloped aerodynamic hood includes grill & separate bumper.	STD	0#
8890347	Wheelwell FNDR Extension: 4.9in Thermoplastic. Covers Tread Width Up To 102in.	\$369	6#
Cab & Sleeper Aerodynamic Devices			
Airshield Roof Fairing			
8823010	One piece roof fairing without side trim tabs. Brackets are painted and installed at plant. Roof fairing is shipped to dealer from supplier for paint and installation. *No rubber extender included.	\$998	88#
8824302	Two piece Cab roof fairing without side trim tabs. Fairing has base/clear coat (EB) finish and is nested for delivery. *No rubber extender.	\$2,366	76#
8824402	Two piece Cab roof fairing without side trim tabs. Fairing has single stage paint (EA) finish (single stage paint with no clear coat) and is nested for delivery. *No rubber extender.	\$2,414	76#
8824902	Two piece Cab roof fairing without side trim tabs. Fairing has White Gel-coat finish and is nested for delivery. *No rubber extender.	\$2,414	76#
Other			
8821914	Brackets only for Two-piece roof fairing. *Dealer to source roof fairing.	\$217	11#
8821916	Brackets only for One-piece roof fairing. *Dealer to source roof fairing.	\$186	11#



T370: CAB EXTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Cab Structure Miscellaneous

8080137	Cab door bearing blocks, top & bottom.	\$33	0#
---------	--	------	----

Cab Access

8800200	Cab access contoured grabhandles, LH/RH.	STD	0#
8800377	LH & RH NFPA Compliant Grabhandles	\$318	4#
8800400	Grabhandle: LH inside door frame above dash.	\$33	0#
8800401	Grabhandle: RH inside door frame above dash.	\$33	2#
8800733	Grabhandle: LH w/ short extension over door.	\$46	4#
8800734	Grabhandle: RH w/ short extension over door.	\$46	4#

Horns

Air Horns

8841303	Single Rectangular Air Horn 23 in. LH Top of Roof Includes Air Horn Cover.	\$173	6#
8841411	Single air horn under cab.	\$108	3#
8841618	Dual rectangular air horn 23 in. LH & RH top of roof. Includes air horn covers.	\$264	11#
8841629	Air Horn Mounted On Rear Side of LHUC Battery Box	\$116	2#
8841630	Air Horn:Single Inbd LH Under On Support Rnd Fuel - Air Horn: Single Mntd Inbd LH Under Cab On Support For Round Fuel Tank	\$116	2#
8841631	Air Horn Mounted On Side of LH Back of Cab Battery Box.	\$116	0#

Other

8845105	Solenoid, switch & wiring for customer-installed air horn on T300 chassis. If the chassis has hydraulic brakes, it will require code 1000307 for Accessory air system for hydraulic brakes.	\$47	0#
---------	---	------	----

Mirrors & Equipment

Dual Rear View Mirrors

8862101	Mirror: Dual Prutsman mirror 7 in. x 16 in. polished stainless steel, and non-heated.	STD	0#
8865000	Mirror: Dual Kenworth aerodynamic heated motorized 7 in. x 13 in. mirrors. Mirror shell painted cab color, mirror arms black. LH/RH convex mirrors 5 in. x 7 in. heated. Mirror brackets set for 8-1/2 ft load width. Switch located on door pad.	\$452	26#
8865001	Mirror: Dual Kenworth aerodynamic heated motorized 7 in. x 13 in. mirror w/ chrome shell. LH/RH convex mirrors 5 in. x 7 in. heated. Mirror brackets set for 8 1/2 ft load width. Switch located on door pad.	\$377	26#



T370: CAB EXTERIOR

Option	Description	Price	Weight
Mirrors & Equipment			
Dual Rear View Mirrors			
8866101	Mirror: Dual Prutsman mirror 7 in. x 16 in. polished stainless steel, thermostatically controlled. switch located on door pad.	\$48	0#
8866102	Mirror: Dual Prutsman Lighted Mirrors 7 in. x 16 in. Polished Stainless Steel, Thermostatically Controlled & Lighted. Switch Located On Door Pad.	\$95	2#
8867200	Mirror: Dual Moto Heated Mirrors 7 in. x 16 in. LH Fixed, RH Remote Controlled. Switch Located On Door Pad.	\$327	-2#
8867202	Mirror: Dual Moto heated mirrors 7 in. x 16 in. LH & RH remote controlled. Switch located on door pad.	\$516	4#
Mirror Brackets			
8869005	Mirror brackets 8-1/2 ft load width.	STD	0#
Diminishing Convex Mirror			
Rider Side			
8850144	Delete Pass. Door Look-Down Mirror	\$0	0#
8850300	Look-Down, Pass. Door, Stainless 8.5x4.4	STD	0#
Bracket Mounted Below Regular Mirror			
8850210	Dual convex mirrors 7-1/2 in. w/ offset mounting, and non-heated.	STD	0#
8850235	Dual convex mirror 8.5 inch w/ offset mounting below regular mirror, and non-heated.	\$45	0#
8863570	Dual convex heated mirror 8.5 inch w/ offset mounting below regular mirror.	\$51	11#
Fender Mounted			
8850717	Mirror: RH Fender Mounted, Round Convex	\$105	4#
8850817	Mirror: Dual Fender Mounted, Round Convex	\$233	8#
Hood Mounted			
8850812	Mirror: LH Hood Mounted, Round Convex, Chrome	\$137	4#
8850813	Mirror: RH Hood Mounted, Round Convex, Chrome	\$137	4#
Window Equipment			
Door Window Lifts			
8879200	Manual LH & electric-powered RH door window. Switch located on door.	STD	0#
8879213	Electric-powered LH & RH door window lifts. Switch located on door.	\$201	0#



T370: CAB EXTERIOR

Option	Description	Price	Weight
Window Equipment			
Windshield & Equipment			
8890105	Two-Piece Roped-In Windshield, W/ Curved Glass.	\$109	2#
Exterior Sunvisors			
8890134	Exterior aerodynamic sunvisor w/ integral marker lights.	\$288	6#
8890135	Exterior stainless steel sunvisor.	\$391	11#
Doors & Equipment			
Doors			
8832115	Daylite Door: LH/RH includes RH peeper window	STD	0#
Door Lock Options			
8203060	5 sets of keys. Replaces standard 2 sets of keys.	\$28	0#
8203088	All chassis on this order keyed alike. Only includes ignition & doors.	\$110	0#
8203190	Key Lock: Customer Specified Tumbler Part Number. Only Includes Ignition and Doors.	\$366	0#
Other			
8700188	Remote Keyless Entry	\$345	0#



T370: CAB INTERIOR

Option	Description	Price	Weight
Cabs & Sleepers			
Interior			
8330003	Cab interior: Pinnacle. Includes vinyl headliner & cab back panel, slate gray interior, dark slate gray seats, floormats, LH/RH inside sunvisor & door courtesy lights.	STD	0#
8330013	Cab interior: Apex. Includes cloth headliner & cab back panel, slate gray interior color, dark slate gray seats, floormats, LH/RH inside sunvisors & door courtesy lights.	\$244	0#
Interior Lights			
8700144	Dome lamp over driver door.	\$24	0#
Heaters & Air Conditioning			
8104004	Cab heater: W/integral defrosters. 5 mode rotary control in dash. 45,000 btu cab heater w/o AC. No sleeper heater/AC. Includes 5 mode rotary control.	(\$266)	-68#
8108010	Cab heater: W/integral defrosters & A/C 45,000 btu cab heater. No sleeper heater/AC. Includes 5 mode rotary control. T660 include filter media.	STD	0#
Miscellaneous			
8190564	Air Conditioning Excise Tax: Canadian Registry	\$175	0#
Steering Wheels & Equipment			
Other			
8201200	Adjustable telescoping tilt steering column.	\$596	10#
Instruments & Controls			
8240620	Canadian instrument package: KPH speedometer replaces MPH.	\$0	0#
8282004	KW Driver Information Center: Includes fuel economy, RPM display, trip information, truck information, diagnostics, gear display, alarm clock.	\$242	0#
8282006	Odometer units locked to match speedometer dial. Locks instrumentation to record the units of measure indicated by the primary scale. For instance, U.S. Domestic trucks would not be able to toggle from miles to kilometers on the trip odometer.	\$15	0#
8282009	Instrument package: Includes speedometer, tachometer, fuel gauge, engine coolant temperature gauge, engine oil pressure, voltmeter. Class 8 also includes primary & secondary air reservoir gauges & an air application gauge. DEF level gauge and warning lamp are included with 2010+ engines. Engine hour meter and outside air temperature readouts are standard. Primary read out will be MPH. Add 8240620 to switch primary scale to KPH in Canada.	STD	0#
Gauges			
8220106	Gauge: Dash mounted air filter restriction gauge.	\$122	0#
8220110	Direct drive lockup w/PTO engagement. Locks up in 1:1 gear: 4th gear on 6-speed, 5th gear on 7-speed.	\$238	0#
8221100	Gauge: 2 air suspension pressure gauges. For use w/air suspension w/dual leveling valves.	\$287	0#



T370: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Gauges			
8221105	Gauge: Air application gauge.	\$49	0#
8221138	Gauge: Air suspension pressure gauge. For dual leveling valves, not dual read.	\$256	0#
8221144	Gauge: Air suspension pressure gauge.	\$83	0#
8222115	Gauge: All metric gauges.	\$0	0#
8222712	Gauge: Fuel filter restriction gauge.	\$147	0#
8226667	Gauge: Oil Temperature Gauge Transmission. The NavPlus HD unit includes a virtual transmission oil temperature gauge.	\$36	0#
Controls			
8203044	Four position ignition switch, keyless. Available for fire truck service & EMT/emergency service only.	\$15	0#
8203072	Flip Valve/LT/Piping To End-of-Frame Air Accessory. Dash Mounted	\$92	0#
8205021	Flip Valve,Piping:LG Flip Vlv to Apply Front and Rear Service Brakes	\$373	8#
PTO Related			
8205087	Auto Suspension Dump W/PTO Engagement Interlock. This feature automatically dumps air from the truck suspension when any PTO is engaged. The intent of this feature is to deflate the air suspension air bags while the load is raised to help alleviate any imbalance or instability that can occur with the air bags inflated.	\$45	2#
8205093	Information for customer-installed PTO Chelsea 880. 8-bolt. N/A w/ Allison 1000/2000 series transmissions.	\$49	0#
8205118	Information for customer-installed PTO Chelsea 277. 10-bolt. Available only with Allison 3000/4000 series transmissions.	\$49	0#
8205291	Info for C/I PTO: Muncie 6 Bolt	\$0	0#
8205292	Info for C/I PTO: Chelsea 6 Bolt	\$0	0#
PTO Controls			
8205044	Flip Valve/(Small)Piping/LT: Two. For Two Customer-Installed PTO. Single Speed. Dash Mounted. Includes Guard.	\$265	0#
8205045	Flip Valve: On Dash For Single Speed PTO. Customer-Installed. Includes Indicator Light & Piping.	\$366	2#
8205123	Switch & Wiring for Customer-Installed PTO. Electric over hydraulic PTO. Includes switch guard. Wiring is routed to LH frame for connection to the customer installed PTO. No air controls are provided with this code.	\$224	0#
Dash Switches			
8202996	Manual override switch: For fan hub, w/o warning lamp. For fire truck pumpers only. Option used to request fan on only. The engine may turn fan on and off on regardless of switch.	\$24	1#



T370: CAB INTERIOR

Option	Description	Price	Weight
Instruments & Controls			
Dash Switches			
8208495	Two spare switches: Wired to power.	\$79	0#
8208496	Three spare switches: Wired to power.	\$116	0#
8208497	Four Spare Switches: Wired To Power.	\$140	0#
8208498	Five spare switches: Wired to power.	\$143	0#
8208500	One additional spare switch.	\$19	0#
8291002	Mute backup alarm w/buzzer in cab.	\$163	0#
Turn Signals			
8700154	Self cancelling turn signal: W/head light dimmer switch .	\$22	0#
Other			
8208615	30 Amp Power Lead With Ground. Wired Through Ignition To Behind Rider Seat.	\$93	1#
8228423	Custom Dash Layout	\$1,465	0#
8282990	Full burl wood dash panels	\$162	0#
8291301	Warning light: for open trailer ABS fuse	\$184	0#
Seats			
Driver Seats			
8412780	Dr Seat: Static HB Mordura With Dual Armrests	(\$221)	-43#
8412799	Dr Seat: Static HB Vinyl With Dual Armrests	(\$282)	-43#
Kenworth AIR-CUSHION Plus			
8410081	Driver Seat: Kenworth Air Cushion Plus IB Cloth .Standard features include 7 in. fore and aft slide adjustment with isolator, 6 to 23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide with 2 position tilt and 2 position front cushion extension. Seat material has a horizontal stitch pattern and is 2 tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3 point matching seat belts. Grey seat belts.	STD	0#
8410091	Driver seat: Kenworth Air cushion Plus HB cloth. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted and includes a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$145	0#



T370: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Driver Seats			
Kenworth AIR-CUSHION Plus			
8410181	Driver seat: Kenworth Air cushion Plus IB vinyl. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$81	0#
8410191	Driver seat: Kenworth Air cushion Plus HB vinyl. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted and includes a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$131	2#
8410481	Driver seat: Kenworth Air cushion Plus IB Mordura Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$137	0#
8410491	Driver seat: Kenworth Air cushion Plus HB Mordura Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted and includes a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$135	2#
Kenworth AIR-CUSHION Premium Plus			
8410092	Driver seat: Kenworth Air cushion Premium Plus HB cloth. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-58 degree recline, air suspension w/ cover, dual armrests, and triple chamber air lumbar support. Cushion and back include air adjustment. Seat cushion is 20 inches wide w/ 2-position tilt and 6-position front cushion support. Seat material has a horizontal stitch pattern and is 2-tone in color. Standard storage includes a side bolster pocket and a hanging pocket. Seat back is carpeted, and high back seats include a storage pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$348	0#
8410492	Driver Seat: Kenworth Air Cushion Premium Plus HB Mordura. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-58 degree recline, air suspension w/ cover, dual armrests, and triple chamber air lumbar support. Cushion and back include air adjustment. Seat cushion is 20 inches wide w/ 2-position tilt and 6-position front cushion support. Seat material has a horizontal stitch pattern and is 2-tone in color. Standard storage includes a side bolster pocket and a hanging pocket. Seat back is carpeted, and high back seats include a storage pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$429	0#
Sears			
8412793	Driver Seat: Sears Atlas Series 70 IB Fabriform Standard features include 9 in. fore and aft slide adjustment w/isolator, 12 degree recline for day cabs and 22 degree recline for all other cabs, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide & Seat back is carpeted. Includes a suspension cover. Includes retractable 3-point matching seat belts. Seat belts will be black for T3, T4, and gray for all other models. Deleting standard armrests is not available with Sears driver seats. Note: For material color matching, recommend selecting either Mordura or Fabriform for the passenger seat when the drivers seat is Fabriform.	\$376	15#



T370: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Driver Seats			
Sears			
8412795	Driver Seat: Sears Atlas Series 70 HB Fabriform Standard features include 9 in. fore and aft slide adjustment w/isolator, 12 degree recline for day cabs and 22 degree recline for all other cabs, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide & Seat back is carpeted. Includes a suspension cover. Includes retractable 3-point matching seat belts. Seat belts will be black for T3, T4, and gray for all other models. Deleting standard armrests is not available with Sears driver seats. Note: For material color matching, recommend selecting either Mordura or Fabriform for the passenger seat when the drivers seat is Fabriform.	\$389	17#
Driver Seat Other			
8417292	Driver Seat: Seats, Inc. 911 NON-SCBA air suspension HB vinyl/Cordura. Does not include armrests. Includes NFPA compliant air seat height limiter, no code required.	\$634	11#
8420091	Driver seat: Kenworth Air cushion HB cloth. W/suspension air compressor & dual armrests.	\$472	6#
8420191	Driver seat: Kenworth Air cushion HB vinyl. W/suspension air compressor & dual armrests.	\$396	6#
Rider Seats			
Kenworth Steel Toolbox Plus			
8480080	Rider Seat: Kenworth Toolbox Plus IB cloth. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	STD	0#
8480090	Rider seat: Kenworth Toolbox Plus HB cloth. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$116	2#
8480180	Rider seat: Kenworth Toolbox Plus IB vinyl. W/dual armrests.	\$69	-4#
8480190	Rider seat: Kenworth Toolbox Plus HB vinyl. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$100	2#
8480470	Rider Seat: Kenworth Toolbox Plus LB Mordura. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts. This seat is recommended when corner windows are specified.	\$145	0#
8480480	Rider seat: Kenworth Toolbox Plus IB Mordura. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$132	0#
8480490	Rider seat: Kenworth Toolbox Plus HB Mordura. Standard features include fixed base and backrest, tool box seat base w/ door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$151	2#



T370: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Rider Seats			
Kenworth In-Cab Battery Box			
8450080	Rider Seat: Kenworth Plus Battery Box IB Cloth. With dual armrests. Standard features include fixed base and backrest, tool box seat base with door, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2 tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3 point matching seat belts. Grey seat belts.	(\$76)	-39#
8450090	Rider seat: Kenworth Plus battery box HB cloth. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	(\$26)	-35#
8450180	Rider seat: Kenworth Plus battery box IB vinyl. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	(\$85)	-37#
8450190	Rider seat: Kenworth Plus battery box HB vinyl. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted with a map pocket. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$39	-35#
8450470	Rider seat: Kenworth Plus battery box LB Mordura Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	(\$46)	-39#
8450480	Rider seat: Kenworth Plus battery box IB Mordura. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$40	-37#
8450490	Rider seat: Kenworth Plus battery box HB Mordura. Standard features include fixed base and backrest, fixed seat base and backrest, and dual armrests. Seat cushion is 19.5 inches. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$82	-35#
Kenworth AIR-CUSHION Plus			
8460091	Rider seat: Kenworth Air cushion Plus HB cloth. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$260	0#
8480181	Rider seat: Kenworth Air cushion Plus IB vinyl. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$289	33#



T370: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Rider Seats			
Kenworth AIR-CUSHION Plus			
8480191	Rider seat: Kenworth Air cushion Plus HB vinyl. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$296	33#
8480481	Rider seat: Kenworth Air cushion Plus IB Mordura. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$468	33#
8480491	Rider seat: Kenworth Air cushion Plus HB Mordura. Standard features includes 7 in. fore and aft slide adjustment w/isolator, 6-23 degree recline, air suspension with cover, dual armrests, and single chamber air lumbar support. Seat cushion is 20 inches wide w/ 2-position tilt and 2-position front cushion extension. Seat material has a horizontal stitch pattern and is 2-tone in color. Seat back is carpeted. Seat is manufactured by National. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$423	33#
Kenworth AIR-CUSHION Premium Plus			
8460092	Rider seat: Kenworth Air cushion Premium Plus HB cloth. W/dual armrests.	\$617	25#
Sears			
8462793	Rider Seat: Sears Atlas Series 70 IB Fabriform Standard features include 9 in. fore and aft slide adjustment w/isolator, 12 degree recline for day cabs and 22 degree recline for all other cabs, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide & Seat back is carpeted. Includes a suspension cover. Includes retractable 3-point matching seat belts. Seat belts will be black for T3, T4, and gray for all other models. Deleting standard armrests is not available with Sears driver seats. Note: For material color matching, recommend selecting either Mordura or Fabriform for the passenger seat when the drivers seat is Fabriform.	\$532	64#
8462795	Rider Seat: Sears Atlas Series 70 HB Fabriform Standard features include 9 in. fore and aft slide adjustment w/isolator, 12 degree recline for day cabs and 22 degree recline for all other cabs, inboard armrest, and adjustable air lumbar support. Seat cushion is 22 inches wide & Seat back is carpeted. Includes a suspension cover. Includes retractable 3-point matching seat belts. Seat belts will be black for T3, T4, and gray for all other models. Deleting standard armrests is not available with Sears driver seats. Note: For material color matching, recommend selecting either Mordura or Fabriform for the passenger seat when the drivers seat is Fabriform.	\$522	66#
Rider Seat Other			
8478328	Rider seat: 2 man bench Mordura. Standard features include 34.5 in. wide 2-tone seat cushion w/ fixed base. Armrests are not available. Seat back is carpeted. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$496	61#
8478330	Rider seat: 2 man bench vinyl. Standard features include 34.5 in. wide 2-tone seat cushion w/ fixed base. Armrests are not available. Seat back is carpeted. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$525	61#
8480060	Rider seat: 2 man bench cloth. Standard features include 34.5 in. wide 2-tone seat cushion w/ fixed base. Armrests are not available. Seat back is carpeted. Includes inside visor and retractable 3-point matching seat belts. Grey seat belts.	\$533	61#



T370: CAB INTERIOR

Option	Description	Price	Weight
Seats			
Rider Seats			
Rider Seat Other			
8481007	Rider Seat: Fixed 911 SCBA HB Vinyl,Cordura, ICBB Includes deletion of 4 in. fore and aft seat adjust.	\$541	11#
8487394	Rider seat: Fixed 911 SCBA HB vinyl/Cordura. Includes deletion of 4 in. fore & aft seat adjust.	\$441	26#
8489979	Delete standard Rider seat.	(\$314)	-70#
Seat Miscellaneous			
8489899	Driver air seat height limited: NFPA compliant.	\$0	0#
8489901	Rider air seat height limited: NFPA compliant.	\$0	0#
8489910	NFPA Compliance Kit: Includes seat occupancy sensors. Seat belt switches, VDR & seat sensor harness, reflective labels, and a second copy of operators manual.	\$975	60#
8489911	Vehicle data recorder (VDR) Pre-wire Alternative Fire Research VDR harness replacing Weldon harness. Requires code 8489910.	\$0	0#
8490150	Seat color: Jet Black.	\$0	0#
8490170	Seat color: All Jet Black.	\$0	0#
8496559	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	\$61	0#
8496562	Driver/Rider Seat Belts: Red, Replace Standard. Extended Length. Not NFPA Compliant.	\$43	0#
8496575	Driver & Rider Seat Belts: Red, NFPA, Replaces Standard Seat Belts. (Available for NFPA RD Bench)	\$13	0#
8498452	Delete dual DR seat armrests. Not available on GT703 series seats.	\$0	-6#
8498552	Delete dual rider armrests.	\$0	-6#
Cab Accessories			
Storage			
8700044	Beverage holder between seats.	\$88	0#
8700083	Under-dash center console: W/2 cup holders, 1 ashtray, 1 lighter, 1 12V outlet & a storage compartment.	\$100	0#
8700092	Workstation between seats: Includes cupholder, 2 accessory power outlets, hanging file space & writing surface.	\$604	19#
8716000	Two holders: For 2 removable front tow hooks. Rider seat must be toolbox style seat.	\$75	0#
Other			
8721405	Nameplates shipped loose: French. In addition to standard or optional nameplates.	\$0	0#



T370: CAB INTERIOR

Option	Description	Price	Weight
--------	-------------	-------	--------

Cab Accessories

Other

8721410	Spanish nameplates.	\$277	0#
8721455	Delete shipped loose French nameplates. In addition to standard or optional nameplates.	\$0	0#
9399996	Kenworth operator manual: Spanish.	\$0	0#
9399997	Kenworth operator manual: Delete French. Replace w/standard English.	\$0	0#
9399998	Kenworth operator manual: French replacing English.	\$0	0#

Sound Systems

Kenworth Radios

8601429	Kenworth Radio DEA730 AM/FM/WB/USB, Bluetooth & Sirius-XM Satellite	\$688	0#
8601430	Kenworth Radio DEA700 AM/FM/WB	\$288	0#
8601431	Kenworth Radio DEA710 AM/FM/WB/USB, Phone Bluetooth Disabled	\$370	0#
8601432	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	\$370	0#
8601433	Kenworth Radio DEA730 AM/FM/WB/USB, Sirius-XM Satellite/Phone Bluetooth Disabled	\$688	0#
8601435	Kenworth Radio DEA707 AM/FM/WB/USB	\$287	0#

Sound System Equipment

8699017	Telescoping Antenna: Mounted Behind LH Door. Replaces Top-of-Cab Antenna.	\$40	1#
8699147	Solid post antenna: Mounted on LH cowl. Replaces top-of-cab antenna. Recommended for dump trucks, loggers, & where overcab clearance is limited.	\$79	0#
8699191	Antenna, wiring, radio cutout & bracket: For din-mounted radio. Includes speakers.	\$161	4#

CB & Equipment

CB Installation Kit

8699913	Dash-mounted CB assembly: Includes bracket & binding posts. Dual antenna leads located on mirror bracket.	\$171	4#
8699916	Dash mounted CB assembly: W/leads & antennas. Includes dual antenna leads & dual antennas.	\$205	4#

Information & Communication Systems

8700663	Kenworth TruckTech+ The Kenworth Remote Diagnostics system provides the Worlds Best reporting of engine and aftertreatment fault codes, as well as enhanced support for the truck owner through rapid communication of fault severity and recommended actions. This option is Standard on all Heavy Duty Kenworths with a PACCAR MX engine, Cummins X15 engine, PX engine or Natural Gas engine. Optional on Medium Duty Kenworths.	\$1,327	0#
---------	---	---------	----



T370: CAB INTERIOR

Option	Description	Price	Weight
Information & Communication Systems			
8700693	PREWIRE PEOPLENET PMG FOR BACK WALL INSTALL	\$847	0#
8700966	Kenworth NavPlus HD Navigation System: Vantage, Splendor, APEX, Summit, or Pinnacle interior. System hardware includes: head unit that mounts in radio opening and 7in. high resolution touchscreen display mounted in dash area four. Includes: Truck specific navigation by ALK, Sirius and XM satellite radio receiver.	\$2,120	0#
9090157	Prewire: Bendix Fusion Safety Direct SDP to PeopleNet with the back wall mount.	\$190	0#
9212621	24 Month TruckTech+ Subscription for PACCAR PX Engines	\$0	0#
9212622	30 Month TruckTech+ Subscription for PACCAR PX Engines	\$100	0#
9212623	36 Month TruckTech+ Subscription for PACCAR PX Engines	\$175	0#
9212624	42 Month TruckTech+ Subscription for PACCAR PX Engines	\$250	0#
9212625	48 Month TruckTech+ Subscription for PACCAR PX Engines	\$325	0#
9212626	54 Month TruckTech+ Subscription for PACCAR PX Engines	\$400	0#
9212627	60 Month TruckTech+ Subscription for PACCAR PX Engines	\$475	0#



T370: LIGHTS & SIGNALS

Option	Description	Price	Weight
Headlamps			
9010401	Headlamps: High Intensity Discharge (Xenon) Projector Module Low Beam, Halogen Complex Reflector High Beam.	\$396	0#
9010801	Headlamps: Halogen Projector Low Beam, Halogen Complex Reflector High Beam	STD	0#
Marker Lights			
9020164	Marker Lights: with small round base, Five cab roof mounted.	STD	0#
9022135	Marker Lights: Five rectangular.	\$35	0#
9022137	Marker Lights: Five, rectangular, LED	\$91	0#
9026200	Marker Lights: Five aerodynamic mounted in sunvisor.	\$4	0#
9026205	Marker Lights: Five aerodynamic, LED mounted in sunvisor.	\$83	0#
9090039	Marker Lights: Interrupter Switch. Included in Turn Signal For All Models Except T3. The T3 Switch Is In The Dash.	\$61	0#
9090115	Reflectors: Two Midframe	\$20	0#
Turn Signal Lights			
9030010	Turn Signal Lights: Mounted on fender	STD	0#
9039110	Turn Signal Flasher: Kysor solid state.	\$44	0#
Taillights			
9030051	LED Stop,Turn,Tail: With One Non LED Backup Light and With An LED License Plate.	\$22	3#
9030052	LED Stop,Turn,Tail: With Two LED Backup Lights and With An LED License Plate.	(\$7)	3#
9030054	Stop,Turn,Taillight: Trucklite 44 Series 6 LED Red With Two LED Backup Lights. Flange Mounted. Taillights Come On When Fog Lights Are On. With An LED License Plate.	\$129	3#
9030056	Stop,Turn,Taillight: Trucklite 44 Series 6 LED red with two LED backup lights and LED License Plate. Grommet mounted. Taillights come on when fog lights are on.	\$69	4#
9070138	Combination Stop, Tail, Turn & Backup Lights RH & LH.	STD	0#
9070144	Additional 6ft Taillamp Harness: In frame	\$64	0#
9090040	Delete Stop, Tail, Turn & Backup Lights: Only The Lights & Small Jumper That Connects The Lights To The Aft Harness Are Deleted On Medium-Duty. Nothing Is Provided On Gliders.	(\$83)	-6#
Miscellaneous			
8240019	Exterior Audible Alarm: Park Brake Not Set With Door Open	\$285	0#



T370: LIGHTS & SIGNALS

Option	Description	Price	Weight
Miscellaneous			
9090000	Daytime Running Lamps.	\$165	0#
9090126	Electric Backup Alarm: Meets SAE J994 & OSHA requirements.	\$106	4#
9090151	Wiring:Cust. Install Trlr Elec. Brake Controller. Class 8/T4 Content Includes Dash Signals: Ignition Power (20A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To EOF Junction Box. These Signals Are Located Near The NavPlus HD Area. No Need To Code For An Additional End of Frame Junction Box. EOF Junction Box Signals Are: Ground, Tail Lamp, Marker Lamp, Left Turn, Right Turn, Stop Lamp and Electric Trailer Brake Controller Wired To Dash. Medium Duty (not T4) Content Includes A MP 280 Series Connector In Dash Near Driver Door Connections With Signals: Battery Power (40A), Ground, Stop Lamp and Electric Trailer Brake Controller Wired To Chassis Connector. Medium Duty (not T4) 2 Way Deutsch Chassis Connector Located Near Back of Cab, With Signals: Ground and Electric Trailer Brake Controller Wired To Dash Connector.	\$136	1#
9090180	BACKUP ALARM: TAILLIGHT BRACKET MOUNTED VARIABLE SELF ADJUSTING 82-102 DBA	\$100	0#
9090312	Body Builder Lighting Harness Coiled End Of Frame For Additional Customer Installed Exterior Lighting. Harness Includes Circuits for Additional Customer Installed Tail Lamps, Turn Lamps, Stop Lamps, and Marker Lamps.	\$138	0#
9090845	Circuit Breakers: Replacing fuses. Does not apply to any 5-amp fuse box position. Brakers include stop/brake/turn, tail lamp, high & low beams, marker/clearance lamps, horn, fuel heat, gauges, air dryer, HVAC controls, panel lamps. Some circuits will remain fuses.	\$36	0#
Beacon Lights			
Customer-Installed			
9080202	Switch & Wiring: Customer-installed dual beacon lights w/o insulators. Coiled wire behind dash.	\$91	1#
Floodlights			
First Set			
9052011	Dual Flush Floodlights: First Set	\$131	2#
Switches for Customer-Installed			
9058037	Switch & Wiring for Customer-Installed Floodlight W/O Electrical Pass-Through - 1st Set. Wire Coiled BOC/BOS.	\$108	0#
Location Codes			
9059901	Floodlight Location: Located High - First Set. This Code To Be Used With Flush-Mount (9052011) or C/I (9058071) Codes Only.	\$0	0#
9059911	Floodlight Location: Located Mid - First Set	\$0	0#
Miscellaneous			
9058030	Dual Floodlights:Top-Mirror Mounted - First Set	\$313	11#



T370: AIR EQUIPMENT

Option	Description	Price	Weight
Air Drying Equipment			
Moisture Ejection Valve			
9102040	Moisture ejection valve: Two Bendix DV-2 drain valves on service tanks use w/ AD-IS only. Heated.	\$246	0#
9108001	Moisture ejection valve w/ pull cable drain.	\$14	0#
Air Dryer			
9101022	Delete standard air dryer.	(\$367)	-11#
9101023	Air dryer: Bendix AD-SP heated. With 2010 engine installations the dryer is mounted under the hood.	(\$21)	0#
9101218	Air Dryer: Bendix AD-HF Puraguard Heated	STD	0#
9101219	Air Dryer: Bendix AD-HF Extended Purge Heated With Puraguard	\$108	0#
Air System Miscellaneous			
9140236	Locate air dryer outside LH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140238	Locate air dryer outside RH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140248	Locate air dryer under LH rail BOC This code requires the use of a custom frame layout code.	\$0	0#
9140249	Locate air dryer under RH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140252	Locate air dryer inside LH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140254	Locate air dryer inside RH rail BOC. This code requires the use of a custom frame layout code.	\$0	0#
9140267	Locate air dryer inside RH rail BOC	\$733	0#
9140268	Locate air dryer inside LH rail BOC	\$733	0#
9140269	Locate air dryer outside LH rail BOC	\$733	0#
9140270	Locate air dryer outside RH rail BOC	\$733	0#
Air Tank Locations			
9140286	Air tanks: clear of left side of transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140287	Air tanks: clear of right side of transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140288	Air tanks: clear of transmission area. This code requires the use of a custom frame layout code.	\$0	0#
9140289	Air tanks: mounted inside frame flanges where possible. This code requires the use of a custom frame layout code.	\$0	0#



T370: AIR EQUIPMENT

Option	Description	Price	Weight
Air & Electrical Supply Kits			
Tractor			
9110037	Air & Electrical Supply Kits: Tractor BOC-mounted kit w/ slidebar, spring hanger and composite gladhand/light plug holder mounted on back of cab/sleeper. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard.	\$896	19#
9110068	Air & Electrical Supply Kits: Tractor LH frame- mounted kit w/ hosetenna. Includes composite gladhand/light plug holder. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve and tractor protection valve are standard. Air lines are detachable at one end only, light lines are detachable at both ends. Conspicuity components are standard. Use code 9140177 for short hosetenna option, this is not available on the T3 series.	\$755	24#
Full Truck			
9110020	Full truck kit: Gladhands mounted at end-of- frame. Seven-way female receptacle mounted at end-of- frame in taillamp bracket. Kit includes dash mounted trailer air supply valve, trailer hand control valve, and hoses/fittings for the valves. Dash mounted parking brake valve, tractor protection valve, and spring brake inversion/relay valves are standard.	\$605	15#
Air & Light Line Options			
9120010	Air & light line length: 10 feet, Straight lines	\$0	0#
9120012	Air & light line length: 12 feet, Straight lines	\$0	0#
9120014	Air & light line length: 14 feet, Straight lines	\$0	0#
9120015	Air & light line length: 15 feet, Straight lines	\$0	0#
9120016	Air & light line length: 16 feet, Straight lines	\$0	0#
9121051	Philatron 15 ft Coiled Air Line. Must code for tractor kit. use code 9121115	\$28	0#
9121112	Coiled air & light lines replacing straight lines . Included in tractor kit. 12ft working length.	\$38	0#
9121115	Coiled air & light lines replacing straight lines Included in tractor kit. 15ft working length.	\$68	2#
Trailer ABS Provisions			
9140326	Additional 7-way electrical receptacle mounted end-of-frame.	\$922	2#
9140328	Trailer ABS electric supply through SAE J560 7-pin connector per TMC RP137).	\$0	0#



T370: SPECIAL EQUIPMENT

Option	Description	Price	Weight
Safety Equipment			
9490206	Warning triangle reflector kit: Shipped loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	\$44	4#
9490213	Warning triangle reflector kit: Floor mounted parallel to back wall between seats. Kit consists of 3 triangles in plastic carrying case. For day cab only.	\$49	12#
9490404	One 5 lb. dry chemical type fire extinguisher mounted outboard of driver seat. Class ABC.	\$125	11#
9490406	One 5 lb. dry chemical type fire extinguisher mounted outboard of rider seat. Class ABC.	\$125	11#
9490408	One 5 lb. dry chemical type fire extinguisher mounted inboard of rider seat. Class ABC.	\$125	11#
Build Notes			
1000001	Export certification documentation required.	\$0	0#
6679975	Frame access package recommended. Dealer contact declines.	\$0	0#
6679976	Dealer elects to not use wheelwell fender size required by some states.	\$0	0#
6679990	*** This vehicle does not have adequate swing/dip clearance when coupled to the trailer referenced on this order. See narrative line for maximum forward fifth wheel setting for this vehicle/trailer combination.***	\$0	0#
9212000	PACCAR International Dealer. International support fee does not apply.	\$0	0#
9409850	GHG Secondary Manufacturer: American Reliance Industries	\$0	0#
9409852	GHG Secondary Manufacturer: Does Not Apply	\$0	0#
9409853	GHG Secondary Manufacturer: Indiana Custom Trucks	\$0	0#
9409854	GHG Secondary Manufacturer: Gracie Industries or Bolt Custom Trucks	\$0	0#
9409855	GHG Secondary Manufacturer: Palmer Trucks	\$0	0#
9409856	GHG Secondary Manufacturer: Concept Vehicle Technologies	\$0	0#
9490003	Additional lead time required for off highway & /or specialty component truck.	\$0	0#
9490645	Zinc Phosphate frame rail paint processing. Requires frame rail code. Code is for 1 pair of rails.	\$321	0#
9490647	Zinc Phosphate frame insert paint processing. Requires any 1st frame insert code. Code is for 1 pair of any frame inserts.	\$321	0#
9999945	Charge chassis in United States dollars.	\$0	0#
9999949	Do not drive.	\$1,000	0#
9999995	Cancel/reorder chassis.	\$0	0#



T370: SPECIAL EQUIPMENT

Option	Description	Price	Weight
International Support Fee			
9212001	International support fee.	\$2,700	0#
9212002	International support fee.	\$3,531	0#
9212003	International support fee.	\$4,355	0#



T370: EXTENDED WARRANTY

Option	Description	Price	Weight
Warranty			
9200007	Base Warranty - PACCAR PX-7 Engine 36 months / Unlimited miles & km / Unlimited hours.	\$0	0#
9200008	Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.	\$0	0#
9200022	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	STD	0#
9200113	Severe Service Medium-duty Warranty: 1-year/ 50,000 miles.	\$0	0#
U.S. Extended Warranty			
9202122	EW: US Heater & Air Conditioner 2 year/200,000 miles, United States only.	\$100	0#
9202123	EW: US Heater & Air Conditioner 2 year/300,000 miles, United States only.	\$175	0#
9202133	EW: US Heater & Air Conditioner 3 year/300,000 miles, United States only.	\$200	0#
9202134	EW: US Heater & Air Conditioner 3 year/400,000 miles, United States only.	\$275	0#
9202322	EW: US Radiator/CAAC, 2 year/200,000 miles, United States only.	\$75	0#
9202323	EW: US Radiator/CAAC 2 year/300,000 miles, United States only.	\$125	0#
9202333	EW: US Radiator/CAAC 3 year/300,000 miles, United States only.	\$150	0#
9202334	EW: US Radiator/CAAC 3 year/400,000 miles. United States only.	\$200	0#
9202622	EW: US Basic Vehicle 2 year/200,000 miles, United States only.	\$375	0#
9202623	EW: US Basic Vehicle 2 year/300,000 miles, United States only.	\$925	0#
9202633	EW: US Basic Vehicle 3 year/300,000 miles, United States only.	\$1,100	0#
9202634	EW: US Basic Vehicle 3 year/400,000 miles, United States only.	\$1,375	0#
9202759	EW: US Heater & Air Conditioner 2 year/100,000 miles, United States only.	\$50	0#
9202760	EW: US Heater & Air Conditioner 2 year/400,000 miles, United States only.	\$250	0#
9202761	EW: US Heater & Air Conditioner 2 year/500,000 miles, United States only.	\$300	0#
9202762	EW: US Heater & Air Conditioner 3 year/100,000 miles, United States only.	\$75	0#
9202763	EW: US Heater & Air Conditioner 3 year/200,000 miles, United States only.	\$125	0#
9202764	EW: US Heater & Air Conditioner 3 year/500,000 miles, United States only.	\$325	0#
9202765	EW: US Heater & Air Conditioner 4 year/100,000 miles, United States only.	\$100	0#
9202766	EW: US Heater & Air Conditioner 4 year/200,000 miles, United States only.	\$175	0#
9202767	EW: US Heater & Air Conditioner 4 year/300,000 miles, United States only.	\$250	0#

*See PremierSpec for Applicable Restrictions



T370: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202768	EW: US Heater & Air Conditioner 4 year/400,000 miles, United States only.	\$300	0#
9202769	EW: US Heater & Air Conditioner 4 year/500,000 miles, United States only.	\$350	0#
9202770	EW: US Heater & Air Conditioner 5 year/100,000 miles, United States only.	\$150	0#
9202771	EW: US Heater & Air Conditioner 5 year/200,000 miles, United States only.	\$200	0#
9202772	EW: US Heater & Air Conditioner 5 year/300,000 miles, United States only.	\$300	0#
9202773	EW: US Heater & Air Conditioner 5 year/400,000 miles, United States only.	\$350	0#
9202774	EW: US Heater & Air Conditioner 5 year/500,000 miles, United States only.	\$400	0#
9202775	EW: US Heater & Air Conditioner 6 year/100,000 miles, United States only.	\$175	0#
9202776	EW: US Heater & Air Conditioner 6 year/200,000 miles, United States only.	\$225	0#
9202777	EW: US Heater & Air Conditioner 7 year/200,000 miles, United States only.	\$250	0#
9202778	EW: US Radiator/CAAC, 2 year/100,000 miles, United States only.	\$25	0#
9202779	EW: US Radiator/CAAC, 2 year/400,000 miles, United States only.	\$175	0#
9202780	EW: US Radiator/CAAC, 2 year/500,000 miles, United States only.	\$225	0#
9202781	EW: US Radiator/CAAC, 3 year/100,000 miles, United States only.	\$50	0#
9202782	EW: US Radiator/CAAC, 3 year/200,000 miles, United States only.	\$100	0#
9202783	EW: US Radiator/CAAC, 3 year/500,000 miles, United States only.	\$250	0#
9202784	EW: US Radiator/CAAC, 4 year/100,000 miles, United States only.	\$75	0#
9202785	EW: US Radiator/CAAC, 4 year/200,000 miles, United States only.	\$125	0#
9202786	EW: US Radiator/CAAC, 4 year/300,000 miles, United States only.	\$175	0#
9202787	EW: US Radiator/CAAC, 4 year/400,000 miles, United States only.	\$225	0#
9202788	EW: US Radiator/CAAC, 4 year/500,000 miles, United States only.	\$275	0#
9202789	EW: US Radiator/CAAC, 5 year/100,000 miles, United States only.	\$100	0#
9202790	EW: US Radiator/CAAC, 5 year/200,000 miles, United States only.	\$150	0#
9202791	EW: US Radiator/CAAC, 5 year/300,000 miles, United States only.	\$200	0#
9202792	EW: US Radiator/CAAC, 5 year/400,000 miles, United States only.	\$250	0#
9202793	EW: US Radiator/CAAC, 5 year/500,000 miles, United States only.	\$300	0#



T370: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202794	EW: US Radiator/CAAC, 6 year/100,000 miles, United States only.	\$125	0#
9202795	EW: US Radiator/CAAC, 6 year/200,000 miles, United States only.	\$175	0#
9202796	EW: US Radiator/CAAC, 7 year/200,000 miles, United States only.	\$200	0#
9202797	EW: US Basic Vehicle 2 year/100,000 miles, United States only.	\$150	0#
9202798	EW: US Basic Vehicle 2 year/400,000 miles, United States only.	\$1,250	0#
9202799	EW: US Basic Vehicle 2 year/500,000 miles, United States only.	\$1,650	0#
9202800	EW: US Basic Vehicle 3 year/100,000 miles, United States only.	\$275	0#
9202801	EW: US Basic Vehicle 3 year/200,000 miles, United States only.	\$500	0#
9202802	EW: US Basic Vehicle 3 year/500,000 miles, United States only.	\$1,800	0#
9202803	EW: US Basic Vehicle 4 year/100,000 miles, United States only.	\$425	0#
9202804	EW: US Basic Vehicle 4 year/200,000 miles, United States only.	\$675	0#
9202805	EW: US Basic Vehicle 4 year/300,000 miles, United States only.	\$1,275	0#
9202806	EW: US Basic Vehicle 4 year/400,000 miles, United States only.	\$1,500	0#
9202807	EW: US Basic Vehicle 4 year/500,000 miles, United States only.	\$1,925	0#
9202808	EW: US Basic Vehicle 5 year/100,000 miles, United States only.	\$725	0#
9202809	EW: US Basic Vehicle 5 year/200,000 miles, United States only.	\$1,000	0#
9202810	EW: US Basic Vehicle 5 year/300,000 miles, United States only.	\$1,575	0#
9202811	EW: US Basic Vehicle 5 year/400,000 miles, United States only.	\$1,875	0#
9202812	EW: US Basic Vehicle 5 year/500,000 miles, United States only.	\$2,200	0#
9202813	EW: US Basic Vehicle 6 year/100,000 miles, United States only.	\$775	0#
9202814	EW: US Basic Vehicle 6 year/200,000 miles, United States only.	\$1,025	0#
9202815	EW: US Basic Vehicle 7 year/200,000 miles, United States only.	\$1,050	0#
9202874	EW: US Towing For Warrantable Failures 1 year / Unlimited miles.	\$240	0#
9202875	EW: US Towing For Warrantable Failures 2 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$480	0#
9202876	EW: US Towing For Warrantable Failures 3 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$720	0#



T370: EXTENDED WARRANTY

Option	Description	Price	Weight
U.S. Extended Warranty			
9202877	EW: US Towing For Warrantable Failures 4 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$935	0#
9202878	EW: US Towing For Warrantable Failures 5 year / Unlimited miles. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,440	0#
Canada Extended Warranty			
9202816	EW: Canada Heater & Air Conditioner 2 year/160,000km, Canada only.	\$75	0#
9202817	EW: Canada Heater & Air Conditioner 2 year/640,000km, Canada only.	\$325	0#
9202818	EW: Canada Heater & Air Conditioner 2 year/800,000km, Canada only.	\$375	0#
9202819	EW: Canada Heater & Air Conditioner 3 year/160,000km, Canada only.	\$100	0#
9202820	EW: Canada Heater & Air Conditioner 3 year/320,000km, Canada only.	\$200	0#
9202821	EW: Canada Heater & Air Conditioner 3 year/800,000km, Canada only.	\$400	0#
9202822	EW: Canada Heater & Air Conditioner 4 year/160,000km, Canada only.	\$175	0#
9202823	EW: Canada Heater & Air Conditioner 4 year/320,000km, Canada only.	\$275	0#
9202824	EW: Canada Heater & Air Conditioner 4 year/480,000km, Canada only.	\$375	0#
9202825	EW: Canada Heater & Air Conditioner 4 year/640,000km, Canada only.	\$425	0#
9202826	EW: Canada Heater & Air Conditioner 4 year/800,000km, Canada only.	\$475	0#
9202827	EW: Canada Heater & Air Conditioner 5 year/160,000km, Canada only.	\$225	0#
9202828	EW: Canada Heater & Air Conditioner 5 year/320,000km, Canada only.	\$350	0#
9202829	EW: Canada Heater & Air Conditioner 5 year/480,000km, Canada only.	\$450	0#
9202830	EW: Canada Heater & Air Conditioner 5 year/640,000km, Canada only.	\$500	0#
9202831	EW: Canada Heater & Air Conditioner 5 year/800,000km, Canada only.	\$550	0#
9202832	EW: Canada Heater & Air Conditioner 6 year/160,000km, Canada only.	\$250	0#
9202833	EW: Canada Heater & Air Conditioner 6 year/320,000km, Canada only.	\$375	0#
9202834	EW: Canada Heater & Air Conditioner 7 year/320,000km, Canada only.	\$400	0#
9202835	EW: Canada Radiator/CAAC 2 year/160,000 km, Canada only.	\$75	0#
9202836	EW: Canada Radiator/CAAC 2 year/640,000 km, Canada only.	\$300	0#
9202837	EW: Canada Radiator/CAAC 2 year/800,000 km, Canada only.	\$400	0#



T370: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202838	EW: Canada Radiator/CAAC 3 year/160,000 km, Canada only.	\$100	0#
9202839	EW: Canada Radiator/CAAC 3 year/320,000 km, Canada only.	\$200	0#
9202840	EW: Canada Radiator/CAAC 3 year/800,000 km, Canada only.	\$425	0#
9202841	EW: Canada Radiator/CAAC 4 year/160,000 km, Canada only.	\$150	0#
9202842	EW: Canada Radiator/CAAC 4 year/320,000 km, Canada only.	\$250	0#
9202843	EW: Canada Radiator/CAAC 4 year/480,000 km, Canada only.	\$325	0#
9202844	EW: Canada Radiator/CAAC 4 year/640,000 km, Canada only.	\$375	0#
9202845	EW: Canada Radiator/CAAC 4 year/800,000 km, Canada only.	\$475	0#
9202846	EW: Canada Radiator/CAAC 5 year/160,000 km, Canada only.	\$175	0#
9202847	EW: Canada Radiator/CAAC 5 year/320,000 km, Canada only.	\$275	0#
9202848	EW: Canada Radiator/CAAC 5 year/480,000 km, Canada only.	\$350	0#
9202849	EW: Canada Radiator/CAAC 5 year/640,000 km, Canada only.	\$400	0#
9202850	EW: Canada Radiator/CAAC 5 year/800,000 km, Canada only.	\$500	0#
9202851	EW: Canada Radiator/CAAC 6 year/160,000 km, Canada only.	\$200	0#
9202852	EW: Canada Radiator/CAAC 6 year/320,000 km, Canada only.	\$300	0#
9202853	EW: Canada Radiator/CAAC 7 year/320,000 km, Canada only.	\$325	0#
9202854	EW: Canada Basic Vehicle 2 year/160,000 km, Canada only.	\$275	0#
9202855	EW: Canada Basic Vehicle 2 year/640,000 km, Canada only.	\$1,600	0#
9202856	EW: Canada Basic Vehicle 2 year/800,000 km, Canada only.	\$1,925	0#
9202857	EW: Canada Basic Vehicle 3 year/160,000 km, Canada only.	\$350	0#
9202858	EW: Canada Basic Vehicle 3 year/320,000 km, Canada only.	\$725	0#
9202859	EW: Canada Basic Vehicle 3 year/800,000 km, Canada only.	\$2,025	0#
9202860	EW: Canada Basic Vehicle 4 year/160,000 km, Canada only.	\$825	0#
9202861	EW: Canada Basic Vehicle 4 year/320,000 km, Canada only.	\$1,225	0#
9202862	EW: Canada Basic Vehicle 4 year/480,000 km, Canada only.	\$1,625	0#
9202863	EW: Canada Basic Vehicle 4 year/640,000 km, Canada only.	\$2,125	0#



T370: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9202864	EW: Canada Basic Vehicle 4 year/800,000 km, Canada only.	\$2,475	0#
9202865	EW: Canada Basic Vehicle 5 year/160,000 km, Canada only.	\$1,225	0#
9202866	EW: Canada Basic Vehicle 5 year/320,000 km, Canada only.	\$1,650	0#
9202867	EW: Canada Basic Vehicle 5 year/480,000 km, Canada only.	\$2,100	0#
9202868	EW: Canada Basic Vehicle 5 year/640,000 km, Canada only.	\$2,625	0#
9202869	EW: Canada Basic Vehicle 5 year/800,000 km, Canada only.	\$2,850	0#
9202870	EW: Canada Basic Vehicle 6 year/160,000 km, Canada only.	\$1,250	0#
9202871	EW: Canada Basic Vehicle 6 year/320,000 km, Canada only.	\$1,675	0#
9202872	EW: Canada Basic Vehicle 7 year/320,000 km, Canada only.	\$1,700	0#
9202879	EW: CA Towing For Warrantable Failures 1 year / Unlimited km.	\$345	0#
9202880	EW: CA Towing For Warrantable Failures 2 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$690	0#
9202881	EW: CA Towing For Warrantable Failures 3 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,030	0#
9202882	EW: CA Towing For Warrantable Failures 4 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$1,340	0#
9202883	EW: CA Towing For Warrantable Failures 5 year / Unlimited km. For use w/ Kenworth & PACCAR MX Extended Warranty.	\$2,060	0#
9203122	EW: Canada Heater & Air Conditioner 2 year/320,000km, Canada only.	\$175	0#
9203123	EW: Canada Heater & Air Conditioner 2 year/480,000km, Canada only.	\$250	0#
9203133	EW: Canada Heater & Air Conditioner 3 year/480,000km, Canada only.	\$275	0#
9203134	EW: Canada Heater & Air Conditioner 3 year/640,000km, Canada only.	\$350	0#
9203322	EW: Canada Radiator/CAAC 2 year/320,000 km, Canada only.	\$175	0#
9203323	EW: Canada Radiator/CAAC 2 year/480,000 km, Canada only.	\$225	0#
9203333	EW: Canada Radiator/CAAC 3 year/480,000 km, Canada only.	\$250	0#
9203334	EW: Canada Radiator/CAAC 3 year/640,000 km, Canada only.	\$325	0#
9203622	EW: Canada Basic Vehicle 2 year/320,000 km, Canada only.	\$650	0#
9203623	EW: Canada Basic Vehicle 2 year/480,000 km, Canada only.	\$1,025	0#



T370: EXTENDED WARRANTY

Option	Description	Price	Weight
Canada Extended Warranty			
9203633	EW: Canada Basic Vehicle 3 year/480,000 km, Canada only.	\$1,125	0#
9203634	EW: Canada Basic Vehicle 3 year/640,000 km, Canada only.	\$1,675	0#
Cummins Engine Extended Coverage Plans			
9207855	PACCAR EW: PX-7 Protect Plan 1 EPA17 4 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$950	0#
9207856	PACCAR EW: PX-7 Protect Plan 1 EPA17 4 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,100	0#
9207857	PACCAR EW: PX-7 Protect Plan 1 EPA17 5 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$800	0#
9207858	PACCAR EW: PX-7 Protect Plan 1 EPA17 5 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,050	0#
9207859	PACCAR EW: PX-7 Protect Plan 1 EPA17 5 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,350	0#
9207860	PACCAR EW: PX-7 Protect Plan 1 EPA17 5 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,650	0#
9207861	PACCAR EW: PX-7 Protect Plan 1 EPA17 5 Year/300,000 mi (482,804 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,700	0#
9207862	PACCAR EW: PX-7 Protect Plan 1 EPA17 6 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,400	0#
9207863	PACCAR EW: PX-7 Protect Plan 1 EPA17 6 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,800	0#
9207864	PACCAR EW: PX-7 Protect Plan 1 EPA17 6 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,150	0#
9207865	PACCAR EW: PX-7 Protect Plan 2 EPA17 4 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$700	0#
9207866	PACCAR EW: PX-7 Protect Plan 2 EPA17 4 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$800	0#



T370: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9207867	PACCAR EW: PX-7 Protect Plan 2 EPA17 5 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$650	0#
9207868	PACCAR EW: PX-7 Protect Plan 2 EPA17 5 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$800	0#
9207869	PACCAR EW: PX-7 Protect Plan 2 EPA17 5 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$900	0#
9207870	PACCAR EW: PX-7 Protect Plan 2 EPA17 5 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,000	0#
9207871	PACCAR EW: PX-7 Protect Plan 2 EPA17 5 Year/300,000 mi (482,804 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,050	0#
9207872	PACCAR EW: PX-7 Protect Plan 2 EPA17 6 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,100	0#
9207873	PACCAR EW: PX-7 Protect Plan 2 EPA17 6 Year/300,000 mi (482,804 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,250	0#
9207874	PACCAR EW: PX-7 Protect Plan 2 EPA17 7 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,300	0#
9207875	PACCAR EW: PX-9 Protect Plan 1 EPA17 3 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$900	0#
9207876	PACCAR EW: PX-9 Protect Plan 1 EPA17 3 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,150	0#
9207877	PACCAR EW: PX-9 Protect Plan 1 EPA17 4 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,800	0#
9207878	PACCAR EW: PX-9 Protect Plan 1 EPA17 4 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,600	0#
9207879	PACCAR EW: PX-9 Protect Plan 1 EPA17 5 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,750	0#
9207880	PACCAR EW: PX-9 Protect Plan 1 EPA17 5 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,190	0#



T370: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9207881	PACCAR EW: PX-9 Protect Plan 1 EPA17 5 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,000	0#
9207882	PACCAR EW: PX-9 Protect Plan 1 EPA17 5 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$4,000	0#
9207883	PACCAR EW: PX-9 Protect Plan 1 EPA17 5 Year/300,000 mi (482,804 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$5,000	0#
9207884	PACCAR EW: PX-9 Protect Plan 1 EPA17 6 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,750	0#
9207885	PACCAR EW: PX-9 Protect Plan 1 EPA17 6 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$3,550	0#
9207886	PACCAR EW: PX-9 Protect Plan 1 EPA17 6 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$4,550	0#
9207887	PACCAR EW: PX-9 Protect Plan 2 EPA17 3 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$750	0#
9207888	PACCAR EW: PX-9 Protect Plan 2 EPA17 3 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$825	0#
9207889	PACCAR EW: PX-9 Protect Plan 2 EPA17 4 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,300	0#
9207890	PACCAR EW: PX-9 Protect Plan 2 EPA17 4 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,550	0#
9207891	PACCAR EW: PX-9 Protect Plan 2 EPA17 5 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,200	0#
9207892	PACCAR EW: PX-9 Protect Plan 2 EPA17 5 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,400	0#
9207893	PACCAR EW: PX-9 Protect Plan 2 EPA17 5 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,650	0#
9207894	PACCAR EW: PX-9 Protect Plan 2 EPA17 5 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,900	0#



T370: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9207895	PACCAR EW: PX-9 Protect Plan 2 EPA17 5 Year/300,000 mi (482,804 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,150	0#
9207896	PACCAR EW: PX-9 Protect Plan 2 EPA17 6 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,000	0#
9207897	PACCAR EW: PX-9 Protect Plan 2 EPA17 7 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$2,250	0#
9207898	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA17 4 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$575	0#
9207899	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA17 4 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$650	0#
9207900	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA17 5 Year/100,000 mi (160,935 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$575	0#
9207901	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA17 5 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$650	0#
9207902	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA17 5 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$750	0#
9207903	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA17 5 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$850	0#
9207904	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA17 5 Year/300,000 mi (482,804 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$900	0#
9207905	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA17 6 Year/150,000 mi (241,402 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$737	0#
9207906	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA17 6 Year/200,000 mi (321,869 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$904	0#
9207907	PACCAR EW: Aftertreatment PX-7 Use W/ PP1 EPA17 6 Year/250,000 mi (402,336 km). Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$987	0#
9207908	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 3 Year/100,000 mi (160,935 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$500	0#



T370: EXTENDED WARRANTY

Option	Description	Price	Weight
Cummins Engine Extended Coverage Plans			
9207909	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 3 Year/150,000 mi (241,402 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$650	0#
9207910	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 4 Year/150,000 mi (241,402 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$740	0#
9207911	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 4 Year/200,000 mi (321,869 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$900	0#
9207912	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 5 Year/100,000 mi (160,935 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$740	0#
9207913	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 5 Year/150,000 mi (241,402 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$910	0#
9207914	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 5 Year/200,000 mi (321,869 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,070	0#
9207915	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 5 Year/250,000 mi (402,336 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,250	0#
9207916	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 5 Year/300,000 mi (482,804 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,500	0#
9207917	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 6 Year/150,000 mi (241,402 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,115	0#
9207918	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 6 Year/200,000 mi (321,869 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,280	0#
9207919	PACCAR EW: Aftertreatment PX-9 Use W/ PP1 EPA17 6 Year/250,000 mi (402,336 KM). Efficiency Series. Each code registered between 366 and 546 days after the vehicles in-service date will be subject to a \$400 late fee. Coverage cannot be added after 200,000 miles or 545 days past the in-service date.	\$1,502	0#



T370: PAINT

Option	Description	Price	Weight
Paint Designs			
9943050	Day Cab Standard Paint	STD	0#
9943051	Day Cab Premium Paint	\$100	0#
9943052	Day Cab Pearl Metallic Paint	\$150	0#
9944820	1 - Color Paint - Day Cab Color will be White if no other color is specified.	STD	0#
9944822	2 - Color Cust Design – Day Cab – Lo Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,571	0#
9944824	2 - Color Cust Design – Day Cab – Hi Complex Must submit design for approval. A Custom Design and Color Layouts order form is required with all custom designs. When transmitting ETO Electronic Paint Order, please submit all custom forms to Kenworth Sales Department, Attn: Paint Coordinator. Custom paint designs will be reviewed on a case by case basis. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$3,371	0#
9944840	Spectrum Design - Fenders Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,766	0#
9944841	Spectrum Design – Day Cab – Roof and Fenders. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,271	0#
9944843	Spectrum Design – Day Cab – Sunset. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,271	0#
9944845	Spectrum Design – Day Cab – Deception. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$2,271	0#



T370: PAINT

Option	Description	Price	Weight
Paint Designs			
9944847	Spectrum Design - Day Cab - Roof Only. Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$1,919	0#
9944849	Spectrum Design - Day Cab - 3 Color Sunset Approval or disapproval is at the discretion of Kenworth Truck Company. Consult with your paint coordinator if the chassis paint sketch includes any of the following items: Items attached to the frame or below the frame are to be painted a color that is different than the frame paint color, Items attached to the cab or sleeper are to be painted a color that is different than the cab or sleeper paint color, The requested paint number cannot be identified as a number or type approved by Kenworth.	\$4,116	0#
Paint Options			
9700000	Paint color number(s).	\$0	0#
9940044	Frame Paint Other Than Standard Black, Non-Metallic. Non-Metallic Only.	\$653	0#
9943001	Bumper Painted Color A	\$80	0#
9943002	Bumper Painted Other Than Color A: Specify Color	\$776	0#
9943004	Bumper Unpainted	\$0	0#
9943014	Steel Bumper Painted Frame Color	\$0	0#
9960003	Non-standard paint color.	\$295	0#
9960009	Fleet Paint – Dealer ECO Required	\$0	0#
9960021	Paint design continued BOC/BOS -includes front of side extenders, but does not include back of side extenders.	\$455	0#
9960081	Paint Hood Top Color Other Than A-Color. Top of Hood will be Painted W/ Specified Base Coat Clear Coat (High Gloss) Color.	\$1,766	0#
9960082	Paint Hood Top Anti-Glare. Top of Hood will be Painted W/ Specified Flat Color. If No Color is Specified, a Standard Flat-Black Paint will be Applied (DuPont 373P27678).	\$1,766	0#
9965510	Base coat/clear coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	STD	0#
9999944	Chassis has frame paint color other than black. Taillight brackets not included, bracket painted black.	\$0	0#