

BID NO.: 50-00132518

BID FORM
Non-Public Works**All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form**

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12-month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO X

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____ %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF May 19, 2021.

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

4-6 weeks from date of award

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) _____

THIS SECTION MUST BE COMPLETED BY BIDDER:FIRM NAME: Checkpoint Security Solutions, LLCADDRESS: 3817 Spencer St.CITY, STATE: Harvey, LA ZIP: 70058TELEPHONE: (504) 577-2323 FAX: ()EMAIL ADDRESS: Marissa@nolaprotection.com


In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 1

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ \$32,894.00AUTHORIZED
SIGNATURE: Francis "Frank" Quinn

Printed Name

TITLE: Owner/Officer

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the electronic envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

SEALED BID


BID NO.: 50-00132518

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	1.00	EA	<p>FURNISH LABOR, MATERIALS AND EQUIPMENT TO SUPPLY AND INSTALL ONE (1) NEW X-RAY INSPECTION SYSTEM AND ONE (1) NEW WALK-THROUGH MULTI-ZONE DETECTOR FOR THE JEFFERSSON PARISH DEPT OF GENERAL SVCS</p> <p>0010 - HI-SCAN 5030sl X-RAY INSPECTION SYSTEM TO INCLUDE THE FOLLOWING:</p> <ul style="list-style-type: none"> * 24" LCD MONITOR * CART * OPERATOR KEYBOARD * SOFTWARE: <ul style="list-style-type: none"> HI-SPOT - AUTOMATIC DENSE AREA DETECTION HI-TRAX - IMAGE ENHANCEMENT FUNCTIONS HI-MAT - MULTI-ENERGY FOR MATERIAL IDENTIFICATION BY COLOR * OPERATOR MANUAL * 12-MONTH STANDARD WARRANTY * 2-HOUR OPERATOR ORIENTATION BY FIELD SERVICE TECHNICIAN * ADVANCED SOFTWARE OPTIONS PACKAGE: <ul style="list-style-type: none"> IMAGE STORE SYSTEM - DIGITAL IMAGE MANAGEMENT HI-TIP PLUS - THREAT IMAGE PROJECTION HIGH DENSITY ALERT - AUTOMATIC MARKING OF SUSPICIOUS OBJECTS XPORT - AUTOMATIC IMAGE TRANSMISSION OTS XTRAIN - OPERATOR TRAINING <p>ITEM #: 11128856</p>	\$18,000.00	\$18,000.00
2	1.00	EA	0020 - 1/2-METER INPUT ROLLER 5030sl ITEM #: 11117812	\$600.00	\$600.00
3	1.00	EA	0030 - 1/2-METER OUTPUT ROLLER 5030sl ITEM #: 11117811	\$600.00	\$600.00
4	1.00	EA	0040 - ON-SITE EXTENDED WARRANTY WITH PREVENTATIVE MAINTENANCE TO INCLUDE:	\$6,000.00	\$6,000.00
5	1.00	EA	<ul style="list-style-type: none"> * ON-SITE SERVICE COVERAGE 8:30AM TO 5:00 PM, MONDAY TO FRIDAY * ALL LABOR, TRAVEL TIME AND TRAVEL EXPENSES * ALL REPLACEMENT PARTS REQUIRED * UNLIMITED ACCESS TO 24/7 TECHNICAL SUPPORT * ANNUAL PMI AND RADIATION LEAK SURVEY ONE YEAR INCLUDED - OPTIONAL FIVE YEARS TOTAL <p>ITEM #: OSPM-5030</p> <p>0050 - SHIPPING & HANDLING FOR 5030sl X-RAY INSPECTION SYSTEM</p>	\$1,250.00	\$1,250.00

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00132518

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
6	1.00	EA	0060 - INSTALLATION OF 5030si, RADIATION LEAK SURVEY, AND OPERATOR ORIENTATION.	\$749.00	\$749.00
7	1.00	EA	0070 - HIPE PLUS/PZ WALK THROUGH METAL DETECTOR, ITEM #: CEIA-211	\$4,596.00	\$4,596.00
8	1.00	EA	0080 - SHIPPING & HANDLING FOR HIPE PLUS/PZ WALK THROUGH METAL DETECTOR	\$600.00	\$600.00
9	1.00	EA	0090 - INSTALLATION FOR HIPE PLUS/PZ UNIT INSTALLATION AND OPERATOR ORIENTATION. NEEDED FOR BUILDING SECURTIY AT THE NEW EMPLOYEE ENTRANCE TO THE GOVERNMENT COMPLEX. (COVID-19 RELATED) REF NO. 8143 20 ORDERED BY/FOR: T.HOSKINS  CONTACT: J.P. GENERAL SERVICES ATTN: TIM HOSKINS 960 1ST STREET GRETNA, LA 70053 (504)364-3470	\$499.00	\$499.00
*See the following page for substitutions					



Substitutions for Bid No.: 50-00132518

- Item #1 Substitute with Autoclear 5333DVS X-Ray Inspection System, to include the following:
(no item number, see attachments A1, A2)
- 24" LCD Monitor
 - Cabinet with non-marking, lockable casters
 - Operator Control Panel (operator keyboard)
 - AutoDensalert (automatic dense area detection)
 - RealClear (image enhancement functions)
 - Multi-Energy/Color Function (multi-energy for material identification by color)
 - Operator Manual
 - 12-Month Standard Parts & Labor Warranty
 - 2-Hour Operator Orientation by Field Service Technician
 - Advanced Software Options Including:
 - Save/Print Image/Archive images in JPG or BMP format to USB flash drive (equal to digital image management)
 - Training Mode/Built-in Training (equal to threat image projection (TIP) training/operator training)
 - AutoDensalert (automatic marking of suspicious objects)
- Item #2 Substitute with standard 3 foot roller for Autoclear 5333DVS
(no item number, see attachment B)
- Item #3 Substitute with standard 3 foot roller for Autoclear 5333DVS
(no item number, see attachment B)
- Item #4 Substitute with on-site extended warranty and preventative maintenance for Autoclear 5333DVS to include:
(no item number)
- On-site service coverage 8:30am to 5:00pm, Monday through Friday
 - All labor, travel time, and travel expenses
 - All replacement parts required
 - 24/7 technical support
 - Annual PMI and Radiation Leak Survey (1st year included)
 - \$1,500 every additional year of extended warranty to include preventative maintenance, PMI and radiation leak survey, labor, travel, and replacement parts
- Item #5 Substitute with shipping & handling for Autoclear 5333DVS X-Ray Inspection System
(no item number)



Substitutions for Bid No.: 50-00132518 (Continued)

- | | |
|---------|--|
| Item #6 | Substitute installation of Autoclear 5333DVS X-Ray Inspection System, Radiation Leak Survey, and Operator Orientation
<i>(no item number)</i> |
| Item #7 | Substitute with Garrett PD6500i Enhanced Pinpoint Walk-Through Metal Detector with 32.5" ADA Compliant Walkway with 1-year parts & labor warranty, Item # 1168432 (Grey)
<i>(see attachment C1, C2)</i> |
| Item #8 | Substitute shipping & handling for Garrett PD6500i Walk-Through Metal Detector
<i>(no item number)</i> |
| Item #9 | Substitute installation & operator orientation for Garrett PD6500i Walk-Through Metal Detector
<i>(no item number)</i> |

5333DVS X-RAY INSPECTION



A1

Explosives, Weapons and Contraband

SINGLE SOURCE, MULTI-ENERGY

X-RAY INSPECTION



Shown with optional tunnel extensions.

Designed for screening mid-sized items for weapons, explosives, drugs and other contraband, the single-source, multi-energy 5333DVS X-ray inspection system is fast and easy to operate. Ideal for screening hand carried items such as purses, briefcases, backpacks, strollers, small parcels and more, the compact 5333DVS is a great choice for small and limited spaces. The system's low profile, bottom-up generator design makes smaller items appear much sharper and larger on-screen.

- > Rapidly images full mailbags and long or tall items
- > Fits in elevators, narrow halls and tight spaces
- > Patented guided conveyor belt never needs adjusting
- > Built on the industry's most stable and flexible operating system
- > Two generator power levels to choose from (see back for details)

APPLICATIONS:

- > Passenger, Staff and Visitor Checkpoint Inspection
- > Corporate, Government and Private Security
- > Critical Infrastructure Security
- > Mail Screening



In proud partnership with NOLA Protection Group, LLC

3817 Spencer St., Harvey, LA 70058
504-577-2323 • info@nolaprotection.com
www.CheckpointSecurity.net

5333DVS SPECIFICATIONS

X-RAY INSPECTION

A2

PHYSICAL DETAILS

Tunnel Size:	53.0 x 33.1 cm 20.8 x 13.0 in. (W x H)
Overall Dimensions:	133.2 x 74.0 x 112.2 cm 52.4 x 29.1 x 44.3 in. (L x W x H)
Weight:	100 kV: 275 kg (606 lbs.) uncrated 328 kg (723 lbs.) crated 160 kV: 333 kg (734 lbs.) uncrated 380 kg (838 lbs.) crated
Construction:	Robust heavy gauge, epoxy-painted, steel frame construction. Stainless steel and aluminum trim and accessories. Non-marking casters.
Temperature:	Operating: 0° to 40° C (32° to 104° F) Storage: -20° C to 60° C (-4° to 140° F)
Humidity:	20%-95%, non-condensing
System Power:	115/230 VAC +/- 10% 60/50 Hz 0.7 kVA max

X-RAY GENERATOR

X-ray Tube Head:	Self-contained with sealed oil bath cooling
High Voltage Rating:	100 kV, operating at 90 kV (standard) or 160 kV, operating at 140 kV (optional)
Duty Cycle:	100%
Beam Orientation:	Diagonal (80° beam divergence)
Dose per Exam:	<0.1mR; <i>May be higher or lower due to differing combinations of kV level & X-ray beam configuration</i>
Radiation Leakage:	<0.5mR/hr (<5.0µSv/hr); <0.1mR/hr (<1.0µSv/hr) available

INSPECTION CAPABILITIES

Material (steel) Penetration:	10 mm guaranteed (11 mm typical) with 100kV 28 mm guaranteed (29 mm typical) with 160 kv
Contrast Sensitivity:	Over 2 million color tones standard
Resolution (wire):	38 AWG guaranteed (40 AWG typical)
Processing:	At least: 32-bit adaptive image processing with minimum 2 Gbytes+ memory; 2.2 GHz+ dual core processor; video processing using next generation graphical processing unit architecture with 550MHz+ GPU clock, 512Mbyte+ video memory and 32+ stream processing cores
Conveyor Speed:	24.0 cm (9.4 in.) per second 14.6 m (48 ft.) per minute
Pulling Weight:	150 kg (331 lbs.)
Film Safety:	Guaranteed for high-speed film up to ISO 1600 (33 DIN)

DETECTORS

High-speed, ultra-sensitive photodiode detector array;
L-shaped for 100% package screening

VIDEO


19" Color LCD monitor, 1280 x 1024 video card

STANDARD FEATURES

- autoCal
- autoDensAlert
- autoImage recall (10 images)
- autoOutline
- autoScale
- autoSensing
- autoSoft (LINUX) operating system
- autoTracking guided conveyor belt
- 128x Smart Zoom
- Adjustable zoom preview window
- Color; reverse B/W imaging
- Dark and light enhance
- D-SCAN with 160 kV only
- Entrance tunnel extension
- Exit tunnel extension
- Full-sized operator control panel (OCP) with touchpad navigation
- High/Low Density and Stripping
- Interactive help screens
- Organic / Inorganic
- RealClear
- Real-Time Diagnostics
- Reversible conveyor direction
- Save screen to USB
- Z-SCAN with 160 kV only

OPTIONS



- autoColor+ with 160 kV only
- autoMatAlert
- autoShieldAlert
- autoZ display
- 160 kV generator, operating at 140 kV
- Built-in training
- CE/CSA/US safety/EMC certification
- Console desk
- Conveyor Extensions
- Dual monitors
- DVD drive
- Footpad
- Image archiving (500K)
- Image export in BMP & JPG
- Item counter
- kV, mA meter
- Larger monitors (1920x1080 res.)
- Laser printer
- Loading or exit 18" parcel slide
- Loading or exit rollerbeds
- Locking metal OCP cover
- Locking monitor garage
- Monitor platform
- Networking:
 - autoNet Live View
 - Remote Diagnostics
 - Remote Image Review
 - Remote Management
- Optical X-ray on/off sensor
- Sharp Scroll
- Threat Image Projection (TIP)
- Tropical humidity kit
- Tunnel extensions
- Uninterruptible power supply
- User management
- Variable height OCP mount
- X-ray image viewer software



Note: Non-marking casters.

Dimensions are in inches and centimeters.

B



ITEM NO.	PART ID	DESCRIPTION	QTY.
1	900-334U1	Roller Bed Leg	1
2	900-334U2	Roller Bed Leg Frame	2
3	900-334U3	Roller Bed Leg Plate	2
4	900-334U4	Roller Bed Lock Plate	4
5	5333-66	5333 Univ. Roller Bed Leg Brace (Entrance & Exit)	1
6	900-1189	Roller Bed Hanger Bracket Exit (Left)	1
7	900-1189	Roller Bed Hanger Bracket Exit (Right)	1
8	900-1143U3	Univ. Roller Bed Conveyor Fram 3ft (Entrance & Exit)	1
9	5333-65	5333 Univ. Roller Bed End Plate	1
10	5333-67	Univ. Roller Bed Cross Brace (Entrance & Exit)	1
11	5333-36	5333 Roller, Roller Bed	23

AUTOCLEAR LLC

2 GARDNER ROAD, FAIFIELD, NJ, USA, 07004-2206
TEL. ++973-276-6000 FAX: ++973-276-6166

TITLE: 5333 ROLLER BED 3FT ASSEMBLY				DWG NO. -
DWN BY: EN	DATE: Jan. 08,2020	SCALE: 1 : 10	SHEET: 1 OF 1	PART ID

Garrett PD 6500i[®]



Made in the USA

C1

Enhanced Pinpoint Walk-Through Metal Detector

Multi-brand compatibility

Can be added to existing checkpoints without having to replace other brand units. Includes multiple channels and 2,300 selectable operating frequencies.

Optimum Performance

More than 20 standard program settings scientifically engineered to address the needs of airports, courthouses, prisons, schools, facilities, special events, mass transit, loss prevention, and other applications.



Pacing lights

Universal "wait" and "proceed" symbols at the detector entrance for traffic controls.

Advanced networking (optional)

Manage walkthroughs individually or as groups and perform statistical analysis via network with CMA interface module. Supervisors can remotely access controls, visual alarms and statistics.

Directional counter

Four settings for counting patrons: forward only, reverse only, subtract in reverse, and bidirectional.

PD 6500i[™]

Walk-Through Metal Detector

U.S. / INTERNATIONAL

(shown) Gray PN 1168414 / 1168424*

★ Advanced broadband technology

Analyzes targets across a broad range of frequencies for greater accuracy. Provides superior ferrous and non-ferrous detection. Improved discrimination means fewer false alarms and higher throughput.

★ More accurate pinpointing

With more than four times the detection coils of competitive models, the PD 6500i provides uniform detection and precise pinpointing. Independent zone indicator lights on both side panels identify not only height but also left, center and right locations for one or more objects passing through the archway.

★ Dual-sided detection

This unique bilateral technology has transmitters and receivers in each side panel to allow scanning from both sides, resulting in uniform detection throughout the archway. It also provides superior noise cancellation resulting in easier setup (i.e. no need to rotate the unit to avoid interference from nearby equipment such as other metal detectors or x-ray machines).

Superior versatility

Menu based settings for feature selection such as alarm indication, count method, and language without the use of a computer. Field programmable to allow system upgrades. Multiple units can be installed as close as 2 inches.

International security standards
PD 6500i meets the world's highest test certifications, including the following international airports:

TSA
(U.S.
airports)

ECAC
(European
airports)

dgac
STAC
(French
airports)

Aena
(Spanish
airports)

CJAC
(Japanese
airports)

Department for
Transport
DfT
(U.K.
airports)

OPTIONAL accessory items for the PD 6500i can be seen at www.garrett.com.

* Includes Euro Plug.

Tamper-proof

All settings are secured with a key lock and two levels of access codes. Further security is accomplished with a cabinet lock that prevents unauthorized access to physical cables, connectors and electronics.

Easy assembly

The PD 6500i's modular design allows for a quick and simple assembly of its four (4) sub assemblies using only eight (8) screws and three (3) internal cable connections.

Digital Signal Processor (DSP) based technology

DSP provides greater sensitivity, noise immunity, discrimination, detection uniformity, and overall product reliability.

Regulatory Information: The PD 6500i meets U.S. and international regulatory requirements for electromagnetic safety. Extensive research has found no information that would indicate Garrett products have adverse effects on pregnancy, medical devices (such as pacemakers) or magnetic recording media. However, directives by physicians and medical device manufacturers regarding metal detectors should be followed.
1554400 REV K, March 2014 © 2014 Garrett Electronics, Inc.

Garrett PD 6500i™

Enhanced Pinpoint Walk-Through Metal Detector

Meets the world's highest test certifications

Garrett's PD 6500i is an industry leader with superior pinpoint technology and unmatched discrimination features. This detector has proven its effectiveness at moving high volumes of patrons through such events such as the Olympic Games, World Cup 2010 South Africa, and the Pan-American Games in Mexico.

The PD 6500i has also been trusted to safeguard international airports, hotels, government buildings, and correctional facilities. With its advanced networking and ability to pinpoint targets in 33 detection zones, the PD 6500i is the walk-through of choice for security professionals worldwide.



C2

Beige
U.S. / INTERNATIONAL
PN 1168411 / 1168421*



Standard Programs	Over 20 application programs included
Sensitivity	Up to 200 distinct sensitivity levels
Zone Indications	33 independent zones
Meets IP55 Standards	For moisture, foreign matter protection
Overhead Control Unit	All electronics—LCD, alarm light, LED bar graph, control touch pads—integrated to eliminate wire exposure.
Tamper-Proof Settings	Three access levels of security clearance
Self Diagnostic Program	Complete and automatic
Zone Sensitivity Boost	Adjustable in six areas
Battery Pack (optional)	10-hour or 30-hour backup available
Warranty	24 months, Limited Parts/Labor
Passageway Interior Size	Width 30" (0.76 m) Height 80" (2.03 m) Depth 23" (0.58 m)
Overall Exterior Size	Width 35" (0.90 m) Height 87" (2.21 m) Depth 23" (0.58 m)
Shipping Size	Width 35.5" (0.90 m) Height 91.5" (2.32 m) Depth 6.25" (.16 m)
Shipping Weight	165 lbs. (74 kg)
Temperatures	Operating: -4° F (-20° C) to +122° F (50° C) Humidity to 95% non-condensing Storage: -40° F (-40° C) to 158° F (70° C)
Power	Fully automatic 100 to 240 VAC, 50 or 60 Hertz, 45 watts; no rewiring, switching or adjustments needed.
Regulatory Information	Meets TSA requirements for U.S. airports, ECAC, STAC, AENA, CJIAC and DFT for international airports. Meets Electrical Safety and Compatibility Requirements for CE, FCC, CSA, IEC, ICNIRP and IEEE.
Weatherproofing	Meets IP 55, IEC Standard. "Degrees of Protection provided by Enclosures," IEC 529. *IP 65 optional.
Construction	Attractive scratch and mar-resistant laminate. Detection Heads and Support: heavy duty aluminum.
Control Outputs	Solid state switches (low voltage AC or DC) for operating external alarms and control devices.
Remote Control (optional)	Desktop Remote Control with Zone Indication and/or via network with CMA Interface Module.
Networking (optional)	Manage individual or groups of walkthroughs and perform statistical analysis of throughput.
Alarm Indicators/Random Alarm Feature	33 zones, volume-adjustable audible tone, bright LED visual and remote alarms. Random alarm feature; adjustable from 0 to 50 percent.

PD 6500i is an "Approved Product for Homeland Security" under the SAFETY Act.

Made in the USA



PD 6500i™ Walk-Through Metal Detector

U.S.A. / International	Description	Color
1168414 / 1168424*	PD 6500i 30" (as shown)	Gray
1168411 / 1168421*	PD 6500i 30"	Beige
1168416 / 1168426*	PD 6500i EZL†	Gray
1168412 / 1168422*	PD 6500i EZL†	Beige
1168432 / 1168427*	PD 6500i 32.5***	Gray
1168433 / 1168429*	PD 6500i 32.5***	Beige

Other options (such as IP 65 models) also available.

* Supplied with Euro plug.

† EZL—Standard 30" clearance with zone lights on both the entry and exit sides, allowing the operator to view the alarmed object from any position.

** 32" ADA-compliant passageway



Authorized Dealer of



In proud partnership with NOLA Protection Group, LLC

3817 Spencer St., Harvey, LA 70058
504-577-2323 • info@nolaprotection.com
www.CheckpointSecurity.net

State of
Louisiana
Secretary of State



COMMERCIAL DIVISION
225.925.4704

Fax Numbers
225.932.5317 (Admin.
Services)
225.932.5314 (Corporations)
225.932.5318 (UCC)

Name	Type	City	Status
CHECKPOINT SECURITY SOLUTIONS, LLC	Limited Liability Company	HARAHAN	Active

Previous Names

Business: CHECKPOINT SECURITY SOLUTIONS, LLC
Charter Number: 42210932K
Registration Date: 3/24/2016
Domicile Address

1524 EDWARDS AVENUE,
STE #5
HARAHAN, LA 70123

Mailing Address

1524 EDWARDS
STE #5
HARAHAN, LA 70123

Status

Status: **Active**
Annual Report Status: **In Good Standing**
File Date: 3/24/2016
Last Report Filed: 2/26/2020
Type: Limited Liability Company

Registered Agent(s)

Agent: DARRELL DUMESTRE
Address 1: 1524 EDWARDS AVENUE
Address 2: STE #5
City, State, Zip: HARAHAN, LA 70123
Appointment Date: 3/24/2016

Officer(s)

Additional Officers: No

Officer: FRANCIS QUINN
Title: Member
Address 1: 3338 OCTAVIA STREET

City, State, Zip: NEW ORLEANS, LA 70125

Officer: DARRELL DUMESTRE

Title: Member

Address 1: 1524 EDWARDS AVE

Address 2: SUITE 5

City, State, Zip: HARAHAAN, LA 70123

Amendments on File (1)

Description	Date
Appointing, Change, or Resign of Officer	11/16/2017

Request for Proposal

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF Jefferson

BEFORE ME, the undersigned authority, personally came and appeared: Frank Quinn, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized Owner of Checkpoint Security Services, LLC (Entity), the party who submitted a proposal in response to RFP Number 50-00132518, to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B X there are NO campaign contributions made which would require disclosure under Choice A of this section.

Affiant further said:

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B X There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

Solicitation of Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____ Attached hereto is a list of all elected officials of the Parish of Jefferson, whether still holding office at the time of the affidavit or not, where the elected official, individually, either by **telephone or by personal contact**, solicited a campaign contribution or other monetary consideration from the Entity, including the Entity's officers, directors and owners, and employees owning twenty-five percent (25%) or more of the Entity, during the two-year period immediately preceding the date the affidavit is signed. Further, to the extent known to the Affiant, the date of any such solicitation is included on the attached list.

Choice B X there are **NO** solicitations for campaign contributions which would require disclosure under Choice A of this section.

Affiant further said:

Subcontractor Disclosures

(Choose A or B, if option A is indicated please include the required attachment):


Choice A _____ Affiant further said that attached is a listing of all subcontractors, excluding full time employees, who may assist in providing professional services for the aforementioned RFP.

Choice B X There are **NO** subcontractors which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.




Signature of Affiant

Frank Quinn

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 11th DAY OF November, 2020



Notary Public

Tanya James

Printed Name of Notary

143110

Notary/Bar Roll Number

My commission expires for life.



**Insurance Declaration Affidavit
Worker's Compensation**

AFFIDAVIT


STATE OF Louisiana

PARISH/COUNTY OF Orleans

BEFORE ME, the undersigned authority, personally came and appeared,
Frank Quinn, (Affiant) who after being duly sworn, deposed and said that he/she
is the fully authorized Owner of Checkpoint Security Services, LLC (Entity), the
party who submitted a Proposal/Contract/Bid/RFP/SOQ No. 50-00132518, to Jefferson Parish.

Affiant further said:

- (1) That affiant has no employees in which Worker's Compensation Insurance is required pursuant to state law.
- (2) That if affiant hires employees such that they would be required under state law to obtain Worker's Compensation Insurance, affiant will notify Jefferson Parish and obtain the proper coverage.




Signature of Affiant

Frank Quinn

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 11th DAY OF November, 2020



Notary Public

Tanya James

Printed Name of Notary

143110

Notary/Bar Roll Number

My commission expires for life





CHECK-2

OP ID: AC

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

11/19/2020

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Central Insurance Agency, Inc. 93 East Main Street Smithtown, NY 11787 Ryan Hurney		877-242-9600		CONTACT NAME: Central Insurance Agency Inc PHONE (A/C, No, Ext): 877-242-9600 FAX (A/C, No): 877-243-8995 E-MAIL ADDRESS: certificates@ciainsures.com	
INSURED Checkpoint Security Solutions LLC Frank Quinn 1524 Edwards Avenue Harahan, LA 70123				INSURER(S) AFFORDING COVERAGE INSURER A: Evanston Insurance Company INSURER B: INSURER C: INSURER D: INSURER E: INSURER F:	
				NAIC # 35378	

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.


INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> <input type="checkbox"/> GEN'L AGGREGATE LIMIT APPLIES PER: <input checked="" type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC <input type="checkbox"/> OTHER:			3AA388388	03/07/2020	03/07/2021	EACH OCCURRENCE \$ 1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$ 100,000 MED EXP (Any one person) \$ 5,000 PERSONAL & ADV INJURY \$ 1,000,000 GENERAL AGGREGATE \$ 2,000,000 PRODUCTS - COMP/OP AGG \$ 2,000,000 \$
	AUTOMOBILE LIABILITY <input type="checkbox"/> ANY AUTO OWNED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> NON-OWNED AUTOS ONLY						COMBINED SINGLE LIMIT (Ea accident) \$ BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$ \$
	UMBRELLA LIAB <input type="checkbox"/> OCCUR EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE <input type="checkbox"/> DED <input type="checkbox"/> RETENTION \$						EACH OCCURRENCE \$ AGGREGATE \$ \$
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) <input type="checkbox"/> Y / N If yes, describe under DESCRIPTION OF OPERATIONS below		N / A				PER STATUTE <input type="checkbox"/> OTH-ER <input type="checkbox"/> E.L. EACH ACCIDENT \$ E.L. DISEASE - EA EMPLOYEE \$ E.L. DISEASE - POLICY LIMIT \$

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Evidence of Insurance.

CERTIFICATE HOLDER

CANCELLATION

EVIDENC Evidence of Insurance	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
	AUTHORIZED REPRESENTATIVE 

**Insurance Declaration Affidavit
Automotive**

AFFIDAVIT

STATE OF LOUISIANA

PARISH/COUNTY OF JEFFERSON

BEFORE ME, the undersigned authority, personally came and appeared, Francis Quinn, (Affiant) who after being duly sworn, deposed and said that he/she is the fully authorized Owner of Checkpoint Security Solutions, LLC (Entity), the party who submitted a Proposal/Contract/Bid/RFP/SOQ No. 50-00132518, to Jefferson Parish.

Affiant further said:

- (1) That entity does not own automobiles or use automobiles in the furtherance of the services provided under the contract.
- (2) That if the entity obtains automobiles or begins to use automobiles in the furtherance of the services provided under the contract, affiant will notify Jefferson Parish and obtain the proper coverage.



Signature of Affiant

Francis Quinn

Printed Name of Affiant

SWORN AND SUBSCRIBED TO BEFORE ME

ON THE 19TH **DAY OF** NOVEMBER 2020



Notary Public

VICTORIA HUYNH LE

Printed Name of Notary

126920

Notary/Bar Roll Number

My commission expires AT DEATH

