

INVITATION TO BID  
THIS IS NOT AN ORDER

DATE:

BID NO.: 50-00132603

**JEFFERSON PARISH**

PURCHASING DEPARTMENT  
P.O. BOX 9  
GRETNA, LA. 70054-0009  
504-364-2678

VENDOR: 27118 BLANK BID COPY VENDOR

BUYER: RScott

As per LSA-RS 47:301 et seq., all governmental bodies are excluded from payment of sales taxes to any Louisiana taxing body. Quotations shall be based on F.O.B. Agency warehouse or jobsite, anywhere within the Parish as designated by the Purchasing Department.

JEFFERSON PARISH reserves the right to cancel all or any part of an order if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel at any time and for any reason by issuing a THIRTY (30) day written notice to the contractor.

JEFFERSON PARISH is expecting all products to be new and all work to be done in workman-like manner, according to standard practices. Any deviations or alteration from the specifications must be indicated on the bid form for each item and upon request, product data for same must be submitted by the time specified by the Purchasing Department.

**DELIVERY: FOB JEFFERSON PARISH**

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

2 - 3 Weeks

INDICATE STARTING TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

INDICATE COMPLETION TIME (IN DAYS) FOR CONSTRUCTION WORK

N/A

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form by placing the addendum number as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: N/A  
NUMBER: N/A  
NUMBER: N/A  
NUMBER: N/A

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) N/A


**\*\*\* ALL BIDDERS MUST COMPLETE SECTION BELOW \*\*\***

FIRM NAME:

**Rocky Mountain Recreation LLC**

SIGNATURE:

(Must be signed here)



TITLE:

**President**

PRINT OR TYPE NAME:

**Janeil Norman**

ADDRESS:

**PO Box 68**

CITY, STATE:

**Albion ID**

ZIP:

**83311**

TELEPHONE:

**(208) 670-5079**

FAX:

**( ) N/A**

EMAIL ADDRESS:

**rockymtnrecllc@gmail.com**


TOTAL PRICE OF ALL BID ITEMS: \$ 8,060.90

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	2.00	ST	<p>Purchase of (2) EVS Volleyball Systems for the Jefferson Parish Recreation Dept</p> <p>0001 Draper, Inc. EVS Volleyball System Part # 50041</p> <p>Specifications: Meets all NFHS, USA Volleyball, NCAA, and FIVB requirements for competition equipment. Each set includes: (2) pair of aluminum posts, nets, antennae, boundary markers, and (1) judge's stand. Height adjustment from 6' to 8'4". Secure cast in place floor sleeves. Power winch that includes folding handle for player safety and added security. Rope tensioner holds the bottom of the net taut. Clear anodized aluminum finish. Judge's stand (included): adjustable clamp-on referee stand. Two leg space efficient design. Fits most manufacturer's uprights. Adjustable height. Two intergated wheels for portability. Durable powder coated paint finish.</p>	3,799.95	7,599.90
2	1.00	EA	<p>0002 Freight</p> <p>Please ship to: Jefferson Parish Parks &amp; Recreation Westbank Athletics Division 7437 Lapalco Blvd. Marrero, LA 70072</p>	461.00	461.00

**Bidding SNA Sports: Complete Collegiate System to include - Floor Sleeves&Covers, Posts w/Padding, Net w/Cable Covers, Sideline Markers & Antennas. Choose from 16 pad colors. VB73 Clamp-On Referee Stand with Adjustable Height. Includes Padding in Gray, Black, Navy, Royal, Scarlet or Maroon**

**Spec Sheets Attached**

**COLLEGIATE 4000 SYSTEM**  
**MODEL NO. SNAVB4000C4**





(800)823-0182 / www.SNAsportsgroup.com

## **Specifications for Collegiate 4000**

### **MODEL NO. SNAVB40C4**

Removable type, in-floor sleeves. Uprights shall be one single piece each, 120" long and anodized 6061-T6 aluminum, 3-15/16" in diameter, weighing 22 and 28 lbs. Net shall attach at only two points on the sliding Winch Rail, which shall be mounted in profiled grooves running infinitely over the full range. Net tensioning device shall be mounted on the Winch Rail, and shall be a low profile, non-slip, threaded rod-type worm drive linear-actuator type utilizing conical toothed steel gears for safety and durability. The range of this gear mechanism shall be 17-1/2". Gear mechanism shall be completely encased in anodized aluminum. Net shall attach at only two points on the sliding End Rail, which shall be mounted in profiled grooves running infinitely over the full range. A two position (lock/off) lever lock shall be used to provide slip-free adjustment of the net height; screw-in adjustment knobs shall be deemed unacceptable. Uprights shall adjust to allow for Men, Women, and Juniors heights, as well as for badminton and tennis set ups. Uprights shall have floor-protective molded plastic caps. Hand cranks shall be permanently attached. Standards and winch shall carry no less than a limited lifetime warranty. Entire system shall meet or exceed all NCAA and NFHS requirements for competition.

### **VOLLEYBALL FLOOR SLEEVE**

#### **MODEL NO. VB27FS**

Aluminum sleeve shall be 13" long. Inside diameter of the sleeve shall be 4".

### **UNIVERSAL HINGED BRASS COVER PLATE**

#### **MODEL NO. VB23CV**

Cover plate shall be brass alloy with attached, hinged cover. Four (4) holes in the ring (for screwing into the floor) shall be completely concealed under the cover when in the closed position. In a floating wood floor, the plate is connected to the floor only allowing it to move with the expansion and contraction of the floor. Plates shall be 8" in diameter. Overall thickness shall be 3/8". Hinged cover plate – not including the outer ring - shall be 6 31/32" in diameter. Diameter of clear opening shall be 6".

#### **MODEL NO. VB27**

**This package shall include both the VB27FS floor sleeve and VB23CV cover plate listed above.**

### **INTERNATIONAL NET WITH RATCHET TENSIONER**

#### **MODEL NO. SNAVB1298A**

Net shall be 9.8 meters in length and 1-meter maximum width. Netting shall be 10 centimeter square mesh, black nylon, KNOTLESS. Wide side tapes with sewn-in wooden dowels for equal net tension. Top cable shall be 1/8" steel, specially sewn into 50-millimeter white nylon binding. Bottom tension rope shall be nylon, covered by 30-millimeter white nylon binding.

### **NET ANTENNAE WITH SIDELINE MARKERS**

#### **MODEL NO. SNAVB12**

Net antennae shall be 3/8" in diameter fiberglass rods, 71" long, with alternating red and white bands. Sideline markers shall be white nylon reinforced vinyl 2 1/2" wide with full-length pocket to contain antennae. Attachment to the net shall be full-length Velcro closures.

### **CABLE COVERS**

#### **MODEL NO. VB35P**

Cable covers shall be made of 1/2" thick polyurethane foam. Shall be covered in 14 oz. reinforced polyester laminated white vinyl.

### **UPRIGHT SAFETY PADS**

#### **MODEL NO. SNAVB51P**

Each upright pad shall be a single piece, 72" in height and 26" in width. Padding shall be comprised of cross-linked polyethylene foam, 1.25" thick. Covering shall be nylon-reinforced vinyl. Attachments to uprights shall be affected by Velcro straps. 16 colors available: Scarlet, Cardinal, Maroon, Orange, Burnt Orange, Gold, Vegas Gold, Kelly Green, Forest Green, Columbia Blue, Royal Blue, Dark Royal, Navy Blue, Purple, Gray, Brown, Pink, and Black.

## **VB73A REFEREE STAND WITH PADS**

### **MODEL NO. VB73A**

Shall be of tubular steel construction with steel platform. Stand shall attach to the upright by means of a heavy-duty steel clamp with rubber pads to protect the upright. Clamp shall close by means of a threaded rod-driven mechanism, and shall fold away when not in use. Stand shall have wheels to allow for easy transport, and shall have non-slip rubber floor pads. Stand shall have adjustable legs allowing for platform adjustments from 47" to 53".

**Available in Gray, Black, Scarlet, Maroon, Royal Blue, and Navy Blue padding.**

**VB73A REFEREE STAND**  
**MODEL NO. VB73A**

FACING VIEW

SIDE VIEW

