

BID FORM
Non Public Works

All Public Work Projects are required to use the Louisiana Uniform Public Work Bid Form

All prices must be held firm unless an escalation provision is requested in this bid. Jefferson Parish will allow one escalation during the term of the contract, which may not exceed the U.S. Bureau of Labor Statistics National Index for all Urban Consumers, unadjusted 12 month figure. The most recently published figure issued at the time an adjustment is requested will be used. A request must be made in writing by the vendor, and the escalation will only be applied to purchases made after the request is made.

Are you requesting an escalation provision?

YES _____ NO ✓

MAXIMUM ESCALATION PERCENTAGE REQUESTED _____ %

INITIAL BID PRICES WILL REMAIN FIRM THROUGH THE DATE OF _____

For the purposes of comparison of bids when an escalation provision is requested, Jefferson Parish will apply the maximum escalation percentage quoted by the bidder to the period to which it is applied in the bid. The initial price and the escalation will be used to calculate the total bid price. It will be assumed, for comparison of prices only, that an equal amount of material or labor is purchased each month throughout the entire contract.

DELIVERY: FOB JEFFERSON PARISH

INDICATE DELIVERY DATE ON EQUIPMENT AND SUPPLIES

11 weeks ARO

LOUISIANA CONTRACTOR'S LICENSE NO.: (if applicable) NA

THIS SECTION MUST BE COMPLETED BY BIDDER:

FIRM NAME: Apex Pump & Equipment, LLC

ADDRESS: 5009 Mosson Rd

CITY, STATE: Fort Worth, TX

ZIP: 76119

TELEPHONE: 855-279-7378

FAX: (817) 887-2792

EMAIL ADDRESS: rsmith@apexpump.com

In the event that addenda are issued with this bid, bidders MUST acknowledge all addenda on the bid form. Bidder must acknowledge receipt of an addendum on the bid form as indicated. Failure to acknowledge any addendum on the bid form will result in bid rejection.

Acknowledge Receipt of Addenda: NUMBER: 1

NUMBER: _____

NUMBER: _____

NUMBER: _____

TOTAL PRICE OF ALL BID ITEMS: \$ \$134,000.00

AUTHORIZED SIGNATURE: [Signature]

TITLE: President

Josh Hancock

Printed Name

SIGNING INDICATES YOU HAVE READ AND COMPLY WITH THE INSTRUCTIONS AND CONDITIONS.

NOTE: All bids should be returned with the BID NUMBER and BID OPENING DATE indicated on the outside of the envelope submitted to the Purchasing Department.

INVITATION TO BID FROM JEFFERSON PARISH - continued

BID NO.: 50-00120670

SEALED BID

ITEM NUMBER	QUANTITY	U/M	DESCRIPTION OF ARTICLES	UNIT PRICE QUOTED	TOTALS
1	4.00	EA	<p>A ONE-TIME PURCHASE OF 6 INCH SELF PRIMING CAST IRON TRASH PUMPS FOR THE JEFFERSON PARISH WEST BANK DRAINAGE DEPARTMENT</p> <p>0010 - 6" X 6" Self-Priming Horizontal Sewage Pump, Diesel Powered, Trailer Mounted, Thompson Pump Model 6HT-DIST-4LE2T or equal, per the attached specifications</p> <p><i>See Equal Info Below & Attached</i></p> <p>Louisiana Dealer's License Required: In accordance with LA RS 32:1254 et seq and LA RS 38:2212.8, a Louisiana State Dealer's License is required. All bidders must provide a copy of their valid Louisiana Dealer's License with their bid submission. Failure to submit this copy will result in bid rejection.</p> <p>DELIVER TO: Fleet Department 4901 Jefferson Hwy Jefferson, LA 70121</p> <p>PIONEER SELF PRIMING DIESEL DRIVEN TRAILER MOUNTED PUMP PACKAGE: Model: GS6012L75-4LE2T-GL</p> <ul style="list-style-type: none"> -Pioneer Heavy Duty Standard Centrifugal Solids Handling Self Priming Pump -Standard Cast Iron Construction with Mechanical Seal -11.00 Inch Trimmed Diameter Ductile Iron Impeller -Oil Lubricated Bearing Frame -Suction and Discharge Companion Flanges -Isuzu Model 4LE2T Diesel Engine Rated for 34.5 Continuous HP @ 1800 RPM -DOT Trailer Mounted Package with 12 Volt - 4D Heavy Duty Battery and a 75 Gallon Fuel Tank -Murphy MPC10 Programmable Engine Control Panel -See Attached Specification Sheet for Complete Details -Entire Package Completely Assembled, Primed & Painted Pioneer Green before Shipment <p>Exceptions, Clarifications, and Upgrades:</p> <p>Exception: Mechanical Seal is a Cartridge-type, oil-lubricated Tungsten Titanium Carbide for simple installation and ease of Maintenance</p> <p>Exception: Pump will not deliver a minimum of 1,400 gallons per minute at 1,800 RPM (neither will the Thompson 6HT-DIST-4LE2T)</p> <p>Exception: Vacuum Gauge is Provided by Others (Apex Pump & Equipment will supply & install)</p> <p>Exception: Camlock Fittings, 90° Elbow, and FNPT Strainer is Supplied by Others (Apex Pump & Equipment will supply & install)</p> <p>Clarification: Drawing of Trailer dimensions is Attached in Quote</p> <p>Clarification: Will need more info on NHTSA Standards</p> <p>Exception: Pump Package will have Plastic Fenders</p> <p>Clarification: Paint will be Factory Standard (Paint Info Attached)</p> <p>Clarification: Warranty Information Attached</p>	\$ 33,500.00	\$ 134,000.00

CORPORATE RESOLUTION

EXCERPT FROM MINUTES OF MEETING OF THE BOARD OF DIRECTORS OF

INCORPORATED.

AT THE MEETING OF DIRECTORS OF _____
INCORPORATED, DULY NOTICED AND HELD ON _____,
A QUORUM BEING THERE PRESENT, ON MOTION DULY MADE AND SECONDED. IT
WAS:

RESOLVED THAT _____, BE AND IS HEREBY
APPOINTED, CONSTITUTED AND DESIGNATED AS AGENT AND ATTORNEY-IN-
FACT OF THE CORPORATION WITH FULL POWER AND AUTHORITY TO ACT ON
BEHALF OF THIS CORPORATION IN ALL NEGOTIATIONS, BIDDING, CONCERNS
AND TRANSACTIONS WITH THE PARISH OF JEFFERSON OR ANY OF ITS AGENCIES,
DEPARTMENTS, EMPLOYEES OR AGENTS, INCLUDING BUT NOT LIMITED TO, THE
EXECUTION OF ALL BIDS, PAPERS, DOCUMENTS, AFFIDAVITS, BONDS, SURETIES,
CONTRACTS AND ACTS AND TO RECEIVE ALL PURCHASE ORDERS AND NOTICES
ISSUED PURSUANT TO THE PROVISIONS OF ANY SUCH BID OR CONTRACT, THIS
CORPORATION HEREBY RATIFYING, APPROVING, CONFIRMING, AND ACCEPTING
EACH AND EVERY SUCH ACT PERFORMED BY SAID AGENT AND ATTORNEY-IN-
FACT.

I HEREBY CERTIFY THE FOREGOING TO BE
A TRUE AND CORRECT COPY OF AN
EXCERPT OF THE MINUTES OF THE ABOVE
DATED MEETING OF THE BOARD OF
DIRECTORS OF SAID CORPORATION, AND
THE SAME HAS NOT BEEN REVOKED OR
RESCINDED.

SECRETARY-TREASURER

DATE

(d) In the event the gross asset values of the Company assets are adjusted pursuant to this Agreement, the Capital Accounts of all Members shall be adjusted simultaneously to reflect the aggregate net adjustment, as if this Company had recognized gain or loss equal to the amount of such aggregate net adjustment and the resulting gain or loss had been allocated among the Members in accordance with this Agreement.

2.4.2 Limitations on Capital Contributions.

Except as otherwise provided in this Agreement, no Member shall withdraw any Capital Contributions without the written consent of all the Members. Under circumstances requiring a return of any Capital Contributions, no Member shall have the right to receive property other than cash except as may be specifically provided herein. No Member shall receive any interest, salary, or drawing with respect to the Member's Capital Contributions or Capital Account or for services rendered on behalf of the Company or otherwise in the Member's capacity as a Member, except as otherwise expressly provided in this Agreement.

2.4.3 Member Loans to Company.

Any Member may, with the written consent of a Majority-in-Interest of the Members make a loan(s) ("Member Loans") to the Company solely to further the business of the Company. All Member Loans shall be evidenced by a written instrument. If any Member shall make any loan or loans to the Company or advance money on its behalf, the amount of any such loan or advance shall not be treated as a Capital Contribution, but shall be a debt due from the Company to the Member, repayable upon the terms and conditions as are agreed upon by the Members. Member Loans shall be liabilities of the Company and, unless otherwise agreed, shall be paid from net cash flow prior to any distributions to the Members.

2.4.4 Interpretation and Changes.

The foregoing provisions and the other provisions of this Agreement relating to the maintenance of Capital Accounts are intended to comply with the Code and applicable Treasury Regulations and shall be interpreted and applied in a manner consistent therewith. In the event the Manager shall determine, after consultation with Company counsel, that it is prudent to modify the manner in which the Capital Accounts, or any debits or credits thereto are allocated or computed, in order to comply with applicable federal law, the Members shall make such modifications.

3. RIGHTS AND DUTIES OF MANAGERS

3.1 Management.

The business and affairs of the Company shall be managed by a 60% Majority-In-Interest. The Majority-In-Interest shall be 60% vote and direct, manage, and control the business of the Company to the best of their ability and shall have full and complete authority, power, and discretion to make any and all decisions and to do any and all things that the Members shall deem to be reasonably required to accomplish the business and objectives of the Company. From time to time, a Majority-In-Interest may designate a Manager to serve at the pleasure of the Members. Unless otherwise determined by vote of a Majority-In-Interest, **David Walling**, shall serve as Custodian of Records for the Company.

Authorized signors for Apex Pump & Equipment LLC will be Joshua Hancock, John McFarland, and David Walling.

Non-Public Works Bid Affidavit Instructions

- Affidavit is supplied as a courtesy to Affiants, but it is the responsibility of the affiant to insure the affidavit they submit to Jefferson Parish complies, in both form and content, with federal, state and parish laws.
- Affidavit must be signed by an authorized representative of the entity or the affidavit will not be accepted.
- Affidavit must be notarized or the affidavit will not be accepted.
- Notary must sign name, print name, and include bar/notary number, or the affidavit will not be accepted.
- Affiant **MUST** select either A or B when required or the affidavit will not be accepted.
- Affiants who select choice A must include an attachment or the affidavit will not be accepted.
- If both choice A and B are selected, the affidavit will not be accepted.
- Affidavit marked N/A will not be accepted.
- It is the responsibility of the Affiant to submit a new affidavit if any additional campaign contributions are made after the affidavit is executed but prior to the time the council acts on the matter.

Instruction sheet may be omitted when submitting the affidavit

Non-Public Works Bid

AFFIDAVIT

STATE OF TexasPARISH/COUNTY OF Tarrant

BEFORE ME, the undersigned authority, personally came and appeared: Joshua Hancock, (Affiant) who after being by me duly sworn, deposed and said that he/she is the fully authorized President of Apex Pump & Equipment, Inc (Entity), the party who submitted a bid in response to Bid Number 50-00120670 to the Parish of Jefferson.

Affiant further said:

Campaign Contribution Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____

Attached hereto is a list of all campaign contributions, including the date and amount of each contribution, made to current or former elected officials of the Parish of Jefferson by Entity, Affiant, and/or officers, directors and owners, including employees, owning 25% or more of the Entity during the two-year period immediately preceding the date of this affidavit or the current term of the elected official, whichever is greater. Further, Entity, Affiant, and/or Entity Owners have not made any contributions to or in support of current or former members of the Jefferson Parish Council or the Jefferson Parish President through or in the name of another person or legal entity, either directly or indirectly.

Choice B ☒

there are **NO** campaign contributions made which would require disclosure under Choice A of this section.

Debt Disclosures

(Choose A or B, if option A is indicated please include the required attachment):

Choice A _____

Attached hereto is a list of all debts owed by the affiant to any elected or appointed official of the Parish of Jefferson, and any and all debts owed by any elected or appointed official of the Parish to the Affiant.

Choice B ☒ _____


There are **NO** debts which would require disclosure under Choice A of this section.

Affiant further said:

That Affiant has employed no person, corporation, firm, association, or other organization, either directly or indirectly, to secure the public contract under which he received payment, other than persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project or in securing the public contract were in the regular course of their duties for Affiant; and

[The remainder of this page is intentionally left blank.]

That no part of the contract price received by Affiant was paid or will be paid to any person, corporation, firm, association, or other organization for soliciting the contract, other than the payment of their normal compensation to persons regularly employed by the Affiant whose services in connection with the construction, alteration or demolition of the public building or project were in the regular course of their duties for Affiant.


Signature of Affiant

JOSH HANCOCK
Printed Name of Affiant


SWORN AND SUBSCRIBED TO BEFORE ME
ON THE 26th DAY OF September, 2017.

Jessica Wilkey
Notary Public

Jessica Wilkey
Printed Name of Notary

12666829-3
Notary/Bar Roll Number

My commission expires 01/18/2021.






PIONEER PUMP, INC. LIMITED WARRANTY

GS Series Self Priming Pumps

Seller warrants for one year from the date of shipment Seller's manufactured products to the extent that Seller will repair or replace those having defects in materials or workmanship when used for the purpose and in the manner which Seller recommends. If Seller's examination shall disclose to its satisfaction that the products are defective, seller will repair or replace defective products and no allowance will be made for labor expense of repairing or replacing defective products or workmanship or damage resulting from the same. Seller warrants the products which it sells of other manufacturers to the extent of the warranties of their respective makers. Where engineering design or fabrication work is supplied, buyer's acceptance of Seller's design or of delivery of work shall relieve Seller of all further obligation, other than as expressed in Seller's product warranty.

THIS IS SELLER'S SOLE WARRANTY. NO OTHER WARRANTIES, WRITTEN OR ORAL, EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND MERCHANTABILITY, ARE MADE OR AUTHORIZED. NO AFFIRMATION OF FACT, PROMISE, DESCRIPTION OF PRODUCT OF USE OR SAMPLE OR MODEL SHALL CREATE ANY WARRANTY FROM MANUFACTURER, UNLESS SIGNED BY THE PRESIDENT OF THE MANUFACTURER.


Seller neither assumes, nor authorizes any person to assume for it, any other obligation in connection with the sale of its engineering designs or products. This warranty shall not apply to any products or parts of products which (a) have been repaired or altered outside of Seller's factory, in any manner; or (b) have been subjected to misuse, negligence or accidents; or (c) have been used in a manner contrary to Seller's instruction or recommendations. Seller shall not be responsible for design errors due to inaccurate or incomplete information supplied by Buyer or its representative.



Size: GS6
Speed: 1780 rpm
Dia: 11.5 in

+ Catalog: GS6, Vers
SP - 1800

Company: Pioneer Pump
Name:
12/19/2016



DWG NO. 17521A
 REVISION: 000
 DRAWN BY: MG
 DATE: 05/03/2017

MODEL: PP66S12-TD2.9L4-GL2 TRAILER



Wet Prime Centrifugal

GS6012L75-H0

PERFORMANCE

Wet prime centrifugal pump

Bare shaft, frame mounted, self-priming, heavy-duty, solids handling pump

Size	6" x 6" 152 x 152 mm
Flow, Max	1500 usgpm 340 m ³ /h 94 l/s
Head, Max	115 feet 35 meters
Flow at BEP	1075 usgpm 244 m ³ /h 67 l/s
Efficiency at BEP	47%
Solids Handling, Max	3" 76 mm
Operating Speed, Max*	1750 rpm
Suction Connection	6" (152 mm)
Delivery Connection	6" (152 mm)
Bearing Lubrication	Oil STD Grease optional
Fasteners	Imperial

*With trimmed impeller

APPLICATIONS

Industrial	Food Processing
Municipal	Wastewater
Construction	Mining
Oil Field	Petrochemical
Agriculture	



Heavy-duty, self-priming pump

Designed for handling solids and clear liquids, the Pioneer GS Series is the next generation of self-priming pumps. This lineup of pumps offer superior performance, increased reliability, and additional ease-of-maintenance features.

FEATURES

Rotating Assembly	Utilizes a double-lip seal with atmospheric drain for additional bearing protection
Cover Plate	Removable with convenient grip handle for ease of maintenance
Mechanical Seal	Cartridge-type, oil-lubricated tungsten titanium carbide for simple installation and ease of maintenance
Shaft	AISI 4140 alloy steel; corrosion-resistant, easy to maintain, and highly reliable
Volute	Standard, heavy-wall for durability and peace of mind
O-rings	Nitrile and FKM for use in a wide range of applications
Available Alloys	316 and CD4Mcu stainless steels


OTHER SPECIFICATIONS

Gray Iron	CD4Mcu	Diesel Driven
316 SS	Electric Driven	Natural Gas Engine

DRIVE OPTIONS

Bareshaft Pump End Overhead Belt Drive	Electric Driven Trailer Diesel Driven Trailer	Electric Direct Drive w/ Guard
---	--	--------------------------------

MECHANICAL DIMENSIONS



PERFORMANCE CURVE


Model: GS6012/P6B012

Impeller Dia: 12.38"

Speed: Variable

Solids Size: 3"

Curve #GS6012-VS





Quick Drying Equipment Enamel 758001

PRODUCT DATA SHEET

PRODUCTS

758001x White Base
758002x Midtone Base
758003x Deeptone Base
758004x Neutral Base

PRODUCT DESCRIPTION

Air Drying, Pigmented, Acrylic-Modified Alkyd Resin Coating.

Basic Use	FOR INDUSTRIAL USE ONLY. Provides outstanding protection when used on properly primed or prepared metal. Excellent performance and durability on industrial, agricultural, oil field, construction, highway equipment, and machinery. Ideal for use on industrial buildings interior or exterior.
Packaging	Stocked in single and five gallon containers. Other sizes available upon request.
Finish	A high gloss, durable, flexible, gasoline and oil resistant finish.
Thinning	As necessary with 799260x Synthetic Reducer.
Cleanup	As necessary with 799260x Synthetic Reducer
Spreading Rate	300 square feet per gallon, will result in a dry film thickness of 1.5 mils (allows 20% for loss)

PHYSICAL PROPERTIES

Dry Film Thickness	1.5 to 2mils
Viscosity Range	63 to 67 Krebs Units
Odor	Mixed aliphatic / aromatic odor
Toxic Properties	See label for lead containing colors
Resistance	Excellent
Weight	9.4 ± 1 lbs. per gallon
Solids Weight	53 ± 2%
Solids Volume	35 ± 2%
Theoretical VOC	4.43 lbs. per gallon, 531 grams per liter

SURFACE PREPARATION

Metal Preparation	New metal should be thoroughly cleaned and properly primed with 7082xxx Barrier III High Solids Metal Primer before coating. Recoated surfaces must be thoroughly clean. All loose rust, mill scale, grease, cutting oil, etc., must be cleaned to bare, clean surface before coating.
--------------------------	--

APPLICATION

Application Method	Spray painting preferred. Small items may be dipped or brushed
Airless Sprayer Application	Recommend pressure 2000 to 2500 psi, using .013 to .016 tip orifice.
Conventional Sprayer Application	Recommend air pressure 40 - 60 psi; fluid pressure 20 psi; JGA 510 gun, FX tip, 705 air cap.

DRY TIME

Dry time to touch	10 to 20 minutes
Dry time to re-coat	To avoid wrinkling of previous coat, recoat before four hours or after 24 hours, depending on film thickness.
Dry time to handle	4 hours
Dry time until tack free	1½ hours
Dry time until hard	6 hours

Disclaimer - All technical advice, recommendations and services regarding this product are rendered by the Seller gratis. They are based on technical data which the Seller believes to be reliable and are intended for use by persons having skill and know-how, at their discretion and risk. Seller assumes no responsibility for results obtained or damages incurred from this product use by Buyer whether as recommended herein or otherwise. Such recommendations, technical advice or services are not to be taken as a license to operate under or suggest infringement of any patent.

Last modification made on: 7/7/2003 10:03:28 AM

Rodda Paint Co.
Corporate Office: 12000 SW Garden Place, Portland, Oregon 97223
Regional: 3838 4th Avenue So., Seattle, Washington 98134



Synthetic Reducer 799260

PRODUCT DATA SHEET

PRODUCTS

799260x

PRODUCT DESCRIPTION

Basic Use

The primary use of Synthetic Reducer is used to thin Rodda Products and also used for cleaning up. Always use this product with adequate ventilation. For more information regarding this product call a Rodda Paint Sales Representative.

PHYSICAL PROPERTIES

SURFACE PREPARATION

APPLICATION

DRY TIME

Disclaimer - All technical advice, recommendations and services regarding this product are rendered by the Seller gratis. They are based on technical data which the Seller believes to be reliable and are intended for use by persons having skill and know-how, at their discretion and risk. Seller assumes no responsibility for results obtained or damages incurred from this product use by Buyer whether as recommended herein or otherwise. Such recommendations, technical advice or services are not to be taken as a license to operate under or suggest infringement of any patent.

Last modification made on: 10/10/2003 11:49:15 AM

Rodda Paint Co.

Corporate Office: 12000 SW Garden Place, Portland, Oregon 97223
Regional: 3838 4th Avenue So., Seattle, Washington 98134



ENOVATION
CONTROLS™

MURPHY

POWERFUL, CONFIGURABLE CONTROLLER FOR MECHANICAL AND ELECTRONIC ENGINES

POWERCORE™
MPC-10
CONTROLLER

ML1000
PANEL

- Operates with 12VDC or 24VDC systems
- Three Configurable Levels of Passcode Protection
- Flexible Input Sensor Types For the Analog Inputs
- Analog Inputs Can Be Used as Digital Ground Inputs
- Designed For All Weather Environments



The Murphy PowerCore MPC-10 Controller is a general, all-purpose manual/auto start and manual/auto throttling engine controller designed with rental applications in mind. This is a powerful controller that supports J1939 CAN protocols for electronically governed engines as well as I/O for mechanical engines for fault and safety shutdowns.


The MPC-10 boasts three levels of menu security which can easily be set with the configuration tool.

The MPC-10 follows a standard operating sequence of 22 machine states that happen in a predetermined order. Machine states can be set to zero if not needed or adjusted to fit the application. The menu structure is incredibly user friendly, with the ability to change many parameters and settings from the face without the need of a PC tool, if desired.

Available In A Panel As
ML1000-4X

*Tier 4^{Final} ready
Stage IV*





MPC-10 SPECIFICATIONS

- Display: 2.7" WQVGA Monochrome HR-TFT 400x240
- Keypad: 11 Tactile Feedback Buttons
- LED:
 - (1) Red, Shutdown
 - (1) Amber, Warning
 - (1) Green, Auto Mode or Running Loaded State
- Inputs:
 - (5) Digital, configurable (high/low)
 - (3) Analog, configurable (4-20mA, 0-5V, resistive)
 - (1) Frequency, supporting Magnetic pickup (30Hz - 10kHz, 2.0VAC-120VAC) and Engine Alternator (30Hz - 10kHz, 4.5 VRMS - 90 VRMS)
- Outputs:
 - (3) Relays: 10A, SPDT, Form C (30 VDC @ 10A max.), 40A max aggregate @ 85C
 - (2) Low-side (1A)
 - (2) High-side (1A)
 - (1) Dedicated Alternator Excite (provides Charge Fail Fault if unable to excite alternator)
- Communications:
 - (1) CAN J1939
 - (1) RS485, MODBUS RTU
 - (1) USB 2.0B for Programming
- Total Current Consumption: Power on in stopped state: 117 mA at 12 VDC. Power on in standby mode: 52 mA at 12 VDC.
- Cranking Power Holdup: 0 VDC up to 50mS (also good for brownout/blackout instances)
- Dimensions: 167.09mm (L) x 133.29mm (H) x 64.81mm (W)
- Weight: 1lb. 1oz.
- Operating Temperature: -40°C to +85°C (-40°F to 185°F)
- Storage Temperature: -40°C to +85°C (-40°F to 185°F)
- EMI/EMC: SAE J1113
- Shock: 50G in 3 axes (X,Y,Z)
- Vibration: Random, 7.86 Grms (5-2000Hz), 3 axes (X,Y,Z)
- Sealing: IP67 front and back, IP66 panel seal with accessory gasket
- Case: Polycarbonate/ABS
- Mating Connectors:
 - Deutsch W12S-PO12 locking wedges
 - Gray DT06-12SA-PO12
 - Black DT06-12SB-PO12
 - Green DT06-12SC-PO12
 - USB 6 pin
- Languages: English, Spanish, German, French, Italian
- Shipping Weight: 2lbs. 7.1 oz. (1.11 kg)
- Shipping Dimensions: 8 x 8 x 5-11/16 in. (204 x 204 x 127 mm)

Approvals



* Approved by CSA for non-hazardous locations in North America (Group Safety Publication CSA/UL 61010-1 3rd Edition)

Products covered in this document comply with European Council electromagnetic compatibility directive 2004/108/EC and electrical safety directive 2006/95/EC.

ENOVATION CONTROLS CORPORATE HEADQUARTERS
5311 S 122ND EAST AVENUE
TULSA, OK 74146

ENOVATION CONTROLS - SAN ANTONIO OFFICE
5757 FARINON DRIVE
SAN ANTONIO, TX 78249

ENOVATION CONTROLS - HOUSTON OFFICE
105 RANDON DYER RD
ROSENBERG, TX 77471

ENOVATION CONTROLS LTD. - UNITED KINGDOM
CHURCH ROAD LAVERSTOCK
SALISBURY SP1 10Z UK

MURPHY ECONTROLS TECHNOLOGIES (HANGZHOU) CO, LTD.
77 23RD STREET
HANGZHOU ECONOMIC & TECHNOLOGICAL DEVELOPMENT AREA
HANGZHOU, ZHEJIANG 310018 CHINA

DOMESTIC SALES & SUPPORT

ECONTROLS PRODUCTS
PHONE: 210 495 9772
FAX: 210 495 9791
EMAIL: INFO@ECONTROLS.COM
WWW.ECONTROLS.COM

MURPHY PRODUCTS
PHONE: 918 317 4100
FAX: 918 317 4280
EMAIL: SALES@FWMURPHY.COM
WWW.FWMURPHY.COM

MURPHY CONTROL SYSTEMS & SERVICES
PHONE: 281 633 4500
FAX: 281 633 4588
EMAIL: CSS-SOLUTIONS@FWMURPHY.COM

MURPHY INDUSTRIAL PANEL DIVISION
PHONE: 918 317 4100
FAX: 918 317 4124
EMAIL: IPSALES@FWMURPHY.COM

INTERNATIONAL SALES & SUPPORT

UNITED KINGDOM
PHONE: +44 1722 410055
FAX: +44 1722 410089
EMAIL: SALES@ENOVATIONCONTROLS.EU
WWW.FWMURPHY.EU

CHINA
PHONE: +86 21 6237 5885
FAX: +86 21 6237 5887
EMAIL: APSALES@FWMURPHY.COM

LATIN AMERICA & CARIBBEAN
PHONE: 918 317 2500
EMAIL: LASALES@FWMURPHY.COM

SOUTH KOREA
PHONE: +82 70 7951 4100
EMAIL: SKOREASALES@FWMURPHY.COM

INDIA
PHONE: +91 91581 37033
EMAIL: INDIALES@FWMURPHY.COM



PM 28221 (Tulsa, OK - USA)
PM 620667 (San Antonio, TX - USA)
PM 28221 (Rosenberg, TX - USA)
PM 29422 (UK)



PM 523851 (China) TS 509322 (China)



ISUZU
RED TECH™

Reliable. Eco-friendly. Durable. Technologically Advanced

4 SERIES

Dependable Power

4LE2T - 40 HP (30 KW) @ 1800 RPM (constant speed)
48 HP (36 KW) @ 2400 RPM (variable speed)

4LE2X - 66 HP (49 KW) @ 1800 RPM (constant speed)
62 HP (46 KW) @ 2400 RPM (variable speed)

FOR MOVERS

(not shakers)



High technology exhaust after treatment provides the ideal level of applied simplicity and end user satisfaction for those on the move.

Certifications

U.S. EPA Tier **4**
EU Stage **III B**

isuzuengines.com



Applications




ISUZU
DIESEL

The Strength to Work Harder.

Performance

Engine Performance Curves



Standard


- Emission Control Device, maintenance free
- DOC
- Other emission-reducing features, including Cooled EGR, Wastegate Turbocharger
- High pressure Common Rail and Direct Injection
- Electric & self-priming fuel lift pump
- Glow plug starting aid
- 5-year / 5,000-hour warranty
- 500-hour oil drain & service interval

Available Options

- Side or bottom drain oil pan
- SAE A Gear Case PTO
- Flywheel housings: SAE #4, #5, or flat plate
- Cooling packages
- Air cleaners
- Meter board and wire harness
- Engine mounting
- Weather and sound-proofing enclosure


Engine Performance Curves

- 4LE2T – Constant Speed
- 4LE2T – Variable Speed
- 4LE2X – Constant Speed
- 4LE2X – Variable Speed




4LE2T: 29.80 in. (758 mm)

Note: SAE #4 flywheel housing shown (largest)




4LE2T: 24.05 in. (611 mm)

4LE2T: 30.40 in. (773 mm)



4LE2X: 31.60 in. (803 mm)



4LE2X: 23.05 in. (585 mm)

4LE2X: 30.40 in. (773 mm)

For additional information, please contact your local distributor or visit isuzuengines.com

Isuzu Motors America, LLC
 46401 Commerce Center Drive
 Plymouth, Michigan 48170
 Phone: 734.582.9470
 Fax: 734.455.7581

ILS-4LE2T/X-017-2

isuzuengines.com

ISUZU
DIESEL



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000120670 - A ONE-TIME PURCHASE OF 6 INCH SELF PRIMING CAST
IRON TRASH PUMPS FOR THE JEFFERSON PARISH WEST BANK
DRAINAGE DEPARTMENT**
Jefferson Parish Government

Project documents obtained from www.CentralBidding.com
22-Sep-2017 03:44:03 PM



Bid Number 50 - 00120670

**A ONE-TIME PURCHASE OF 6 INCH SELF PRIMING CAST IRON TRASH
PUMPS FOR THE JEFFERSON PARISH WEST BANK DRAINAGE
DEPARTMENT**

BID DUE: September 14, 2017, 2:00 PM

ATTENTION VENDORS!!!

**Please review all pages and respond accordingly, complying with all provisions
in the technical specifications and Jefferson Parish Instructions for Bidders and
General Terms and Conditions. All bids must be received in the Purchasing
Department by the bid due date and time.**

**Jefferson Parish Purchasing Department
200 Derbigny Street
General Government Building, Suite 4400
Gretna, LA 70053
Buyer Name: Melissa Ovalle
Buyer Email: movalle@jeffparish.net
Buyer Phone: (504) 364-2687**



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda C. Patel
Director

CHANGES TO JEFFERSON PARISH BIDDING PROCEDURES

The East bank Office of Purchasing is now open! We are located in the Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Suite 404, Jefferson, LA 70123. Bidders may submit bid responses at this location, pending authorization in each bid package. **Bidders should carefully read and must respond accordingly per the requirements of the bid packages. NOTE: Bidders submitting bids on the day of bid opening, bidders must submit at the West Bank location only.**

Other Changes Continued:

- For all advertised sealed bids, written evidence of signature authority must be included with bid submission.
- Current W9 Forms and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, a current W-9 form must be supplied upon contract execution, should you be awarded a contract and/or issued a purchase order.
- Upon contract execution, successful bidder must produce final insurance certificates per standard Jefferson Parish insurance requirements. Proof of insurance is required for bidding purposes. Bidders must read the insurance requirements attachment included in each bid package for specific instructions.

Bidders should reference the "Additional Requirements" section of the bid instructions and/or the "Important Notice to Bidders" included in the bid package for specific requirements to respond accordingly.

For more information, please call Jefferson Parish Purchasing at 504-364-2678.

TECHNICAL SPECIFICATIONS FOR: 6" X 6" Self-Priming Horizontal Sewage Pump

GENERAL DESCRIPTION

These specifications call for the fabrication, delivery, and acceptance of four (4) new 6" Diesel Powered, Trailer Mounted Wastewater Trash Pumps. All deliveries will go to our Fleet Department located at:

Fleet Department
4901 Jefferson Hwy
Jefferson, LA 70121

Where exact compliance to the specifications as contained herein is not offered, bidders shall attach a letter of exceptions to their bids. Letters of exceptions shall refer to specific specifications herein and shall fully explain in detail where 6" Diesel Powered, Trailer Mounted Wastewater Trash Pump offered differs from requirements as spelled out herein. Bidders are warned that mere attachment of brochures covering standard manufactured equipment when such differs from these specifications shall not be adequate to satisfy the letter of exceptions requirement.

The unit shall be a 6-inch portable horizontal self-priming centrifugal trash pump driven by a water-cooled diesel engine. The pump shall be self-priming and capable of handling large volumes of air, water, and solids. End-suction centrifugal pumps requiring add-on systems for priming shall not be considered.

- o The complete pump package shall be manufactured in a plant that is registered to ISO9001:2008 and a copy of the Certificate may be requested by Owner before bid acceptance.
- o The pump shall be designated and manufactured in conformance with CPB / AEM standards.

LOUISIANA DEALER'S LICENSE

In accordance with LA RS 32:1254 et seq and LA RS 38:2212.8, a Louisiana State Dealer's License is required. All bidders must provide a copy of their valid Louisiana Dealer's License with their bid submission. Failure to submit this copy will result in bid rejection.

DIESEL ENGINE

- o Pre-approved diesel engines include:
 - Isuzu model 4LE2T
 - John Deere model number 3029HFC03/EWX 2.9L

- The engine shall meet, or exceed, the Final Tier 4 emission standards by utilizing a Diesel Oxidation Catalyst (DOC) only. Diesel engines requiring Diesel Exhaust Fluid (DEF), Diesel Particulate Filters (DPF) and/or regen requirements will NOT be considered.
- The engine shall have an industrial type battery with 175-amp hour rating and minimum 990 cold-cranking amps, with 175 amp reserve, mounted in a lockable frame.
- A 12-volt starter and alternator charging system shall be provided.
- Engine shall have a hospital grade silencer muffler.
- Engine shall have a mechanical type governor.
- Engine shall have variable speed throttle control.
- Engine shall have safety shutdown switches for low oil pressure and high water temperature.
- An instrument panel shall be provided in the enclosure and mounted on rubber isolators.
- Instrument panel shall contain the following instrumentation and controls: key switch, tachometer, hour meter, oil pressure gauge, water temperature gauge, charge indicator lamp.

CENTRIFUGAL PUMP

- The centrifugal pump shall be a 6"x6" horizontal self-priming centrifugal sewage pump manufactured by Thompson Pump model 6HT-DIST-4LE2T or owner approved equal.
- The volute shall be integrally cast in the pump casing. Volute and pump casing shall be constructed of cast iron of no lesser grade than class 30.
- The centrifugal pump shall contain a self-cleaning priming passage (re-prime port) positioned tangentially to the fluid flow path to prevent plugging. Re-prime port designs that include conduits positioned directly in the fluid flow path shall not be considered.
- The impeller shall be two-vane, non-clogging, balanced, semi-open with full rear shroud, ductile iron and shall incorporate rear-equalizing vanes to reduce axial loading and prolong seal and bearing life.
- The pump shaft shall be made of SAE 4140 alloy steel. A shaft sleeve composed of 304 stainless steel shall be fitted to the shaft to protect the shaft from wear from the mechanical seal and lip seal.
- The mechanical seal shall be a single, inside mounted, non-pusher type with self-adjusting elastomeric bellows. The seal faces shall be constructed of Tungsten Carbide. All other seal components shall be 304 S.S. and viton rubber. Neither outside mounted seals susceptible to losing face contact during surging conditions or packing shall be considered.
- The seal chamber shall have a tapered bore design, which allows removal of solids and entrained gases from behind the impeller. Seal housing shall be designed to provide adequate lubrication to the seal faces during extended periods of pump dry running. Seal housing shall provide grease lubrication to the seal.
- The pump shaft shall be supported by two bearings of ample size and proper design to withstand typical axial and radial loading imposed on the bearings during normal operation. Bearings shall be grease lubricated.

- The pump shall be equipped with a replaceable wear plate to protect the pump casing from wear. The wear plate shall be equipped with abrasion resistant rubber facing to extend service life.
- The pump shall have a back pullout design allowing the removal of the entire rotating assembly as a unit from the pump casing.
- The pump shall be equipped with a front cleanout cover allowing access to the impeller for removing trash or debris without disturbing the piping. Units not meeting this requirement shall not be considered.
- The pump shall incorporate a full flow suction non-return valve to retain liquid in the suction line to eliminate re-priming with each cycle. The suction non-return valve shall be a weighted flapper style valve constructed of cast-iron and two-ply nitrile rubber with nylon reinforcement.
- The pump shall incorporate a drain cover for draining the pump casing in freezing weather. The cover shall be removable without the need of special tools.
- The pump shall be capable of delivering minimum 1,400 gallons per minute at 1,800 RPM.
- The pump shall be capable of generating a closed discharge valve (shutoff) head of no less than 80 feet at 1,800 rpm.
- Centrifugal pump shall be capable of handling up to 3-inch diameter non-compressible spherical solids.
- Centrifugal pump shall be capable of fully self-priming on its own with a 25-ft static suction lift within two minutes when the pump is pre-filled with water.
- The pump shall be furnished with a liquid-filled vacuum gauge for system diagnostics.
- The pump inlet shall be equipped with a 6" Male Camlock style fitting.
- The pump outlet shall be equipped with a 6" 90° elbow & 6" Male Camlock style fitting.
- A 6" FNPT strainer shall be provided.

MOUNTING FRAME

- The complete power unit shall be mounted on a combination frame/single wall fuel tank constructed of tubular steel, approximate length 90 inches, approximate width 48 inches, with a fuel capacity of minimum 60 gallons.
- The frame shall incorporate an integral lifting bail capable of lifting the entire unit.
- Fuel tank shall have two clean-out ports located at opposite ends of the tank.
- Fuel tank shall have a removable basket strainer mounted in the fill port and a lockable cap.

TRAILER

- The complete pump set shall be factory mounted on a site trailer meeting NHTSA, DOT Part 571 standards 108, 119 and 120.
- Trailer shall include the following:
 - Single removable axle with leaf spring suspension
 - Two ST225/75R15-D tires.
 - Removable tongue assembly with 3" adjustable lunette eye hitch and safety chains.
 - Removable steel diamond plate fenders.
 - Lashing rings.

- One top wind swivel 15" retractable height tongue-mounted jack stand.
- Two front and two rear stabilizing stands.
- DOT light package including stop, turn, tail and side marker lights, and license bracket.

PAINTING

- A minimum 1-2 mil thick layer of Industrial Acrylic Enamel primer shall be applied to the entire pump set prior to the finish coat. A minimum 1-2 mil thick layer of Industrial Acrylic Enamel Paint shall be applied over the primer coat.

WARRANTY

- The manufacturer of the pumping unit shall warrant for a period of one year from the date of shipment that the entire unit and all equipment therein shall be free from defects in design, material, and workmanship.

SERVICE FACILITY

- The pump supplier shall have a service facility stocked with spare parts for the 6" trash pump being provided.

TESTING

- The complete pump set shall be factory tested according to ANSI/HI 1.61994 by a certified quality technician. A test report shall be submitted by the successful bidder to the Owner prior to acceptance of the pump delivery.

MANUALS

- One hard copy stored inside a rainproof document box and one electronic copy of the complete set of operation and maintenance manuals shall be furnished with the unit.

DATE: 8/30/2017

BID NO.: 50-00120670

INVITATION TO BID
THIS IS NOT AN ORDER

Page: 1

JEFFERSON PARISH

PURCHASING DEPARTMENT
P.O. BOX 9
GRETN, LA. 70054-0009
504-364-2678

BUYER: MOVALLE@jeffparish.net

BIDS WILL BE RECEIVED IN THE WEST BANK PURCHASING DEPT, SUITE 4400, JEFFERSON PARISH GENERAL GOVERNMENT BUILDING, 200 DERBIGNY STREET, GRETN, LA 70053 UNTIL 2:00 PM, 9/14/2017 AND PUBLICLY OPENED THEREAFTER. For convenience, bidders may also submit bids in the East Bank Purchasing Department, Suite 404, Jefferson Parish Joseph S. Yenni Building, 1221 Elmwood Park Blvd., Jefferson LA 70123. However, if submitting bids on the day of bid opening, bidders must submit at the West Bank location only. All bids will be publicly opened at the West Bank location.

At no charge, bidders may also submit via Jefferson Parish's electronic procurement page by visiting www.jeffparishbids.net to register for this free site. Additional instructions are included in the text box highlighting electronic procurement.

LATE BIDS WILL NOT BE ACCEPTED

Unless submitting via online (see Page 3), each bid must be submitted in a sealed envelope bearing on the outside; the name of the Bidder, his address, and the name of the project for which the bid is submitted and the bid number.

NOTE: ONLY BIDS WRITTEN IN INK OR TYPEWRITTEN, AND PROPERLY SIGNED BY A MEMBER OF THE FIRM OR AUTHORIZED REPRESENTATIVE, WILL BE ACCEPTED. PENCIL AND/OR PHOTOSTATIC FIGURES OR SIGNATURES SHALL RESULT IN BID REJECTION.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

THE FOLLOWING INSTRUCTIONS APPLY TO ALL BIDS

All bids submitted are subject to these instructions and general conditions and any special conditions and specifications contained herein, all of which are made part of this bid proposal reference. By submitting a bid, vendor agrees to comply with all provisions of Louisiana Law as well be in compliance with the Jefferson Parish Code of Ordinances, Louisiana Code of Ethics, applicable Jefferson Parish ethical standards and Jefferson Parish Resolution No. 113646 and/or Resolution No. 113647.

All vendors submitting bids should register as a Jefferson Parish vendor if not already yet registered. Registration forms may be downloaded from <http://purchasing.jeffparish.net> and by clicking on Vendor Information. Current W-9 forms with respective Tax Identification numbers and vendor applications may be submitted at any time; however, if your company is not registered and/or a current W-9 form is not on file, vendor registration is mandatory. Further, a current W-9 form and respective Tax Identification number must be supplied upon contract execution, should you be awarded a contract and/or issued purchase order. Failure to do so may result in delay of payment.

All quotations shall be based on F.O.B. Agency warehouse or job site, anywhere within the Parish as designated by the Purchasing Department. This provision does not apply to public works projects

JEFFERSON PARISH requires all products to be new (current) and all work must be performed according to standard practices for the project. Unless otherwise specified, no aftermarket parts will be accepted. Unless otherwise specified, all workmanship and materials must have at least one (1) year guaranty, in writing, from the date of delivery and/or acceptance of the project. Any deviations or alterations from the specifications must be indicated and/or supporting documentation supplied with bid submission.

Bidders should submit all questions in writing and fax them to the Purchasing Department at (504) 364-2693 no later than FIVE (5) working days prior to bid opening. Bid numbers should be mentioned in all requests. Questions may also be emailed to the buyer for this bid at the email address listed above. If submitting online, vendors may send questions via the E-Procurement site no later than Five (5) working days prior to the bid opening.

If this bid requires a pre-bid conference (see Additional Requirements section), bidders are advised that such conference will be held to allow bidders the opportunity to identify any discrepancies in the bid specifications and seek further clarification regarding instructions. The Purchasing Department will issue a written response to bidders' questions in the form of an Addendum. Please note that all official communication will be expressed in the form of an addendum.

All formal Addenda require written acknowledgement on the bid form by the bidder. Failure to acknowledge an Addendum on the bid form shall cause the bid to be rejected. JEFFERSON PARISH reserves the right to award bid to next lowest responsive and responsible bidder in this event.

The purpose and intention of this invitation to bid is to afford all suppliers an equal opportunity to bid on all construction, maintenance, repair, operating supplies and/or equipment listed in this bid proposal. JEFFERSON PARISH WILL ACCEPT ONE BID ONLY FROM EACH VENDOR. Items bid must meet specifications.

Visit our website at [HTTP://PURCHASING.JEFFPARISH.NET](http://PURCHASING.JEFFPARISH.NET)

JEFFERSON PARISH will accept one price for each item unless otherwise indicated. Two or more prices for one item will result in bid rejection. Bidders are required to complete, sign and return the bid form and/or complete and return the associated line item pricing forms as indicated. Vendors must not alter the bid forms. Doing so will cause the bid to be rejected.

A corporate resolution or written evidence of the individual signing the bid having such authority must be submitted with the bid. Failure to comply will cause bid to be rejected. For corporate entities, such written evidence may be a printout of the Louisiana Secretary of State's website listing the signatory as an officer. Such printout shall be included with the bid submission. Bids submitted by Owners or Sole Proprietorships must include certification that he or she owns the entity for which the bid is signed. This documentation must be submitted with the bid. Failure to do so will result in bid rejection.

NOTE: A sample corporate resolution can be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document. A sample certification of sole proprietorship can also be downloaded from our website <http://purchasing.jeffparish.net> or you may provide your own document.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

A. AWARD OF CONTRACT: JEFFERSON PARISH reserves the right to award contracts or place orders on a lump sum or individual item basis, or such combination, as shall in its judgment be in the best interest of JEFFERSON PARISH. Every contract or order shall be awarded to the LOWEST RESPONSIVE and RESPONSIBLE BIDDER, taking into consideration the CONFORMITY WITH THE SPECIFICATIONS and the DELIVERY AND/OR COMPLETION DATE. SPLIT AWARDS MADE TO SEVERAL VENDORS WILL ONLY BE GRANTED TO THOSE DEEMED RESPONSIVE AND RESPONSIBLE.

All bid prices shall remain valid for 45 days. Jefferson Parish and the lowest responsive and responsible bidder(s) by mutual written consent may mutually agree to extend the deadline for award by one (1) or more extensions of thirty (30) calendar days.

PROTESTS: Only those vendors that submitted a bid in response to this solicitation may submit a protest in writing to the Director of the Purchasing within 48 hours of bid opening. The Purchasing Director will review it in connection with the Parish Attorney's Office which will then respond in writing as soon as possible.

PREFERENCE: Unless federal funding is directly spent by Jefferson Parish for this purchase, preference is hereby given to materials, supplies, and provisions produced, manufactured or grown in Louisiana, quality being equal to articles offered by competitors outside the state. "LSA - R.S. 38:2251-2261"

B. USE OF BRAND NAMES AND STOCK NUMBERS: Where brand names and stock numbers are specified, it is for the purpose of establishing certain minimum standards of quality. Bids may be submitted for products of equal quality, provided brand names and stock numbers are specified. Complete product data may be required prior to award.

C. CANCELLATION OF CONTRACT: JEFFERSON PARISH reserves the right to cancel all or any part if not shipped promptly. No charges will be allowed for parking or cartage unless specified in quotation. The order must not be filled at a higher price than quoted. JEFFERSON PARISH reserves the right to cancel any contract at anytime and for any reason by issuing a THIRTY (30) day written notice to the contractor.

For good cause and as consideration for executing a contract with Jefferson Parish, vendor conveys, sells, assigns and transfers to Jefferson Parish or its assigns all rights, title and interest in and to all causes of action it may now or hereafter acquire under the antitrust laws of the United States and the State of Louisiana, relating to the particular good or services purchased or acquired by Jefferson Parish.

D. PRICES: Jefferson Parish is exempt from paying sales tax under LSA-R.S. 47:301 (8)(c). All prices for purchases by Jefferson Parish of supplies and materials shall be quoted in the unit of measure specified and unless otherwise specified, shall be exclusive of state and Parish taxes. The price quoted for work shall be stated in figures. In the event there is a difference in unit prices and totals, the unit price shall prevail.

Quantities listed are for bidding purposes only. Actual requirements may be more or less than quantities listed.

Bidders are not to exclude from participation in, deny the benefits of, or subject to discrimination under any program or activity, any person in the United States on the grounds of race, color, national origin, or sex; nor discriminate on the basis of age under the Age Discrimination Act of 1975, or with respect to an otherwise qualified handicapped individual as provided in Section 504 of the Rehabilitation Act of 1973, or on the basis of religion, except that any exemption from such prohibition against discrimination on the basis of religion as provided in the Civil Rights Act of 1964, or Title VI and VII of the Act of April 11, 1968, shall also apply. This assurance includes compliance with the administrative requirements of the Revenue Sharing final handicapped discrimination provisions contained in Section 51.55 (c), (d), (e), and (k)(5) of the Regulations. New construction or renovation projects must comply with Section 504 of the 1973 Rehabilitation Act, as amended, in accordance with the American National Standard Institute's specifications (ANSI A17.1-1961).

Jefferson Parish and its partners as the recipients of federal funds are fully committed to awarding a contract(s) to firm(s) that will provide high quality services and that are dedicated to diversity and to containing costs. Thus, Jefferson Parish strongly encourages the involvement of minority and/or woman-owned business enterprises (DBE's, including MBE's, WBE's and SBE's) to stimulate participation in procurement and assistance programs.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

Advertised bids will be tabulated and a copy of the tabulation will be forwarded to each responding bidder.

IN ACCORDANCE WITH STATE REGULATIONS JEFFERSON PARISH OFFERS ELECTRONIC PROCUREMENT TO ALL VENDORS

This electronic procurement system allows vendors the convenience of reviewing and submitting bids online. This is a secure site and authorized personnel have limited read access only. Bidders are encouraged to submit electronically using this free service; while the website accepts various file types, one single PDF file containing all appropriate and required bid documents is preferred. Bidders submitting uploaded images of bid responses are solely responsible for clarity. If uploaded images/documents are not legible, then bidder's submission will be rejected. Please note all requirements contained in this bid package for electronic bid submission.

Please visit our E-Procurement Page at www.jeffparishbids.net to register and view Jefferson Parish solicitations. For more information, please visit the Purchasing Department page at <http://purchasing.jeffparish.net>.

The general specifications for construction projects and the purchase of materials, services and/or supplies are those adopted by the JEFFERSON PARISH Council by Resolution No. 113646 or 113647 dated 12/09/09. The general conditions adopted by this resolution shall be considered as much a part of this document as if they were written wholly herein. A copy may be obtained from the Office of the Parish Clerk, Suite 6700, Jefferson Parish General Government Building, 200 Derbigny Street, Gretna, LA 70053. You may also obtain a copy by visiting the Purchasing Department webpage at <http://purchasing.jeffparish.net> and clicking on Online Forms.

ADDITIONAL REQUIREMENTS FOR THIS BID

PLEASE MATCH THE NUMBERS PRINTED IN THIS BOX WITH THE
CORRESPONDING INSTRUCTIONS BELOW.

13,15

1. All bidders must attend the MANDATORY pre-bid conference and will be required to sign in and out as evidence of attendance. In accordance with LSA R.S. 38:2212(I), all prospective bidders shall be present at the beginning of the MANDATORY pre-bid conference and shall remain in attendance for the duration of the conference. Any prospective bidder who fails to attend the conference or remain for the duration shall be prohibited from submitting a bid for the project.
2. Attendance to this pre-bid conference is optional. However, failure to attend the pre-bid conference shall not relieve the bidder of responsibility for information discussed at the conference. Furthermore, failure to attend the pre-bid conference and inspection does not relieve the successful bidder from the necessity of furnishing materials or performing any work that may be required to complete the work in accordance with the specification with no additional cost to the owner.
3. Contractor must hold current applicable JEFFERSON PARISH licenses with the Department of Inspection and Code Enforcement. Contractor shall obtain any and all permits required by the JEFFERSON PARISH Department of Inspection and Code Enforcement. The contractor shall be responsible for the payment of these permits. All permits must be obtained prior to the start of the project. Contractor must also hold any and all applicable Federal and State licenses. Contractor shall be responsible for the payment of these permits and shall obtain them prior to the start of the project.
4. A LA State Contractor's License will be required in accordance with LSA R.S. 37-2150 et. seq. and such license number will be shown on the outside of the bid envelope. Failure to comply will cause the bid to be rejected. Additionally if submitting the bid electronically, then the license number must be entered in the appropriate field in the Electronic Procurement system. Failure to comply will cause the bid to be rejected.
5. It is the bidder's responsibility to visit the job site and evaluate the job before submitting a bid.
6. Job site must be clean and free of all litter and debris daily and upon completion of the contract. Passageways must be kept clean and free of material, equipment, and debris at all times. Flammable material must be removed from the job site daily because storage will not be permitted on the premises. Precautions must be exercised at all times to safeguard the welfare of JEFFERSON PARISH and the general public.

INSTRUCTIONS FOR BIDDERS AND GENERAL CONDITIONS

7. **PUBLIC WORKS BIDS:** All awards for public works in excess of \$5,000.00 will be reduced to a formal contract which shall be recorded at the contractor's expense with the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. A price list of recordation costs may be obtained from the Clerk of Court and Ex-Officio Recorder of Mortgages for the Parish of Jefferson. All awards in excess of \$25,000.00 will require both a performance and a payment bond. Unless otherwise stated in the bid specifications, the performance bond requirements shall be 100% of the contract price. Unless otherwise stated in the bid specifications, the payment bond requirements shall be 100% of the contract price. Both bonds shall be supplied at the signing of the contract.
8. **NON-PUBLIC WORKS BIDS:** A performance bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The performance bond shall be supplied at the signing of the contract.
9. **NON-PUBLIC WORKS BIDS:** A payment bond will be required for this bid. The amount of the bond will be 100% of the contract price unless otherwise indicated in the specifications. The payment bond shall be supplied at the signing of the contract.
10. Unless otherwise stated in the bid specifications, the successful bidder will be required to procure standard insurance policies evidencing Parish-mandated insurance requirements as indicated on the attached "insurance requirements" sheet. All bidders must comply with the instructions in this sheet. Failure to comply will cause bid to be rejected.
11. A bid bond will be required with bid submission in the amount of 5% of the total bid, unless otherwise stated in the bid specifications. Acceptable forms shall be limited to cashier's check, certified check, or surety bid bond. All sureties must be in original format (no copies). If submitting a bid online, vendors must submit an electronic bid bond through the respective online clearinghouse bond management system(s) as indicated in the electronic bid solicitation on Central Auction House. No scanned paper copies of any bid bond will be accepted as part of the electronic bid submission.
12. This is a requirements contract to be provided on an as needed basis. JEFFERSON PARISH makes no representations on warranties with regard to minimum guaranteed quantities unless otherwise stated in the bid specifications.
13. Freight charges should be included in total cost when quoting. If not quoted FOB DELIVERED, freight must be quoted as a separate item. Bid may be rejected if not quoted FOB DELIVERED or if freight charges are not indicated on bid form.
14. **PUBLIC WORKS BIDS - Completed, Signed and Properly Notarized Affidavits Required;** This applies to all solicitations for construction, alteration or demolition of public buildings or projects, in conformity with the provisions contained in LSA-RS 38:2212.9, LSA-RS 38:2212.10, LSA-RS 38:2224, and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Non-Collusion Affidavit, Campaign Contribution Affidavit, Debt Disclosures Affidavit and E-Verify Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
15. **NON PUBLIC WORK BIDS - Completed, Signed and Properly Notarized Affidavits Required** in conformity with the provisions contained in LSA - RS 38:2224 and Sec 2-923.1 of the Jefferson Parish Code of Ordinances. For bidding purposes, all bidders must submit with bid submission COMPLETED, SIGNED and PROPERLY NOTARIZED Affidavits, including: Non-Collusion Affidavit, Debt Disclosures Affidavit and Campaign Contribution Affidavit. For the convenience of vendors, all affidavits have been combined into one form entitled NON PUBLIC WORKS BID AFFIDAVIT. This affidavit must be submitted in its original format, and without material alteration, in order to be compliant and for the bid to be considered responsive. A scanned copy of the completed, signed and properly notarized affidavit may be submitted with the bid, however, the successful bidder must submit the original affidavit in its original format and without material alteration upon contract execution. Failure to comply will result in the bid submission being rejected as non-responsive. The Parish reserves the right to award bid to the next lowest responsive and responsible bidder in this event.
16. The ensuing contract for this bid solicitation may be eligible for FEMA reimbursement and/or Federal funding/reimbursement. As such, the referenced appendix will be applicable accordingly and shall be considered a part of the bid documents. All applicable certifications must be duly completed, signed and submitted with bid submission. Failure to submit applicable certifications with bid submission will result in bid rejection.
17. For this project, the Contractor shall not pay any state or local sales or use taxes on materials and equipment which are affixed and made part of the immovable property of the project or which permanently incorporated in the project (hereinafter referred to as "applicable materials and equipment"). All purchases of applicable materials or equipment shall be made by the contractor on behalf of and as the agent of Jefferson Parish (Owner), a political subdivision of the State of Louisiana. No state and local sales and use taxes are owned on applicable materials and equipment under the provisions of Act 1029 of the 1991 Regular Session - Louisiana Revised Statute 47:301(8)(c). Owner will furnish contractor a certificate form which certifies that Owner is not required to pay such state or local sales and use taxes, and contractor shall furnish a copy of such certificate to all vendors or suppliers of the applicable materials and equipment.

It shall be the duty of every parish officer, employee, department, agency, special district, board, and commission: and the duty of every contractor, subcontractor, and licensee of the parish, and the duty of every applicant for certification of eligibility for a parish contract or program, to cooperate with the Inspector General in any investigation, audit, inspection, performance review, or hearing pursuant to Jefferson Parish Code of Ordinances Section 2-155.10(19). By submitting a bid, vendor acknowledges this and will abide by all provisions of the referenced Jefferson Parish Code of Ordinances.



CENTRALBIDDING
FROM CENTRAL AUCTION HOUSE

**5000120670 - A ONE-TIME PURCHASE OF 6 INCH SELF PRIMING CAST
IRON TRASH PUMPS FOR THE JEFFERSON PARISH WEST BANK
DRAINAGE DEPARTMENT
Jefferson Parish Government**

Project documents obtained from www.CentralBidding.com
22-Sep-2017 03:42:35 PM



JEFFERSON PARISH

Department of Purchasing

Michael S. Yenni
Parish President

Brenda C. Patel
Director

September 13, 2017

ADDENDUM # 1

Bid No.: 50-00120670

Bid Opening Date: September 14, 2017, 2:00 PM
Postponing Bid Opening Date to: September 28, 2017, 2:00 PM

For: A ONE-TIME PURCHASE OF 6 INCH SELF PRIMING CAST IRON TRASH PUMPS FOR THE
JEFFERSON PARISH WEST BANK DRAINAGE DEPARTMENT

- BID OPENING DATE HAS BEEN POSTPONED TO: September 28, 2017 at 2:00 PM
- REVISION TO SPECIFICATIONS: A Louisiana Dealer's License is not a requirement for this bid.

REMOVE FROM SPECIFICATIONS:

LOUISIANA DEALER'S LICENSE

In accordance with LA RS 32:1254 et seq and LA RS 38:2212.8, a Louisiana State Dealer's License is required. All bidders must provide a copy of their valid Louisiana Dealer's License with their bid submission. Failure to submit this copy will result in bid rejection.

Sincerely,

Melissa Ovalle

Melissa Ovalle, Buyer II
Jefferson Parish Purchasing Department

Bidders must acknowledge all addenda on the bid form. Bidder acknowledges receipt of this addendum on the bid form as indicated. Failure to do so will result in bid rejection.

This addendum is a part of the contract documents and modifies the original bidding documents and specifications. The contents of this addendum shall be included in the contract documents. Changes made by this addendum shall take precedence over the documents of earlier date.

General Government Bldg. - 200 Derbigny St - Suite 4400 - Gretna, LA 70053
Office 504.364.2678 - Fax 504.364.2693
Email: Purchasing@jeffparish.net Website: www.jeffparish.net